420XE

420 XE BACKHOE LOADER LEICESTER, ENGLAND

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

BACKHOE

- 14'4" Center pivot backhoe
- 4.3 Meters
- Boom and swing transport locks
- Electro hydraulic operated backhoe and stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick, and E-stick)
- Cat Cushion Swing(tm) system LOADER
- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig (automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock
- Spring Applied Hydraulic Release (SAHR) Drive-line parking brake
- Torque converter
- Neutral safety switch
- Spin-on filters for Fuel

Engine oil

Transmission oil

- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

HYDRAULICS

- Electro hydraulic hoe and loader

controls

- Load sensing, variable flow system with 43 gpm (162 L/min) axial piston pump
- 6 micron hydraulic filter
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- 150 ampere alternator
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and machine Electronic Control Modules

OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle
- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

FLUIDS

- Antifreeze - Extended Life Coolant-20F (-30C)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with
 42.3 gal (160L) capacity & 5 gal (19L)
 diesel exhaust fluid
- Rubber impact strips on radiator guard
- Safety Manual
- Operations and Maintenance Manual

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 21MAY2022

Grounds Equipment - Bid #ESCNJ 18/19-25

420XE

420 XE BACKHOE LOADER LEICESTER, ENGLAND

Ship Weight lbs

LIST PRICE AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- Lockable hood
- Tire Valve Stem Protection

Supersedes 23APR2022 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 21MAY2022 420XE-002

420XE

420 XE BACKHOE LOADER LEICESTER, ENGLAND

Ship Weight lbs

LIST PRICE AT DEALER

Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Order Management Program.

Supersedes 23APR2022

Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-003

420XE

| 420 XE BAC LEICESTER, | KHOE LOADER ENGLAND | Ship Weight Ibs | LIST PRICE AT DEALER |
|--------------------------|---|--------------------|-------------------------|
| 608-8451 | 420 XE 07A BHL DCA1A | | \$167,980 |
| | INCLUDES: 563-5593 420 XE 07A BACKHOE LOADER CFG1 337-9696 COUNTERWEIGHT, 1015 LBS 491-6734 WORKLIGHTS (8) HALOGEN LAMPS 541-9540 ENGINE, 74.5KW, C3.6 DITA, T4F 542-7775 HYD, MP, 6FCN/8BNK, EH, QC 542-7810 AIR CONDITIONER, T4F 543-4284 STICK, EXTENDABLE, 14FT 544-0883 CAB, DELUXE 544-1063 PT, 4WD/2WS AUTOSHIFT 545-5048 DISPLAY, TOUCH SCREEN 548-1231 LINES, COMBINED AUX, E-STICK 551-6453 RIDE CONTROL 551-6940 COLD WEATHER PACKAGE, 120V 560-6797 PRODUCT LINK, CELLULAR, PLE643 567-5090 AUTO-UP STABILIZERS 507-5500 SEAT, DELUXE FABRIC, HEATED 529-5931 LOADER, ST, PL, QUICK COUPLER 553-5854 USB POWER PORT | | |
| 563-5593 | 420 XE 07A BACKHOE LOADER CFG1 HRC MACHINE LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY ONLY FOR USE WITH: AM-N and PUERTO RICO | 0 | \$105,190 |
| 0P-7418 | 420XE MISC MATL, AM-N Use the reference below when ordering miscellaneous field ins kits. | | NC |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|--|---|--------------------------------|-------------------------|
| | E 1 AM-NOI | RTH MANDATORY ATTACHMENTS TION | | |
| | 0P-9001 | LANE 1 ORDER | | NC |
| R | REGIONAL P | REPARATION PACKAGES | | |
| L | 512-9256 | PREP PACK, CANADA | 0 | NC |
| L | OADER BUG | CKET | | |
| Р | 251-1800 | BUCKET-GP, 1.31 YD3, IT | | \$3,549 |
| P | 216-8810 | BUCKET-MP, 1.3 YD3, IT | | \$7,222 |
| P | 216-8840 | BUCKET-MP, 1.4 YD3, IT 1.1M3 (1.4YD3) SAE capacity Multi Purpose IT. Drille to accept bolt-on teeth or cutting edge, Two piece, Wid (not included). ONLY FOR USE WITH: 542-7775 HYD, MP, 6FCN/81 | d e | \$7,486 |
| C | CUTTING ED | GES | | |
| Р | 9R-5320 | CUTTING EDGE, TWO PIECE, WIDE | 1 YD3, IT | \$329 |
| Р | 9R-5321 | CUTTING EDGE, TWO PIECE Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 216-8810 BUCKET-MP, 1.3 | 154 | \$331 |
| 7 | type cannot b your tire choic Any proposed machine ship | ry-wide tire availability limitations, tire brand and e guaranteed. Every effort will be made to satisfy ce, but we reserve the right to propose alternate tires change will be reviewed with the dealer prior to ment. The machine will ship only with the dealer the proposed alternative tire. | | |
| P | 533-0488 | TIRES, 340 80-18/500 70-24, MX Michelin Power CL (Bias Ply) 12.5/80-18 12PR direction and 500/70-24 20PR (Bias ply) directional rear tires deliver high load capacity. Provides excellent traction and floatation. Wide lugs properties and hard surface grip. | onal front tire lesigned to | \$1,820 |
| D | DECAL PACK Must select or | | | |
| Р | 559-0872 | INSTRUCTIONS, ANSI | 0 | NC |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight Ibs | LIST PR AT DEAL |
|-----|---------------------------------|--|--|--------------------|
| ANE | E 1 AM-NOI | RTH MANDATORY ATTACHMENTS (CONT.) | | |
| | | (AGES (Cont.) | | |
| D | LUAL I AUI | AAGES (COM.) | | |
| • | 559-0874 | INSTRUCTIONS, ISO | 0 | N |
| S | EAT BELT Select one | | | |
| - | 206-1747 | BELT, SEAT, 2" SUSPENSION | 0 | N |
| - | 206-1748 | SEAT BELT, 3" SUSPENSION | 0 | \$16 |
| | TABILIZER I | | | |
| P | 9R-1085 | STABILIZER PADS, STREET | es. | N |
| • | 9R-6007 | STABILIZER PADS, FLIP-OVER | | \$38 |
| | ACKHOE BU Must select or | UCKET OR COUPLER ne. | | |
| • | 175-7877 | BUCKET, HOE, (NONE) | | N |
| • | 219-3387 | BUCKET-HD, 24", 6.2 FT3 | | \$1,77 |
| • | 254-8941 | BUCKET-SOIL, 24", 8.5 FT3 | | \$1,93 |
| • | 219-3411 | BUCKET-HD, 12", 2.8 FT3 | | \$1,54 |
| • | 219-3386 | BUCKET-HD, 18", 4.2 FT3 | | \$1,65 |
| • | 212-8738 | BUCKET-DC, 48", 13.0 FT3 | 0 | \$2,87 |
| //\ | NSTRUCTIO Must select | NS AND OPERATION MANUALS | | |
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT The technical media kit, will include the Operation and Manual (OMM) and other media specified on the Facto List required to ship products from the manufacturing Kit may include multiple Operation and Maintenance based on the final country of destination. Contents wil Any additional media or translations not included in the ordered through publications.cat.com | d Maintenance ory Notification g facility. Manuals (OMM) l vary. | N |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-------------|--------------------------|--|----------------------------|-------------------------|
| LANE 1 | AM-NO | RTH MANDATORY ATTACHMENTS (CONT.) | | |
| TRAN | VSPORT | PROTECTION | | |
| 4 | 61-6839 | SHIPPING/STORAGE PROTECTION | rotection y water prior | \$232 NET |
| 40 | 62-1033 | RUST PREVENTATIVE APPLICATORPreparation for shipment - Silix applicators required fishipment by sea. Required for all machines for USA, Canada & South A | for | \$124 NET |
| PACK Mus | KING st select | | | |
| O |)P-0210 | PACK, DOMESTIC TRUCK | | NC |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-007

420XE

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|--|---|--------------------|-------------------------|
| LANI | E 1 AM-NO | RTH OPTIONAL ATTACHMENTS | | |
| N | lay select a | dditional options (not required). | | |
| P | 211-4292 | BEACON, MAGNETIC MOUNT | 0 | \$264 N |
| P | 353-1389 | Must be ordered as 'Not-Installed'. GUARD, STABILIZER | | \$955 |
| P | 423-7607 | Guards to protect Stabilizer cylinder rods from damage PLATE GROUP - BOOM WEAR | ge. 0 | \$246 |
| • | 563-6098 | Bolt on guard prevents damage to boom. FENDERS, FRONT 4WD | 0 | \$657 |
| C | ARRIAGE A | ND FORKS FOR IT MACHINES | | |
| P | 6W-8832 | CARRIAGE, PALLET, 61", IT | 611 | \$2,511 |
| P | 195-6935 | Standard carriage. Does not include tines. FORK TINE, 2" X 5" X 48" | 216 | \$806 |
| P | 195-6939 | One tine only, specify qty of 2 for pair. FORK TINE, 2" X 5" X 54" | 232 | \$833 |
| Н | OE COUPLI | ER | | |
| P | 444-7500 | COUPLER, PG, MAN.D.LOCK, BHL | | \$2,194 |
| P | 544-1901 | to attach one bucket). COUPLER, PIN LOCK, BL F | tools. | \$1,528 |
| | Thumbs & Tin Thumbs cann selected to co No additional Tine from the the bucket an | not be shipped without either bucket or coupler. These may only be ordered as full, installed packages. The proof of the ordered installed, less the tine. A Tine must be supplete the order. The proof of the order of the ordering a BHL Thumb & Factory; insure that the correct tine is selected for order bucket/coupler combination. The tine is selected, the bucket and tine may not mate | ά | |
| P | 282-5409 | THUMB, HYDRAULIC, NO TINE, BHL Hydraulic Thumb Arrangement without tines | 0 | \$5,778 |
| P | 221-4282 | REQUIRES: Thumb tine (see below) THUMB, TINE, A 1 | | \$438 |
| P | 221-4283 | THUMB, TINE, A 3 Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3380 OR 219-3387 BUCKET 24" | | \$4 38 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-008

420XE

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|---------------|--|--------------------------------------|-------------------------|
| LAN | E 1 AM-NOI | RTH OPTIONAL ATTACHMENTS (CONT.) | | |
| 7 | THUMBS (C | ont.) | | |
| Р | 281-6708 | THUMB, TINE, A 5 | | \$583 |
| R | RADIO | | | |
| P | 540-2298 | STANDARD RADIO (12V) | y, USB port, and | \$630 |
| H | <i>IAMMER</i> | | | |
| Р | 532-9300 | HAMMER, B8S, BHL CHECK AVAILABILITY VIA DOCS BEFORE PLACING TO B8S HAMMER PACKAGE Includes B8S hammer non tuck, BHL hammer bracket quick disconnects, wrench, toolbox and two tools (Chise ONLY FOR USE WITH: 608-8451 420 XE 07A BHL | t,hammer lines, I crosscut/cone). | \$14,583 NI |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

MACHINES ORDERED FROM THIS SECTION WILL BE SOURCED FROM THE FACTORY

| 0P-9002 | LANE 2 ORDER | NC |
|---------|---|----|
| | Only for dealers enrolled in the Base Orders Management (BOM) program | |
| 0P-9003 | LANE 3 ORDER | NC |

Supersedes 23APR2022 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 21MAY2022 420XE-010

420XE

| USE REF LANE 2 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|--------------------------|--------------------|-------------------------|
|--------------------------|--------------------|-------------------------|

FEATURE PACKAGES

TRIM PACKAGES

Trim Packages are Mandatory for Lane 2, but optional for Lane 3

| L | 621-4247 | TRIM PACKAGE 1. INCLUDES: 544-0877 CANOPY, BASE 542-7775 HYD, MP, 6FCN/8BNK, EH, QC 544-1068 PT, 4WD/2WS, POWERSHIFT 543-4283 STICK, STANDARD, 4.3M (14FT) 545-5047 DISPLAY, STANDARD 491-6736 WORKLIGHTS (8) LED LAMPS 507-5499 SEAT, VINYL 529-5931 LOADER, ST, PL, QUICK COUPLER 560-6797 PRODUCT LINK, CELLULAR, PLE643 337-9695 COUNTERWEIGHT, 240 KGS (530 LBS) 551-6453 RIDE CONTROL 582-7394 AUX READY, STD STICK 553-5854 USB POWER PORT 454-6610 FAN, STANDARD CAB/ CANOPY 516-5913 BATTERY, HEAVY DUTY 423-7607 PLATE GROUP - BOOM WEAR 353-1389 GUARD, STABILIZER | 0 | \$25,250 |
|---|----------|--|---|----------|
| L | 621-4248 | TRIM PACKAGE 2INCLUDES: | 0 | \$34,050 |

544-0877 CANOPY, BASE

542-7775 HYD, MP, 6FCN/8BNK, EH, QC 544-1068 PT, 4WD/2WS, POWERSHIFT

543-4284 STICK, EXTENDABLE, 4.3M (14FT)

545-5047 DISPLAY, STANDARD

491-6736 WORKLIGHTS (8) LED LAMPS

507-5499 SEAT, VINYL

529-5931 LOADER, ST, PL, QUICK COUPLER

560-6797 PRODUCT LINK, CELLULAR, PLE643

337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS)

551-6453 RIDE CONTROL

548-1231 LINES, COMBINED AUX, E-STICK

553-5854 USB POWER PORT

454-6610 FAN, STANDARD CAB/ CANOPY

516-5913 BATTERY, HEAVY DUTY

423-7607 PLATE GROUP - BOOM WEAR

353-1389 GUARD, STABILIZER

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|--|--------------------|-------------------------|
| | | AGES (CONT.) | | |
| L | 621-4249 | TRIM PACKAGE 3. INCLUDES: 544-0883 CAB, DELUXE 542-7775 HYD, MP, 6FCN/8BNK, EH, QC 544-1068 PT, 4WD/2WS, POWERSHIFT 543-4284 STICK, EXTENDABLE, 4.3M (14FT) 545-5048 DISPLAY, TOUCH SCREEN 491-6736 WORKLIGHTS (8) LED LAMPS 558-9623 SEAT, DELUXE FABRIC 529-5931 LOADER, ST, PL, QUICK COUPLER 542-7810 AIR CONDITIONER, S5 (T4F) 560-6797 PRODUCT LINK, CELLULAR, PLE643 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS) 551-6453 RIDE CONTROL 548-1231 LINES, COMBINED AUX, E-STICK 567-5090 AUTO-UP STABILIZERS 540-2298 STANDARD RADIO (12V) 553-5854 USB POWER PORT 551-6940 COLD WEATHER PACKAGE, 120V 423-7607 PLATE GROUP - BOOM WEAR 353-1389 GUARD, STABILIZER | 0 | \$49,190 |
| L | 621-4250 | INCLUDES: 544-0883 CAB, DELUXE 542-7775 HYD, MP, 6FCN/8BNK, EH, QC 544-0926 PT, 4WD/2WS, AUTOSHIFT, LTC 543-4284 STICK, EXTENDABLE, 4.3M (14FT) 545-5048 DISPLAY, TOUCH SCREEN 491-6736 WORKLIGHTS (8) LED LAMPS 507-5500 SEAT, DELUXE FABRIC, HEATED 529-5931 LOADER, ST, PL, QUICK COUPLER 542-7810 AIR CONDITIONER, S5 (T4F) 560-6797 PRODUCT LINK, CELLULAR, PLE643 337-9696 COUNTERWEIGHT, 460 KGS (1015 LBS) 551-6453 RIDE CONTROL 548-1231 LINES, COMBINED AUX, E-STICK 567-5090 AUTO-UP STABILIZERS 540-2298 STANDARD RADIO (12V) 553-5854 USB POWER PORT 551-6940 COLD WEATHER PACKAGE, 120V 423-7607 PLATE GROUP - BOOM WEAR 353-1389 GUARD, STABILIZER | 0 | \$55,450 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|---|--------------------|-------------------------|
| BOOI | MS, STICKS | S, AND LINKAGES | | |
| B | ACKHOE S | TICKS | | |
| L | 543-4283 | STICK, STANDARD, 14FT | 0 | NC |
| L | 543-4284 | Included in Trim Package 1 STICK, EXTENDABLE, 14FT | 0 | \$5,500 |
| POW | ERTRAIN | | | |
| P | OWERTRAII | N (Gearbox, Axles, Lines) | | |
| L | 544-1068 | PT, 4WD/2WS, POWERSHIFT ONLY FOR USE IN LANE 3 4 speed Manual Transmission allowing Operator to S by twisting Powershuttle Lever. Included in Trim Packages 1,2 & 3 | Shift Gears | \$10,950 |
| L | 544-1063 | Includes: Spring Applied Hydraulic Release (SAHR) I PT, 4WD/2WS AUTOSHIFT ONLY FOR USE IN LANE 3 6 speed Automatic Transmission. | 0 | \$15,210 |
| L | 544-0926 | Includes: Spring Applied Hydraulic Release (SAHR) IPT, 4WD/2WS, AUTOSHIFT, LTC ONLY FOR USE IN LANE 3 6 speed Automatic Transmission with Lockup Torque Included in Trim Package 4 Includes: Spring Applied Hydraulic Release (SAHR) I | e Converter. | \$16,630 |
| El | NGINE (Eng | ine, Cooler, Filters, Lines) | | |
| L | 541-9540 | ENGINE, 74.5KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 91HP (68kW) | 0 | \$10,890 |
| L | 542-7780 | Gross Power @ Rated (2200RPM) is 100HP (74.5kW) ENGINE, 82KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 101HP (75kW) Gross Power @ Rated (2200RPM) is 110HP (82kW) | 0 | \$12,830 |
| HYDI | RAULICS | | | |
| M | ACHINE H | YDRAULICS (inc Valves and Loader Lines) | | |
| L | 585-1161 | HYDRAULICS, MP, 6FCN/8BNK, EH ONLY FOR USE IN LANE 3 Includes: Seat Mounted Operator Controls REQUIRES: 585-1162 LOADER, ST, PL AVAILABLE FOR: MP Loader Bucket and E-Stick v Lines | | \$3,150 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-013

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---|--|-------------------------|
| | RAULICS (| CONT.) YDRAULICS (inc Valves and Loader Lines) (C | Cont.) | |
| L | 542-7775 | HYD, MP, 6FCN/8BNK, EH, QC ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 Includes IT quick coupler Includes: Seat Mounted Operator Controls & IT Loade REQUIRES: 529-5931 LOADER, ST, PL, QUICK COUL AVAILABLE FOR: MP Loader Bucket and E-Stick with Lines | er Coupler PLER | \$7,140 |
| LC | OADER HYL | DRAULICS | | |
| L | 585-1162 | LOADER, ST, PL | 0 | NC |
| L | 529-5931 | REQUIRES: 585-1161 HYDRAULICS, MP, 6FCN/8BN LOADER, ST, PL, QUICK COUPLER ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 Includes: Parallel Lift REQUIRES: 542-7775 HYD, MP, 6FCN/8BNK, EH, Quick Parallel Lift REQUIRES: 542-7775 HYD, MP, 6FCN/8BNK, EH, MP, MP, MP, MP, MP, MP, MP, MP, MP, MP | 0 | NC |
| OPER | RATOR ENV | TRONMENT | | |
| C | ABS/CANO | PY | | |
| L | 544-0877 | CANOPY, BASE | | NC |
| L | 544-0883 | Included in Trim Packages 1 & 2 CAB, DELUXE | viper/washer iir suspension :/tele steering and | \$9,580 |
| DI | ISPLAY | | | |
| L | 545-5048 | DISPLAY, TOUCH SCREEN | | \$765 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE-014

Effective 21MAY2022

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|---------------------|-------------------------|
| OPER | ATOR ENV | IRONMENT (CONT.) | | |
| DI | SPLAY (C | ont.) | | |
| L | 545-5047 | ONLY FOR USE IN LANE 3 Includes: Analog Machine Gauges, LCD Information Key Operator Interface. Included in Trim Packages 1 & 2 ONLY FOR USE WITH: 544-0877 CANOPY, BASE | n Display, and Soft | NC |
| W | ORKING LI | GHTS | | |
| L | 491-6734 | WORKLIGHTS (8) HALOGEN LAMPS | 0 | NC |
| L | 491-6736 | ONLY FOR USE IN LANE 3 WORKLIGHTS (8) LED LAMPS | 0 | \$1,005 |
| SE | ATING | | | |
| L | 507-5499 | SEAT, VINYL | 0 | NC |
| L | 558-9623 | SEAT, DELUXE FABRIC | 0 | \$1,060 |
| L | 507-5500 | ONLY FOR USE WITH: CAB, DELUXE SEAT, DELUXE FABRIC, HEATED ONLY FOR USE IN LANE 3 Included in Trim Package 4 ONLY FOR USE WITH: CAB, DELUXE | 0 | \$1,640 |
| SE | AT BELT | | | |
| L | 206-1747 | BELT, SEAT, 2" SUSPENSION | 0 | NC |
| L | 206-1748 | SEAT BELT, 3" SUSPENSION | 0 | \$164 |
| E٨ | VIRONME | NTAL CONTROL | | |
| L | 542-7809 | HEATER, T4F | 0 | NC |
| L | 542-7810 | AIR CONDITIONER, T4F ONLY FOR USE IN LANE 3 Select if both heat and air conditioning is required. Included in Trim Package 3 & 4 CANNOT BE USED WITH: CANOPY, BASE | 0 | \$2,740 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE

Grounds Equipment - Bid #ESCNJ 18/19-25

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. AT DEALER

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below: HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html From there click on the "PRODUCT LINK Hardware Certification" link.

PRODUCT LINK, CELLULAR, PLE643 L 560-6797 NC ONLY FOR USE IN LANE 3 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, Included in Trim Packages 1,2,3 & 4 559-1294 \$1,479

> ONLY FOR USE IN LANE 3 Product Link Elite series dual mode PLE683 (consisting of PL083 radio, and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN

Ρ 533-0488 \$1,820

Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity.

Provides excellent traction and floatation. Wide lugs provide

long life and hard surface grip.

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-016

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-------|------------|--|---|-------------------------|
| TIRES | , RIMS, A | ND WHEELS (CONT.) | | |
| FO | OUR WHEE | L DRIVE TIRES AVAILABLE FROM MICHELIN | (Cont.) | |
| • | 320-2385 | TIRES,340 80R18/500/70-24 MI Front: Michelin 340/80R18. Directional tire designed deliver high load capacity, smooth wear and long life superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resist cuts and punctures. | d to with on ts impacts, | \$2,620 |
| P | 320-2384 | Combines benefits of radial front with stability of rear TIRES, 340 80R18/500 70R24, MX | es of conditions. | \$3,185 |
| P | 533-0479 | extremely long tire life, and high load capacity. TIRES, 340 80R18/500 70R24, MX Michelin 340/80R18 BIBLOAD Radial multi-direction Michelin 500/70R24 BIBLOAD Radial multi-direction more contact on hard surfaces and smoother ride with the surfaces are surfaces. | nal front tires and nal rear tires for | \$3,310 |
| | 533-2163 | to wear and tear. TIRES, 340 80R20/480 80R26, MX FOR USE IN LANE 3 ONLY Michelin 340/80-R20 XMCL radial directional front to 480/80R26 XMCL radial directional rear tires for excon all types of ground, good wear resistance on hard surfaces. A taller and wider tire combination for sup clearance and floatation. REQUIRES: 570-9674 STEERING STOP | ires and Michelin ellent traction abrasive | \$3,610 |
| | 587-7103 | TIRES, 340 80-18/440 80-24, MX Michelin Power CL (Michelin Bias Ply) 340/80-18 143 Directional rear tyres providing wide lugs for long life hard surface grip. Overlapping lug noses give smooth hard surfaces and casing protection. Michelin Power CL (Michelin Bias Ply) 440/80-24 168 Directional rear tyres providing wide lugs for long life surface grip. Overlapping lug noses give smooth rollin surfaces and casing protection | 3 A8 Load Rating span and rolling on 8 A8 Load Rating span and hard ng on hard | \$3,725 |
| | 619-6051 | ONLY FOR USE WITH: 583-7863 CUSTOM COLOI TIRES, 340 80-18/540 70-24,MX | anced puncture | \$2,905 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE-017

Effective 21MAY2022

420XE

| USE | REF NO. | LANE 2 / 3 MANDA | TORY Ship Weight lbs | LIST PRICE AT DEALER |
|------|--|---|--|-------------------------|
| TIRE | S, RIMS, AI | ND WHEELS (CONT.) | | |
| F | OUR WHEE | L DRIVE TIRES AVAILABLE FROM | I GOODYEAR | |
| P | 379-2161 | Front: Goodyear 12.5/80-1810 PR I-3 Directional tire for good traction and lo wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 ITS Directional tire with solid performance Increased wear and performance on ha | Sure Grip Lug ng wear, provided by 625 on rock-hard ground. | \$2,030 |
| S | TEERING S | ТОР | | |
| Р | 570-9674 | STEERING STOPONLY FOR USE IN LANE 3 Front axle steering stop limits the steer 20" tire arrangements to prevent mach REQUIRES: 5332163 TIRES, 340 80 | ring angle on ine interference. | \$12 |
| отн | ER ATTACH | IMENTS | | |
| С | OUNTERWE | EIGHT | | |
| | ADD THE NEX | T INCREMENT OF COUNTERWEIGHT IF | A THUMB IS REQUIRED | |
| | MINIMUM RE | COMMENDED COUNTERWEIGHT | | |
| | MACHINE CO Std Stick, GP Std Stick, MP E-Stick, GP B E-Stick, MP B | Bucket no cwt ucket 1015 lbs - 460KG | CIGHT | |

| IF OC | LOADER | HVD | SEL | FCTFD |
|-------|--------|-----|-----|-------|

| MACHINE CONFIGURATION | RECOMMENDED WEIGHT |
|--------------------------|--------------------|
| Std Stick, GP Bucket | no cwt |
| Std Stick, MP Bucket | no cwt |
| Std Stick, Material Arm | no cwt |
| Std Stick, Fork Carriage | no cwt |
| E-Stick, GP Bucket | 530 lbs - 240KG |
| E-Stick, MP Bucket | no cwt |
| | |

| E-Stick, Material Arm | 530 lbs - 240KG |
|------------------------|-----------------|
| E-Stick, Fork Carriage | 530 lbs - 240KG |

| Р | 337-9693 | COUNTERWEIGHT, NONE | NC |
|---|----------|---|---------|
| | | ONLY FOR USE IN LANE 3 | |
| | | ONLY FOR USE WITH: 543-4283 STICK, STANDARD | |
| Р | 337-9694 | COUNTERWEIGHT, 255 LBS | \$775 |
| | | ONLY FOR USE IN LANE 3 | |
| | | ONLY FOR USE WITH: 543-4283 STICK, STANDARD | |
| Р | 337-9695 | COUNTERWEIGHT, 530 LBS | \$1,025 |
| | | ONLY FOR USE IN LANE 3 | |
| | | Included in Trim Package 1 | |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-018

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRIC AT DEALE |
|------|---------------|---|--------------------|-----------------------|
| ЭТНЕ | R ATTACH | HMENTS (CONT.) | | |
| C | OUNTERWI | EIGHT (Cont.) | | |
| • | 337-9696 | COUNTERWEIGHT, 1015 LBS | 0 | \$2,010 |
| St | tabilizer Pac | ds and Accessories | | |
| P | 9R-1085 | STABILIZER PADS, STREET | oes. | NC |
| • | 9R-6007 | For use on prepared surfaces such as asphalt or con STABILIZER PADS , FLIP-OVER | 85 | \$383 |
| • | 560-2635 | STABILIZER PADS, FLIP-OVER | | \$383 |
| BUCK | KETS | | | |
| | DADER BUG | CKFTS | | |
| - | 545-8548 | LOADER BUCKET PINS | 0 | NC |
| P | 325-5100 | | | NC NC |
| | | ONLY FOR USE IN LANE 3 Ship with no loader bucket. | | |
| • | 337-7385 | BUCKET-GP, 1.3 YD3, PO | | \$3,500 |
| • | 337-7388 | BUCKET-GP, 1.4 YD3, PO | , | \$3,743 |
| • | 337-7401 | BUCKÉT-GP, 1.5 YD3, PO | | \$4,014 |
| | 337-7436 | BUCKÉT-MP, 1.3 YD3, PO | | \$7,222 |
| P | 337-7442 | BUCKET-MP, 1.4 YD3, PO ONLY FOR USE IN LANE 3 1.1M3 (1.4YD3) SAE capacity Multi Purpose. Drilled accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS | | \$7,486 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

420XE-019

Effective 21MAY2022

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|---|-------------------------|
| BUCK | KETS (CON | IT.) | | |
| LC | DADER BUG | CKETS (Cont.) | | |
| Р | 581-9002 | BUCKET-MP, 1.4 YD3, PO, BLACK ONLY FOR USE IN LANE 3 1.45 CYD (1.1 CUM) SAE capacity Multi Purpose. Dracept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLO | illed to | \$7,486 |
| Р | 595-0367 | BUCKET-GP, 1.3 YD3, PO, BLK ONLY FOR USE IN LANE 3 1.25 CYD (0.96CUM) SAE capacity General Purpose. accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLO. | Drilled to | \$3,500 |
| Р | 595-0365 | BUCKET-GP, 1.4 YD3, PO, BLK ONLY FOR USE IN LANE 3 1.45 CYD (1.1 CUM) SAE capacity General Purpose. accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLO. | Drilled to | \$3,743 |
| P | 595-0357 | BUCKET-MP, 1.3 YD3, PO, BLK ONLY FOR USE IN LANE 3 1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Draccept bolt-on teeth or cutting edge (not included) REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLO | | \$7,222 |
| C | UTTING ED | GE/TEETH | | |
| Р | 9R-5320 | CUTTING EDGE, TWO PIECE, WIDE Bolt-on reversible cutting edge for the Loader Bucket ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.9 337-7442 BUCKET-MP, 1.9 581-9002 BUCKET-MP, 1.9 CANNOT BE USED WITH: 9R-5866 TEETH | 5 YD3, PO 4 YD3, PO | \$329 |
| P | 9R-5321 | CANNOT BE USED WITH. 9R-3800 TEETH CUTTING EDGE, TWO PIECE Bolt-on reversible cutting edge for the Loader Bucket ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.337-7436 BUCKET-MP, 1.595-0367 BUCKET-GP, 1.595-0365 BUCKET-GP, 1.595-0357 BUCKET-MP, | 3 YD3, PO 4 YD3, PO 3 YD3, PO 3 YD3, PO, BLK 4 YD3, PO, BLK | \$331 |
| Р | 9R-5866 | TEETH | CKETS FWO PIECE,WIDE or | \$389 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-020

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
| | | | | |

BUCKETS (CONT.)

BACKHOE BUCKETS AND COUPLERS

Select one

If no coupler is selected hoe bucket should be ordered as installed.

If coupler is selected coupler should be installed and hoe bucket not installed.

Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/3 Optional section.

| P | 175-7877 | BUCKET, HOE, (NONE) | NC |
|---|----------|---|-----------------------|
| P | 219-3387 | BUCKET-HD, 24", 6.2 FT3 | \$1,778 \$1,778 NI |
| Р | 254-8941 | Includes 5 tooth tips. BUCKET-SOIL, 24", 8.5 FT3 | \$1,931 \$1,931 NI |
| Р | 219-3396 | Includes 5 angle-down adapters and soil tooth tips. BUCKET-ROCK, HD, 24", 7.0 FT3 | \$1,979 \$1,979 NI |
| Р | 219-3381 | Includes 5 tooth tips. BUCKET, 24", 6.2 FT3 | \$1,382 \$1,382 NI |
| P | 247-1950 | ONLY FOR USE IN LANE 3 Includes 5 tooth tips. BUCKET-HD, 24", 7.3 FT3, PL | \$1,889 |
| r | 247-1330 | This Pin Lock bucket includes 5 tooth tips. | \$1,889 NI |
| Р | 219-3411 | ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK BUCKET-HD, 12", 2.8 FT3 | \$1,542 \$1,542 NI |
| P | 219-3386 | Includes 3 tooth tips and Pin set for 12" Buckets. BUCKET-HD, 18", 4.2 FT3 | \$1,653 \$1,653 NI |
| Р | 212-8738 | Includes 4 tooth tips. BUCKET-DC, 48", 13.0 FT3 | \$2,875 \$2,875 NI |
| Р | 444-7500 | Ditch cleaning bucket COUPLER, PG, MAN.D.LOCK, BHL | \$2,194 |
| Р | 544-1901 | Includes: one set of pins and hardware to attach one bucket COUPLER, PIN LOCK, BL F Manual coupler for dedicated Pin Lock backhoe work tools. | \$1,528 |
| P | 485-5303 | Includes mounting pins and hardware for attaching tools. COUPLER, PG, HYD.D.LOCK,BHL | \$4,285 |

INSTRUCTIONS

DECAL PACKAGES

| Р | 559-0872 | INSTRUCTIONS, ANSI | NC |
|---|----------|--|----|
| | | This package includes picto decals for use in USA. | |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

420XE

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
| | | | | |

INSTRUCTIONS (CONT.)

INSTRUCTIONS AND OPERATION MANUALS

The technical media kit, will include the Operation and Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may include multiple Operation and Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 21MAY2022 420XE-022

\$424 NT

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

CATERPILLAR MACHINE PRICE LIST

| ЦV | וחי | 2Λ | 111 | ICS |
|----|-----|----|-----|-----|
| ПІ | UI | ٦Н | UL | ıcə |

RIDE CONTROL

| L | 551-6453 | RIDE CONTROL | 0 | \$1,695 |
|---|-----------|--|---|---------|
| | | ONLY FOR USE IN LANE 3 | | |
| | | Improves ride during travel by providing a suspension | | |
| | | system in the loader lift arm circuit. Recommended in | | |
| | | applications where improved material retention or ride | | |
| | | is desired. | | |
| | | Included in Trim Packages 1,2,3 & 4 | | |
| | HYDRAULIC | QUICK DISCONNECT | | |

| • | 100 000 | OCCI ENTO, CED, ITTILE CALLO I I I I I I I I I I I I I I I I I I | 7-2-11- |
|---|---------|--|---------|
| | | This includes one additional male and female threaded flat face, | |
| | | connect under pressure, quick disconnect coupling & protective caps. | |
| | | Not available in Trim Packages 1,2 & 3 | |
| | | Mandatory for Trim Package 4 | |

ONLY FOR USE WITH: LINES, COMBINED AUX, STD/E-STICK

THUMBS

Thumbs cannot be shipped without either bucket or coupler.

456 3390 COURTING OF THREADED WITH CARS

Thumbs & Tines may only be ordered as full, installed packages.

Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.

No additional not installed tine allowed When ordering a BHL Thumb &

FOR USE WITH: 247-1950 BUCKET 24"

Tine from the Factory; insure that the correct tine is selected for

the bucket and/or bucket/coupler combination.

If the incorrect tine is selected, the bucket and tine may not mate properly.

| P | 282-5409 | THUMB, HYDRAULIC, NO TINE, BHL | \$5,778 |
|---|----------|---|---------|
| P | 221-4282 | CANNOT BE USED WITH: 337-9693 COUNTERWEIGHT, NONE THUMB, TINE, A 1 | \$438 |
| P | 221-4284 | 219-3381 BUCKET 24" OR 219-3387 BUCKET 24" THUMB, TINE, A 2 | \$438 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-023

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|--|-------------------------|
| HYDI | RAULICS (| CONT.) | | |
| | HUMBS (C | - | | |
| | | | 0 | 6420 |
| P | 221-4283 | THUMB, TINE, A 3 Bucket with no coupler Not available in Trim Package 1 FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-33 219-3381 BUCKET 24" OR 219-3387 | | \$438 |
| P | 221-4285 | THUMB, TINE, A 4 | NUAL OR | \$583 |
| P | 281-6708 | THUMB, TINE, A 5 Not available in Trim Package 1 ONLY FOR USE WITH: 444-7500 COUPLER, MAI 485-5303 COUPLER, HYI 254-8941 BUCKET 24" | NUAL OR | \$583 |
| В | ACKHOE H | YDRAULICS | | |
| L | 582-7394 | AUX READY, STD STICK ONLY FOR USE IN LANE 3 This option adds hydraulics lines from the valve underminating at the rear of the machine. This option is the addition of combined aux lines at a later time in Included in Trim Package 1 CANNOT BE USED WITH LINES COMPINED ALLY. | der the cab, simplifies the field. | \$1,670 |
| - | 582-7395 | CANNOT BE USED WITH: LINES, COMBINED AUX, AUX READY, E-STICK | der the cab, simplifies the field. | \$1,670 |
| L | 548-1230 | CINES, COMBINED AUX, STD STICK | 0 | \$3,990 |
| - | 548-1231 | UNES, COMBINED AUX, E-STICK | 0 | \$3,990 |
| P | 578-0794 | ONLY FOR USE IN LANE 3 | 0 | \$840 |
| P | 456-3390 | Provides hose burst check valve for Backhoe Boom COUPLING, QD, THREADED WITH CAPS | ded flat face, & protective caps. | \$424 N |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-024

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|---|--|-------------------------|
| ELE | CTRICAL | | | |
| A | AUTO UP ST | ABILIZERS | | |
| Р | 567-5090 | AUTO-UP STABILIZERS ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 REQUIRES: CAB, DELUXE ONLY FOR USE WITH: CAB, DELUXE | 0 | NC |
| / | MAGNETIC E | BEACON | | |
| P | 211-4292 | BEACON, MAGNETIC MOUNT | 0 | \$264 N |
| Р | 433-0154 | Must be ordered as 'NOT INSTALLED' BEACON, MAGNETIC MOUNT, STROBE Must be ordered as 'NOT INSTALLED'. | 0 | \$391 N |
| F | RADIO | | | |
| P | 540-2298 | STANDARD RADIO (12V) ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Standard 12V AM/FM radio with Bluetooth techno 3.5 mm AUX input. Availability varies by country. | ology, USB port, and | \$630 |
| L | 553-5854 | CANNOT BE USED WITH: OPEN CANOPY MACHINUSB POWER PORTONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 | | \$37 |
| F | RADIO READ | Y CANOPY HEADLINER | | |
| L | 398-2875 | RADIO READY HEADLINER, CANOPY ONLY FOR USE IN LANE 3 Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY | 3 | \$569 |
| F | ACE FAN | | | |
| L | 387-6682 | FAN | 0 | \$263 |
| L | 454-6610 | FOR USE WITH: DELUXE CABS FAN, STANDARD CAB/ CANOPY ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 FOR USE WITH: CANOPIES | 0 | \$263 |
| 5 | SECURITY | | | |
| L | 549-5531 | SECURITY BLUETOOTH KEY ONLY FOR USE IN LANE 3 Enables an immobiliser system to disable the enging other systems at key switch on until a Pre Program is present OR valid pass code is manually entered display which unlocks the machine to enable operation. | ne, transmission and nmed Bluetooth Key via the operator | \$640 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-025

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|---|-------------------------|
| ELE(| CTRICAL (C | ONT.) | | |
| S | SECURITY (| Cont.) | | |
| L | 573-0397 | DISPLAY, SECURITY, ENABLED | ie, transmission and ode is manually | \$569 |
| F | HEAVY DUT | Y BATTERY | | |
| L | 516-5913 | BATTERY, HEAVY DUTY ONLY FOR USE IN LANE 3 Included in Trim Packages 1 & 2 INCLUDED IN: COLD WEATHER PACKAGE | 0 | \$259 |
| C | COLD WEAT | HER PACKAGES | | |
| L | 551-6940 | COLD WEATHER PACKAGE, 120V ONLY FOR USE IN LANE 3 Included in Trim Packages 3 & 4 Provides additional battery and engine block heater radiator antifreeze (to -55 celsius), mounting for an low temperature diesel fuel to -22F (-30 celsius). The ether bottle is available seperately from Parts D | as well as ether bottle and | \$885 |
| L | 396-6505 | FOR USE WITH: HRC MACHINES CANNOT BE USED WITH: HEAVY DUTY BATTERY FUEL, COLD WEATHER | 0 | \$159 NET |
| GUA | ARDS | | | |
| Р | 423-7607 | PLATE GROUP - BOOM WEAR ONLY FOR USE IN LANE 3 Included in Trim Packages 1,2,3 & 4 | 0 | \$246 |
| Р | 353-1389 | Bolt on guard prevents damage to boom. GUARD, STABILIZER | | \$955 |
| ОТН | IER ATTACH | IMENTS | | |
| F | ENDERS | | | |
| Р | 563-6098 | FENDERS, FRONT 4WD | 0 | \$657 |
| E | XTERIOR RI | EAR VIEW MIRRORS | | |
| P | 382-2499 | MIRRORS, EXTERNAL, BOTH SIDES | 0 | \$830 |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-026

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|-----------------|--|---|-------------------------|
| WOR | RK TOOLS | | | |
| C | ARRIAGE A | ND FORKS | | |
| • | 6W-8832 | CARRIAGE, PALLET, 61", IT | | \$2,511 |
| • | 195-6935 | FORK TINE, 2" X 5" X 48" | | \$806 |
| • | 195-6939 | FORK TINE, 2" X 5" X 54" | 232 | \$833 |
| | Required if a l | QUICK COUPLER LINES Hydraulic Quick Coupler has been selected. Hydraulic Quick Coupler has been selected. | | |
| • | 555-2394 | LINES,HYD CPLR 14FT STD PILOT | ler. | \$2,653 |
| • | 555-2396 | Provides hydraulic lines, valve and electrical control REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL I EXTENDABLE STICK | ler. | \$2,653 |
| C | OUPLER NO | ONE CAPS | | |
| • | 487-6058 | COUPLER NONE This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd couple REQUIRES: 555-2394 LINES, HYD COUPLER STD-S 555-2396 LINES, HYD COUPLER EXT-S CANNOT BE USED WITH: 485-5303 COUPLER | s r is selected. STK | NC |
| В | UCKET PINS | S | | |
| • | 318-9902 | PINS, SPARE | AL, DUAL LOCK | \$175 |
| H | AMMER | | | |
| P | 532-9300 | HAMMER, B8S, BHL Not available in Trim Package 1 B8S HAMMER PACKAGE Includes B8S hammer non tuck,BHL hammer brack quick disconnects,wrench,toolbox and two tools(Chie REQUIRES: 548-1230 LINES, COMBINED AUX, STE 548-1231 LINES, COMBINED AUX, E-S | tet,hammer lines, sel crosscut/cone). O STICK | \$14,583 N |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-027

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---|--|-------------------------|
| BUCK | KETS | | | |
| В | UCKET FOR | R IT LOADER QUICK COUPLER | | |
| Р | 251-1800 | BUCKET-GP, 1.31 YD3, IT | Drilled ded) | \$3,549 |
| Р | 251-1794 | BUCKET-GP, 1.5 YD3, IT | | \$4,014 |
| Р | 216-8810 | ONLY FOR USE WITH: 542-7775 HYD,MP,6F0 BUCKET-MP, 1.3 YD3, IT | | \$7,222 |
| Р | 216-8840 | to accept bolt-on teeth or cutting edge (not include BUCKET-MP, 1.4 YD3, IT | Drilled e, Wide | \$7,486 |
| IT | LOADER E | BUCKET - CUTTING EDGE OR TEETH | | |
| Р | 9R-5320 | CUTTING EDGE, TWO PIECE, WIDE | Buckets. P, 1.31 YD3, IT P, 1.5 YD3, IT | \$329 |
| P | 9R-5321 | CUTTING EDGE, TWO PIECE | | \$331 |
| P | 9R-5866 | TEETHONLY FOR USE IN LANE 3 Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH: 9R5320 CUTTING EDG | | \$389 |
| CUST | TOM PROD | UCTS | | |
| C | USTOM CO | PLOR | | |
| L | 583-7863 | 5950367 BUCKET-0 5950365 BUCKET-0 5950357 BUCKET-M 5602635 STABILIZE | ACILITY before placing emain black. N NODE | \$6,980 NE |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022 420XE-028

420XE

USE REF LANE 2 / 3 OPTIONAL Ship Weight LIST PRICE lbs AT DEALER

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
Kits can be ordered through CMOPS, but MUST be separate orders from the machine, and MUST include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you MUST also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OP-7418 420XE MISC MTRL Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

RIDE CONTROL

Provides a suspension system by placing an accumulator in loader lift arm circuit to improve vehicle ride when traveling. For use in roading, load and carry or any other application where bucket spillage or operator ride is a concern. Includes manual on/off switch.

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P 577-8616 KIT, HYD, COMBINED, 14FT STD STK 0 \$3,806 NI

Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools.

Includes hydraulic quick disconnect couplings.

This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.

FOR USE WITH: HYDRAULICS, BH, 5 FUNCTION

or HYDRAULICS, BH, 6 FUNCTION and STICK, STANDARD

CANNOT BE USED WITH: AUX READY HYDRAULICS

Supersedes 23APR2022 Subject to change without notice Printed in USA
US-A D Printed in USA
U. S. DOLLAR CURRENCY

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

420XE-029

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-------|------------|---|-----------------------|-------------------------|
| FIELI | D INSTALLE | D ATTACHMENTS (CONT.) | | |
| A | UXILIARY, | COMBINED FUNCTION HYDRAULIC KITS (C | Cont.) | |
| P | 577-8617 | RIT, HYD, COMBINED, 14FT E-STK Provides diverter valve and hydraulic 3/4" lines rout to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See reference media number REHS installation instr FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 CANNOT BE USED WITH: AUX READY HYDRAULICS. | ructions. FUNCTION | \$3,806 NI |
| 0 | THER KITS | | | |
| P | 585-7963 | KIT,AUX HYD,EXTERNAL,STD STICK | ines | \$1,639 NI |
| P | 585-7964 | KIT, AUX HYD, EXTERNAL, E-STICK | 0 ines | \$1,639 NI |
| P | 585-0341 | KIT, LINES, HYD CPLR 14FT S-STK | | \$1,972 NI |
| P | 585-0342 | KIT, LINES,HYD CPLR 14FT E-STK | 0 | \$1,972 NI |
| P | 444-7500 | COUPLER, PG, MAN.D.LOCK, BHL | 192 | \$2,194 NI |
| P | 485-5303 | Mechanical quick coupler for backhoe buckets. COUPLER, PG, HYD.D.LOCK,BHL | | \$4,285 |
| P | 387-6458 | Hydraulic quick coupler with dual lock for backhoe KIT, GUARD, STABILIZER CYLNDRS | | \$938 NI |
| P | 455-7380 | KIT, LOADER, COUPLING QD | | \$419 NI |
| P | 595-9956 | KIT, HBCV - BOOM | 0 | \$610 NI NET |
| | | See reference media number M0122511 for installat For Use With: Pilot or EH hydraulics Only | cion instructions. | |
| P | 596-8446 | | 0 | \$5,215 NI |
| P | 442-9566 | KIT, HOE, COUPLING Q-DISCON | 0 | \$414 NI |
| Р | 586-8064 | KIT, FENDER, FRÔNT | | \$650 NI |
| Р | 497-5482 | Provides a kit to add a set of 2 Front Fenders to a m. KIT, WORKLIGHTS, LED, WIDE | | ** |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 21MAY2022

420XE-030

420XE

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER | |
|-------|------------|---|---|-------------------------|--|
| FIELD | INSTALLE | D ATTACHMENTS (CONT.) | | | |
| 0 | THER KITS | (Cont.) | | | |
| • | 523-0146 | KIT, WORKLIGHTS, LED, SPOT | | | |
| P | 602-6201 | from the parts distribution. KIT, MACHINE SECURITY, SEA This kit enables the customer to buy the optional softwar antares for the onboard feature upgrade to add Keypad's on the display. Caterpillar will then provide The option keypart number 602-1225. Dealer to Provide price for any additional hardware and to | security ey software | | |
| P | 602-5655 | KIT, EH AUTO UP STABS SEA This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to Add the auto up function to the EH stab control switches Caterpillar will then provide the option key software Part number 611-6321. Dealer to provide price for any additional hardware and the For use with serial numbers after H9X00890 CANNOT BE USED WITH: MECHANICAL HOE CONTROL | s. this software. S OR DELUXE CAB | | |
| | 602-6273 | (ALREADY INCLUDED FROM FACTORY WITH DELUXE CAB) KIT,CONVERT TO AUTOSHIFT SEA This kit enables the customer to buy the option Software through antares for the onboard Feature upgrade to convert power shift to auto shift. Caterpillar will then provide the option key Software part number 557-6228. Dealer to provide price for any additional hardware and this software. | | | |
| PAC | KING | | | | |
| | 0G-3280 | PACK, MISCELLANEOUS MATERIAL | 0 | NC | |
| | 0G-8010 | PACKING, PHYTO-SANITARY WOOD | shipment l | NC | |
| | 0P-0210 | PACK, DOMESTIC TRUCK | 0 | NC | |
| | 461-6839 | SHIPPING/STORAGE PROTECTION | g and | \$232 NET | |
| | 462-1033 | RUST PREVENTATIVE APPLICATOR | 0 | \$124 NET | |

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Required for all machines for USA, Canada

Effective 21MAY2022

420XE-031