D4-GR

D4 TRACK TYPE TRACTOR GRENOBLE, FRANCE

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Tier 4 Final / EU Stage V C4.4 TTA Caterpillar ACERT diesel engine EPA Tier 4 Final and EU Stage V certified Engine with DPF and DOC ADEM A6 Electronic Control Module Air-to-air aftercooling Glow plug starting aid 3000 meter altitude operation capability w/o de-rating Hydraulically driven, variable speed fan Aluminum bar plate cooling system (radiator, powertrain, aftercooler) Air cleaner with integrated pre-cleaner, dust ejector and under hood air intake Electrical lift/priming pump Engine decelerating function (rotary switch & pedal engine speed control) Engine Idle Shutdown Hydrostatic, infinite variable speed transmission Selections and electronic control enhancements for the transmission or engine system Programmable/selectable Bi-Directional shifting Auto Engine Speed Control

Tier 3 LRC Caterpillar C7.1 LRC diesel engine Air To Air AfterCooler (ATAAC) Glowplug starting aid 3000 meter altitude operation capability w/o de-rating Hydraulically driven, variable speed fan Aluminum bar plate cooling system (radiator, powertrain, aftercooler) Air cleaner with integrated pre-cleaner, dust ejector and under hood air intake Dual path, electronic control, closedloop hydrostatic transmission Electric fuel priming pump Fuel/water separator Programmable/selectable bi-directional shifting Engine idle shutdown Auto engine speed control

UNDERCARRIAGE

Tier 4 Final / EU Stage V Cat Abrasion or Heavy Duty Undercarriage Center tread, sprocketed idler with Cat Abrasion, standard idler with HD Lifetime lubricated track rollers (8 + 2 carrier rollers) and idlers Tracks 40 sections-560mm (22") Moderate Service (MS) for Standard Tracks 40 sections-760mm (30") Moderate Service (MS) for LGP Hydraulic track adjusters Center Track Guiding guard (LGP only) Replaceable sprocket rim segments

Tier 3 LRC
Heavy duty undercarriage
Center tread, sprocketed idler with
CAT abrasion, standard idler with HD
lifetime lubricated track rollers (8)
and idlers
Carrier rollers (2)
Hydraulic track adjusters
Replaceable sprocket rim segments

HYDRAULICS

Three valve hydraulics Load sensing hydraulics

ELECTRICAL

Tier 4 Final / EU Stage V Horn Back-up alarm 12V converter, 10A Diagnostic connector 950CCA class 31 batteries Integrated lights (4 front, 2 rear) 105 Amp brush-type alternator (24 volt) 24V electric starter

TIER 3 LRC Horn Back-up alarm 12V converter, 10A Diagnostic connector Batteries, heavy duty, maintenance free, 900 CCA 100A alternator (24 volt) 24V electric starter

OPERATOR ENVIRONMENT

Tier 4 Final / EU Stage V ROPS/FOPS Cab Integrated A/C with automatic temperature control Seat, air suspension, cloth for cab Seat belt, retractable 76 mm (3 inch) Adjustable armrests Foot rests for slope work 10 inch tactile display Electronically programmable speed selector

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

TIER 3 LRC

CATERPILLAR MACHINE PRICE LIST

D4-GR

D4 TRACK TYPE TRACTOR GRENOBLE, FRANCE

Ship Weight lbs LIST PRICE AT DEALER

OPERATOR ENVIRONMENT (CONT.)

Electronic engine air cleaner service indicator
Electronic water-in-fuel switch
Electro-hydraulic implement and steering controls
Product Link ready GSM or Satellite
One 12V power port
Intermittent wiper
12V radio ready (plug and play)
Storage compartment
Cup holder
Coat Hook
Rear view mirror

ROPS/FOPS cab Integrated A/C with automatic temperature control Seat, air suspended, cloth for cab Seatbelt, retractable 76 mm (3") Foot pads, dash Color graphic 17.8 cm (7") display with gauge for: engine coolant temperature hydraulic oil temperature fuel level Travel speed limiter, electronic Engine RPM and gear display Hour meter, electronic Engine air cleaner service indicator, electronic Water-in-fuel indicator, electronic Throttle switch, rotary Eco mode Controls, seat mounted, fore/aft adjustment Armrests, adjustable Mirror, rearview, inside Single pedal combining deceleration and braking functions Independent forward/reverse speed settings Product link ready Power port, 12V

FLUIDS

Coat hook

Cup holder

Storage compartment

Intermittent wiper

Antifreeze coolant (-37C / -34.6F) Extended life coolant

Floor mat, rubber, heavy duty

12V radio ready (plug and play)

CAT HYDO Advanced 10 hydraulic fluid for STAGE 5 HRC machine

OTHER STANDARD EQUIPMENT

Tier 4 Final / EU Stage V C-Frame, cylinders and lines Extended service intervals (500 hrs engine, 1000 hrs powertrain) Crankcase guard Ecology drains (engine oil, engine coolant, hydraulic) Adjustable pitch link, powered adjust as an attachment Engine Enclosures, perforated Scheduled Oil Sampling ports (engine, hydrostatic, hydraulics and engine coolant) Front pull devices Hinged radiator louvered grill Lockable engine enclosures Rigid drawbar

TIER 3 LRC

C-frame, variable pitch link, hydraulic cylinder and lines
Engine enclosures
Hinged radiator louvered grill
Swing-out radiator fan
Front pull device
Rigid drawbar
Vandalism protection
Ecology drains (engine, powertrain and implement oil, engine coolant)
Scheduled Oil Sampling (SOS) ports (engine, powertrain, implement oil)
Heavy duty crankcase guard

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D

D4-GR

D4 TRACK TYPE TRACTOR GRENOBLE, FRANCE

Ship Weight

LIST PRICE AT DEALER

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021 D4-GR-003

D4-GR

	D4 TRACK TYPE TRACTOR GRENOBLE, FRANCE Ship Weight Ibs			
Please use	reserved for the Base Order Management Program. Lane 2 when placing orders that are part of the Base agement Program.			
575-5168	D4 VPAT TRACTOR	0	NC	
	DEDICATED TO HIGHER REGULATED COUNTRIES (HRC) AVAILABLE FOR: EU DEALERS CAT DEFENSE & FEDERAL PRODUCTS			
575-5171	D4 LGP VPAT TRACTOR	0	\$12,130	
	DEDICATED TO HIGHER REGULATED COUNTRIES (HRC) AVAILABLE FOR: EU DEALERS CAT DEFENSE & FEDERAL PRODUCTS			
590-7198	D4 15A VPAT TRACTOR	0	\$224,890	
	DEDICATED TO LESSER REGULATED COUNTRIES (LRC) Including Caterpillar C7.1 LRC diesel engine. Achieves emission levels equivalent to U.S. Environmental Protection Agency (EPA) tier 3, EU stage IIIA, China stage III emissions standards. AVAILABLE FOR: RUSSIAN DEALERS AFRICAN AND MIDDLE EAST DEALERS CAT DEFENSE & FEDERAL PRODUCTS			
590-7199	D4 15A LGP VPAT TRACTOR LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY DEDICATED TO LESSER REGULATED COUNTRIES (LRC) Including Caterpillar C7.1 LRC diesel engine. Achieves emission levels equivalent to U.S. Environmental Protection Agency (EPA) tier 3, EU stage IIIA, China stage III emissions standards. AVAILABLE FOR: RUSSIAN DEALERS AFRICAN AND MIDDLE EAST DEALERS CAT DEFENSE & FEDERAL PRODUCTS		\$236,010	
0P-7236	D4 MISC MATERIAL	0	NC	
	Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a	MISC ord	er.	

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-004

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
	0P-9003	LANE 3 ORDER	0	NC
REGIO	ONAL PAC	KAGES		
L	578-7519	REGIONAL PACKAGE, AM-N Available for HRC regions only Includes: Standard engine enclosure Warning Decals, ANSI	0	NC
SPEC	IAL ARRAN	NGEMENTS		
C	ONFIGURA	TION ARRANGEMENTS		
L	581-0392	CONFIGURATION 16A VPAT, HRC	tractor. OR	\$233,910
POWI	ERTRAIN			
E٨	IGINE ARR	ANGEMENT		
L	577-5974	ENGINE	A Tier 4 Final	NC
PC) WERTRAII	N ARRANGEMENT		
L	577-5975	POWERTRAIN	0 YOR	NC
L	577-5976	POWERTRAIN, LGP		NC
EΛ	IGINE AIR	CLEANER		
L	584-4810	AIR CLEANER, STANDARD	OR	NC

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-005

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POW	ERTRAIN ((CONT.)		
EΛ	VGINE AIR	CLEANER (Cont.)		
L	501-7414	AIR CLEANER, STANDARD	TOR or	NC
L	584-4811	PRECLEANER, TURBINE W/SCREEN	plication. TOR	\$1,040
L	501-7416	PRECLEANER, TURBINE W/SCREEN	plication. TOR or	\$1,040
UNDE	RCARRIAC	GE		
RO	OLLERFRA!	MES		
L	431-7079	UNDERCARRIAGE, CAT ABR		\$6,970
		ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT T		
L	431-7080	UNDERCARRIAGE, HEAVY DUTY	er rollers. TOR or TRACTOR or TOR or	NC

TRACKS (40 Sections)

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
	FOR USE WIT	GE (CONT.) S, CAT ABRASION H: 575-5168 D4 VPAT TRACTOR H CAT ABRASION UNDERCARRIAGE		
L	595-4175	TRACK, 20", MS, CAT ABR	0	\$1,075
L	595-4182	TRACK, 20", ES, CAT ABR	0	\$2,160
L	595-4171	TRACK, 22", MS, CAT ABR	0	\$1,235
L	595-4164	TRACK, 22", ES, CAT ABR	0	\$2,310
7	FOR USE WIT	S, HEAVY DUTY H: 575-5168 D4 VPAT TRACTOR or 590-7198 D4 VPAT H HEAVY DUTY UNDERCARRIAGE	TRACTOR	
L	391-3941	TRACK, 20", ES, HD FOR USE IN LANE 3 ONLY Extreme Service shoes.	0	\$1,075
L	379-3982	TRACK, 22", ES, HD Extreme Service shoes.	0	\$1,230
7	FOR USE WIT	S, LGP, CAT ABRASION TH: 575-5171 D4 LGP VPAT TRACTOR H CAT ABRASION UNDERCARRIAGE		
L	595-4167	TRACK, 30", MS, LGP, CAT ABR	0	\$1,235
L	595-4161	TRACK, 30", ES, LGP, CAT ABR	0	\$2,770
7	FOR USE WIT 590-	S, LGP, HEAVY DUTY (46 Sections) PH: 575-5171 D4 LGP VPAT TRACTOR or 7199 D4 LGP VPAT TRACTOR H HEAVY DUTY UNDERCARRIAGE		
L	379-3983	TRACK, 30", ES, LGP, HD	5,900	\$2,770

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
UND	ERCARRIAG	GE (CONT.)		
T	RACK GUID	DING GUARDS		
		DING GUARDS, CAT ABRASION TH: CAT ABRASION UNDERCARRIAGE		
L	382-6523	GUARD, TRACK GUIDING, CENTER	88	\$1,095
L	382-6525	Center guard section. GUARD, TRACK GUIDING, F&R	0	\$1,960
L	368-9742	GUARD, TRACK GUIDING, FULL	0	\$2,980
T		DING GUARDS, HEAVY DUTY TH: HEAVY DUTY UNDERCARRIAGE		
L	368-9744	GUARD, TRACK GUIDING, CTR	0	\$1,095
L	382-6524	GUARD, TRACK GUIDING, F&R FOR USE IN LANE 3 ONLY Front and rear guard section.	0	\$1,960
L	368-9741	GUARD, TRACK GUIDING, FULL	0	\$2,980
N	O TRACK G	GUIDING GUARD		

GUARD, TRACK GUIDING, NONE 0

No track guiding will be provided when selecting this attachment.

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D

L

234-4747

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 020CT2021 D4-GR-008

NC

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
HYDR	AULICS			
REA	AR CONTI	ROL PACKAGES		
L	578-0536	Available for HRC regions only The machine will be ripper ready when selecting this Includes: - Hydraulics, 4 valve For VPAT hydraulic lift, tilt and angle, and ripper Control, ripper Includes ripper control lever and console cover Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5453 FAN, DEMAND or 566-5454 FAN, DEMAND, REVERSING and 579-2337 RIPPER PACKAGE, STRAIGHT 579-2336 RIPPER PACKAGE, CURVED 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT	package. Or	\$1,765
L	549-6773	Available for LRC regions only The machine will be ripper ready when selecting this Includes: - Hydraulics, 4 valve For VPAT hydraulic lift, tilt and angle, and ripper Control, ripper Includes ripper control lever and console cover Hydraulics, standard REQUIRES: 457-5423 FAN, DEMAND or 457-5424 FAN, DEMAND, REVERSING and 487-6096 PACKAGE RIPPER, TEETH STI 487-6095 PACKAGE RIPPER, TEETH CU 246-8384 DRAWBAR ONLY FOR USE WITH: 590-7198 D4 VPAT TRACT 590-7199 D4 LGP VPAT TR	package. RAIGHT or IRVED or 'OR or	\$1,765

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. lbs AT DEALER **HYDRAULICS (CONT.)** REAR CONTROL PACKAGES (Cont.) **DUAL CONTROL PACKAGE.....** 0 L 578-0545 \$9,290 FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will be ripper and winch ready when selecting this package. Includes: - Hydraulics, 4 valve For VPAT blade hydraulic lift, tilt and angle, and ripper. - Control, ripper or winch Includes control lever to operate either ripper or winch. Also includes console cover - Hydraulics, winch ready REQUIRES: 579-0200 PITCH, BLADE, MANUAL 566-5452 FAN, DEMAND, WINCH or 566-5451 FAN, DEMAND, REVERSING, WINCH ONLY FOR USE WITH: 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR 549-6774 **DUAL CONTROL PACKAGE..** \$9,290 FOR USE IN LANE 3 ONLY Available for LRC regions only The machine will be ripper and winch ready when selecting this package. Includes: - Hydraulics, 4 valve For VPAT blade hydraulic lift, tilt and angle, and ripper. - Control, ripper or winch Includes control lever to operate either ripper or winch. Also includes console cover. - Hydraulics, winch ready REQUIRES: 457-5425 FAN, DEMAND, WINCH or 457-5426 FAN, DEMAND, REVERSING, WINCH ONLY FOR USE WITH: 590-7198 D4 VPAT TRACTOR or

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

590-7199 D4 LGP VPAT TRACTOR

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER		
	HYDRAULICS (CONT.) REAR CONTROL PACKAGES (Cont.)					
L	578-0541	WINCH READY PACKAGE FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will be winch ready when selecting thi Includes: - Hydraulics, 3 valve, standard - Control, winch Includes standard console cover Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5452 FAN, DEMAND, WINCH or 566-5451 FAN, DEMAND, REVERSING, and 295-7680 WINCH PREPARATION or 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT TCANNOT BE USED WITH: 585-3843 TANK FUEL, FA	s package. , WINCH CTOR or TRACTOR	\$7,680		
L	550-2352	WINCH READY PACKAGE. FOR USE IN LANE 3 ONLY Available for LRC regions only REQUIRES: 568-1819 PITCH, BLADE, MANUAL or 457-5425 FAN, DEMAND, WINCH or 457-5426 FAN, DEMAND, REVERSING, ONLY FOR USE WITH: 590-7198 D4 VPAT TRAC	, WINCH CTOR or	\$7,680		
L	578-0532	NO REAR HYDRAULIC PACKAGE. FOR USE IN LANE 3 ONLY Available for HRC regions only The machine will not be ripper ready neither winch selecting this package. Includes: - Hydraulics, 3 valve, standard - Control, no rear attachment Includes standard console cover Hydraulics, standard REQUIRES: 579-0200 PITCH, BLADE, MANUAL and 566-5453 FAN, DEMAND or 566-5454 FAN, DEMAND, REVERSING and 578-3046 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC	ready when	NC		

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. lhs AT DEALER **HYDRAULICS (CONT.)** REAR CONTROL PACKAGES (Cont.) NO REAR HYDRAULIC PACKAGE...... L 549-6775 NC Available for LRC regions only The machine will not be ripper ready neither winch ready when selecting this package. Includes: - Hydraulics, 3 valve, standard - Control, no rear attachment Includes standard console cover. - Hydraulics, standard REQUIRES: 457-5423 FAN, DEMAND or 457-5424 FAN, DEMAND, REVERSING and 246-8384 DRAWBAR ONLY FOR USE WITH: 590-7198 D4 VPAT TRACTOR or 590-7199 D4 LGP VPAT TRACTOR FRONT CONTROL PACKAGES L 579-0200 NC Available for HRC regions only Mechanical control of the blade pitch by manual settings onto the blade structure itself. ONLY FOR USE WITH: 578-0536 RIPPER READY PACKAGE or 578-0545 DUAL CONTROL PACKAGE or 578-0541 WINCH READY PACKAGE or 578-0532 NO REAR HYDRAULIC PACKAGE and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR L 568-1819 PITCH, BLADE, MANUAL0 NC Available for LRC regions only Mechanical control of the blade pitch by manual settings onto the blade structure itself. ONLY FOR USE WITH: 590-7198 D4 VPAT TRACTOR or 590-7199 D4 LGP VPAT TRACTOR HYDRAULIC FAN NC L 566-5453 Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Recommended when the machine is used in cold and hot environments. 578-0536 RIPPER READY PACKAGE or ONLY FOR USE WITH: 578-0532 NO REAR HYDRAULIC PACKAGE and 575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021 D4-GR-012

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
HYD	RAULICS (CONT.)		
Н	IYDRAULIC	FAN (Cont.)		
L	457-5423	Available for LRC regions only Electronically controlled hydraulic demand fan driv Automatically adapts cooling to engine heat load. ONLY FOR USE WITH: 549-6773 RIPPER READY 549-6775 NO REAR HYD and 590-7198 D4 VPAT TRAC	e. Y PACKAGE or RAULIC PACKAGE CTOR or	NC
L	566-5454	FAN, DEMAND, REVERSING FOR USE IN LANE 3 ONLY Available for HRC regions only Electronically controlled hydraulic demand fan driv Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiate ONLY FOR USE WITH: 578-0536 RIPPER READY 578-0532 NO REAR HYD and 575-5168 D4 VPAT TRAC	e. or plugging. Y PACKAGE or RAULIC PACKAGE CTOR or	\$1,980
L	457-5424	FAN, DEMAND, REVERSING FOR USE IN LANE 3 ONLY Available for LRC regions only Electronically controlled hydraulic demand fan driv. Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiator ONLY FOR USE WITH: 549-6773 RIPPER READY 549-6775 NO REAR HYD and 590-7198 D4 VPAT TRAC	e. or plugging. Y PACKAGE or RAULIC PACKAGE CTOR or	\$1,980
L	566-5452	FAN, DEMAND, WINCH FOR USE IN LANE 3 ONLY Available for HRC regions only Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load. Recommended when the machine is used in cold an ONLY FOR USE WITH: 578-0541 WINCH READY 578-0545 DUAL CONTRO and 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT	e. nd hot environments. TPACKAGE or DL PACKAGE CTOR or	NC

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC AT DEALER
IYDF	RAULICS (CONT.)		
H	YDRAULIC	FAN (Cont.)		
L	457-5425	FAN, DEMAND, WINCH FOR USE IN LANE 3 ONLY Available for LRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. ONLY FOR USE WITH: 549-6774 DUAL CONTROL and 590-7198 D4 VPAT TRACT 590-7199 D4 LGP VPAT TRACT	L PACKAGE FOR or	NC
	566-5451	FAN, DEMAND, REVERSING, WINCH FOR USE IN LANE 3 ONLY Available for HRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiator ONLY FOR USE WITH: 578-0541 WINCH READY 1 578-0545 DUAL CONTROL and 575-5168 D4 VPAT TRACT	r plugging. PACKAGE or L PACKAGE FOR or	\$1,980
L	457-5426	FAN, DEMAND, REVERSING, WINCH FOR USE IN LANE 3 ONLY Available for LRC regions only Electronically controlled hydraulic demand fan drive. Automatically adapts cooling to engine heat load. Allows to reverse air flow through the radiator. Recommended for applications with a risk of radiator ONLY FOR USE WITH: 549-6774 DUAL CONTROL and 590-7198 D4 VPAT TRACT	r plugging. L PACKAGE FOR or	\$1,980
STAR	RTERS, BAT	TTERIES, & ALTERNATORS		
(F	or HRC Region	ns Only)		
L	465-5604	STARTER, STANDARD	TOR or	NC
L	465-5611	STARTER, LOW TEMPERATURE FOR USE IN LANE 3 ONLY Recommended with a cold weather package for application temperatures. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT 575-5171 D4 LGP VPAT TRACT	cation in extremely	\$940

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ELEC	TRICAL			
LI	GHTS			
L	536-9447	LIGHTS, 6	0 ed, 4 facing forward,	NC
L	536-9448	LIGHTS, 6, LED	0 acing forward,	\$695
L	578-6934	LIGHTS, 8, LED		\$920
OPER	RATOR ENV	TRONMENT		
C	AB PACKA	GES		
L	536-8775	CAB PACKAGE, STANDARD	nera compatible cab. FOR or	NC
L	576-6087	CAB PACKAGE, STANDARD	nera compatible cab. FOR or	NC
L	576-6089	CAB PACKAGE, HEAVY DUTY FOR USE IN LANE 3 ONLY Available for HRC regions only Includes: -Heavy Duty cab with polycarbonate windows, -Air suspension seat, -Standard joystick control handles, ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT	ГOR or	\$1,775
L	536-8776	CAB PACKAGE, HEAVY DUTY FOR USE IN LANE 3 ONLY Available for LRC regions only Includes: -Heavy duty cab with polycarbonate windows -Air suspended seat -Standard joystick control handles ONLY FOR USE WITH: 590-7198 D4 VPAT TRACT	ГOR or	\$1,775

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-015

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OPER	RATOR ENV	VIRONMENT (CONT.)		
C	AB PACKA	GES (Cont.)		
L	536-8777	CAB PACKAGE, COMFORT Available for LRC regions only Includes: -Standard cab, -Air suspension, heated and ventilated seat, -Heated joystick control handles, Recommended with the kit visibility, single camera, available in the optional section of this price list. ONLY FOR USE WITH: 536-9448 LIGHTS, 6, LE and 590-7198 D4 VPAT TRAC	, D CTOR or	\$2,295
L	576-6090	Available for HRC regions only Includes: -Standard cab, -Air suspension, heated and ventilated seat, -Heated joystick control handles, ONLY FOR USE WITH: 536-9448 LIGHTS, 6, LE 578-6934 LIGHTS, 8, LE and 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT	D D CTOR or	\$2,295
RE	EAR CAMEI	RA		
L	581-1606	REAR VIEW CAMERA. Available for HRC regions only The camera system can be used to enhance the ope of his surroundings, or provide a better view of his The image is included in the main machine display is placed in reverse gear. This kit includes the wiring connections to make it independent solution to be compatible with all vers ONLY FOR USE WITH: 575-5168 D4 VPAT TRACESTS.	erators visibility work tool. when the machine a complete and ions of cab. CTOR or	NC

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-016

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. lhs AT DEALER

TECHNOLOGY PRODUCTS

MACHINE CONTROL

A complete range of tools are available to match customer applications and dozing automation needs.

- 1. STABLE BLADE: Complements the operator's blade-control input for attaining finish grades quicker with less effort.
- 2. TRACTION CONTROL: Automatically reduces track slip in poor underfoot and blade overloading conditions, improving productivity and surface finish quality.
- 3. SLOPE INDICATE: informs operators about the main-fall and side angle values. These are available in the main machine display.
- 4. SLOPE ASSIST: Helps operators more easily reach main-fall and slope targets by automatically maintaining the dozer blade's established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware. It includes an upgraded machine display and an angle sensor on the blade.
- 5. ATTACHMENT READY OPTION (ARO): allows the machine to easily be upgraded to Cat Grade with 3D integrated grade control systems, or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade with 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA. SEA part #513-5980. Dealer to provide price for additional hardware and software.
- 6. GRADE WITH 3D: Cat GRADE with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via CAT/SITECH Dealer include data corrections solution and measure up calibration.

579-2171 L \$1,175

Available for HRC regions only INCLUDES:

- STABLE BLADE
- TRACTION CONTROL
- SLOPE INDICATE

ONLY FOR USE WITH:

575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR

Supersedes 21AUG2021 Subject to change without notice Effective 020CT2021 Printed in USA
U. S. DOLLAR CURRENCY Caterpillar: Confidential Green US-A D D4-GR-017

D4-GR

USE	REF NO.	LANE 2 / 3	MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECHN	NOLOGY F	PRODUCTS (CONT.)			
MA	CHINE CO	ONTROL (Cont.)			
L	549-7639	CONTROL, STANDARD Available for LRC regions INCLUDES: - STABLE BLADE - TRACTION CONTROL - SLOPE INDICATE		0	\$620
		ONLY FOR USE WITH:	590-7198 D4 VPAT TRAC 590-7199 D4 LGP VPAT	-	
L	579-2173	CONTROL, ARO W/ASSIST Available for HRC regions INCLUDES: - STABLE BLADE - TRACTION CONTROL - SLOPE INDICATE - SLOPE ASSIST - ACCUGRADE READY O	only	0	\$8,040
		ONLY FOR USE WITH:	575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT	_	
L	549-7642	CONTROL, ARO W/ASSIST Available for LRC regions INCLUDES: - STABLE BLADE - TRACTION CONTROL - SLOPE INDICATE - SLOPE ASSIST - ACCUGRADE READY O ONLY FOR USE WITH:	only	CTOR or	\$7,490
L	579-2174	CONTROL, GRADE W/3D . Available for HRC regions INCLUDES: - STABLE BLADE - TRACTION CONTROL - SLOPE INDICATE - SLOPE ASSIST - ACCUGRADE READY O - GRADE WITH 3D ONLY FOR USE WITH:	only	CTOR or	\$60,810

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER		
TECHNOLOGY PRODUCTS (CONT.)						
MACHINE CONTROL (Cont.)						

\$60,250

Available for LRC regions only

INCLUDES:

- STABLE BLADE
- TRACTION CONTROL
- SLOPE INDICATE
- SLOPE ASSIST
- ACCUGRADE READY OPTION
- GRADE WITH 3D

ONLY FOR USE WITH: 590-7198 D4 VPAT TRACTOR or 590-7199 D4 LGP VPAT TRACTOR

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

PLE702 network manager) uses a satellite network to transmit location utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.

NOTE: FOR LRC REGIONS
ONLY FOR USE WITH: 590-7198 D4 VPAT TRACT

USE WITH: 590-7198 D4 VPAT TRACTOR or 590-7199 D4 LGP VPAT TRACTOR

L 573-4529 PRODUCT LINK, CELLULAR PLE742 0 NC

Product Link Elite series PLE742 (consisting of PL641V2 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.

NOTE: FOR LRC REGIONS

ONLY FOR USE WITH: 590-7198 D4 VPAT TRACTOR or

590-7199 D4 LGP VPAT TRACTOR

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ТЕСН	INOLOGY F	PRODUCTS (CONT.)		
		NK (Cont.)		
L	578-9247	PRODUCT LINK, CELLULAR PLE743	3 radio and PLE702 t location, ewing in remote services bles more frequent	NC
L	573-4528	PRODUCT LINK, DUAL PLE783	ing of PL083 radio of cellular and thealth tions. For use lite coverage is	\$1,361
L	581-2223	NO PRODUCT LINK	TOR or	NC
L	319-4492	NO PRODUCT LINK	OR or	NC
FUEL	SYSTEMS			
TA	ANK FUEL			
L	425-7127	TANK FUEL, STANDARD	°OR or	NC
L	585-3842	TANK FUEL, STANDARD	OR or	NC

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
	. SYSTEMS <i>ANK FUEL</i>			
L	585-3843	Available for HRC regions only Provides fuel tank with openings for either the fast f system or the refilling fuel pump. ONLY FOR USE WITH: 578-0536 RIPPER READY 578-0545 DUAL CONTRO 578-0532 NO REAR HYDI and 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT T CANNOT BE USED WITH: 295-7680 WINCH PREPAL 579-9303 CAB PROTECT 579-9304 CAB PROTECT 441-5461 SCREEN, REAR	TPACKAGE or DEPACKAGE or DEPACKAGE or RAULIC PACKAGE TOR or TRACTOR RATION ION PKG, STANDARD ION PKG, HEAVY DUTY	\$247
GUA	RDS			
Pi	ROTECTION	I PACKAGES		
L	543-3284	PROTECTION PACKAGE, STANDARD	TOR or	NC
L	578-7617	PROTECTION PACKAGE, STANDARD Available for HRC regions only Includes: Grill radiator, standard Guard, crankcase, standard ONLY FOR USE WITH: 575-5168 D4 VPAT TRACE 575-5171 D4 LGP VPAT TRACE	TOR or	NC
L	543-3285	PROTECTION PACKAGE, FRONT Available for LRC regions only This package is recommended in harsh environmen Includes: - Grill, radiator, Heavy duty. Provides additional protection to the radiator. - Guard, crankcase, standard ONLY FOR USE WITH: 590-7198 D4 VPAT TRACE 590-7199 D4 LGP VPAT TRACE	ts TOR or	\$625

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
GUAF	RDS (CON	Т.)		
PF	ROTECTION	I PACKAGES (Cont.)		
L	578-7619	PROTECTION PACKAGE, FRONT Available for HRC regions only This package is recommended in harsh environments Includes: Grill, radiator, Heavy duty. Provides additional protection to the radiator. Guard, crankcase, standard ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT 575-5171 D4 LGP VPAT TR	o OR or	\$625
L	543-3286	PROTECTION PACKAGE, HEAVY DUTY Available for LRC regions only This package is recommended for severe applications Includes: Guard, Heavy duty for tank fuel, standard. In mm-thick steel guard protecting rear of the mace Grill, radiator, Heavy duty. Provides additional protection to the radiator. Guard, crankcase, heavy duty. Recommended in harsh environments. ONLY FOR USE WITH: 590-7198 D4 VPAT TRACT	chine. 'OR or	\$2,785
L	578-7621	PROTECTION PACKAGE, HEAVY DUTY Available for HRC regions only This package is recommended for severe applications Includes: - Guard, Heavy duty for tank fuel, standard. 10 mm-thick steel guard protecting rear of the mace. - Grill, radiator, Heavy duty. Provides additional protection to the radiator. - Guard, crankcase, heavy duty. Recommended in harsh environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT 575-5171 D4 LGP VPAT TR	chine. OR or RACTOR	\$2,785
L	578-7624	PROTECTION PKG, HEAVY DUTY, FF FOR USE IN LANE 3 ONLY Available for HRC regions only This package is recommended for severe applications Includes: Guard, Heavy duty for tank fuel, fast fill and refill r 10 mm-thick steel guard protecting rear of the mace Grill, radiator, Heavy duty. Provides additional protection to the radiator. Guard, crankcase, heavy duty. Recommended in harsh environments. ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT 575-5171 D4 LGP VPAT TRACT CANNOT BE USED WITH: 585-3842 TANK FUEL, STA	eady. chine. OR or RACTOR	\$2,785

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR

USE NO. LANE 2 / 3 WANDATON Ibs AT DEALER	USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
---	-----	------------	----------------------	--------------------	-------------------------

OTHER ATTACHMENTS

REAR ATTACHMENTS

P 487-6096 PACKAGE RIPPER, TEETH STRAIGHT 2,167 \$17,120 0 \$17,120 NI

Available for LRC regions only

Includes:

- Ripper, Multi-shank.

Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications.

- Teeth straight, set of 3

Three straight shank ripper teeth

AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

REQUIRES: 0G-3257 PACK NOT INSTALLED RIPPER if not installed or MISC

ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES

and

590-7198 D4 VPAT TRACTOR or 590-7199 D4 LGP VPAT TRACTOR

Available for HRC regions only

Includes:

- Ripper, Multi-shank.

Ripper, hydraulic, parallelogram rear-mounted.

When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications.

- Teeth straight, set of 3

Three straight shank ripper teeth

AVAILABLE ÀS INSTALLED OR NOT INSTALLED WITH A MACHINE

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

REQUIRES: 0G-3257 PACK NOT INSTALLED RIPPER if not installed or MISC

ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES

and

575-5168 D4 VPAT TRACTOR or 575-5171 D4 LGP VPAT TRACTOR

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OTHE	R ATTACH	IMENTS (CONT.)		
RE	AR ATTAC	CHMENTS (Cont.)		
P	487-6095	Available for LRC regions only Includes: Ripper, Multi-shank Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is i scarifying hard soil only, not for normal ripping at Teeth curved, set of 3 Three curved shank ripper teeth AVAILABLE AS INSTALLED OR NOT INSTALLED WALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3257 PACK NOT INSTALLED RIPPE ONLY FOR USE WITH: RIPPER READY PACKAGE DUAL CONTROL PACKAGE and 590-7198 D4 VPAT TRACE	ntended for oplications. ITH A MACHINE R if not installed or MISC ES or GES TOR or	\$17,120 \$17,120 NI
P	579-2336	RIPPER PACKAGE, CURVED. Available for HRC regions only Includes: - Ripper, Multi-shank Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is i scarifying hard soil only, not for normal ripping at Teeth curved, set of 3 Three curved shank ripper teeth AVAILABLE AS INSTALLED OR NOT INSTALLED WALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3257 PACK NOT INSTALLED RIPPE ONLY FOR USE WITH: RIPPER READY PACKAGE DUAL CONTROL PACKAGE and 575-5168 D4 VPAT TRACE 575-5171 D4 LGP VPAT	ntended for oplications. TH A MACHINE R if not installed or MISC ES or GES TOR or	\$17,120 \$17,120 NI

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-024

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
отні	ER ATTACH	HMENTS (CONT.)		
R	EAR ATTAC	CHMENTS (Cont.)		
L	295-7680	WINCH PREPARATION. FOR USE IN LANE 3 ONLY Preparation to be listed with the WINCH READY or Depackage to make a complete winch-ready machine. It doesn't include the winch itself that is not delivered but available as detailed in the CFG INFORMATION REQUIRES: CAB, PROTECTION PACKAGE or CAB, PROTECTION PACKAGE, HD or 441-5461 SCREEN, REAR ONLY FOR USE WITH: WINCH READY PACKAGE DUAL CONTROL PACKAGE and 575-5168 D4 VPAT TRACT 575-5171 D4 LGP VPAT TO 590-7198 D4 VPAT TRACT 590-7199 D4 LGP VPAT TO CANNOT BE USED WITH: 585-3843 TANK FUEL, FA	DUAL hydraulic This preparation from factory, section. S or ES TOR or TACTOR or TOR or	\$-349
L	246-8384	DRAWBARAvailable for LRC regions only	176	NC
L	578-3046	DRAWBAR	0	NC
P	340-5429	Available for HRC regions only Provides a 540 kg (1190 lbs) rear counterweight (inc drawbar) to reach optimum balance if extra weight is front of the machine and when either no ripper nor v Extra slabs (78 kg / 172 lbs each) are additionally at AVAILABLE AS INSTALLED ONLY WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-0370 PACK - SPECIAL MISC. MATEL ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC' 575-5171 D4 LGP VPAT T	oludes a rear sadded to the winch installed. vailable. EXAMPLE RIAL if MISC order TOR or	\$4,440 \$4,440 N
FLUII	DS			
Н	YDRAULIC	OIL		
L	525-6315	HYDRAULIC OIL, STANDARD	0	NC
L	525-6316	HYDRAULIC OIL, BIO	recommended y filled.	\$2,300

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021 D4-GR-025

D4-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

DOCUMENTATION

OPERATION AND MAINTENANCE MANUAL

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com REQUIRED BY: ALL HRC AND LRC DEALERS

PACKING

EXPORT PACKING

Machines have been sprayed with Fluid Film TM.

This product is added for corrosion protection while shipping and for extended storage periods.

This product will need to be power washed with soapy water prior to shipment to the customer.

Cilix ÂND foam protection on all cylinders are also included in this storage protection procedure.

Recommended: Sea and all type or long distance shipment

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR-026

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER		
STAF	RTERS, BAT	TTERIES, & ALTERNATORS				
C	COLD WEATHER PACKAGES					
L	584-5557	COLD WEATHER, 120V, PACKAGE Available for HRC regions only Recommended in cold ambient temperature environincludes: Heater, engine coolant, 120V Ether starting aid ONLY FOR USE WITH: 575-5168 D4 VPAT TRACESTS.	nments. CTOR or	\$276		
BF	REATHER					
L	485-7652	FOR USE IN LANE 3 ONLY Available for HRC regions only For operation on ambient climates of -25C to -40C, recommended that the cold climate pack is fitted. This consists of a heated filter canister and insulate ONLY FOR USE WITH: 575-5168 D4 VPAT TRACE 575-5171 D4 LGP VPAT	it is ed hoses. CTOR or	\$2,160		
L	504-1231	FOR USE IN LANE 3 ONLY Available for LRC regions only Recommended in cold ambient temperature environments on the cold are selected by the cold ar	nments. CTOR or	\$2,160		
ELEC	TRICAL					
L	582-1981	BEACON, LED FLASHING	s beacon to be	\$725		
OPER						
RI						
L	589-6091	REAR VIEW CAMERA	CTOR or	\$555		

Supersedes 21AUG2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021 D4-GR-027

D4-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
OPER	ATOR ENV	IRONMENT (CONT.)		
R/	ADIO			
L	495-1449	PREMIUM CORP RADIO (12V)	ology, USB port, and 3.5	\$610
L	585-5659	STANDARD RADIO (12V)	ology, USB port, and 3.5	\$610
GUAF	RDS			
CA	AB PROTEC	CTIONS		
L	441-5461	SCREEN, REAR. FOR USE IN LANE 3 ONLY Protective screen for rear window. Recommended for forestry and severe applications REQUIRED BY: 295-7680 WINCH PREPARATION CANNOT BE USED WITH: 585-3843 TANK FUEL, 1	3.	\$1,395
L	556-9001	CAB, PROTECTION PACKAGE Available for LRC regions only This Package is recommended for forestry and sev Includes: - Sweeps, Cab Bolt-on sweeps. - Screen, Rear Cab Protective screen for rear window. REQUIRED BY: 295-7680 WINCH PREPARATION ONLY FOR USE WITH: 590-7198 D4 VPAT TRA 590-7199 D4 LGP VPAT CANNOT BE USED WITH: 583-3843 TANK FUEL, 1	ere applications. ACTOR or CTRACTOR	\$5,160

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
GUAF	RDS (CON	Т.)		
CA	AB PROTEC	CTIONS (Cont.)		
L	556-9002	CAB, PROTECTION PACKAGE, HD Available for LRC regions only This Package is recommended for forestry and several includes: - Sweeps, Cab Bolt-on sweeps. - Screen, rear Cab Protective screen for rear window. - Guard, lights, rear Protective screen for rear lights. - Screen, side Protective screens for side windows. REQUIRED BY: 295-7680 WINCH PREPARATION ONLY FOR USE WITH: 590-7198 D4 VPAT TRACESTRACES	ere applications. CTOR or	\$7,370
_	ER ATTACH	IMENTS EIGHT OPTIONS		
P	340-5433	COUNTERWEIGHT, REAR SLAB	172	\$505
		FOR USE IN LANE 3 ONLY Available for HRC regions only Additional weight 78kg / 172 lbs per slab to the re AVAILABLE AS INSTALLED ONLY WITH A MACHIN ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 340-5429 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT	IE, QUANTITY 1 OR 2 I, WITH THE COUNTERWEIGHT CTOR or	\$505 N
M	AINTENAN	CE AND RELATED ATTACHMENTS		
L	460-1189	SHOVEL FASTENER. Available for LRC regions only Convenient feature to fasten the shovel on the mac ONLY FOR USE WITH: 590-7198 D4 VPAT TRAC 590-7199 D4 LGP VPAT	hine. CTOR or	\$188
L	600-6304	SHOVEL, FASTENER	hine. CTOR or	\$188

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D4-GR-029

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER		
	OTHER ATTACHMENTS (CONT.) MAINTENANCE AND RELATED ATTACHMENTS (Cont.)					
L	583-8632	FUEL PUMP, REFILLING Available for HRC regions only Provides an electrical fuel refilling pump (50 liters/n automatic shut-off. Refills the fuel tank in about 6 min. Includes 3 meter hose and filter. AVAILABLE AS INSTALLED ONLY WITH A MACHINI ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 585-3843 TANK FUEL, FAST FILL REAI ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC 575-5171 D4 LGP VPAT T	0 nin), with E DY TOR or TRACTOR	\$1,555 \$1,555 NI		
L	582-9277	OIL CHANGE, HIGH SPEED	mote engine oil nge without ity drain. TOR or	\$347		
BLAD	ES					
P	348-6300	Available for LRC regions only Power-Angle-Tilt blade with finishing end bits. AVAILABLE AS INSTALLED OR NOT INSTALLED WI ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BI ONLY FOR USE WITH: 590-7198 D4 VPAT TRAC	0 ITH A MACHINE LADE if Not Installed or M	\$8,900 \$8,900 NI		
P	582-6693	Available for HRC regions only Power-Angle-Tilt blade with finishing end bits. AVAILABLE AS INSTALLED OR NOT INSTALLED WI ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BI ONLY FOR USE WITH: 575-5168 D4 VPAT TRAC	0 TTH A MACHINE LADE if Not Installed or M	\$8,900 \$8,900 NI		

Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLAD	ES (CONT	·.)		
Р	483-9250	BLADE, 126" FOLDABLE ARO	0	\$13,360 \$13,360 NI
		Available for LRC regions only Power-Angle-Tilt blade with finishing end bits. Blade has one foldable end which can be manually for the front of the machine to fit within the 2.50 meter (a transportation width. AVAILABLE AS INSTALLED OR NOT INSTALLED WITH ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BLOONLY FOR USE WITH: 590-7198 D4 VPAT TRACT	8.36 ft) CH A MACHINE ADE if not installed or l	MISC
Р	582-6694	BLADE, 126" FOLDABLE ARO	0	\$13,360 \$13,360 NI
		Available for HRC regions only Power-Angle-Tilt blade with finishing end bits. Blade has one foldable end which can be manually fo the front of the machine to fit within the 2.50 meter (a transportation width. AVAILABLE AS INSTALLED OR NOT INSTALLED WIT ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BL ONLY FOR USE WITH: 575-5168 D4 VPAT TRACT	8.36 ft) CH A MACHINE ADE if not installed or l	MISC
P	348-6280	BLADE, 145" ARO LGP Available for LRC regions only Power-Angle-Tilt LGP blade with finishing end bits. AVAILABLE AS NOT INSTALLED ONLY WITH A MACI ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BL ONLY FOR USE WITH: 590-7199 D4 LGP VPAT TR	HINE ADE	\$9,310 NI
P	582-6695	BLADE, 145" ARO, LGP Available for HRC regions only Power-Angle-Tilt LGP blade with finishing end bits. AVAILABLE AS NOT INSTALLED ONLY WITH A MACI ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BL ONLY FOR USE WITH: 575-5171 D4 LGP VPAT TR	HINE ADE	\$9,310 NI
Р	483-9320	BLADE, 145" FOLDABLE ARO LGP	0	\$13,970 \$13,970 NI
		Available for LRC regions only Power-Angle-Tilt LGP Blade with finishing end bits. Blade has one foldable end which can be manually fo the front of the machine to fit within the 3.00 meter (stransportation width. AVAILABLE AS INSTALLED OR NOT INSTALLED WIT ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI BL ONLY FOR USE WITH: 590-7199 D4 LGP VPAT TR	olded toward 9.84 ft) CH A MACHINE ADE if not installed or 1	

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D4-GR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLAD	ES (CONT	·.)		
P	582-6696	Available for HRC regions only Power-Angle-Tilt LGP Blade with finishing end bits. Blade has one foldable end which can be manually the front of the machine to fit within the 3.00 meter transportation width. AVAILABLE AS INSTALLED OR NOT INSTALLED W ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 0G-3256 PACK-DISMOUNTED OR NI E ONLY FOR USE WITH: 575-5171 D4 LGP VPAT	0 folded toward r (9.84 ft) VITH A MACHINE C BLADE if Not Installed or	\$13,970 \$13,970 NI MISC
FLUID	os			
	0G-6009	ANTIFREEZE, -50C (-58F)		\$278 NET
PACK	KING			
EX	XPORT PAC	CKING		
	0G-3256	PACK-DISMOUNTED OR N.I. BLADE	0	\$233 NET
	0G-3257	PACK-NOT INSTALLED RIPPER	0	\$289 NET
	0G-0370	PACK - SPECIAL MISC. MATERIAL		\$117 NET

Supersedes 21AUG2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021