D5

D5 TRACK TYPE TRACTOR PIRACICABA, BRAZIL

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

C7.1 Caterpillar diesel engine Enhanced auto shift (EAS) Torque divider, lock up clutch Transmission, electronically controlled powershift, 3-Speed Shift management:

- -automatic directional and downshift
- -controlled throttle, load compensated -programmable/selectable bi-directional shifting
- -Infinite ground speed adjustment (GSA) Air cleaner, integrated pre-cleaner with dust ejector

dust ejector
Aftercooler, air to air (ATAAC)
Coolant, extended life
Fuel priming pump, electric
Radiator, aluminum bar plate
Starting aid, ether ready, automatic

UNDERCARRIAGE

Carrier rollers, lifetime lubricated Equalizer bar Idlers, sealed and lubricated Rollers, lifetime lubricated Track adjusters, hydraulic Track roller frames, tubular Track, sealed and lubricated Sprocket segments, replaceable

HYDRAULICS

Independent steering and implement pumps Load sensing hydraulics Fan, hydraulic, cold weather

ELECTRICAL

LED lights Alarm, backup Alternator, 105 A Batteries, two maintenance-free 12 V (950 cca) (24 V system) Converter, one 15A 12V outlets Horn, forward warning Starter, 24 V

OPERATOR ENVIRONMENT

One-piece cab, sound suppressed:
-Integrated rollover protection
IROPS/FOPS
-Cab-mounted modular HVAC system
8-inch (203 mm) gauge cluster display
Cloth seat
Machine Security System
Lights - 4 LED
Slope Indicate

Cupholders
Electro-hydraulic implement steering controls
Footpads, dash
Glovebox
Lunchbox storage
Mirror, rear view
Seatbelt, retractable, 76mm (3 inch)
Wipers
Mounts, cab, viscous

TECHNOLOGY PRODUCTS

RADIOS - Authorization varies by country please contact your Cat marketing representative with questions or click on the link below:https://dealer.cat.com/en/products/technology.html

PRODUCT LINK- Availability varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/pl/certification

OTHER STANDARD EQUIPMENT

Mounts, cab, viscous C-Frame, cylinders (VPAT) and lines Ecology drains (engine oil, engine coolant, powertrain case, hydraulic) Engine enclosures, perforated, lockable Extended service intervals (500 hrs engine, 1000 hrs powertrain) Front pull device Grill, radiator, heavy duty Ground level service center with remote electrical disconnect and secondary shutdown switch Guards, hinged bottom Pitch link, adjustable (VPAT) Pressure taps, centralized & remote Scheduled Oil Sampling (SOS) ports Rear access ladder Shovel holder Drawbar

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 220CT2021

-1 +- 0/04/0

| D5 TRACK T | TYPE TRACTOR Ship Weight A, BRAZIL lbs | LIST PRICE AT DEALER | | |
|---|--|-------------------------|--|--|
| Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Order Management program. | | | | |
| 510-7535 | D5 VPAT TRACTOR | NC | | |
| 510-7536 | D5 LGP VPAT TRACTOR | \$15,730 | | |
| 510-7537 | D5 TRACTOR | NC | | |
| OP-6967 | D5 MISCELLANEOUS MATERIAL | NC | | |
| | Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order. | | | |

'ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5-002

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|------------------------------|---|-------------------------|
| LANE | E SELECTIO | N | | |
| | 0P-9002 | LANE 2 ORDER | | NC |
| | 0P-9003 | LANE 3 ORDER | | NC |
| REGI | ONAL PAC | KAGES | | |
| L | 550-5590 | REGIONAL PACKAGE AM-N | 0 | NC |
| SPEC | CIAL ARRAI | NGEMENTS | | |
| C | ONFIGURA | TION ARRANGEMENTS | | |
| L | 532-9785 | CONFIGURATION 17B, VPAT, HRC | tractor. OR or | \$356,350 |
| L | 532-9787 | CONFIGURATION 17B, SU, HRC | | \$356,350 |
| A | PPLICATIO | N PACKAGES | | |
| L | 532-9793 | STANDARD DUTY PACKAGE | ntains standard e. BRIS or JTY or , VPAT or | NC |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5-003

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|--|--|-------------------------|
| | | NGEMENTS (CONT.) N PACKAGES (Cont.) | | |
| L | 532-9795 | HEAVY DUTY PACKAGE, VPAT FOR USE IN LANE 3 ONLY Primary package for heavy duty or forestry application specific cab protections (roof top, sweeps, rear and spremium (12) guarded lights, heavy duty bottom guatenclosures and fuel tank guard. INCLUDES: 550-5587 GUARD, HEAVY DUTY PKG, VPAT 599-7940 SCREEN, REAR, HINGED 600-1434 SCREEN, SIDES, HINGED 575-5509 LIGHTS, 12, LED, PREMIUM, VPAT 575-5630 GUARD, LIGHTS, PREMIUM, VPAT RECOMMENDED OPTIONS: 521-3388 PRECLEANER, TURBINE W/SCREEN 515-3719 REAR BOX WITH STRIKER BAR HDXL UNDERCARRIAGE REQUIRES: 583-9465 CAB, HEAVY DUTY and 550-5565 COVER, FUEL TK GRD, BASI 550-5567 COVER, FUEL TK GRD, FF W ONLY FOR USE WITH: 510-7536 D5 LGP VPAT T 505-5308 D5 VPAT TRAC' 505-5309 D5 LGP VPAT T CANNOT BE USED WITH: 575-9801 BLADE, LGP, W | C or /FAST FOR or FACTOR or FACTOR FRACTOR or FACTOR or FACTOR or FACTOR FRACTOR OT FACTOR FRACTOR OT FACTOR FRACTOR | \$17,960 |
| L | 532-9796 | FOR USE IN LANE 3 ONLY INCLUDES: 550-5588 GUARD, HEAVY DUTY PKG, SU 599-7940 SCREEN, REAR, HINGED 600-1434 SCREEN, SIDES, HINGED 575-5510 LIGHTS, 12 LED, PREMIUM 533-5463 GUARD, LIGHTS, PREMIUM SWEEP GP SEAL GP - WASTE HANDLING DUST EJECTOR GP REQUIRES: 583-9465 CAB, HEAVY DUTY and 550-5565 COVER, FUEL TK GRD, BASI- 550-5567 COVER, FUEL TK GRD, FF W ONLY FOR USE WITH: 510-7537 D5 TRACTOR o | C or /FAST | \$17,960 |

Supersedes 020CT2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

505-5310 D5 TRACTOR

D5

| USE REF NO. LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|----------------------------------|--------------------|-------------------------|
|----------------------------------|--------------------|-------------------------|

SPECIAL ARRANGEMENTS (CONT.)

APPLICATION PACKAGES (Cont.)

L 532-9797 WASTE PACKAGE, VPAT 0 \$8,450

FOR USE IN LANE 3 ONLY

Primary package for waste handling applications. It contains all features from the standard duty package, plus: premium (12) guarded lights, heavy duty bottom guards, heavy duty rear enclosures and fuel tank guard.

INCLUDES:

550-5587 GUARD, HEAVY DUTY PKG, VPAT 575-5509 LIGHTS, 12, LED, PREMIUM, VPAT 575-5630 GUARD, LIGHTS, PREMIUM, VPAT

RECOMMENDED OPTIONS: 521-3388 PRECLEANER, TURBINE W/SCREEN 515-3719 REAR BOX WITH STRIKER BAR 588-6170 FLOOR, CAB, QUICK ACCESS

TRACKS WITH CENTER HOLES

REQUIRES: FINAL DRIVE, GUARDED and

UNDERCARRIAGE, HDXL, WASTE and 510-1532 FAN, REVERSING and

510-1533 RADIATOR, TRASH RESISTANT or 559-6008 RADIATOR, TRASH RESISTANT and

583-9464 CAB, HIGH DEBRIS and

588-1061 PRECLEANER, CAB POWERED and 550-5565 COVER, FUEL TK GRD, BASIC or

550-5567 COVER, FUEL TK GRD, FF W/FAST and

575-9798 BLADE, WASTE, VPAT or 575-9801 BLADE, LGP, WASTE, VPAT

ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or

510-7536 D5 LGP VPAT TRACTOR or 505-5308 D5 VPAT TRACTOR or 505-5309 D5 LGP VPAT TRACTOR

CANNOT BE USED WITH: CAT ABRASION and FINEGRADING UNDERCARRIAGES

515-7373 DUAL CONTROL PACKAGE

Supersedes 020CT2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|---|-------------------------|
| SPEC | IAL ARRAI | NGEMENTS (CONT.) | | |
| AF | PPLICATIO | N PACKAGES (Cont.) | | |
| L | 532-9798 | WASTE PACKAGE, SU FOR USE IN LANE 3 ONLY INCLUDES: 550-5588 GUARD, HEAVY DUTY PKG, SU 528-9537 ENCLOSURE GP 533-7734 EJECTOR GP-DUST 550-5579 HANDHOLD AR-CAB 559-2710 SEAL GP 575-5510 LIGHTS, 12 LED, PREMIUM RECOMMENDED OPTIONS: 521-3388 PRECLEANER, TURBINE W/SCREEN 515-3719 REAR BOX WITH STRIKER BAR 588-6170 FLOOR, CAB, QUICK ACCESS TRACKS WITH CENTER HOLES REQUIRES: FINAL DRIVE, GUARDED and UNDERCARRIAGE, HEAVY DUTY, WAST 510-1532 FAN, REVERSING and 510-1533 RADIATOR, TRASH RESISTAN 559-6008 RADIATOR, TRASH RESISTAN 583-9464 CAB, HIGH DEBRIS and 588-1061 PRECLEANER, CAB POWERED 550-5565 COVER, FUEL TK GRD, BASIC | E and T or T and D and C or | \$8,450 |
| | | 579-5690 BLADE SU, WASTE, ARO ONLY FOR USE WITH: 510-7537 D5 TRACTOR or 505-5310 D5 TRACTOR CANNOT BE USED WITH: ABR/S1 and FINEGRADIN | | |
| L | 532-9799 | 515-7373 DUAL CONTROI OPEN SWEEPS, PACKAGE, VPAT FOR USE IN LANE 3 ONLY Primary package for general earthmoving tasks. It co fenders and rear enclosures, specific cab protection (ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7536 D5 LGP VPAT TI 505-5308 D5 VPAT TRACT 505-5309 D5 LGP VPAT TI | PACKAGE0 Intains standard sweeps). OR or RACTOR or OR or | \$4,725 |
| L | 532-9800 | CANNOT BE USED WITH: 575-9798 BLADE, WASTE, 575-9801 BLADE, LGP, WASTE, 575-9801 BLADE, LGP, WASTE, FOR USE IN LANE 3 ONLY Primary package for general earthmoving tasks. It co fenders and rear enclosures, specific cab protection (ONLY FOR USE WITH: 510-7537 D5 TRACTOR or 505-5310 D5 TRACTOR | , VPAT ASTE, VPAT0 ntains standard sweeps). | \$4,725 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|-------------|--|--|-------------------------|
| PO | WERTRAIN | | | |
| | FINAL DRIVE | . S | | |
| L | 510-9717 | FINAL DRIVE, 74" | TOR or r TOR or GE, VPAT or | NC |
| L | 510-9719 | FINAL DRIVE, 74", GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth guard rings protection for the duo cone seals. Specific for waste applications with wrapping debris. Not recommende work or muddy applications. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR of 505-5308 D5 VPAT TRACTOR of 505-5309 D5 LGP VPAT T | to provide extra or other ed for general dirt TOR or r | \$5,730 |
| L | 510-9718 | FINAL DRIVE, LGP, 85" ONLY FOR USE WITH: 510-7536 D5 LGP VPAT T 505-5309 D5 LGP VPAT T CANNOT BE USED WITH: 532-9797 WASTE PACKAG 532-9798 WASTE PACKAG | 0 TRACTOR or TRACTOR GE, VPAT | NC |
| L | 510-9720 | FINAL DRIVE, LGP, 85", GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth guard rings protection for the duo cone seals. Specific for waste applications with wrapping debris. Not recommende work or muddy applications. ONLY FOR USE WITH: 510-7536 D5 LGP VPAT T 505-5309 D5 LGP VPAT T | to provide extra or other ed for general dirt RACTOR or | \$5,730 |
| | ENGINES | | | |
| L | 575-9709 | ENGINE | Tier 4 Final | NC |
| ı | ENGINE AIR | CLEANERS | | |
| L | 521-4270 | AIR CLEANER, STANDARD | 0 | NC |
| L | 521-3388 | PRECLEANER, TURBINE W/SCREENRECOMMENDED IN HEAVY DUTY AND WASTE HAN | | \$1,265 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
| | | | | , |

UNDERCARRIAGE

Customers should carefully select between Cat Abrasion and Heavy Duty Extended life Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide. https://oneclick.cat.com/files/UAGuide 3 27 13/index.html or PEBJ0024

UNDERCARRIAGE SYSTEMS

Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or V-ditching. Heavy Duty Extended Life with Duralink.

Cat Abrasion(ABR): For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact or waste.

Standard: Has alternating Single Flange and Double Flange track rollers. For use in applications with side slopes up to 4:1; ground objects up to 1"; and little if any V-ditching. Recommended to order with Center Guides.

Tall Double Flange: Has Tall Double Flange track rollers in all positions except the end rollers. Provides improved track guiding in rough underfoot or side slope applications steeper than 4:1. Recommended to order with Partial Guides.

Waste: Includes Kevlar guarded, sealed idlers to help prevent debris such as wire, string or plastic bags from wrapping into seals. Has alternating Single Flange and Double Flange track rollers. Recommended to order with Center Guides.

Fine Grading: Uses 8 roller track frame from the LGP version that provides more tracks on the ground for increased fore/aft stability and improved grading

40 SECTION UNDERCARRIAGES

| L | 523-9390 | UNDERCARRIAGE, S1/ABR | 1 | \$10,270 |
|---|----------|--------------------------|-----------------------------|----------|
| | | ONLY FOR USE WITH: | 510-7535 D5 VPAT TRACTOR or | |
| | | | 510-7537 D5 TRACTOR or | |
| | | | 505-5308 D5 VPAT TRACTOR or | |
| | | | 505-5310 D5 TRACTOR | |
| L | 523-9388 | UC, HDXL | | NC |
| | | For moderate slopes that | t are shallower than 4:1 | |
| | | ONLY FOR USE WITH: | 510-7535 D5 VPAT TRACTOR or | |
| | | | 510-7537 D5 TRACTOR or | |
| | | | 505-5308 D5 VPAT TRACTOR or | |
| | | | 505-5310 D5 TRACTOR | |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 220CT2021

D5-008

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRIC |
|------|------------|--|--|-----------|
| JNDE | ERCARRIAC | GE (CONT.) | | |
| 40 | O SECTION | UNDERCARRIAGES (Cont.) | | |
| | 523-9389 | UC, HDXL W/ TALL DBL FLANGE | 0 | ¢620 |
| L | 323-3363 | For steep slopes that are 4:1 or greater ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7537 D5 TRACTOR or 505-5308 D5 VPAT TRACT 505-5310 D5 TRACTOR | TOR or | \$620 |
| L | 563-1027 | UC, HDXL, WASTE FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7537 D5 TRACTOR or 505-5308 D5 VPAT TRACT 505-5310 D5 TRACTOR | TOR or | \$330 |
| 46 | 6 SECTION | UNDERCARRIAGES, FINE GRADING | | |
| L | 523-9395 | UC, S1/ABR, FINE GRADING FOR USE IN LANE 3 ONLY REQUIRES: 579-5773 TRACK, 24", MS, ABR, FINE G 384-7414 GUARD GUIDING, LGP, ABR, 384-7415 GUARD GUIDING, LGP, ABR, 550-5570 DOZER CTL, STANDARD, VPA 550-5572 DOZER CTL, ARO/GRADE, LG 515-3738 BULLDOZER PACKAGE, LGP, 575-9796 BLADE, VPAT or 575-9797 BLADE, FOLDABLE, VPAT ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT | GRD and PART or FULL and AT or GP VPAT and VPAT and | \$19,800 |
| L | 523-9394 | UC, HDXL, FINE GRADING FOR USE IN LANE 3 ONLY For moderate slopes that are shallower than 4:1 REQUIRES: 575-7736 TRACK, 600MM (24"),MS,HDX 205-6129 GUARD GUIDING, PART, HDX 205-6130 GUARD GUIDING, FULL, HDX 550-5570 DOZER CTL, STANDARD, VPA 550-5572 DOZER CTL, ARO/GRADE, LO 515-3738 BULLDOZER PACKAGE, LGP, 575-9796 BLADE, VPAT or 575-9797 BLADE, FOLDABLE, VPAT ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT | IL, FINE GRD and IL or IL and IT or GP VPAT and VPAT and | \$10,110 |
| 46 | 6 SECTION | UNDERCARRIAGES, LGP | | |
| L | 523-9393 | UNDERCARRIAGE, LGP, S1/ABR | RACTOR or | \$10,770 |
| L | 523-9391 | UC, LGP, HDXL For moderate slopes that are shallower than 4:1 ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TO 505-5309 D5 LGP VPA | RACTOR or | NC |
| L | 523-9392 | UC, LGP, HDXL TALL DBL FLANGE | RACTOR or | \$620 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|--------------------|-------------------------|
| UNDI | ERCARRIAC | GE (CONT.) | | |
| 40 | 6 SECTION | UNDERCARRIAGES, LGP (Cont.) | | |
| - | 563-1028 | UC, LGP, HDXL, WASTE FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TO 505-5309 D5 LGP VPAT TO | RACTOR or | \$330 |
| | | TRACK PAIRS TH 40 SECTION UNDERCARRIAGES | | |
| | 579-5770 | TRACK, 22", ES, S1/ABR | | NC |
| • | 579-5771 | TRACK, 24", ES, S1/ABR | 0 | \$242 |
| | 579-5772 | TRACK, 24",ES CTR HOLE,S1/ABR | 0 | \$1,590 |
| | 575-7734 | TRACK, 22", ES HDXL | ALL DBL FLANGE | \$121 |
| | 575-7733 | TRACK, 24", ES, HDXL | ALL DBL FLANGE | \$362 |
| | 575-7735 | TRACK, 24", ES CENT HOLE, HDXL FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 523-9388 UC, HDXL 523-9389 UC, HDXL W/ T 563-1027 UC, HDXL, WAS | ALL DBL FLANGE | \$1,495 |
| | | TRACK PAIRS, FINE GRADING TH 46 SECTION UNDERCARRIAGES, FINE GRADING | | |
| | 579-5773 | TRACK,24",MS, S1/ABR,FINE GRD | | \$3,700 |
| | 575-7736 | ONLY FOR USE WITH: 523-9395 UC, S1/ABR, FITACK, 24", MS, HDXL, FINE GRD | 0 | \$3,855 |
| | | TRACK PAIRS, LGP TH 46 SECTION UNDERCARRIAGES, LGP | | |
| | 579-5774 | TRACK, 31", ES, LGP, S1/ABR | | \$1,340 |
| | 579-5775 | TRACK, 33", ES, LGP, S1/ABR | 0 | \$1,340 |
| | 579-5777 | TRACK, 34", ES, LGP, S1/ABR | | \$2,295 |
| | 579-5776 | TRACK, 33", MS, LGP, S1/ABR | | \$473 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

| USE | REF NO. | LANE 2 / 3 | 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|--|----------------------------|-------------------------|
| UNDE | RCARRIAG | GE (CONT.) | | | |
| 46 | SECTION | TRACK PAIRS, LGP | (Cont.) | | |
| L | 575-7738 | TRACK, 33", ES, LGP, HD: ONLY FOR USE WITH: | 523-9391 UC, LGP, HDXI 523-9392 UC, LGP, HDXI 563-1028 UC, LGP, HDXI | or TALL DBL FLANGE or | \$1,725 |
| L | 575-7739 | TRACK, 33", ES,C.HOLE L FOR USE IN LANE 3 ON ONLY FOR USE WITH: | GP HDXL | or TALL DBL FLANGE or | \$2,855 |
| L | 575-7740 | TRACK, 34", ES, LGP, HD ONLY FOR USE WITH: | 523-9391 UC, LGP, HDXI 523-9392 UC, LGP, HDXI 563-1028 UC, LGP, HDXI | 0 cor TALL DBL FLANGE or | \$2,000 |
| I | | ARDS rack guide guards. Only for s 2.5 cm (1") and smaller ar | use in flat underfoot, | z, WASTE | |

ground objects 2.5 cm (1") and smaller and no V-ditching.

Center guide: Light track guiding with single center track guide guards. Use in applications with side slopes up to 4:1; ground objects up to 2.5 cm (1"); and little if any, V-ditching.

Partial guide: Moderate track guiding with two center track guide guards per track frame. Use in applications with side slopes between 4:1 and 2:1; with ground objects 2.5 to 7.5 cm (1 to 3"); and low to moderate V-ditching.

Full guide: Heavy track guiding with full length track guide-guards. Use in applications with side slopes 2:1 and steeper; with ground objects greater than 7.5 cm (3"), and frequent V-ditching. Full length guards should not be used in applications with wet, heavy, packable underfoot material.

GUIDING GUARDS FOR 40 SECTION TRACKS

| L | 384-7412 | NO GUIDING GUARD | NC |
|---|----------|---|---------|
| | | ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR | |
| | | 523-9388 UC, HDXL | |
| L | 271-6164 | GUARD GUIDING, CENTER, S1/ABR | \$1,355 |
| | | FOR USE IN LANE 3 ONLY | |
| | | ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR | |
| L | 251-8616 | GUARD GUIDING, PART, S1/ABR | \$2,300 |
| | | FOR USE IN LANE 3 ONLY | |
| | | ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR | |
| L | 251-8619 | GUARD GUIDING, FULL, S1/ABR | \$4,010 |
| | | ONLY FOR USE WITH: 523-9390 UNDERCARRIAGE, S1/ABR | |
| L | 606-5091 | GUARD GUIDING, CENTER, HDXL | \$1,345 |
| | | ONLY FOR USE WITH: 523-9388 UC, HDXL or | |
| | | 563-1027 UC, HDXL, WASTE | |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRIC |
|------|------------|--|---|-----------|
| UND | ERCARRIAG | GE (CONT.) | | |
| G | UIDING GU | ARDS (Cont.) | | |
| - | 606-5092 | GUARD GUIDING, PART, HDXL | L FLANGE ALL DBL FLANGE or | \$2,280 |
| - | 606-5093 | 563-1027 UC, HDXL, WAS GUARD GUIDING, FULL, HDXL | 0 | \$3,970 |
| G | UIDING GU | ARDS FOR 46 SECTION TRACKS | | |
| - | 394-7564 | GUARD GUIDING, CENTER, S1/ABR | | NC |
| L | 384-7414 | ONLY FOR USE WITH: 523-9393 UNDERCARRIAGE GUARD GUIDING, LGP, S1/ABR, PART | 183 NE GRADING or GE, LGP, S1/ABR | \$2,300 |
| | | REQUIRED BY: 579-5773 TRACK, 24", MS, ABR, FI | NE GRD | |
| L | 384-7415 | GUARD GUIDING,LGP,S1/ABR,FULL | GE, LGP, S1/ABR or NE GRADING | \$4,010 |
| L | 606-5095 | GUARD GUIDING, LGP, CTR, HDXL | C GRADING or or | \$1,345 |
| - | 606-5096 | 563-1028 UC, LGP, HDXL, GUARD GUIDING, LGP, PART, HDXL | 0 BL FLANGE | \$1,665 |
| L | 606-5097 | GUARD GUIDING, LGP, FULL, HDXL | TALL DBL FLANGE or CGRADING | \$3,600 |
| HYDI | RAULICS | | | |
| | | ROL PACKAGES | | |
| L | 565-5309 | NO REAR HYDRAULIC PACKAGE | | NC |
| L | 515-7372 | REQUIRES: 515-3712 DRAWBAR RIPPER CONTROL PACKAGE | des a single axis | \$2,010 |
| L | 515-7373 | DUAL CONTROL PACKAGE | 0 | \$3,625 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5-012

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|--|-------------------------|
| HYDI | RAULICS (| CONT.) | | |
| | | FANS driven. Includes a valve that allows for low fan speed d weather performance. | | |
| L | 510-1530 | FAN, STANDARD | 0 | NC |
| L | 510-1532 | FAN, REVERSING | | \$1,895 |
| STAF | RTERS, BAT | TTERIES, & ALTERNATORS | | |
| W | EATHER P | ACKAGES AND BATTERIES | | |
| L | 550-5561 | BATTERY, STANDARD PACKAGE | | NC |
| L | 550-5562 | Standard 950 CCA Batteries. Includes a standard statement of the standard statement of the standard statement of the standard sta | 0 | \$473 |
| L | 550-5563 | Includes a standard starter. RECOMMENDED in cold ambient temperature environments. COLD WEATHER, 110V, PACKAGE | | \$1,075 |
| ELEC | TRICAL | | | |
| LI | GHTS | | | |
| L | 575-5507 | Six LED lights with 800 Lumen power each. Two mou radiator grill, two mounted on cab facing forward, and mounted on cab facing rear. 12-light ready wired. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7536 D5 LGP VPAT TR 505-5308 D5 VPAT TRACT 505-5309 D5 LGP VPAT TR 532-9793 STANDARD DUT 532-9799 OPEN SWEEPS, | Inted above the Id two more OR or RACTOR or OR or RACTOR and TY PACKAGE or | \$695 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

CÜRRENCY D5-013
Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---|---|-------------------------|
| ELEC | TRICAL (C | ONT.) | | |
| LI | GHTS (Coi | nt.) | | |
| | 575-5508 | LIGHTING, 6 LED, SU | 0 | \$695 |
| | | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7537 D5 TRACTOR o 505-5310 D5 TRACTOR a 532-9793 STANDARD DU 532-9800 OPEN SWEEPS | r nd TY PACKAGE or | · |
| - | 575-5509 | LIGHTS, 12, LED, PREMIUM, VPAT | Lumen power each to as mounted on engine er for a total of 360 TOR or TOR or TOR or TOR OR | \$2,155 |
| - | 575-5510 | LIGHTS, 12 LED, PREMIUM FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7537 D5 TRACTOR of 505-5310 D5 TRACTOR INCLUDED IN: 532-9798 WASTE HANDLING PACKA 532-9796 HEAVY DUTY PACKAGE, S | 0 r AGE, SU | \$2,155 |
| OPEF | RATOR ENV | TRONMENT | | |
| C | AB PACKA | GES | | |
| _ | 583-9463 | CAB, PREMIUM | s, sliding side crol (RC) ready. TY PACKAGE or , PACKAGE, VPAT or | \$3,390 |
| _ | 583-9465 | FOR USE IN LANE 3 ONLY For heavy duty or forestry applications. Includes fea premium cab plus poly-carbonate glass doors for ad resistance. Cab is Remote Control (RC) ready. ONLY FOR USE WITH: 532-9795 HEAVY DUTY P 532-9796 HEAVY DUTY P | tures of the ded impact | \$5,970 |
| L | 583-9464 | CAB, HIGH DEBRIS | ures of the ded impact pressurization. GE, VPAT or | \$6,520 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|-----------------------------------|---|--|-------------------------|
| | GRAB HAND Includes grab | handles and a rear ladder for the operator to easily | | |
| | access the ma | | | |
| L | 505-5306 | GRAB HANDLES, VPAT | sily | NC |
| L | 505-5307 | GRAB HANDLES, LGP, VPAT Grab handle and rear ladder for LGP machine version ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TS05-5309 D5 LGP VPAT TS05-5309 D5 LGP VPAT TS05-5309 D5 VPAT TRACTS05-9394 UC, HDXL, FINE 523-9395 UC, CAT ABRASS05-5308 D5 VPAT TRACTS05-5308 D5 VPAT TRACTS05-9394 UC, HDXL, FINE 523-9394 UC, HDXL, | ns. RACTOR or RACTOR or RACTOR or OR and CGRADING or SION, FINE GRADING or TOR and | NC |
| L | 505-5305 | 523-9395 UC, CAT ABRAS GRAB HANDLES, SU | 0 | NC |
| 5 | SEATS | | | |
| L | 470-7252 | SEAT, STANDARD | | NC |
| L | 560-9088 | Comfort plus cloth seat with mechanical lumbar sup SEAT, HEATED & VENTILATED | l. Side and back support. | \$1,875 |
| (| CAB FLOORS | 3 | | |
| L | 543-1114 | FLOOR, CAB, PREMIUM | | \$266 |
| L | 588-6170 | FLOOR, CAB, QUICK ACCESS | ening floor. | \$1,185 |
| ı | R <i>ADIO</i> | | | |
| L | 579-5778 | NO RADIO | | NC |
| L | 579-5779 | Radio ready. Requires customer provided entertainm PREMIUM CORP RADIO (12V) | gy, USB port, y. | \$605 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|-------------|---|---|-------------------------|
| OPE | RATOR ENV | IRONMENT (CONT.) | | |
| F | REAR CAME | RA | | |
| L | 577-8623 | Rear camera system to enhance operator visibility of machine. The camera image is shown on primary discamera shows in home screen and automatically sw screen when machine is placed in reverse gear. Camback up lines that show edge of machine tracks and remains in standard mode until the machine is placed CANNOT BE USED WITH: 583-9461 CAB, STANDAR | f surroundings and splay. Rearview itches to full nera image includes distance reference. ed in reverse gear. | \$550 |
| A | AIR CONDITI | ONING | | |
| L | 575-9698 | AIR CONDITIONING, QUICK DISC | at can be quickly ant. This allows urposes. | NC |
| C | CAB AIR PRE | ECLEANERS | | |
| L | 441-9252 | AIR FILTER, CABProvides an external and accessible cartridge with a filter to prevent the cab from normal dust intrusions | cylindrical | NC |
| L | 588-1061 | PRECLEANER, CAB POWERED FOR USE IN LANE 3 ONLY Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environ Recommended in high debris applications. Includes: - Extended service times for air filter - Improved cabin pressurization to keep dirt out - External accessible cartridge with cylindrical filte (MERV16) to prevent the cab from normal dust in - Upgrade compatible with HEPA with activated cafor order control filtration REQUIRED BY: 532-9797 WASTE PACKAGE, VPAT 532-9798 WASTE PACKAGE, SU | ment er trusions. rbon | \$3,120 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. AT DEALER

TECHNOLOGY PRODUCTS

MACHINE CONTROLS

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) SLOPE INDICATE: Provides operator real time machine cross slope and mainfall information on the primary display.
- 2) BLADE LOAD MONITOR: Provides real time feedback of the current current load vs. the target machine load to fully utilize machine capacity. Feature not operational indoors or in areas where a GPS signal is not available.
- 3) STABLE BLADE: Complements the operators blade inputs to attain finish grades quicker with less effort.
- 4) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 5) TRACTION CONTROL: Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available.
- 6) AUTOCARRY: Automates blade lift to maximize blade load, improve load consistency and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.
- 7) ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.
- 8) GRADE W/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar

Marketing representative with questions.

ARO w/ Assist: Includes G6:M6. Reference:

https://dealer.cat.com/en/products/technology/construction-technology for certified countries.

GRADE 3D: Includes MS955 and RZ2. Reference:

Dealer.cat.com/en/products/technology/construction-technology/grade for certified countries.

L 587-7161 \$1,510 FOR USE IN LANE 3 ONLY

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 220CT2021

| US | REF E NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|----|--------------|---|---|-------------------------|
| TE | CHNOLOGY I | PRODUCTS (CONT.) | | |
| | MACHINE C | ONTROLS (Cont.) | | |
| L | 587-7162 | Provides a 10" touchscreen display and glove box. INCLUDES: SLOPE INDICATE CANNOT BE USED WITH: 583-9461 CAB, STANDAR ARO W/ ASSIST Provides a 10" touchscreen display and glove box. INCLUDES: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE | | \$9,090 |
| L | 587-7163 | SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: 583-9461 CAB, STANDAR GRADE W/3D | 0 | \$62,650 |
| L | 587-7164 | SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) GRADE W/3D CANNOT BE USED WITH: 583-9461 CAB, STANDAR GRADE W/3D, SWEEPS FOR USE IN LANE 3 ONLY Provides a 10" touchscreen display and the seconda INCLUDES: Same features as GRADE W/ 3D ONLY FOR USE WITH: 532-9795 HEAVY DUTY P 532-9796 HEAVY DUTY P 532-9799 OPEN SWEEPS 532-9800 OPEN SWEEPS CANNOT BE USED WITH: 583-9461 CAB, STANDAR | ry grade display. ACKAGE, VPAT or ACKAGE, SU or , PACKAGE, VPAT or PACKAGE, SU | \$62,650 |
| | IOVSTICKIC | , | שמ | |
| | JOYSTICK/C | UNINULS | | |
| L | 435-5757 | JOYSTICK, STANDARD, VPAT ONLY FOR USE WITH: 587-7160 BASIC DISPLAY 587-7161 PREMIUM DISPLAY 510-7535 D5 VPAT TRAC 510-7536 D5 LGP VPAT T 505-5308 D5 VPAT TRAC 505-5309 D5 LGP VPAT T | Z, NON ARO or PLAY, NON ARO and TOR or PRACTOR or TOR or | NC |

Supersedes 020CT2021
Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-------|------------|--|--|-------------------------|
| TECH | HNOLOGY F | PRODUCTS (CONT.) | | |
| J | OYSTICK/C | ONTROLS (Cont.) | | |
| L | 435-5759 | JOYSTICK, ARO/GRADE, VPAT ONLY FOR USE WITH: 510-7535 D5 VPAT TRA 510-7536 D5 LGP VPAT 505-5308 D5 VPAT TRA | CTOR or TRACTOR or CTOR or | NC |
| | | 505-5309 D5 LGP VPAT CANNOT BE USED WITH: 587-7160 BASIC DISPL 587-7161 PREMIUM DI | AY, NON ARO or | |
| L | 435-5756 | JOYSTICK, STANDARD, PA FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 587-7160 BASIC DISPL 587-7161 PREMIUM DISPL 510-7537 D5 TRACTOR 505-5310 D5 TRACTOR | AY, NON ARO or SPLAY, NON ARO and or | NC |
| L | 435-5758 | JOYSTICK, ARO/GRADE, PA FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7537 D5 TRACTOR 505-5310 D5 TRACTOR CANNOT BE USED WITH: 587-7160 BASIC DISPL 587-7161 PREMIUM DI | cor AY, NON ARO or | NC |
| D | OZER CON | TROLS | | |
| L | 550-5570 | DOZER CTL, STANDARD, VPAT ONLY FOR USE WITH: 587-7161 PREMIUM DI 510-7535 D5 VPAT TRA 510-7536 D5 LGP VPAT 505-5308 D5 VPAT TRA | AY, NON ARO or SPLAY, NON ARO and CTOR or TRACTOR or CTOR or | NC |
| L | 550-5571 | 505-5309 D5 LGP VPAT DOZER CTL, ARO/GRADE, VPAT ONLY FOR USE WITH: 510-7535 D5 VPAT TRA 505-5308 D5 VPAT TRA CANNOT BE USED WITH: 587-7160 BASIC DISPL | 0 ACTOR or ACTOR and AY, NON ARO or | NC |
| L | 550-5572 | ONLY FOR USE WITH: 510-7535 D5 VPAT TRA 505-5308 D5 VPAT TRA 510-7536 D5 LGP VPAT 505-5309 D5 LGP VPAT CANNOT BE USED WITH: 587-7160 BASIC DISPL | CTOR - FINE GRADING or CTOR - FINE GRADING or TRACTOR or TRACTOR or AY, NON ARO or | NC |
| L | 550-5568 | 587-7161 PREMIUM DI- DOZER CTL, STANDARD, PA | or and AY, NON ARO or | NC |
| L | 550-5569 | 587-7161 PREMIUM DIDOZER CTL ARO/GRADE, SU | ED cor cand AY, NON ARO or | NC |

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|--|---|---|-------------------------|
| TECH | HNOLOGY F | PRODUCTS (CONT.) | | |
| | location, open effectively mo- jobs on sched of owning and please referen- countries. Ple with question Cab selection | enables the remote transmission of information about the ation, and condition of your equipment. Efficiently and nitor the performance of your assets to help keep your ule, maintain equipment condition, and reduce the costs loperating your fleet. Availability varies by country - ace https://Dealer.cat.com/PL/Certification for certified ase contact your Caterpillar marketing representative | | |
| L | 577-7697 | PROD LINK, PLE643/PLE743 RADIO | a cellular PL243 PL602 network rk manager and productivity also provides | NC |
| L | 577-7698 | PROD LINK, PLE683/PLE783 RADIO | a dual mode PL083 lar and in combination system) or PLE702 health, utilization tted. The system | \$476 |
| FUEL | . SYSTEMS | | | |
| F | UEL TANKS | ; | | |
| L | 508-1610 | FUEL TANK, BASIC | 0 | NC |
| L | 508-1609 | FUEL TANK, FAST FILL | | \$252 |

COOLING

523-3959 FUEL SYSTEM, FAST FILL

ONLY FOR USE WITH: 510-7535 D5 VPAT TRACTOR or 510-7536 D5 LGP VPAT TRACTOR or

510-7537 D5 TRACTOR.

Supersedes 020CT2021 Subject to change without notice Effective 220CT2021
Caterpillar: Confidential Green Printed in USA
US-A D U. S. DOLLAR CURRENCY D5-020

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|--|-------------------------|
| COOL | LING (CON | IT.) | | |
| L | 510-1533 | FOR USE IN LANE 3 ONLY (17B) Provides wider fin spacing radiator (6fpi instead of 9f Straight through fin design enhances cleanability and material provides efficient heat transfer. RECOMMENDED for high debris applications. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7536 D5 LGP VPAT TS 510-7537 D5 TRACTOR REQUIRED BY: 532-9797 WASTE PACKAGE, VPAT 532-9798 WASTE PACKAGE, SU | fpi). d aluminium FOR or RACTOR or | \$1,580 |
| GUAF | RDS | | | |
| В | OTTOM AN | ID FUEL TANK GUARDS | | |
| L | 550-5585 | GUARD, BOTTOM, VPAT Includes a standard bottom guard. ONLY FOR USE WITH: 510-7536 D5 VPAT TRACT 505-5308 D5 VPAT TRACT 505-5309 D5 LGP VPAT TRACT 505-5309 D5 LGP VPAT TRACT 532-9793 STANDARD DUT | FOR or RACTOR or FOR or RACTOR and FY PACKAGE or | NC |
| L | 550-5587 | 532-9799 OPEN SWEEPS, GUARD, HEAVY DUTY PKG, VPAT | Oguard. FOR or RACTOR or FOR or RACTOR | \$2,365 |
| L | 550-5586 | GUARD, BOTTOM, SU | | NC |
| L | 550-5588 | GUARD, HEAVY DUTY PKG, SU FOR USE IN LANE 3 ONLY Includes heavy duty bottom guards and a fuel tank g ONLY FOR USE WITH: 510-7537 D5 TRACTOR or 505-5310 D5 TRACTOR INCLUDED IN: 532-9796 HEAVY DUTY PACKAGE, S 532-9798 WASTE PACKAGE, SU | guard. · | \$2,365 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|---------|------------|--|----------------------|-------------------------|
| HTC | ER ATTACH | IMENTS | | |
| RI | EAR ATTAG | CHMENTS | | |
| , 12 | | TINIEI (TO | | |
| - | 515-3715 | RIPPER PKG, STRAIGHT TEETH | 0 | \$24,610 \$24,610 N |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Ripper, hydraulic, parallelogram, rear-mounted. Includes three straight shanks with teeth. When installed on an LGP machine, the ripper is inte scarifying hard soil only. | nded for | \$24,610 N |
| | | ONLY FOR USE WITH: 515-7372 RIPPER READY 1 515-7373 DUAL CONTROL | | |
| - | 515-3716 | RIPPER PKG, CURVED TEETH | 0 | \$24,610 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER | 0 | \$24,610 N |
| | | Ripper, hydraulic, parallelogram, rear-mounted. | | |
| | | Includes three curved shanks with teeth. When installed on an LGP machine, the ripper is inte | nded for | |
| | | scarifying hard soil only. | nueu ioi | |
| | | ONLY FOR USE WITH: 515-7372 RIPPER READY | | |
| | 515-3713 | 515-7373 DUAL CONTROL PA55 WINCH, STANDARD SPEED PKG | | \$45,140 |
| | | FOR USE IN LANE 3 ONLY | | , |
| | | Transmission PTO driven. Bare drum line speed 96-151 feet (29.2-46 meters) pe | er minute | |
| | | Maximum rated line pull 51,200lbs (23,245kg bare d | | |
| | | Cable dia. 0.75 inch(19mm). Additional fairleads avai | lable as options. | |
| | | Powershift standard speed gears with free-spool. Any machine ordered with a winch REQUIRES a rear | screen group | |
| | | Also available on the WT-TTT pricelist as 591-8849, I | | |
| | | STANDARD SPEED PKG | | |
| | | REQUIRES: 527-8728 SCREEN, REAR, FIXED or 599-7940 SCREEN, REAR, HINGED | | |
| | | ONLY FOR USE WITH: 515-7373 DUAL CONTROL | PACKAGE | |
| • | 515-3714 | PA55 WINCH, SLOW SPEED, PKG | 0 | \$44,100 |
| | | Transmission PTO driven. | | |
| | | Bare drum line speed 41-63 feet (12.5-19.2 meters) p | | |
| | | Maximum rated line pull 51,200lbs (23,245kg bare d Cable dia. 0.75 inch(19mm). Additional fairleads avai | | |
| | | Powershift standard speed gears with free-spool. | able as options. | |
| | | Any machine ordered with a winch REQUIRES a rear | | |
| | | Also available on the WT-TTT pricelist as 591-8848, I SLOW SPEED PKG | A55 WINCH, | |
| | | REQUIRES: 527-8728 SCREEN, REAR, FIXED or | | |
| | | 599-7940 SCREEN, REAR, HINGED ONLY FOR USE WITH: 515-7373 DUAL CONTROL | DACKACE | |
| | 515-3712 | DRAWBAR | | NC |
| | E1E 0740 | | | 617 000 |
| - | 515-3719 | REAR BOX WITH STRIKER BAR | U | \$17,020 |
| | | The rear striker bar includes a rigid drawbar and larg | ge opening doors | |
| | | to access the storage compartment. RECOMMENDED IN HEAVY DUTY AND WASTE HAN | DI ING ADDI ICATIONS | |
| | | ONLY FOR USE WITH: 565-5309 NO REAR HYDR | | |
| | | CANNOT BE USED WITH: 532-9793 STANDARD DUT | | |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|---------------------------|--|--|-------------------------|
| ОТН | ER ATTACH | HMENTS (CONT.) | | |
| | | CHMENTS (Cont.) | | |
| P | 515-3711 | NO REAR ATTACHMENT | wants to install e field. astomer with an , Striker box) ne. is consistent | NC |
| BLAD | DES | | | |
| В | Bulldozer Pacattachments. | PACKAGES kages do NOT include a blade. Blades are optional PLEASE MAKE SURE TO SELECT ONE BLADE FROM T THIS PRICE LIST IF INTENDED TO GET A COMPLETE IN | | |
| L | 515-3737 | BULLDOZER PACKAGE, VPAT | tilt cylinders) t and angle COR or | NC |
| L | 515-3738 | BULLDOZER PACKAGE, LGP, VPAT INCLUDES: Bulldozer 6VPAT, LGP (with C-Frame, 2 lift, 2 angle cylinders) Hydraulic lines with protection guards above the lift cylinder lines ONLY FOR USE WITH: 510-7536 D5 LGP VPAT TS 505-5309 D5 LGP VPAT TRACT 523-9394 UC, HDXL, FINE 523-9395 UC, CAT ABRAS 505-5308 D5 VPAT TRACT 523-9394 UC, HDXL, FINE | and 1 tilt and angle RACTOR or RACTOR or OR and C GRADING or ON, FINE GRADING or OR and C GRADING or | NC |
| L | 515-3725 | 523-9395 UC, CAT ABRASE BULLDOZER PKG, SU, STANDARD | 0 | NC NI |
| L | 515-3726 | 505-5310 D5 TRACTOR BULLDOZER PKG, SU, HEAVY DUTY FOR USE IN LANE 3 ONLY REQUIRES: 515-3723 CYLINDER LIFT, SU PKG ONLY FOR USE WITH: 510-7537 D5 TRACTOR or 505-5310 D5 TRACTOR | | \$990 NI |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

| Г | 7 | 5 |
|---|---|----------|
| L | J | J |

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|-------------------|--|--------------------|-------------------------|
| BLA | ADES (CONT | .) | | |
| 1 | BULLDOZER I | PACKAGES (Cont.) | | |
| L | 515-3723 | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-7537 D5 TRACTOR or 505-5310 D5 TRACTOR REQUIRED BY: 515-3725 BULLDOZER PKG, SU, ST 515-3726 BULLDOZER PKG, SU, H | ΓANDARD or | \$1,210 |
| FLU | IIDS | | | |
| 1 | | OIL sts the oils for the hydraulic implements and ering systems. All factory filled. | | |
| L | 550-5600 | HYDRAULIC OIL, STANDARD | 0 | NC |
| L | 595-5759 | HYDRAULIC OIL, ARCTIC (0W20) | | NC |
| (| COOLANT | | | |
| L | 579-5798 | ENGINE COOLANT, -35F | 0 | NC |
| L | 579-5799 | FOR USE WITH LANE 3 ONLY Provides additional cooling system antifreeze protecti-50C (-58F). | | \$277 NET |
| | | aclude oils for transmission, engine, track roller shafts, final drives and grease plus windshield | | |
| L | 579-5795 | LUBRICANT, STANDARD | 0 | NC |
| L | 579-5796 | Fluid package for mild climate LUBRICANT, HIGH AMBIENT | | NC |
| L | 579-5797 | Fluid package for high ambient temperature LUBRICANT, ARCTIC FOR USE WITH LANE 3 ONLY Fluid package for cold to extreme cold weather condi | | NC |
| | FLUID FILM | | | |
| | 0P-3940 | PROTECTION, CYLINDER ROD | 0 | NC |
| , | <i>ANTIFREEZE</i> | | | |
| | 0P-1939 | ANTIFREEZE WINDSHIELD WASHER | 0 | NC |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

Caterpillar -10/21 Price List

Grounds Equipment - Bid #ESCNJ 18/19-25

CATERPILLAR MACHINE PRICE LIST

D5

| USE REF NO. LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|----------------------------------|--------------------|-------------------------|
|----------------------------------|--------------------|-------------------------|

INSTRUCTIONS

The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, Should be ordered through https://catpublications.com

Supersedes 020CT2021 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-------|------------|--|---------------------------------------|-------------------------|
| STAR | TERS, BAT | TTERIES, & ALTERNATORS | | |
| BR | REATHER K | UT . | | |
| L | 381-6262 | FOR USE IN LANE 3 ONLY (17B) Heated engine crankcase, filter canister and insulate ambient climates of -25C to -40C. ONLY FOR USE WITH: 510-7535 D5 VPAT TRAC' 510-7536 D5 LGP VPAT T 510-7537 D5 TRACTOR | ed hoses for FOR or | \$2,160 |
| ELEC | TRICAL | | | |
| LIC | GHTS | | | |
| L | 589-3554 | LIGHT, WARNING | cab. One above | \$1,035 |
| - | 575-5503 | Light inside the left-hand engine compartment with | 0 | \$131 |
| OPER. | ATOR ENV | IRONMENT | | |
| AC | CCESSORIE | . s | | |
| - | 601-6315 | RECEPTACLE, JUMP START | 0 | \$175 |
| CE | B MOUNTIN | VG | | |
| L | 589-3552 | FOR USE IN LANE 3 ONLY Provides factory integrated solution for mounting CE rear cab C-Post. Includes adjustable mounting brac CB antenna, 2nd power converter, and integrated poradio. | Bradio on right ket, Co-Ax cables, | \$1,020 |
| FUEL | SYSTEMS | | | |
| | | TACHMENTS lection to close the fuel tank, fast fill. | | |
| L | 523-3958 | COVER | 0 | NC |
| L | 523-3959 | FUEL SYSTEM, FAST FILL This fast fuel system is designed to be compatible wi (Wiggins) fuel nozzle system. It may or may not be coother fuel fill nozzle systems. REQUIRED BY: 508-1609 FUEL TANK, FAST FILL | th the 4C-6716 | \$1,385 |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5-026

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRIC AT DEALER |
|-----|------------|--|--|------------------------|
| GUA | RDS | | | |
| C | AB PROTEC | CTIONS | | |
| L | 527-8728 | SCREEN, REAR, FIXED FOR USE IN LANE 3 ONLY Protective bolted screen covering the rear window of t CANNOT BE USED WITH: 532-9795 HEAVY DUTY PA 532-9796 HEAVY DUTY PA REQUIRED BY: 515-3713 PA55 WINCH, STANDARD 515-3714 PA55 WINCH, SLOW SPE | the cab. ACKAGE, VPAT or ACKAGE, SU O SPEED PKG or | \$1,455 |
| L | 599-7940 | SCREEN, REAR, HINGED. FOR USE IN LANE 3 ONLY Protective hinged screen covering the rear cab window of cleaning and changing of wiper blades. INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, V. 532-9796 HEAVY DUTY PACKAGE, SI REQUIRED BY: 515-3713 PA55 WINCH, STANDARD 515-3714 PA55 WINCH, SLOW SPE | w. Allows for ease PAT U O SPEED PKG | \$1,685 |
| L | 600-1434 | SCREEN, SIDES, HINGED | right windows. PAT | \$1,985 |
| | | GUARD COVERS nen a fuel tank guard is ordered. | | |
| L | 550-5565 | COVER, FUEL TK GRD, BASIC Must be selected when the machine is ordered with a and a basic fuel tank. REQUIRED BY: 550-5587 GUARD, HEAVY DUTY PK 550-5588 GUARD, HEAVY DUTY PK 532-9795 HEAVY DUTY PACKAGE, 532-9796 HEAVY DUTY PACKAGE, 532-9797 WASTE PACKAGE, VPAT 532-9798 WASTE PACKAGE, SU an 508-1610 FUEL TANK, BASIC | t fuel tank guard KG, VPAT or KG, SU or VPAT or SU or or | NC |
| L | 550-5567 | COVER, FUEL TK GRD, FF W/FAST Must be selected when the machine is ordered with a and a fast-fill fuel tank, oufitted with the fast-fill fuel REQUIRED BY: 550-5587 GUARD, HEAVY DUTY PK 550-5588 GUARD, HEAVY DUTY PK 532-9795 HEAVY DUTY PACKAGE, 532-9796 HEAVY DUTY PACKAGE, 532-9797 WASTE PACKAGE, VPAT 532-9798 WASTE PACKAGE, SU an 508-1609 FUEL TANK, FAST FILL | a fuel tank guard system. KG, VPAT or KG, SU or VPAT or SU or or | NC |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D5-027

Effective 220CT2021

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------------------------------|---|--|-------------------------|
| | RDS (CON' | | | |
| L | 575-5630 | GUARD, LIGHTS, PREMIUM, VPAT FOR USE IN LANE 3 ONLY Wire guards for front and side facing lights. ONLY FOR USE WITH: 510-7535 D5 VPAT TRACT 510-7536 D5 LGP VPAT T 505-5308 D5 VPAT TRACT 505-5309 D5 LGP VPAT T 575-5509 LIGHTS, 12, LE 575-5510 LIGHTS, 12 LEI INCLUDED IN: 532-9795 HEAVY DUTY PACKAGE, V 532-9797 WASTE HANDLING PACKA | TOR or PRACTOR or TOR or PRACTOR and D, PREMIUM, VPAT or D, PREMIUM | \$308 |
| L | 533-5463 | GUARD, LIGHTS, PREMIUM, PA FOR USE IN LANE 3 ONLY Wire guards for front and side facing lights. ONLY FOR USE WITH: 510-7537 D5 TRACTOR of 505-5310 D5 TRACTOR at 575-5509 LIGHTS, 12, LE 575-5510 LIGHTS, 12 LEI INCLUDED IN: 532-9798 WASTE PACKAGE, SU 532-9796 HEAVY DUTY PACKAGE, S | r nd D, PREMIUM, VPAT or D, PREMIUM | \$311 |
| ОТНЕ | ER ATTACH | IMENTS | | |
| W | INCH OPTI | ONS | | |
| L | 118-7211 | FAIRLEAD, 3 ROLLERS | TANDARD SPEED PKG | \$9,630 |
| L | 174-4770 | FOURTH ROLLER | 717 | \$1,580 |
| M | AINTENAN | CE AND RELATED ATTACHMENTS | | |
| L | 523-8887 | OIL CHANGE SYSTEM, HIGH SPEED Easy access to Wiggins connector for remote engine quick, clean and easy engine oil change without have gravity drain. | oil drain. Provides | \$352 |
| BLAD | DES | | | |
| | PAT BLADE All blades are | | | |
| P | 575-9796 | BLADE, VPAT 128,8" wide, 4.6 cubic yd. / 3272MM wide, 3.5CUM ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 515-3737 BULLDOZER PAFINE GRADING CONFIGU CANNOT BE USED WITH: 532-9797 WASTE PACKAGE 532-9798 WASTE PACKAGE | ACKAGE, VPAT or RATION GE, VPAT | \$11,330 NI |

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|--------------------|-------------------------|
| BLAD | ES (CONT | T.) | | |
| | - | | | |
| VI | PAT BLADE | es (Cont.) | | |
| • | 575-9797 | BLADE, FOLDABLE, VPAT | | \$17,680 |
| | | FOR USE IN LANE 3 ONLY | 0 | \$17,680 N |
| | | 128,8" wide, 4.6 cubic yd. / 3272MM wide, 3.5 CUM | 1 | |
| | | Can be folded and angled to limit shipping width to | 3m. | |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER | | |
| | | PLEASE ORDER THIS ATTACHMENT AS DETACHED | | |
| | | ONLY FOR USE WITH: 515-3737 BULLDOZER PA | | |
| | | FINE GRADING CONFIGU CANNOT BE USED WITH: 532-9797 WASTE PACKA | | |
| | | 532-9798 WASTE PACKA | | |
| L | 575-9798 | BLADE, WASTE, VPAT | | \$15,870 N |
| | | FOR USE IN LANE 3 ONLY | | |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER | - | |
| | | 128.8" wide, 8.9 cubic yd. / 3273MM wide, 6.8 CUM Landfill blade equipped with a trash rack to increase | | |
| | | capacity when machine works in lighter material suc | | |
| | | ONLY FOR USE WITH: 515-3737 BULLDOZER PA | | |
| | | 532-9797 WASTE PACKA | | |
| | | CANNOT BE USED WITH: 532-9795 HEAVY DUTY P | | |
| • | 575-9799 | 532-9799 OPEN SWEEPS BLADE, LGP, VPAT | | \$13,380 N |
| | 373-3733 | ALSO AVAILABLE ON A MISCELLANEOUS ORDER | | φ15,500 N. |
| | | 160.6" wide, 5.2 cubic yd. / 4080MM wide, 4CUM. | | |
| | | ONLY FOR USE WITH: 515-3738 BULLDOZER PA | | |
| | | CANNOT BE USED WITH: 532-9797 WASTE PACKA | | |
| | | 532-9798 WASTE PACKA FINE GRADING CONFIGU | | |
| L | 575-9800 | BLADE, LGP, FOLDABLE, VPAT | | \$22,290 |
| | | | 0 | \$22,290 N |
| | | FOR USE IN LANE 3 ONLY | | |
| | | LANE 2 AVAILABLE FOR JAPAN ALSO AVAILABLE ON A MISCELLANEOUS ORDER | | |
| | | 160.6" wide, 5.5 cubic yd. / 4080MM wide, 4.2 CUM | 1. | |
| | | Can be folded and angled to limit shipping dimensio | | |
| | | with 840 mm (33") or tracks or narrower, the overall | | |
| | | with the folded blade is below 3m (9,84 ft). | ACKACE LCD VDAT | |
| | | ONLY FOR USE WITH: 515-3738 BULLDOZER PACKAGE CANNOT BE USED WITH: 532-9797 WASTE PACKAGE | | |
| | | 532-9798 WASTE PACKAG | | |
| | | FINE GRADING CONFIGU | | |
| • | 575-9801 | BLADE, LGP, WASTE, VPAT | 0 | \$17,860 N |
| | | FOR USE IN LANE 3 ONLY | | |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER 160.6" wide, 8.3 cubic yd. / 4080MM wide, 6.3 CUM | 1 | |
| | | Landfill blade equipped with a trash rack to increase | | |
| | | capacity when machine works in lighter material suc | | |
| | | ONLY FOR USE WITH: 515-3738 BULLDOZER PA | | |
| | | 532-9797 WASTE PACKA | | |
| | | 532-9795 HEAVY DUTY P CANNOT BE USED WITH: FINE GRADING CONFIGU | | |
| | | CLEMOT DE CODE WITH, I ME CIVIDING CONFIGU | | |

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 220CT2021

D5

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-------------|-----------------------------------|---|--------------------|-------------------------|
| BLAD | ES (CONT | T.) | | |
| | U BLADES All blades are | ARO | | |
| Р | 579-5680 | BLADE SU | | \$10,190 NI |
| P | 579-5690 | BLADE SU, WASTE, ARO FOR USE IN LANE 3 ONLY 126.6" wide, 9.5 cubic yd. / 3164MM wide, 7.3 CUM ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRED BY: 532-9798 WASTE HANDLING PACI | И | \$15,710 NI |
| FLUID | os | | | |
| FU | JEL ANTIFF | REEZE | | |
| | 0P-3978 | FUEL ANTIFREEZE, -25C (-13F) | | NC |
| ALTE | RNATE SO | URCED ATTACHMENTS | | |
| (WT-T 591-8 | TTT) price lis 8849, PA55 | ichments available through work tools it WINCH, STANDARD SPEED PKG WINCH, SLOW SPEED PKG | | |
| PACK | (ING | | | |

This OP should be ordered for all miscellaneous orders.

Supersedes 020CT2021 Caterpillar: Confidential Green US-A D

OP-6637

OP-6706

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 220CT2021

D5-030

\$224 NET

NC