D6

D6 TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP) Ship Weight Ibs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Enhanced Full Auto Shift Torque Divider, Lock up Transmission, Electronically Controlled Powershift, 4 Speed Shift Management Automatic Directional and Downshift Controlled Throttle, Load Compensated Engine Decelerator and Brake Pedals Programmable/Selectable bi-directional shifting C9.3B diesel engine EPA/ARB Tier 4 final certified engine with aftertreatment Air cleaner, Strata tube precleaner with dust ejection Air filter w/electronic service indicator Aftercooler, air to air (ATAAC) Coolant, extended life Fan, hydraulic reversing, cold weather Final drives, double reduction planetary Radiator, aluminum bar plate Fuel priming pump, electric Parking brake, electronic Starting aid, ether ready, automatic Turbocharger Fuel water separator

UNDERCARRIAGE

Ecology drain

Carrier rollers, lifetime lubricated Clamp Master Link Equalizer bar, maintenance free Guards, End Track Guiding Idlers, Center Tread Rollers, lifetime lubricated Track, lifetime lubricated Track roller frames, tubular Track adjusters, hydraulic Sprocket rim segments, replaceable

ELECTRICAL

LED lights, 6 standard Alarm, backup Alternator, 150 AMP Batteries, 2 maintenance free 12V (1400 cca) (24V system), heavy duty Converter, One 15A,12V Outlets Connector, Diagnostic Horn, forward warning Light, work, underhood

OPERATOR ENVIRONMENT

One piece cab, sound suppressed,
Integrated roll over protection(IROPS),
adjustable operator controls and
armrests, cab mounted modular HVAC
system, and screen ready.
Cup holders
Lunchbox storage
Electro-hydraulic implement
steering controls
Foot pads, dash
Mirror, rearview
Seatbelt, retractable 76mm(3 in)
Wipers
Glove box

TECHNOLOGY PRODUCTS

Full color LCD display, 254mm (10 inch) integrated with rear camera Product Link, cellular PLE743 Remote Troubleshoot Remote Software flash Operator ID (dealer must enable) Machine Security System with Passcode (dealer must enable) Remote Control Ready

OTHER STANDARD EQUIPMENT

Ripper ready rear hydraulics 30 minute cab removal Ladder, rear access Mounting provision for grease gun, shovel and fire extinguisher Engine enclosures, perforated hinged, removable Bottom guards, hinged, removable Ground level service center with remote electrical disconnect, secondary shutdown switch & hour meter Hood, perforated Hydraulics, independent steering and implement Hydraulics, load sensing, dozer lift and tilt Radiator doors, perforated, hinged, louvered S.O.S sampling ports Vandalism protection for fluid compartments and battery box

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D6-001



	D6 TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP) Ibs		
Please use	eserved for the Base Order Management Program. Lane 2 when placing orders that are part of the Base Order nt Program.		
464-5807	D6 20 TTT CFG1	\$449,420	
	76 inch gauge. 8 roller track frame. Up to 24 inch track shoes available. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.		
464-5808	D6 20 LGP TTT CFG2	\$460,530	
	82 inch gauge. 8 roller track frame. Up to 30 inch track shoes available. Low ground pressure (6.6 psi) capability AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.		
464-5809	D6 20 LGP TTT CFG3	\$480,380	
	 90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications. Up to 36 inch track shoes available. Ultra-low ground pressure (5.1 psi) capability. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement. 		
464-5810	D6 20 VPAT TTT CFG4	\$448,930	
	82 inch gauge, 8 roller track frame. Up to 24 inch track shoes available. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.		
464-5811	D6 20 LGP VPAT TTT CFG5	\$468,070	
	90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications. Up to 30 inch track shoes available. Low ground pressure (6.0 psi) capability. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.		

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D6

D6 TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP)		Ship Weight Ibs	LIST PRICE AT DEALER
464-5812	D6 20 LGP VPAT TTT CFG6 LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY 94 inch gauge. 8 roller track frame. 10 roller track frame opt for fine grading applications. Up to 36 inch track shoes available. Ultra-low ground pressure (5.0 psi) capability. AVAILABLE FOR: Australia / New Zealand dealers ONLY with Sweeps or Forestry Arrangement.	ional	\$485,880
0P-1676	D6 MISCELLANEOUS MATERIAL	0	NC
	Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be	used on a MISC ordo	er.
0P-3782	D6 MISCELLANEOUS MATERIAL	0	NC
	Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be	used on a MISC orde	er.

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	FACTORY STOCK	Ship Weight Ibs	LIST PRICE AT DEALER

FACTORY STOCK FOR AM-NORTH

Factory Stock is available for the previous model(D6T-19A.) Please see https://dealer.cat.com/en/home.html

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

REAR ATTACHMENTS

L	458-2640	RIPPER, HIGH LIFT	
L	471-7300	DRAWBAR	\$1,610 NI
	RIPPER SHAI	VKS	
L	9J-8926	TOOTH, CURVED	\$1,480 NI
L	8J-2189	TOOTH, STRAIGHT	\$1,525 NI

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	DN .		
	0P-9002 0P-9003	LANE 2 ORDER	ement (BOM) program.	NC NC
SPEC	IAL ARRAI	NGEMENTS		
L	464-5587	BASIC ARRANGEMENT		NC
L	464-5589	WASTE HANDLING ARR, PUSHARM FOR USE IN LANE 3 ONLY Includes cab with impact resistant polycarbonate do for high debris applications. INCLUDES: 583-9464 CAB, HIGH DEBRIS 464-5557 PRECLEANER, WITH SCREEN 464-5175 ALTERNATOR, 150 AMP, DUCTED 511-6789 SEALS, HIGH DEBRIS 589-3554 LIGHT, WARNING 505-6705 GRAB HANDLES, HD, PUSHARM 588-1061 PRECLEANER, CAB POWERED 588-6170 FLOOR, CAB, QUICK ACCESS RECOMMENDED OPTION: 513-6215 STRIKER BOX 571-6178 LIGHTS,12,LED,PREMIUM PUSHARM 571-7818 LIGHTS,12,LED,PREMIUM PUSHARM 533-5463 GUARD, LIGHTS, PREMIUM, PA REQUIRES: ENGINE, THERMAL SHIELD 522-7670 GUARD, FUEL TANK, FAST F FINAL DRIVE, GUARDED UNDERCARRIAGE, HDXL, WASTE TRACKS, HEAVY DUTY 471-7279 GUARD, BTM, SEALED,HD, I 564-8431 SEALS, REAR (IF NO STRIKE BULLDOZER INSTALLATION PACKAGE BLADE, WASTE ONLY FOR USE WITH: 464-5807 D6 20 TTT CFO	oors and attachments Cor CILL PUSHARM R BOX) , GUARDED	\$21,400

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
SPEC	IAL ARRAN	IGEMENTS (CONT.)		
-	464-5592	WASTE HANDLING ARR, VPAT FOR USE IN LANE 3 ONLY Includes cab with impact resistant polycarbonate doc for high debris applications. INCLUDES: 583-9464 CAB, HIGH DEBRIS 464-5557 PRECLEANER, WITH SCREEN 464-5175 ALTERNATOR, 150 AMP, DUCTED 581-7411 SEALS, HIGH DEBRIS, VPAT 589-3554 LIGHT, WARNING 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT 588-1061 PRECLEANER, CAB POWERED 588-6170 FLOOR, CAB, QUICK ACCESS RECOMMENDED OPTION: 513-6215 STRIKER BOX 571-6187 LIGHTS, 12, LED, PREMIUM VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT Not compatible with 464-5810 D6 20 VPAT TTT CI	ors and attachments	\$21,400
		REQUIRES: ENGINE, THERMAL SHIELD 522-7670 GUARD, FUEL TANK OR 475-7084 GUARD, FUEL TANK, FAST FI FINAL DRIVE, GUARDED UNDERCARRIAGE, HDXL, WASTE TRACKS, HEAVY DUTY 564-8431 SEALS, REAR (IF NO STRIKEF 471-6558 GUARD, BOTTOM, HD, VPAT ONLY FOR USE WITH: 464-5811 D6 20 LGP TTT	LL R BOX) CFG5	
L	464-5588	FORESTRY ARRANGEMENT, PUSHARM	LL USHARM SHARM or SHARM I CFG2	\$19,640

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6-006

Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICI AT DEALER
SPEC	IAL ARRAI	IGEMENTS (CONT.)		
L	464-5591	FORESTRY ARRANGEMENT, VPAT FOR USE IN LANE 3 ONLY Includes forestry cab with impact resistant polycarbo forestry (closed) sweeps premium (12) lights and light and rear screens, and other features required for fore applications. INCLUDES: 583-9465 CAB, HEAVY DUTY 600-1435 SCREENS, SIDE 599-7940 SCREENS, SIDE 599-7940 SCREEN, REAR, HINGED 581-7411 SEALS, HIGH DEBRIS, VPAT 571-6187 LIGHTS, 12, LED, PREMIUM VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT SWEEPS, FORESTRY REQUIRES: 522-7670 GUARD, FUEL TANK or	onate doors, t guards, side	\$21,790
		475-7084 GUARD, FUEL TANK, FAST FI ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT 464-5811 D6 20 LGP TTT	CCFG4 CFG5	
L	567-2132	464-5812 D6 20 LGP TTT OPEN SWEEPS, PUSHARM		\$7,920
		RECOMMENDED 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN, REAR, HINGED 511-6789 SEALS, HIGH DEBRIES 533-5463 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FI 505-6705 GRAB HANDLES, HD, PUSHAI 471-7279 GUARD, BTM, SEALED,HD, PI ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT 644-5809 D6 20	RM USHARM I CFG2 CFG3	
L	567-2133	OPEN SWEEPS, VPAT FOR USE IN LANE 3 ONLY INCLUDES:SWEEPS, OPEN RECOMMENDED: 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN REAR, HINGED 581-7411 SEALS, HIGH DEBRIS, VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FI 505-6967 GRAB HANDLES, HEAVY DUT ONLY FOR USE WITH: 464-5811 D6 20 LGP TTT 464-5812 D6 20 LGP TTT	LL Y, VPAT CFG4 CFG5	\$7,920

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-007

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POW	ERTRAIN			
FI	NAL DRIVE	ARRANGEMENTS		
		GAUGE FINAL DRIVES 164-5807 D6 20 TTT CFG1 ONLY)		
L	464-5180	FINAL DRIVE, 76" (1930 MM)	0	NC
L	464-5181	FINAL DRIVE, 76"(1930 MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rives gauge tractor. For applications where protection for materials is needed. Final drive guards and the labyriadditional protection for Duo Cone seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, I	rings for from winding inth provide	\$19,940
		IM) GAUGE FINAL DRIVES TH 464-5808 D6 20 LGP TTT CFG2 or 464-5810 D6 20 G4 ONLY)		
L	464-5183	FINAL DRIVE, 82" (2083 MM)	0	NC
L	464-5184	FINAL DRIVE, 82"(2083 MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rifer 82" gauge tractor. For applications where protection materials is needed. Final Drive guards and the labyradditional protection for Duo Cone seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, 1464-5592 WASTE HANDLING ARR, 1	rings for on from winding rinth provide PUSHARM or	\$19,940
	•	IM) GAUGE FINAL DRIVES TH 464-5809 D6 20 LGP TTT CFG3 or 464-5811 D6 20 L LY)	LGP	
L	464-5186		0	NC
L	464-5187	Includes two basic final drives for 90" gauge tractor. FINAL DRIVE, 90"(2286 MM), GRD	rings for 90" winding inth provide PUSHARM or	\$19,940
		IM) GAUGE FINAL DRIVES TH 464-5812 D6 20 LGP VPAT TTT CFG6 ONLY)		
L	464-5189	FINAL DRIVE, 94" (2388MM)	0	NC

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
POW	/ERTRAIN (CONT.)		
9	94" (2388 M	IM) GAUGE FINAL DRIVES (Cont.)		
L	464-5190	FINAL DRIVE, 94" (2388MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard r gauge tractor. For applications where protection from materials is needed. Final drive guards and the labyr additional protection for Duo Cone Seals. REQUIRED BY: 464-5592 WASTE HANDLING ARR,	rings for 94" winding inth provide	\$19,940
E		ANGEMENT re C9.3B Diesel Engines EPA/ARB Tier 4 Final with t.		
L	464-5201	ENGINE, LUC, STANDARD	0	NC
L	464-5202	FOR USE IN LANE 3 ONLY Provides thermal insulation covering for the machine For use in high debris applications such as waste ha woodchip. REQUIRED BY: 464-5589 WASTE HANDLING ARR, 464-5592 WASTE HANDLING ARR,	exhaust system. ndling and PUSHARM	\$12,230
E	NGINE AIR	PRECLEANERS		
L	464-5556	PRECLEANER, BASIC	0	NC
L	464-5557	PRECLEANER, WITH SCREEN. FOR USE IN LANE 3 ONLY For use in heavy debris applications. May improve filter life. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PI 464-5592 WASTE HANDLING ARR, V	USHARM	\$1,545
C	OIL CHANGE	SYSTEM		
L	460-4590	OIL DRAIN, BASIC	0	NC
L	460-4580	OIL CHANGE SYSTEM, HIGH SPEED	nd powertrain drain	\$985

UNDERCARRIAGE

Customers should carefully select between CAT ABRASION Heavy Duty Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide. https://oneclick.cat.com/files/UAGuide 3 27 13/index.html or PEBJ0024

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-009

D6

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

UNDERCARRIAGE (CONT.)

UNDERCARRIAGE SYSTEMS

1) Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are Particularly well suited for impact applications such as forestry, waste, rock, or v-ditching. Heavy Duty Extended Life with Duralink

Heavy Duty Extended Life with Duralink.

2) CAT ABRASION For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact.

TRACK ROLLERS AND GUIDE GUARDS

The undercarriage selection provides options for track rollers guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

TRACK ROLLERS

- 1) SINGLE FLANGE(S): Bottom rollers have flanges that guide only on. on the outside edge of each track chain. Cat Abrasion Undercarriage uses all single flange track rollers (SSSSSSS).
 2) DOUBLE FLANGE(D): Bottom rollers have flanges that guide along the
- 2) DOUBLE FLANGE(D): Bottom rollers have flanges that guide along the outer and inner edges of each track chain. They provide basic guiding but will not fully prevent track derail if used on side slopes steeper than 4:1. Flange diameter is the same as Single Flange, which allows for full UC system wear before flanges contact track pin bosses.
- 3) TALL DOUBLE FLANGE(T): Bottom rollers have taller outer and inner flanges to better engage the track. Tall flanges provide superior guiding for slopes steeper than 4:1 and minimize track derail. The taller flanges can contact track pin bosses in the last 10-15% of UC system wear life.

TRACK GUIDE GUARDS

1) CENTER GUIDE: Light track guiding with single center track guide guard. HDXL center guide undercarriage has bottom rollers (SDSDDSDS). For applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching.

2) PARTIAL GUIDE, TALL FLANGE: Moderate track guiding with two center track guide-guards. HDXL partial guide with tall flange UC includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For frequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.

3) FULL GUIDE: Heavy track guiding with full length track guide-guards HDXL full guide undercarriage includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Not for use in in applications with wet, heavy, packable underfoot material.

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

- 1 4 - 0/04/00



USE NO. LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER	USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
---	-----	------------	----------------------	--------------------	-------------------------

UNDERCARRIAGE (CONT.)

OPTIONAL ARRANGEMENTS

1) WASTE: Includes Kevlar guarded, sealed idlers to help prevent wire wrap and keep debris out. Includes center guides.

2) FINE GRADING: Includes 10 bottom rollers for smoother grades at higher speeds, even in difficult surfaces like sand and gravel.

42 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 ONLY)

Not for use with Waste unless otherwise specified.

L	578-2382	UNDERCARRIAGE, HDXL	NC
L	604-8214	UC, HDXL, PART GUIDE, TALL	\$5,090
L	578-2387	UNDERCARRIAGE, HDXL, FULL GDE	\$5,310
L	578-2385	UNDERCARRIAGE, HDXL, WASTE	\$3,995
L	578-2381	UNDERCARRIAGE, ABR, PART GDE	\$11,700
L	578-2386	Undercarriage, ABR, Part Guide, 42 Section, 8 Roller. UNDERCARRIAGE, ABR, FULL GDE	\$17,390
	(FOR USE WIT	UNDERCARRIAGE ARRANGEMENTS TH 464-5809 D6 20 LGP TTT CFG3 ONLY) th Waste unless otherwise specified.	
L	464-5412	UNDERCARRIAGE, HDXL, CTR GUIDE	NC
L	464-5414	UNDERCARRIAGE, HDXL, FULL GUIDE	\$5,280
L	464-5415	UNDERCARRIAGE, HDXL, WASTE	\$4,445
L	464-5409	UNDERCARRIAGE, ABR, PART GDE	\$20,290
L	464-5410	UNDERCARRIAGE, ABR, FULL GDE	\$24,950
L	542-5766	UC, HDXL, FINE GRADING	\$6,270
L	604-8215	UC, HDXL, PART GUIDE, TALL	\$3,140
L	542-5764	UC, ABR, FINE GRADING	\$23,670
	(FOR USE WIT	NDERCARRIAGE ARRANGEMENTS TH 464-5810 D6 20 VPAT TTT CFG4 ONLY) th Waste unless otherwise specified.	
L	542-5760	UNDERCARRIAGE, HDXL, CTR GUIDE	NC

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

	C
IJ	O

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICI AT DEALER
UNDE	RCARRIAG	GE (CONT.)		
45	section U	NDERCARRIAGE ARRANGEMENTS (Cont.)		
L	604-8218	UC, HDXL, PART GUIDE, TALL	0	\$5,080
L	542-5762	UNDERCARRIAGE, HDXL, FULL GDE FOR USE IN LANE 3 ONLY	0	\$5,290
L	542-5758	UNDERCARRIAGE, ABR, PART GDE		\$13,860
L	542-5759	FOR USE IN LANE 3 ONLY UNDERCARRIAGE, ABR, FULL GDE	0	\$19,560
(I	FOR USE WIT	S UNDERCARRIAGE ARRANGEMENTS PH 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D P CFG6 ONLY) th Waste unless otherwise specified.	06 20	
	464-5420	•	0	NC
L	464-5420 604-8217	UNDERCARRIAGE, HDXL, CTR GUIDE		NC \$4,110
_		UNDERCARRIAGE, HDXL, CTR GUIDE	0	
- L	604-8217	UNDERCARRIAGE, HDXL, CTR GUIDE	0	\$4,110
L L	604-8217 464-5422	UNDERCARRIAGE, HDXL, CTR GUIDE UC, HDXL, PART GUIDE, TALL UNDERCARRIAGE, HDXL, FULL GDE FOR USE IN LANE 3 ONLY	0 0	\$4,110 \$5,290
_ L L	604-8217 464-5422 464-5423	UNDERCARRIAGE, HDXL, CTR GUIDE UC, HDXL, PART GUIDE, TALL UNDERCARRIAGE, HDXL, FULL GDE FOR USE IN LANE 3 ONLY UNDERCARRIAGE, HDXL, WASTE FOR USE IN LANE 3 ONLY UNDERCARRIAGE, ABR, PART GDE UNDERCARRIAGE, ABR, FULL GDE	0 0	\$4,110 \$5,290 \$5,420
	604-8217 464-5422 464-5423 464-5417	UNDERCARRIAGE, HDXL, CTR GUIDE. UC, HDXL, PART GUIDE, TALL UNDERCARRIAGE, HDXL, FULL GDE. FOR USE IN LANE 3 ONLY UNDERCARRIAGE, HDXL, WASTE. FOR USE IN LANE 3 ONLY UNDERCARRIAGE, ABR, PART GDE.		\$4,110 \$5,290 \$5,420 \$13,090

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D6-012



Ship Weight	LIST PRICE
Ibs	AT DEALER
;	, ,

UNDERCARRIAGE (CONT.)

TRACK GROUPS

- 1) MODERATE SERVICE(MS):Moderate Service shoe is the best shoe for low to medium impact and abrasive conditions. It gives the best penetration and traction, resists wear and bending and is available in various widths and modifications.
- 2) EXTREME SERVICE(ES): Extreme Service shoes should be used wherever the Moderate Service shoe bends or breaks, or when links outlast shoes. Extreme Service shoes are both stronger to resist bending and breaking and have more allowable wear and material than the Moderate Service shoe.
- 3) CENTER(CTR): CAT ABRASION track includes center holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.
- 4) TRAPEZOIDAL(TRAP): HDXL track includes trapezoidal holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.

FOR USE IN LANE 3 ONLY

TRACK PAIRS (42 section) (FOR USE WITH 464-5807 D6 20 TTT CFG1 ONLY)

FOR USE IN LANE 3 ONLY TRACK, 22" ES HDXL FOR USE IN LANE 3 ONLY L 596-7439 TRACK, 22" MS, ABR FOR USE IN LANE 3 ONLY L 509-7372 TRACK, 22" S51 FOR USE IN LANE 3 ONLY L 545-3926 TRACK, 24" MS HDXL L 545-3928 TRACK, 24" MS, ABR FOR USE IN LANE 3 ONLY L 596-7386 TRACK, 24" MS, ABR FOR USE IN LANE 3 ONLY L 596-7401 TRACK, 24" MS, ABR FOR USE IN LANE 3 ONLY L 596-7401 TRACK, 24" ES, ABR FOR USE IN LANE 3 ONLY Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL O \$2, 405 FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3934 TRACK, 30" MS HDXL O \$2, 835	L	545-3920	TRACK, 22" MS HDXL	NC
L 545-3922 TRACK, 22" ES HDXL	-	343-3320		NC
FOR USE IN LANE 3 ONLY L 596-7439 TRACK, 22" MS, ABR	L	545-3922		\$2,085
FOR USE IN LANE 3 ONLY L 509-7372 TRACK, 22" ES \$1				1-7
L 509-7372 TRACK, 22" ES S1 0 \$2,405 FOR USE IN LANE 3 ONLY L 545-3926 TRACK, 24" MS HDXL 0 \$1,020 L 545-3928 TRACK, 24" ES HDXL 0 \$3,275 L 596-7386 TRACK, 24" MS, ABR 0 \$1,340 FOR USE IN LANE 3 ONLY L 596-7401 TRACK, 24" ES, ABR 0 \$3,595 FOR USE IN LANE 3 ONLY L 545-3930 TRACK, 610MM/24" ES TRAP HDXL 0 \$4,740 **Track Pairs** (42 section)* (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 \$2,835	L	596-7439	TRACK, 22" MS, ABR	\$340
FOR USE IN LANE 3 ONLY L 545-3926 TRACK, 24" MS HDXL				
L 545-3926 TRACK, 24" MS HDXL 0 \$1,020 L 545-3928 TRACK, 24" ES HDXL 0 \$3,275 L 596-7386 TRACK, 24" MS, ABR 0 \$1,340 FOR USE IN LANE 3 ONLY 0 \$3,595 L 596-7401 TRACK, 24" ES, ABR 0 \$3,595 FOR USE IN LANE 3 ONLY 0 \$4,740 Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835	L	509-7372	TRACK, 22" ES S1 0	\$2,405
L 545-3928 TRACK, 24" ES HDXL 0 \$3,275 L 596-7386 TRACK, 24" MS, ABR 0 \$1,340 FOR USE IN LANE 3 ONLY 0 \$3,595 L 596-7401 TRACK, 24" ES, ABR 0 \$3,595 FOR USE IN LANE 3 ONLY 0 \$4,740 Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835				
L 596-7386 TRACK, 24" MS, ABR 0 \$1,340 FOR USE IN LANE 3 ONLY 0 \$3,595 FOR USE IN LANE 3 ONLY 0 \$4,740 Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835	L	545-3926	TRACK, 24" MS HDXL 0	\$1,020
L 596-7386 TRACK, 24" MS, ABR				
FOR USE IN LANE 3 ONLY L 596-7401 TRACK, 24" ES, ABR	L	545-3928	TRACK, 24" ES HDXL	\$3,275
FOR USE IN LANE 3 ONLY L 596-7401 TRACK, 24" ES, ABR				
L 596-7401 TRACK, 24" ES, ABR	L	596-7386		\$1,340
FOR USE IN LANE 3 ONLY TRACK, 610MM/24" ES TRAP HDXL 0 \$4,740 **Track Pairs** (42 section)* (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835				
L 545-3930 TRACK, 610MM/24" ES TRAP HDXL 0 \$4,740 Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835	L	596-7401		\$3,595
Track Pairs (42 section) (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835				
(FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL	L	545-3930	TRACK, 610MM/24" ES TRAP HDXL	\$4,74 0
(FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL				
(FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY) L 545-3932 TRACK, 30" MS HDXL		Tuesta Deine /	42	
L 545-3932 TRACK, 30" MS HDXL 0 NC L 545-3934 TRACK, 30" ES HDXL 0 \$2,835				
L 545-3934 TRACK, 30" ES HDXL		(FOR USE WI	TH 464-5808 D6 20 LGP TTT CFG2 ONLY)	
L 545-3934 TRACK, 30" ES HDXL		E4E 3033	TRACK 30" MC HDYI	NC
	_	040-3332	TRACK, 30 WIS FIDAL	NC
		545-3934	TRACK 30" ES HDYI	\$2 835
I 545.3936 TRACK 30" FS TRAP HDYI	-	343-3334	THACK, 30 LOTIDAL	ΨZ, 033
	1	545-3936	TRACK, 30" ES TRAP HDXL	\$4,660
FOR USE IN LANE 3 ONLY	_	0.0000	FOR USE IN LANE 3 ONLY	4-,000
L 509-7416 TRACK, 760MM / 30" MS S1 0 \$340	L	509-7416	TRACK, 760MM / 30" MS S1	\$340

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

14-0/04/00

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC AT DEALER
JNDI	ERCARRIAG	GE (CONT.)		
Tı	rack Pairs (4	42 section) (Cont.)		
L	596-7412	TRACK, 30" ES, ABR FOR USE IN LANE 3 ONLY	0	\$3,155
	rack Pairs (4 (FOR USE WIT	45 section) FH 464-5809 D6 20 LGP TTT CFG3 ONLY)		
-	545-3944	TRACK, 36" MS HDXL	0	NC
-	545-3946	TRACK, 36" ES HDXL	10,961	\$3,730
-	545-3948	TRACK, 36" ES TRAP HDXL	0	\$9,740
-	596-7462	TRACK, 36" MS, ABR	0	\$351
-	596-7464	TRACK, 36" ES, ABR FOR USE IN LANE 3 ONLY	0	\$3,995
	rack Pairs (4 (FOR USE WIT	45 section) TH 464-5810 D6 20 VPAT TTT CFG4 ONLY)		
-	545-3958	TRACK, 24" MS HDXL	0	NC
	545-3960	TRACK, 24" ES HDXL	0	\$2,085
-	596-7488	TRACK, 24" ES, ABR	0	\$605
-	385-2692	FOR USE IN LANE 3 ONLY TRACK, 24" MS S1	0	\$-1,840
	rack Pairs (4 (FOR USE WIT	46 Section) TH 464-5811 D6 20 LGP VPAT TTT CFG5 ONLY)		
-	545-3972	TRACK, 30" MS HDXL	0	NC
-	545-3974	TRACK, 30" ES HDXL	0	\$5,710
-	545-3976	TRACK, 30" ES TRAP HDXL	0	\$7,390
-	596-7446	FOR USE IN LANE 3 ONLY TRACK, 30" MS, ABR	0	\$352
-	596-7522	TRACK, 30" ES, ABR	0	\$3,245
	rack Pairs (4 (FOR USE WIT	46 section) TH 464-5812 D6 20 LGP VPAT TTT CFG6 ONLY)		
-	545-3978	TRACK, 36" MS HDXL	0	NC
-	545-3980	TRACK, 36" ES HDXL	0	\$5,710
L	545-3982	TRACK, 36" ES TRAP HDXL	0	\$7,390
L	596-7495	FOR USE IN LANE 3 ONLY TRACK, 36" MS, ABR	0	\$2,770

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-014

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
UND	ERCARRIAG	GE (CONT.)		
Ti	rack Pairs (4	46 section) (Cont.)		
L	596-7520	TRACK, 36" ES, ABR	0	\$5,960
HYDI	RAULICS			
	automatically Also includes	FAN driven, auto-reversing fan which changes direction to purge debris from radiator and enclosures. a hydraulic valve that allows for zero fan speed d weather performance.		
L	460-7149	FAN, REVERSING, PUSHARM	0	NC
L	471-0420	FAN, REVERSING, VPAT	0	NC
	EAR HYDRA Includes hydr	AULICS aulic valve and lines for operation of ripper.		
L	464-5463	HYDRAULICS, PUSHARM	0	NC
L	464-5464	HYDRAULICS, VPAT	0	NC
R	EAR ATTAC	CHMENT CONTROLS		
L	464-5459	CONTROL, RIPPER	0	NC
L	464-5460	CONTROL, RIPPER/WINCH	0	\$1,110
STAF	RTERS, BAT	TERIES, & ALTERNATORS		
A	LTERNATO	RS		
L	464-5174	ALTERNATOR, 150 AMP	0	NC
L	464-5175	ALTERNATOR, 150 AMP, DUCTEDFOR USE IN LANE 3 ONLY Recommended for use in high debris environment. INCLUDED IN: WASTE HANDLING ARRANGEMENT	0	\$760
ELEC	TRICAL			
LI	GHTING GF	ROUP		
L	571-6177	LIGHTS, 6 LED, PUSHARM	ity. 2 mounted on rd and 2 more	\$695

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-015

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
	TRICAL (C	CONT.) ROUP (Cont.)		
L	571-7817	LIGHTS, 6 LED, PUSHARM	ty. 2 mounted on	\$695
L	571-6186	ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT LIGHTS, 6 LED, VPAT	ty. 2 mounted on d and 2 more CCFG4 TTTT CFG5	\$695
L	571-6178	464-5812 D6 20 LGP VPACE LIGHTS,12,LED,PREMIUM PUSHARM	ith output of 1500 at of dozer otal of 360 degrees CFG2	\$2,155
L	571-7818	LIGHTS,12,LED,PREMIUM PUSHARM	ith output of 1500 at of dozer otal of 360 degrees CFG3	\$2,155
L	571-6187	LIGHTS, 12, LED, PREMIUM VPAT Adds 6 additional LED lights to basic arrangement w lumens each. Provides 2 more lights mounted on rad forward and 2 more mounted on each rear cab corne degrees of visibility. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT 464-5811 D6 20 LGP VPAT 464-5812 D6 20 LGP VPAT INCLUDED IN: 464-5591 FORESTRY ARRANGEMENT	ith output of 1500 liator guard facing or for a total of 360 I CFG4 I TTT CFG5 I TTT CFG6	\$2,155
OPER	RATOR ENV	'IRONMENT		
O	PERATOR S	STATION		
L	583-9463	CAB, PREMIUM	sliding windows	\$3,390

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPEF	RATOR ENV	IRONMENT (CONT.)		
		STATION (Cont.)		
L	583-9464	CAB, HIGH DEBRIS	onate glass doors olid for improved	\$6,520
L	583-9465	FOR USE IN LANE 3 ONLY For heavy duty or forestry applications. Includes features of the premium cab plus poly-carb for added impact resistance. Cab is Remote Control (INCLUDED IN: FORESTRY ARRANGEMENTS)	onate glass doors	\$5,970
C	AB SEATS			
L	470-7252	SEAT, STANDARD		NC
L	560-9088	SEAT, HEATED & VENTILATED	d. Side and back	\$1,875
C	AB FLOOR			
L	543-1114	FLOOR, CAB, PREMIUM	for noise	\$266
L	588-6170	Provides quick tool-less access to below cab floor ope Includes adjustable footrests and a thick floor plate for reduction in the operators station. INCLUDED IN: 464-5589 WASTE HANDLING ARR, P 464-5592 WASTE HANDLING ARR, V	ening floor. For noise USHARM and	\$1,185
V	ISIBILITY A	RRANGEMENT		
L	577-8623	REAR CAMERA. The camera system can be used to enhance operator surroundings, or provide a better view of the work to display is viewed thru the primary display while mad reverse. It is compact, rugged, reliable and simple to designed to be operated in the "automatic" mode whe remains in standard mode until the machine is place.	visibility of ol. The camera chine is in use. It is ere the display	\$550
C	AB AIR PRE	CLEANER		
L	441-9252	AIR FILTER, CABProvides an external and accessible cartridge with a filter to prevent the cab from normal dust intrusions	cylindrical	NC

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-017

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
		VIRONMENT (CONT.) ECLEANER (Cont.)		
L	588-1061	PRECLEANER, CAB POWERED. Provides powered pre-cleaner with advanced cabin fi provide cleaner operator environment. Recommend i applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (prevent the cab from normal dust intrusionsupgrade compatible with HEPA with activated carbifiltration. INCLUDED IN: 464-5589 WASTE HANDLING ARR, P	Itration that helps In high debris MERV16) to In for order control USHARM and	\$3,120
RA	ADIO			
L	579-5779	PREMIUM CORP RADIO (12V)	gy, USB port,	\$605

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TECHNOLOGY PRODUCTS

CATERPILLAR MACHINE PRICE LIST

A complete range of tools are available to match customer EA. applications and dozing automation needs.

- 1) SLOPE INDICATE: Provides operator real time machine cross slope and mainfall information on the primary display.
- 2) BLADE LOAD MONITOR: Provides real time feedback of the current load vs. the target machine load to fully utilize machine capacity. Feature not operational indoors or in areas where a GPS signal is available.
- 3) STABLE BLADE: Complements the operators blade inputs to attain finish grades quicker with less effort.
- 4) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 5) TRACTION CONTROL: Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available.
- 6) AUTOCARRY: Automates blade lift to maximize blade load, improvee load consistency, and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.
- 7) ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.
- 8) GRADE W/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions

ARO w/ Assist: Includes G6:M6. Reference:

https://dealer.cat.com/en/products/technology/construction-technology

for certified countries.

GRADE 3D: Includes MS955 and RZ2. Reference:

Dealer.cat.com/en/products/technology/construction-technology/grade

for certified countries.

PREMIUM DISPLAY, NON ARO0 587-7161 \$1,510

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
		Provides a 10" touchscreen display and glove box. Includes: SLOPE INDICATE		
L	587-7162	ARO W/ ASSIST Provides a 10" touchscreen display and glove box. Includes: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: ANGLE BLADE	0	\$9,090
L	587-7163	GRADE W/3D Provides a 10" touchscreen display and the secondar Includes: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: SWEEPS OR ANGLE BLAIR	ry grade display	\$62,650
L	587-7164	GRADE W/3D, SWEEPS FOR USE IN LANE 3 ONLY Provides a 10" touchscreen display and the secondary includes: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) ONLY FOR USE WITH: SWEEPS CANNOT BE USED WITH: ANGLE BLADE		\$62,650
J	OYSTICK C	ONTROL		
L	435-5756	JOYSTICK, STANDARD, PA ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG 464-5808 D6 20 LGP TTT 464-5809 D6 20 LGP TTT 587-7161 PREMIUM DISP	l or CFG2 or CFG3 and	NC
L	435-5757	JOYSTICK, STANDARD, VPAT	0 T CFG4 or T TTT CFG5 or T TTT CFG6 and	NC

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
J	OYSTICK C	ONTROL (Cont.)		
L	435-5758	JOYSTICK, ARO/GRADE, PA	l or CFG2 or	NC
L	435-5759	CANNOT BE USED WITH: 587-7161 PREMIUM DISP JOYSTICK, ARO/GRADE, VPAT	CFG4 or TTTT CFG5 or TTTT CFG6	NC
		CANNOT BE USED WITH: 587-7161 PREMIUM DISP	LAY, NON ARO	
D	OZER CON	TROL		
L	594-7761	DOZER CTL, STANDARD, PA	l or CFG2 or CFG3 and	NC
L	594-7759	DOZER CTL, STANDARD, VPAT	0 C CFG4 or F TTT CFG5 or F TTT CFG6 and	NC
L	594-7762	DOZER CTL, ARO/GRADE, PA	0 1 or CFG2	NC
-	594-7763	CANNOT BE USED WITH: 587-7161 PREMIUM DISP. DOZER CTL, ARO/GRADE, PA FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT	0 CFG3	NC
-	594-7760	CANNOT BE USED WITH: 587-7161 PREMIUM DISP. DOZER CTL, ARO/GRADE, VPAT	0 C CFG4 or C TTT CFG5 or	NC
		464-5812 D6 20 LGP VPA' CANNOT BE USED WITH: 587-7161 PREMIUM DISP		

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
	location, oper- effectively mor- jobs on sched of owning and please referen- countries. Ple- with questions Cab selection	enables the remote transmission of information about the ation, and condition of your equipment. Efficiently and nitor the performance of your assets to help keep your ule, maintain equipment condition, and reduce the costs operating your fleet. Availability varies by country uce https://Dealer.cat.com/PL/Certification for certified ase contact your Caterpillar marketing representative		
L	577-7697	PROD LINK, PLE643/PLE743 RADIO	a cellular PL243 L602 network k manager and productivity also provides	NC
L	577-7698	PROD LINK, PLE683/PLE783 RADIO	a dual mode PL083 lar and in combination system) or PLE702 nealth, utilization, tted. The system	\$476
FUEL	SYSTEMS			
FU	UEL FILL SY	YSTEMS		
L	522-7680	FUEL TANK, BASIC	0	NC
L	500-4769	FUEL TANK, FAST FILL		\$900
GUAI	RDS			
В	оттом <mark>G</mark> U	<i>IARDS</i>		
L	471-7277	GUARD, BOTTOM, PAONLY FOR USE WITH: PUSHARM TRACTORS	0	NC
L	471-7279	GUARD, BTM, SEALED, HD, PUSHARM		\$2,330
L	471-6558	GUARD, BOTTOM, HD, VPAT	0	\$2,330

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D6-022

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
GUAI	RDS (CON	т.)		
El	VGINE ENC	LOSURES		
L	471-0416	ENCLOSURE, ENGINE, PUSHARM		NC
L	471-0418	ENCLOSURE, ENGINE, VPAT	0 s	NC
OTHE	R ATTACH	IMENTS		
RE	EAR ATTAC	CHMENTS		
L	458-2640	RIPPER, HIGH LIFT	0	\$25,760 \$25,240 NI
		DOES NOT INCLUDE RIPPER SHANKS THAT MUST I High lift capability for increased departure angle. Can accommodate 3 teeth (not included). NOTE: Machines with 36" shoes are not recommende applications. When installed with 36" shoes, this ripp ONLY for scarifying applications. AVAILABLE INSTALLED OR NOT INSTALLED WITH A D6/D6XE RIPPERS ARE NOT COMPATIBLE WITH PRIPPERS ARE NOT COMPATIBLE WITH D6/D6XE	ed for normal ripping per is intended A MACHINE	
L	491-3094	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER PA56 winch manufactured for Caterpillar by Paccar. controlled, PTO drive, low speed gears with free spool to 58 feet (18 meters) per minute and capacity rating (40,700 kg)(bare drum). Utilizes 1" (26mm) diameter included) REQUIRES: 464-5460 CONTROL, RIPPER/WINCH ar 599-7940 SCREEN, REAR HINGED	Electronically l. Line speed up up to 89,800 lbs cable (not	\$53,550 \$53,550 NI
L	491-3097	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER PA85 variable speed, hydraulic winch manufactured Paccar. Integrated drawbar and optional fairlead. Lin feet (21 meters) per minute and capacity rating up to (40,000 kg)(bare drum). Utilizes 1" (26mm) diameter included). REQUIRES: 464-5460 CONTROL, RIPPER/WINCH 599-7940 SCREEN, REAR HINGED	for Caterpillar by se speed up to 70 88,000 lbs. cable (not	\$55,390 \$55,390 NI
L	528-4030	535-7648 HYDRAULICS, WINCH READY TOW POINT, REAR	0	\$1,595
L	471-7300	DRAWBAR	0	\$1,610 \$1,610 NI

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ОТНЕ	ER ATTACH	IMENTS (CONT.)		
		CHMENTS (Cont.)		
L	528-4042	NO REAR ATTACHMENT	ever, dealers n delivery. Minimum	NC
L	513-6215	CANNOT BE USED WITH: WASTE HANDLING ARRAN STRIKER BOX	f machine and helps rried by track.	\$15,890
G	RAB HAND	LES		
L	505-6704	GRAB HANDLES, STD, PUSHARM	0	NC
L	505-6705	GRAB HANDLES, HD, PUSHARM Increased strength grab irons to resist damage cause in landfill or other severe applications. INCLUDED IN: WASTE HANDLING ARRANGEMENTS FORESTRY ARRANGEMENTS REQUIRED BY: 567-2132 OPEN SWEEPS, PUSHAR	ed by debris	\$1,055
L	505-6966	GRAB HANDLES, STANDARD, VPAT	0	NC
L	505-6967	GRAB HANDLES, HEAVY DUTY, VPAT Increased strength grab irons to resist damage cause in landfill or other severe applications. INCLUDED IN: WASTE HANDLING ARRANGEMENTS FORESTRY ARRANGEMENTS REQUIRED BY: 567-2133 OPEN SWEEPS, VPAT	ed by debris	\$1,055
W	ATER JAC	KET HEATER		
L	472-5602	WATER JACKET HEATER, 110V	0	\$299
L	594-8215	NO WATER JACKET HEATER	0	NC
FLUI	os			
L	464-5283	FLUIDS, STD OIL, -35F		NC
L	566-5515	Provides cooling system antifreeze protection down to FLUIDS, STD OIL, -58F	0	\$303 NE

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-024

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Caterpillar -10/21 Price List

555-5500

L

CATERPILLAR MACHINE PRICE LIST

NC

Grounds Equipment - Bid #ESCNJ 18/19-25

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
INSTRUCTIONS				
<i>FILMS</i>				

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 020CT2021

D6-025

D6

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELEC.	TRICAL			
LI	GHTS			
L	589-3554	LIGHT, WARNING		\$1,035
L	577-7228	LED light to shine on rear attachment. Controlled keypad button.	0	\$326
OPER	ATOR ENV	IRONMENT		
CE	B MOUNT			
L	589-3552	RADIO, CB (READY)	CB radio on right acket, Co-Ax cables,	\$1,020
FUEL	SYSTEMS			
FL	JELING AT	TACHMENTS		
L	526-7834	NOZZLE, FAST FILL	with the 4C-6716 compatible with	\$1,345
GUAF	RDS			
CA	AB PROTEC	CTIONS		
L	599-7940	SCREEN, REAR, HINGED	ear cab window.	\$1,685
L	600-1435	FOR USE IN LANE 3 ONLY Provides protective screens covering the side cab v ONLY FOR USE WITH: 567-2132 OPEN SWEEF 567-2133 OPEN SWEEF INCLUDED IN: 464-5588 FORESTRY ARRANGEMI 464-5591 FORESTRY ARRANGEMI	vindows. PS, PUSHARM PS, VPAT ENT, PUSHARM	\$1,985

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6-026

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
GUAI	RDS (CON	Т.)		
FU	UEL TANK	GUARDS		
-	522-7670	GUARD, FUEL TANK	BASIC	\$3,335
-	475-7084	GUARD, FUEL TANK, FAST FILL	AST FILL	\$3,335
LI	GHT GUAR	DS		
-	533-5463		D,PREMIUM PUSHARM or	\$311
	606-4162	571-7818 LIGHTS,12,LE GUARD, LIGHTS, PREMIUM, VPAT	0 ED, PREMIUM VPAT	\$311
SI	EAL GROUP	•		
-	511-6789	SEALS, HIGH DEBRIS FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank and rear hood support. For use in high debris appl ONLY FOR USE WITH: PUSHARM MACHINES at 522-7670 GUARD, FUEL 475-7084 GUARD, FUEL INCLUDED IN: 464-5589 WASTE HANDLING ARR,	r, radiator guard ications. nd . TANK or . TANK, FAST FILL PUSHARM	\$1,130
	581-7411	464-5588 FORESTRY ARRANGEME SEALS, HIGH DEBRIS, VPAT FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank and rear hood support. For use in high debris appl ONLY FOR USE WITH: VPAT MACHINES and 522-7670 GUARD, FUEL 475-7084 GUARD, FUEL INCLUDED IN: 464-5592 WASTE HANDLING ARR.	radiator guard ications. TANK or TANK, FAST FILL VPAT	\$1,130
L	564-8431	464-5591 FORESTRY ARRANGEME SEALS, REAR	0 revent high s when not equipped gh debris.	\$520

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	ER ATTACH			
			^	4206
L	535-7648	Provides additional hydraulic lines to enable the use ONLY FOR USE WITH: 464-5460 CONTROL, RIP REQUIRED BY: 491-3097 WINCH PKG, PA85, VAR	e of PA85 winch. PPER/WINCH	\$306
R	EAR ATTAC	CHMENTS - COUNTERWEIGHTS		
L	528-4038	COUNTERWEIGHT, REAR	ch.	\$7,340
L	117-9058	COUNTERWEIGHT, REAR SLABALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional weight of 760 lbs (345 kg). 1 or 2 slabs c REQUIRES: 528-4038 COUNTERWEIGHT, REAR		\$3,245
R	EAR ATTAC	CHMENTS - WINCH ACCESSORIES		
L	118-7211	FAIRLEAD, 3 ROLLERS	A85, VARIABLE SPEED	\$9,630
L	174-4770	FOURTH ROLLERFOR USE IN LANE 3 ONLY REQUIRES: 118-7211 FAIRLEAD, 3 ROLLERS	717	\$1,580
S	TRIKER BAI	RS		
L	560-3765	STRIKER BARS, FRONT FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Track roller frame mounted. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CANNOT BE USED WITH: 39" TRACK SHOES		\$11,530 NI
L	560-3779	STRIKER BARS, REAR		\$13,080 NI
L	602-5947	STRIKER BARS, FRONT FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Track roller frame mounted. ONLY FOR USE WITH: 464-5807 D6 20 LGP TTT CANNOT BE USED WITH: 39" TRACK SHOES		\$11,530 NI

Supersedes 23SEP2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLAD	ES			
I (i I V	PUSHARM: Bo Cylinders are installed and o INTENDED TO VPAT: Bulldoz and are comp	INSTALLATION PACKAGES ulldozer packages require lift cylinder section below. installed and mandatory attachment, blade is not optional. PLEASE MAKE SURE TO SELECT ONE BLADE D GET A COMPLETE MACHINE. zer packages (Power, Angle and Tilt) include the cylinders letely installed. VPAT blades are mandatory attachments com the blade section below.	6	
L	472-7310	6SU BULLDOZERALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes push arms, trunnions, tilt cylinder lines, an ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG	d tilt cylinder.	\$15,460 NI
L	472-7311	6SU BULLDOZER, GUARDED	plications. d tilt cylinder. l	\$16,570 NI
L	560-1419	6A BULLDOZER	tilt cylinder	\$24,190 NI
L	472-7312	6SU LGP BULLDOZER	d tilt cylinder.	\$18,860 NI
L	472-7313	6SU LGP BULLDOZER, GUARDED		\$19,960 NI

Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder.

REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM

464-5808 D6 20 LGP TTT CFG2

Includes dual tilt cylinders, c-frame, trunnions, and tilt cylinder

includes dual tilt cylinders, c-frame, trunnlons, and tilt cyl ines.

REQUIRES: 556-4504 BLADE, 6A

ONLY FOR USE WITH:

ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

L

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

\$26,940 NI

D6-029

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLAI	DES (CONT	·.)		
В	ULLDOZER	INSTALLATION PACKAGES (Cont.)		
L	472-7314	6S LGP BULLDOZER	d and tilt cylinder.	\$18,940 NI
L	472-7315	6S LGP BULLDOZER, GUARDED	R applications. and tilt cylinder. T CFG3	\$20,060 NI
L	549-4508	6A LGP BULLDOZER	d tilt cylinder	\$30,010 NI
L	538-1329	VPAT DOZER PACKAGE Includes trunnions, c-frame, all cylinders with line NOTE: Design of D6-20 provides improved balance are only recommended with heavier aftermarket black ONLY FOR USE WITH: 464-5810 D6 20 VPAT T 464-5811 D6 20 LGP VP 464-5812 D6 20 LGP VP	s. Counterweights ades. TT CFG4 AT TTT CFG5	\$35,120
P		ULLDOZER LIFT CYLINDERS lers are selected, the front facing lights will be		
L	566-3144	CYLINDER LINES, PUSHARM	G1 or	\$8,550
L	566-3145	CYLINDER LINES, PUSHARM		\$9,080
В	LADES SEMI-U BLAD Work Tools Pr	DES (VARIABLE RADIUS) can be ordered through the rice list.		
L	463-5863	BLADE, 6SU ARO	ozing cutting edges, ints.	\$13,070 NI

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	ES (CONT <i>ADES (Co</i>			
L	472-7305	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 11.2m3/14.3 yd3. Includes trash cutting edges and end bits. Does not include plates masts when used with Attachment Ready Option(AF ONLY FOR USE WITH: 464-5807 D6 20 TTT CFC 472-7311 6SU BULLDOZ CANNOT BE USED WITH: FORESTRY ARRANGEME	rack, finish dozing for blade mounted RO). F1 and ER, GUARDED	\$17,660 NI
L	556-4502	BLADE, 6A XL FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG REQUIRED BY: 560-1419 6A BULLDOZER		\$11,490 NI
L	472-7306	BLADE, 6SU LGP, ARO ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.8m3/7.5 yd3. Includes finish do end bits and left, right, and center AccuGrade mour ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT	zing cutting edges, ats.	\$14,530 NI
L	472-7307	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 12.3m3/16.1 yd3. Includes trash cutting edges and end bits. Does not include plates masts when used with Attachment Ready Option(AF ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT 472-7313 6SU LGP BULL CANNOT BE USED WITH: FORESTRY ARRANGEME	rack, finish dozing for blade mounted RO). `CFG2 and DOZER, GUARDED	\$20,900 NI
L	556-4504	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5808 D6 20 LGP TIT REQUIRED BY: 560-1420 6A LGP BULLDOZER		\$12,010 NI
L	472-7308	BLADE, 6S LGP ARO ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 3.8m3/5.0 yd3. Includes finish do end bits and left, right, and center AccuGrade mour ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT	zing cutting edges, its.	\$12,790 NI

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	DES (CONT BLADES (Co			
L	579-6861	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 9.4m3/12.3 yd3. Includes trash recutting edges and end bits. Does not include plates mast when used with Attachment Ready Option(ARCONLY FOR USE WITH: 464-5809 D6 20 LGP TTI 472-7315 6S LGP BULLD CANNOT BE USED WITH: FORESTRY ARRANGEME	ack, finish dozing for blade mounted O) I CFG3 and DOZER, GUARDED	\$19,080 NI
L	556-4506	BLADE, 6A LGP FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT REQUIRED BY: 549-4508 6A LGP BULLDOZER		\$15,560 NI
L	538-1333	BLADE, VPAT	ozing cutting edges, nts.	\$13,480 NI
L	538-1334	BLADE, LGP VPAT	ozing cutting edges, nts.	\$16,260 NI
L	538-1335	BLADE, LGP VPAT ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.9m3/6.4 yd3. Includes finish deend bits and left, right, and center AccuGrade mour ONLY FOR USE WITH: 464-5812 D6 20 LGP VPA	ozing cutting edges nts.	\$21,330 NI
GRO	OUND ENGA	GING TOOLS		
F	the ripper. Th	VKS t include any shanks. Teeth are mandatory attachment ey will be ordered installed if the ripper is installed, f the ripper is not installed.	ts to	
L	8J-2189	ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Straight shank with penetration tip. Only available in quantity of 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH	456	\$1,525 \$1,525 NI

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021

D6

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
GROU	JND ENGA	GING TOOLS (CONT.)		
RII	PPER SHA	NKS (Cont.)		
L	9J-8926	ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Curved shank with centerline tip. Only available in quantity of 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH	481	\$1,480 \$1,480 NI
PACK	ING			
TR	ACTOR PA	A <i>CKING</i>		
	0P-8025 0P-8026	PACK, DOMESTIC TRUCK, MTTT		NC NC
FR	REIGHT, RA	AIL DELIVERY		
	0P-3994	FREIGHT, RAIL DELIVERY		\$-1,715 NET

Supersedes 23SEP2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 020CT2021