CONSTRUCTION EQUIPMENT

U.S. PRICE BOOK

C091 CRAWLERS - UT

PL-200 UT SAP REVISION 11 EFFECTIVE JULY 9, 2021

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Crawlers (UT) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Dozers 650M

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2021 By

CNH Industrial America LLC

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22: EXtended to 2/21/23

(This page intentionally left blank)

General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22: EXtended to 2/21/23



CRAWLERS - UTILITY TABLE OF CONTENTS

M SERIES CRAWLER DOZER

650M CRAWLER DOZER

Standard Features	CE-7
Price List	CE-9
Factory Supplied Attachments	CE-14
Additional Supplier Options	CE-15

(This page intentionally left blank)



(Ex Works Burlington, IA) Standard Equipment

ENGINE:

FPT F5C F5HFL463D*G003 Tier IV Final certified 207 in.³ Displacement Horsepower:

- Gross (SAE) 73.8

- Net (SAE) 68

Decelerator pedal

Air cleaner - dry type, 2 stage, radial

seal

Anti-freeze solution to -34° F

Fan, pusher

Fuel Tank: 40.8 gal. (US)

Hand throttle

Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, singlelever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Decelerator with hydrostatic drive retardation Automatic spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

ROPS Canopy, modular design,
isolation mounted
Adjustable armrest(s) with lateral
support
Foot rests
Seat belt, 3" retractable
Canopies, Vinyl, Mechanical
Suspension seat

Enclosed Cabs, Cloth, Air

Suspension seat

Mirror

Headliner

Seat tilts for access

ELECTRICAL:

Alternator: 120 AMP
Battery: 24 volt - Dual Batteries
Fuse circuit protection
Master disconnect switch
Single key start switch
Work lights
Two additional power sources
available for heater, air seat or
auxiliary 12 volt power port

2 Front - 1 Rear light

Hydraulic track adjusters

DOZER BLADE:

90" blade on 650M LT
96" blade on 650M LT or WT
Variable mechanical pitch adjustment
(52° - 60°)
Single lever hydraulic control for lift,
angle, and tilt dozer

UNDERCARRIAGE:

Sealed and lubricated track chain
Track and carrier rollers and front
idlers permanently lubricated
H.D. track covers
Track adjuster guard
Track gauge: 56" or 68"
Track guides (front and rear)
Length of Track on ground: 85"
Track rollers: 6 per side
Rock Guards
High Visibility Track Idler
Heavy Duty Track Frame, Sprocket
and Mounting Pads
16" SALT HD is base for LT
20" CLOSED SALT is base for WT



(Ex Works Burlington, IA) Standard Equipment

INSTRUMENTATION:

Warning/Indicator Lights:

Air filter

Alternator

Diagnostic fault indicator

Engine coolant temperature

Engine oil pressure

Hydraulic filter

Low fuel level

Park brake engaged

Service soon indicator

Transmission filter

Transmission charge pressure

Transmission temperature

Audible Warnings:

Engine coolant temperature

Engine oil pressure

Low fuel level

Transmission charge pressure

Transmission/hydraulic temperature

Gauges:

Transmission speed indicator

Battery voltage

Fuel level

Digital hourmeter/tachometer/

diagnostics/service reminder

Transmission oil temperature

Water temperature

GUARDS:

Crankcase

Engine side shields

Transmission bottom

Integral final drive seal

OTHER STANDARD EQUIPMENT:

Backup alarm

Hinged grill

Horn

Lockup package

Operator's manual enclosure

Turbine Pre-Cleaner

O-ring face seal hydraulic fittings

Vertical spin-on hydraulic filters

Diagnostic Check Ports

Environmental Drain

Front Pull Hook

Sweeps

Hyd. Valve, 4 spool w/ plugs

CASE ProCare - Full Machine Protection

Factory Warranty (3-yr/3000-hr),

Planned Maintenance (3-yr/2000-hr)

and SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription



(Ex Works Burlington, IA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
650M LT	20,000 LB		\$155,919.00
OFON WE OR LOD	00.000 LD		#404_440_00

 650M WT OR LGP
 20,000 LB
 \$161,418.00

 Includes the following Equipment
 CHAIN/A Closed SALT HD 20I (784791)
 \$2,314.00

 96" Dozer Blade (784474)
 \$360.00



(Ex Works Burlington, IA)

Factory Supplied Options

	Order Code	Description	Weight	Factory Data	List Price
--	------------	-------------	--------	--------------	------------

PACKAGES

SD_D9999 C	UICK PICK OPTIONS	
XD99993	NO QUICK PICK SELECT	No Charge
464549	YGR ORDER	(\$4,000.00)
	Must be YGR order	
	Government, State/Provincial, Federal, Public Utilities and	
	Non-profit/charitable Org.	
464730	PREMIUM ROPS	(\$4,000.00)
	Quick Pick #1	
	784111 - ROPS with headliner	
	784476 - Radiator Brush Screen	
	784730 - Pump Hydraulic Equip w/ PTO	
	784507 - Front Counterweight	
	784569 - ROPS Rear Screen	
464731	PREMIUM CAB	(\$4,000.00)
	Quick Pick #2	
	784391 - Cab w/ Heat/AC/Defroster/Lights	
	784476 - Radiator Brush Screen	
	784730 - Pump Hydraulic Equip w/ PTO	
	784507 - Front Counterweight	
	784508 - Cab Rear Screen	
464732	CLASSIC ROPS	(\$4,000.00)
	Quick Pick #3	
	784111 - ROPS with headliner	
	X02057X - No Radiator Brush Screen	
	784730 - Pump Hydraulic Equip w/ PTO	
	784487 - Front Pull Hook	
	X05103X - No Rear Screen	
464733	CLASSIC CAB	(\$4,000.00)
	Quick Pick #4	
	784391 - Cab w/ Heat/AC/Defroster/Lights	
	X02057X - No Radiator Brush Screen	
	784730 - Pump Hydraulic Equip w/ PTO	
	784487 - Front Pull Hook	
	X05103X - No Rear Screen	

(Ex Works Burlington, IA)

REAR MOUNTED EQUIPMENT

SD_D7007 3 SHANK RIPPER

L	784572	Rear Tow Hook		No Charge
L	784573	Drawbar		\$546.00
	784007	Ripper, 3 shanks		\$13,036.00
		5 Position/comes w/ 3 Ripper Shanks		
		Must order with option X20143X Hydraulic Valve, 4 Spool		
		with ripper.		

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

<u> </u>	00 110	ACIT CHAIN CHOLO		
For 6	650M LT			
78	34814	CHAIN/A SALT HD 16IN		No Charge
		16" Closed Sealed and Lubricated Track (HD)		
78	34815	CHAIN/A MAX-LIFE 16IN		\$4,680.00
		16" Open CASE Maximum Life Chain		
For 6	650M W	T/LGP		
78	34791	CHAIN/A Closed SALT HD 20IN		\$2,314.00
		20" Closed Sealed and Lubricated Track (HD)		
78	34797	CHAIN/A Open MAX-LIFE 20		\$5,131.00
		20" Open CASE Maximum Life Chain		
78	34785	CHAIN/A Closed SALT HD 24IN		\$3,415.00
		24" Closed Sealed and Lubricated Track (HD)		
78	34810	CHAIN/A Open MAX-LIFE 24		\$5,504.00
		24" Open CASE Maximum Life Chain		

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

	Recommend	ded for 650M LT		
	784546	90" Dozer blade		No Charge
Ш		For use with 650M LT Commercial Model		
	784474	96" Dozer Blade		\$360.00
		Recommended use with 16" track shoes		
	Recommend	ded for 650M LT & LGP	 	
	784547	108" Dozer Blade		\$765.00
Ш		108" Blade begins with s/n NJC100565 for 650M WT		
	Recommend	ded for 650M LGP	 	
	784499	124" Dozer Blade		\$1,300.00

(Ex Works Burlington, IA)

OPERATOR'S PROTECTIVE STRUCTURE

SD_02112 SEVERE COLD WEATHER

X02112X Standard Climate

SD_05127 CA	AB		
784111	ROPS with headliner		No Charg
784391	CAB - CANOPY		\$12,727.0
	HVAC - Heater and Air Conditioning		
	Includes: Rear Wiper for Cab and Radio		
		•	
ADDITIONAL EQU	JIPMENT CRD		
CODEENIC			
SCREENS			
SD_02057 RA	IDIATOR SCREEN		
X02057X	No Radiator Brush Screen		No Charg
784476	Radiator Brush Screen		\$379.0
SD_05053 FC	RESTRY PROTECTION		
X05053X	No ROPS Side Screen		No Char
784419	ROPS Side Screen		\$1,105.0
OD 05400 DE	TAD CODEFN		
SD_05103 RE	No Rear Screen		No Char
784569	ROPS Rear Screen		No Charg \$735.0
784508	Cab Rear Screen		\$558.0
704308	Cab Real Scient		φ336.0
GUARDS			
COTINDO			
SD_10013 TR	ACK ROLLER GUARD		
X10013X	No Center Rock Guard		No Charg
784524	Center Rock Guard		\$882.0
DECALS AND OPE	ERATOR'S MANUALS		
	PERATOR'S MANUAL		
784138	Manuals & Decals - English		No Char
784140	Manuals & Decals - French		No Char
784142	Manuals & Decals - Spanish		No Char

No Charge

SD_D9501 MOVE TO BIC

XD9501X Do Not move to BIC

784805 Move to BIC

650M CRAWLER DOZER US PRICE LIST

	55111151	
	(Ex Works Burlington, IA)	
784822	Severe Cold Weather -784822	\$1,536.00
	Severe Cold Weather includes:	
	Extreme Cold Climate Lubricants, heated CCV Lines,	
	Block Heater, cold weather air cleaner, fuel additive,	
	Engine Oil 0W-40	
	Severe Cold Climate protection in temperatures down to	
	-30 degrees C -22 degrees F	
SD_20143 HY	DRAULIC VALVES	,
784668	Hyd. valve, 4 spool w/ plugs	No Charge
	For field installed ripper only. (Included with option 784007	
	factory installed ripper)	
X20143X	NO HYDRAULIC FUNCTION	(\$909.00)
	For use with Ripper option 784007 only.	
SD_20162 RE	AR HYDRAULIC FUNCTION	
784651	Pump Hydraulic Equip w/o PTO	No Charge
784730	Pump Hydraulic Equip w/PTO	\$600.00
	For use with winch, includes hydraulic pump with	
	mechanical drive	
SD_40020 FR		
	NO FRONT COUNTERWEIGHT	No Charge
784507	Front Counterweight	\$1,328.00
	Includes Front Pull Hook (Recommended for use with Ripper or	
	Winch)	
	ansport Protection	
X49037X		No Charge
464957	TRANSPORT PROTECTION	No Charge
	Provides protection against corrosion during transport & storage.	
00 50400 05	DECIAL FEATURE	
	ECIAL FEATURE	No Chaves
	No Special Feature Request	No Charge
784820	Special Feature Unit 784820	No Charge
	Must contact Special Feature Coordinator for approval before	
	selecting Special Feature Request option. Special Feature Quotes	
	may take up to 3 business days.	
	Contact Joshua Schumacher (319) 754-3144	

No Charge

No Charge



(Ex Works Burlington, IA) Factory Supplied Attachments

C	Order Code	Description	Weight	Factory Data	List Price
Basic	Attachments				
	47953598	Front Counterweight	821 LB		\$2,000.00
	47833198	Rear Retrieval Hitch	31 LB		\$337.00
	48032309	3-4 Spool Conversion Kit	6 LB		\$959.00
	47497088	Drawbar Drawbar with pin & Lanyard Cable	115 LB		\$777.00
Other					
	51526606	Severe Cold Weather Includes: heated CCV wire harness, Insulation CCV inlet & outlet hose, heated CCV hose, hardware			\$600.00
Scree	ns and Guards	5			
	48173850	Cab Rear Screen Kit	57 LB		\$1,309.00
	48094642	Canopy Rear Screen Kit	39 LB		\$1,309.00
	48094693	Forestry Side Screen ROPS units ONLY	89 LB		\$2,520.00
	48117845	Front Sweeps	110 LB		\$991.00

ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Adam Quint at (503) 806-9011 cell or at office (503) 825-3443 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at http://www.alliedsystems.com
 - Required Base Machine Configuration
 - Winch Ready PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
HAA HIVED AHILIO MINIOH	i I					
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH	Ι					
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control						
on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH				П		1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						48192794
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	48192793

Install Allied Winches on CASE 650L/M - 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers. How it works:

- 1. Order 650L/M 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- 3. On order, must select option 784805 Move to BIC.

650 - 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - o Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2021