BOBCAT COMPANY PRICE PAGES UTILITY VEHICLES



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatdealerNET Pricing Homepage for current Canadian exchange rate.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
1/17/2020	New 2020 Model Year Release
6/9/2020	Added Factory Cab & Heat option, pricing, and ordering schedule
7/15/2020	Updated order dates for UV34 Gas factory cab and heat schedule
7/24/2020	Added Factory Cab & Heat option, pricing, and ordering schedule for Diesel
9/11/2020	Updated incompatibility of front mount accessories

*Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

UV34

Bobcat Utility Vehicle



Standard Equipment

Engine

- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter

Drive System

- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ dual-bore front calipers
- CV Joints on Drive and Half Shafts
- CV Guards, Front
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)

Steering & Suspenson

- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering

Operator Comfort

- 3 Occupant Bench Seating (40/60 Split)
- 3-PT Seat Belts w/Shoulder Comfort Strap
- 2 -12v Power Ports
- Beverage holders (6)
- Storage; Upper Dash, Lower Dash, & Underseat
- Sealed Glove Box Storage

Tires & Wheels

- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6

Electrical

- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories

Instrumentation

- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode, Service Reminder, Service Codes, and Gear Position
- Indcator Lights; Glow Plugs, Seatbelts, High Beam, Check Engine, Low Oil Pressure, & High Engine Temp

Frame & Cargo Box

- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Chassis Skid Plates
- 2" Rear Reciever
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate

Warranty

- 1 Year/ 1000 HRS

Quick Specs

	<u>Diesel</u>	Gas
Engine Displacement	989 сс	999 сс
Horsepower	23.5 HP	40 hp
Fuel Delivery	Indirect Injection	Electronic Fuel Injection
Travel Speed Forward (High/Low)	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits)	35 MPH (25, & 15)	35 MPH (40, 25, & 15)
Shipping Weight	1695 lbs	1665 lbs
Vehicle Dimensions (Length x Width x Height)	123x62x76 in.	123x62x76 in.
Turning Radius	9.2 ft.	9.2 ft.
Ground Clearance	11.7 in.	11.7 in.

Prices and Specifications Subject to Change Without Notice Check Bobcatdealernet.com Pricing Homepage for current Canadian exchange rates.

Utility Vehicles

North American List Prices in USD 2020 Prices Book Page 2 of 14

UV34

Bobcat Utility Vehicle

Quick Specs - Cont.

	Diesel	Gas
Fuel Capacity	11.5 gal	11.5 gal
Cargo Box Volume	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH)	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height	38 in.	38 in.
Vehicle Rated Capacity		
- Combined weight of passangers, cargo box, and accessories	1900 lbs	1900 lbs
- Towing Capacity	2500 lbs	2500 lbs
- Tongue Weight	250 lbs	250 lbs
- Cargo Box Capacity	1250 lbs	1250 lbs

Part Number	Utility Vehicle	
Number	Description	SLP in US \$
M1501	UV34 Utility Vehicle - Diesel	\$16,406
M1503	UV34 Utility Vehicle - Gas	\$14,225
M1509	UV34 Utility Vehicle - Gas California Emissions	\$14,420

Part		Factory installed Cab & Heat	
Number	Description	V	SLP in US \$

Model: MY20 UV34 Gas

Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors, wind shield wipers, and deluxe heater w/defrost. *Subject to availability, please see cab & heat build schedule below

Orders placed by:	Will be Built in:	Shipped out:	To qualify, select a regest date of:
SOLD OUT	Oct-20	Nov-20	Nov-20
Orders open until filled	Jan-21	Feb-21	Feb-21

Part Number	Destination Charge Description	LP in US \$
	UV34 Utility Vehicle - Diesel	
M1503_FREIGHT	UV34 Utility Vehicle - Gas	\$735
M1509_FREIGHT	UV34 Utility Vehicle - Gas California Emissions	\$735

Dealer Installed Accessories for the UV34 are located after the UV34XL Utility Vehicle section

UV34XL

Bobcat Utility Vehicle



Standard Equipment

Engine

- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter

Drive System

- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ duel piston front calipers
- CV Joint on Drive and Half Shafts
- CV Guards, Front & Rear
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)

Steering & Suspenson

- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering

Operator Comfort

- 6 Occupant Bench Seating (40/60 Split)
- 6-PT Seat Belts w/Shoulder Comfort Strap
- 3 -12v Power Ports
- Beverage holders (8)
- Storage; Upper Dash, Lower Dash, & Underseats
- Sealed Glove Box Storage

Tires & Wheels

- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6

Electrical

- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories

Instrumentation

- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode, Service Reminder, Service Codes, and Gear Position
- Indcator Lights; Glow Plugs, Seatbelts, High Beam, Check-Engine, Low Oil Pressure, & High Engine Temp

Frame & Cargo Box

- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Full Chassis Skid Plates
- 2" Rear Reciever
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate

Warrantv

- 1 Year/ 1000 HRS

Quick Specs

	Diesel	Gas
Engine Displacement	. 989 сс	999 сс
Horsepower	23.5 HP	40 hp
Fuel Delivery	Indirect Injection	Electronic Fuel Injection
Travel Speed Forward (High/Low)	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits)	35 MPH (25, & 15)	35 MPH (40, 25, & 15)
Shipping Weight	. 2165 lbs	1925 lbs
Vehicle Dimensions (Length x Width x Height)	155x62x76 in.	155x62x76 in.
Turning Radius.		12.8 ft.

Utility Vehicles Prices and Specifications Subject to Change Without Notice Check Bobcatdealernet.com Pricing Homepage for current Canadian exchange rates.

2020 Prices Book

UV34XL Bobcat Utility Vehicle

Quick Specs - Cont.

	Diesel	<u>Gas</u>
Ground Clearance	11.7 in.	11.7 in.
Fuel Capacity	11.5 gal	11.5 gal
Cargo Box Volume	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH)	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height	38 in.	38 in.
Vehicle Rated Capacity		
- Combined weight of passangers, cargo box, and accessories		2075 lbs
- Towing Capacity	2500 lbs	2500 lbs
- Tongue Weight	250 lbs	250 lbs
- Cargo Box Capacity	1250 lbs	1250 lbs

Part Number	Utility Vehicle	
Number	Description	SLP in US \$
M1505	UV34XL Utility Vehicle - Diesel	\$17,886
M1507	UV34XL Utility Vehicle - Gas	\$16,365
M1511	UV34XL Utility Vehicle - Gas California Emissions	\$16,495

Part		Factory installed Cab & Heat	
Number	Description	v	SLP in US \$

Model: MY20 UV34XL Gas

Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors(front and rear), wind shield wipers, and deluxe heater w/defrost. *Subject to availability, please see cab & heat build schedule below

Orders placed by:	Will be Built in:	Shipped out:	To qualify, select a
Orders placed by.	will be Built III.	Silipped out.	regest date of:
Orders open until filled	Oct-20	Nov-20	Nov-20
Orders open until filled	Jan-21	Feb-21	Feb-21

Part Number	Description Description	SLP in US \$
•	UV34XL Utility Vehicle - Diesel	\$835
M1507_FREIGHT	「UV34XL Utility Vehicle - Gas	\$835
M1511 FREIGHT	UV34XL Utility Vehicle - Gas California Emissions	\$835

Utility Vehicles

Part	Dealer Installed Accessories - Order From Parts	CID'. HC O
Number	Description	SLP in US \$
	<u>Rims and Tires</u>	
7027785	Rim 12x6, Orange	\$
	For use with any tire - 25" or 26" x9-12 Tire Mounts on front axle (left or right)	
7023517	Rim 12x8, Orange	\$
	For use with any tire - 25" or 26" x11-12 Tire; Mounts on rear axle (left or right)	
7028397	Rim 12x8, Black	\$
	For use with any tire - 25" or 26" x11-12 Tire; Mounts on the rear axle (left or right)	
7028398	Rim 12x6, Black	 \$
	Models: UV34, UV34XL	
	For use with any tire - 25" or 26" x9-12 Tire; Mounts on front axle (left or right)	
7360379	Rim 12 x 9, Orange	 \$
	For use with 26" x 10 -12 tire * UV34 Factory Rim*	
7307679	Tire - Heavy Duty Mud 8ply - 26x9-12	\$
	Mounts on 12x6 steel rims (P/N 7027785 orange or 7028398 black)	
7307680	Rear Tire - Heavy Duty Mud 8ply - 26x11-12	\$
	Mounts on 12x8 steel rims (P/N 7023517 orange or 7028397 black)	
7027654	Tire - All Purpose - 25x10-12	\$
	Mounts on 12x6 steel rims (P/N 7027785 orange or 7028398 black)	
7027655	Rear Tire - All Purpose - 25x11-12	\$
	Mounts on 12x8 steel rims (P/N 7023517 orange or 7028397 black)	
7027654	Tire - All Purpose - 25x10-12. Models: UV34, UV34XL	\$
	Mounts on 12x6 steel rims (P/N 7027785 orange or 7028398 black)	
7027144	Tire - Hard Surface - 25x8.5-12	\$
7027145	Mounts on 12x6 steel rims (P/N 7027785 orange or 7028398 black) Rear Tire - Hard Surface - 25x10.5-12 Models: UV34, UV34XL	\$
	Mounts on 12x8 steel rims (P/N 7023517 orange or 7028397 black)	

Prices and Specifications Subject to Change Without Notice **Utility Vehicles**

Part Number	Dealer Installed Accessories - Order From Parts Description	SLP in US \$
Mulliber		JLI III US J
	Rims and Tires - Continued	
6989065	Tire - Turf - 25x9-12	\$
	Models: UV34, UV34XL	
	Mounts on 12x6 steel rims (P/N 7027785 orange or 7028398 black)	
6989066	Rear Tire - Turf - 25x11-12	\$
	Models: UV34, UV34XL	
	Mounts on 12x8 steel rims (P/N 7023517 orange or 7028397 black)	
	Cab Accessories - Enclosures, Doors, Windows	
7360116	Doors, Premium Poly w/Roll Down Glass	\$
	Models: UV34, UV34XL	
	Includes driver & passenger plastic doors, roll down windows, interior liner, w/hinges, latches and	
	locks. XL vehicles require additional rear doors.	
7 2.60120	Estimated install time 1.0 hours	
7360120	Doors, Premium XL Rear Poly w/Roll Down Glass	\$
	Models: UV34XL Includes rear driver & passenger plastic doors, roll down windows, interior liner, w/hinges, latches	
	and locks.	,
	Estimated install time 1.0 hours	
7360053	Doors, Clear Poly Front	\$
	Models: UV34, UV34XL	
	Includes driver & passenger plastic doors, double hinged glass windows, w/hinges, latches, and	
	Estimated install time 1.0 hours	
7360055	Doors, Clear Poly Rear	\$
	Models: UV34XL	_
	Includes rear driver & passenger plastic doors, double hinged glass windows, w/hinges, latches, and	1
	locks. Estimated install time 1.0 hours	
7350107	Rear Panel, Poly	•
7550107	Models: UV34, UV34XL	Ψ
	Includes polycarbonate rear panel w/tool-less installation.	
	Estimated install time 0.25 hours	
7227938	Rear Panel, Glass	\$
	Models: UV34, 34XL	
	Includes tempered glass rear panel w/tool-less installation.	
	Estimated install time 0.25 hours	
7227940	Rear Sliding Panel, Glass	\$
	Models: UV34, UV34XL	
	Includes tempered glass, rear panel w/sliding windows & tool-less installation.	
	Estimated install time 0.5 hours	

Part Number	Dealer Installed Accessories - Order From Parts Description	SLP in US \$
Number	Cab Accessories - Enclosures, Doors, Windows - Continued	ZI III CS U
7340670	Roof, Sport Models: UV34	\$
	Includes lightweight and durable, hardened plastic cab top.	
7360126	Estimated install time 0.25 hours Roof, Headliner Std Models: UV34	\$
	Includes headliner and hardware. Compatible with Roof, Sport Accessory (7340670).	
7360118	Estimated install time 0.25 hours Roof, Sport XL	\$
	Includes lightweight and durable, hardened plastic cab top.	
7360067	Estimated install time 0.5 hours Roof, Headliner XL Models: UV34XL	\$
	Includes headliner and hardware. Compatible with Roof, Sport XL Accessory (7360118).	
7343929	Estimated install time 0.5 hours Windshield, Half Poly Models: UV34, UV34XL	\$
	Includes half poly windshield w/tool-less installation.	
7343030	Estimated install time 0.25 hours Windshield, Poly Models: UV34, UV34XL	\$
	Includes sealed fit, polycarbonate windshield w/tool-less installation.	
7343031	Estimated install time 0.25 hours Windshield, Poly with Hard Coat	\$
	Includes sealed fit, polycarbonate windshield with scratch resistant coating, w/tool-less installation.	
7340672	Estimated install time 0.25 hours Windshield, Glass	\$
	Includes laminate glass windshield w/tool-less installation, utilizes integrated accessory mounting system, wiper-washer ready. Compatible with Windshield Wiper Washer Kit (7360136).	
7360057	Estimated install time 0.25 hours Windshield, Tip-Out Glass Models: UV34, UV34XL Includes laminate glass windshield, hand latch and mounting hardware. Compatible with Windshie Wiper Washer Kit (7360136). Estimated install time 0.5 hours Estimated install time 0.5 hours	

Prices and Specifications Subject to Change Without Notice **Utility Vehicles**

Part Number	Dealer Installed Accessories - Order From Parts	SLP in US \$
Number	·	SLI III US \$
	Cab & Operator Comfort Accessories	
7194742	Accessory, Grab Handle	\$
7368504	Heater Deluxe Kit (Gas & Diesel)	\$
	Includes 8 vents (2 floor, 2 defrost, 4 dash), heater core, controller, ducting and hardware	
7360136	Estimated install time 3.0 hours Windshield Wiper & Washer Models: UV34, UV34 XL	\$
	Includes washer fluid reservoir, wiper blade and mounting hardware. Compatible with Fixed Glass Windshield (7340672) & Tip out Windshield (7360057). Requires: Roof (7340670/7360118) & Power Bar Accessory (7360051)	
7211256	Estimated install time 0.75 hours	•
7311256	Mirror, Rear View	···· \$
7403508	Estimated install time 0.5 hours Mirror, Side View Models: UV34, UV34XL	\$
	Includes 2 external mirrors & mounting hardware to cab. Estimated install time 0.5 hours	
7360065	Seat Cover, Grey Carhartt	
7398464	Storage, Under Seat Container	\$
7360112	Estimated install time 0.5 hours Electrical, Horn	\$
	Includes horn, wire harness, and dash mounted button	
7360122	Estimated install time 0.75 hours Electrical, Deluxe Dome Light	

Prices and Specifications Subject to Change Without Notice **Utility Vehicles**

Part	Dealer Installed Accessories - Order From Parts	
Number	Description	SLP in US
	Electrical Accessories	
7360051	Electrical, Roof Power Bar	\$_
	Models: UV34, UV34XL	
	Requires: Roof (7340670/7360118). Includes wiring harness, mounting hardware, and power strip	p.
	Adds a mid-chassis power for middle or rear mounted electrical accessories.	
7365698	Estimated install time 0.5 hours Electrical, Power Re-Direct Harness	\$
	Models: UV34, UV34XL	• Ψ
	Allows for installation of key electrical accessories to canopy vehicles, Includes a single wiring	
	harness & connector for front power bar,	
	Estimated install time 0.5 hours	
7360277	Electrical, Power Bar Adaptor Plug	\$
	Models: UV34, UV34XL	
	Includes short harness, connector, and fuse link to install customer specific electrical accessories.	
	Estimated install time 0.5 hours	
7360114	Electrical, Back-up Alarm	\$
	Models: UV34, UV34XL	
	Includes beeper, bracket and hardware	
	Estimated install time 0.5 hours	
7172026	Electrical, Heater Battery Blanket (Diesel Only)	\$
	Models: UV34, UV34XL	
	Includes heater blanket	
	Estimated install time 1.0 hours	
7360318	Electrical, Power Cargo Box Lift	\$
	Models: UV34, UV34XL	
	Includes actuator and switch	
= 2<12==	Estimated install time 0.25 hours	
7364087	Electrical, Light Strobe	\$
	Models: 3400, 3400 XL	
	Includes mounting bracket, strobe, magnet, and wiring for on/off switch. Requires: Pwr Redirect Harness (7365698) or Roof (7340670/7360118) and Power Bar (7360051).	
	Estimated install time 0.75 hours	
7364082	Electrical, LED Work Lights (Front)	\$
	Models: UV34, UV34XL	*
	Includes two lights, wiring and mounting hardware	
	Estimated install time 0.75 hours	
7364120	Electrical, LED Work Lights (Rear)	\$
	Models: UV34, UV34XL	
	Includes two lights, wiring and mounting hardware. Requires: Pwr Redirect Harness (7365698) of the Control of t	or
	Roof (7340670/7360118) and Power Bar (7360051).	
	Estimated install time 0.75 hours	

Prices and Specifications

Subject to Change Without Notice

Utility Vehicles

Part Number	Dealer Installed Accessories - Order From Parts Description	SLP in US \$
	Electrical Accessories - Continued	
7257391	Electrical, LED Light Bar	\$
	Includes two spot lights, and two flood lights, light bar and multiple mounting brackets. Requires: Harness Adaptor Plug (7360277)	
7360130	Estimated install time 1.0 hours Electrical, FM/AM/Bluetooth Radio & Speaker Kit Models: UV34, UV34XL	\$
	Includes weather proof radio, faceplate, wiring harness, brackets, speakers, antenna, and mounting hardware. Estimated install time 1.5 hours	
7360132	Electrical, Roof Speaker Kit	\$
7374830	Estimated install time 1.0 hours Electrical, Turn Signal. Models: UV34, UV34XL	\$
	Includes front turn signal lights, harness and column mounted control switch	
7360320	Estimated install time 1.0 hours Electrical, 360° Work Light. Models: UV34, UV34XL	\$
	Includes light, harness and dash mounted control switch	
7385765	Estimated install time 1.0 hours Winch, Multi Mount 4500 lb Models: UV34, UV34XL	\$
	Includes Warn winch, mounting bracket, harness and controller. Mounts to front and/or rear receive hitch on UV34 & UV34XL Model. Recommend Front Receiver Hitch (7219862). Estimated install time 2.5 hours	er

Part	Dealer Installed Accessories - Order From Parts	
Number	Description	SLP in US \$
	Vehicle Protection	
7219854 7398465	Guard, Front Grill	
	Includes rear box brush guard and hardware	
7360069	Estimated install time 1.0 hours Guard, Front A-Arm Skid Plates Models: UV34, UV34XL	\$
	Additional CV and half shaft protection. Includes FR & FL plastic skid plates, and hardware.	
7360071	Estimated install time 0.5 hours Guard, Rear A-Arm Skid Plates Models: UV34, UV34XL	\$
	Additional CV and half shaft protection. Includes RR & RL plastic skid plates, and hardware.	
7308874	Estimated install time 0.5 hours Guard, Rear Window Models: UV34, UV34XL Two position guard, provides window protection or elevated storage rack. Includes window guard box anchors. Not compatible with Bed Rails (7308875).	
7360061	Estimated install time 0.5 hours Guard, Nerf Bars Models: UV34	\$
	Includes two steel nerf bars with boot scraper, and hardware.	
7360059	Estimated install time 1.0 hours Guard, Nerf XL Bars Models: UV34XL	\$
	Includes two steel nerf bars with boot scraper, and hardware	
	Estimated install time 1.5 hours	
	Intergrated Cargo Box Accessories	
7308875	Bed Rails	\$
7198443	Cargo Box Anchor	\$

Prices and Specifications Subject to Change Without Notice Check Bobcatdealernet.com Pricing Homepage for current Canadian exchange rates.

Utility Vehicles

North American List Prices in USD 2020 Prices Book

Page 12 of 14

Part	Dealer Installed Accessories - Order From Parts	
Number	Description Si	LP in US \$
	Intergrated Cargo Box Accessories - Continued	
7228078	Chainsaw Mount	\$
	Models: UV34, UV34XL	
	Includes mount for any chainsaw and two accessory anchors. Not compatible with Bed Rails (7308875)	
	Estimated install time 0.25 hours	
7195887	Gun Scabbard Mount, Dual	. \$
	Models: UV34, UV34XL	
	Includes mount for two-gun boots. Compatible with black (6988959) or camouflage (6988960). No compatible with Bed Rails (7308875).	t
	Estimated install time 1.0 hours	
6988959	Gun Boot, Black	. \$
	Models: UV34, UV34XL	
	For use with Dual Gun Scabbard	
	Estimated install time 0.25 hours	
6988960	Gun Boot, Camouflage	. \$
	Models: UV34, UV34XL	
	For use with Dual Gun Scabbard	
7226106	Estimated install time 0.25 hours	•
7236106	Tool/Storage Box	. 5
	Tool box dimensions (L29.6" x W17.8" x H17.4") and includes two accessory anchors. Cargo Box	
	allows up to four tool boxes per vehicle Not compatable with Bed Rails (7308875).	
	Estimated install time 0.5 hours	
	Misc Kits & Accessories	
7327576	Fire Extinguisher Bracket Kit	. \$
	Models: UV34, UV34XL	
	Includes bracket and mounting hardware and requires 3.25" diameter fire extinguisher NOT included	l.
T01 0070	Estimated install time 0.5 hours	
7219862	Front Receiver Hitch	. \$
	Includes 2" receiver hitch and mounting hardware, Uses standard 2-inch drawbar. Not compatible	
	with Snow Blade Kit(7233193) or Front Grill Guard(7219854)	
5 2.62.400	Estimated install time 1.0 hours	Φ.
7362499	Speed Limit Kit (Gas)	\$
	Includes vehicle side nets; software for programableity of vehicle speed limit in 5mph increments	
	between 15-40 MPH.	
	Estimated install time 1.25 hours	

Prices and Specifications
Subject to Change Without Notice

Utility Vehicles

Page 13 of 14 Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Part	Dealer Installed Accessories - Order From Parts	
Number	Description SI	P in US \$
	Misc Kits & Accessories - Continued	
7233193	Snow Blade Kit Models: UV34, UV34XL Includes Mounting Frame, Angle Frame, 72"W x 26-16"h Tapered Blade and Trip Springs. Requires Integrated Front Winch (7385761). Not compatible with Front receiver Hitch(7219862) or Front Grill Guard(7219854). Estimated Install Time 1.0 Hours	
7360124	Speed Limit Kit 25mph (Diesel)	\$
	Limits maximum speed to 25 mph; includes speed limiting components	
7360128	Estimated install time 2.0 hours Speed Limit Kit 15mph (Diesel)	\$
	Limits maximum speed to 15 mph; includes speed limiting components	
7372485	Estimated install time 2.0 hours Standard Side Net Kit	\$
	Includes Nets and hardware for first row of seating	
7372486	Estimated install time 1.0 hours XL Side Net Kit Models: UV34XL	\$
	Includes nets and hardware for second row of seating	
7372503	Estimated install time 1.0 hours Air Filter Indicator Kit	\$
	Includes an air filter vacuum gauge measures the air filter flow	
	Estimated install time 1.0 hours	