

AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 1, 2020

PL-100 VL Revision 15 SAP Price List 015 Cl

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

Products included in this price list are eligible for the Performance Plus Programa

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2020 By CNH Industrial America LLC



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

	E.		



L505 SERIES VALUE LOADERS TABLE OF CONTENTS

L505 FRONT LOADERS

Loader to Tractor Match Chart	1
L545 FRONT LOADERS	
Standard Features	3
Specifications Chart L545	
Price List	5
L555 FRONT LOADERS	
Standard Features	11
Specifications Chart L555	
Price List	13
L565 FRONT LOADERS	
Standard Features	19
Specifications Chart L545	20
Price List	
L575 FRONT LOADERS	
Standard Features	27
Specifications Chart L555	28
Price List	
L505 Factory Supplied Attachments	34
Mid Mount Valve Kit Charts	39
CASE IL DI IDCHASED DEGLECTIONI DI ANI	1

Loader to Tractor Match Chart

Rev. July 2019	РТО НР	L545	L555	L565	L575
FARMALL 50A Tier 4 B/Final (India)	46	•	•		
FARMALL 60A Tier 4 B/Final (India)	51	•	•		
FARMALL 70A Tier 4 B/Final (India)	62	•	•		
FARMALL 95A Tier 4 B/Final (ID10 India)	?				•
FARMALL 105A Tier 4 B/Final (ID10 India)	?				•
FARMALL 115A Tier 4 B/Final (ID10 India)	?				•
FARMALL 65C Tier 4 B/Final (Erenler)	50				
FARMALL 75C Tier 4 B/Final (Erenler)	65			•	
FARMALL 90C Tier 4 B/Final (Erenler/Jesi)	73				•
FARMALL 100C Tier 4 B/Final (Erenler/Jesi)	85				•
FARMALL 110C Tier 4 B/Final (Erenler/Jesi)	93				•
FARMALL 120C Tier 4 B/Final (Erenler/Jesi)	99				



(Ex Works Nearest Depot) Standard Equipment

STANDARD FEATURES:
Quick attach design:
Euro Style Quick-Attach
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand

SPECIFICATIONS:
See Chart for Specifications



Specifications Chart L545

Value Loader Type	L545 NSL	L545 MSL
Value Edder Type		
Tractor Used On		nall A
Engine HP Range		- 70
Front Tires		inch
Rear Tires	28 i	inch
Loader specifications are subject to		
change and may vary based on tractor		
model, hydraulic system and tire size.		
Boom Cylinder Fulcrum		
Maximum Lift Height @ Pivot Pin: mm (in):	2920 (115)	2920 (115)
Max Lift Height under bucket in Level position: mm (in):	2680 (106)	2680 (106)
Dump Clearance mm (in.)	2070 (82)	2070 (82)
Digging Depth mm (in):	110 (4)	110 (4)
John Salari Millian (m.).		
Lift Capacity (Bucket center) kg (lbs):		
Lift Capacity Max Height @ pivot pins kg (lbs):	1140 (2510)	880 (1950)
Lift Capacity Max Height @ 800 mm kg (lbs):	710 (1560)	1000 (2210)
Lift Capacity @ 59 in high @ pivot pins kg (lbs):	1420 (2190)	1120 (2620)
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1000 (2190)	1190 (2620)
Boom Breakout force @ pivot pins kg (lbs):	1940 (4280)	1560 (3540)
Boom Breakout force @ 800 mm kg (lbs):	1270 (2800)	1420 (3130)
	, ,	, ,
Bucket Rollback force @ max height kg (lbs)	1070 (2350)	1110 (2440)
Bucket Rollback force @ ground level kg (lbs)	1510 (3340)	1520 (3360)
Reach @ maximum lift mm (in):	1010 (40)	1010 (40)
Reach @ ground level mm (in):	2080 (82)	2080 (82)
Bucket Rollback angle (degrees):	31	31
Bucket Dump angle (degrees):	47	47
bucket builty angle (acgrees).	٠,	-17
Raise time to full height (No load)	3.9	3.3
Lower time (No load)	2.7	1.6
Bucket dump time	3.9	2.9
Bucket rollback	2.7	2.9



(Ex Works Nearest Depot)

Models

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
L545 NSL SSL LOADER	Skid Steer Style	Non Self Leveling	1,700 LB	9002497P56	\$3,202.00
L545 NSL EURO LOADER	Euro Style	Non Self Leveling	1,700 LB	9002567P76	\$3,292.00
L545 MSL SSL LOADER	Skid Steer Style	Mechanical Self Leveling	1,700 LB	9003423P42	\$4,389.00
L545 MSL EURO LOADER	Euro Style	Mechanical Self Leveling	1,700 LB	9003423P42	\$4,389.00

Factory Supplied Options

MOUNTING BRACKETS

SD 39016 MOUNTING KITS

-	-		0.11111011110			
		X39016X	No Mounting Kit			No Charge
		713722	MOUNTING KIT ECON3		9001112P28	\$1,426.00
	_		Farmall 50A, 60A, and 70A Tier 4			
		713710	MOUNT KIT ECON 1		9001112P28	\$1,426.00
			Farmall 45A and 55A Tier 3	,		

BRACKETS

H.D. GRILL GUARD INSERTS

SD_39006 GRILL GUARDS

	X39006X	No HD Grl Grd Insrt		No Charge
	715824	HD Grl Grd Insrt FML	9000261P30	\$335.00
		Heavy Duty Grill Guard Insert for Farmall		



(Ex Works Nearest Depot)

OSE KITS			
SD_20078 HO	SE KIT		
X20078X			No Char
	If a hose kit is not listed below for the specific tractor,		
	please refer to CNHi Parts to order the items needed		
	to complete the loader installation.		
713720	HOSE KIT UTILITY	9000452P40	\$580
	2 Function Hose Kit (for Tractors with MMV)		
	for Farmall 50A, 60A, and 70A Tier 4		
ADER MOUNTE	D VALVES/HOSE KITS		
SD_20102 HY			
	No Hydraulic package		No Cha
713726	HYD KITT4 50/60/70	9000914P16	\$1,172
	2 function mechanical (cable controlled) Loader Mounted Valve,		
	Joystick, & Hose kit		
1	for Farmall 50A, 60A, and 70A Tier 4 B/Final		
	and Discontinued Farmall 45A, 55A Tier 3		
THERS			
SD 20066 3D	D FUN DIVERTR VLV		
X20056X			No Cha
713719	3RD FUNC DIV 713719	9000794P82	\$1,019
1.107.10	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL		
	Provides solenoid valve which diverts oil flow from the bucket		
	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		
713733	3RD FUNC DIV MSL	9000794P82	\$1,019
1 10700	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - MSL	0000101102	4 1,010
	Provides solenoid valve which diverts oil flow from the bucket		
	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require 713759 (006) - Diverter Valve Wire Harness Kit.		
	I / I S/59 HIRK - HIVOTTOF VAIVO VVIEG HAFTIGES KIT		
	If any tractor is NOT Complete Loader Ready, requires		

464148 (006) - Electrical Interface Kit.



(Ex Works Nearest Depot)

SD	N6014	SOFTRIDE OPTION	

XN6014X	No Soft Ride Kit		No Charge
730755	Soft Ride 730755	9000614P6	\$788.00
	Soft Ride - Basic Kit		
	Provides loader cushioning/shock absorption		
	(Manual ON/OFF operation)		

SD_N6016 ELECT HANDLE KIT

	XN6016X	No Electric Handle Kit			No Charge
	464148	ELECTRIC HANDLE SET			TBD
		Electrical Interface Kit for Electrical Controlled Loader Options			
		(Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)			
		for tractors NOT ordered Complete Loader Ready.			
		Provides connection to 12V power and ground circuits and			
		harness connectors for switches to activate loader options.	ľ		
		Harness is installed at operator area and connects to loader			
		connection point on right hand side of engine compartment.			
	713759	3RD FCN HARNESS KIT		9000109P98	\$141.00
		Diverter Valve Wire Harness Kit			
		Required for diverter valve operation for Farmall			
\sim		50A, 60A, 70A with Complete Loader Ready option			

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

X29021X	No Bolt on Grapple Kit		No Charge
716983	Bolt on Grapple Kit	9002457P00	\$3,150.00
	"Bolt-On" Standard Duty Grapple		
	For 73" or 83" Standard Duty buckets.		
	Only fits: 730403016, 730404016, 717417016, 717419016		
	Requires 3rd function to operate grapple.		
	Requires holes to be drilled in bucket to allow brackets to bolt on.		

SD_K5230 BUCKET

XK5230X	No Bucket		No Charge
730890	84" Std Material Bucket SSL	9000786P24	\$1,008.00
	Skid Steer Style QA		
	0.59 yd³ struck capacity, 0.71 yd³ heaped capacity		
	(Not Compatible with Bolt-on Grapple)		
730848	84" Std Material Bucket EUR	9000786P24	\$1,008.00
	Euro Style QA		
	.71 cu yd.		
	(Not Compatible with Bolt-on Grapple)		



(Ex Works Nearest Depot)

SD N5242	72 10101	MATERIAL	DUCKET

XN5242X	No 72 Inch Material Bucket		No Charge
730889	72" Std Material Bucket SSL	9000677P04	\$868.00
	Skid Steer Style QA		
	0.51 yd³ struck capacity, 0.61 yd³ heaped capacity		
	(Not Compatible with Bolt-on Grapple)		
730847	72" Std Material Bucket EUR	9000677P04	\$868.00
	Euro Style QA		
	.61 cu yd.		
	(Not Compatible with Bolt-on Grapple)		

SD N5244 73" STD QA BUCKETS

 JUL TOLL TO	OTB Q/TBOOKETO		
XN5244X	No 73" Std Mat bucket		No Charge
730403	73" Std Mat bucket 730403	9001021P02	\$1,309.00
	CORE - SSL Style - 73" 21 cu. ft. standard material		
	bucket 0.63 yd struck capacity, 0.78 yd heaped		
	capacity 730403006		
	(Compatible with 716983-Bolt-On Standard Duty Grapple)		
717417	73" Std Mat bucket Euro Style	9000932P88	\$1,196.00
	CORE - Euro Style 73" Standard material bucket 0.63 yd struck		
	capacity, 0.78 yd. heaped capacity		
	(Compatible with 716983 - Bolt-On Standard Duty Grapple)		

SD_N5252 83" MATERIAL BUCKET QA

		No 83" Std Mat bucket		No Charge
	730404	83" Std Mat bucket SSL style	9001157P52	\$1,484.00
	700101	CORE SSL Style - 83" 24 cu. ft. Standard Material Bucket	0001101102	* .,
		0.72 yd struck capacity, 0.89 yd heaped capacity		
		(Compatible with 716983 - Bolt-On Standard Duty Grapple)		
	717419	83" Std Mat bucket Euro Styl	9001057P68	\$1,356,00
		CORE - Euro Style 83" Standard material bucket 0.72 yd struck		
1		capacity, 0.89 yd. heaped capacity		
		(Compatible with 716983 - Bolt-On Standard Duty Grapple)		

BALE HANDLING

SD_N5343 BALE FRK WITH BACK STOP

	XN5343X	No Bale Fork w_Back Stop		No Charge
	730842	Bale Fork w_Back Stop	9001083P42	\$1,389.00
		Standard Square Bale Fork - SSL Style		
11		Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
		(Up to 5 Tines can be installed)		
	730843	Bale Fork w_Back Stop EUR	9001083P42	\$1,389.00
		Standard Square Bale Fork - EURO Style		
		Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
		(Up to 5 Tines can be installed)		



(Ex Works Nearest Depot)

SD N5501 BALE SPEAR

	XN5501X	No bale spear		No Charge
	713805	BALE SPEAR 713805	9000877P50	\$1,125.00
		Bale Spear for Skid Steer Style QA		
		1 long upper tine and 2 short lower tines maintains bale control		
	713806	BALE SPEAR 713806	9000877P50	\$1,125.00
		Bale Spear for Euro Style QA		
\sqcup		1 long upper tine and 2 short lower tines maintains bale control		

PALLET FORKS

SD N5344 48IN FK 55W 2200 CP

 3D_N3344 40	IN FK 55VV 2200 CP		
XN5344X	NO 48IN FK 55W 2200		No Charge
713670	48IN FK 55W 2200 SSL	9000748P02	\$959.00
	SSL Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		
713669	48IN FK 55W 2200 EUR	9000748P02	\$959.00
	EURO Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		

OTHER

SD 29016 BALLAST BOX

	OD 20010 British Box							
		X29016X	No Ballast Box - 2200 lbs.			No Charge		
		717506	Ballast Box - 2200 lbs.		9000821P34	\$1,053.00		
1			Ballasting box for 3-point hitch category II capacity					
			1924 lbs. for total maximum weight of 2200 lbs.					



(Ex Works Nearest Depot) Standard Equipment

STANDARD FEATURES:
Quick attach design:
Euro Style Quick-Attach
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand

SPECIFICATIONS:
See Chart for Specifications



Specifications Chart L555

	L555	L555
Value Loader Type	NSL	MSL
Tractor Used On		nall A
Engine HP Range		- 70
Front Tires		inch
Rear Tires	281	inch
Loader specifications are subject to		
change and may vary based on tractor		
model, hydraulic system and tire size.		
Boom Cylinder Fulcrum		2242 (445)
Maximum Lift Height @ Pivot Pin: mm (in):	2910 (115)	2910 (115)
Max Lift Height under bucket in Level position: mm (in):	2670 (105)	2670 (105)
Dump Clearance mm (in.)	2020 (80)	2020 (80)
Digging Depth mm (in):	340 (13)	340 (13)
Lift Capacity (Bucket center) kg (lbs):		
Lift Capacity Max Height @ pivot pins kg (lbs):	1400 (3086)	1110 (2447)
Lift Capacity Max Height @ 800 mm kg (lbs):	880 (1940)	1240 (2734)
Lift Capacity @ 59 in high @ pivot pins kg (lbs):	1720 (3792)	1370 (3020)
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1230 (2712)	1420 (3131)
Boom Breakout force @ pivot pins kg (lbs):	2240 (4938)	1830 (4034)
Boom Breakout force @ 800 mm kg (lbs):	1470 (3241)	1600 (3527)
boom breakout force & boomm kg (lb3).	1470 (3241)	1000 (3327)
Bucket Rollback force @ max height kg (lbs)	1440 (3175)	1180 (2601)
Bucket Rollback force @ ground level kg (lbs)	1910 (4211)	1520 (3351)
Reach @ maximum lift mm (in):	1160 (46)	1160 (46)
Reach @ ground level mm (in):	2220 (87)	2220 (87)
Bucket Rollback angle (degrees):	45	45
Bucket Dump angle (degrees):	53	53
Sacret Samp angle (acgrees).		
Raise time to full height (No load)	4.7	3.4
Lower time (No load)	3.0	1.8
Bucket dump time	3.7	2.2
Bucket rollback	2.7	2.2



(Ex Works Nearest Depot) **Models**

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
L555 NSL SSL LOADER	Skid Steer Style	Non Self Leveling	1,700 LB	9002910P96	\$3,732.00
L555 NSL EURO LOADER	Euro Style	Non Self Leveling	1,700 LB	9002910P96	\$3,732.00
L555 MSL SSL LOADER	Skid Steer Style	Mechanical Self Leveling	1,700 LB	9003766P62	\$4,829.00
L555 MSL EURO LOADER	Euro Style	Mechanical Self Leveling	1,700 LB	9003766P62	\$4,829.00

Factory Supplied Options

Weight	Factory Data	List Price
vveignt	Factory Data	LIST Price
	vveignt	weight Factory Data

MOUNTING BRACKETS

SD 39016 MOUNTING KITS

	Chiadana Co	 ,	
X39016X	No Mounting Kit		No Charge
713722	MOUNTING KIT ECON3	9001112P28	\$1,426.00
	Farmall 50A, 60A, and 70A Tier 4		
713711	MOUNT KIT ECON 2	9001112P28	\$1,426.00
	Farmall 65A and 75A Tier 3		

BRACKETS

H.D. GRILL GUARD INSERTS

SD_39006 GRILL GUARDS

X39006X	No HD Grl Grd Insrt		No Charge
715824	HD Grl Grd Insrt FML	9000261P30	\$335.00
	Heavy Duty Grill Guard Insert for Farmall		



(Ex Works Nearest Depot)

Water water			
HOSE KITS			
SD 20078 HC	ISE KIT		
X20078X			No Charg
	If a hose kit is not listed below for the specific tractor,		
	please refer to CNHi Parts to order the items needed		
	to complete the loader installation.		
713720	HOSE KIT UTILITY	9000452P40	\$580.0
	2 Function Hose Kit (for Tractors with MMV)		
	for Farmall 50A, 60A, and 70A Tier 4		
LOADER MOUNTE	D VALVES/HOSE KITS		
SD_20102 HY			
	No Hydraulic package		No Char
713726	HYD KITT4 50/60/70	9000914P16	\$1,172.0
1 1	2 function mechanical (cable controlled) Loader Mounted Valve,		
	Joystick, & Hose kit		
	for Farmall 50A, 60A, and 70A Tier 4 B/Final		
	and Discontinued Farmall 45A, 55A Tier 3		
713714	HYD VALVE KIT 713714	9000865P02	\$1,109.0
	2 function mechanical (cable controlled) Loader Mounted Valve,		
1 1	Joystick, & Hose kit.		
	Farmall 65A and 75A Tier 3		
OTHERS			
OTTILING			
SD_20056 3R	D FUN DIVERTR VLV		
X20056X	No 3rd function diverter valve		No Char
713719	3RD FUNC DIV 713719	9000794P82	\$1,019.
	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL		
	Provides solenoid valve which diverts oil flow from the bucket		
-	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		



(Ex	Works	Nearest	Denot)

	713733	3RD FUNC DIV MSL		9000794P82	\$1,019.00
		Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - MSL			
		Provides solenoid valve which diverts oil flow from the bucket	2.1		
		circuit to operate front-mounted hydraulic implements			
1 1 1		(Grapple, Bale Squeeze, etc.).			
		Utility Farmall A (50A, 60A, 70A) tractors also require			
		713759 (006) - Diverter Valve Wire Harness Kit.			
		If any tractor is NOT Complete Loader Ready, requires			
		464148 (006) - Electrical Interface Kit.			

SD_N6014 SOFTRIDE OPTION

	XN6014X	No Soft Ride Kit		No Charge
	730755	Soft Ride 730755	9000614P64	\$788.00
		Soft Ride - Basic Kit		
		Provides loader cushioning/shock absorption		
Ш		(Manual ON/OFF operation)		

SD N6016 ELECT HANDLE KIT

	XN6016X	No Electric Handle Kit		No Charge
	464148	ELECTRIC HANDLE SET		TBD
()		Electrical Interface Kit for Electrical Controlled Loader Options		
1		(Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)		
		for tractors NOT ordered Complete Loader Ready.		
		Provides connection to 12V power and ground circuits and		
		harness connectors for switches to activate loader options.		
		Harness is installed at operator area and connects to loader		
		connection point on right hand side of engine compartment.		
	713759	3RD FCN HARNESS KIT	9000109P98	\$141.00
		Diverter Valve Wire Harness Kit		
		Required for diverter valve operation for Farmall		
		50A, 60A, 70A with Complete Loader Ready option		

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

X29021X	No Bolt on Grapple Kit		No Charge
716983	Bolt on Grapple Kit	9002457P00	\$3,150.00
	"Bolt-On" Standard Duty Grapple		
	For 73" or 83" Standard Duty buckets.		
	Only fits: 730403016, 730404016, 717417016, 717419016		
	Requires 3rd function to operate grapple.		
	Requires holes to be drilled in bucket to allow brackets to bolt on.		

SD K	E220	DIL	CKET

DO TOZOG BOOKET	
XK5230X No Bucket	No Charge



	(Ex Works Nearest Depot)		
730890	84" Std Material Bucket SSL	9000786P24	\$1,008.0
	Skid Steer Style QA		
	0.59 yd³ struck capacity, 0.71 yd³ heaped capacity	1 1	
	(Not Compatible with Bolt-on Grapple)		
730848	84" Std Material Bucket EUR	9000786P24	\$1,008.0
	Euro Style QA	1 1	
	.71 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
SD N5242 72	INCH MATERIAL BUCKET		
	No 72 Inch Material Bucket		No Charg
730889	72" Std Material Bucket SSL	9000677P04	\$868.0
	Skid Steer Style QA		
	0.51 yd³ struck capacity, 0.61 yd³ heaped capacity	1 1	
	(Not Compatible with Bolt-on Grapple)		
730847	72" Std Material Bucket EUR	9000677P04	\$868.0
	Euro Style QA		
	.61 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
SD NESAA 72	"STD QA BUCKETS		
	No 73" Std Mat bucket	ľ	No Charg
730403	73" Std Mat bucket 730403	9001021P02	\$1,309.0
	CORE - SSL Style - 73" 21 cu. ft. standard material		
	bucket 0.63 yd struck capacity, 0.78 yd heaped		
	capacity 730403006		
	(Compatible with 716983-Bolt-On Standard Duty Grapple)		
717417	73" Std Mat bucket Euro Style	9000932P88	\$1,196.0
	CORE - Euro Style 73" Standard material bucket 0.63 yd struck		
	capacity, 0.78 yd. heaped capacity		
	(Compatible with 716983 - Bolt-On Standard Duty Grapple)		
SD N5252 83	" MATERIAL BUCKET QA		
XN5252X	D. C.		No Charg
730404	83" Std Mat bucket SSL style	9001157P52	\$1,484.0
	CORE SSL Style - 83" 24 cu. ft. Standard Material Bucket		
- I	0.72 yd struck capacity, 0.89 yd heaped capacity		
	(Compatible with 716983 - Bolt-On Standard Duty Grapple)		
	(Compatible With 1 10000 - Bolt of Changara Bat) Ciappie,	0004057000	\$1,356.0
717419	83" Std Mat bucket Euro Styl	9001057P68	Ψ.,,σσσ.,
717419		9001057P68	Ψ1,000.
717419	83" Std Mat bucket Euro Styl	9001057P68	Ψ1,000.

16 of 42	•
----------	---

SD_N5343 BALE FRK WITH BACK STOP XN5343X No Bale Fork w Back Stop

No Charge



(Ex Works Nearest Depot)

730842	Bale Fork w_Back Stop	9001083P42	\$1,389.00
	Standard Square Bale Fork - SSL Style		
	Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
	(Up to 5 Tines can be installed)		
730843	Bale Fork w_Back Stop EUR	9001083P42	\$1,389.00
	Standard Square Bale Fork - EURO Style		
	Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
	(Up to 5 Tines can be installed)		

SD_N5501 BALE SPEAR

XN5501X	No bale spear		No Charge
713805	BALE SPEAR 713805	9000877P50	\$1,125.00
	Bale Spear for Skid Steer Style QA		
	1 long upper tine and 2 short lower tines maintains bale control		
713806	BALE SPEAR 713806	9000877P50	\$1,125.00
	Bale Spear for Euro Style QA		
	1 long upper tine and 2 short lower tines maintains bale control		

PALLET FORKS

SD N5344 48IN FK 55W 2200 CP

***	3	D 140044 40	111 1 K 55VV 2200 CF		
138	7	XN5344X	NO 48IN FK 55W 2200		No Charge
		713670	48IN FK 55W 2200 SSL	9000748P02	\$959.00
			SSL Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		
		713669	48IN FK 55W 2200 EUR	9000748P02	\$959.00
			EURO Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		

OTHER

SD_29016 BALLAST BOX

X29016X	No Ballast Box - 2200 lbs.		No Charge
717506	Ballast Box - 2200 lbs.	9000821P34	\$1,053.00
	Ballasting box for 3-point hitch category II capacity		
	1924 lbs. for total maximum weight of 2200 lbs.		



(Ex Works Nearest Depot) Standard Equipment

STANDARD FEATURES:
Quick attach design:
Euro Style Quick-Attach
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand

SPECIFICATIONS:
See Chart for Specifications



Specifications Chart L565

V. L. J. J. T.	L565	L565		
Value Loader Type	NSL	MSL		
Tractor Used On	Farmall C			
Engine HP Range	90-	120		
Front Tires	12.4R2	24 R1W		
Rear Tires	18.4R3	30 R1W		
Loader specifications are subject to				
change and may vary based on tractor				
model, hydraulic system and tire size.				
Boom Cylinder Fulcrum				
Maximum Lift Height @ Pivot Pin: mm (in):	2910 (115)	2910 (115)		
Max Lift Height under bucket in Level position: mm (in):	2670 (105)	2670 (105)		
Dump Clearance mm (in.)	2020 (80)	2020 (80)		
Digging Depth mm (in):	340 (13)	340 (13)		
longsing peptit time (iii).	3 10 (23)	3.0 (13)		
Lift Capacity (Bucket center) kg (lbs):				
Lift Capacity Max Height @ pivot pins kg (lbs):	1400 (3086)	1110 (2447)		
Lift Capacity Max Height @ 800 mm kg (lbs):	880 (1940)	1240 (2734)		
Lift Capacity @ 59 in high @ pivot pins kg (lbs):	1720 (3792)	1370 (3020)		
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1230 (2712)	1420 (3131)		
 Boom Breakout force @ pivot pins kg (lbs):	2240 (4938)	1830 (4034)		
Boom Breakout force @ 800 mm kg (lbs):	1470 (3241)	1600 (3527)		
	` '	, ,		
Bucket Rollback force @ max height kg (lbs)	1440 (3175)	1180 (2601)		
Bucket Rollback force @ ground level kg (lbs)	1910 (4211)	1520 (3351)		
 Reach @ maximum lift mm (in):	1160 (46)	1160 (46)		
Reach @ ground level mm (in):	2220 (87)	2220 (87)		
	45	45		
Bucket Rollback angle (degrees):	45	45		
Bucket Dump angle (degrees):	53	53		
Raise time to full height (No load)	4.7	3.4		
Lower time (No load)	3.0	1.8		
Bucket dump time	3.7	2.2		
Bucket rollback	2.7	2.2		



(Ex Works Nearest Depot)

Models

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
L565 NSL SSL LOADER	Skid Steer Style	Non Self Leveling	1,700 LB	9002995P98	\$3,841.00
L565 NSL EURO LOADER	Euro Style	Non Self Leveling	1,700 LB	9002995P98	\$3,841.00
L565 MSL SSL LOADER	Skid Steer Style	Mechanical Self Leveling	1,700 LB	9003851P64	\$4,938.00
L565 MSL EURO LOADER	Euro Style	Mechanical Self Leveling	1,700 LB	9003851P64	\$4,938.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

MOUNTING BRACKETS

SD_N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets		No Charge
	713702	UTL LT T4 TPS COMP	9001740P18	\$2,231.00
		TPS Mount Bracket Set		
		for Farmall 65C, 75C Flat Deck (Ankara) 2WD/MFD		
1		(Not compatible with Factory Installed brackets)		
		(Only L565 Non Self-Leveling is approved for 2WD tractors)		
	713729	MTG KIT - UTL MEDIUM	9001740P18	\$2,231.00
		TPS Subframe Set		
		for Tier 4 B/Final Farmall 90C, 100C, 110C, and 120C		
		(Includes Grill Guard)		
		(Not compatible with L600 Series Loader)		
	713619	SF - UTILITY MEDIUM	9002317P38	\$2,971.00
		TPS Subframe Set		
		for DiscontinuedTier 4A Farmall 85C, 95C, 105C, 115C «Flat Deck»		
		tractors built in Ankara S/N = ZxJV0xxxx, and		
		Tier 4A Farmall 85C, 95C, 105C, 115C "Flat Deck" with Hi-Lo		
		tractors built in Jesi S/N = ZxJV1xxxx		
		(Includes Grill Guard)		
		(Not compatible with L600 Series Loader)		



(Ex Works Nearest Depot)

Г		713693	Subframe_w/ Grill Guar.d T4	9002317P38	\$2,971.00
			TPS Subframe Set		
	3		for Discontinued Tier 4A Farmall 85C, 95C, 105C "Platform"		
			tractors built in Jesi S/N = ZxJX5xxxx		- 1
			(Includes Grill Guard)		
			(Not compatible with L600 Series Loader)		

BRACKETS

H.D. GRILL GUARD INSERTS

SD_39006 GRILL GUARDS

 30000	ONILE GOANDO		
X390	06X No HD Grl Grd Insrt		No Charge
7158	24 HD Grl Grd Insrt FML	9000261P30	\$335.00
	Heavy Duty Grill Guard Insert for Farmall		

HYDRAULICS

HOSE KITS

 SD_20078 HO	SE KIT		
X20078X	No Hydraulic Hose Kit		No Charge
	If a hose kit is not listed below for the specific tractor,		
	please refer to CNHi Parts to order the items needed		
	to complete the loader installation.		
713757	HOSE KIT 2 FCN IND C	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Tier 4 B/Final Farmall 65C, 75C, 90C, 100C, 110C, and 120C		
713709	HOSE KT SNGL FF CPLR	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Farmall 65C and 75C Flat Deck (Ankara)		
713622	HOSE KIT UT MED SING	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Tier 4A Farmall 85C, 95C, 105C, 115C		

OTHERS

. S	D_20056 3RI	O FUN DIVERTRIVLY	 	
	X20056X	No 3rd function diverter valve		No Charge
-				



(Ex Works Nearest Dep	ot	Dei	rest	Nea	rks	Wor	(Ex	
-----------------------	----	-----	------	-----	-----	-----	-----	--

713719	3RD FUNC DIV 713719	9000794P82	\$1,019.00
	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL		
	Provides solenoid valve which diverts oil flow from the bucket		
	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		
713733	3RD FUNC DIV MSL	9000794P82	\$1,019.00
	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - MSL		
	Provides solenoid valve which diverts oil flow from the bucket		
1 1 1	circuit to operate front-mounted hydraulic implements		
	(Grappie, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		

SD N6014 SOFTRIDE OPTION

· general	_				
)_	XN6014X	No Soft Ride Kit		No Charge
		730755	Soft Ride 730755	9000614P64	\$788.00
			Soft Ride - Basic Kit		
			Provides loader cushioning/shock absorption		
			(Manual ON/OFF operation)		

SD_N6016 ELECT HANDLE KIT

OD MOOTO EL	LOT TIVITABLE TOT	
XN6016X	No Electric Handle Kit	No Charge
464148	ELECTRIC HANDLE SET	TBD
	Electrical Interface Kit for Electrical Controlled Loader Options	
	(Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)	
1	for tractors NOT ordered Complete Loader Ready.	
	Provides connection to 12V power and ground circuits and	
	harness connectors for switches to activate loader options.	
	Harness is installed at operator area and connects to loader	
	connection point on right hand side of engine compartment.	

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD 29021	BOLT	ON	GRAPPLE KIT
----------	------	----	-------------

OD MODE! DO	PET ON ON THE PAT	
X29021X	No Bolt on Grapple Kit	No Charge



1 565 FRONT LOADER

	(Ex Works Nearest Depot)		
716983	Bolt on Grapple Kit	9002457P00	\$3,150.00
1.0000	"Bolt-On" Standard Duty Grapple		11,
	For 73" or 83" Standard Duty buckets.		
	Only fits: 730403016, 730404016, 717417016, 717419016	1	
	Requires 3rd function to operate grapple.	1 1	
	Requires holes to be drilled in bucket to allow brackets to bolt on.		
		*	
SD_K5230 BU			No Charge
	No Bucket	0000700004	No Charge
730890	84" Std Material Bucket SSL	9000786P24	\$1,008.0
	Skid Steer Style QA		
	0.59 yd³ struck capacity, 0.71 yd³ heaped capacity		
	(Not Compatible with Bolt-on Grapple)		04.000.0
730848	84" Std Material Bucket EUR	9000786P24	\$1,008.0
	Euro Style QA		
	.71 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
CD NE242 72	INCH MATERIAL BUCKET		
	No 72 Inch Material Bucket		No Charg
730889	72" Std Material Bucket SSL	9000677P04	\$868.0
7 30003	Skid Steer Style QA	0000077701	4000,0
	0.51 yd³ struck capacity, 0.61 yd³ heaped capacity		
	(Not Compatible with Bolt-on Grapple)		
730847	72" Std Material Bucket EUR	9000677P04	\$868.0
7 30047	Euro Style QA	00000171 07	Ψ000.0
	.61 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
	(Not companie with Box-on Grapping)		
	STD QA BUCKETS		
**	No 73" Std Mat bucket	0004004700	No Charg
730403	73" Std Mat bucket 730403	9001021P02	\$1,309.0
	CORE - SSL Style - 73" 21 cu. ft. standard material		
	bucket 0.63 yd struck capacity, 0.78 yd heaped		
	capacity 730403006		
	(Compatible with 716983-Bolt-On Standard Duty Grapple)		
717417	73" Std Mat bucket Euro Style	9000932P88	\$1,196.0
	CORE - Euro Style 73" Standard material bucket 0.63 yd struck		
	capacity, 0.78 yd. heaped capacity		
1	(Compatible with 716983 - Bolt-On Standard Duty Grapple)		
SD NE252 92	' MATERIAL BUCKET QA		
XN5252X	No 83" Std Mat bucket		No Charg
730404	83" Std Mat bucket SSL style	9001157P52	\$1,484.0
7,50404	CORE SSL Style - 83" 24 cu. ft. Standard Material Bucket	35011371 52	ψ1,π0π.0
	0.72 yd struck capacity, 0.89 yd heaped capacity		
1	our you struck capacity, our you heaped capacity	1 1	

(Compatible with 716983 - Bolt-On Standard Duty Grapple)



(Fy Works	Nearest Depot)
ILV AAOLUS	Medical penon

	717419	83" Std Mat bucket Euro Styl	9001057P68	\$1,356.00
		CORE - Euro Style 83" Standard material bucket 0.72 yd struck		
		capacity, 0.89 yd. heaped capacity		
		(Compatible with 716983 - Bolt-On Standard Duty Grapple)		

BALE HANDLING

SD N5343 BALE FRK WITH BACK STOP

	XN5343X	No Bale Fork w_Back Stop		No Charge
	730842	Bale Fork w_Back Stop	9001083P42	\$1,389.00
		Standard Square Bale Fork - SSL Style		
		Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
		(Up to 5 Tines can be installed)		
	730843	Bale Fork w_Back Stop EUR	9001083P42	\$1,389.00
1		Standard Square Bale Fork - EURO Style		
		Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
		(Up to 5 Tines can be installed)		

SD_N5501 BALE SPEAR

		XN5501X	No bale spear		No Charge
1	1	713805	BALE SPEAR 713805	9000877P50	\$1,125.00
15	2		Bale Spear for Skid Steer Style QA		
			1 long upper tine and 2 short lower tines maintains bale control		
		713806	BALE SPEAR 713806	9000877P50	\$1,125.00
			Bale Spear for Euro Style QA		
			1 long upper tine and 2 short lower tines maintains bale control		

PALLET FORKS

SD_N5344 48IN FK 55W 2200 CP

00 110011 10			
XN5344X	NO 48IN FK 55W 2200		No Charge
713670	48IN FK 55W 2200 SSL	9000748P02	\$959.00
	SSL Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		
713669	48IN FK 55W 2200 EUR	9000748P02	\$959.00
	EURO Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		

OTHER

SD 29016 BALLAST BOX

 00 2	ZOUTO DAL	LEAST BOX		
	X29016X	No Ballast Box - 2200 lbs.		No Charge
	717506	Ballast Box - 2200 lbs.	9000821P34	\$1,053.00
		Ballasting box for 3-point hitch category II capacity		
		1924 lbs, for total maximum weight of 2200 lbs		1



(Ex Works Nearest Depot) Standard Equipment

STANDARD FEATURES:
Quick attach design:
Euro Style Quick-Attach
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand

SPECIFICATIONS:
See Chart for Specifications



Specifications Chart L575

	L575	L575
Value Loader Type	NSL	MSL
Tractor Used On		nall C
Engine HP Range		120
Front Tires		24 R1W
Rear Tires	18.4R3	30 R1W
Loader specifications are subject to		
change and may vary based on tractor		
model, hydraulic system and tire size.		
Boom Cylinder Fulcrum	0.400./40=1	2.422 /425
Maximum Lift Height @ Pivot Pin: mm (in):	3420 (135)	3420 (135)
Max Lift Height under bucket in Level position: mm (in):	3180 (125)	3180 (125)
Dump Clearance mm (in.)	2510 (99)	2510 (99)
Digging Depth mm (in):	120 (5)	120 (5)
Lift Capacity (Bucket center) kg (lbs):		
Lift Capacity Max Height @ pivot pins kg (lbs):	1610 (3549)	1340 (2954)
Lift Capacity Max Height @ 800 mm kg (lbs):	920 (2028)	1440 (3175)
Lift Capacity @ 59 in high @ pivot pins kg (lbs):	1930 (4255)	1600 (3527)
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1300 (2866)	1480 (3263)
Boom Breakout force @ pivot pins kg (lbs):	2380 (5247)	1990 (4387)
Boom Breakout force @ 800 mm kg (lbs):	1520 (3351)	1570 (3461)
Bucket Rollback force @ max height kg (lbs)	1350 (2976)	1360 (2998)
Bucket Rollback force @ ground level kg (lbs)	1810 (3990)	1790 (3946)
Reach @ maximum lift mm (in):	1040 (41)	1040 (41)
Reach @ ground level mm (in):	2250 (89)	2250 (89)
Bucket Rollback angle (degrees):	38	38
Bucket Dump angle (degrees):	55	55
Raise time to full height (No load)	4.5	3.9
Lower time (No load)	3.0	2.5
Bucket dump time	4.0	2.8
Bucket rollback	2.8	2.8



(Ex Works Nearest Depot)

Models

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
L575 NSL SSL LOADER	Skid Steer Style	Non Self Leveling	1,700 LB	9003166P80	\$4,060.00
L575 NSL EURO LOADER	Euro Style	Non Self Leveling	1,700 LB	9003166P80	\$4,060.00
L575 MSL SSL LOADER	Skid Steer Style	Mechanical Self Leveling	1,700 LB	9004022P46	\$5,157.00
L575 MSL EURO LOADER	Euro Style	Mechanical Self Leveling	1,700 LB	9004022P46	\$5,157.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
)				
OUNTING BRA	CKETS			
SD_39016 M	OUNTING KITS			
464064	MT KT T4 WM		9001688P70	\$2,165.0
	TPS Subframe Set			
	for Farmall 95A, 105A, and 115A			
	(Includes Grill Guard)			
SD_N5701 H XN5701>	ITCH AND SUBFRAME No Mounting Brackets			No Chare
713702	UTL LT T4 TPS COMP		9001740P18	No Charg \$2,231.0
1, 52	TPS Mount Bracket Set	1	3001740110	Ψ2,201.0
	for Farmall 65C, 75C Flat Deck (Ankara) 2WD/MFD			
	(Not compatible with Factory Installed brackets)	1		
	(Only L565 Non Self-Leveling is approved for 2WD tractors)			
713729	MTG KIT - UTL MEDIUM		9001740P18	\$2,231.0
	TPS Subframe Set			
	for Tier 4 B/Final Farmall 90C, 100C, 110C, and 120C			
	(Includes Grill Guard)			
	(Not compatible with L600 Series Loader)			



(Ex Works Nearest Depot)

713619	SF - UTILITY MEDIUM	9002317P38	\$2,971.00
	TPS Subframe Set		
	for DiscontinuedTier 4A Farmall 85C, 95C, 105C, 115C "Flat Deck"		
	tractors built in Ankara S/N = ZxJV0xxxx, and		
	Tier 4A Farmall 85C, 95C, 105C, 115C "Flat Deck" with Hi-Lo		
	tractors built in Jesi S/N = ZxJV1xxxx		
	(Includes Grill Guard)		
	(Not compatible with L600 Series Loader)		
713693	Subframe_w/ Grill Guar.d T4	9002317P38	\$2,971.00
	TPS Subframe Set		
	for Discontinued Tier 4A Farmall 85C, 95C, 105C -Platform-		
	tractors built in Jesi S/N = ZxJX5xxxx		
	(Includes Grill Guard)		
	(Not compatible with L600 Series Loader)		

BRACKETS

H.D. GRILL GUARD INSERTS

SD 39006 GRILL GUARDS

X39006X	No HD Grl Grd Insrt		No Charge
715824	HD Grl Grd Insrt FML	9000261P30	\$335.00
	Heavy Duty Grill Guard Insert for Farmall		

HYDRAULICS

HOSE KITS

SD_20078 HOSE KIT

X20078X	No Hydraulic Hose Kit		No Charge
	If a hose kit is not listed below for the specific tractor,		
	please refer to CNHi Parts to order the items needed		
	to complete the loader installation.		
713757	HOSE KIT 2 FCN IND C	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Tier 4 B/Final Farmall 65C, 75C, 90C, 100C, 110C, and 120C		
713709	HOSE KT SNGL FF CPLR	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Farmall 65C and 75C Flat Deck (Ankara)		
713622	HOSE KIT UT MED SING	9000452P40	\$580.00
	2 Function Hose Kit (for Tractors with MMV)		
	for Tier 4A Farmall 85C, 95C, 105C, 115C		

OTHERS

SD_20056 3RD FUN DIVERTR VLV		
X20056X No 3rd function diverter valve	No Ch	arge



L575 FRONT LOADER US PRICE LIST

/Ev	Morks	Nearest	Donot\
(IIIX	VVOIKS	Nearest	Denon

713719	3RD FUNC DIV 713719	9000794P82	\$1,019.00
	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL		
	Provides solenoid valve which diverts oil flow from the bucket		
	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		
713733	3RD FUNC DIV MSL	9000794P82	\$1,019.00
	Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - MSL		
	Provides solenoid valve which diverts oil flow from the bucket		
	circuit to operate front-mounted hydraulic implements		
	(Grapple, Bale Squeeze, etc.).		
	Utility Farmall A (50A, 60A, 70A) tractors also require		
	713759 (006) - Diverter Valve Wire Harness Kit.		
	If any tractor is NOT Complete Loader Ready, requires		
	464148 (006) - Electrical Interface Kit.		

SD N6014 SOFTRIDE OPTION

7	XN6014X	No Soft Ride Kit		No Charge
	730755	Soft Ride 730755	9000614P64	\$788.00
		Soft Ride - Basic Kit		
		Provides loader cushioning/shock absorption		
		(Manual ON/OFF operation)		

SD_N6016 ELECT HANDLE KIT

	XN6016X	No Electric Handle Kit	No Charge
	464148	ELECTRIC HANDLE SET	TBD
		Electrical Interface Kit for Electrical Controlled Loader Options	1
		(Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)	
1 1		for tractors NOT ordered Complete Loader Ready.	
		Provides connection to 12V power and ground circuits and	
		harness connectors for switches to activate loader options.	
1 1		Harness is installed at operator area and connects to loader	
		connection point on right hand side of engine compartment.	

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021	BO	LT ON GRAPPLE KIT	
Voor	104V	No Dell on Connels II	CTA.

X29021X	No Bolt on Grapple Kit	

No Charge



1575 FRONT LOADER

	(Ex Works Nearest Depot)		
716983	Bolt on Grapple Kit	9002457P00	\$3,150.00
	"Bolt-On" Standard Duty Grapple		
	For 73" or 83" Standard Duty buckets.		
	Only fits: 730403016, 730404016, 717417016, 717419016		
	Requires 3rd function to operate grapple.		
	Requires holes to be drilled in bucket to allow brackets to bolt on.		
SD_K5230 BU	CKET		
	No Bucket		No Charge
730890	84" Std Material Bucket SSL	9000786P24	\$1,008.00
, , , ,	Skid Steer Style QA	5555155121	4 1,00010
	0.59 yd³ struck capacity, 0.71 yd³ heaped capacity	li li	
	(Not Compatible with Bolt-on Grapple)		
730848	84" Std Material Bucket EUR	9000786P24	\$1,008.00
7 00010	Euro Style QA	0000700124	Ψ1,000.00
	.71 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
	(Not compatible with Bott on Grapho)		
SD_N5242 72	NCH MATERIAL BUCKET		
XN5242X	No 72 Inch Material Bucket		No Charge
730889	72" Std Material Bucket SSL	9000677P04	\$868.00
	Skid Steer Style QA		
	0.51 yd³ struck capacity, 0.61 yd³ heaped capacity		
	(Not Compatible with Bolt-on Grapple)		
730847	72" Std Material Bucket EUR	9000677P04	\$868.00
	Euro Style QA		
	.61 cu yd.		
	(Not Compatible with Bolt-on Grapple)		
SD N5244 73'	STD QA BUCKETS		
	No 73" Std Mat bucket		No Charge
730403	73" Std Mat bucket 730403	9001021P02	\$1,309.0
	CORE - SSL Style - 73" 21 cu. ft. standard material		
	bucket 0.63 yd struck capacity, 0.78 yd heaped		
	capacity 730403006		
	(Compatible with 716983-Bolt-On Standard Duty Grapple)		
717417	73" Std Mat bucket Euro Style	9000932P88	\$1,196.00
	CORE - Euro Style 73" Standard material bucket 0.63 yd struck		
	capacity, 0.78 vd. heaped capacity	li li	
	(Compatible with 716983 - Bolt-On Standard Duty Grapple)		
			
	MATERIAL BUCKET QA		
XN5252X	No 83" Std Mat bucket		No Charge
730404	83" Std Mat bucket SSL style	9001157P52	\$1,484.0
	CORE SSL Style - 83" 24 cu. ft. Standard Material Bucket		
1	0.72 yd struck capacity, 0.89 yd heaped capacity		

(Compatible with 716983 - Bolt-On Standard Duty Grapple)



L575 FRONT LOADER US PRICE LIST

/Ev	Morke	Nearest	Danati
IEX	VVUIKS	nearest	DEDON

	717419	83" Std Mat bucket Euro Styl	9001057P68	\$1,356.00
		CORE - Euro Style 83" Standard material bucket 0.72 yd struck		
		capacity, 0.89 yd. heaped capacity		
		(Compatible with 716983 - Bolt-On Standard Duty Grapple)		

BALE HANDLING

SD_N5343 BALE FRK WITH BACK STOP

XN5343X	No Bale Fork w_Back Stop		No Charge
730842	Bale Fork w_Back Stop	9001083P42	\$1,389.00
	Standard Square Bale Fork - SSL Style		
	Includes 2 Tines - Adjustable Spacing from 31.5" to 51"		
	(Up to 5 Tines can be installed)		
730843	Bale Fork w_Back Stop EUR	9001083P42	\$1,389.00
	Standard Square Bale Fork - EURO Style		
	Includes 2 Tines - Adjustable Spacing from 31.5 to 51		
	(Up to 5 Tines can be installed)		

SD_N5501 BALE SPEAR

		XN5501X	No bale spear		No Charge
1	Y	713805	BALE SPEAR 713805	9000877P50	\$1,125.00
1	2		Bale Spear for Skid Steer Style QA		
			1 long upper tine and 2 short lower tines maintains bale control		
		713806	BALE SPEAR 713806	9000877P50	\$1,125,00
			Bale Spear for Euro Style QA		
L			1 long upper tine and 2 short lower tines maintains bale control		

PALLET FORKS

SD_N5344 48IN FK 55W 2200 CP

 3D 143344 40	IN FR 55W 2200 CF		
XN5344X	NO 48IN FK 55W 2200		No Charge
713670	48IN FK 55W 2200 SSL	9000748P02	\$959.00
	SSL Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		
713669	48IN FK 55W 2200 EUR	9000748P02	\$959.00
	EURO Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity		

OTHER

SD_29016 BALLAST BOX

	1.0		 	
X	29016X	No Ballast Box - 2200 lbs.		No Charge
7	17506	Ballast Box - 2200 lbs.	9000821P34	\$1,053.00
		Ballasting box for 3-point hitch category II capacity		
		1924 lbs. for total maximum weight of 2200 lbs.		



(Ex Works Nearest Depot) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
ale Fork				
713721006	Bale Spear - Euro Style CORE EURO Style - Bale Spike (one long tine and one short tine maintains bale control)	135 LB	9000876P72	\$1,124.00
730843006	Bale Fork with Back Stop Euro Standard Square Bale Fork - EURO Style Includes 2 Tines - Adjustable Spacing from 31.5" to 51" (Up to 5 Tines can be installed)	181 LB	9001083P42	\$1,389.00
730842006	Bale Fork with Back Stop SSL Standard Square Bale Fork - SSL Style Includes 2 Tines - Adjustable Spacing from 31.5" to 51" (Up to 5 Tines can be installed)	198 LB	9001083P42	\$1,389.00
ucket Euro Quick	Attach			
730847006	72" wide material bucket Euro Euro Style QA .61 cu yd. (Not Compatible with Bolt-on Grapple)	390 LB	9000677P04	\$868.00
730848006	84" wide material bucket Euro Euro Style QA .71 cu yd. (Not Compatible with Bolt-on Grapple)	437 LB	9000786P24	\$1,008.00
717417006	73" wide 21 Cu. Ft. standard material CORE Euro Style - 73" Standard material bucket - 0.63 yd struck capacity, 0.78 yd, heaped capacity (Compatible with 716983 - Bolt-On Standard Duty Grapple)	401 LB	9000932P88	\$1,196.00
717419006	83" Wide standard material bucket CORE Euro Style - 83" Standard material bucket - 0.72 yd struck capacity, 0.89 yd heaped capacity. (Compatible with 716983 - Bolt-On Standard Duty Grapple)	505 LB	9001057P68	\$1,356.00
ucket Skid Steer 0	Duick Attach			
730889006	72" wide material bucket SSL Skid Steer Style QA 0.51 yd ³ struck capacity, 0.61 yd ³ heaped capacity (Not Compatible with Bolt-on Grapple)	390 LB	9000677P04	\$868.00
730890006	84" wide material bucket SSL Skid Steer Style QA 0.59 yd ³ struck capacity, 0.71 yd ³ heaped capacity (Not Compatible with Bolt-on Grapple)	437 LB	9000786P24	\$1,008.00
730403006	73" Wide 21 Cu Ft Std material bucket CORE SSL Style - 73" 21 Cu Ft Standard Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity. (Compatible with 716983 - Bolt-On Standard Duty Grapple)	401 LB	9001021P02	\$1,309.00
730404006	83" Wide 24 Cu Ft standard material bkt CORE SSL Style - 83" 24 Cu Ft Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. (Compatible with 716983 - Bolt-On Standard Duty Grapple)	505 LB	9001157P52	\$1,484,00



(Ex Works Nearest Depot)

Hose	Kits				
	713709006	HOSE KIT, SINGLE FLAT FACED COUPLERS T3, 2 Function Hose Kit (for Tractors with MMV) for Farmall 65C and 75C Flat Deck (Ankara)	26 LB	9000452P40	\$580,00
	713622006	Hose Kit - Jesi Utility T4 Single 2 Function Hose Kit (for Tractors with MMV) for Tier 4A Farmall 85C, 95C, 105C, 115C	26 LB	9000452P40	\$580.00
	713720006	HOSE KIT UTILITY 2 Function Hose Kit (for Tractors with MMV) for Farmall 50A, 60A, and 70A Tier 4	24 LB	9000452P40	\$580.00
	713757006	HOSE KIT 2FCN INDIVIDUAL COUPLERS 2 Function Hose Kit (for Tractors with MMV) for Tier 4 B/Final Farmall 65C, 75C, 90C, 100C, 110C, and 120C	23 LB	9000452P40	\$580,00
Hvdra	ulic Kit	9			
	713726006	HYD VALVE KIT 4 50/60/70 2 function mechanical (cable controlled) Loader Mounted Valve, Joystick, & Hose kit for Farmall 50A, 60A, and 70A Tier 4 B/Final and Discontinued Farmall 45A, 55A Tier 3	55 LB	9000914P16	\$1,172.00
þ	713714006	HYD VALVE KIT 2 2 function mechanical (cable controlled) Loader Mounted Valve, Joystick, & Hose kit. Farmall 65A and 75A Tier 3	55 LB	9000852P54	\$1,093.00
Mount	ting Kits				
	713702006	MOUNTING KIT - UTILITY LIGHT T4 TPS Mount Bracket Set for L565/L575 loader for Tier 4 Farmall 75C Flat Deck (Ankara) 2WD/MFD; and Discontinued Tier 3 Farmall 75C Flat Deck (Ankara) (Not compatible with Factory Installed brackets) (Only L565 Non Self-Leveling is approved for 2WD tractors)	516 LB	9001740P18	\$2,231.00
	713729006	MOUNTING KIT - UTILITY MEDIUM TPS Subframe Set for Tier 4 B/Final Farmall 90C, 100C, 110C, and 120C (Includes Grill Guard) (Not compatible with L600 Series Loader)	510 LB	9001740P18	\$2,231.00
	713619006	Subframe, Utility Medium 85/95/105hp TPS Subframe Set for Discontinued Tier 4A Farmall 85C, 95C, 105C, 115C "Flat Deck" tractors built in Ankara S/N = ZxJV0xxxx, and Tier 4A Farmall 85C, 95C, 105C, 115C "Flat Deck" with Hi-Lo tractors built in Jesi S/N = ZxJV1xxxx (Includes Grill Guard) (Not compatible with L600 Series Loader)	416 LB	9002317P38	\$2,971.00
	713693006	Jesi Utility T4 Complete TPS Subframe Set for Discontinued Tier 4A Farmall 85C, 95C, 105C "Platform" tractors built in Jesi S/N = ZxJX5xxxx (Includes Grill Guard) (Not compatible with L600 Series Loader)	379 LB	9002317P38	\$2,971.00



/Ev	Morke	Nearest	Danath

	713710006	MOUNTING KIT ECONOMY 713710 Farmall 45A and 55A Tier 3	350 LB	9001112P28	\$1,426.00
	713711006	MOUNTING KIT ECONOMY 713711 Farmall 65A and 75A Tier 3 Note: This option will not be available until after July 1, 2015. Please make sure your order request date corresponds to availability.	385 LB	9001101P36	\$1,412.00
	713722006	MOUNTING KIT ECONOMY 3 Farmall 50A, 60A, and 70A Tier 4	385 LB	9001112P28	\$1,426.00

Pallet Forks

713670006	48IN Fork 55IN Wide 2200 LB Cap SSL SSL Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb, capacity	270 LB	9000748P02	\$959.00
713669006	48IN FK 55W 2200 EURO EURO Style - Pallet Fork 48" long fork, 55" wide, 2,200 lb. capacity	270 LB	9000748P02	\$959,00

Diverter Valve Kits

713719036	3RD FUNCTION SERVICE KIT NSL Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL versions of L565 and L575 Provides solenoid valve which diverts oil flow from the bucket circuit to operate front-mounted hydraulic implements (Grapple, Bale Squeeze, etc.).	25 LB	9000794P82	\$1,019,00
713719026	3RD FUNCTION DIVERTER KIT Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - NSL versions of L545 and L555 Provides solenoid valve which diverts oil flow from the bucket circuit to operate front-mounted hydraulic implements (Grapple, Bale Squeeze, etc.). Utility Farmall A (50A, 60A, 70A) tractors also require 713759 (006) - Diverter Valve Wire Harness Kit. If any tractor is NOT Complete Loader Ready, requires 464148 (006) - Electrical Interface Kit.	25 LB	9000794P82	\$1,019.00
713733016	3RD FUNCTION DIVERTER VAL Diverter Valve Kit for 3rd Function Auxiliary Hydraulic Circuit - MSL versions of L545, L555, L565, and L575 Provides solenoid valve which diverts oil flow from the bucket circuit to operate front-mounted hydraulic implements (Grapple, Bale Squeeze, etc.). Utility Farmall A (50A, 60A, 70A) tractors also require 713759 (006) - Diverter Valve Wire Harness Kit. If any tractor is NOT Complete Loader Ready, requires 464148 (006) - Electrical Interface Kit.	30 LB	9000794P82	\$1,019.00

Grill Guards

1	71111	Judius				
Γ		715824136	Grill Guard	25 LB	9000261P30	\$335.00
- 1			Heavy-Duty Insert			



(Ex Works Nearest Depot)

Other	Equipment				
	716547056	Skid steer Q.A device Skid Steer Quick Attach Device Adapter (Euro to SSL) Allows SSL Style implements to connect to Euro Style loader QA	148 LB	9000772P20	\$990.00
Ballas	st Boxes				
	717506006	Ballasting box for 3-pt hitch Cat II Ballasting box for 3-point hitch category II capacity 1924 lbs. for total maximum weight of 2200 lbs.	276 LB	9000821P34	\$1,053.00
3olt-o	on Grapple Sta	andard Duty			
	716983046	Bolt-on Grapple "Bolt-On" Standard Duty Grapple For 73" or 83" Standard Duty buckets. Only fits: 730403006, 730404006, 717417006, 717419006 Requires 3rd function to operate grapple. Requires holes to be drilled in bucket to allow brackets to bolt on.	200 LB	9002457P00	\$3,150.00
ELEC	TRICAL ENTE	RFACE KITS			
	464148006	ELECTRIC HANDLE KIT Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.) for tractors NOT ordered Complete Loader Ready. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.	4 LB		No Charge
Electr	ric kits	***************************************			
	713759006	3RD FUNCTION HARNESS KIT Diverter Valve Wire Harness Kit Required for diverter valve operation for Farmall 50A, 60A, 70A with Complete Loader Ready option	1 LB	9000109P98	\$141.00
Soft R	Ride				
	730755016	SOFT RIDE Soft Ride - Basic Kit Provides loader cushioning/shock absorption (Manual ON/OFF operation)	11 LB	9000614P64	\$788.00
	4				
	713617006	Hydraulic Valve Set - 713617 2 function mechanical (cable controlled) Loader Mounted valve, joystick, & hose kit. For Farmall 70, 80, 90, 95; and Discontinued JX75, 80, 85, 90, 95 (Limited Inventory; please contact Dealer Sales Support)	80 LB	9001326P78	\$1,701.00
	713805006	BALE SPEAR 713805 Bale Spear for Skid Steer Style QA 1 long upper tine and 2 short lower tines maintains bale control	150 LB	9000877P50	\$1,125.00




(Ex Works Nearest Depot)

713806006	BALE SPEAR 713806	135 LB	9000877P50	\$1,125.00
	Bale Spear for Euro Style QA 1 long upper tine and 2 short lower tines maintains bale control			
717682006	Rear Brackets Farmall 70, 80, 90, 95, and discontinued JX75, 80, 85, 90, 95 (Limited Inventory; please contact Dealer Sales Support)	124 LB	9000564P72	\$724.00
730408006	Front Subframe 730408006 Front mounting brackets Farmall 70/80 2WD/4WD (Limited Inventory; please contact Dealer Sales Support)	397 LB	9001740P18	\$2,231.00

Mid Mount Valve (MMV) Kits

(alid faloutit AdiAc (minta) Litto				
Tractor Application	Description	Kit Part Number		
	Kits are ordered from CNHI Parts			
For Farmall 50A, 60A, 70A Tier 4 B/Final Tractors	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	731047012		
For Farmall 65C, 75C Tier 4A Flat Deck Tractors (Prior to November 2017)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124261		
For Farmall 65C, 75C Tier 4A Flat Deck Tractors (November 2017 and After)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124475		
For Farmall 90C, 100C, 110C, 120C Tier 4 B/Final Tractors (Erenler)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124720		
For Farmall 90C, 100C, 110C, 120C with Hi-Lo Tier 4 B/Final Tractors (Jesi)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124720		



Mid Mount Valve (MMV) Kits

Tractor Application	Description	Kit Part Number
	Kits are ordered from CNHI Parts	
For Farmall 50A, 60A, 70A Tier 4 B/Final Tractors	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	731047012
For Farmall 65C, 75C Tier 4A Flat Deck Tractors (Prior to November 2017)	2 Function Mechanical Mid-Mount Valve and Joystick Kif (Requires hose kif)	719124261
For Farmall 65C, 75C Tier 4A Flat Deck Tractors (November 2017 and After)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Regulres hose kit)	719124475
For Farmall 90C, 100C, 110C, 120C Tier 4 B/Final Tractors (Erenler)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124720
or Farmall 90C, 100C, 110C, 120C with Hi-Lo Tier 4 B/Final Tractors (Jesi)	2 Function Mechanical Mid-Mount Valve and Joystick Kit (Requires hose kit)	719124720



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.