

Current Date 03Jan2020

325G COMPACT TRACK LOADER

Equipment for Base Machine 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 20 Gallon (76 L) Fuel Tank Final Drive System and Undercarriage: 1-speed transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 12.6 in (320) mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake Gauges and Instruments: Key start ignition & electronic rotary throttle Fuel Gauge

Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes Indicator Warning Lights: **Battery Not Charging** Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged Air Filter Restriction Hydraulic Oil Filter Restriction Lap Bar Switch Seat Switch Door Open Switch **Engine Preheat** Low Engine Oil Pressure Automatic Engine Preheat Electrical: 12-Volt Electrical Battery 750 cca w/150 minute reserve capacity Alternator 70 Amp Halogen Work Lights, 2 Front and 1 Rear Programmable courtesy lighting shutoff system Hydraulics: 3-Spool Open Center Valve System Pressure 3450 psi 5 Micron Hydraulic Filter John Deere Boom & Bucket Cylinders w/Cushioned Boom Connect-under-pressure auxiliary hydraulic couplers Loader Arm, Bucket, & Auxiliary Hydraulic Lockout Auxiliary Hydraulics Lock-out

Tipping Load 7,400 lbs. (3,357 kg)Hydraulic Pump Flow 18 gpm (68 L/m) Travel Speed-Low 6.2 mph (10 km/h)Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)Boom Breakout Force 5,250 lbs. (2,384 kg) Tractive Effort - 8,500 lbf (3,859 kgf)Width without Attachment 71.8 in. (1.82 m) Length without Attachment 112 in. (2.85 m) Height to Top of ROPS 80.6 in. (2.05 m) Height to Hinge Pin 125.5 in. (3.19 m)Machine Operating Weight 9,440 lbs. (4,286) Operator Protection/Comfort: FOPS / ROPS Roll-Guard with Side Screens In-Cab Boom Lockout System Adjustable Interlocking Operator Presence Lap Bar System Retractable Seat Belt Rearview mirror Back-up Alarm Horn Deluxe Headliner 12V power port Cell Phone cargo net storage Interior Dome Lighting Cup Holder Itrigal Grab Handles for Easy Entry / Exit Top and Rear Windows Water Shedding Deluxe

Engine Coolant Temperature Operator Selectable LCD Digital Readout:

Override
Boom Float

Performance Characteristics: Gross Horsepower 74 Hp

(54.8 Kw)

Rated Operating Capacity 2,590 lbs. (1,176 kg)

Seating

Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease

required) Warranty:

John Deere 2 years/2000

hours

Required - You must select one from each category

BASE MACHINE

F.O.B. Dubuque, Iowa

Description Code Price 325G COMPACT TRACK LOADER 00D0T \$59,711.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description Code Price Standard Compact Track Loader 0800 No Added Cost

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS 0846 (\$20.00)

Package includes:

EH (ISO Pattern) Joystick Controls (0950)

Single-Speed (1025)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics (3000)

2 in. Seat Belt (4000)

Manual Quik-Tatch (5000)

Canopy - ROPS / FOPS (5200)

Standard Lighting Package (5500)

Mechanical Suspension Seat (Vinyl) (6001)

Standard Fan Drive (6500)

Utility Package with E-H (ISO Pattern) Joysticks

0861 (\$583.00)

Package includes:

E-H (ISO Pattern) Joystick Controls (0950)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Wide Zig-Zag Bar Track - 15.8 in. (2645)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

2-Inch Seat Belt (4000)

Power Quik-Tatch (5001)

Canopy - ROPS / FOPS (5200)

Standard Lighting Package (5500)

Vinyl, Air-Ride Seat (6003)

Standard Fan Drive (6500)
Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H 0871 (\$1,551.00) Pattern Switchable) and Performance Package

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Wide Zig-Zag Bar Track - 15.8 in. (2645)

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Reversing Fan Drive (6501)

Rear View Camera (8042)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks 0867 (\$978.00)

Package includes:

E-H (ISO Pattern) Joystick Controls (0950)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Standard Lighting Package (5500)

Air Suspension Seat (Cloth with Heat) (6006)

Standard Fan Drive (6500)

Radio, AM/FM with Bluetooth (8342)

Keyless Start (Sealed Switch Module) (8395)

FT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO 0888 (\$1,392.00) or H Pattern Switchable) and Performance Package

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Standard Fan Drive (6500)

Rear View Camera (8042)

Cold Start Package (8050)

Chrome Exhaust (8225)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

Bid Term: 2/20/19 - 2/19/21

FT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow 0889 (\$1,650.00) Hydraulics, E-H (ISO or H Pattern Switchable) and Performance P

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Reversing Fan Drive (6501)

Rear View Camera (8042)

Cold Start Package (8050)

Chrome Exhaust (8225)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description Code Price Engine - Turbocharged 1301 \$2,718.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards

Yamnar 4TNV98CT 3.3L

4 Cylinder Turbo-Charged

74 Gross hp (54.8 kW)

70 Net hp (52.5 kW)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	\$849.00

CANOPY OR CAB

Description Canopy - ROPS / FOPS	Code 5200	Price No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,574.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,822.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

SEAT

	Description Mechanical Suspension Seat (Vinyl)	Code 6001	Price No Added Cost
-	Vinyl, Air-Ride Seat	6003	\$462.00
_	Air Suspension Seat (Cloth with Heat)	6006	\$639.00
	For use with Cab 5204.		
~	SEAT BELT		
	Description	Code	Price
	2-Inch Seat Belt	4000	No Added Cost
		,,,,,	
_	For use with Canopy - ROPS / FOPS (5200).		
	2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
	For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
_	3-Inch Seat Belt with Shoulder Harness	4003	\$271.00
_	CONTROLS		
	Description	Code	Price
	E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
_	ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
	Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode		
	Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
~	TRANSMISSION		
	Description	Code	Price
	SINGLE-SPEED	1025	No Added Cost
	TWO-SPEED	1050	\$2,079.00
_	HYDRAULICS		
		0 - 1	5 .
	Description Standard Undraulies	Code	Price
	Standard Hydraulics	3000	No Added Cost
_	Pump Flow = 19 gpm		
	Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$588.00

	Pump Flow = 19 gpm		
	Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	\$1,278.00
	Pump Flow = 19 gpm		
	High Flow Hydraulics	3002	\$1,871.00
	Pump Flow = 27 gpm		
	Includes 1/2 in Auxiliary coupler sizes.		
	High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	\$3,127.00
~	TRACK		
	Description	Code	Price
	Offset Block Lug Tread Pattern - 12.6 in. (320 mm) Tracks	2500	No Added Cost
	Provides 71.5 in. machine width.		
	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	\$205.00
	Provides 71.5 in. machine width.		
_	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks	2600	\$1,462.00
	Provides 74.7 in. machine width.		
-	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	\$1,667.00
	Provides 74.7 in. machine width.		
₩	OPERATOR'S MANUAL AND DECALS		
	Description	Code	Price
	English Operator's Manual & Decals	1501	No Added Cost
	For use with FT4 Engine		
	French Operator's Manual & Decals	1510	No Added Cost
	For use with FT4 Engine		
	Spanish Operator's Manual & Decals	1515	No Added Cost
	For use with FT4 Engine		
-	English Operator's Manual & No Text Decals	1503	No Added Cost
	Not for Canada For use with IT4/Stage IIIB Engine		
-	French Operator's Manual & No Text Decals	1512	No Added Cost
	Not for Canada For use with IT4/Stage IIIB Engine		
	Spanish Operator's Manual & No Text Decals	1516	No Added Cost
	Not for Canada		

For	use	with	IT4/S	Stage	IIIB	Engi	ne
ING							

	Tor doc warring ago in 2 Engine		
~	LIGHTING		
	Description	Code	Price
	Standard Lighting Package	5500	No Added Cost
	Includes 2 front halogen work headlights and rear work light.		
	Deluxe Lighting Package	5550	\$920.00
	Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		
_	QUIK-TATCH		
	Description	Code	Price
	Manual Quik-Tatch	5000	No Added Cost
	Power Quik-Tatch	5001	\$740.00
~	JDLINK		
	Description	Code	Price
	JDLink Ultimate 5 Year Subscription	170C	\$1,513.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	Less JDLink	1741	No Added Cost
Opt	ional - Select as desired		
_	COLD START PACKAGES		
	Description	Code	e Price
	Cold Start Package	8050	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		
~	EXHAUST		
	Description	Code	e Price
	Chrome Exhaust	8225	\$335.00
~	AIR PRE-CLEANER		
	Description	Code	e Price

	Engine Air Precleaner	8060	\$465.00
RA	ADIO		
	Description	Code	Price
	Radio, AM/FM with Bluetooth	8342	\$614.00
МІ	RADIO Description		
	Description	Code	Price
	Mirror (mount on boom)	8355	\$89.00
FL	OOR MAT		
	Description	Code	Price
	Foot Rest with Floormat	8380	\$147.00
	For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
KE	YLESS START		
	Description	Code	Price
	Keyless Start (Sealed Switch Module)	8395	\$408.00
	Includes: programmable machine security code system		
RE	AR CAMERA		
	Description	Code	Price
	Rear View Camera	8042	\$869.00
	Includes 5" LCD monitor.		
CC	DUNTERWEIGHT		
	Description	Code	Price
	Counterweight, Stackable (Single Set)	8300	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Second Set)	8305	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Third Set)	8310	\$357.00
	Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		

EXPORT CODES