

Current Date 03Jan2020

330G SKID STEER

330G Base Equipment Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm Tri-Cool Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel 26 Gallon (97 L) Fuel Tank Final Drive System and Undercarriage: 2-Speed Transmission Servo Axial Piston **Hydrostatic Pumps** Radial Piston Hydrostatic Motors Four Wheel Drive Four 100 HD continuous loop chain drive Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:
Keyless Start Sealed Switch
Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage

Configuration Codes Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged Air Filter Restriction Hydraulic Oil Filter Restriction Lap Bar Switch Seat Switch Door Open Switch **Engine Preheat** Low Engine Oil Pressure Automatic Engine Preheat Electrical: 12-Volt Electrical Battery 925 cca w/150 minute reserve capacity Alternator 70 Amp Halogen Work Lights, 2 Front and 1 Rear Programmable courtesy lighting shutoff system Hydraulics: 3-Spool Open Center Valve System Pressure 3450 psi 5 Micron Hydraulic Filter John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure
auxiliary hydraulic couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
system
Auxiliary Hydraulics Lock-out
Override
Boom Float
Performance Characteristics:

Gross Horsepower 90 Hp (67 Kw)
Rated Operating Capacity

Machine Operating Weight 9,950 lbs. (4,517 kg) Travel Speed Low 7 mph (11.3 km/h)Travel Speed High 12 mph (19.3 km/h) Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)Boom Breakout Force 6,000 lbs. (2,724 kg) Width without Attachment 78 in. (1.98 m) Length without Attachment 122 in. (3.10 m) Height to Top of ROPS 86.3 in. (2.19 m) Height to Hinge Pin 132 in. (3.35 m)Machine Operating Weight 9,950 lbs. (4,517 kg) Operator Protection/Comfort: FOPS / ROPS Roll-Guard with Side Screens In-Cab Boom Lockout System Adjustable Interlocking Operator Presence Lap Bar System Retractable Seat Belt Rearview Mirror Back-up Alarm Horn Deluxe Headliner

Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy
Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Seating

Cell Phone cargo net storage

12V power port

Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes 3,000 lbs. (1,362 kg) Tipping Load 6,000 lbs. (2,724 kg) Hydraulic Pump Flow 24 gpm (91 L/m) Convenient Tie Downs Attachment Coupler: John Deere patented Quik-Tatch system (no grease required) Warranty: John Deere 2 years/2000 hours

Required - You must select one from each category

BASE MACHINE

F.O.B. Dubuque, Iowa

Description Code Price 330G SKID STEER 0BC0T \$55,118.00

VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
Standard Skid Steer	0800	No Added Cost

Note: Includes standard equipment.

Utility Package With ISO Pattern Joystick Controls 0816 (\$522.00)

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 2 in. Seat Belt (4000)
- * Power Quik-Tatch (5001)
- * Canopy ROPS / FOPS (5200)
- * Standard Lighting Package (5500)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)

Deluxe Cab Package With ISO-H Switchable Controls and 0821 (\$1,442.00) EH Joystick Performance Package

Package includes:

- * ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Galaxy Hulk (2450)
- * Standard Base Hydraulics (3000)
- * Ride Control and Hydrulic Self-Lével Up (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Deluxe Lighting Package (5550)
- * Air Suspension Seat (Cloth with Heat) (6006)
- * Standard Fan Drive (6500)

- * Rear View Camera (8042)
- * Radio, AM/FM with Bluetooth (8342)
- * Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow

0826

(\$1,794.00)

Package includes:

- * ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Galaxy Hulk (2450)
- * High Flow Hydraulics (3002)
- * Ride Control and Hydrulic Self-Level Up (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Deluxe Lighting Package (5550)
- * Air Suspension Seat (Cloth with Heat) (6006)
- * Reversing Fan Drive (6501)
- * Rear View Camera (8042)
- * Engine Air Precleaner (8060)
- * Radio, AM/FM with Bluetooth (8342)
- * HD Rear Grille (8370)
- * Foot Rest with Floormat (8380)

ENGINE

Description

Code

Price

Engine - Turbocharged

1301

\$2,897.00

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV94FHT 3.1L 4 Cylinder Turbo-Charged 91.2 Gross hp (67.1 kW) 87 Net hp (65.0 kW)

Belt with Shoulder Harness (4003)

ENGINE FAN

Description	Code	Price
Standard Fan Drive	6500	No Added Cost
Reversing Fan Drive	6501	\$849.00

CANOPY OR CAB

Description Canopy - ROPS / FOPS	Code 5200	Price No Added Cost
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,574.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,822.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat		

_	SEAT		
	Description	Code	Price
	Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
	Air Suspension Seat (Cloth with Heat)	6006	\$639.00
	For use with Cab 5204.		
	Vinyl, Air-Ride Seat	6003	\$462.00
_	SEAT BELT		
	Description	Code	Price
	2-Inch Seat Belt	4000	No Added Cost
	For use with Canopy - ROPS / FOPS (5200)		
	2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
	3-Inch Seat Belt with Shoulder Harness	4003	\$271.00
~	CONTROLS		
	Description	Code	Price
	E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
_	ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
	Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode		
	Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
-	4-Way Switchable Controls and EH Joystick Performance Package	0993	\$2,234.00
	Includes Four-way Switchable Controls between EH Foot Control, ISO Joystick Control, H-Pattern Joystick control, or ISO & Foot Control modes.		
	Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
_	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	\$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout

*Requires code 5001 - Power Quick-Tatch

HYDRAULICS

RIDE

Standard Hydraulics 3	No Added Cost
Pump Flow = 23.5 gpm	
High Flow Hydraulics 3	\$1,871.00
Pump Flow = 36.5 gpm.	
Includes 1/2 in Auxiliary coupler sizes.	
CONTROL	
Description	ode Price
Ride Control 3	\$100 \$1,278.00
And Hydraulic Self-Level Up.	

3101

3102

No Added Cost

\$690.00

*Requires code 0995 - ISO-H Switchable Controls with EH Joystick Performance Package and EH Boom Performance Package

Ride Control for EH Boom Performance Package

OPERATOR'S MANUAL AND DECALS

Less Ride Control

SECURE EXTENDED WARRANTY

Commercial, Rental, Governmental, and Severe Duty SECURE Extended Warranty Coverage options are available. For details please consult CWP Pathways or call (563)589-6149.

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		

	French Operator's Manual and Decals	1510	No Added Cost
	For use with FT4 Engine.		
	French Operator's Manual and No Text Decals	1512	No Added Cost
	Not for Canada. For use with IT4/Stage IIIB Engine.		
	Spanish Operator's Manual and Decals	1515	No Added Cost
_	For use with FT4 Engine.		
~	QUIK-TATCH		
	Description	Code	Price
	Manual Quik-Tatch	5000	No Added Cost
-	Power Quik-Tatch	5001	\$740.00
~	LIGHTING		
	Description	Code	Price
	Standard Lighting Package	5500	No Added Cost
	Includes 2 front halogen work headlights and rear work light.		
	Deluxe Lighting Package	5550	\$920.00
	Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.		
_	WHEELS AND TIRES		
	Description	Code	Price
	12x16.5 10 PR Titan HD2000-II	2070	\$2,147.00
	Provides 73.2 in. Skid Steer width		
	12x16.5 Treaded Brawler SolidFlex	2410	\$4,300.00
	Provides 73.3 in. Skid Steer width Not Compatible with Tracks		
	14x17.5 14 PR Titan HD2000-II	2320	\$3,435.00
	Provides 78.5 in. Skid Steer width Not compatible with Steel Tracks.		
	14x17.5 Treaded Brawler SolidFlex	2420	\$5,825.00
	Provides 73.5 in. Skid Steer width Not Compatible with Steel Tracks.		
	14x17.5 14 PR Galaxy Hulk	2450	\$3,950.00
_	Provides 77 in. Skid Steer width Not compatible with Steel Tracks.		
	12x16.5 12 PR Galaxy Hulk	2440	\$2,470.00
	Provides 62.5 in. Skid Steer width		

	12 X 16.5 NHS, CAMSO SKS	2315	\$1,644.00
	Provides 69.5 in. Skid Steer width		
_	14 X 17.5 NHS, CAMSO SKS	2335	\$2,950.00
	Provides 77.5 in. Skid Steer width		
~	JDLINK		
	Description	Code	Price
	JDLink Ultimate 5 Year Subscription	170C	\$1,513.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	Less JDLink	1741	No Added Cost
Opt	ional - Select as desired		
_	COLD START PACKAGES		
	Description	Code	Price
	Cold Start Package	8050	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater		
₩	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	8225	\$335.00
~	AIR PRE-CLEANER		
	Description	Code	Price
	Engine Air Precleaner	8060	\$465.00
~	RADIO		
	Description	Code	Price
	Radio, AM/FM with Bluetooth	8342	\$614.00
~	FLOOR MAT		
	Description	Code	Price
	Foot Rest with Floormat	8380	\$147.00
	For use with E-H (ISO Pattern) Joystick Controls (0950).		

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

	Joystick Controls (0975).		
~	REAR CAMERA		
	Description	Code	Price
	Rear View Camera	8042	\$869.00
	Includes 5" LCD monitor.		
-	ONBOARD GRADE INDICATION		
	Description	Code	Price
	On-board Grade Indication	8500	\$1,534.00
	Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).		
	COUNTERWEIGHT		
	Description	Code	Price
	Counterweight, Stackable (Single Set)	8300	\$357.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Second Set)	8305	\$357.0
	Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
	Counterweight, Stackable (Third Set)	8310	\$357.0
	Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
,	EXPORT CODES		
	Description Code		Pric
7	GRILLE		
	Description	Code	Pric
	HD Rear Grille	8370	\$497.0
	Provides protection to cooling package.		
-	WARNING LIGHTS		
	Description	Code	Pric
	Hazard Warning Lights	8075	\$163.0
7	BUCKETS		
	See Attachments for Multi-Purpose Buckets		
	Description	Code	Pric
	78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,313.00

	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,530.00
	78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,545.00
_	78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,301.00
-	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,530.00
-	84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,469.00
-	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,625.00
-	84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,653.00
-	84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,377.00
-	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,714.00
_	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	9325	\$1,474.00
	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	9327	\$1,788.00
	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	9332	\$1,828.00
	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	e 9342	\$2,171.00
	90 in. Light Materials Bucket (53.9 cu. ft.)	9425	\$2,856.00
•	RUST PROTECTION		
	Description	Code	Price
	Rust Preventative	9909	\$163.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention	1.	
~	DEALER-INSTALLED KITS		
	Description <u>Buckets</u>	Code	Price
_	84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,469.00
	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,625.00
	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	BYT10849	\$2,171.00
	84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,653.00
	84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,377.00
_	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,714.00
_			

90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	\$2,856.00
Kits & Accessories		
Attachment Control	BYT10917	\$454.00
Beacon Warning Light	BYT10048	\$326.00
Block Heater Kit	AT439115	\$114.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$351.00
Must have the 14 pin attachment connector already installed.		
Boom-Mounted Hose Guide Kit	AT436025	\$102.00
[E-series] [G-series: 320G - 333G]		
Counterweight, Stackable (Single Set)	AT348835	\$363.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10041	\$918.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$605.00
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls.		
Field Kit, Reversing Fan	BYT10356	\$851.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10039	\$173.00
Foot Throttle Removal Kit	AT410246	\$53.00
HD Rear Grille	BYT10058	\$605.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	\$130.00
High Spring Effort Joysticks	AT433683	\$781.00
Joystick Pod Mounted Throttle	AT419446	\$155.00
On-Board Grade Indication	BYT10767	\$1,530.00
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).		
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$587.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10051	\$867.00

SMV Sign	BYT10059	\$79.00
Severe Duty Door	BYT10226	\$3,138.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$173.00
Standard Door	BYT10227	\$1,051.00
Miscellaneous		
Backhoe Attachment Mounting Kit	AT466358	\$121.00
Engine Air Pre-Cleaner Kit	AT439117	\$466.00
Single Point Lift System	AT469520	\$2,122.00
Tooth Bars		
78 in. Tooth Bar - 8 Teeth	KV12296	\$570.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$819.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$694.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$844.00
Wheels & Tires, Four		
12x16.5 10 PR Titan HD2000-III	KV14674	\$1,853.00
12x16.5 NHS CAMSO SKS	BYT10899	\$1,609.00
14x17.5 14 PR Titan HD2000-III	KV21892	\$3,018.00
14x17.5 NHS CAMSO SKS	BYT10901	\$2,466.00
Wheels & Tires, Single (Left H& Only)		
14x17.5 14PR Galaxy Hulk, Left	AT446729	\$941.00
Wheels & Tires, Single (Right H& Only)		
12x16.5 10 PR Titan HD2000-III	KV23689	\$477.00
12x16.5 NHS CAMSO SKS	BYT10898	\$404.00
14x17.5 12 PR SKS Extra-Wall	BYT10900	\$627.00
14x17.5 14 PR Titan HD2000-III	KV23691	\$768.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	\$941.00

REFERRAL ATTACHMENTS

Description	Code	Price
<u>G.r.mfg.</u>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Bottom Covers & Reinforcement Plates	BYT10945	\$402.00
Bucket Cylinder Rod Guard	BYT10913	\$460.00
Bucket Cylinder Rod Guard	BYT10947	\$460.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,356.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	\$342.00
Guard, Cab Roof Debris	BYT10263	\$121.00
Guard, Chassis Bottom Cover Plates	BYT10262	\$378.00
Guard, Front Single and Dual Rear Worklights	BYT10259	\$218.00
Guard, Rear Bumper	BYT10261	\$1,402.00
Level II FOPS Plate	AT445276	\$681.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	BYT10948	\$380.00
Light Guard Kit	BYT10946	\$270.00
Protection Package	BYT10942	\$4,842.00
Rear Winch Kit	BYT10912	\$11,756.00
Not compatible with S/N: 340405+ contact GR Mfg.		
Rear Window/Side Window Cab Guards	BYT10258	\$692.00
Screens, Sides and Rear	BYT10944	\$846.00
Severe Duty Forestry Package	BYT10264	\$4,842.00
Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe Duty Door. Requires factory code 8370 - HD Rear Grille.		
Toe Guard and Door Upgrade Kit	AT372950	\$565.00
Required to meet ISO 8084 Forestry Applications		