

CATERPILLAR MACHINE PRICE LIST

257D

257D MULTI TERRAIN LOADER HRC
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.3B diesel engine
 -Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
 -EPA Tier 4f and EU Stage IIIB
 Certified with aftertreatment
 -Electric fuel priming pump
 -Glow plugs starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, cartridge type, fuel
 and water separator
 Radiator / hydraulic oil
 Cooler (side-by-side)
 Spring applied, hydraulically released,
 Parking brakes
 Hydrostatic transmission

UNDERCARRIAGE

Rubber track 381mm (15 in)
 Suspension - independent torsion axles
 One speed travel

HYDRAULICS

Standard flow auxiliary hydraulics with
 Continuous flow
 CONTROLS:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 Transmission control

ELECTRICAL

12 volt electrical system
 80 ampere alternator
 Ignition key start / stop / aux switch
 Lights:
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator output
 -Armrest raised / operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Glow plug activation
 -Hydraulic filter restriction
 -Hydraulic oil temperature
 -Park brake engages

-Engine emission system
 Gauges: fuel level and hour meter
 Storage compartment with netting
 Adjustable vinyl seat
 Ergonomic contoured armrest
 Adjustable joystick controls
 Control interlock system, when operator
 Leaves seat or armrest raised:
 -Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS cab, open, tilt up
 Anti-theft security system w/6-button
 keypad
 FOPS, Level I
 Top and rear windows
 Floor mat
 Interior rear view mirror
 12V electric socket
 Horn
 Hand (dial) throttle, electronic

FRAMES

Lift linkage, vertical path
 Chassis, one piece welded
 Machine tie down points (4)
 Belly pan cleanout
 Support, lift arm
 Rear bumper, welded

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Coupler, mechanical
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat tough guard hose
 Heavy duty flat faced quick disconnects
 with integrated pressure release
 Split D-ring to route work tool hoses
 Along side of left lift arm
 Hydraulic demand cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007
 Rated operating capacity:
 At 50% tipping load
 -2800 lb (1270 kg)
 At 35% tipping load
 -1960 lb (889 kg)

CATERPILLAR MACHINE PRICE LIST

257D

257D MULTI TERRAIN LOADER HRC SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order Management program

527-3510	257D MTL DCA2 0 LANE 1 - AVAILABLE FROM SANFORD PDC	\$76,110
-----------------	---	-----------------

INCLUDES:

388-8257 257D MTL TIER 4 FINAL HRC
 421-0340 CONVERSION ARRANGEMENT
 563-1163 CERTIFICATION ARR, P65
 467-8083 PACKAGE, PERFORMANCE, (H2)
 485-0412 CONTROL, ISO, PROP, WT
 388-8133 RUBBER BELT, 2 SPEED
 422-3288 RIDE CONTROL, NONE
 345-6160 ROPS, ENCLOSED WITH A/C (C3)
 345-6359 SEAT,AIR SUSPENSION,CLOTH,HEAT
 435-9240 DOOR, CAB, GLASS
 465-3706 DISPLAY, ADVANCED, LCD
 486-6956 FAN, COOLING, DEMAND
 515-8584 QUICK COUPLER, HYDRAULIC
 345-6175 RADIO READY
 258-4095 SEAT BELT, 2"
 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL
 345-3556 HEATER, ENGINE COOLANT, 120V
 491-6680 BATTERY, HEAVY DUTY, DISC
 495-1672 LIGHTS, HALOGEN

NOTE: Please refer to the Lane 1 section to complete your order.

388-8257	257D MTL TIER 4 FINAL HRC 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY Available for AM-N, Europe, Turkey, Israel & Puerto Rico	\$63,090
-----------------	--	-----------------

0P-2738	257D MISC MATERIAL SANFORD 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	NC
----------------	--	-----------

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

(MUST CHOOSE ONE FROM EACH CATEGORY)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001 LANE 1 ORDER 0 NC

WARNING DECALS

L 388-8033 INSTRUCTIONS, ANSI, USA 0 NC
This package includes picto decals as required for USA.
L 422-3223 INSTRUCTIONS, ISO 0 NC
This package includes picto decals as required for all countries
except USA.

PRODUCT LINK

L 441-4818 PRODUCT LINK, CELLULAR PL240 0 NC
Product Link Basic series PL240 offers expanded coverage including
3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks
to transmit hour and location informatin for viewing in Product Link's
remote monitorin web interface. The data is updated up to 4 times per
day while the engine is running.
ONLY FOR USE WITH: US Dealers
L 515-3153 PRODUCT LINK, CELLULAR PL240 0 NC
Product Link Basic series PL240 uses cellular networks to transmit
hour and location information for viewing in Product Link's remote
monitoring web interface. Cellular technology provides capabilities
for frequent data transmission.
ONLY FOR USE WITH: Canada

SERVICE INSTRUCTIONS

421-8926 SERIALIZED TECHNICAL MEDIA KIT 0 NC
The technical media kit will include the Operations & Maintenance
Manual (OMM) and other media specified on the Factory Notification
List required to ship products from the manufacturing facility. Kit
may contain multiple Operation & Maintenance Manuals (OMM) based on
the final country of destination. Contents will vary.
Any additional media or translations not included in the kit, should
be ordered through publications.cat.com

PACKING

OP-1176 CAROLINA CDC - - AVAILABILITY 0 \$1 NET

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION 0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

CONVERSION ARRANGEMENTS

L	421-0340	CONVERSION ARRANGEMENT	0	NC
---	----------	----------------------------------	---	----

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163	CERTIFICATION ARR, P65	0	NC
		REQUIRED for US		

WARNING DECALS

L	388-8033	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		

PERFORMANCE PACKAGES

HYDRAULIC PERFORMANCE PACKAGES

L	388-8135	PACKAGE, PERFORMANCE, (H1)	0	NC
		All of the following are included in this package:		
		Standard Flow - 20 gpm (76 lpm)		
		Self Level, None		
		Hydraulic Controls - Standard Flow (Must select one below)		
L	467-8083	PACKAGE, PERFORMANCE, (H2)	0	\$905
		All of the following are included in this package:		
		Standard Flow - 20 gpm (76 lpm)		
		Dual Self Level		
		Hydraulic Controls - Standard Flow (Must select one below)		
L	467-8084	PACKAGE, PERFORMANCE, (H3)	0	\$3, 025
		All of the following are included in this package		
		High Flow - 30 gpm (113 lpm)		
		Dual Self Level		
		Hydraulic Controls - High Flow (Must select one below)		

HYDRAULIC CONTROLS

Standard Flow (FOR USE WITH H1 & H2)

L	485-0410	CONTROL, ISO, ON/OFF	0	\$226
		Cannot be used with H3. Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality		
L	485-0411	CONTROL, ISO, PROP	0	\$435
		Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality		

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PERFORMANCE PACKAGES (CONT.)

HYDRAULIC CONTROLS (Cont.)

L	485-0412	CONTROL, ISO, PROP, WT 0 Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality. Also includes 14 pin Work Tool electrical harness.		\$775
L	485-0413	CONTROL, HAND-FOOT, PROP 0 Cannot be used with H3. Provides (single axis) Hand drive joystick controls (4 button left hand joystick) and Foot pedal implement controls		\$855
L	485-0414	CONTROL, HAND-FOOT, PROP, WT 0 Cannot be used with H3. Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick). Also includes 14 pin Work Tool electrical harness.		\$1,190

High Flow (FOR USE WITH H3 ONLY)

L	485-0415	CONTROL, ISO, PROP, WT 0 For use with H3 Only. Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin Work Tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality.		\$880
L	485-0416	CONTROL, HAND-FOOT, PROP, WT 0 For use with H3 Only. Provides (single axis) Hand drive joystick controls (4 button left hand joystick-Thumb roller with 2 button right hand joystick) and Foot pedal implement controls. Also includes 14 pin Work Tool electrical harness.		\$1,305

RIDE CONTROL

L	422-3288	RIDE CONTROL, NONE 0		NC
L	422-3296	RIDE CONTROL 0		\$1,045

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI 0 REQUIRED WHEN SELECTING RIDE CONTROL		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

FEATURE PACKAGES

COMFORT PACKAGES

L	418-5740	ROPS, OPEN (C0)	0	NC
		All of the following are included in this package: Seat, Static, Vinyl Cab Mounted Controls, Adjustable (hand tool required) Headliner, None		
L	418-5775	ROPS, OPEN (C1)	26	\$438
		All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder Seat (Must select one below)		
L	345-6158	ROPS, ENCLOSED WITH HEAT (C2)	101	\$2,845
		All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster Seat (Must select one below) Door (Must select one below)		
L	345-6160	ROPS, ENCLOSED WITH A/C (C3)	210	\$4,895
		All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster Seat (Must select one below) Door (Must select one below)		

SEAT

Must select ONE if a C1, C2 or C3 cab package was selected above.

L	345-6329	SEAT, SUSPENSION, VINYL	0	\$359
		Includes: Cab Mounted Controls, Adjustable (hand tool required) For Use With: C1, C2 and C3 Cab Package		
L	345-6349	SEAT, AIR SUSPENSION, VINYL, HEAT	0	\$780
		High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. For Use With: C1, C2 and C3 Cab Package		
L	345-6359	SEAT, AIR SUSPENSION, CLOTH, HEAT	0	\$805
		High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. For Use With: C2 and C3 Cab Package		

DOOR

Must select ONE if an Enclosed ROPS was selected above.

P	435-9240	DOOR, CAB, GLASS	0	\$108
P	435-9260	DOOR, CAB, POLYCARBONATE	0	\$214

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

FEATURE PACKAGES (CONT.)

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

Selection of ONE required for C2 or C3 Comfort Package

L	345-6175	RADIO READY 0		\$154
		Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.		
L	345-6180	RADIO, AM/FM, BLUETOOTH 0		\$510
		Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.		

MACHINE DISPLAY

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA 0		\$1,140
		Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System and Monitoring. Also provides USB charging port.		
		Note: Rear camera installed. Anti-theft Security System feature will ship from factory installed but disabled.		

UNDERCARRIAGE

UNDERCARRIAGE

L	388-8133	RUBBER BELT, 2 SPEED 0		\$2,060
		Provides 66 inch (1,676 mm) machine width and Two speed travel.		

STARTERS, BATTERIES, & ALTERNATORS

BATTERIES

L	361-6386	BATTERY, HEAVY DUTY, 850 CCA 0		NC
L	491-6680	BATTERY, HEAVY DUTY, DISC 0		\$125
		850 CCA with Battery Disconnect Switch		

OPERATOR ENVIRONMENT

LIGHTS

L	495-1672	LIGHTS, HALOGEN 0		NC
		Two (2) forward facing adjustable halogen work lights (cab mounted) and two (2) rear facing halogen work lights (frame mounted).		

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

LIGHTS (Cont.)

L	495-1671	LIGHTS, LED 0		\$279
		Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		

SEAT BELTS

L	258-4095	SEAT BELT, 2" 0		NC
L	258-4096	SEAT BELT, 3" 0		\$142
		Required in California.		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	441-4818	PRODUCT LINK, CELLULAR PL240 0		NC
		Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission.		
L	441-4819	PRODUCT LINK, CELLULAR PL641 0		\$833
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

COOLING

COOLING FAN

L	486-6956	FAN, COOLING, DEMAND 0		NC
		Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		
L	435-9221	FAN, COOLING, DEMAND, REVERSING 0		\$840
		Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

QUICK COUPLERS

L	388-8298	QUICK COUPLER, MANUAL	0	NC
L	515-8584	QUICK COUPLER, HYDRAULIC	0	\$995

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

INSTRUCTIONS

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

C	OP-0528	PAINT, CUSTOM 0 FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information. Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler, radiator grill and the MTL undercarriage will be painted black.		\$1,860 NET
---	---------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$216
---	----------	---	--	-------

OTHER ATTACHMENTS

L	345-5234	RETURN TO DIG/WRKTL POSITIONER 0 Self Level enabled RTD/WT positioner Return to Dig automatically lowers lift arms and returns work tool to preset angle. Work Tool positioner automatically returns work tool to present angle. Requires H2 or H3 performance package		\$288
L	345-5148	COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. Machine ROC increased by 250 lbs (113 kg).		\$1,030
L	345-3556	HEATER, ENGINE COOLANT, 120V 0 120 Volt - For additional cold weather startability. NOTE: If operating in ambient temperatures below -18C (0F), the demand cooling fan is required.		\$195
L	457-1215	LIFTING EYES, FOUR POINT 0 Included in Conversion Arrangements: EU & Rooding CANNOT BE USED WITH: TANK, WATER		\$192
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		\$200

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL or WT-HAMR price lists.
 NOTE: Work Tools, except Hammers, are sourced via Caterpillar parts distribution system.
 CMOPS orders for Multi Terrain Loaders and Work Tools MUST be ordered separately.

FLUIDS

L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C). NOTE: If operating in ambient temperatures below -18C (0F), the demand cooling fan is required.		\$665
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

- 345-6070 KIT, FOPS, LEVEL 2**
 Falling Object Protective Structure level 2.
 Provides additional overhead protection.
 Recommended for use in demolition applications.
 Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
 Meets ISO 3449: 1992
 Note: The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS8703
 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
 Contains parts that attach to cab roof and allow machine to be lifted
 from a single point. The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS9970
 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
 This kit combines the Falling Object Protective Structure level 2 and
 4 point lifting functionality. Recommended for use in applications
 where additional overhead protection and 4 point lifting are both
 desired (ex. demolition).
 Note: The part number is for reference only.
 Individual parts must be ordered. Please reference REHS9989
 for parts list and installation instructions.
- 466-1959 KIT, CCB HEATER**
 For proper installation, refer to media number REHS6625.
 Required for operating in temperatures BELOW -18C (-0F). Provides a
 second heater for the engine closed crankcase breather (CCB) system.
 Estimated time to install: 1.0 Hr

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$221 USD Dealer Net (January, 2016). Machine must be equipped with the Electronic Self Level feature, provided in the H2 or H3 performance package to install the SEA.

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern)

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$250 USD Dealer Net (January, 2018). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
When ordering via CMOPS include top level reference numbers (OP-2738) and OP number for packing.

524-0804	KIT, ADVANCED DISPLAY 0	\$969 NI
	For proper installation, refer to media number M0077883. Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep Control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security and Monitoring. Also provides USB charging port. Note: Rear camera ready. Estimated time to install: 1 hour 30 minutes	
388-8284	KIT, CAMERA REAR VIEW 0	\$458 NI
	For proper installation, refer to media number REHS8711. Note: Requires Advanced Display Estimated time to install: 1 hour	
484-0292	KIT, BATTERY DISCONNECT 0	\$126 NI
	For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes	
504-1553	KIT, LICENSE PLATE 0	\$51 NI NET
	For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

499-2684	KIT, LIGHTS, LED 0	\$350 NI
	For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour	
388-8285	KIT, FOOT THROTTLE 0	\$331 NI
	For proper installation, refer to media number REHS8712. Estimated time to install: 1 hour 30 minutes	
388-7875	KIT, COUNTERWEIGHT, 100 LB ROC 0	\$519 NI
	Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes	
508-1864	KIT, AIR CONDITIONER (HTR/DFR) 0	\$3,051 NI
	For proper installation, refer to media number M0070242. Estimated time to install: 8 hours 30 minutes	
422-3312	KIT, AIR CONDITIONER (CONVRN) 0	\$2,036 NI
	For proper installation, refer to media number REHS7847. Estimated time to install: 8 hours	
509-5546	KIT, HEATER 0	\$1,225 NI
	For proper installation, refer to media number M0070252. Estimated time to install: 6 hours	
388-8275	KIT, WINDOW, SIDES 0	\$683 NI
	For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour	
388-8276	KIT, DOOR, CAB, GLASS 0	\$1,003 NI
	For proper installation, refer to media number REHS8708. For use with Serial Number EZW01916 and BELOW. Estimated time to install: 1 hour 30 minutes	
514-9110	KIT, DOOR, CAB, GLASS 0	\$1,003 NI
	For proper installation, refer to media number M0073174. For use with Serial Number EZW01917 and ABOVE. Estimated time to install: 1 hour 30 minutes	
514-9095	KIT, DOOR, CAB, POLYCARBONATE 0	\$1,785 NI
	For proper installation, refer to media number M0073172. For use with Serial Number EZW01916 and BELOW. Estimated time to install: 1 hour 30 minutes	
514-9112	KIT, DOOR, CAB, POLYCARBONATE 0	\$1,785 NI
	For proper installation, refer to media number M0073176. For use with Serial Number EZW01917 and ABOVE. Estimated time to install: 1 hour 30 minutes	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

527-3155	KIT, QUICK COUPLER, HYDRAULIC 0	\$1,078 NI
	For proper installation refer to media number M0081347. Estimated time to install: 12 hours	
388-8265	KIT, WT ELECTRICAL CONTROL 0	\$193 NI
	For proper installation, refer to media number REHS7806. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours	
388-8273	KIT, WT ELECTRICAL CONTROL, DLX 0	\$696 NI
	For proper installation, refer to media number REHS7814. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours	
523-4907	KIT, DUAL SELF LEVEL 0	\$750 NI
	For proper installation, refer to media number M0077272. Estimated time to install: 3 hours 30 minutes Note: Not compatible with H2 or H3 Performance Packages.	
481-5974	KIT, RIDE CONTROL 0	\$1,038 NI
	For proper installation, refer to media number SEHS0162. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers EZW01466 and BELOW. Estimated time to install: 3 hours	
490-7122	KIT, RIDE CONTROL 0	\$1,038 NI
	For proper installation, refer to media number SEHS0411. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers EZW01467 AND ABOVE. Estimated time to install: 3 hours	
388-8283	KIT, RADIO, READY 0	\$149 NI
	For proper installation, refer to media number REHS8710. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour	
388-8286	KIT, RADIO, AM/FM/BLEETOOTH 0	\$571 NI
	For proper installation, refer to media number REHS8705. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

471-7024	KIT, DEBRIS 0	\$1,321 NI
	For proper installation, refer to media number SEHS0197. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 9.5 hours	
472-2967	KIT, GUARDING 0	\$485 NI
	For proper installation, refer to media number SEHS0200. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1 hour	
421-0219	KIT, A/C BREATHER 0	\$456 NI
	For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes	
388-6641	KIT,ENG AIR INTAKE, PRECLEANER 0	\$744 NI
	For proper installation, refer to media number REHS5799. Estimated time to install: 1 hour	
416-5705	KIT, TURBO DEBRIS GUARD 0	\$358 NI
	For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes	
457-7565	KIT, DOOR, HYD FILL CAP 0	\$81 NI
	For proper installation, refer to media number REHS9184. Provides lockable cover for hydraulic oil fill. For use with serial number EZW01466 and BELOW	
422-3323	KIT, FRONT ROADING LIGHTS 0	\$468 NI
	For proper installation, refer to media number REHS7836. Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number REHS7836. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

422-3322	KIT, LIGHTS, REAR, ROADING 0	\$232 NI
	For proper installation, refer to media number REHS8748. This kit provides Rear Rooding light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours	
512-0356	KIT, LIGHTS, REAR, WIDE MOUNT 0	\$429 NI
	For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes	
421-0274	KIT, LIFTING EYES, FOUR POINT 0	\$229 NI
	For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER	
422-3309	KIT, HIGH FLOW 0	\$2,453 NI
	For proper installation, refer to media number REHS7844. This kit provides components required to convert the auxiliary system flow from standard flow to high flow (30 gpm/113 lpm @ 3335 psi). Estimated time to install: 3 hours Requires machine to be configured with 4 button left hand joystick control and electrical work tool harness	
452-2243	KIT, WINTER, REAR DOOR COVER 0	\$184 NI NET
	Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8736. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 Hour	
422-3241	KIT, PROD LINK, CELLULAR PL641 0	\$1,024 NI
	For proper installation, refer to media number REHS9952 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent tranmission and larger volumes of data. Estimated time to install: 2.5 hours	
435-9031	KIT, FAN, DEMAND, REVERSING 0	\$1,111 NI
	For proper installation, refer to media number REHS6604. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours	

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

482-5132	KIT, WATER TANK, 42 US GAL, D	0	\$1,817 NI
	Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		
533-5187	KIT, HAND/FOOT TO ISO (CVRSN)	0	\$1,464 NI
	CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit For proper installation, refer to media number M0082286. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		
527-8658	KIT, REMOTE GREASE (COUPLER)	0	\$222 NI
	For proper installation, refer to media number M0084653. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

Shipments will be within 3 - 5 working days of order receipt for delivery by dealer parts stocking truck to dealer stocking facility.

CATERPILLAR MACHINE PRICE LIST

257D

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
 Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
 Tel. +1(800) 530-9285, +1(540) 443-9262
 Email: sales@torcrobotics.com

PACKING

DOMESTIC PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

Only to be used when ordering kits via CMOPS.

OP-2162	PACKING, KIT	0	NC
---------	------------------------	---	----

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION	0	\$207 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		

OP-6439	CORROSION INHIBITOR.	0	\$1,940
	EquipCoat is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		