

Current Date 02Jan2019

310L EP BACKHOE LOADER

310L EP Standard Equipment

ENGINE: Configuration includes Yanmar 4TNV98CT turbocharged, 3.3L displacement engine. IT4 certified engine at 69 net peak hp complies with CARB and EPAs FT4 emission regulations. 4 Cylinder In-line, Cast in Block-type, 2 Valve/Cylinders, Turbocharged Engine. **Electronically Controlled** HPCR Fuel Delivery System, **B20 Biodiesel** Compatible. Serpentine Belt with Automatic Belt Tensioner. Enclosed Safety Fan Guard. Vertical Spin-On Engine Oil Filter. Cartridge Style Fuel Filter with Water Separator and a Final Spin-On Fuel Filter. Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve. Glow Plugs. Viscous type, variable-speed cooling fan.

COOLING SYSTEM: **Engine Radiator** Engine Coolant -40 Degrees F (-40C) Coolant Recovery Tank Cooling Fan with Enclosed Safety Fan Guard Oil-to-Water Engine Oil Cooler Fold-Out Hinged Cooling System

HYDRAULICS: 31 GPM (117 L/m) Tandem Gear Pump with unloader valve - Open Center Dedicated Hydraulic Reservoir 6 Micron Vertical Spin-On "O" Ring Face Seal Connectors Circuit Relief Valve Protection Economy Mode

BACKHOE:

13 Ft. 10 In. (4.14 m) Digging Depth Backhoe Transport Lock Lever Swing Locking Pin Stored in Op. Station ISO (Deere) Two Lever Mechanical Backhoe Controls

Reversible Pad Stabilizer Feet with integrated lock Stabilizer Two-Direction Anti-Drift Valves Less Bucket with **Bucket Pins**

Return-To-Dig Feature Bucket Level Indicator Hydraulic Self-Leveling (anti-Single Lever Control with Electric Clutch Cut-off Switch Less Bucket with Bucket Pins

Loader Boom Service Lock High-Visibility Loader Arms

ELECTRICAL:

LOADER:

SAE J185) Seat, Deluxe Deep Foam, Vinyl Cover, High Back with Adjustable: Suspension for Weight/Height Fore-Aft Lumbar Adjustment Arm Rests 3 In. Seat Belt with Retractor Engine Coolant Temperature Gauge Fuel Gauge Electric Monitor System with Audible and Visual Warning:

Air Cleaner restriction Low Alternator Voltage Engine Oil Pressure Hydraulic Filter Restriction Park Brake On-Off Low Brake Pressure Seat Belt **Engine Coolant Temperature**

Transmission Oil Temperature Fuel Electric Hourmeter/ Tachometer / Voltmeter Key Start Switch with Electric Fuel Shut-Off Interior Rearview Mirror **Rotary Hand Trottle** Suspended Foot Throttle 12 Volt Outlets (2) Built-In Operator's Manual Storage Compartment Built-In Cup Holder Lockable Right Hand Storage

OVERALL VEHICLE:

Coat Hook

High Ambient Temperature Engine Coolant

POWERTRAIN:

Powershift Transmission with Torque Converter Single Electric Transmission Control Lever (Forward/Neutral/Reverse) with integrated gear selection & horn Planetary Final Drives Differential Lock, Foot Switch Activated Mechanical Front Wheel Drive Hydrostatic Power Steering with Emergency Manual Mode Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self-Adjusting and Self-Equalizing (Conforms to ISO 3450) Parking/Emergency Brake: Independent of Service Brakes (Conforms to ISO 3450) Spring Applied, Hydraulically Released, Wet

12 Volt System
90 Amp Alternator (canopy)

(2) front driving/working halogen lights - 32,500Candlepower Each(2) rear working halogen lights - 32,500 Candlepower Each

(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof

(4) turn signal/flashing/rear stop tail lights - 2 front and rear

(2) rear reflectors
Single Battery with 180
Minute reserve Capacity and
925 CCA
Blade Type Multi-Fused
Circuits
By-Pass Start Safety Cover
on Starter

Positive Terminal Battery

Cover

OPERATOR STATION:
Modular Design ROPS/FOPS
Level 2 Canopy Isolation
Mounted with Molded
Roof (Conforms to SAE
J1040)
Left and Right Side Access

Left and Right Side Access Slip Resistant Steps and Ergonomically Located Handholds (Conforms to (2) Front and (2) Rear built-In tie Downs One Piece Unitized Construction Mainframe Extended Grille Frame Front Cover Dent Resistant Rear Fenders

Vandal Protection Locking for: **Engine Hood** Monitor Tool Box **Fuel Tank** Hydraulic Reservoir 37 Gal. (140L) Fuel Tank Reverse Warning Alarm 19.5L- 24 In. 12 PR (R4) **Tubeless Rear Tires** 12 - 16.5 In. 12 PR Traction Front Sure Grip Lug Tires Ground Level Fueling Remote Grease Bank for Front Axle Removable Tool Box with Padlock Hasp Tilt Hood with (2) Service **Positions**

JDLink Ultimate

Required - You must select one from each category

 \forall

BASE MACHINE

Multi-Disc

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description
310L EP BACKHOE LOADER

Code Price 0A50T \$112,981.00

Configuration includes Yanmar 4TNV98CT turbocharged, 3.3L displacement engine. IT4 certified engine at 69 net peak hp complies with CARB and EPAs FT4 emission regulations.

4 Cylinder In-line, Cast in Block-type, 2 Valve/Cylinders, Turbocharged Engine.

Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible.

Serpentine Belt with Automatic Belt Tensioner.

Enclosed Safety Fan Guard.

Vertical Spin-On Engine Oil Filter.

Cartridge Style Fuel Filter with Water Separator and a Final Spin-On Fuel

Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve.

Glow Plugs.

Viscous type, variable-speed cooling fan.

\forall

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description Code Price

JDLink Ultimate Cellular - 5 Years 170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite - 5 Years

170J \$2,233.00

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

No JDLink Ultimate 1734 (\$2,461.00)

Less JDLink Hardware and Software.

Bid Term: 2/20/19 - 2/19/21

OPERATOR'S MANUAL AND DECALS

		Description English Decals with English Operator and Safety Manuals	Code 2401	Price No Added Cost
		English decals installed and English operator's manual. Requires engine code 1065.		
		English Decals with Spanish Decals and Manuals Seperate	2403	No Added Cost
		English decals installed with Spanish decal packet included with English and Spanish operator's manual. Requires engine code 1065.		
		English Decals with French Decals and Manuals Seperate	2404	No Added Cost
		English decals installed with French decal packet included with English and French operator's manual. Requires engine code 1065.		
_	FRON	Γ AXLE AND TRANSMISSION		
		Description	Code	Price
		2 Wheel Drive Powershift Transmission	3035	(\$11,861.00)
		With 4F/2R Powershift Transmission. Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.		
		Mechanical Front Wheel Drive (MFWD) with Open Differential	3075	No Added Cost
		4F/2R Powershift Transmission. Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.		
_		Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential	3065	\$954.00
_		4F/2R Powershift Transmission. Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.		

WHEELS AND TIRES

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
For use with MFWD		
Galaxy 19.5L - 24 in. 12 PR Rear & 12-16.5 R4 12PR Front	4462	No Added Cost
Requires axle code 3065 or 3075. Rear tire chains require wheel spacers.		

NJ State Approved Co-op #65MCESCCPS

	Custom Code - Michelin XMCL 500/70R24 REAR RADIALS w/ 305/70R16.5 BIBSTEEL AT	47G2	\$2,168.00
	Requires axle code 3065 or 3075.		
	Custom Code - Goodyear 19.5L x 24 10 PR Softrac II R-3 TURF rear w/ 12 x 16.5 10PR R-3 TURF front	47J9	\$691.00
	Requires axle code 3075.		
	For use with 2 Wheel Drive		
	Galaxy 19.5L - 24 in. 12 PR Rear & 12.5/80-18 12PR Front	4446	\$430.00
	Requires axle code 3035. Rear tire chains require wheel spacers.		
	Galaxy 19.5L - 24 in. 12 PR Rear & 14.5/75-16.1 16PR Front	4450	\$430.00
	Requires axle code 3035. Rear tire chains require wheel spacers. Recommended for the 310L/EP 2WD models for greater front ground clearance when the machine is in the three-point stance.		
	Custom Code - 19.5L X 24 10 PR Softrac II R-3 TURF (GY) w/ 12.5/80-18 12PR (Galaxy)	42C0	\$1,332.00
	Requires code 3035.		
	Custom Code - Michelin XMCL 500/70R24 REAR RADIALS w/ 340/80R18 MICH XMCL	42G5	\$2,858.00
	Requires axle code 3035.		
	Custom Code - ALLIANCE 550 RADIAL 2WD - 550/70R24 REAR w/ 340/80R18 FRONT	44D2	\$3,712.00
OPE	RATOR'S STATION		
	Description	Code	Price
	Canopy (ROPS/FOPS)	2015	No Added Cost
	Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof. Molded floor mats if Code 5285 is ordered. Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable. 3 In. Retractable Seat Belt. (2) front driving/working halogen lights - 32,500 Candlepower Each (2) rear working halogen lights - 32,500 Candlepower Each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflectors		
	Quarter Cab (Window in Front)	2010	\$1,194.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof. Molded floor mats if Code 5285 is ordered.

Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.

3 In. Retractable Seat Belt.

Front wiper with windshield washer

- (2) front driving/working halogen lights 35,200 Candlepower Each
- (2) rear working halogen lights 35,200 Candlepower Each
- (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
- (4) turn signal/flashing/rear stop/tail lights 2 front and rear
- (2) rear reflectors

Cab 2035 \$11,662.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.

Tinted safety glass.

Deluxe interior trim.

Headliner.

Molded floor mats.

Less Radio.

Air Conditioning 26,000 BTU.

CFC free R134a refrigerant.

Heater/defrosters/pressurizer, 40,000 BTU, 3 speed.

Mechanical Suspension Deluxe, Cloth, Swivel Seat with Lumbar

Adjustment and Arm Rests, Fully Adjustable.

3 in Seat Belt.

Tilt Steering Wheel.

Interior Rearview Mirror

Front 2-speed wiper with windshield washer and rear 1-speed wiper.

- (2) front driving/working halogen lights 32,500 Candlepower Each
- (2) rear working halogen lights 32,500 Candlepower Each
- (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
- (4) turn signal/flashing/rear stop/tail lights 2 front and rear
- (2) rear reflector

See Order As Desired codes for additional Cab options not included in standard Cab (i.e. Air Suspension Seat, Radio, Sun Visor).

BATTERIES

Description Single Battery, 150 Minu	ite Reserve Capacity (950 CCA)	Code 8625	Price No Added Cost
Recommended for use in ambi degrees C).	ent temperatures ABOVE 32 degrees F	(0	
Single Battery With Disc	onnect and Jump Post	8635	\$250.00
Recommended for use in ambi degrees C).	ent temperatures ABOVE 32 degrees F	(0	
Dual Maintenance Free E	Batteries	8675	\$279.00
300 Minute Reserve Capacity (Recommended for temperature	1900 CCA). es below 32 degrees F (0 degrees C).		
Dual Maintenance Free E Jump Post	Batteries With Disconnect and	8685	\$529.00
Recommended for use in ambi degrees C).	ent temperatures BELOW 32 degrees F	= (0	

_	BACKHOE DIPPERSTICK		
	Description	Code	Price
	Standard Dipperstick	6010	No Added Cost
	Standard stabilizer legs.		
	Extendible Dipperstick	6020	\$9,436.00
	Standard stabilizer legs.		
_	BACKHOE AUXILIARY HYDRAULICS		
	Description	Code	Price
	No Auxiliary	6210	No Added Cost
	Auxiliary Hydraulic with One Way Flow (Hammer)	6220	\$2,685.00
	Includes plumbing to end of dipperstick.		
_	Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger)	6230	\$4,459.00
_	Includes factory installed plumbing to end of dipperstick for one and two way flow valve.		
_	BACKHOE CONTROLS		
	Description	Code	Price
	Mechanical Controls, Two Lever, ISO (DEERE)	5225	No Added Cost
	Pilot Controls, Two Lever, with Pattern Selection	5285	\$2,594.00
_	Horn button integrated into pilot control levers.		
_	BACKHOE QUICK COUPLERS		
	Description	Code	Price
	Description Less Coupler	Code 5400	Price No Added Cost
-	·		
-	Less Coupler	5400	No Added Cost
-	Less Coupler DEERE Standard Quick Coupler For use with DEERE 310E, G, J, K, L Series Backhoe Buckets. Not	5400	No Added Cost
-	Less Coupler DEERE Standard Quick Coupler For use with DEERE 310E, G, J, K, L Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L buckets.	5400 5410	No Added Cost \$1,231.00
-	Less Coupler DEERE Standard Quick Coupler For use with DEERE 310E, G, J, K, L Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L buckets. Multi-Brand Quick Coupler For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets. Not for use with 710 Buckets.	5400 5410	No Added Cost \$1,231.00

For use with DEERE Top Hook Coupler bucket codes 5630 or 5660 and CP or Pre-XLS Wain Roy Top Hook Bucket.

▼ BACKHOE BUCKETS

For Deere buckets:

All buckets include lift holes.

Price	Code	Description
No Added Cost	5500	Less Backhoe Bucket with Bucket Pins
\$1,101.00	5616	12 In. (305 mm) Wide Bucket, 3.3 Cu. Ft. (0.09 Cu. M.) Capacity Buckets
		Bucket includes TK Teeth.
\$1,309.00	5626	18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Bucket
		Bucket includes TK Teeth.
\$1,278.00	5630	Top Hook 18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Coupler Bucket
		Bucket includes TK Teeth. Requires Code 5430 Top Hook Coupler.
\$1,309.00	5554	24" (610mm) Wide - Regular - 6.5 Cu. Ft. (0.18 Cu. M.) Capacity Bucket
\$1,333.00	5656	24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket
		Bucket includes TK Teeth.
\$1,772.00	5660	Top Hook 24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Coupler Bucket
		Bucket includes TK Teeth. Requires Code 5430 Top Hook Coupler.

LOADER CONTROLS

All selections come with Return to Dig feature.

Description	Code	Price
Two-Function Loader Hydraulics, Single Lever	7025	No Added Cost
Single lever loader control with electric clutch disconnect.		
Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$6,646.00
Single lever loader control with electric clutch disconnect. Includes Ride Control Cannot be used with Code 9110 Ride Control Will accept G, J, K, and L-Series loader coupler buckets		
Three-Function Loader Hydraulics, Dual Lever	7075	\$1,799.00

Dual lever loader control with electric clutch disconnect. Second lever for mechanical auxiliary control. For multi-purpose bucket and front attachments.		
Three-Function Loader Hydraulics, Single Lever	7080	\$3,181.00
Single lever loader control with electric clutch disconnect, momentary MFWD, and electro-hydraulic auxiliary control. For front attachments. Includes valve with circuit relief and 5 In. (12.7 mm) hoses and steel lines to loader cross tube.		
Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,707.00
Single lever loader control with electric clutch disconnect, momentary MFWD, and electro-hydraulic auxiliary control. Will accept G, J, K, and L-Series loader coupler buckets. Includes Ride Control. Not for use with Code 9110 Ride Control. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.		

LOADER BUCKETS

Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise.

Description	Code	Price
Less Loader Bucket with Pins for Buckets or Front Attachments	7600	No Added Cost
Old Style pins will be necessary with older buckets and attachments.		
Pin-On Loader Buckets		
Not compatible with 7035 and 7085 Loader Hydraulics.		
1.11 Cu. Yd. (0.85 Cu. M) Long-Lip Bucket with Bolt On Cutting Edge and no Skid Plates	7615	\$2,627.00
1.11 Cu. Yd. (0.85 Cu. M.) Heavy-Duty 86 in. (2.18 m) wide Bucket with Bolt-On Cutting Edge and Skid Plates	7635	\$3,177.00
1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) Wide Long Lip Bucket with Factory Skid Plates	7640	\$3,027.00
Does not include Bolt-On Cutting Edges or Additional Skid Shoes.		
1.25 Cu. Yd. (.96 Cu. M.), 86 in.(2.18 m) wide Multipurpose Bucket	7675	\$7,235.00
Requires Code 7075 or 7080 Aux. Loader Hydraulics Includes reversible bolt-on cutting edge and skid plates. Pre-drilled for seven teeth. Order teeth from parts. Includes two lift holes. Includes reversible cutting edge for moldboard and back of clamshell.		
Coupler Loaders Buckets		
Requires codes 7035 or 7085 Loader Coupler		
Less Coupler Bucket	7605	No Added Cost

1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) wide Heavy-Duty Long-Lip Coupler Bucket with Cutting Edge and Skid Plates

7650

\$3,428.00

Grounds Equipment Bid #ESCNJ 18/19-25

COUNTERWEIGHT

310L & 310L EP COUNTERWEIGHT SELECTION CHART

Select the Proper Counterweight for the Machine and Optional Equipment.

Add/subtract the options front axle percent. Then add the counterweight that gives the desired weight distribution between 27-32% (Target = 30%) to select counterweight.

310L Base configuration*** has 29.9% weight on front axle.

310L EP Base configuration***has 29.7% weight on front axle.

Base.....+29.9% (310L) or +29.7% (310L EP)

Extendable.....-4.1%

Backhoe Coupler.....-1.8%

Backhoe Attachment over 600 lbs..... -2.0%

Multi-Purpose Loader Bucket...... +7.3%

Loader Coupler.....+5.0%

Non-Powered Front Axle-1.4%

Cab-1.0%

"Choose counterweight which results in the target front axle weight percent"

Counterweight Options

Bumper 0.0%

450 lb. Counterweight +2.9%

750 lb. Counterweight +4.6%

1,000 lb. Counterweight +6.2%

1,250 lb. Counterweight +7.7%

*** Base calculated using an Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

Description	Code	Price
Front Cover - For Machines Without a Front Counterweight	8410	No Added Cost
Heavy-Duty Bumper - For Machines Without a Front Counterweight	8415	\$217.00
450 Lb. (204 kg) Front Counterweight	8425	\$599.00
750 Lb. (340 kg) Front Counterweight	8455	\$971.00
1000 Lb. (454 kg) Front Counterweight	8475	\$1,337.00
1250 Lb. (567 kg) Front Counterweight	8485	\$1,711.00

Optional - Select as desired

OPERATOR'S STATION

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
Front View Mirror	9060	\$80.00
Machine Security	9095	\$442.00

User-defined codes to enable start of machine.		
Headliner - Canopy	9117	\$145.00
Tilt Steering - Canopy	9118	\$546.00
Floor Mat - Canopy	9119	\$364.00
Left Side Console Storage with Cup Holders	9210	\$79.00
Radio, Bosch Premium Package	9916	\$1,320.00
AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
Radio, Bosch Basic Package	9917	\$850.00
AM/FM/Weather Radio		
Sun Visor	9919	\$92.00
Exterior Rear View Mirrors (2)	9920	\$334.00
Seat, Cloth Air-Suspension	9965	\$490.00
For enclosed Cab.		
Seat, Cloth Air-Suspension - Heated	9970	\$967.00
For enclosed Cab.		
Seat, Vinyl Air-Suspension	9975	\$490.00
For open ROPS or enclosed Cab.		
Custom Code - Less A/C	98C0	(\$622.00)
LIGHTING		
Description	Code	Price
Strobe Light with Magnetic Mount	9905	\$572.00
Light is shipped loose in the cab.		
LED Light Package	9116	\$1,025.00
Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.		
BACKHOE AUXILIARY HYDRAULICS		

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
Custom Code - ACCU-SWING	90A1	\$603.00

THUMB

	Description	Code	Price
	37 Inch Hydraulic Backhoe Thumb - 4 Tine	9230	\$5,545.00
	Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230. It does include plumbing for two-way auxiliary valve.		
	42 Inch Hydraulic Backhoe Thumb - 4 Tine	9235	\$5,625.00
	Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230. It does include plumbing for two-way auxiliary valve.		
STABI	LIZER LEGS		
are spe	with custom codes are exempt from order response targets. Not all custom cocific configuration needs that you don't see available, please contact Dealer Ma: (563) 589-6660.		
	Description	Code	Price
	Custom Code - Long (Extended) Stabilizer Legs	98A1	\$622.00
LOADI	ER CONTROLS		
	Description	Code	Price
	Ride Control	9110	\$1,935.00
	Not for use with loader hydraulic codes 7035 and 7085.		
EN	GINE		
	Description	Code	Price
	Chrome Exhaust Extension	9045	\$173.00
	Engine Coolant Heater	9080	\$167.00
	110 Volt (1000 Watts). Requires Dual Batteries code 8675 or 8685.		
OIL SA	AMPLING PORTS		
	Description	Code	Price
	Diagnostic Oil Sampling Ports	9515	\$201.00
HYDR	AULIC OIL		
	Description	Code	Price
	Hydraulic Fluid - Hydrau XR Synthetic Oil	9088	\$592.00
	Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		
GUA	RDING		
	Description	Code	Price

\$586.00

9190

Backhoe Boom Protection Plate

	Full MFWD Driveshaft Guard	9505	\$417.00
~	PAINT AND RUST PROTECTION		
	Description	Code	Price
	Non-Export Rust Preventive Coating	9909	\$167.00
_	Coating protects exposed unpainted surfaces from road salt during shipment.		

▼ ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Attachments & Accessories		
37 Inch Hydraulic Backhoe Thumb - 4 Tine	BYT10284	\$6,407.00
Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.		
42 Inch Hydraulic Backhoe Thumb - 4 Tine	BYT10286	\$6,487.00
Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.		
Backhoe Interface Adapter, Hydraulic Hammer	AT371338	\$788.00
Requires AT450567 Pins and Bushings Kit.		
Coupler, Deere Backhoe Bucket	AT336314	\$1,294.00
Fits 310E, 310G, 310J, 310K and 310K EP backhoes. For use with 310E, 310G, 310J, 310K 310K EP backhoe buckets Proper counterweight is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.		
Coupler, Top Hook Backhoe Bucket Mechanical	AT315337	\$1,122.00
Fits John Deere C-D-E-G-J-K and L Series except 710D buckets. Fits Case K and L Series and Cat B and C Series Buckets. Recommend 300D-510D and 210C-610C buckets, use high strength pins: AT181348, Pin for 12 Inch Buckets AT179130, Pin for 18-36 Inch Buckets Proper counterweight is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.		
Coupler, Universal Backhoe Bucket	AT336313	\$1,323.00

Fits John Deere C-D-E-G and J Series except 710D buckets
Fits Case K and L Series and Cat B and C Series Buckets.
Recommend 300D-510D and 210C-610C buckets, use high strength pins:
AT181348, Pin for 12 Inch Buckets
AT179130, Pin for 18-36 Inch Buckets
Proper counterweighing is required. See Counterweight Selection Chart.
Recommend Backhoe Boom Bolt-on Protection Plate.
Spacers are recommended for CAT and Case buckets, see bulletin
07BH08 for details.

or bi loo for details.		
Heavy Duty Stabilizer Pads	AT376410	\$450.00
Jump Start and Battery Disconnect Kit	BYT10688	\$238.00
Pivotable Beacon Bracket	AT451194	\$100.00
Standard Stabilizer Street Pads	AT376409	\$226.00
<u>Buckets</u>		
BKH Pin-on 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT437349	\$1,309.00
BKH Pin-on 18 In. (457 mm) Standard Duty 4.6 Cu. Ft. (0.13 Cu. M.)	AT437348	\$1,045.00
BKH Pin-on 24 In. (610 mm) Standard Duty 6.5 Cu. Ft. (0.18 Cu. M.)	AT437350	\$1,228.00
BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.)	AT437347	\$1,088.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437351	\$1,426.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT437352	\$1,825.00
BKH Pin-on Bucket 24 in (610 mm) Severe Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437701	\$1,894.98
BKH Pin-on Bucket 24 in (610 mm) Severe Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT437702	\$1,942.73
BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT437353	\$1,799.00
BKH Pin-on Bucket w/ TK Teeth, 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT437703	\$2,080.00
BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)	AT437361	\$1,059.00
BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT437362	\$1,278.00
BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437363	\$1,433.00
LDR Coupler Bucket 1.0 Cu. Yd. (.76 Cu. M.) Heavy Duty 86 in. (2.18 m) wide	AT308991	\$2,881.00
Includes Reversible Bolt On Cutting Edge with Skid Plates.		

Includes Reversible Bolt On Cutting Edge and Skid Plates.		
LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip	AT308968	\$2,838.00
Does not include Bolt-On Cutting Edges or Skid Plates.		
LDR Coupler Bucket 1.32 Cu. Yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip	AT308966	\$3,511.00
Includes Reversible Bolt On Cutting Edge and Skid Plates.		
LDR Pin-on Bucket 1.0 cu. yd. (.76 cu. m) Heavy Duty 86 in. (2.18 m) wide with Skid Plates	AT308040	\$2,487.00
LDR Pin-on Bucket 1.11 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide	AT308071	\$3,084.00
Includes Reversible Bolt On Cutting Edge and Skid Plates.		
LDR Pin-on Bucket 1.2 Cu.Yd. (.90 Cu. M.) Narrow 82 in. (2.08 m) Heavy-Duty Long Lip Narrow and Skid Plates	AT308188	\$2,565.00
LDR Pin-on Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) Long Lip and Skid Plates	AT308076	\$2,837.00
LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m)	AT448174	\$3,990.00
This multi-purpose bucket is being discontinued and will only be available until inventory is exhausted. Prices have been adjusted accordingly. Includes Reversible Bolt On Cutting Edges and Skid Plates.		
LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m)	BYT10700	\$5,573.00
Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell.		
LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m)	AT448175	\$3,990.00
This multi-purpose bucket is being discontinued and will only be available until inventory is exhausted. Prices have been adjusted accordingly. Includes Reversible Bolt On Cutting Edge and Skid Plates. Requires Third Function Loader Control Valve Section, Controls and lines. Predrilled for seven teeth. Two built-in lift loops Proper counterweighting is required. See Counterweight Selection Chart.		
LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m)	BYT10701	\$6,462.00

Includes Reversible Bolt On Cutting Edge and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Third Function Loader Control Valve Section, Controls and lines. Predrilled for seven teeth.

Two built-in lift loops Proper counterweighting is required. See Counterweight Selection Chart.		
Frame Attachment		
Counterweight, Front, 1,000 lbs (454 kg)	BYT10255	\$1,337.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 1,250 lbs (567 kg)	BYT10256	\$1,728.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 250 lbs (113 kg)	AT409592	\$525.00
If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088, AND (2) 14M7291. For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights, order (2) T151797 and (2) 19M8976		
Counterweight, Front, 450 lbs (204 kg)	BYT10251	\$599.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 750 lbs (340 kg)	BYT10254	\$971.00
Use with (4) T119912 AND (4) 19M9124.		
Front Attachments		
Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage	AT308139	\$3,601.00
Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage	AT308138	\$3,428.00
<u>Guards</u>		
Backhoe Boom Protection Plate	AT407513	\$586.00
KIT, FULL MFWD GUARD	AT438402	\$270.00
MFWD Wheel Fender Kit for 18 in. tires only	AT371257	\$697.00
Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		
Wheel Fender Kit for 16.5 in. tires only	AT388473	\$711.00
Requires MFWD and 305/70D16.5 or 12-16.5 front tires. Requires MFWD and 305/70D16.5 or 12-16.5 front tires.		
<u>Hydraulics</u>		
Accu-Swing Kit for Backhoe	AT431340	\$474.00
Includes two circuit reliefs, fittings, clamps and hardware. Installation instructions T210751.		
Auxilary Hydraulic Selective Flow Control Kit	AT448429	\$1,214.00

Selective Flow Control Valve (9,13,16,18,22 or 25GPM) - One Way Flow Includes control pedal and circuit relief 1000-3000 PSI Adjustable L-Series backhoes except the 310L and 310L EP must order applicable Software Part Number in JDPoint for Field Kit to function properly. Auxiliary Backhoe Hydraulic Plumbing Kit (2 way) for AT194368 \$268.00 Thumb, Clamp, Swinger or Jaw Bucket For use with serial numbers prior to 338468. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps and hardware. For Low Flow intermittent usage. Requires Dealer to make eight hoses per installation instructions. Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate. Not required with factory thumb installation codes 9230 and 9235. BYT11016 \$575.00 Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable Dipperstick For use with serial numbers after 338468. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211. For installation instructions, please reference DTAC Solution 114951. Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way BYT11006 \$575.00 Proportional Flow - Standard Dipperstick For use with serial numbers after 338468. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. Quick connect couplers and jumper hoses from bulkhead to attachment If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211. For installation instructions, please reference DTAC Solution 114951. Auxiliary Backhoe Hydraulics for Auger, Extendible AT450466 \$250.00 Dipperstick Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger. AT448424 \$446.00 Auxiliary Backhoe Hydraulics for Auger, Standard Dipperstick

Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger. Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 AT455847 \$3,962.00 Lever for Multipurpose Bucket and Front Attachments For use on Backhoes with a Serial Numbers below 292974. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. \$662.00 Auxiliary Plumbing for Selective Flow - Extendible AT431294 Dipperstick Average installation, 2 hours. Requires Extendible Dipperstick. Requires Five Function Valve Plus Selective Flow Valve OR Selective Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick. Auxiliary Plumbing for Selective Flow - Standard AT431293 \$588.00 Dipperstick Average installation, 2 hours. Requires Standard Dipperstick. Requires Five Function Valve Plus Selective Flow Valve OR Selective Flow Valve. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick. Fifth Function Control Valve Section AT192247 \$1,408.00 (Without Circuit Reliefs) Hand Held Hydraulics AT448428 \$447.00 Plumbing routed from the backhoe valve to above the battery box for hook up of hand held attachments. Average installation, 4 hours. Includes two circuit reliefs, fittings, clamps and hardware. Requires Selective Flow Valve. Installed in Battery Box. Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - BYT11011 \$85.00 Extendable Dipperstick For use with serial numbers after 338468. Must be configured with 6230 or 6240 or BYT11016, BYT11017, BYT11018, BYT11019. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. 310SL HL and 410L controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.

Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Standard Dipperstick	BYT11010	\$85.00
For use with serial numbers after 338468. Must be configured with 6230 or 6240 or BYT11006, BYT11007, BYT11014, BYT11015. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. 310SL HL and 410L controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.		
K-Series Style Loader Control Grip Kit	AT450437	\$414.00
Loader Coupler, Hydraulic	AT431299	\$5,539.00
For use on Backhoes with a Serial Numbers below 304845. L-Series backhoes except the 310L and 310L EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Sixth Function Control Valve Section (Without Circuit Reliefs) for Manual Controls	AT192334	\$1,328.00
Average installation, 4 hours. Can use with Four Function Control Valve, Five Function Control Valve, or Five Function Control Valve Plus Selective Flow Valve. Requires Left Pedal, (Deere, Cat or Ford Controls). Cannot be used with Case Controls. Requires Attachment Hydraulic Plumbing Kit, for cylinder operated attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when used with Five Function Control Valve Plus Selective Flow Valve.		
Sixth Function Control Valve Section (Without Circuit Reliefs) for Pilot Controls	AT320497	\$1,624.00
Average installation, 4 hours. Can use with Four Function Control Valve, Five Function Control Valve, or Five Function Control Valve Plus Selective Flow Valve. Requires Left Pedal, (Deere, Cat or Ford Controls). Cannot be used with Case Controls. Requires Attachment Hydraulic Plumbing Kit, for cylinder operated attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when used with Five Function Control Valve Plus Selective Flow Valve.		
<u>Hydraulics</u>		
3rd Function Linkage/Plumbing - Dual Lever	AT463670	\$2,872.00
For use on Backhoes with Serial Numbers 292974 and Higher. Includes mechanical lever in cab, linkage, plumbing and loader valve.		
Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	BYT10281	\$3,962.00
For use on Backhoes with a Serial Number 304845 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	AT463721	\$3,962.00

The Educational Services Commission of New Jersey Grounds Equipment Bid #ESCNJ 18/19-25 NJ State Approved Co-op #65MCESCCPS

Loader Coupler, Hydraulic	BYT10277	\$5,539.00
For use on Backhoes with a Serial Number 304845 and Higher.		
Miscellaneous		
BKH Power Link Grease Kit	AT194493	\$54.00
Stop Kit, Field Kit - Pilot Tower Stow	BYT10312	\$25.00
Operator Environment		
Case Three Lever Controls 5th Function Lever Kit	AT309740	\$191.00
Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick		
Case Three Lever Controls with Foot Swing	AT309739	\$1,356.00
For units with code 5225.		
Ford Four Lever Controls for Standard and Extendible Dipperstick	AT185628	\$2,975.00
Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 5225.		
ISO (Deere) Two Lever Mechanical Controls	AT185624	\$493.00
Requires Right Pedal Kit, if equipped with Case controls and five function control valve. For units with code 5225.		
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$96.00
Kit Does not Include Fire Extinguisher.		
Operator Manual Tether Cables for ROPS or Cab	AT192032	\$27.00
Radio Auxiliary kit	AT451676	\$280.00
Requires code 9917 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to Bosch radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.		
SAE Excavator Style Two Lever Controls	AT301434	\$250.00
Sixth Function Pedal for Lever Controls	AT185629	\$373.00
Sixth Function Pedal for Pilot Controls	AT301485	\$308.00
Sun Visor	AT186307	\$92.00
Operator Environment		

Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit	BYT10250	\$390.00
Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass.Refer to installation instructions for a list of glass pieces to order from service parts.		
Heated Seat Kit	BYT10673	\$260.00
This kit includes the heated cloth seat cushion (back and bottom), electrical harness, and the switch to control the heated seat. Converstion kit can be used with mechanical or air suspension seats. Conversion kit can be used for cab configurations only.		
Mechanical to Air Seat Conversion	BYT10670	\$786.00
For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		
Mechanical to Air Seat Suspension	BYT10672	\$786.00
For use on machines after serial number: 329230. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		
Radio, Basic Package	BYT10718	\$850.00
AM/FM/Weather Radio		
Radio, Premium Package	BYT10717	\$1,320.00
AM/FM/Weather Radio, XM capable, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
Overall Vehicle		
(2) External Rear View Mirrors	AT186155	\$282.00
6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit	C AT313592	\$257.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$34.00
Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		
Environmental Drain Kit	BYT10444	\$573.00
Fluid Sampling Ports	BYT10832	\$275.00
LED Flood Light Kit	AT445009	\$215.00
Includes 2 lights.		
LED Spot Light Kit	AT445010	\$215.00

Grounds Equipment Bid #ESCNJ 18/19-25 NJ State Approved Co-op #65MCESCCPS

Includes 2 lights.		
License Plate Bracket	AT446496	\$56.00
Light not included.		
License Plate Bracket and Light	AT187707	\$225.00
Machine Security	AT339526	\$416.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly. K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Rear Wheel Spacers for Rear Tire Chains	AT347522	\$953.00
Rubber Bumper for Grille Frame	AT434236	\$84.00
Slow Moving Vehicle Emblem	AT186288	\$111.00
Stabilizer Cylinder Guards (Set of Two)	AT305073	\$303.00
Ride Control		
Manual Ride Control Valve Kit	AT431165	\$799.00
L-Series backhoes except the 310L and 310L EP must order applicable Software Part Number in JDPoint for Field Kit to function properly. Must order AT452094 Ride Control Plumbing Kit to complete installation. This kit allows you to install manual ride control.		
Ride Control Plumbing Kit	AT452094	\$682.00
Harness, plumbing, and accumulator for ride control. Must order valve an mounting plate separately.	d	
REFERRAL ATTACHMENTS		
Description	Code	Price
G.r.mfg.		
Guard, Transmission Bottom	AT441379	\$1,579.00
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.		
G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		