725C2

725C2 ARTICULATED TRUCK PETERLEE, ENGLAND

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission

Cat C9.3 engine

Engine will be certified and labelled for emissions compliance as required for the region of sale.

Differentials: standard with automatic clutched inter and cross-axle differential locks

Dual circuit enclosed multiple disc

brakes

Retarder: Hydraulic S.O.Ssm sampling valves Three axle, six-wheel drive

ELECTRICAL

Electrical system: 24 volt, 5A 24 to 12 volt converter

Lights: cab interior, front, side, rear, two reversing, work light, two stop/ tail lights, front and rear direction indicators

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant Adjustable air vents CAT rear view camera Color Multi-Purpose Display (CMPD) incorporating the rear view camera feed

Electro hydraulic hoist control Glass windows: laminated front, toughened rear and toughened opening

Heater and defroster with four-speed fan

Horn, electric Radio ready ROPS/FOPS cab Seat, fully adjustable, air suspension Seat, padded companion/trainer Seat belts: two retractable Secondary steering - electro hydraulic Storage: cup holder, under seat storage, door pocket and behind seat storage Sun visor Tilt and telescopic steering wheel Windshield wiper and washer, two speed, intermittent (front)

OTHER STANDARD EQUIPMENT

Reverse/back-up alarm Body, adapted for exhaust heat Guards: rear window and radiator, crankcase and axle Mirrors: extensive arrangement for improved visibility Mud flaps: wheel arch and body mounted with transportation tiebacks Spill guard, front, integral part of fabricated body Starting receptacle, electric, remote Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank

Tires, six 23.5R25, radial

725C2

725C2 ARTICULATED TRUCK PETERLEE, ENGLAND

Ship Weight

LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

493-5690 725C2 ARTICULATED TRUCK DCA1..... 0 \$445,730

LANE 1 - AVAILABLE FROM GALVESTON PDC AND SAVANNAH PDC

INCLUDES:

464-5036 725C2 ARTICULATED TRUCK

464-7080 CHASSIS, STANDARD

380-3578 TIRES, 23.5R25 BS ** VLT E-3

495-0339 PRODUCT LINK, SATELLITE PL631

364-2247 BODY, STANDARD

364-8696 TANK, STANDARD FUEL

379-3745 EXHAUST, STANDARD

396-1948 AID, STANDARD STARTING

381-0036 LUBRICATION, MANUAL

373-3662 NO MACHINE SECURITY SYSTEM

373-3664 NO ROOF LIGHTS

381-1676 HEATER, ENGINE COOLANT, 120V

320-5940 FUEL ADDITIVE, ANTI WAX

416-4354 MIRROR, STANDARD

324-7017 SEAT, STANDARD

381-1669 ANTIFREEZE, -36C (-33F)

465-2657 AM/FM RADIO (BLUETOOTH READY)

467-5012 CMPD SOFTWARE

455-3502 NO TAILGATE

468-7821 NO PAYLOAD MONITOR

383-6697 NO REAR WIPER

Effective 02JAN2019 725C2-002

725C2

-	725C2 ARTICULATED TRUCK Ship Weight PETERLEE, ENGLAND Ibs	
542-4622	725C2 ARTICULATED TRUCK DCA2 LANE 1 - AVAILABLE FROM GALVESTON PDC AND SAVANNAH PDC	0 \$447,940
	INCLUDES: 464-5036 725C2 ARTICULATED TRUCK 464-7080 CHASSIS, STANDARD 443-7475 TIRES, 23.5R25 MX ** XADN+ E-3 495-0339 PRODUCT LINK, SATELLITE PL631 364-2247 BODY, STANDARD 364-8696 TANK, STANDARD FUEL 379-3745 EXHAUST, STANDARD 396-1948 AID, STANDARD STARTING 381-0036 LUBRICATION, MANUAL 373-3662 NO MACHINE SECURITY SYSTEM 373-3664 NO ROOF LIGHTS 381-1676 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 416-4354 MIRROR, STANDARD 324-7017 SEAT, STANDARD 381-1669 ANTIFREEZE, -36C (-33F) 465-2657 AM/FM RADIO (BLUETOOTH READY) 467-5012 CMPD SOFTWARE 455-3502 NO TAILGATE 468-7821 NO PAYLOAD MONITOR 383-6697 NO REAR WIPER	
464-5036	725C2 ARTICULATED TRUCK LANE 3 - AVAILABLE FROM PETERLEE FACTORY	0 \$451,150
	Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia and New Zealand.	
0P-3989	725C2 MISCELLANEOUS MATERIAL	0 NC
	Only reference numbers that have the text 'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISCELLANEOUS ORDER' can be used on a MISCELLANEOUS.	SC order.
so ta 3	IACD/LACD use 0P0647 to order 725C2 TAILGATE, SCISSOR from Wamego USA ource. This top level number is to be used when ordering scissor aligates without ordering a machine, the part number to use is 97-2858. The manufacturing and ship source on the order needs to be BPA.	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

725C2

USE	REF NO.	MANDATORY ATTACHMENTS S	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	1 AM-NO	RTH MANDATORY ATTACHMENTS		
LA	ANE SELEC	TION		
	0P-9001	LANE 1 ORDER	0	NC
//\	STRUCTIO	NS		
	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally requanguage, based on the shipping address. Any additional media such as a paper parts manual, not include, can be ordered through the media website.	ired	NC
D	ECAL PACE	KAGE		
Р	465-1443	FILM GROUP, ANSI	0 l of the	NC
P	465-1410	FILM GROUP, ISO		NC
Р	552-5786	FILM GROUP, CANADA		NC
PA	A <i>CKING</i>			
	0P-9901	DOMESTIC	0	\$136 NET
	0P-9902	ROLL ON-ROLL OFF	0	\$171 NET

725C2

LISE NO LA	NE 1 Ship Weig	ht LIST PRICE AT DEALER
------------	----------------	----------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

FLUIDS

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

5

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY Figure 725C2-005

7	1			1
	Z	\mathbf{c}	L	Z

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
-				
	0P-9003	LANE 3 ORDER	0	NC
ELEC	TRICAL			
LI	GHTS			
L	373-3664	NO ROOF LIGHTS	0	NC
L	373-3663	LIGHTS, ROOF MOUNTED WORK	0	\$1,040
SI	ECURITY			
L	373-3662	NO MACHINE SECURITY SYSTEM	0	NC
L	373-3670	SECURITY SYSTEM, MACHINE	0	\$495
RI	EAR WIPER	•		
L	383-6697	NO REAR WIPER	0	NC
L	383-6696	WIPER, REAR	0	\$545
OPER	RATOR ENV	VIRONMENT		
L	373-3661	NO RADIO/STEREO SYSTEM	0	NC
L	465-2657	AM/FM RADIO (BLUETOOTH READY)	0	\$580
M	IRROR TYP	PE .		
L	416-4354	MIRROR, STANDARD	0	NC
L	416-6926	MIRROR, ELECTRIC HEATED	0	\$1,035
SI	EAT TYPE			
L	324-7017	SEAT, STANDARD	0	NC
L	387-3124	SEAT, HEATED	0	\$785

725C2

USE	REF NO.	LANE 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS		
PF	RODUCT LI	NK COMMUNICATIONS		
L	495-0339	PRODUCT LINK, SATELLITE PL631	rk to transmit ving in	\$432
L	495-0340	PRODUCT LINK, CELLULAR PL641	age including 3G A cellular networks to on for viewing ellular technology	NC
L	495-0337	PRODUCT LINK, SATELLITE PLE631	vork to transmit ving in Product	\$799
L	495-0338	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded cov UMTS and CDMA2000 as well as 2G GSM and CDMA transmit location, utilization and condition informatio in Product Link's remote monitoring web interface. Coprovides capabilities for frequent transmission and la data.	rerage including 3G A cellular networks to on for viewing ellular technology	\$367
	A Cat Connec	on Measurement t Payload technology that improves loading and hauling applications where optimum payload capacity is		
	Please check	with factory for Payload availability before ordering.		
L	458-2645	PAYLOAD	0 ing system.	\$11,830
L	468-7821	NO PAYLOAD	0	NC
FUEL	SYSTEMS			
TA	ANK TYPE			
L	364-8696	TANK, STANDARD FUEL	0	NC
L	381-0097	FILLER, FAST FUEL	0	\$3,455

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 725C2-007

L

CATERPILLAR MACHINE PRICE LIST

725C2

\$-4,555

USE REF NO. LANE 3 MA	NDATORY Ship Weight lbs	LIST PRICE AT DEALER
-----------------------	-------------------------	-------------------------

TIRES, RIMS, AND WHEELS

443-7475

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

_	440 /470	Michelin radial, supplier part 295773, tread depth: 38 mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.	Ų 17000
L	554-5152	TIRES, 23.5R25 MX ** X DEFEND	\$1,205
L	380-3578	TIRES, 23.5R25 BS ** VLT E-3	\$-6,760
L	369-8730	TIRES, 750/65R25 MX ** XAD-65	\$3,530
L	380-3582	TIRES, 750/65R25 BS ** VLT E-3	\$4,660
L	564-8924	TIRES, 750/65R25 YOKOHAMA 0	\$12,610
ОТН	ER ATTACH	IMENTS	
S	STARTING T	YPE	
L	396-1948	AID, STARTING, STANDARD	NC
L	396-1960	AID, COLD WEATHER STARTING	\$1,760
L	UBRICATIO	N TYPE	
L	381-0036	LUBRICATION, MANUAL	NC
L	381-0044	LUBRICATION, MANUAL	NC

725C2

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
отні	ER ATTACH	HMENTS (CONT.)		
L	UBRICATIO	N TYPE (Cont.)		
L	455-5666	LUBRICATION, MANUAL		NC
L	455-5667	For use with a standard tank on a SWB bare chassis LUBRICATION, MANUAL	0	NC
L	454-7555	For use with a fast fill tank on a SWB nare chassis ma LUBRICATION, MANUAL		NC
L	454-7560	For use with a standard tank on a LWB machine. LUBRICATION, MANUAL	0	NC
_	381-0063	For use with a fast fill tank on a LWB machine. LUBRICATION , AUTOMATIC		\$5,890
_	381-0074	Not for use with Scissor Tailgate. LUBRICATION, AUTOMATIC		\$5,890
		For use with Scissor Tailgate.		
	447-7624	For use with SWB bare chassis machine with hoist cy	linders.	\$5,890
•	381-0078	For use with SWB bare chassis machine without hois	t cylinders.	\$5,890
	454-8019	For use with a LWB machine with hoist cylinders.	0	\$5,890
-	454-8036	LUBRICATION, AUTOMATIC		\$5,890
C	OLOUR MU	ILTI PURPOSE DISPLAY		
L	467-5012	CMPD SOFTWARE		NC
D	ECALS			
P	465-1443	FILM GROUP, ANSI	0	NC
P	502-2857	This package includes the ANSI decals and is required FILM GROUP, ANSI		NC
		For use with bare chassis machines. This package includes the ANSI decals and is required	d by USA.	
FRAN	ИES		-	
Pl	lease conta	ct the factory for current long wheel base ava	ailability.	
L	464-7080	CHASSIS, STANDARD	0	NC
_	464-7083	For use with body. CHASSIS, STANDARD WHEEL BASE	0	\$-20,610
_	464-7091	This package is a bare chassis machine with hoist cyl CHASSIS, STANDARD WHEEL BASE	linders. 0	\$ -27,890
_	464-7096	This package is a bare chassis machine without hoist CHASSIS, LONG WHEEL BASE	cylinders.	\$-6,220
-	464-7099	This package is a long wheel base machine with hoist CHASSIS, LONG WHEEL BASE	cylinders.	\$-11,460
•	404-7033	This package is a long wheel base machine without he		Ş-II,46U

725C2

USE	REF NO.	LANE 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
BODY	<i>(</i>			
	ODY TYPE	ith bare chassis machines.		
L	364-2247	BODY, STANDARD	0	NC
_	380-2081	LINER, DUMP BODY		
L	380-2081	LINER, DUNIP BODY		\$13,930
E	KHAUST T	YPE		
L	379-3745	EXHAUST, STANDARD	0	NC
L	440-2322	To be used by HRC regions. EXHAUST, STANDARD	0	NC
L	440-5271	EXHAUST, STANDARD	0	NC
L	379-3768	EXHAUST, HEATED BODY To be used by HRC regions.	0	\$4 ,530
TA	AILGATE			
Р	397-2858	TAILGATE, SCISSOR		\$13,150
Р	455-3502	NO TAILGATE	0	NC
FLUID	os			
L	381-1669	ANTIFREEZE, -36C (-33F)	0	NC
L	381-1671	ANTIFREEZE, -50C (-58F)	0	\$388
INSTI	RUCTIONS			
O	PERATION	AND MAINTENANCE MANUAL		
	421-8926	SERIALIZED TECHNICAL MEDIA KIT	Maintenance ory Notification facility. anuals (OMM) based	NC
		Any additional media or translations not included in t be ordered through publications.cat.com	he kit, should	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 725C2-010

725C2

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER				
PACKI	NG							
DO	MESTIC F	PACKAGING						
	0P-9901	DOMESTIC	0	\$136 NET				
EX	EXPORT PACKAGING							
	0P-9902	ROLL ON-ROLL OFF	0	\$171 NET				

MISCELLANEOUS PACKAGING

0P-0001 SPECIAL PACK

Reference number required on all miscellaneous orders. May require extra charge.

725C2

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ELEC	TRICAL			
P	363-7685	BEACON, LED	0	\$570
ОТНЕ	ER ATTACH	HMENTS		
L	364-4046	GROUP, ETHER	0	\$119
L	381-1676	HEATER, ENGINE COOLANT, 120V	0	\$199
L	381-1677	Supply cable not included. HEATER, ENGINE COOLANT, 240V	0	\$199
L	320-5940	Supply cable not included. FUEL ADDITIVE, ANTI WAX	0	\$129
L	454-6964	KIT, BODY UP SWITCH	0	\$276 NI
M	IISCELLANE	EOUS KITS		
L	384-4165	LINER, BODY	0	\$13,800 NI
L	465-7887	KIT, HEATED BODY EXHAUST	0	\$4,530 NI
Р	397-2858	TAILGATE, SCISSOR	0	\$13,150
sourc tailga	e. This top tes without	OP0647 to order 725C2 TAILGATE, SCISSOR followed in the level number is to be used when ordering scisson ordering a machine, the part number to use is anufacturing and ship source on the order needs	r	
	d Arr, Brake vheel guards	are available to prevent dirt ingress into the bra	ke	

Full wheel guards are available to prevent dirt ingress into the brake group. These kits cannot be ordered as a factory installed item or as a miscellaneous order.

Refer to Service Magazine SEPD1043 for instructions and parts lists.

DOCUMENTATION

MISCELLANEOUS

0P-2046	PREPARATION FOR INSPECTION	\$406 NET
---------	----------------------------	-----------

725C2

USE REF NO. LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
-----------------------------	--------------------	-------------------------

PACKING

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

remove the Fluid Film, TM.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Effective 02JAN2019 725C2-013

Bid Term: 2/20/19 - 2/19/21

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY