730

730 TRUCK PETERLEE, ENGLAND Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission Cat C13 engine

Engine will be certified and labelled for emissions compliance as required for the region of sale.

Differentials: standard with automatic clutched inter and cross-axle differential locks

Dual circuit enclosed multiple disc brakes

Retarder: engine brake S.O.Ssm sampling valves Three axle, six-wheel drive Machine speed limiter Automatic Retarder Control Hill Assist Waiting Brake

ELECTRICAL

Electrical system: 24 volt, 5A 24 to 12 volt converter
Lights: cab interior, front, side, rear, two reversing, work lights, two stop/tail lights, front and rear direction indicators

Hood Raise Lower Switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Adjustable air vents
CAT rear view camera
Touch Screen
incorporating the rear view camera
feed
Electro hydraulic hoist control
Glass windows: laminated front,
toughened rear and toughened opening
sides
Heater and defroster with four-speed fan

Horn, electric
Radio ready
ROPS/FOPS cab
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts: two retractable
Secondary steering - electro hydraulic
Storage: cup holder, under seat storage,
behind seat storage and
coat hook
Sun visor
Tilt and telescopic steering wheel
Windshield wiper and washer, two speed,
intermittent (front)

OTHER STANDARD EQUIPMENT

Reverse/back-up alarm Body, adapted for exhaust heat Guards: rear window and radiator, crankcase and axle Mirrors: extensive arrangement for improved visibility Mud flaps: wheel archand body mounted with transportation tie backs Spill guard, front, integral part of fabricated body Starting receptacle, electric, remote Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank Cat Detect with Stability Assist Rollover Warning System

Assisted Hoist System

Bid Term: 2/20/19 - 2/19/21

730

730 TRUCK Ship Weight LIST PRICE PETERLEE, ENGLAND lbs AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

562-6334 730-04A ARTICULATED TRUCK DCA1..... 0 \$517,940

LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC

INCLUDES:

485-1709 730-04A ARTICULATED TRUCK

503-5009 CHASSIS, STANDARD

443-7475 TIRES, 23.5R25 MX ** XADN+ E-3

481-8888 PRODUCT LINK, CELLULAR PLE641

526-3414 BODY, STANDARD

503-2045 TANK, STANDARD FUEL

487-9912 EXHAUST, STANDARD

502-9602 AID, STANDARD STARTING

502-7483 NO SOUND SUPPRESSION (HRC)

480-1971 NO MACHINE SECURITY SYSTEM

480-1973 NO ROOF LIGHTS

381-0102 HEATER, ENGINE COOLANT, 120V

320-5940 FUEL ADDITIVE, ANTI WAX

500-5946 MIRROR, STANDARD

485-0330 SEAT, STANDARD

381-0092 ANTIFREEZE, -36C (-33F)

480-1980 AM/FM RADIO (BLUETOOTH READY)

455-3503 NO TAILGATE

485-0336 NO PAYLOAD MONITOR

497-9403 NO REAR WIPER

566-5659 SEAT BELT, STANDARD

462-5039 STANDARD CAB

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

730

730 TRUCK PETERLEE, E		nip Weight Ibs	LIST PRICE AT DEALER
563-0992	730-04A ARTICULATED TRUCK DCA2 LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PD		\$515,740
	INCLUDES: 485-1709 730-04A ARTICULATED TRUCK 503-5009 CHASSIS, STANDARD 380-3578 TIRES, 23.5R25 BS ** VLT E-3 481-8888 PRODUCT LINK, CELLULAR PLE641 526-3414 BODY, STANDARD 503-2045 TANK, STANDARD FUEL 487-9912 EXHAUST, STANDARD 502-9602 AID, STANDARD STARTING 502-7483 NO SOUND SUPPRESSION (HRC) 480-1971 NO MACHINE SECURITY SYSTEM 480-1973 NO ROOF LIGHTS 381-0102 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 500-5946 MIRROR, STANDARD 485-0330 SEAT, STANDARD 381-0092 ANTIFREEZE, -36C (-33F) 480-1980 AM/FM RADIO (BLUETOOTH READY) 455-3503 NO TAILGATE 462-5039 STANDARD CAB 485-0336 NO PAYLOAD MONITOR 566-5659 SEAT BELT, STANDARD		
485-1709	730-04A ARTICULATED TRUCK	0	\$521,590
	Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Aust and New Zealand.	ralia	
485-1710	730-04A EJ ARTICULATED TRUCK	0	\$617,870
	Includes ejector body. Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Aust and New Zealand.	ralia	
0P-6473	730 MISCELLANEOUS MATERIAL	0	NC
	Only reference numbers that have the text		

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

730

USE NO. LANE 1 MANDATORY Ship Weight LIST PI
--

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

	LANE SELEC	TION	
	0P-9001	LANE 1 ORDER	NC
	INSTRUCTIO	NS	
	421-8926	SERIALIZED TECHNICAL MEDIA KIT	NC
	DECAL PACK	(AGE	
P	488-0553	FILM GROUP, ANSI	NC
P	488-0550	FILM GROUP, ISO	NC
Р	552-5786	FILM GROUP, CANADA	NC
	PACKING		
	0P-9901	DOMESTIC 0	\$136 NET
	0P-9902	ROLL ON-ROLL OFF	\$171 NET

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

730

USE REF LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

FLUIDS

L 381-0094 ANTIFREEZE, -50C (-58F) 0 \$388

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

CATERPILLAR MACHINE PRICE LIST

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
(N	NUST CHO	OSE AT LEAST ONE PACKAGE OR ATTACHN	MENT FROM EACH	H CATEGORY)
	YOUR ORDER LISTED AS LA	R WILL BE LANE 3 UNLESS YOU SELECT A PACKAGE OF ANE 1 ONLY.	R ATTACHMENT	
	0P-9003	LANE 3 ORDER	0	NC
ELEC	TRICAL			
LI	GHTS			
L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,040
SE	CURITY			
L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$495
RE	EAR WIPER			
L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	\$545
OPER	ATOR ENV	IRONMENT		
L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	\$580
M	IRROR TYP	PE		
L	500-5946	MIRROR, STANDARD	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED	0	\$1,035
SE	AT TYPE			
L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	\$785

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC
OPEF	RATOR ENV	IRONMENT (CONT.)		
S	EAT BELT			
L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	\$665
C	AB TYPE			
L	462-5039	STANDARD CAB	0	NC
L	497-9389	To be used by HRC regions. HIGH AMBIENT CAB	0	\$1,555
TECH	HNOLOGY F	PRODUCTS		
P	RODUCT LI	NK COMMUNICATIONS		
L	481-8887	PRODUCT LINK, SATELLITE PLE631	work to transmit wing in Product	\$432
L	481-8888	PRODUCT LINK, CELLULAR PLE641	verage including 3G A cellular networks to on for viewing Cellular technology	NC
	A Cat Connec	on Measurement t Payload technology that improves loading and hauling a applications where optimum payload capacity is		
	Please check	with factory for Payload availability before ordering.		
L	503-5941	PAYLOAD	0	\$11,830
L	485-0336	NO PAYLOAD	0	NC
FUEL	. SYSTEMS			
T	ANK TYPE			
L	503-2045	TANK, STANDARD FUEL	0	NC
	517-1808	FILLER, FAST FUEL		\$3,455

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

730

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	443-7475	TIRES, 23.5R25 MX ** XADN + E-3	\$ -4 ,555
L	554-5152	TIRES, 23.5R25 MX ** X DEFEND	\$1,205
L	380-3578	TIRES, 23.5R25 BS ** VLT E-3	\$-6,760
L	369-8730	TIRES, 750/65R25 MX ** XAD-65	\$3,530
L	380-3582	TIRES, 750/65R25 BS ** VLT E-3	\$4,660
L	564-8924	TIRES, 750/65R25 YOKOHAMA	\$12,610
OTHE	R ATTACH	IMENTS	
L	502-7483	NO SOUND SUPPRESSION	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC AT DEALER
отн	ER ATTACH	HMENTS (CONT.)		
E	NGINE			
L	563-9782	ROW ENGINE ARRANGEMENT	TED TRUCK	NC
S	TARTING T	YPE		
L	502-9602	AID, STARTING, STANDARD	0	NC
L	502-9603	AID, COLD WEATHER STARTING	0	\$1,760
D	ECALS			
P	488-0553	FILM GROUP, ANSI		NC
Р	488-0554	This package includes the ANSI decals and is require FILM GROUP, ANSI		NC
P	488-0561	This package includes the ANSI decals and is require FILM GROUP, ANSI	0	NC
FRAI	MES			
P	lease conta	ct the factory for current long wheel base av	ailability.	
L	503-5009	CHASSIS, STANDARD	0	NC
L	503-5010	For use with body. CHASSIS, STANDARD WHEEL BASE		\$-21,600
L	503-5011	This package is a bare chassis machine with hoist cy CHASSIS, STANDARD WHEEL BASE	0	\$-29,590
L	503-7289	This package is a bare chassis machine without hois CHASSIS , LONG WHEEL BASE	0	\$-12,210
BOD	Υ			
В	ODY TYPE Not for use wi	ith 730c2 Ejector machines and bare chassis machines.		
L	526-3414	BODY, STANDARD	0	NC
L	526-3415	LINER, DUMP BODY	0	\$13,930
E	XHAUST T	YPE		
L	487-9912	EXHAUST, STANDARD	0	NC
L	487-9913	To be used by HRC regions. EXHAUST, STANDARD	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019

Bid Term: 2/20/19 - 2/19/21

730-009

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BODY	(CONT.)			
EX	HAUST TY	PE (Cont.)		
L	487-9916	EXHAUST, STANDARD		NC
L	487-9920	To be used by LRC regions. EXHAUST, HEATED BODY	0	\$4,530
L	487-9923	To be used by HRC regions. EXHAUST, HEATED BODY	0	\$4,530
L	487-9921	To be used by LRC regions. EXHAUST, HEATED BODY For use with ejector machines.	0	\$4,530
L	487-9924	To be used by HRC regions. EXHAUST, HEATED BODY For use with ejector machines. To be used by LRC regions.	0	\$4,530
TA	ILGATE			
P	489-1756	TAILGATE, SCISSOR		\$13,030
Р	455-3503	NO TAILGATE	0	NC
FLUID	s			
L	381-0092	ANTIFREEZE, -36C (-33F)	0	NC
L	381-0094	ANTIFREEZE, -50C (-58F)	0	\$388
INSTR	UCTIONS			
OP	ERATION A	AND MAINTENANCE MANUAL		
	421-8926	SERIALIZED TECHNICAL MEDIA KIT	Maintenance tory Notification ng facility. Manuals (OMM) based	NC
		Any additional media or translations not included in be ordered through publications.cat.com	the kit, should	
PACKI	NG			
DO	MESTIC P	ACKAGING		
	0P-9901	DOMESTIC	0	\$136 N

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

730

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

PACKING (CONT.)

EXPORT PACKAGING

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

730

JSE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
LEC	TRICAL			
•	363-7685	BEACON, LED	0	\$570
THE	R ATTACH	IMENTS		
	364-4045	GROUP, ETHER	0	\$119
	381-0102	HEATER, ENGINE COOLANT, 120V	0	\$199
	381-0103	Supply cable not included. HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	\$199
	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$129
	500-5939	REAR BLINDS	0	\$259
A	UTOMATIC	LUBRICATION		
	526-0515	AUTOLUBE ARRANGEMENT	0	NC
		When selecting Automatic Lubrication, must select and one part number from below to complete Automoption. Select one only:	above part number natic Lubrication	
	506-8670	LUBRICATION, AUTOMATIC		\$5,890
	506-4149	LUBRICATION, AUTOMATIC	0	\$5,890
	506-4151	LUBRICATION, AUTOMATIC		\$5,890
		Please note that this system lubricates the base madejector system must be lubricated manually.	chine only. The	
	506-4152	LUBRICATION, AUTOMATIC	0 cylinders.	\$5,890
	526-0518	LUBRICATION, AUTOMATIC	0	\$5,890
	506-4153	LUBRICATION, AUTOMATIC	0	\$5,890
АСТ	ORY SOUP	RCED KITS		
]	Kits in this se miscellaneous	RDER KITS ction can be shipped loose from Peterlee on a s order using 0G-0705 with targeted availability of 2 eceipt of order.		
•	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	\$580 1
	526-6598	FILLER, FAST FUEL	0	\$3,455
	020 0000	•		

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019

730-012

730

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
FACTO	RY SOUP	RCED KITS (CONT.)		
FIN	ISH TO O	RDER KITS (Cont.)		
Р	572-1733	PAYLOAD	0	\$11,830 NI
source.	This top	DP0648 to order 730 TAILGATE, SCISSOR from level number is to be used along with part numb anufacturing and ship source on the order needs	er	
ALTER	NATE SO	URCED ATTACHMENTS		
Ki m	ts in this se	RDER KITS ction can be shipped loose from Morton on a s order with targeted availability of 1-2 weeks from er.		
	-	MUST BE MADE THROUGH ANTARES AND NOT CMORERED THROUGH CMOPS WILL NOT BE PROCESSED.	PS.	
Р	541-4651	BEACON, LED	0	\$569 NI
DOCUI	MENTATI	ON		
MIS	CELLANE	EOUS		
	0P-2046	PREPARATION FOR INSPECTION	0	\$406 NET

PACKING

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 730-013

Bid Term: 2/20/19 - 2/19/21