

Current Date 13Dec2018

755K CRAWLER LOADER

ENGINE:

John Deere PowerTech PVS 6.8L certified to FT4 / Stage IIIB emissions 194 SAE Net hp (145 kW) **Isolation Mounted** No power Derating up to 10,000 ft Altitude Electronic control with automatic engine protection

Variable-Geometry Turbocharger(VGT) Exhaust Gas Recirculation Diesel particulate filter Electronically Controlled Fuel Delivery System Wet Sleeve Cylinder Liners Vertical Spin-on Engine Oil Filter Vertical Spin on Dual Stage Fuel Filter Fuel/Water Sensor Electric Fuel Primer Cylindrical Dry Canister Air Cleaner Engine glow plug starting system Environmental drain provisions are provided for the hydraulic oil, engine oil, engine coolant, transmission and fuel tank

COOLING SYSTEM: Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank Quad-Cool, Tilt-out fan box, suction type Cool On Demand Hydraulic Fan Perforated engine hood and side shields 10.2-Fin/in. Engine Coolant Radiator 10.2-Fin/in. Hydrostatic Oil27.2 Gallon (103 Liter) Independent Hydraulic Oil Reservoir

POWER TRAIN: **Dual Path Hydrostatic** Transmission Automatic Load Sensing for Speed and Power Management AutoTracking Steering Control

17.6 Gallon (66.6 Liter)

Hydrostatic Reservoir Tank V-Pattern w/ Pedals or Single Lever Joystick Steering, Direction / Speed Control with Counter Rotation

Combined Decelerator/Brake Pedal

Selectable reverse speed ratios 100%, 115%, or 130% of forward ground speed Electronic Control with **Automatic Transmission**

Protection

Double Reduction Final Drives with Wet Multi-Disk Brakes

Integral Final Drive Seal

Protection

Primary and Secondary Service Brakes (Conforms to

ISO 10265)

Automatic Spring-Applied, Hydraulic Released Park

Brake - Lever

Operated (Conforms to ISO

10265)

Transmission Diagnostic

Ports

Transmission Decelerator

UNDERCARRIAGE:

Oscillating Undercarriage

Engine Coolant Temperature

Transmission Oil Temperature

Hydraulic Oil Temperature Transmission Pressure Low Alternator Voltage **Engine Air Filter Restriction** Hydraulic Filter Restriction

Transmission Filter

Restriction

Hydraulic Fan Filter

Restriction Water in Fuel

Machine Diagnostic Service

Code

Indicator lights Fasten-Seat-Belt Return-To-Neutral

Park Brake

Calibration/Service Mode Decelerator Function Mode

Digital Readout: **Tachometer** Alternator Voltage

Hourmeter

Machine Diagnostic Service

Code(s)

Transmission Charge

Pressure

Transmission Direction and

Diagnostic Service Codes

Monitor Settings Calibration

Transmission Control

Settings

Machine Travel History

Gauges, Electric, Illuminated:

Engine Coolant Temperature

Engine Oil Pressure

Fuel Level

Transmission Oil

Temperature

to-Air Cooler
10.2-Fin/in. Hydraulic Oil-to-Air Cooler
10.2-Fin/in. Charge Air
Cooler (Air to Air)
Enclosed Safety Fan Guard
(Conforms to SAE J1308 ISO 3457)

ELECTRICAL:

24 Volt System 130 Amp Sealed Alternator for cab units (2) Front Roof-Mounted and (2) Rear-Roof Mounted Halogen, (1) Engine Compartment Lights, and 2 rear reflectors Bypass Start Safety Cover on Starter 24 Volt Electrical Load Center (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Blade-Type Fuses Electrical Master Disconnect Positive Terminal Battery Covers Reverse Warning Alarm (Conforms to SAE J994, J1446, ISO 9533)

HYDRAULICS:

65 gpm (246 L/min) Engine Mounted Piston Pump - Load Sensing Pilot Pressure Control System (2) Function Hydraulics for General Purpose Bucket - Single Lever Bucket Control Compatible for Additional Functions Hydraulic Diagnostic Ports

with Remote Lube
20 in. (508 mm) Closed
Center Moderate Service
Single Grouser Track
Shoes
Adjustable Track Sag
Segmented Sprockets
Front & Rear Chain Guides
with Bolt-on Wear Surfaces

OPERATOR STATION:
Modular Design Isolation
Mounted ROPS/FOPS
Operator Station (Conforms
to SAE J1040 - ISO 3471)
Manual/Hydraulic Operated
Operator Station Tilt Feature

Left and Right Front Access Floormat Interior and exterior sound treatment Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867) Air-suspension seat Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft

Side Console Leg Cushions Adjustable Armrests Adjustable Foot Rests 3 in. (76 mm) Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) Lunch Box Storage Cupholders Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port Electronic Monitor System with Audible and Visual Warning:

Hydraulic Oil Temperature Electronic Engine Speed Dial with Warm-Up Indicator Horn, Electric (Conforms to SAE J994, J1446, ISO 9533)

Coded Keyless Start with Electric Fuel Shut Off Interior Mounted Rearview Mirror (Conforms to SAE J985)

OVERALL VEHICLE:

Fuel Saving Eco Mode JDLink Ultimate wireless communication system Rear View Camera with a **Dedicated Monitor** Unitized Mainframe with: Integral Bottom Protection Integral front tow loop Integral Machine Transport Tie-Downs **Bolt-on Bottom Access** Covers Maintenance Free Center Crossbar Pivot Fold-out grill Perforated Engine Side Shields Left & Right Side Hinged Engine and Cooling System **Access Panels** Transmission Rear Access Cover Ground Level Fueling Lockable Vandal Protection for: **Engine Access Panel** Side tank access doors Fuel tank Transmission Reservoir Hydraulic Reservoir 86 Gallon (325.5 Liter) Fuel Tank: Shut Off Valve at Tank Outlet Water Drain on tank

Required - You must select one from each category

 Ψ

BASE MACHINE

Description Code Price

755K	CRAWLER	LOADER
7 3 3 1 1		LOADLI

9810T \$325,235.00

₩.	MACHINE	CONNECTIVITY
----	---------	--------------

Description Code Price
No JDLink Ultimate 1741 (\$1,232.00)

JDLink Ultimate Cellular - 5 Years

170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

JDLink Ultimate Satellite - 5 Years

170J \$1,936.00

The JDLink satellite option includes a separate satellite gateway to connect to the global satellite network. The satellite gateway works with the 4G LTE MTG to automatically transmit data over a satellite network when a cellular network is not available. Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability, separate satellite gateway and JDLink Ultimate dual mode activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

SPEED CONTROLS

Description	Code	Price
Joystick Steering with FNR, Variable Speed, Direction Control and Brake Pedal	3010	No Added Cost
"V" Pattern Speed and Direction Control with Pedal Steering	3020	No Added Cost

CANOPY OR CAB

Description Code Price Enclosed Cab with Polycarbonate Front Windshield 5075 \$30,294.00

Includes: 130 Amp Alternator Left and Right quarter hinged windows Tinted safety glass Dome light Fresh air intake heater/defroster (conforms to SAE J1503, J1535D) 24,000

Grounds Equipment Bid #ESCNJ 18/19-25

BTU air conditioning Floormat (3) Windshield wiper/washers for Windshield and Doors interior mounted rearview convex mirror, 4 in. (101.5 mm) wide and 8 in. (203 mm) long - (conforms to SAE J985) AM/FM/WB Radio with CD and additional power port. Cab with Air Conditioner and Heater 5085 \$28,919.00 Includes: 130 Amp Alternator Left and Right quarter hinged windows Tinted safety glass Dome light Fresh air intake heater/defroster (conforms to SAE J1503, J1535D) 24,000 BTU air conditioning Floormat (3) Windshield wiper/washers for Windshield and Doors interior mounted rearview convex mirror, 4 in. (101.5 mm) wide and 8 in. (203 mm) long - (conforms to SAE J985) AM/FM/WB Radio **SEAT** Description Code Price Air Suspension Comfort Control High Back Fabric Seat 5885 No Added Cost 3 in. (76 mm) retractable seat belt. Backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5075 or 5085. Air Suspension Heated Comfort Control High Back Fabric 5890 \$638.00 Seat 3 in. (76 mm) retractable seat belt. Backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5075 of 5085. LOADER CONTROLS Code Price Description Dual Axis Joystick Loader Controls Without Front 7110 No Added Cost **Hydraulics** Dual Axis Joystick Loader Controls With Front Hydraulics 7120 \$6,002.00 2 Lever Loader Controls Without Front Hydraulics 7130 \$563.00 3 Lever Loader Controls with Front Hydraulics 7140 \$6,562.00 **FAN** Description Code Price Hydraulic-Drive Engine Fan 3510 No Added Cost Auto-Reversing, Hydraulic-Drive Engine Fan 3520 \$1,786.00 UNDERCARRIAGE

NJ State Approved Co-op #65MCESCCPS

Description	Code	Price
Track Shoes and Chain		
Sealed and Lubed 38 link Track Chain with Full Width and Closed C Grousers except as noted.	enter	
Closed Center Double Grouser	4520	(\$660.00)
20 In. (508 mm)		
20 In. (508 mm) Double Grouser	4525	\$1,592.00
Open Center Grouser w/Trapezoidal Holes		
22 In. (560 mm), Closed Center Double Grouser	4530	No Added Cost
22 In. (560 mm), Open Center Double Grouser w/Trapezoidal Holes	4535	\$2,282.00
Track Shoes and Chain with Bushings		
Sealed and Lubed 38 link Track Chain with Extended Life Bushings. Width and Closed Center Grousers except as noted.	Full	
20 In. (508 mm), Closed Center Double Grouser with Extended Life Bushings	4620	\$1,899.00
22 In. (560 mm), Closed Center Double Grouser with Extended Life Bushings	4630	\$2,558.00
20 In. (508 mm), Open Center Double Grouser w/Trapezoidal Holes and Extended Life Bushings	4625	\$4,264.00
22 In. (560 mm), Open Center Double Grouser w/Trapezoidal Holes and Extended Life Bushings	4635	\$4,955.00
GREASES, FUEL, OIL, & COOLANT		
Description	Code	Price
Hydraulic And Hydrostatic Oil - Hydrau	8010	No Added Cost
Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging F -25C (-13F) to 50C (122F).	rom	
Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$571.00
Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatu down to -40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging fro -40C to 40C (-40F to 104F).		
BUCKETS		
Description	Code	Price
Less Bucket	8705	No Added Cost
General Purpose Bucket	8710	\$13,175.00
3.2 Cu. Yd. (2.4 Cu. M.)		

	Multi-Purpose Bucket	8720	\$25,789.00
	2.6 Cu. Yd. (2.0 Cu. M.) Requires code 7120 or 7140 hydraulics.		
_	CUTTING EDGES		
	Description Less Cutting Edges	Code 8805	Price No Added Cost
-	Bolt-On (Full Lip) Cutting Edges	8810	\$1,450.00
	Bolt-On Segments and Teeth (8)	8820	\$2,396.00
	Bolt-On Bucket Teeth (8)	8830	\$2,174.00
Opt	ional - Select as desired FILTER		
	Description Severe Duty Fuel Filter & Water Separator with Heater	Code 9060	Price \$542.00
_	ENGINE BLOCK HEATER		
	Description Engine Block Heater	Code 9530	Price \$213.00
~	AIR PRE-CLEANER		
	Description Single Stage Rotary Ejector Engine Air Precleaner	Code 9130	Price \$1,028.00
	Included with Custom Works Installed Landfill Package		
~	CHAIN GUIDES OR ROCK GUARDS		
	Description Bolt-on Rock Guards - Full Length	Code 9150	Price \$3,454.00
_	Final Drive Trash Guards	9160	\$1,806.00
	Included with CustomWorks Installed Landfill Package		
~	SPROCKET SEGMENTS		
	Description Sprocket Segments with Recesses	Code 9155	Price \$515.00
~	SAMPLING PORTS		
	Description Fluid Sampling Ports	Code 9070	Price \$185.00
~	QUICK SERVICE		
	Description	Code	Price

9075 Quick Service Group \$741.00 HYDRAULIC CONTROLS Description Price Code 9090 \$5,792.00 Auxiliary Hydraulic Controls and Plumbing for Rear LANDFILL PACKAGE Description Price Code Landfill Package 9010 \$5,106.00 Requires Code 3520 and 5075. Not For Use With 9187 or 9340. Includes Final Drive Trash Guards, Two Additional Front Lights, Rotary Precleaner and All Cylinder Guards. Requires AT426085. Recommend: Trapezoidal hole shoes and rear striker bars. CYLINDER PROTECTION Description Code Price Lift Cylinder Line Protection 9097 \$1,191.00 Included with CustomWorks Installed Landfill Package Cylinder Protection for Multi-purpose Buckets 9098 \$547.00 Requires Code 8720 bucket. Included with CustomWorks Installed Landfill Package. **Bucket Cylinder Protection** 9096 \$1,291.00 Included with CustomWorks Installed Landfill Package **RUST PROTECTION** Description Code Price 9909 Non-Export Rust Preventive Coating \$156.00 **WORK LIGHTS** Description Code Price 9168 Optional LED Lights \$603.00 12 VOLT POWER Description Code Price Additional Accessory 12 Volt Power Port 9370 \$230.00 HITCH LOOP Description Code Price Retrieval Hitch Loop 9340 \$325.00

Not for use with code 9197 Ripper or code 9010 Landfill Package

~	RIPPER		
	Description	Code	Price
	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$16,768.00
	Not for use code 9010 Requires code 9090, Rear Hydraulic Controls and Plumbing. When ordered, counterweight will be removed.		
~	LABEL KIT		
	Description	Code	Price
	French Label Kit	9173	No Added Cost
	Spanish Label Kit	9178	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Buckets		
2.6 Cubic Yd (2.0 Cu M) Multipurpose 4-1 Bucket With Hydraulic Hoses From Front Hydraulic Bulkhead - Teeth and Segments	AT464291	\$25,154.00
3.1 Cubic Yd (2.45 Cu M) General Purpose Bucket - Teeth and Segments to be Ordered Separately, if Desired	BYT10028	\$12,851.00
3.2 Cubic Yd (2.45 Cu M) General Purpose Bucket	AT367923	\$12,851.00
Bucket Teeth and Adapters	AT367954	\$1,997.00
Bucket Teeth and Adapters With Segments	AT367949	\$2,491.00
Cold Start		
Engine Coolant Heater	AT388232	\$37.00
Not for use with fuild sampling ports		
<u>Guards</u>		
Final Drive Seal Trash Guards	AT357218	\$1,671.00
Average installation, 2 hours. Seal guards are for dry conditions, like trash applications or demolition and NOT for wet/muddy conditions.		
	Buckets 2.6 Cubic Yd (2.0 Cu M) Multipurpose 4-1 Bucket With Hydraulic Hoses From Front Hydraulic Bulkhead - Teeth and Segments 3.1 Cubic Yd (2.45 Cu M) General Purpose Bucket - Teeth and Segments to be Ordered Separately, if Desired 3.2 Cubic Yd (2.45 Cu M) General Purpose Bucket Bucket Teeth and Adapters Bucket Teeth and Adapters Bucket Teeth and Adapters With Segments Cold Start Engine Coolant Heater Not for use with fuild sampling ports Guards Final Drive Seal Trash Guards Average installation, 2 hours. Seal guards are for dry conditions, like trash applications or demolition and	Buckets 2.6 Cubic Yd (2.0 Cu M) Multipurpose 4-1 Bucket With Hydraulic Hoses From Front Hydraulic Bulkhead - Teeth and Segments 3.1 Cubic Yd (2.45 Cu M) General Purpose Bucket - Teeth and Segments to be Ordered Separately, if Desired 3.2 Cubic Yd (2.45 Cu M) General Purpose Bucket AT367923 Bucket Teeth and Adapters Bucket Teeth and Adapters Bucket Teeth and Adapters With Segments Cold Start Engine Coolant Heater Not for use with fuild sampling ports Guards Final Drive Seal Trash Guards AT357218 Average installation, 2 hours. Seal guards are for dry conditions, like trash applications or demolition and

<u>Hydraulics</u>		
2 Lever Control to Dual Axis Joystick Conversion Kit	AT367899	\$1,676.00
For use with General Purpose Bucket		
3 Lever Control to Dual Axis Joystick with solenoid valve Conversion Kit	AT367924	\$2,038.00
For use with Multi-Purpose Bucket		
Auxiliary Hydraulic Controls, and Plumbing For Rear Attachments	AT367865	\$2,384.00
Required for Ripper		
Bucket Dump Cylinder Protection Kit	AT368180	\$1,240.00
Clam Cylinder Protection Kit for Multi-Purpose Bucket	AT368182	\$899.00
Dual Axis Joystick to 2 Lever Control Conversion Kit.	AT367883	\$1,429.00
For use with General Purpose Bucket		
Lift Cylinder Line Protection	AT368181	\$1,194.00
<u>Miscellaneous</u>		
3 Lever Control to Dual Axis Joystick with solenoid valve Conversion Kit. For use with MP bucket.	AT464298	\$2,038.00
Auxiliary Hydraulic Controls, and Plumbing For Rear Attachments	AT464295	\$2,384.00
Dual Axis Joystick with solenoid valve to 3 Lever Control Conversion Kit. For use with MP bucket.	AT464297	\$2,092.00
Fluid Sampling Valves	AT466048	\$184.00
Front Auxiliary Hydraulic Kit	AT464293	\$1,687.00
Front Auxiliary Hydraulic Kit	AT464294	\$3,428.00
Hydraulic-Drive Reversing Fan	AT368314	\$1,581.00
Multi Shank Radial Ripper With 3 Shanks	AT464296	\$17,099.00
Quick Service Options	AT464300	\$753.00
Reversing Fan Drive	AT464299	\$1,581.00
Severe Duty Fuel Filter	BYT10188	\$572.00
<u>Operator Environment</u>		
Additional 12V Power Port	AT368183	\$265.00
Overall Vehicle		
Additional Front Lights	AT368356	\$80.00

The Educational Services Commission of New Jersey Grounds Equipment Bid #ESCNJ 18/19-25

	Custom Works Installed Landfill Package	AT426085	\$20,070.00
	Requires Code 9010. Includes rear corner bumper, fender guards, prescreen guard, bucket trash rack. Comar number of tractor must be included with order.		
	Fluid Sampling Ports	AT368218	\$186.00
	<u>Powertrain</u>		
	Conversion Kit, Joystick to V-Pattern Control	AT365020	\$4,834.00
	Conversion Kit, V-Pattern to Joystick Control	AT373295	\$2,386.00
	Includes Footrest		
	Quick Service Group	AT393914	\$753.00
REFE	RRAL ATTACHMENTS		
	Description	Code	Price
	G.r.mfg.		
	Bumper, Rear Corner	AT401659	\$4,087.00
	Custom Code 92C1 Less Rear Counterweight is recommended. Included with CustomWorks Installed Landfill Package. Not For Use with rippers 9187 or 9340. Required with Limb Risers, Rear Includes integral retrieval hitch.		
	Guard, Fender	AT401660	\$1,932.00
	Included with CustomWorks Installed Landfill Package		
	Limb Riser, Rear	AT392777	\$2,682.00
	Requires Bumper, Rear Corner		
	Screen, Cab Door	AT392773	\$1,970.00
	Screen, Cab Full Enclosure	AT392778	\$12,489.00
	Requires code 5075 Enclosed Cab with Polycarbonate Front Windshield Includes rear screen, condenser guard, side screens, door screens, rear limb riser, and rear corner bumper.		
	Screen, Cab Rear	AT392771	\$1,095.00
	Screen, Cab Side	AT392772	\$1,726.00
	Screen, Canopy Door and Front	AT392776	\$2,632.00
	Screen, Canopy Full Enclosure	AT392779	\$13,864.00
	Includes all screens, rear limb riser, and rear corner bumper.		
	Screen, Canopy Rear	AT392774	\$985.00

NJ State Approved Co-op #65MCESCCPS

Screen, Canopy Side	AT392775	\$1,726.00
Screen, Front Canopy	AT399453	\$1,752.00
Striker Bars, Rear	AT401661	\$1,774.00
Trash Rack, General-Purpose Bucket	AT401662	\$2,109.00
Included with CustomWorks Installed Landfill Package		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |