815K

815K COMPACTOR DECATUR, IL, USA

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Advanced Productivity Electronic Control Shifting (APECS) Air to air aftercooler Brakes, full hydraulic, enclosed, wet multiple disc service brakes Electro-hydraulic parking brake Electronic Clutch Pressure Control (ECPC)

Engine, CAT C7.1

Engine driven cooling fan (suction)

Fuel priming pump (electric)

Fuel to air cooler

Ground level engine shutoff

Radiator, unit core Starting aid (ether) Throttle lock Torque converter

Transmission, planetary with 3F/3R

speed range control

ELECTRICAL

Alarm, back-up
Alternator, 150-amp
Batteries, maintenance free
Electrical system, 24V
Ground level lockable master disconnect
switch
Lights, directional (rear)

Lights, directional (rear)
Light, warning switched (LED strobe)
Lighting system (front & rear)

Starter, electric

Starting receptacle for emergency start

OPERATOR ENVIRONMENT

AccuGrade mapping (ready)

Air conditioner

Cab, sound-suppressed pressurized, internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp)

and power port

Cab door, sliding window (LH)

Camera, rear vision

CAT Compaction Control (ready)
Cat Detect: Object Detection (ready)

Coat and hard hat hooks Finger tip shifting controls

Flip-up armrest

Heater and defroster

Horn, electric

Hydraulic controls (seat mounted)

Implement hydraulic lockout

Instrumentation, gauges:

-Engine coolant temperature

-Fuel level

-Hydraulic oil temperature

-Speedometer/Tachometer

-Torque convertor temperature

 $In strumentation, warning\ indicators:$

-Action alert system, three category

-Brake oil pressure

-Electrical system, low voltage

-Engine failure malfunction alert and action lamp

-Parking brake status

Light, dome (cab)

Lunch box and beverage holders

Mirror, internal (panoramic)

Mirrors, rearview (externally mounted)

Seat, Cat optimized seat system

Seat belt, retractable, 76mm (3"),

2-point, minder

STIC control system with lockout

Sun visor (front)

Tinted glass

Transmission gear (indicator)

Product Link Elite:

-VIMS

-Graphical information display

-External data port

-Customizable operator profiles

-Event indicator light on rear grill

Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

TIRES, RIMS, AND WHEELS

Wheels, tamping foot

GUARDS

Cleaner bars with teeth Guards, crankcase and powertrain Guard, driveshaft

OTHER STANDARD EQUIPMENT

Doors, service access (locking)
Ecology drains for engine, radiator,
transmission, hydraulic tank
Engine, crankcase, 500 hour interval
with CJ-4 oil
Emergency egress
Fire suppression ready
Fuel tank, 500 L (132 gal)
Hitch, drawbar with pin
Hoses, Cat XT(TM)
Hydraulic, engine, and transmission oil
coolers
Oil change system, high speed

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Oil sampling valves

Effective 02JAN2019 815K-001

815K

815K COMPACTOR DECATUR, IL, USA Ship Weight lbs LIST PRICE AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

Steering, load sensing Total hydraulic filtration system Vandalism protection caplocks Venturi stack

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 815K-002

815K

> INCLUDES: Engine, CAT C7.1

-US EPA T4/EU Stage IV technology

LANE 2 - AVAILABLE FROM DECATUR FACTORY

AVAILABLE FOR: AM-N, ANZ, JAPAN, & SOUTH KOREA

815K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
-	0P-9002	LANE 2 ORDER	0	NC
POW	ERTRAIN			
A	XLES			
L	446-6757	AXLES, STANDARD	0	NC
L	446-6758	AXLES, NO-SPIN REAR	0	\$4,300
ELEC	TRICAL			
LI	GHTS			
L	489-2310	LIGHTS, STANDARD	0	NC
-	489-2311	LIGHTS, LED	0	\$1,660
OPER	RATOR ENV	VIRONMENT		
C	AB PACKA	GES		
L	525-7224	CAB, DELUXE	0	\$2,265
M	IRRORS			
_	346-3864	MIRRORS, STANDARD	0	NC
L	376-7034	MIRRORS, HEATED	6	\$119

815K

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html From there click on the 'PRODUCT LINK Hardware Certification" link.

L	528-5686	PRODUCT LINK, CELLULAR PLE641 0	NC
		Product Link Elite series PLE641 offers expanded coverage including	
		3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to	
		transmit location, utilization and condition information for viewing	
		in Product Link's remote monitoring web interface. Cellular technology	
		provides capabilities for frequent transmission and larger volumes of	
		data.	
L	528-5687	PRODUCT LINK, SATELLITE PLE631	\$432
		Product Link Elite series PLE631 uses a satellite network to transmit	
		location, utilization and condition information for viewing in Product	
		Link's remote monitoring web interface. For use in areas with poor or	
		no cellular coverage.	
FUEL	SYSTEMS		

FUEL TANKS

L	431-0070	FUEL TANK, NON-FAST FILL 0	NC
L	431-0068	FUEL TANK, FAST FILL 0	\$2,000

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	433-0502	PRECLEANER, STANDARD		NC
		ONLY FOR USE WITH:	430-8330 815K SOIL COMPACTOR HRC	

Supersedes 02JAN2018
Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 815K-005

815K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	HMENTS (CONT.)		
CL	LEANER BA	IRS .		
L	457-7888	CLEANER BARS, STANDARD		NC
L	455-9206	Provides cleaner bars with standard tips. CLEANER BARS, ABRASIVE		\$1,190
BLAD	ES			
L	446-6781	BULLDOZER, STRAIGHT BLADE		\$23,230
L	446-6782	BULLDOZER, TILT, STRAIGHT BLD		\$29,630

815K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
STAR	TERS, BAT	TERIES, & ALTERNATORS		
ST	ARTING A	IDS.		
M	MAY SELECT	ONE ONLY		
L	265-7724	HEATER, ENGINE BLOCK, 120V	0	\$255
L	267-0339	HEATER, ENGINE BLOCK, 240V	0	\$160
OPERA	ATOR ENV	TRONMENT		
L	452-1394	RADIO, AM/FM/AUX/USB/BT BlueTooth radio technology enables the use of a har such as listening to music and making phone calls. Authorization varies by country, please contact your representative with questions or click on the link be https://dealer.cat.com/en/products/technology.html	nds free function r Cat marketing elow:	\$755
TECHI	NOLOGY F	PRODUCTS		
L	446-6770	COMPACTION CONTROL, BASIC	il stiffness via	\$7,760
OTHE	R ATTACH	IMENTS		
L	467-5130	SOUND SUPPRESSION	0	\$2,485
FLUID	S			
A٨	ITIFREEZE			
Γ	Different lubri	chine includes antifreeze protection to -34C (-29F). Icants are also required for extreme temperatures. Icants operation and maintenance manual.		
	0P-2406	ANTIFREEZE, -50C (-58F)	0	\$386 NE
INSTR	UCTIONS			
Р	504-1365	FILM, AM-NORTH	0	NC
Р	434-5933	FILMS, ANSI	0 (50)	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 815K-007

815K

REF Ship Weight LIST PRICE **LANE 2 OPTIONAL USE** NO. AT DEALER

PACKING

MUST SELECT ONE

0P-0437 Machine will ship complete. Corner cutting edges removed and placed in

NC