

Current Date 01Nov2018

944K LOADER

POWERTRAIN: Hybrid Electric Drivetrain 2 Brushless, A/C Generators Solid State Power Electronics 4 Brushless, A/C Wheel Motors Electronically Controlled, Fully Automatic, Shift System Programmable Maximum, High Speed Quick Shift Button in **Bucket Tilt Lever** Heavy Duty Planetaries Heavy Duty, Self-Adjusting, Power, Wet-Disc Service **Brakes** Electronically Actuated, Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brakes for Each Wheel Generator/Pump Drive Fill Tube and Dip Stick

Traction Control System

COOLING:
Quad-Cool System:
Heavy Duty, Trash
Resistant and High
Ambient Cooling
Package
2-Side access to all
Coolers
Cooling System
isolated from Engine
Compartment
Engine Radiator
Integral Engine Oil
Cooler

By-Pass Start Safety Cover at Starter Master Electrical Disconnect Switch Starting Switch with Electric Fuel Shut Off Pre-wired for Beacon/Strobe Light Lights: (1) Engine Compartment Light (2) Halogen Driving Lights with Guards (4) Front, (2) Rear Cab and 2-Rear Grille mounted Work Lights LED Turn Signals and Flashers LED Stop and Tail Lights Stairway lighting with ground level and incab switches Programmable Courtesy Lights Horn, Electric Reverse Warning Alarm Voltage Converter for 24V to 12V / 8 Amps Multi-Function / Multi-Language LCD Color Monitor includes: **DIGITAL INSTRUMENTS** ANALOG Display: Hydraulic Oil Temperature Engine Coolant Temperature Electric Motor/Final Drive Oil Temperature

Electric Motor/Final Drive Oil Temperatu Engine Oil Pressure DIGITAL Display: Engine RPM Speed Range / Direction Indicator Hour Meter Fuel Level Backlit Sealed Switch Module with **Function Indicators** Joystick Steering w/ Speed Range Shift, Horn and FNR 3-Inch, High-Visibility, Blaze Orange Seat Belt with Retractor (1) Cup Holder Lunch box (Cooler) Holder Dome and Reading Light (2) 12 Volt Power Ports Sun Visor Radio Ready Rubber Floor Mat Operator's Manual Storage Compartment (2) Outside Mirrors and (1) Inside Rear View Mirror Front and Rear Intermittent Windshield Wiper and Washers Left and Right Side Cab Access Slip-Resistant Steps and Ergonomically Located Handholds (4) Certified Tie Off Points on Cab

OVERALL VEHICLE:

Roof

Level 1 and Level 2 Sound Package Bushed Pin Joints (including Static Joints on Bucket and Steering Cylinder) Bushed Steering Cylinder Pin Joints on Loader Frame NeverGrease Rear Axle Oscillation Cab Left and Right Handrails, Steps and Platforms Cast Bumper with Rear Hitch and Locking Pin Front, Mid and Rear Tie Downs Front Fenders Articulation Locking Bar 40 Degree Steering Articulation to Each Side with Rubber Cushion Stops and Hydraulic Relief Valves on Frame Vandal Protection With Lockable Engine Enclosures, Right Counterweight Compartment, Battery Box, Filler Access for Right and Left

Radiators/Fuel/Hydraulic/Transmission

to Air)

Guard

Charge Air Cooler (Air to Air)
Hydraulic Oil Cooler (Oil to Air)
Generator and Drive Gearbox Cooler (Oil to Air)
Power Electronics
Cooler (Anti-Freeze to Air)
Wheel Motor and Final Drive Oil Coolers (Oil

Antifreeze, -34F (-37 C) Cool-on Demand, Swing-out, Hydraulically Driven Fan Enclosed Fan Safety

Coolant Recovery Tank

HYDRAULICS: Load Sensing Hydraulic System 2 Function -- 2-Lever

Fingertip Electro-Hydraulic Control In Cab Adjustable Settings:

Boom Height Kickout Automatic Return To

Carry

Automatic Return to

Dia

Hydraulic Function Enable/ Disable Hydraulic Reservoir with Sight Gauge and

Fill Strainer

Hydraulic Diagnostic

Ports

4000 Hour In-Tank

Filters

ELECTRICAL: 24 Volt Electrical

System

Solid State Electrical Power Distribution

System

150 Amp Alternator (2) Heavy Duty

Batteries - each 1400 Cold Cranking amps/440 minute Reserve Capacity Speedometer Odometer

Outside Temperature Fuel Consumption

Rate

Integrated Cycle Counter with 5 Categories

Indicator Lights for Standard and Selected

Options

Indicator Lights for Amber Caution and

Red Stop

Operator Warning

Messages BUILT-IN DIAGNOSTICS: Diagnostic Code

Details Sensor Values Calibrations

Individual Circuit Tester

MENU DISPLAY:

Codes

Machine Settings Diagnostics Monitor Settings

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab

with:

Air Condition, Heater,

Defroster and Pressurizer Keyless Start with Multiple Security

Modes

Sealed Switch Module

with Function Indicators

Deluxe Heated Seat with Leather/Fabric, High-Wide Back with

Head Rest

Extension, Adjustable Air Suspension for Weight/Height with

Fore-Aft

Adjustment and Adjustable Arm Rests Hydraulic Controls Integrated to Seat Fluid Sampling Ports for Engine, Generator Drive, Hydraulic, Motor/Final Drive Oils and Engine Coolant

Environmental Drains for Engine, Generator Drive Gear Box, Hydraulic

Oils and Engine Coolant Fuel Tank Fill Strainer Ground Level Fueling Ground Level Lubrication

Right-side, Ground-Level Service

Center

Left and Right Engine Frame Steps

and Handholds

Storage Compartment Front Frame Bottom Guards Heavy Duty Fuel Tank Guard

Bid Term: 2/20/19 - 2/19/21

Battery Terminal Safety Covers

Required - You must select one from each category

BASE MACHINE

FOB Davenport, Ia.

"As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order"

Description	Code	Price
944K LOADER	8990T	\$804,485.00

GATHERING GROUP CONFIGURATIONS

Description	Code	Price
Standard Gathering Group	0810	No Added Cost

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Labels and Decals	2605	No Added Cost
Spanish Labels and Decals	2610	No Added Cost
French Labels and Decals	2615	No Added Cost

ENGINE

Description	Code	Price
John Deere PowerTech PSS	0924	\$63,650,00

13.5L meets EPA FT4 and EU Stage IV Emissions (536 Net Peak hp) For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Turbocharged, Charge Air Cooled

Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown

Selected Idle Adjustment from 900-1250 RPM

Starter Protection

4 Valves / Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled MEUI Fuel Delivery System, B20 Biodiesel

Compatible

Electrical Fuel Priming System

Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack

Automatic Exhaust Filter Regeneration

Dual-Stage Fuel Filter and Water Separator

500 Hour Vertical Spin-on Oil Filter

Oil crankcase filter, Lifetime

Engine Compartment Light

Remote Jump Starting Lugs

Automatic Engine Cool-down Timer

ENGINE FAN DRIVE

Description Code Price

	Standard Fan Drive	1510	No Added Cost
-	Automatic Reversing Hydraulic Fan	1520	\$1,755.00
~	EXHAUST		
	Description	Code	Price
	Engine Exhaust with Flat Black Curved Stack	1310	No Added Cost
_	Engine Exhaust with Chrome Curved Stack	1330	\$344.00
_	FUEL FILTRATION AND FAST FILL		
	Description	Code	Price
	Standard Fuel Filter & Water Separator	1610	No Added Cost
	Standard Fuel Filters and Water Separator with Fast Fill	1630	\$1,850.00
~	CONVERTER		
	Description	Code	Price
	24 Volt to 12 Volt - 8 Amp Converter	2708	No Added Cost
-	24 Volt to 12 Volt - 15 Amp Converter	2715	\$115.00
-	24 Volt to 12 Volt - 30 Amp Converter	2730	\$265.00
~	LIGHTING		
	Description	Code	Price
	Halogen Work and Drive Lights	7120	No Added Cost
	LED Front Turn/Marker & Rear Turn/Brake Lights		
	Premium LED Work and Drive Lights	7140	\$2,114.00
	All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		
	Deluxe LED Work Lights	7150	\$4,900.00
	All drive and working lights are LED. Adds additional two lights on front and additional two LED lights on loader mast. LED Front Turn/Marker & Rear Turn/Brake Lights		
~	BATTERIES		
	Description	Code	Price
	Two 1400 CCA Batteries	5410	No Added Cost
	Four 1400 CCA Batteries	5420	\$1,250.00
	Additional Batteries for Cold Environments		
~	TURN SIGNALS		
	Description	Code	Price
	Turn Signals and Switch	2310	No Added Cost
~	WHEELS AND TIRES		

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4. Tire chain use requires Axle Stops.

	Description	Code	Price
_	35/65R33 L4 Radial Tires with 5 Piece Rims		****
_	Bridgestone VSNT Two Star	5010	\$41,000.00
	Michelin XTXL Three Star	5039	\$42,500.00
	35/65R33 L5 Bias Ply Tires with 5 Piece Rims Should not be used in load and carry applications.		
	Bridgestone DL 42 PR (Ply Rating)	5025	\$41,000.00
_	35/65R33 L5 Radial Tires with 5 Piece Rims Should not be used in load and carry applications.		
	Bridgestone VSDL Two Star	5020	\$44,000.00
	Michelin XMINE D2 Two Star	5040	\$47,000.00
	Michelin XLD D2 Two Star	5045	\$44,000.00
~	TIRE PRESSURE MONITORING		
	Description	Code	Price
	Tire Pressure Monitoring System	5310	\$1,700.00
-	Less Tire Pressure Monitoring System	5320	No Added Cost
_	FENDERS		
	Description	Code	Price
	Fenders	5540	No Added Cost
	Standard Front and Rear Fenders		
	Fenders	5550	\$4,200.00
	Mud Flaps and Rear Fender Extensions		
~	LINKAGE CONFIGURATION		
	Description	Code	Price
	Standard Z-BAR	2010	No Added Cost
	Standard Length Loader Boom		
	High Lift Z-BAR	2020	\$7,500.00
	Long Length Loader Boom Adds 18 inches (457.2mm) height to bucket hinge pin, fully raised.		
~	BUCKETS		
	Capacity rating is with auxiliary cutting edge or teeth with segments installed.		
	Description	Code	Price
	8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade- Nose Rock Bucket	7240	\$75,000.00

With TK550 Adapters, Wear Liners and Top Cutting Edge Protection This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half'Arrow Curring Segment and Cover Plates). Also requires order codes 9780 (Side Bar Protection) AND 9782 (Bolt-On Skid Plate for Spade-Nose Cutting Edge). 9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/ 7210 \$62,000.00 TK550 Adapters This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half'Arrow Curring Segment and Cover Plates). Does not include any side bar protection, must be ordered separately if required. 7230 9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket \$60,000.00 Less Adapters (Smooth Edge) Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up. 10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/ \$64,000.00 7262 TK550 Adapters This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half'Arrow Curring Segment and Cover Plates). Does not include any side bar protection, must be ordered separately if required. 10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket 7264 \$62,000.00 Less Adapters (Smooth Edge) Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up. 10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with 7260 \$47,000.00 Straight Edge Only (Not Spade-Nose) Teeth and Segments are not available with this bucket. 7270 No Added Cost Less Bucket with Bucket Pins Requires Code 7450 (Less Teeth) AND 7550 (Less Segments/Cutting Edge). Machine conversion form must be submitted and approved for warranty coverage to be started. Please consult DMAC for application assistance before ordering. **TEETH**

	Description TK550LD Penetration Teeth	Code 7410	Price \$1,540.00
	Set of 8	7410	\$1,340.00
	TK550LDH Heavy Abrasion Teeth	7420	\$1,840.00
	Set of 8		
	Less Teeth	7450	No Added Cost
~	SEGMENTS OR CUTTING EDGES		
	Description	Code	Price
	45 MM Bolt-On Double Bevel Cutting Segments	7510	\$2,200.00
	Set of 7		
	Bolt-On Half-Arrow Cutting Segments and Cover Plates	7520	\$2,500.00
	Set of 7		
	Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)	7530	\$3,600.00
	Set of 5 Cutting Edges.		
	Only available with bucket order code 7230 - Spade-Nose Rock Bucket Less Adapters.		
	Bolt-On Cutting Edge, Straight (Not for Spade- Nose Buckets)	7540	\$2,650.00
	Set of 3 Cutting Edges and 2 End Bits.		
	Only available with bucket order code 7260 - General Purpose Bucket with Straight Edge Only.		
	Less Segments/Cutting Edge	7550	No Added Cost
_	RIDE CONTROL		
	Description	Code	Price
_	Ride Control	2510	\$8,850.00
_	Less Ride Control	2520	No Added Cost
~	A/C CHARGE		
	Description	Code	Price
_	Cab with Air A/C Charge	8450	No Added Cost
•	MIRRORS		
	Description	Code	Price
_	Standard Outside Mirrors	8310	No Added Cost
_	Heated Outside Mirrors	8320	\$624.00
~	PAYLOAD SCALE		
	Description	Code	Price

Loadrite L2180 Payload Scale

2810 In Referral Price

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

NOTE: Selecting this code will automatically order the appropriate referral field kit priced in Attachments for this machine order and Cannot be Changed. If you are not sure the unit needs a scale, then at a later time you can order the appropriate "Loadrite L2180 Payload Scale Referral Kit" that is for field units which has identical field kit pricing.

Loadrite L2180 Payload Scale with Printer

2815 In Referral Price

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

Provides onboard ticket printing capability for Loadrite 2180 Payload Scale.

NOTE: Selecting this code will automatically order the appropriate referral field kit priced in Attachments for this machine order and Cannot be Changed. If you are not sure the unit needs a scale, then at a later time you can order the appropriate "Loadrite L2180" Payload Scale Referral Kit" that is for field units which has identical field kit pricing.

No Payload Scale

2890

No Added Cost



MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description JDLink Ultimate Cellular - 5 Years Code Price 170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

> 170J \$2,074.00

JDLink Ultimate Satellite - 5 Years

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Optional	- Select as	desired
Optional	- Jeieel as	ucsii cu

COLD START PACKAGES

Description	Code	Price
Cold Weather Starting	9020	\$581.00

Includes Automatic Ether Start Aid and Engine Block Heater. Recommended for cold starts below 10 degrees F (-12 degrees C)

QUICK FLUID SERVICE WITH ENVIRONMENTAL DRAIN

Description	Code	Price
Quick Fluid Service w/Environmental Drains	9045	\$850.00

With Sampling ports

ANTI-CORROSION

Description	Code	Price
Flectrical Corrosion Prevention Package	9210	\$1,425,00

Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.

FRAME

Description	Code	Price
Engine Frame Side Shield Guards	9420	\$685.00
Pottom Cuards	0420	¢1 262 00

ADDITIONAL BUCKET GUARDING

Description	Code	Price
Side Bar Protection	9780	\$1,050.00

Includes 4 side bar protectors (2 per side) to protect lower front edge of bucket sidesheets.

9782 \$500.00

Bolt-On Skid Plate for Spade-Nose Cutting Edge

Skid plate bolts on rear base edge in center of bucket to protect rear of base edge.

HYDRAULICS		
Description	Code	Price
Auto Lube	9308	\$14,050.00
Lincoln CENTROMATIC automatic greasing system hydraulically powered for trouble free performance for 60 lb. reservoir, special guarding added. Reservoir can be ground level filled.		
HYDRAULIC OIL		
Description	Code	Price
Hydraulic Fluid - Hydrau XR	9316	\$790.00
Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		
RADIO		
Description	Code	Price
AM/FM/Weather Band (WB) Radio with Remote AUX Port	9106	\$576.00
Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	9111	\$850.00
REAR CAMERA OR RADAR DETECTION		
Description	Code	Price
Rear Camera and Radar Object Detection System	9130	\$4,589.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.		
Rear Camera Only	9131	\$1,285.00
Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System).		
OPERATOR'S STATION		
Description	Code	Price
5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9140	\$139.00
SECONDARY STEERING		
Description	Code	Price
Secondary Steering	9305	\$7,505.00
Requires Cold Weather Battery Code 5420.		
SMV EMBLEM AND MOUNTING BRACKETS		
Description	Code	Price
	Description Auto Lube Lincoln CENTROMATIC automatic greasing system hydraulically powered for trouble free performance for 60 lb. reservoir, special guarding added. Reservoir can be ground level filled. HYDRAULIC OIL Description Hydraulic Fluid - Hydrau XR Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F). RADIO Description AM/FM/Weather Band (WB) Radio with Remote AUX Port Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port REAR CAMERA OR RADAR DETECTION Description Rear Camera and Radar Object Detection System Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Rear Camera Only Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System). OPERATOR'S STATION Description 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extlinguisher SECONDARY STEERING Description Secondary Steering Requires Cold Weather Battery Code 5420.	Description Auto Lube Lincoln CENTROMATIC automatic greasing system hydraulically powered for trouble free performance for 60 lb. reservoir, special guarding added. Reservoir can be ground level filled. HYDRAULIC OIL Description Hydraulic Fluid - Hydrau XR Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F). RADIO Description AM/FM/Weather Band (WB) Radio with Remote AUX Port 9106 Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port REAR CAMERA OR RADAR DETECTION Description Rear Camera and Radar Object Detection System 9130 Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Rear Camera Only Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System). OPERATOR'S STATION Description South of the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Code South of the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Pescription Code South of the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Secondary Steering Description Code South of the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Code South of the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor. Code South of the machine and provides audible alert. Rear Camera and Radar Object Detection System). OPERATOR'S STATION Description South of the machine and provides audible alert. Rear Camera and Radar Object Detection System).

	Single Beacon Bracket	9125	\$189.00
	Bracket has fold down position for transport. Cannot be ordered with code 9126.		
~	PAINT		
	Description	Code	Price
	Finish Paint - Decals Not Installed	9800	No Added Cost
	For custom paint. Paintable cab roof.		
	Decals packaged with machine.		
	Safety decals installed.		

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Bucket Hardware & Accessories		
45 mm Bolt-on Double Bevel Cutting Segments	AT403092	\$2,499.00
Includes 7 segments and associated mounting hardware.		
Bolt-on Cutting Edge, Spade Nose	AT434580	\$5,787.00
Includes 5 cutting edges and associated mounting hardware.		
Bolt-on Cutting Edge, Straight	AT442707	\$4,166.00
Includes 5 cutting edges and associated mounting hardware.		
Bolt-on Half Arrow Cutting Segments and Cover Plates	AT403330	\$3,912.00
Includes 7 segments, 7 cover plates and associated mounting hardware.		
Bolt-on Skid Plate for Spade Nose Cutting Edge	AT403336	\$500.00
Single skid plate with associated mounting hardware.		
Bolt-on Skid Shoes	AT442197	\$625.00
Includes 2 skid shoes and associated mounting hardware.		
Rock Deflector Kit	AT458302	\$908.00
Side Bar Protection for Spade Nose Buckets Only	AT442196	\$1,050.00
Includes 4 sidecutter shrouds and associated mounting hardware.		
TK550LD Penetration Teeth	AT403087	\$2,541.00
Includes 8 teeth, pins, and locks.		

TK550LDH Heavy Abrasion Teeth	AT403331	\$3,284.00
Includes 8 teeth, pins, and locks.		
Wear Plates & Liners Kit, Spade Nose Buckets Only	AT434579	\$4,284.00
Buckets & Bucket Wear Components		
10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with Straight Edge Only (Not Spade-Nose)	AT443478	\$47,000.00
Teeth, segments, cutting edges or additional hardware not included.		
10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)	BYT10432	\$62,000.00
10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/TK550 Adapters	BYT10433	\$64,000.00
8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade- Nose Rock Bucket	AT443475	\$75,000.00
Includes TK550 Adapters, Wear Liners and Top Cutting Edge Protection. Teeth, segments, cutting edges or additional hardware not included.		
9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)	AT443477	\$60,000.00
Teeth, segments, cutting edges or additional hardware not included.		
9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/TK550 Adapters	AT443476	\$62,000.00
Teeth, segments, cutting edges or additional hardware not included.		
Operator Environment		
944K FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	AT462477	\$10.00
This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on 944K loaders that have the pattern reversed from F-N-R (Forward Neutral Reverse) to R-N-F.		
AM/FM/Weather Band (WB) Radio with Remote AUX Port	AT452091	\$576.00
CB Radio Bracket	AT437803	\$52.00
Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	AT452090	\$850.00
Rear Camera and Radar Object Detection System	AT454016	\$4,344.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.		
Secondary Steering	AT385865	\$7,505.00
Overall Vehicle		
Front Fender Extension	AT436678	\$901.00
Mud Flaps and Rear Fender Extensions	AT457797	\$4,200.00

	Wheel Chock Brackets	AT463599	\$250.00
	Wheel Chock Brackets that each hold a Checkers Brand (Part Number AT3514-RP-Y) Wheel Chock.		
	These brackets can be accessed from ground level and are mounted at the rear of the machine behind the fuel tank door on the left and storage door on the right. One per side.		
	WHEEL CHOCKS ARE NOT INCLUDED NOR AVAILABLE THROUGH JOHN DEERE AND NEED TO BE ORDERED FROM A CHECKERS WHEEL CHOCK DISTRIBUTOR.		
	Powertrain & Cooling		
	Automatic Ether Starting Aid	AT423344	\$342.00
	Fast Fill Fuel System	AT422712	\$2,100.00
	Kit includes all necessary components and connections for conversion to fast fuel compatible tank. 150 gpm fill rate.	1	
	Tire Pressure Monitoring System (TPMS); 33 Inch Rim	AT457017	\$1,668.00
REFER	RRAL ATTACHMENTS		
	Description	Code	Price
	Loadrite Weighing Systems		
	Loadrite L2180 Payload Scale Referral Kit	BYT10345	\$10,500.00
	Loadrite L2180 Payload Scale Referral Kit for Code 2810	BYT10352	\$10,500.00
	Loadrite L2180 Payload Scale Referral Kit for Code 2815	BYT10353	\$12,000.00
	Loadrite L2180 Payload Scale with Printer Referral Kit	BYT10351	\$12,000.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |