

CATERPILLAR MACHINE PRICE LIST

966M-BR

966M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

512-7712	966M WHEEL LOADER AM-N DCA10 0 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER	\$482,970
-----------------	--	------------------

- INCLUDES:
- 361-1910 966M WHEEL LOADER
 - 324-8092 AIR INLET STANDARD, RAIN CAP
 - 364-9907 COOLING CORES, 9 FPI
 - 367-9030 GUARD, POWERTRAIN
 - 371-7066 ANTIFREEZE, -34C (-29F)
 - 372-2140 COUNTERWEIGHT, AGGREGATE
 - 372-6549 STEERING, STANDARD
 - 372-6558 AXLES, AUTO DIFF F/R, ED, AOC
 - 372-7403 QUICK COUPLER READY
 - 391-5800 HOOD, NON-METALLIC
 - 396-4672 HYDRAULIC OIL, STANDARD
 - 422-1636 SOUND SUPPRESSION, STANDARD
 - 434-0690 NETWORK MANAGER ONLY
 - 464-6678 FENDERS, ROADING
 - 495-7506 LUBRICATION, MANUAL, STD/HL
 - 500-2559 HYDRAULICS, 3V RC, STD/SHORT
 - 505-1539 CAB, DELUXE
 - 506-2531 FAN, STANDARD
 - 506-2533 LINKAGE, STANDARD LIFT
 - 506-2541 LIGHTS, LED, PREMIUM
 - 506-4370 WHEEL CHOCKS
 - 506-4540 STANDARD PACKAGE
 - 506-4546 STARTING, COLD (120V)
 - 509-9602 REGIONAL PACKAGE, AM-N
 - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

361-1910	966M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	\$447,790
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS**LANE SELECTION**

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

OPERATOR ENVIRONMENT

L	503-6401	SGL AXIS LEVERS, 2V, LHD	0	NC
		INCLUDES: -2 single action levers for implement lift & tilt controls		
		ONLY FOR USE WITH: 512-7711 966M WHEEL LOADER AM-N DCA9		
L	503-6402	SGL AXIS LEVERS, 3V, LHD	0	NC
		ONLY FOR USE WITH: 512-7712 966M WHEEL LOADER AM-N DCA10		

TECHNOLOGY PRODUCTS

L	434-0695	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

TIRES, RIMS, AND WHEELS

L	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,160
---	----------	--	---	----------

WORKTOOLS

P	361-1437	OMISSION, WORKTOOL	0	NC
		This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		

FLUIDS**CAB ANTIFREEZE**

	OP-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
		For use with machines with cab.		

FUEL ANTIFREEZE

	OP-3978	FUEL ANTIFREEZE, -25C (-13F)	0	NC
		Provides fuel (diesel) antifreeze protection down to -45C (-50F)		

INSTRUCTIONS

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3389	INSTRUCTIONS, FRENCH	0	NC

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

0P-6619	ROLL ON-ROLL OFF 0	\$259 NET
	Machine is in mobile condition and all attachments are installed unless specified.	

STORAGE PROTECTION

0P-2918	STORAGE PROTECTION 0	NC
	This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION	

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

P	0P-3506	ANTIFREEZE, -50C (-58F) 0 Premix Antifreeze, -50C or -58F		\$251 NET
---	---------	--	--	------------------

INSTRUCTIONS

CYLINDER PROTECTION

P	0P-3940	PROTECTION, CYLINDER ROD 0		NC
---	---------	--------------------------------------	--	-----------

FILMS

P	0P-3507	FILMS, ISO 0 REQUIRED BY: Quebec		NC
---	---------	---	--	-----------

P	386-7389	FILM, CPM 0 REQUIRED BY : CANADIAN DEALER ORDER WITH CPM		NC
---	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9003	LANE 3 ORDER	0	NC
		Lane 3 is reserved for non-Base Orders Program.		

REGIONAL PACKAGES

L	509-9602	REGIONAL PACKAGE, AM-N FOR USE IN LANE 2 ONLY INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	NC
		ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
L	561-5560	REGIONAL PACKAGE, AM-N FOR USE IN LANE 3 ONLY INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	NC

SPECIAL ARRANGEMENTS

L	506-4542	STANDARD PACKAGE FOR USE IN LANE 3 ONLY Provides machine features required in standard applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.	0	\$227
---	----------	--	---	-------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	477-1655	CORROSION PROTECTION PACKAGE	0	\$6,330
---	----------	---	---	---------

FOR USE IN LANE 3 ONLY
 Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

INCLUDES:

- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;

For a complete Corrosion Protection Package, please order the following RECOMMENDED attachments:

- Cooling, Hood, Painting Group and Protection Lines.

REQUIRES:

- 365-0220 PRECLEANER, TURBINE
- 477-1658 WINDOW AR, CAB - CORROSION,
- 470-8894 WINDOW AR, RM - CORROSION

RECOMMENDED:

- 483-8268 COOLING GP (6FPI) - CORROSION,
- 470-8890 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 470-8899 HOOD AR - CORROSION
- 522-5230 PAINTING GROUP, CORROSION (EU) OR
- 517-2235 PAINTING GROUP, CORROSION (NACD)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal.
- 477-1656 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicon
- 506-2529 FAN, VPF, ISO,
- 506-2530 FAN, VPF, ANSI
- 495-7507 AUTOLUBE
- 505-1520 FILTRATION, STD, PRECLEANER
- ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER

L	506-7664	LOGGER PACKAGE	0	NC
---	----------	---------------------------------	---	----

FOR USE IN LANE 3 ONLY
 Provides machine features required in forestry applications.

INCLUDES:

- Platform
- Electrical & Hydraulic installation
- Cab air filter

REQUIRES: 506-2535 LINKAGE, LOGGER
 506-4545 or 506-4546 STARTING

ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7659	INDUSTRIAL PACKAGE 0 FOR USE IN LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Reinforced platform -Electrical & Hydraulic installation -Carbon cab air filter -Guards: hitch, bottom cab (skirt), front frame -Lift cylinder baffles -Heavy duty ladder RECOMMENDED WITH: 394-3949 TIRES, 26.5X25 FLXPRT SMOOTH or 394-3950 TIRES, 26.5X25 FLXPRT TREADED and 485-4387 GUARDS, LIGHT REQUIRES: 434-3950 or 372-7194 AXLES 507-6193 or 507-6194 STARTING 434-3950 AXLES, LOCK/OPEN, ED, SG or 372-7194 AXLES, AUTO DIFF F/R, ED, SG and 507-6193 STARTING, STANDARD, HD or 507-6194 STARTING, COLD (120V), HD and 478-8372 FENDERS, NARROW and 465-2776 SOUND SUPPRESSION, INDUSTRIAL (NACD) or 422-1634 SOUND SUPPRESSION, LOW (EUR) and 468-0170 FILM, SCRAP or 468-0171 FILM, WASTE and 380-0327 GUARD, HINGED, POWERTRAIN and 355-1403 or 430-4090 GRD, TILT CYLINDER ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$10,640
---	----------	--	---	----------

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2535	LINKAGE, LOGGER 0 ONLY FOR USE WITH: 506-7664 LOGGER PACKAGE	0	\$7,290
L	506-2533	LINKAGE, STANDARD LIFT 0	0	NC
L	520-4475	LINKAGE, HIGH LIFT 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$7,550

COUNTERWEIGHT

L	495-1465	COUNTERWEIGHT, 2300KG 0 ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT or 506-2535 LINKAGE, LOGGER	0	\$6,340
L	367-2330	COUNTERWEIGHT, 1000KG 0	0	NC

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

COUNTERWEIGHT (Cont.)

L	372-2140	COUNTERWEIGHT, AGGREGATE 0 Provides 1600 kg counterweight to use exclusively in aggregate rehandling applications.		\$4,485
---	----------	--	--	----------------

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

L	391-8903	COUNTERWEIGHT, REAR GUARD 0 Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 361-1910 966M WHEEL LOADER		\$13,270
---	----------	--	--	-----------------

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7608	AXLES, LOCK/OPEN, ED 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain		\$570
---	----------	--	--	--------------

L	372-6557	AXLES, AUTO DIFF F/R, ED 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain		\$9,010
---	----------	---	--	----------------

L	372-6558	AXLES, AUTO DIFF F/R, ED, AOC 0 AXLES, AUTO DIFF F/R, ED, AOC INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE		\$16,160
---	----------	---	--	-----------------

L	369-2717	AXLES, LOCK/OPEN, ED, AOC 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE		\$7,790
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	434-3950	AXLES, LOCK/OPEN, ED, SG INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards	0	\$2,270
L	372-7194	AXLES, AUTO DIFF F/R, ED, SG INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards	0	\$10,720
L	369-2716	AXLES, LOCK/OPEN, ED, ETS INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE	0	\$1,600
L	434-3952	AXLES, AUTO DIFF F/R, ED, ETS ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$9,970

HYDRAULICS

L	500-2772	HYDRAULICS, 2V RC (3V READY) Provides 2 valve hydraulics (3V ready) and ride control. This will have the auxiliary hose and frame hardware installed. This will provide dealers with the flexibility of buying 3V kits to convert the machine into a 3 valve hydraulic configuration.	0	\$535
L	500-2561	HYDRAULICS, 3V RC, LOGGER Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2535 LINKAGE LOGGER	0	\$7,320
L	500-2562	HYDRAULICS, 4V RC, LOGGER Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER 361-1910 966M WHEEL LOADER	0	\$9,380
L	500-2564	HYDRAULICS, 4V RC, HIGH LIFT Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT	0	\$9,100
L	500-2558	HYDRAULICS, 2V RC, STD/HL Provides 2 valve hydraulics and ride control.	0	NC
L	500-2559	HYDRAULICS, 3V RC, STD/SHORT Provides 3 valve hydraulics and ride control.	0	\$7,100
L	500-2560	HYDRAULICS, 4V RC, STD/SHORT Provides 4 valve hydraulics and ride control.	0	\$9,100
L	500-2563	HYDRAULICS, 3V RC, HIGH LIFT Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 361-1910 966M WHEEL LOADER	0	\$7,320

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0		NC
		Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	506-4545	STARTING, STANDARD 0		NC
		Includes 2 batteries.		
		ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER and 506-4542 STANDARD PACKAGE or 506-7664 LOGGER PACKAGE or 477-1655 CORROSION PROTECTION PACKAGE		

L	506-4546	STARTING, COLD (120V) 0		\$2,025
		Provides 120V block heater and 4 batteries.		
		ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER and 506-4542 STANDARD PACKAGE or 506-7664 LOGGER PACKAGE or 477-1655 CORROSION PROTECTION PACKAGE		

L	507-6193	STARTING, STANDARD, HD 0		\$710
		INCLUDES: -2 batteries -reinforced LH platform -heavy duty steps -additional tire clearance		
		ONLY FOR USE WITH: 506-7659 INDUSTRIAL PACKAGE or 361-1910 966M WHEEL LOADER or 477-1655 CORROSION PROTECTION PACKAGE		

L	507-6194	STARTING, COLD (120V), HD 0		\$2,910
		INCLUDES: -120V block heater & 4 batteries on the machine for low temperatures -reinforced LH platform -heavy duty steps -additional tire clearance		
		ONLY FOR USE WITH: 506-7659 INDUSTRIAL PACKAGE or 477-1655 CORROSION PROTECTION PACKAGE and 361-1910 966M WHEEL LOADER		

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

L	506-2541	LIGHTS, LED, PREMIUM 0		\$3,325
		FOR USE IN LANE 2 ONLY		
		INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	561-8777	LIGHTS, LED, PREMIUM 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,325
L	484-0364	LIGHTS, HALOGEN 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865

OPERATOR ENVIRONMENT

IMPLEMENT SINGLE AXIS LEVERS

NOTE: Compatibility is dependent on hydraulics (2V, 3V, 4V) & seat choice.

L	503-6398	SINGLE AXIS LEVERS W/FNR, 2V 0 FOR USE IN LANE 2 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		NC
L	503-6399	SINGLE AXIS LEVERS W/FNR, 3V 0 FOR USE IN LANE 2 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		NC
L	495-0865	SINGLE AXIS LEVERS, 2V, LHD 0 FOR USE IN LANE 2 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls		NC
L	495-0866	SINGLE AXIS LEVERS, 3V, LHD 0 FOR USE IN LANE 2 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		NC

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT SINGLE AXIS LEVERS (Cont.)

L	539-6030	SINGLE AXIS LEVERS W/FNR, 2V 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		NC
L	539-6031	SINGLE AXIS LEVERS, 2V, LHD 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD) or 545-7188 CAB, STANDARD or 545-7189 CAB, DELUXE		NC
L	539-6040	SINGLE AXIS LEVERS W/FNR, 3V 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6050	SINGLE AXIS LEVERS W/FNR, 4V 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6041	SINGLE AXIS LEVERS, 3V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		NC
L	539-6051	SINGLE AXIS LEVERS, 4V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod		NC

IMPLEMENT JOYSTICK

L	495-0872	JOYSTICK, 2V, LHD 0 FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		\$1,085
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK (Cont.)

L	495-0873	JOYSTICK, 3V, LHD FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick	0	\$1,520
L	495-0869	JOYSTICK W/FNR, 2V FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$1,200
L	495-0870	JOYSTICK W/FNR, 3V FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$1,645
L	539-6035	JOYSTICK W/FNR, 2V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,200
L	539-6045	JOYSTICK W/FNR, 3V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,645
L	539-6053	JOYSTICK W/FNR, 4V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,645
L	539-6036	JOYSTICK, 2V, LHD FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick	0	\$1,085

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK (Cont.)

L	539-6046	JOYSTICK, 3V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		\$1,520
L	539-6054	JOYSTICK, 4V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick		\$1,540

SEAT BELT

L	551-3397	SEAT BELT, 3" W/INDICATOR 0 FOR USE IN LANE 3 ONLY		\$102
---	----------	---	--	-------

STEERING

L	372-6549	STEERING, STANDARD 0		NC
L	371-1455	STEERING, SECONDARY 0		\$5,090

WINDOWS

L	477-1658	WINDOWS (CORROSION) 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING		NC
L	470-8894	WINDOWS RM (CORROSION) 0 Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING		\$5,080
L	493-9622	WINDOWS, RUBBER MOUNTED 0 Provides front windows mounted in rubber seals.		\$5,080
L	493-9621	WINDOWS, STANDARD 0		NC
L	493-9625	WINDOWS, STANDARD, FRONT GUARD 0 Provides a front window guard.		\$3,540
L	493-9623	WINDOWS, STANDARD, HD GUARD 0 Provides a front window heavy duty guard.		\$9,110
L	493-9624	WINDOWS, STANDARD, FULL GUARD 0 Provides a full window guard.		\$12,170

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
966M-BR-018

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WINDOWS (Cont.)

L	503-2427	WINDOWS, RUBBER MTD, FRONT GD 0 Provides front windows mounted in rubber seals and front window guard. ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE or 506-7659 INDUSTRIAL PACKAGE		\$8,610
---	----------	---	--	---------

CAB FILTERS

L	505-1521	FILTRATION, STEEL 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL		\$2,135
L	505-1519	FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
L	505-1520	FILTRATION, STD, PRECLEANER 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake		\$685
L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE or 506-7659 INDUSTRIAL PACKAGE		\$3,480
L	505-1523	FILTRATION, STD, ACF PRECLNR 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR RESPA -RESPA PRECLEANER, HVAC		\$1,850

TRIM ARRANGEMENT

L	546-3449	CAB TRIM, HEATED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, EH WHEEL Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,895
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT (Cont.)

L	546-3450	CAB TRIM, VENTED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, EH WHEEL Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$7,710
L	538-2773	CAB TRIM, STANDARD (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$68
L	538-2774	CAB TRIM, HEATED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$1,175
L	538-2775	CAB TRIM, VENTED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$3,865

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	434-0693	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

COOLING

COOLING SYSTEM

L	364-9908	COOLING CORES, 6 FPI 0 FOR USE IN LANE 2 ONLY Provides cooling capability up to 43C ambient. Recommended for medium & high debris applications ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		\$333
L	364-9907	COOLING CORES, 9 FPI 0 FOR USE IN LANE 2 ONLY Provides cooling capability up to 47C ambient. Recommended for low & medium debris applications. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		NC
L	540-0608	COOLING CORES, 6 FPI 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$333
L	521-9360	COOLING CORES, 9 FPI 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	524-1400	COOLING CORES 6 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		\$2,940

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

COOLING (CONT.)

COOLING SYSTEM (Cont.)

L	524-1399	COOLING CORES 9 FPI, CORROSION 0		\$2,595
		FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		

COOLING FAN

L	506-2531	FAN, STANDARD 0		NC
		FOR USE IN LANE 2 ONLY Provides a standard load sensing hydraulically driven fan. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
L	524-0307	FAN, STANDARD 0		NC
		FOR USE IN LANE 3 ONLY Provides a standard load sensing hydraulically driven fan.		
L	524-0294	FAN, VPF, ANSI 0		\$5,540
		FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0		NC
		Premix antifreeze, -34C (-29F) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
L	423-2666	ANTIFREEZE, -50C (-58F) 0		\$251 NET
		Premix antifreeze, -50C (-58F) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM MICHELIN

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,160
P	395-0531	TIRES, 26.5 R25 MX XLDD2 * L5	0	\$16,450

TIRES AVAILABLE FOR BRIDGESTONE

P	475-6250	TIRES, 26.5R25 BS VJT * L3 FOR USE IN LANE 3 ONLY	0	\$-6,590
P	511-5379	TIRES, 775/65R29 BS VTS * L3 FOR USE IN LANE 3 ONLY	0	\$4,325

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 **E3/L3 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.	0	\$-9,560
---	----------	---	---	----------

SOLID TIRES

P	540-4375	TIRES, 26.5X25 BR TRACTION FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE	0	\$21,350
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SOLID TIRES (Cont.)

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$22,080
---	----------	---	--	----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 FOR USE IN LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 FOR USE IN LANE 3 ONLY		\$-24,050

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715
L	365-0221	AIR INLET PRECLEANER, TRASH 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$940

BODY

FENDERS

L	464-6679	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$149
L	464-6677	FENDERS, BASIC +. 0 Provide non-metallic front and rear fenders with mud flaps. CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		NC
L	464-6678	FENDERS, ROADING 0 Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps. CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$2,865
L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$3,150

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 966M-BR-024

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY (CONT.)

FENDERS (Cont.)

L	478-8372	FENDERS, NARROW 0 Provides narrow steel front fenders, Steel rear fender extensions and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 484-1137 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$2,965
L	478-8375	FENDERS, REAR EGRESS 0 Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$11,570

HOOD

L	470-8899	HOOD - CORROSION 0 Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment		NC
L	391-5800	HOOD, NON-METALLIC 0		NC

SOUND SUPPRESSION

L	422-1636	SOUND SUPPRESSION, STANDARD 0		NC
L	465-2776	SOUND SUPPRESSION, INDUSTRIAL 0 ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE		\$2,835

FLUIDS

LUBRICATION ARRANGEMENTS

L	495-7515	AUTOLUBE, LOGGER/SHORT LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		\$6,270
L	495-7506	LUBRICATION, MANUAL, STD 0 ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	495-7514	LUBRICATION, MANUAL 0 ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		NC
L	524-0302	LUBRICATION, MANUAL, HL, QC RDY 0 ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	524-0301	AUTOLUBE, HIGH LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 361-1910 966M WHEEL LOADER CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,490
L	524-0303	AUTOLUBE, HIGH LIFT, QC RDY 0 ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT 361-1910 966M WHEEL LOADER		\$6,490

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

L	495-7507	AUTOLUBE, STD LIFT	0	\$6,270
		ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		
L	524-0300	LUBRICATION, MANUAL, HL	0	NC
		ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		

CAB ANTIFREEZE

	0P-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
		For use with machines with cab.		

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F)	0	NC
		Provides fuel (diesel) antifreeze protection down to -25C (-13F)		

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

NOTE: Operation and maintenance Manual will be included in language requested below. REQUIRED BY: ALL LANE CONFIGURATION

	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
--	---------	---------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION	0	\$2,755
		Provides a C5 radar. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
L	486-9205	OBJECT DETN & CB RADIO READY	0	\$3,685
		INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIOS

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	RADIO, CB (READY) 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		\$940
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		\$580

VISIBILITY

P	380-5964	SECONDARY CAMERA DISPLAY 0 Provides full-time display dedicated to rear-view camera.		\$1,730
P	372-1604	SECURITY SYSTEM, MACHINE 0 Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$690

LIGHTS

P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$486
P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing blue strobes.		\$271
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: SEAT BELT W/INDICATOR		\$227

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS (CONT.)

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

P	517-7123	CPM PAYLOAD SOFTWARE 0		\$4,960
		Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions.		
		REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		
		ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY or 506-4542 STANDARD PACKAGE		
		CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD		
P	453-3250	AUTODIG SOFTWARE 0		\$1,430
		Includes software for Aggregate Autodig.		
		NOT RECOMMENDED for hardbank or large rock loading.		
		REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		
		ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

P	370-3813	CPM PAYLOAD WEIGHING READY 0		\$227
		Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software is required. See note 2 above for details. CANNOT BE USED WITH: 506-4542 STANDARD PACKAGE		

GUARDS

P	367-9030	GUARD, POWERTRAIN 0		\$1,560
		Protects bottom of transmission.		
C	380-0327	GUARD, HINGED, POWERTRAIN 0		\$3,010
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Hinged heavy duty guard protecting bottom of transmission.		
C	430-4090	GUARD, TILT CYLINDER 0		\$1,565
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. REQUIRED BY: 510-6946 INDUSTRIAL PACKAGE OR 506-7659 INDUSTRIAL PACKAGE		
P	485-4387	GUARDS, LIGHT 0		\$1,565
		FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. ONLY FOR USE WITH: 506-7659 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD 484-0364 LIGHTS, HALOGEN		
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0		\$1,015
		Provides an electric actuator and switch to raise and lower the hinged heavy duty guard.		
L	426-1490	GUARD, TILT CYLINDER 0		\$1,565
		ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		

OTHER ATTACHMENTS

OIL CHANGE SYSTEM

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0		\$284
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		

MISCELLANEOUS ATTACHMENTS

P	506-4370	WHEEL CHOCKS 0		\$486
		Provides wheel chocks that mount to the frame.		

CORROSION RESISTANT OPTIONS

L	477-1656	PROTECTION PACKAGE, LINES 0		\$4,675
		Hoses treated with tube heat shrinkable and sealant silicone.		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

CORROSION RESISTANT OPTIONS (Cont.)

L	517-2235	PAINTING GROUP, CORROSION 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion.		\$5,150
---	----------	---	--	---------

QUICK COUPLERS

P	372-7403	QUICK COUPLER READY 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		\$3,955
P	388-7402	QUICK COUPLER READY, HIGH LIFT 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		\$3,955
P	310-9390	QUICK COUPLER, FUSION 1,133 ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. REQUIRES: 0P-4108 WORKTOOL'S LITERATURE and 372-7403 QUICK COUPLER READY or 388-7402 QUICK COUPLER READY, HIGH LIGHT		\$7,950

WORKTOOLS LITERATURE

P	0P-4108	WORKTOOL'S LITERATURE 0 (SEBP5193)		NC
---	---------	--	--	----

LINES CONNECTING

L	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 Required if ordering 512-7712 DCA10 & 310-9390 Quick Coupler. ONLY FOR USE WITH: HYDRAULICS 3V & 310-9390 QUICK COUPLER 361-1910 966M WHEEL LOADER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,050
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS 4V & 310-9390 QUICK COUPLER 361-1910 966M WHEEL LOADER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

WORK TOOLS

OMISSION WORK TOOL

P	361-1437	OMISSION, WORKTOOL 0 Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com
If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	363-5196	BKT GP ST 126" 5.5 YD3 PO	4,848 4,848	\$17,571 \$17,571 NI
		PERFORMANCE SERIES BUCKET CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag) 110% FILL FACTOR: 6.00YD3(4.6M3) with GETs		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS (CONT.)

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON) (Cont.)

P	363-5194	BKT GP ST 126" 5.0 YD3 PO	4,583 4,583	\$16,179 \$16,179 NI
FOR USE IN LANE 3 ONLY PERFORMANCE SERIES BUCKET CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag) 110% FILL FACTOR: 5.50YD3(4.2M3) with GETs				

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (QUICK COUPLER)

P	362-9276	BKT GP ST 126" 5.5 YD3 FUS	4,431 4,431	\$17,571 \$17,571 NI
FOR USE WITH LANE 3 ONLY CAPACITIES: 5.25YD3 (4.0 m3) with bolt-on adapters 5.50YD3 (4.2 m3) with bolt-on adapters & segments 5.50YD3 (4.2 m3) with bolt-on cutting edge 110% FILL FACTOR: 6.0YD3 (4.6 m3) with GETs ONLY FOR USE WITH: 310-9390 QUICK COUPLER				

GROUND ENGAGING TOOLS

CUTTING EDGE

P	100-6669	CUTTING EDGE, BOLT-ON	592	\$1,985
ONLY FOR USE WITH: GENERAL PURPOSE BUCKETS MATERIAL HANDLING BUCKETS				

INSTRUCTIONS

CYLINDER PROTECTION

	0P-3940	PROTECTION, CYLINDER ROD	0	NC
REQUIRED BY: ALL LANE CONFIGURATION				

FILMS

P	468-0173	FILM, FOREST	0	NC
ONLY FOR USE WITH: LINKAGE LOGGER				
C	468-0170	FILM, SCRAP	0	NC
CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. ONLY FOR USE WITH: INDUSTRIAL PACKAGE				
P	468-0171	FILM, WASTE	0	NC
ONLY FOR USE WITH: INDUSTRIAL PACKAGE				

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

PACKING

EXPORT PACKING

	OP-6619	ROLL ON-ROLL OFF 0 Machine is in mobile condition and all attachments are installed unless specified.		\$259 NET
--	---------	--	--	------------------

ALLOWANCE FOR OMISSION

P	OP-4781	ALLOWANCE FOR OMISSION 0 REQUIRED BY: 297-2514 RIMS ONLY, TIRES OMITTED		\$469
---	---------	--	--	--------------

STORAGE PROTECTION

	OP-2918	STORAGE PROTECTION 0 This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		NC
--	---------	---	--	-----------

SPECIAL INSTRUCTIONS

	OP-2949	EXPOSITION INSTRUCTION 0 This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		NC
--	---------	---	--	-----------

AM-NORTH INFORMATION

REGIONAL PACKAGE

Information only DO NOT ORDER

L	506-4542	STANDARD PACKAGE 0 INCLUDED IN: 512-7711 966M WHEEL LOADER AM-N DCA9 512-7712 966M WHEEL LOADER AM-N DCA10		\$227
---	----------	--	--	--------------

TRIM ARRANGEMENT

Information only DO NOT ORDER

L	505-1533	CAB TRIM, VENTED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, EH WHEEL Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$6,490
---	----------	---	--	----------------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

TRIM ARRANGEMENT (Cont.)

L	505-1514	CAB TRIM, STANDARD (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$68
L	505-1516	CAB TRIM, VENTED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$2,605
L	505-1515	CAB TRIM, HEATED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$825
L	505-1532	CAB TRIM, HEATED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, EH WHEEL Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$4,740

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

SEAT BELT

Information only DO NOT ORDER

L	450-1592	SEAT BELT, 3" W/INDICATOR FOR USE IN LANE 3 ONLY	0	\$102
---	----------	---	---	-------