









CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***BOOMS, STICKS, AND LINKAGES (Cont.)***

L	372-2141	COUNTERWEIGHT, AGGREGATE . . . . . 0 Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: L3 or L4 TIRES BUCKETS with BOCE		\$4,740
---	----------	---	--	---------

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

**POWERTRAIN**

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7610	AXLES, MANUAL DIFF FRONT, ED . . . . . 0 Includes: -Manual front diff lock -Open rear differential -Ecology Drain		\$575
L	372-6557	AXLES, AUTO DIFF F/R, ED . . . . . 0 Includes: -Automatic front and rear diff lock -Ecology Drain		\$9,010

**HYDRAULICS**

L	500-2558	HYDRAULICS, 2V RC, STD/HL . . . . . 0 Provides 2 valve hydraulics and ride control.		NC
L	501-4663	HYDRAULICS, 3V RC, STD . . . . . 0 Provides 3 valve hydraulics and ride control.		\$7,320

**HYDRAULIC OIL**

L	396-4672	HYDRAULIC OIL, STANDARD . . . . . 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	---	--	----

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	506-4545	STARTING, STANDARD . . . . . 0 Includes 2 batteries.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**STARTERS, BATTERIES, & ALTERNATORS (Cont.)**

L	506-4548	STARTING, COLD . . . . . 0 Includes ether starting aid and 4 batteries on the machine for low temperatures.		\$1,905
---	----------	--	--	---------

NOTE: In this configuration, the toolbox compartment is unavailable.

**ELECTRICAL**

**LIGHTS**

L	484-0364	LIGHTS, HALOGEN . . . . . 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
---	----------	--	--	----

L	484-0365	LIGHTS, HALOGEN, PREMIUM . . . . . 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865
---	----------	---	--	-------

L	561-8776	LIGHTS, LED . . . . . 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2,550
---	----------	--	--	---------

L	561-8777	LIGHTS, LED, PREMIUM . . . . . 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,325
---	----------	---	--	---------

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**OPERATOR ENVIRONMENT (Cont.)**

L	545-7191	<b>CAB, STANDARD</b> . . . . . 0		\$1,795
		INCLUDES: 546-3451 CAB TRIM, STANDARD (LHD) -SEAT, STANDARD, LHD -MIRRORS, EXTERNAL -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		
L	545-7192	<b>CAB, DELUXE</b> . . . . . 0		\$2,960
		INCLUDES: 546-3452 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		

**IMPLEMENT CONTROLS**

L	539-6032	<b>SINGLE AXIS LEVERS, 2V, LHD</b> . . . . . 0		NC
		Includes 2 single action levers for implement lift and tilt controls		
L	539-6042	<b>SINGLE AXIS LEVERS, 3V, LHD</b> . . . . . 0		NC
		Includes 3 single action levers for implement lift, tilt & 3rd function controls.		
L	539-6037	<b>JOYSTICK, 2V, LHD</b> . . . . . 0		\$1,085
		Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		
L	539-6047	<b>JOYSTICK, 3V, LHD</b> . . . . . 0		\$1,520
		Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		

**STEERING**

L	372-6550	<b>STEERING, STANDARD</b> . . . . . 0		NC
---	----------	---------------------------------------	--	----

## CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------	--------------------	-------------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)****OPERATOR ENVIRONMENT (Cont.)**

L	371-1456	STEERING, SECONDARY . . . . .	0	\$4,960
---	----------	-------------------------------	---	---------

**TECHNOLOGY PRODUCTS****PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>  
From there click on the 'PRODUCT LINK Hardware Certification' link.

L	467-4622	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	467-4623	PRODUCT LINK, SATELLITE PLE631 . . . . . Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	\$432

**COOLING****COOLING SYSTEM**

L	521-9360	COOLING CORES, 9 FPI . . . . . Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.	0	NC
L	540-0608	COOLING CORES, 6 FPI . . . . . Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.	0	\$333

**COOLING FAN**

L	524-0310	FAN, STANDARD . . . . . Provides a standard load sensing hydraulically driven fan.	0	NC
---	----------	---	---	----



CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**COOLING (Cont.)**

**COOLANT**

L	371-7066	ANTIFREEZE, -34C (-29F) . . . . .	0	NC
		Premix antifreeze, -34C (-29F)		
L	423-2666	ANTIFREEZE, -50C (-58F) . . . . .	0	\$251 NET
		Premix antifreeze, -50C (-58F)		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM BRIDGESTONE**

P	511-5379	TIRES, 775/65R29 BS VTS * L3 . . . . .	0	\$4,325
		Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		
P	475-6250	TIRES, 26.5R25 BS VJT * L3 . . . . .	0	\$-6,590
		Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

**TIRES AVAILABLE FROM MICHELIN**

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 . . . . .	0	\$-4,160
		Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***TIRES, RIMS, AND WHEELS (Cont.)***

**TIRES AVAILABLE FROM MAXAM**

P	547-8403	TIRES, 26.5R25 MA MS302 **E3/L3 . . . . . 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,560
---	----------	---	--	----------

***OTHER ATTACHMENTS***

**ENGINE PRECLEANERS**

L	324-8092	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE. . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715

***BODY***

**FENDERS**

L	464-6677	FENDERS, BASIC +. . . . . 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		NC
L	464-6678	FENDERS, ROADING . . . . . 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		\$2,865
L	464-6679	FENDERS, BASIC +, LOW PROFILE. . . . . 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE)		\$149
L	464-6680	FENDERS, ROADING, LOW PROFILE . . . . . 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE)		\$3,150

**HOOD**

L	391-5800	HOOD, NON-METALLIC . . . . . 0		NC
---	----------	--------------------------------	--	----

**SOUND SUPPRESSION**

L	489-3300	SOUND SUPPRESSION, STANDARD . . . . . 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**QUICK COUPLERS**

**QUICK COUPLER READY**

P	0G-0386	NO QUICK COUPLER READY . . . . .	0	NC
P	372-7405	QUICK COUPLER READY, STD LIFT . . . . . Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.	0	\$3,990

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

L	495-7517	LUBRICATION, MANUAL, STD . . . . .	0	NC
L	495-7518	AUTOLUBE, STD LIFT . . . . . Provides Caterpillar autolube system.	0	\$6,270

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 2 AM-NORTH OPTIONAL ATTACHMENTS**

**OPERATOR ENVIRONMENT**

**INTEGRATED OBJECT DETECTION SYSTEM**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

**NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>**

L	512-0855	OBJECT DETECTION . . . . .	0	\$2,755
---	----------	----------------------------	---	---------

**LIGHTS**

P	513-2458	LIGHTS, REVERSING STROBE . . . . . Provides 2 reversing white strobes.	0	\$271
P	491-7467	LIGHT, WARNING BEACON . . . . . Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.	0	\$486
P	460-7450	LIGHT, SEAT BELT WARNING . . . . . Provides a seat belt warning light mounted to the rear of the cab structure.	0	\$227

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**TECHNOLOGY PRODUCTS (Cont.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.  
 -Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)  
 -Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).  
 -Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

**NOTES:**

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE . . . . . 0		\$4,960
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.)		

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.  
**NOT RECOMMENDED for hardbank or large rock loading.**

P	453-3250	AUTODIG SOFTWARE . . . . . 0		\$1,430
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.		

## CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

**LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)****GUARDS**

L	390-4967	<b>GUARD, POWERTRAIN</b> . . . . . 0 Protects bottom of transmission.		\$1,570
---	----------	--	--	---------

**OTHER ATTACHMENTS**

P	365-0265	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$284
P	506-4370	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		\$486

**HEATER**

P	367-7379	<b>HEATER, 120V</b> . . . . . 0 For operation below 0F (or below 14F above 1750YD). ONLY FOR USE WITH: 506-4548 STARTING, COLD		\$655
P	501-1065	<b>HEATER ACCUMULATOR</b> . . . . . 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F).		\$1,435

**QUICK COUPLERS****FUSION QUICK COUPLER**

L	310-9390	<b>QUICK COUPLER, FUSION</b> . . . . . 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler.		\$7,950
---	----------	---	--	---------

**LINES CONNECTING**

L	323-9292	<b>LINES GP-IMPLEMENT 3V (QC)</b> . . . . . 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,050
L	394-7214	<b>LINES GP-IMPLEMENT 3V&amp;4V (QC)</b> . . . . . 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com)

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	516-1400	BKTA GP ST 126" 6.25 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS	5,710	\$22,572
---	----------	---	-------	----------

**GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	416-6339	BKTA GP AB 132" 6.75 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE	5,997	\$23,096
P	416-6340	BKTA GP AB 132" 7.0 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE	6,241	\$30,147

**MATERIAL HANDLING PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	516-1817	BKTA FF ST 126" 6.0 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)	5,584	\$21,008
---	----------	--	-------	----------

**INSTRUCTIONS**

**FILMS**

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**INSTRUCTIONS (Cont.)**

P	386-7389	FILM, CPM . . . . . 0 ONLY FOR USE WITH: Canada		NC
---	----------	--	--	----

**PACKING**

**WORKTOOL OMISSION**

P	361-1437	OMISSION, WORKTOOL . . . . . 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC
---	----------	---	--	----

**DOMESTIC PACKING**

	0P-0309	PACK, DOMESTIC TRUCK . . . . . 0 Complete machine loaded on truck.		NC
	0P-0313	PACK, DOMESTIC RAIL . . . . . 0 Complete machine loaded on rail car.		\$162 NET

**FREIGHT, RAIL DELIVERY**

	0P-3994	FREIGHT, RAIL DELIVERY . . . . . 0 Machine credit for rail delivery when paired with a second machine from the same source facility. AVAILABLE FOR: Pre-approved US and Canadian dealers		\$-1,555 NET
--	---------	--	--	--------------



CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9003	LANE 3 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**REGIONAL PACKAGES**

L	561-7333	REGIONAL PACKAGE, AM-N . . . . . INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	\$4, 930
---	----------	--	---	----------

**SPECIAL ARRANGEMENTS**

L	510-4179	STANDARD PACKAGE . . . . . Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Cab air filter -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.	0	NC
---	----------	---	---	----

L	506-7662	INDUSTRIAL PACKAGE . . . . . Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Carbon cab air filter -Standard radiator grill -Guards: hitch, bottom cab (skirt), front frame, crankcase -Baffle (lift towers) RECOMMENDED WITH: 394-3949 or 394-3950 TIRES, 26.5X25 FLXPRT and 485-4387 GUARDS, LIGHT REQUIRES: 434-3951 or 372-7194 AXLES 507-6193 STARTING, STANDARD or 507-6196 STARTING, COLD 478-8372 FENDERS, NARROW 489-3299 SOUND SUPPRESSION, LOW 380-0327 GUARD, HINGED, POWERTRAIN 426-1490 GUARD, TILT CYLINDER	0	\$10, 640
---	----------	--	---	-----------

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	506-2537	LINKAGE, STANDARD LIFT . . . . .	0	NC
---	----------	----------------------------------	---	----

Supersedes 02JAN2018  
 Caterpillar: Confidential Green  
 US-A-19-01 A

Subject to change without notice  
 Printed in USA  
 U. S. DOLLAR CURRENCY

Effective 02JAN2019  
 972MXE-LR-017

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**LINKAGES (Cont.)**

L	520-4476	LINKAGE, HIGH LIFT . . . . . 0 Provides increased dump clearance of 13" (336mm) over standard lift arms.		\$7,550
L	506-2538	LINKAGE, SHORT LIFT . . . . . 0 Provides a heavy duty short lift linkage for heavy lift. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		NC

**COUNTERWEIGHT**

L	367-2333	COUNTERWEIGHT, 2300KG . . . . . 0		NC
L	372-2141	COUNTERWEIGHT, AGGREGATE . . . . . 0 Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: 510-4179 STANDARD PACKAGE 506-2537 LINKAGE, STANDARD LIFT L3 or L4 TIRES BUCKETS with BOCE		\$4,740

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

**POWERTRAIN**

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7610	AXLES, MANUAL DIFF FRONT, ED . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$575
L	372-6555	AXLES, MANUAL FRONT, ED, ETS . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$1,615

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	418-9891	AXLES, LOCK/OPEN, ED, AOC . . . . . 0		\$7,850
		INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		
L	434-3951	AXLES, LOCK/OPEN, ED, SG . . . . . 0		\$2,290
		INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		
L	372-6557	AXLES, AUTO DIFF F/R, ED . . . . . 0		\$9,010
		INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		
L	434-3952	AXLES, AUTO DIFF F/R, ED, ETS . . . . . 0		\$9,970
		INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		
L	379-5615	AXLES, AUTO DIFF F/R, ED, AOC . . . . . 0		\$16,160
		INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		
L	372-7194	AXLES, AUTO DIFF F/R, ED, SG . . . . . 0		\$10,720
		INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards		

**HYDRAULICS**

L	500-2558	HYDRAULICS, 2V RC, STD/HL . . . . . 0		NC
		Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT		
L	501-4663	HYDRAULICS, 3V RC, STD . . . . . 0		\$7,320
		Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

L	500-2559	<b>HYDRAULICS, 3V RC, STD/SHORT</b> . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$7,100
L	500-2563	<b>HYDRAULICS, 3V RC, HIGH LIFT</b> . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$7,320
L	501-4664	<b>HYDRAULICS, 4V RC, STD</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		\$9,100
L	500-2560	<b>HYDRAULICS, 4V RC, STD/SHORT</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$9,100
L	500-2564	<b>HYDRAULICS, 4V RC, HIGH LIFT</b> . . . . . 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$9,100

**HYDRAULIC OIL**

L	396-4672	<b>HYDRAULIC OIL, STANDARD</b> . . . . . 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	--	--	----

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	506-4545	<b>STARTING, STANDARD</b> . . . . . 0 Includes 2 batteries. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		NC
L	506-4548	<b>STARTING, COLD</b> . . . . . 0 Includes ether starting aid and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		\$1,905
NOTE: In this configuration, the toolbox compartment is unavailable.				
L	507-6193	<b>STARTING, STANDARD, HD</b> . . . . . 0 Includes 2 batteries and reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		\$710
L	507-6196	<b>STARTING, COLD, HD</b> . . . . . 0 Includes ether starting aid, 4 batteries on the machine for low temperatures, and a reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		\$3,330
NOTE: In this configuration, the toolbox compartment is unavailable.				

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHTS**

L	484-0364	<b>LIGHTS, HALOGEN</b> . . . . . 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865
L	561-8776	<b>LIGHTS, LED</b> . . . . . 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2,550
L	561-8777	<b>LIGHTS, LED, PREMIUM</b> . . . . . 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,325

**OPERATOR ENVIRONMENT**

**CAB TRIM**

L	546-3451	<b>CAB TRIM, STANDARD (LHD)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$67
L	546-3452	<b>CAB TRIM, HEATED (LHD)</b> . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,165

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB TRIM (Cont.)***

L	546-3453	<b>CAB TRIM, VENTED (LHD)</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,835
---	----------	---	--	---------

***IMPLEMENT CONTROLS***

L	539-6032	<b>SINGLE AXIS LEVERS, 2V, LHD</b> ..... 0 Includes 2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL		NC
L	539-6042	<b>SINGLE AXIS LEVERS, 3V, LHD</b> ..... 0 Includes 3 single action levers for implement lift, tilt & 3rd function controls. ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		NC
L	539-6052	<b>SINGLE AXIS LEVERS, 4V, LHD</b> ..... 0 FOR USE IN LANE 3 ONLY Includes: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2564 HYDRAULICS, 4V RC, HIGH LIFT		NC
L	539-6037	<b>JOYSTICK, 2V, LHD</b> ..... 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL		\$1,085
L	539-6047	<b>JOYSTICK, 3V, LHD</b> ..... 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		\$1,520

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS (Cont.)**

L	539-6055	JOYSTICK, 4V, LHD . . . . . 0		\$1,520
		FOR USE IN LANE 3 ONLY		
		Includes:		
		-Implement joystick for lift & tilt controls		
		-Horn & kickdown trigger switches integrated in implement joystick		
		-2 rollers switch controlling the 3rd & 4th functions integrated in the joystick		
		ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD		
		500-2560 HYDRAULICS, 4V RC, STD/SHORT		
		500-2564 HYDRAULICS, 4V RC, HIGH LIFT		

**SEAT BELT**

L	551-3397	SEAT BELT, 3" W/INDICATOR . . . . . 0		\$102
---	----------	---------------------------------------	--	-------

**STEERING**

L	372-6550	STEERING, STANDARD . . . . . 0		NC
L	371-1456	STEERING, SECONDARY . . . . . 0		\$4,960

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	467-4622	PRODUCT LINK, CELLULAR PLE641 . . . . . 0		NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	467-4623	PRODUCT LINK, SATELLITE PLE631 . . . . . 0		\$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**COOLING**

**COOLING SYSTEM**

L	521-9360	<b>COOLING CORES, 9 FPI</b> . . . . . 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	540-0608	<b>COOLING CORES, 6 FPI</b> . . . . . 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$333

**COOLING FAN**

L	524-0310	<b>FAN, STANDARD</b> . . . . . 0 Provides a standard load sensing hydraulically driven fan.		NC
L	524-0311	<b>FAN, VPF, ANSI</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 561-7333 REGIONAL PACKAGE, AM-N		\$5,540

**COOLANT**

L	371-7066	<b>ANTIFREEZE, -34C (-29F)</b> . . . . . 0 Premix antifreeze, -34C (-29F)		NC
L	423-2666	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 0 Premix antifreeze, -50C (-58F)		\$251 NET

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.



CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM BRIDGESTONE**

P	395-0534	TIRES, 26.5 R25 BS VSDL * L5 . . . . . 0 Bridgestone Radial; Tread Depth=95.5mm (120/32"); Rim=22"x25" Suitable for severe rock environments where maximum damage protection is needed. Machine oscillation is reduced. CANNOT BE USED WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$7,770
P	511-5379	TIRES, 775/65R29 BS VTS * L3 . . . . . 0 Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		\$4,325
P	475-6250	TIRES, 26.5R25 BS VJT * L3 . . . . . 0 Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-6,590

**TIRES AVAILABLE FROM MICHELIN**

P	541-5045	TIRES, 775/65R29 MX XHA2 * L3 . . . . . 0 Michelin Radial; Tread Depth=44mm (55/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application. CANNOT BE USED WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$4,235
P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 . . . . . 0 Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-4,160

**TIRES AVAILABLE FROM BRAWLER**

P	540-4376	TIRES, 26.5X25 BR SMOOTH . . . . . 0 Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$22,080
P	540-4375	TIRES, 26.5X25 BR TRACTION . . . . . 0 Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$21,350

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM MAXAM**

P	547-8403	TIRES, 26.5R25 MA MS302 **E3/L3 . . . . . 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,560
---	----------	---	--	----------

**TIRES AVAILABLE FROM FLEXPRT**

P	394-3949	TIRES, 26.5X25 FLXPRT SMOOTH . . . . . 0 Smooth tread tires are ideal for special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced.		\$13,700
P	394-3950	TIRES, 26.5X25 FLXPRT TREADED . . . . . 0 Off-the-Road (OTR) tires ideal for special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced.		\$7,090

**TIRES/RIMS, ALLOWANCE FOR OMISSION**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED . . . . . -2,372		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS . . . . . 0		\$-24,050

**GUARDS**

**CAB WINDOWS AND GUARDS**

L	493-9621	WINDOWS, STANDARD . . . . . 0		NC
L	493-9625	WINDOWS, STANDARD, FRONT GUARD . . . . . 0 Provides a front window guard.		\$3,540
L	493-9623	WINDOWS, STANDARD, HD GUARD . . . . . 0 Provides a front window heavy duty guard.		\$9,110
L	493-9624	WINDOWS, STANDARD, FULL GUARD . . . . . 0 Provides a full window guard.		\$12,170
L	493-9622	WINDOWS, RUBBER MOUNTED . . . . . 0 Provides front windows mounted in rubber seals.		\$5,080
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD . . . . . 0 Provides front windows mounted in rubber seals and front window guard.		\$8,610

**CAB FILTRATION**

L	505-1519	FILTRATION, STANDARD . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**GUARDS (CONT.)**

***CAB FILTRATION (Cont.)***

L	505-1520	<b>FILTRATION, STD, PRECLEANER</b> . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$685
L	505-1523	<b>FILTRATION, STD, ACF PRECLNR</b> . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$1,850
L	505-1521	<b>FILTRATION, STEEL</b> . . . . . 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL		\$2,135
L	505-1522	<b>FILTRATION, STEEL, ACF PRECLNR</b> . . . . . 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$3,480

**OTHER ATTACHMENTS**

***ENGINE PRECLEANERS***

L	324-8092	<b>AIR INLET STANDARD, RAIN CAP</b> . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	<b>PRECLEANER, TURBINE.</b> . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715
L	365-0221	<b>AIR INLET PRECLEANER, TRASH</b> . . . . . 0 FOR USE IN LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$940

**BODY**

***FENDERS***

L	464-6677	<b>FENDERS, BASIC +.</b> . . . . . 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		NC
L	464-6678	<b>FENDERS, ROADING</b> . . . . . 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		\$2,865
L	464-6679	<b>FENDERS, BASIC +, LOW PROFILE.</b> . . . . . 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE TIRES, 775/65R29 (LOW PROFILE)		\$149
L	464-6680	<b>FENDERS, ROADING, LOW PROFILE</b> . . . . . 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE TIRES, 775/65R29 (LOW PROFILE)		\$3,150

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**BODY (CONT.)**

**FENDERS (Cont.)**

L	478-8372	FENDERS, NARROW . . . . .	0	\$2,965
		Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps.		

**HOOD**

L	391-5800	HOOD, NON-METALLIC . . . . .	0	NC
---	----------	------------------------------	---	----

**SOUND SUPPRESSION**

L	489-3300	SOUND SUPPRESSION, STANDARD . . . . .	0	NC
		ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		
L	489-3299	SOUND SUPPRESSION, LOW . . . . .	0	\$2,835
		ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		

**QUICK COUPLERS**

**QUICK COUPLER READY**

P	0G-0386	NO QUICK COUPLER READY . . . . .	0	NC
P	372-7405	QUICK COUPLER READY, STD LIFT . . . . .	0	\$3,990
		Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		
		ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		
P	372-7403	QUICK COUPLER READY . . . . .	0	\$3,955
		Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		
		ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		
P	388-7402	QUICK COUPLER READY, HIGH LIFT . . . . .	0	\$3,955
		Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		
		ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	495-7517	LUBRICATION, MANUAL, STD . . . . .	0	NC
		ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		
L	495-7514	LUBRICATION, MANUAL . . . . .	0	NC
		ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		
		CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		

CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**LUBRICATION ARRANGEMENTS (Cont.)**

L	524-0304	LUBRICATION, MANUAL, HL . . . . . 0		NC
		ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		
		CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		
L	524-0305	LUBRICATION, MANUAL, HL, QC RDY . . . . . 0		NC
		ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and		
		388-7402 QUICK COUPLER READY, HIGH LIFT		
L	510-6390	LUBRICATION, MANUAL (AUTO RDY) . . . . . 0		\$1, 610
L	495-7518	AUTOLUBE, STD LIFT . . . . . 0		\$6, 270
		Provides Caterpillar autolube system.		
		ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		
L	524-0301	AUTOLUBE, HIGH LIFT . . . . . 0		\$6, 490
		Provides Caterpillar autolube system.		
		ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and		
		0G-0386 NO QUICK COUPLER READY		
L	524-0303	AUTOLUBE, HIGH LIFT, QC RDY . . . . . 0		\$6, 490
		ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and		
		388-7402 QUICK COUPLER READY, HIGH LIFT		
L	495-7515	AUTOLUBE, LOGGER/SHORT LIFT . . . . . 0		\$6, 270
		Provides Caterpillar autolube system.		
		ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**NOTE**

**CUSTOM PRODUCTS**

Please contact Dealer Order Communication Solution (DOCS) for inquiries, availability and assistance. Special attachments may affect availability.

**OPERATOR ENVIRONMENT**

**INTEGRATED OBJECT DETECTION SYSTEM.**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION . . . . .	0	\$2,755
L	486-9205	OBJECT DETN & CB RADIO READY . . . . .	0	\$3,685
		INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY)		

**RADIOS.**

P	372-1603	RADIO, CB (READY) . . . . .	0	\$940
		Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH . . . . .	0	\$580
		Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		

**VISIBILITY.**

P	380-5964	SECONDARY CAMERA DISPLAY . . . . .	0	\$1,730
		Provides full-time display dedicated to rear-view camera.		

**SECURITY SYSTEM.**

P	372-1604	SECURITY SYSTEM, MACHINE . . . . .	0	\$690
		Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS.**

P	513-2458	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 Provides 2 reversing white strobes.		\$271
P	491-7467	<b>LIGHT, WARNING BEACON</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$486
P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> . . . . . 0 Provides a seat belt warning light mounted to the rear of the cab structure.		\$227

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	<b>517-7123</b>	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0	<b>\$4,960</b>
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE	

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	<b>453-3250</b>	<b>AUTODIG SOFTWARE</b> . . . . . 0	<b>\$1,430</b>
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE	



CATERPILLAR MACHINE PRICE LIST

# 972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**GUARDS**

L	485-4387	<b>GUARDS, LIGHT</b> . . . . . 0 Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD		\$1,565
L	390-4967	<b>GUARD, POWERTRAIN</b> . . . . . 0 Protects bottom of transmission. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		\$1,570
L	380-0327	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 Hinged heavy duty guard protecting bottom of transmission. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE		\$3,010
L	380-0329	<b>ACTUATOR, HINGED BELLY GUARD</b> . . . . . 0 Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		\$1,015
P	426-1490	<b>GUARD, TILT CYLINDER</b> . . . . . 0 REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE		\$1,565

**OTHER ATTACHMENTS**

P	365-0265	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$284
P	506-4370	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		\$486

**HEATER**

P	367-7379	<b>HEATER, 120V</b> . . . . . 0 For operation below 0F (or below 14F above 1750YD). ONLY FOR USE WITH: 506-4548 STARTING, COLD 507-6196 STARTING, COLD, HD		\$655
P	501-1065	<b>HEATER ACCUMULATOR.</b> . . . . . 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F).		\$1,435

**QUICK COUPLERS**

**FUSION QUICK COUPLER**

L	310-9390	<b>QUICK COUPLER, FUSION</b> . . . . . 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY		\$7,950
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

***LINES CONNECTING***

L	323-9292	<b>LINES GP-IMPLEMENT 3V (QC)</b> ..... 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,050
L	394-7214	<b>LINES GP-IMPLEMENT 3V&amp;4V (QC)</b> ..... 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com)

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

***GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)***

P	516-1400	<b>BKTA GP ST 126" 6.25 YD3 PO</b> ..... 5,710 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$22,572
---	----------	--	--	----------

***GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)***

P	518-8382	<b>BUCKET-GP, 129" 6.25YD3</b> ..... 5,767 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$21,842
P	416-6339	<b>BKTA GP AB 132" 6.75 YD3 PO</b> ..... 5,997 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		\$23,096
P	416-6340	<b>BKTA GP AB 132" 7.0 YD3 PO</b> ..... 6,241 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$30,147

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE-HEAVY DUTY PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	518-8729	BUCKET-GP, 129" 6.00YD3 . . . . .	6,673	\$25,164
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, & SIDEBAR PROTECTORS		
P	494-2543	BKTA GP HD 132" 6.75 YD3 PO . . . . .	7,125	\$27,608
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & SIDEBAR PROTECTORS		

**MATERIAL HANDLING PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	516-1817	BKTA FF ST 126" 6.0 YD3 PO . . . . .	5,584	\$21,008
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		

**WASTE HANDLING BUCKETS (PIN-ON)**

P	516-2131	BKTA WD ST 132" 8.50YD3 PO . . . . .	7,048	\$25,350
		Dozing style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER		
P	516-2101	BKTA WD ST 132" 8.50YD3 PO . . . . .	8,647	\$27,450
		Dozing style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER		
P	516-2103	BKTA WLC ST 132" 9.75 YD3 PO . . . . .	7,513	\$30,628
		Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		
P	516-2145	BKTA WLC ST 132" 9.75 YD3 PO . . . . .	9,112	\$32,742
		Load and Carry style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE)		

**INSTRUCTIONS**

**FILMS**

P	468-0171	FILM, WASTE . . . . .	0	NC
		ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		
P	468-0170	FILM, SCRAP . . . . .	0	NC
		ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		

**PACKING**

**WORKTOOL OMISSION**

P	361-1437	OMISSION, WORKTOOL . . . . .	0	NC
		This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		

**PACKING**

	0P-0309	PACK, DOMESTIC TRUCK . . . . .	0	NC
		Complete machine loaded on truck.		
	0P-0311	PACK, DOMESTIC TRUCK LESS TIRE . . . . .	0	\$231 NET
		Machine loaded on truck with tires removed.		

CATERPILLAR MACHINE PRICE LIST

**972MXE-LR**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**PACKING (CONT.)**

***PACKING (Cont.)***

0P-0313	<b>PACK, DOMESTIC RAIL</b> . . . . .	0	<b>\$162 NET</b>
	Complete machine loaded on rail car.		
0P-0314	<b>PACK, DOMESTIC RAIL LESS TIRES</b> . . . . .	0	<b>\$395 NET</b>
	Machine loaded on rail car with tires removed.		

***FREIGHT, RAIL DELIVERY***

0P-3994	<b>FREIGHT, RAIL DELIVERY</b> . . . . .	0	<b>\$-1,555 NET</b>
	Machine credit for rail delivery when paired with a second machine from the same source facility.		
	AVAILABLE FOR: Pre-approved US and Canadian dealers		