CB32B-MB

CB32B VIBRATORY ASPHALT COMPACTOR MINERBIO, ITALY

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Hydrostatic transmission Service and parking brakes

ELECTRICAL

Engine start switch with auto preheat Backup alarm and warning horn 65-ampere alternator 12-volt electric starting Maintenance free 70 AH battery, 880 amp Light roading and working

OPERATOR ENVIRONMENT

Gauges:

- -LCD display with fuel level
- -hour meter
- -engine coolant temperature

Operator warning system indicators:

- -parking brake engaged
- -pydraulic oil temperature high
- -engine coolant temperature high
- -electrical system voltage low
- -engine oil pressure low
- -vibration activated
- -engine preheat

Lockable, vandalism guard for instrument panel

Travel control, single lever

Seat with:

-fore and aft adjustment

Draining capability

Retractable seat belt 50.8mm (2inch)

Central and side handrail for easy and

safe access to the machine

Steering wheel spinner

12-volt power points

DRUMS

Two smooth drums: 1300mm (51.2 inch) wide x 720mm (28.3 inch)diameter Selection of front drum, rear drum or both drum vibration Pressurized drum watering system with continuous or intermittent modes Water tank with low level sensor 2 x retractable, spring-loaded, self adjusting scrapers per drum

OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test
ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready

CB32B-MB

CB32B VIBRATORY ASPHALT COMPACTOR	Ship Weight	LIST PRICE
MINERBIO, ITALY	lbs	AT DEALER

Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Orders Management Program.

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

364-2343	CB32B UTILITY COMPACTOR	\$55,120
	Double drum vibratory compactor with 1300mm (51 inch) drum width	
0G-0462	CB32B MISC MATL	NC

Only reference numbers that have the text

"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB32B-MB-002

CB32B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
	0P-9002	LANE 2 ORDER	0	NC
	0P-9003	Only for dealers enrolled in the Base Orders Manager LANE 3 ORDER		NC
POWI	ERTRAIN			
E٨	IGINE			
L	364-2272	ENGINE T4F		NC
HYDF	RAULICS			
PF	ROPEL SELI	ECTION		
L	364-2353	PROPEL, STANDARD	245	NC
L	364-2354	CONTROL, TRACTION		\$1,760
Ol	L SELECTI	ON		
L	364-2282	HYDRAULIC OIL, STANDARD	119	NC
L	364-2283	Cat standard hydraulic oil. OIL, BIO HYDR, FACTORY FILLED This Hydraulic Environmental Ester Synthetic oil is r for hydraulic system when environmental compliance or desired. Factory filled. ONLY FOR USE WITH: LANE 3 ONLY	ecommended	\$790
ELEC.	TRICAL			
LI	GHTING			
L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
L	450-0906	Standard halogen lighting package. LIGHTING PACKAGE, LED	adlights, one	\$690
OPER	ATOR ENV	VIRONMENT		
SE	AT SELEC	TION		
L	361-5825	SEAT, NON SUSPENSION	0	NC
L	364-2277	SEAT, WITH SAFETY SWITCH		\$565

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB32B-MB-003

CB32B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OPER	ATOR ENV	TRONMENT (CONT.)		
SE	AT BELT S	SELECTION		
L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$143
SE	AT SUPPO	PRT SELECTION		
L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT		\$760
RC	PS SELEC	TION		
P	364-2286	NO ROPS	0	NC
Р	364-2292	ROPS, FIXED		\$1,515
P	364-2287	ALSO AVAILABLE ON A MISCELLANEOUS ORDER ROPS, FOLDABLE	0 0 0	\$1,515 NI \$1,810 \$1,810 NI
TECH	NOLOGY F	PRODUCTS		
TF	RAVEL COM	ITROL		
L	432-8451	TRAVEL CONTROL, COVER GP		NC
L	361-5794	This package includes a left side cover. TRAVEL CONTROL, DUAL LEVER		\$870 \$870 NI
P	453-9461	ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes the left lever for speed control, on the left hand console ONLY FOR USE WITH: LANE 3 ONLY TRAVEL CONTROL, CUP HOLDER		\$61 \$61 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

CB32B-MB

USE REF LANE 2 / 3 MANDATORY Ship Weight LIS lbs AT E	Γ PRICE EALER
---	------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-6423	PRODUCT LINK INSTALLATION	NC
		ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241	
L	510-9322	PRODUCT LINK, PL241	NC
		Product Link Basic series PL241 uses cellular networks to transmit	
		hour and location information for viewing in Product Link's remote	
		monitoring web interface, and includes remote machine disable	
		feature. Cellular technology provides capabilities for frequent	
		data transmission.	
L	463-3786	PRODUCT LINK INSTALLATION 0	NC
		ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or	
		454-5454 PRODUCT LINK, CELLULAR PL641	
L	454-5453	PRODUCT LINK, SATELLITE PL631	\$432
		Product link pro series PL631 uses a satellite network to transmit	•
		location, utilization and condition information for viewing in	
		Product Link's remote monitoring web interface. For use in areas	
		with poor or no cellular coverage.	
		ONLY FOR USE WITH: LANE 3 ONLY	
L	454-5454	PRODUCT LINK, CELLULAR PL641	NC
_		Product Link Pro series PL641 offers expanded coverage including	
		3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit	
		location, utilization and condition information for viewing in	
		Product Link's remote monitoring web interface. Cellular technology	
		provides capabilities for frequent transmission and larger volumes	
		of data.	
		5. data.	

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

Р	364-2281	INSTRUCTIONS, NORTH AMERICAN	NC
		Includes picto decals with "WARNING" as required for ANSI.	
		ONLY FOR USE WITH: North America	

SERVICE INSTRUCTIONS - MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	NC
12. 0020	The technical media kit, will include the Operation & Maintenance	1.0
	Manual (OMM) and other media specified on the Factory Notification	
	List required to ship products from the manufacturing facility.	
	Kit may contain multiple Operation & Maintenance Manuals (OMM)	
	based on the final country of destination. Contents will vary.	
	Any additional media or translations not included in the kit,	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019 CB32B-MB-005

Bid Term: 2/20/19 - 2/19/21

should be ordered through publications.cat.com

CB32B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELEC	TRICAL			
Р	364-2297	SWITCH, BATTERY DISCONNECT	0	\$114
OPER	RATOR ENV	IRONMENT		
CA	ANOPY SEL	LECTION		
P	364-2289	CANOPY, FIXED		\$1,155
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 364-2292 ROPS, FIXED	0	\$1,155 NI
P	364-2288	CANOPY, FOLDABLE	0	\$1,675 \$1,675 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 364-2287 ROPS, FOLDABLE	U	Ψ1,075 NI
OTHE	R ATTACH	IMENTS		
С	0F-5131	SPECIAL PAINT	<i>Y</i> .	\$1,870 NET
P	457-9153	ONLY FOR USE WITH: LANE 3 ONLY MATS, COCOA		\$815
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	31	\$815 NI
DRUN	ИS			
P	361-5797	BALLAST-STEEL	888	\$2,320 \$2,320 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400kg (881.8lb) additional drum weights to provide maximum machine operating weight.	v	42,020 III
FLUID	os			
Р	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$117 \$117 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes preparation for a reservoir containing antifit to protect pumps, filters, and nozzles from freezing	· ·	ATT, MI

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

CB32B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
FIELD	INSTALLE	ED ATTACHMENTS (CONT.)		
Р	444-5549	CONTROL, TRACTION KIT	ved traction&	\$1,760 NI
P	364-2287	minimized drum spinning. ROPS, FOLDABLE	0	\$1,810 NI
DOC	UMENTATI	ON		
C	ERTIFICATI	ES		
P	0F-5109	CERTIFICATE OF ORIGIN	0	\$88 NET
PAC	KING			
Pl	REPARATIO	ON .		
	0P-2046	PREPARATION FOR INSPECTION ONLY FOR USE WITH: LANE 3 ONLY	0	\$406 NET
E	XPORT PAC	CKING		
	0G-0044	ROLL ON-ROLL OFF	0	NC
M	IISC. MATE	RIAL		
	0G-0068	PACK, MISCELLANEOUS MATERIAL	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY