**CB36B** 

CB36B VIBRATORY UTILITY COMPACTOR MINERBIO, ITALY

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

### **POWERTRAIN**

Hydrostatic transmission Service and parking brakes

### **ELECTRICAL**

Engine start switch with auto preheat Backup alarm and warning horn 65-ampere alternator 12-volt electric starting Maintenance free 70 AH battery, 880 amp Light roading and working

### **OPERATOR ENVIRONMENT**

Gauges:

- -LCD display with fuel level
- -hour meter
- -engine coolant temperature

Operator warning system indicators:

- -parking brake engaged
- -hydraulic oil temperature high
- -engine coolant temperature high
- -electrical system voltage low
- -engine oil pressure low
- -vibration activated
- -engine preheat

Lockable, vandalism guard for instrument panel

Travel control, single lever

Seat with:

-fore and aft adjustment

Draining capability

Retractable seat belt 50.8 mm (2inch) Central and side handrail for easy and safe access to the machine Steering wheel spinner 12-volt power points

## **DRUMS**

Two smooth drums: 1400 mm (55.1 inch) wide x 800 mm (31.5 inch) diameter Selection of front drum, rear drum or both drum vibration.

Pressurized drum watering system with continuous or intermittent modes

Water tank with low level sensor

2 x retractable, spring-loaded, self adjusting scrapers per drum

## OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test
ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready

CB36B

	CB36B VIBRATORY UTILITY COMPACTOR MINERBIO, ITALY Ship Weight Ibs				
Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Orders Management Program.					
522-1092	CB36B UT COMP DCA2	0	\$82,310		
	INCLUDES:  488-8303 CB36B UTILITY COMPACTOR 367-6580 ENGINE, TIER 4F, STAGE 4 456-2576 PROPEL, STANDARD 367-6636 OIL, HYDR, FACTORY FILLED 432-6053 LIGHTING PACKAGE, STANDARD 364-2277 SEAT, WITH SAFETY SWITCH 376-7962 BELT, SEAT, 51MM SUSPENSION 364-2279 SUPPORT, SLIDING FOR SEAT 488-8302 ROPS, FOLDABLE 364-2297 SWITCH, BATTERY DISCONNECT 432-8451 TRAVEL CONTROL, COVER GP 510-9244 PRODUCT LINK INSTALLATION 510-9322 PRODUCT LINK, PL241 364-2281 INSTRUCTIONS, NORTH AMERICA 367-6593 PUMP, PROPEL, STANDARD	er			
488-8303	CB36B UTILITY COMPACTOR		\$78,990		
	LANE 3 - AVAILABLE FROM MINERBIO FACTORY  Double drum vibratory compactor with 1400mm (55inch) drum vibratory comp	width.			
0G-0551	CB36B MISC MATL	0	NC		
	Only reference numbers that have the text	l Mag			

"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB36B-002

**CB36B** 

USE	REF NO.	LANE 1	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	1 AM-NO	RTH MANDATORY ATTACHMENTS		
LA	NE SELEC	TION		
	0P-9001	LANE 1 ORDER	0	NC
PA	CKING			
	0P-0210	PACK, DOMESTIC TRUCK	0	NC
	1 AM-NO	RTH OPTIONAL ATTACHMENTS		
L	524-1948	COMPLIANCE FILM, ELECT-MAGNETIC	0	NC
		REQUIRED BY: Canada		

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

**CB36B** 

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC
LANE	E SELECTIO	N		
	0P-9002 0P-9003	LANE 2 ORDER	ent (BOM) program.	NC NC
	ERTRAIN N <i>GINE</i>			
L L	367-6580	ENGINE, TIER 4F, STAGE 4	1,116	NC
HYDI	RAULICS			
Pl	ROPEL SELI	ECTION		
L	456-2576	PROPEL, STANDARD	94	NC
L	456-2577	CONTROL, TRACTION		\$1,760
P	UMP SELEC	TION		
L	367-6593	PUMP, PROPEL, STANDARD	40	NC
ELEC	TRICAL			
LI	GHTING			
L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
L	450-0906	Standard halogen lighting package.  LIGHTING PACKAGE, LED	dlights, one	\$690
OPEF	RATOR ENV	TRONMENT		
S	EAT SELEC	TION		
L	361-5825	SEAT, NON SUSPENSION		NC
L	364-2277		0	\$565
Si	EAT BELT S	SELECTION		
L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB36B-004

**CB36B** 

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPEF	RATOR ENV	IRONMENT (CONT.)		
S	EAT BELT S	SELECTION (Cont.)		
L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$143
Si	EAT SUPPO	ORT SELECTION		
L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
Р	364-2279	SUPPORT, SLIDING FOR SEAT		\$760
R	OPS SELEC	TION		
P	364-2286	NO ROPS		NC
Р	488-8301	ROPS, FIXED		\$1,515 \$1,515 NI
P	488-8302	ALSO AVAILABLE ON A MISCELLANEOUS ORDER ROPS, FOLDABLE	v	\$1,315 N1 \$1,885
r	400-0302	ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$1,885 NI
TECH	INOLOGY F			
T	RAVEL CON	VTROL		
L	432-8451	TRAVEL CONTROL, COVER GP		NC
L	367-6538	This package includes a left side cover.  TRAVEL CONTROL, DUAL LEVER	13	\$870
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes the left lever for speed control on the left hand console	0	\$870 NI
P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$61 \$61 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.	4	SOT NI

CB36B

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

# **TECHNOLOGY PRODUCTS (CONT.)**

## PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-9322	PRODUCT LINK, PL241	NC
L	454-5453	PRODUCT LINK, SATELLITE PL631	\$432
L	454-5454	PRODUCT LINK, CELLULAR PL641	NC

## PRODUCT LINK INSTALLATION

L	510-9244	PRODUCT LINK INSTALLAT	TION	NC
		ONLY FOR USE WITH:	510-9322 PRODUCT LINK, PL241 or	
			510-9323 PRODUCT LINK, PL241	
L	463-3787	PRODUCT LINK INSTALLAT	TION	NC
		ONLY FOR USE WITH:	454-5453 PRODUCT LINK, SATELLITE PL631 or	
			454-5454 PRODUCT LINK, CELLULAR PL641	

### **FLUIDS**

# HYDRAULIC OIL

L	367-6636	OIL, HYDR, FACTORY FILLED	NC
		Cat standard hydraulic oil.	
L	367-6637	OIL, BIO HYDR, FACTORY FILLED	\$1,385
		This Hydraulic Environmental Ester Synthetic oil is recommended	
		for hydraulic system when environmental compliance is required	
		or desired. Factory filled.	
		ONLY FOR USE WITH: LANE 3 ONLY	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB36B-006

**CB36B** 

USE REF NO. LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER
-----------------------------------------------------------------------

## **INSTRUCTIONS**

## SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

### SERVICE INSTRUCTIONS - MANUALS

List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB36B-007

**CB36B** 

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELEC	TRICAL			
P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$114
OPER	ATOR ENV	IRONMENT		
CA	ANOPY SEL	LECTION		
P	364-2289	CANOPY, FIXED		\$1,155 \$1,155 NI
Р	364-2288	ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 488-8301 ROPS, FIXED CANOPY, FOLDABLE	0	\$1,675 \$1,675 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 488-8302 ROPS, FOLDABLE		
OTHE	R ATTACH	IMENTS		
С	0F-5131	SPECIAL PAINT	•	\$1,870 NET
P	457-9155	ONLY FOR USE WITH: LANE 3 ONLY MATS, COCOA	31	\$815 \$815 NI
	0P-2046	ALSO AVAILABLE ON A MISCELLANEOUS ORDER PREPARATION FOR INSPECTION	e.	\$406 NET
DRUN	/IS			
Р	483-5920	BALLAST-STEEL	1 261	\$2,855 \$2,855 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 572 kg (1261 lb) additional drum weights to maximum machine operating weight.	o provide	
FLUID	os			
P	364-2408	SYSTEM, ANTIFREEZE PREPARATION		\$117

# FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

**CB36B** 

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER	
FIELD	INSTALLE	D ATTACHMENTS (CONT.)			
P	444-5550	CONTROL, TRACTION KIT		\$1,760 NI	
Р	495-2669	EDGE CUTTER READY KIT		\$1,465 NI	
DOCUMENTATION					
CERTIFICATES					
	0F-5109	CERTIFICATE OF ORIGIN	0	\$88 NET	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CB36B-009