CS34

CS34 VIBRATORY COMPACTOR MINNEAPOLIS, MN, USA (SAP)

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

CAT C3.4B four cylinder, turbo-charged diesel engine (55 kW / 74 HP) with glow-plug heater, US EPA tier 4 final and EU stage IIIB compliant Dual element air cleaner Fuel filter/water separator/manual priming pump and water indicator Dual propel pumps - 1 for drum and 1 for tires Dual braking systems (service & parking, drum only) Single speed hydrostatic transmission Limited slip differential 11.2-24, 6 PR, tubeless, SFT105 tread

ELECTRICAL

design, bias R-3 tires

12-volt starting and charging system 120 ampere alternator (1) Maintenance free battery - 750 CCA Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing) Backup alarm and forward warning horn Beacon ready

OPERATOR ENVIRONMENT

ROPS/FOPS platform Four heavy-duty isolation mounts for platform Platform handrails/guardrails Rear-view mirror Power steering Adjustable vinyl seat Retractable 76 mm (3") seat belt On-board display with audible warning alarm and interface for: -hydraulic oil temperature gauge -engine oil pressure gauge

- -engine coolant temperature gauge
- -alternator charge
- -fuel level gauge
- -service hour meter
- -engine RPM
- -Ambient air temp
- -fuel rate gauge
- -engine load gauge

COOLING

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

DRUMS

Smooth drum 1270 mm (50") wide x 1016 mm (40") diameter Single amplitude with single frequency Front adjustable steel scraper

OTHER STANDARD EQUIPMENT

Tilting operator platform Locking steel engine enclosure Sight gauges: -coolant level -hydraulic oil level Hydraulic tank locking cap Articulated frame with safety lock Transport tie-down and lift points Fuel tank with lockable cap 113 L (30 gal) fuel tank capacity Quick connect hydraulic pressure test ports Pictogram warning films SOS ports: -engine -hydraulic -coolant

Bid Term: 2/20/19 - 2/19/21

CS34

Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Order Management Program.

543-5242	CS34 VIBRATORY COMPACTOR	\$104,690
0P-4731	CS34 MISC MATERIAL	NC

Bid Term: 2/20/19 - 2/19/21

CS34

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER	
LANE	SELECTIO)N			
	OP-9002 LANE 2 ORDER				
TECH	NOLOGY F	PRODUCTS			
]] ; ;	location, oper effectively mo jobs on sched of owning and please referen	enables the remote transmission of information about the ation, and condition of your equipment. Efficiently and nitor the performance of your assets to help keep your cule, maintain equipment condition, and reduce the costs of operating your fleet. Availability varies by country - nice https://Dealer.cat.com/PL/Certification for certified asse contact your Caterpillar marketing representative			
L	319-4492	NO PRODUCT LINK	0	NC	
ОТНЕ	R ATTACH	HMENTS			
BL	ADE AND	SCRAPER SYSTEM			
L	386-5786	SCRAPER, STEEL, FRONT		\$1,070	
INSTE	RUCTIONS				
DE	ECAL PACI	KAGES			
L	386-5784	INSTRUCTIONS, NORTH AMERICAN	ord "WARNING"	NC	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Bid Term: 2/20/19 - 2/19/21

CS34

REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
RICAL			
549-2433	LIGHT, WARNING BEACON		\$220 NI
IENTATI	ON		
TIFICATI	ES		
0P-1870	CERTIFICATE OF ORIGIN	0	NC
IG			
0P-0210	PACK, DOMESTIC TRUCK	0	NC
0P-3651			NC
	NO. RICAL 549-2433 MENTATIO TIFICATIO OP-1870 IG OP-0210	LANE 2 / 3 OPTIONAL RICAL 549-2433 LIGHT, WARNING BEACON ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 1 LED amber strobe light with magnetic richard and the strong	RICAL SAME 2 / 3 OPTIONAL Bis SAME 2 / 3 OPT

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 CS34-004