CONSTRUCTION EQUIPMENT

U.S. PRICE BOOK

C075 CRAWLERS - UT

PL-200 UT SAP REVISION 4 EFFECTIVE JANUARY 1, 2019

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Crawlers (UT) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Dozers 650M

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2019 By

CNH Industrial America LLC



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



CRAWLERS - UTILITY TABLE OF CONTENTS

M SERIES CRAWLER DOZER

650M CRAWLER DOZER

Standard Features	CE-7
Price List	CE-9
Factory Supplied Attachments	CE-15
Additional Supplier Options	CE-16



(This page intentionally left blank)



(Ex Works Burlington, IA) Standard Equipment

ENGINE:

FPT F5C F5HFL463D*G003 Tier IV Final certified 207 in. 3 Displacement Horsepower:

- Gross (SAE) 73.8

- Net (SAE) 68

Decelerator pedal

Air cleaner - dry type, 2 stage, radial

seal

Anti-freeze solution to -34° F

Fan, pusher

Fuel Tank: 40.8 gal. (US)

Hand throttle

Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, singlelever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation Final drive - triple reduction - helical gear/planetary Decelerator with hydrostatic drive retardation Automatic spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

ROPS Canopy, modular design, isolation mounted Adjustable armrest(s) with lateral support Foot rests Seat belt, 2" retractable Canopies, Vinyl, Mechanical Suspension seat

Enclosed Cabs, Cloth, Air

Suspension seat

Mirror Headliner

Seat tilts for access

ELECTRICAL:

Alternator: 120 AMP

2 Front - 1 Rear light

Hydraulic track adjusters

Battery: 12 volt (single battery)

925 CCA

Fuse circuit protection Master disconnect switch Single key start switch Pre-wired for work lights Two additional power sources available for heater, air seat or auxiliary 12 volt power port

DOZER BLADE:

90" blade on 650M LT 96" blade on 650M LT or WT Variable mechanical pitch adjustment $(52^{\circ} - 60^{\circ})$ Single lever hydraulic control for lift, angle, and tilt dozer

UNDERCARRIAGE:

Sealed and lubricated track chain Track and carrier rollers and front idlers permanently lubricated H.D. track covers Track adjuster guard Track gauge: 56" or 68" Track guides (front and rear) Length of Track on ground: 85" Track rollers: 6 per side Rock Guards High Visibility Track Idler Heavy Duty Track Frame, Sprocket and Mounting Pads 16" SALT HD is base for LT 20" CLOSED SALT is base for WT



(Ex Works Burlington, IA) Standard Equipment

INSTRUMENTATION:

Warning/Indicator Lights:

Air filter

Alternator

Diagnostic fault indicator

Engine coolant temperature

Engine oil pressure

Hydraulic filter

Low fuel level

Park brake engaged

Service soon indicator

Transmission filter

Transmission charge pressure

Transmission temperature

Audible Warnings:

Engine coolant temperature

Engine oil pressure

Low fuel level

Transmission charge pressure

Transmission/hydraulic temperature

Gauges:

Transmission speed indicator

Battery voltage

Fuel level

Digital hourmeter/tachometer/

diagnostics/service reminder

Transmission oil temperature

Water temperature

GUARDS:

Crankcase

Engine side shields

Transmission bottom

Integral final drive seal

OTHER STANDARD EQUIPMENT:

Backup alarm

Hinged grill

Horn

Lockup package

Operator's manual enclosure

Pre-screen on air cleaner intake

O-ring face seal hydraulic fittings

Vertical spin-on hydraulic filters

CASE ProCare

3-yr/3000-hr factory warranty,

planned maintenance and

SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr

Advanced data subscription

Grounds Equipment Bid #ESCNJ 18/19-25

-DZ5B 01



650M CRAWLER DOZER US PRICE LIST

(Ex Works Burlington, IA) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
650M LT	20,000 LB		\$120,344.00
650M WT OR LGP	20,000 LB		\$125,130.00

Includes the following Equipment

CHAIN/A Closed SALT HD 20I (784791)

\$2,314.00

96" Dozer Blade (784474) \$150.00



(Ex Works Burlington, IA) Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
		-		

REAR MOUNTED EQUIPMENT

SD_41035 TOW HOOK

	X41035X	No Front Pull Hook		No Charge
	784487	Front Pull Hook		\$66.00

SD_D7007 3 SHANK RIPPER

	XD7007X	No Ripper		No Charge
	784572	Rear Tow Hook		\$364.00
	784573	Drawbar		\$910.00
	784007	Ripper, 3 shanks		\$13,400.00
		5 Position/comes w/ 3 Ripper Shanks		
		Must order with option X20143X Hydraulic Valve, 4 Spool		
		with ripper.		

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For 650M L	Т	
784814	CHAIN/A SALT HD 16IN	No Charge
	16" Closed Sealed and Lubricated Track (HD)	
784815	CHAIN/A MAX-LIFE 16IN	\$4,680.00
	16" Open CASE Maximum Life Chain	
For 650M W	/T/LGP	
784791	CHAIN/A Closed SALT HD 20IN	\$2,314.00
	20" Closed Sealed and Lubricated Track (HD)	
784797	CHAIN/A Open MAX-LIFE 20	\$5,131.00
	20" Open CASE Maximum Life Chain	
784785	CHAIN/A Closed SALT HD 24IN	\$3,415.00
	24" Closed Sealed and Lubricated Track (HD)	
784810	CHAIN/A Open MAX-LIFE 24	\$5,504.00
	24" Open CASE Maximum Life Chain	



(Ex Works Burlington, IA)

FRONT MOUNTED EQUIPMENT

SD	D5102	BLADES	5
----	-------	--------	---

Recommended for 650M LT				
784546	90" Dozer blade		No Charge	
	For use with 650M LT Commercial Model			
784474	96" Dozer Blade		\$150.00	
	Recommended use with 16" track shoes			
Recommend	ded for 650M LT & LGP			
784547	108" Dozer Blade		\$587.00	
	108" Blade begins with s/n NJC100565 for 650M WT			
Recommended for 650M LGP				
784475	120" Dozer Blade		\$920.00	

OPERATOR'S PROTECTIVE STRUCTURE

SD	05127	CAB
OD.		

		HVAC - Heater and Air Conditioning		
	784391	CAB - CANOPY		\$12,133.00
	784111	ROPS with headliner		No Charge

ADDITIONAL EQUIPMENT CRD

SCRI	EENS	

SD_02057 RADIATOR SCREEN

	X02057X	No Radiator Brush Screen		No Charge
	784476	Radiator Brush Screen		\$379.00

SD_05053 FORESTRY PROTECTION

	X05053X	No ROPS Side Screen		No Charge
	784419	ROPS Side Screen		\$1,105.00

SD_05103 REAR SCREEN

	X05103X	No Rear Screen		No Charge
	784569	ROPS Rear Screen		\$735.00
	784508	Cab Rear Screen		\$558.00

GUARDS

SD_10013 TRACK ROLLER GUARD

	X10013X	No Center Rock Guard		No Charge
	784524	Center Rock Guard		\$882.00



(Ex Works Burlington, IA)

XD5904X	No Sweeps	No Charge
784702	Sweeps	\$886.00
	For use with either ROPS option 784111 or Cab option 784391.	·
•	·	•
DECALS AND OPE	RATOR'S MANUALS	
SD_47083 OP	ERATOR'S MANUAL	
784138	Manuals & Decals - English	No Charge
784140	Manuals & Decals - French	No Charge
784142	Manuals & Decals - Spanish	No Charge
OD 511		
	Air Classes Can	No Chausa
784725	Air Cleaner Cap	No Charge
784731	Turbine Pre-Cleaner	\$162.00
SD 02025 CO	LD WEATHER STARTING	
	No Grid Heater/Cold Start	No Charge
784106	Grid Heater	\$805.00
101100	784106 is Dual Batteries.	φοσο.σο
	To Thomas Buttonios	!
SD 02112 SE'	VERE COLD WEATHER	
X02112X		No Charge
784822	Severe Cold Weather -784822	\$1,536.00
	Severe Cold Weather includes:	
	Extreme Cold Climate Lubricants, heated CCV Lines,	
	Block Heater, cold weather air cleaner, fuel additive,	
	Engine Oil 0W-40	
	Severe Cold Climate protection in temperatures down to	
	-30 degrees C -22 degrees F	
SD_05105 SE	AT BELT	
784365	Seat Belt, 2"	No Charge
784483	Seat belt, 3"	\$87.00
	In lieu of standard 2" seatbelt option 784365	
	AR WIPER FOR CAB	
	No Rear Wiper	No Charge
784525	Rear Wiper for Cab	\$395.00
00 00100 01		
SD_05136 RA		No O
X05136X	No Radio	No Charge
784564	Radio Must and a with Sah w/Hast/AS/Defrector	\$199.00
	Must order with Cab w/Heat/AC/Defroster	

option 784391



(Ex Works Burlington, IA)

SD 06003	WORK LIGHTS
----------	-------------

	X06003X	No work lights	No Charge
	784531	Opt ROPS Light w/o sweeps	\$204.00
		For use without Sweeps option 784702	
	784532	Opt ROPS Lights w/ sweeps	\$204.00
		For use with Sweeps option 784702	
	784529	Opt Cab Light w/o sweeps	\$170.00
		For use without Sweeps option 784702	
	784530	Opt Cab Lights w/ sweeps	\$170.00
		For use with Sweeps option 784702	

SD_20143 HYDRAULIC VALVES

	784350	Std. 3 spool valve & control		No Charge
	784668	Hyd. valve, 4 spool w/ plugs		\$909.00
		For field installed ripper only. (Included with option 784007		
		factory installed ripper)		
	X20143X	NO HYDRAULIC FUNCTION		No Charge
		For use with Ripper option 784007 only.		

SD 20162 REAR HYDRAULIC FUNCTION

 	CB_20102 REARCHIDITAGEOT GROTION						
	784651	Pump Hydraulic Equip w/o PTO			No Charge		
	784730	Pump Hydraulic Equip w/PTO			\$600.00		
		For use with winch, includes hydraulic pump with					
		mechanical drive					

SD_27017 DIAGNOSTIC

 OB_ELOTE BERORGOTTO							
	X27017X	No Diagnostic Check Fittings			No Charge		
	784551	Diagnostic Check Fittings			\$270.00		

SD 40020 FRONT BALLAST

_	 3D_40020 TRONT BALLAGT								
	X40020X	NO FRONT COUNTERWEIGHT			No Charge				
	784507	Front Counterweight			\$1,425.00				
		Includes Front Pull Hook (Recommended for use with Ripper or							
L		Winch)							

SD_50115 ENVIRONMENTAL DRAIN

	 OD_30113 ENVIRONMENTAL BIVAIN							
	X50115X	No Environmental Drain			No Charge			
	784729	Environmental Drain			\$249.00			
		Includes valve and drain hose for coolant, fuel and hydraulic						
L		reservoirs						

SD_50133 SPECIAL FEATURE

 3D_30133 SFECIAL FEATURE									
X50133X	No Special Feature Request			No Charge					

Grounds Equipment Bid #ESCNJ 18/19-25
-DZ5B 01

CONSTRUCTION

650M CRAWLER DOZER US PRICE LIST

(Ex Works Burlington, IA)

Γ	784820	Special Feature Unit 784820		No Charge
		Must contact Special Feature Coordinator for approval before		
		selecting Special Feature Request option. Special Feature Quotes		
		may take up to 3 business days.		
L		Contact Joshua Schumacher (319) 754-3144		

SD_D9501 MOVE TO BIC

	XD9501X	Do Not move to BIC		No Charge
	784805	Move to BIC		No Charge



(Ex Works Burlington, IA) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price				
Basic Attachments								
47953598	Front Counterweight	821 LB		\$890.00				
47833198	Rear Retrieval Hitch	31 LB		\$295.00				
47953772	Ripper 3 Shank with Drawbar Note Requires 784668 4th Spool Valve or 48032309 3-4th spool conversion kit	1,381 LB		\$11,454.00				
48032309	3-4 Spool Conversion Kit	6 LB		\$750.00				
47497088	Drawbar	120 LB		\$511.00				
creens and Guard	Cab Rear Screen Kit	57 LB		\$543.00				
48094642	Canopy Rear Screen Kit	39 LB		\$779.00				
48094693	Forestry Side Screen ROPS units ONLY	89 LB		\$1,152.00				
48117845	Front Sweeps	110 LB		\$991.00				



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- Winches available through Allied Systems Company, Sherwood (Portland), OR
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing <u>marketing@alliedsystems.com</u> Download winch spec sheets, parts, service and operating manuals and product information at http://www.alliedsystems.com
 - o Required Base Machine Configuration
 - Winch Ready PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH						
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,						
Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH			П			
Includes: Attaching Parts, Gear Ratio 94/1, Power-in,		750M				
Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH	T T					
Includes: Attaching Parts, Gear Ratio 48/1, Freespool,						
Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control						
on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH						1650M
Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off,						48192794
Freespool, and Drawbar.		1650M				2050M
For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	2050M	2830	1280	784604	48192793

Install Allied Winches on CASE 650L/M - 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers. How it works:

- 1. Order 650L/M 2050M through CASE
- 2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
- 3. On order, must select option 784805 Move to BIC.

650 - 2050M

- Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - o Required Base Machine Configuration
 - Cab Rear Screen

2050M

- Landfill Package provided by Paladin CustomWorks Ooltewah, TN
- Please contact Eric B. Price at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019