D11TQ

D11T TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

C32 with ACERT technology 24-volt electric start Aftercoolers, air-to-air Air filters, dual with precleaner Controlled throttle shifting Coolant, extended life Directional shift management Engine idle shutdown timer Ether starting aid, automatic Fuel priming pump, electric Mufflers, dual Parking brake, electronic Prescreener Separator, water/fuel Thermal shields Torque divider Transmission (3F/3R speeds) Four planet, double-reduction planetary final drives

UNDERCARRIAGE

Rollers and idlers, lifetime lubricated Sprocket rim segments, replaceable Suspension-type undercarriage, eightroller tubular track roller frame Three bolt idler and roller caps Track adjusters, hydraulic Track guides Two-piece master links

ELECTRICAL

Alternator, 150 amp
Back up alarm
Batteries, 12-volt (4), 200 amp-hour
Converters, 12-volt, 30 amp total
Diagnostic connector
Horn, forward warning
Lights, engine compartment
Lighting system
Starting receptacle

OPERATOR ENVIRONMENT

Advisor-electronic monitoring system
Air conditioner and heater
Armrest, adjustable
Cab, FOPS
Deactivation switch, hydraulic controls
Decelerator, pedal
Finger tip control (FTC) steering
Governor switch, electronic
Hydraulic system
electronically controlled for
bulldozer and ripper control

Mirror, rearview Radio ready, entertainment ROPS rollbar Seat belt, retractable 76 mm (3 in) Wipers, intermittent, low and high speeds

SAFETY AND SECURITY

Fender guard rails Heavy duty steps and handles Operator presence detection Slope and side-slope monitor

OTHER STANDARD EQUIPMENT

Auto-blade assist
CD ROM parts book
Dual-tilt blade control
Ecology drains
Fluid sampling ports
Ground level service center
Ripper hydraulics
Vandalism, protection (8 caplocks)

D11TQ

	K-TYPE TRACTOR Ship Weight A, IL, USA (SAP)	t LIST PRICE AT DEALER
374-3554	D11 TRACTOR, US 0	\$2,285,360
	LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	, ,,
	Includes US EPA Tier 4 engine, standard torque divider and necessary attachments for sale into the US.	
0P-1857	D11T MISC MATL EAST PEORIA	NC
	Use this reference number when ordering miscellaneous material other than a body or body attachments.	

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D11TQ

USE NO. MANDATORY ATTACHMENTS Ship Weight LIST PRICE Ibs AT DEALER

NOTE

Each machine will be shipped with a Parts Book on CD ROM. The CD will be shipped with the other D11T CD literature. If a paper copy is desired, please order through the dealer parts department.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D11TQ-003

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICI AT DEALER
ANE	SELECTIO	N		
	0P-9002	LANE 2 ORDER		NC
	0P-9003	LANE 3 ORDER		NC
REGIO	ONAL PAC	KAGES		
A	DVISOR LA	ANGUAGE		
-	335-9416	LANGUAGE, ADVISOR, 1		NC
-	371-2162	LANGUAGE, ADVISOR, 2 Languages for Advisor are: English, Danish, Dutch, Norwegian, Swedish, Finnish	0	NC
-	371-2163	LANGUAGE, ADVISOR, 3	0	NC
	374-7145	LANGUAGE, ADVISOR, 4		NC
•	374-8278	LANGUAGE, ADVISOR, 5	0	NC
	374-8279	LANGUAGE, ADVISOR, 6	0	NC
POW	ERTRAIN			
RA	ADIATOR A	ARRANGEMENT		
-	442-9613	RADIATOR, MESABI	0	NC
FA	AN ARRAN	GEMENT		
-	345-6786	FAN, STANDARD	SD.	NC
=	376-9869	FAN, STANDARD W/ SCREENS	0 S	NC
L	340-2063	340-2062 HYD LINES, SCREENS & AUTO-FAN, REVERSING	re to assist environments.	\$11,220

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POW	ERTRAIN (CONT.)		
FA	AN ARRAN	GEMENT (Cont.)		
L	345-6790	FAN, REVERSING W/ SCREENS Hydraulically driven cooling fan with reversing feature in cleaning radiator during operation in high debrised includes extremely low speed operation for cold climal RECOMMENDED FOR: Coal Stockpile Applications REQUIRES: 340-2061 HYDRAULIC LINES, SCREENS 340-2062 HYD LINES, SCREENS & AUTOMOTION AUTOMATICAL REPORT OF THE PROPERTY OF THE P	re to assist environments. ates	\$11,220
E	VGINE PREC	CLEANER ARRANGEMENT		
L	348-3630	PRECLEANER, STANDARD		NC
L	373-3608	Includes standard engine precleaner and dust ejector PRECLEANER, TURBINE	For use	\$3,730
HI	IGH SPEED	OIL CHANGE ARRANGEMENT		
L	342-6102	OIL CHANGE SYSTEM, HIGH SPEED	mounted	NC
L	342-6103	ONLY FOR USE WITH: ALL REAR ATTACHMENTS OIL CHANGE SYSTEM, RIPPER	mounted to the	\$650
L	342-6104	CANNOT BE USED WITH: 374-6986 RIPPER, MS LE. OIL CHANGE SYSTEM, CTWT High speed engine and powertrain oil change system rear counterweight. MUST BE ORDERED DETACHE ONLY FOR USE WITH: 357-3515 COUNTERWEIGHT.	mounted to the	\$650
UNDE	ERCARRIAG	GE .		
Ul	NDERCARR	NAGE ARRANGEMENT		
L	374-3563	UNDERCARRIAGE, BASIC	flange and	NC
L	374-3564	double flange rollers, bogie pins, roller frames and re UNDERCARRIAGE, ABRASION	0	\$4,955
L	373-3724	bogie pins, roller frames, and recoil systems. UNDERCARRIAGE, SOUND	nts. Single and ecoil systems.	\$133,510

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

5

D11TQ

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC
JNDI	ERCARRIAC	GE (CONT.)		
U	NDERCARR	NAGE ARRANGEMENT (Cont.)		
	373-3722	UNDERCARRIAGE, COLD WEATHER	temperatures. le flange	\$3,825
	373-3723	UNDERCARRIAGE, COLD ABRASION	bient ngle flange	\$8,780
C	ARRIER RO	LLERS		
-	426-3785	GUARD, CARRIER ROLLER	r roller	NC
-	426-3808	mounting locations. CARRIER ROLLERS Includes one standard roller per side of tractor. Prov proper track adjustment with less recoil adjustment Reduces track slap during directional shifting. ONLY FOR USE WITH: 374-3563 UNDERCARRIA 374-3564 UNDERCARRIA	rides required. GE, BASIC or	\$11,700
	426-3811	CARRIER ROLLERS, COLD WEATHER	Provides required. GE, COLD WEATHER	\$12,410
T	RACK ARRA	ANGEMENT		
	NOTE: All i	nclude single tooth master link with coarse thread bolts		
•	395-1045	TRACK, 710MM ES	0	NC
•	395-1051	Extreme service shoes (28"/710mm) TRACK, 710MM ES ARM	0	\$9,580
•	375-5937	Abrasion Resistant Material (ARM). TRACK, 710MM ES ROUND Extreme service shoes (28"/710mm) Round holes.	0	\$3,595
•	395-1047	TRACK, 810MM ES	0	\$5,980
	395-1053	Extreme service shoes (32"/810mm) TRACK, 810MM ES ARM Extreme service shoes (32"/810mm) Abrasion Resistant Material (ARM).	0	\$17,960
•	384-3013	TRACK, 810MM ES ROUND	0	\$9,580
•	399-7409	TRACK, 810MM ES TALL LINKS	0	\$20,360

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

6

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
UND	ERCARRIAC	GE (CONT.)		
7	RACK ARRA	ANGEMENT (Cont.)		
P	399-7415	TRACK, 810MM ES TALL LINKS ARM	0	\$41,130
Р	399-7413	TRACK, 810MM ES RND TALL LINKS	0	\$23,960
Р	395-1049	TRACK, 915MM ES CLIPPED	0	\$9,580
Р	395-1055	TRACK, 915MM ES CLIPPED ARM		\$23,960
Р	375-5923	TRACK, 915MM ES CLIPPED ROUND		\$11,970
Р	399-7411	TRACK,915MM ES CLPD TALL LINKS		\$27,540
ELEC	TRICAL			
L	IGHTING GA	ROUP		
L	479-9052	LIGHTS, HID	and 2 HID on of the ROPS earward, 2 halogen in the	NC
L	479-9051	LIGHTS, LED	zer lift on the top ders	\$2,555
L	479-9050	LIGHTS, LED, HIGH INTENSITY Includes 12 LED work lights (4 on the sides of the do cylinders, 2 on the top of the ROPS facing forward, 1 of the ROPS facing rearward, 2 in the front of the facing forward, 2 in the rear of the fenders facing rear the fuel tank for use with a rear attachment.) Order as detached.	zer lift on the top ders	\$5,180
OPE	RATOR ENV	IRONMENT		
C	AB GLASS			
L 	375-7166	GLASS, SINGLE PANE	solid single	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D11TQ-007

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC
OPEF	RATOR ENV	IRONMENT (CONT.)		
C	AB GLASS	(Cont.)		
L	389-7519	GLASS, IMPACT RESISTANT	· list of	\$5,420
-	375-7835	GLASS, 40 PSI FOR USE IN LANE 3 ONLY Includes solid, 40psi capable windows. HVAC Precleatincluded. RECOMMENDED: 374-9585 PRECLEANER, POWER	aner no longer	\$38,330
C	AB SEAT			
	380-1151	SEAT, AIR SUSPENSION	0	NC
	393-7245	Includes cloth seat with air suspension. SEAT, HEATED & VENTILATED		\$1,670
PI	LATFORM (GROUP		
	446-8423	OPERATORS AR, STANDARD	0	NC
	446-8424	Standard operator controls and platform. OPERATORS AR, 5TH PERCENTILE	rator to sit at ach the pedals.	\$6,230
	419-8211	Designed to improve attachment visibility for the smatched operators are attachment visibility for the smatched operators are control of the smatched operator operat	opening	\$4,080
A	IR CONDITI	IONING		
	364-8989	AIR CONDITIONER, UNDERHOOD		NC
	356-5226	Air conditioner with condenser mounted in the engin AIR CONDITIONER, FENDER	side of the ROPS.	\$13,080
	312-3449	AIR CONDITIONER, ROPS Air conditioner with condenser mounted on the ROPS Recommended for optimal air conditioning performan ambient temperatures are frequently above 100F (38)	S. nce when	\$6,590
V	ISIBILITY A	RRANGEMENT		
L	327-3492	VISIBILITY AR, BASIC	ER, UNDERHOOD	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

8

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OPER	ATOR ENV	IRONMENT (CONT.)		
VI	SIBILITY A	RRANGEMENT (Cont.)		
L	374-3562	VISIBILITY AR, MIRRORS	0	\$545
L	312-3489	VISIBILITY ARR, SINGLE CAMERA	0	\$5,440
L	312-3488	MUST BE ORDERED DETACHED. VISIBILITY AR, DUAL CAMERA	0	\$7,250
TECH	INOLOGY F	PRODUCTS		
M	ACHINE CO	ONTROL		
L	474-5719	MACHINE CONTROL, BASIC	0	NC
		Includes basic machine controls.		_
L	472-3152	INSTALLATION, CAT TERRAIN		\$3,025
L	472-3149	MUST BE ORDERED DETACHED. MACHINE CONTROL, PERFORMANCE	0	\$41,190
		Includes Autocarry blade control and Automatic Ripp Includes provisions for adding Cat Terrain for Gradin information on the next Generation of AutoCarry plea TEKQ1011 within the Global Sale Library. MUST BE ORDERED DETACHED. REQUIRES: 359-0268 11SU/U DOZER AUTOCARRY	per Control ag. For more ase refer to or	, ,
L	471-9610	477-9950 11SU/U DOZER TERRAIN, BC MACHINE CONTROL, TERRAIN, BC Includes Autocarry blade control and automatic rippe Includes Cat terrain for grading with blade control did dual GNSS receivers. MUST BE ORDERED DETACHE REQUIRES: 477-9950 11SU/U DOZER TERRAIN, BC	er control. splay and ED.	\$72,160
C	OMMAND I	FOR DOZING		
L	472-4719	OPERATOR CONTROL, STANDARD	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D11TQ

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. AT DEALER

TECHNOLOGY PRODUCTS (CONT.)

COMMAND FOR DOZING (Cont.)

For additional Dealer installed technology products please refer to the following publications within the Global Sales Library:

AEXQ0566 - Cat MineStar

PEDJ0116 - Cat Fleet

PEDJ0114 - Cat Health AEXQ0571 - Cat Terrain

PEDJ0117 - Cat Command

AEHQ6721 - Cat Command for Dozing

Pricing for Dealer installed technology products may be found in the following price lists:

MINESTAR - Cat MineStar Fleet and Health TERAOFC - Terrain Office Software **TERAGRADE** - Terrain for Grading COMDOZING - Command for Dozing

VIMS AND PRODUCT LINK

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

L 481-2070 VIMS & CELL PROD LINK, PLE641 0 NC

This single attachment supports activation of VIMS and/or cellular Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC.

Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

Not recommended for MineStar sites.

L 505-4508 \$425

> This single attachment supports activation of VIMS and/or satellite Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC. Product link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. for use in areas with poor or no cellular coverage.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
V	IMS AND P	RODUCT LINK (Cont.)		
L	505-4509	PROD LINK, DUAL PLE641 & PL631	uses a combination of atilization and applications. For	\$1,243
FUEL	. SYSTEMS			
F	UEL LINES			
L	364-8988	FUEL LINES, STANDARD	0	NC
L	492-4261	Standard fuel lines without fuel heater. FUEL LINES W/HEATER	0	\$2,125
GUA	RDS			
В	оттом ви	ARDS		
L	247-9960	GUARDS, BOTTOM, STANDARD	0	NC
L	374-8525	Includes full set of standard bottom guards. GUARD, BOTTOM SEALED		\$8,170
L	320-5212	ONLY FOR USE WITH: Other sound reducing feat GUARD, BOTTOM, PARTIAL	tures for full effect.	\$-7,340
El	NGINE ENC	LOSURES		
L	374-7164	ENGINE ENCLOSURES, STANDARD	0	NC
ОТНЕ	ER ATTACH	IMENTS		
S	TARTING A	ID		
L	312-3470	HEATER, ENGINE COOLANT, 120V Includes two 120-volt, 1500-watt jacket water electric		NC
L	357-5398	HEATER, ENGINE COOLANT, 240V Includes two 240-volt, 1500-watt jacket water electrical designs and the coolean structures are recently accounted by the coolean structure and the coolean structures are recently accounted by the coolean structure and the coolean structures are recently accounted by the coolean structures are recentl	0	NC
Н	YDRAULIC	LINES		
L	373-4448	HYDRAULIC LINES, STANDARD	TROL, BASIC	NC
L	345-6787	HYDRAULIC LINES, AUTOCARRY	TROL, PERFORMANCE	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019

Bid Term: 2/20/19 - 2/19/21

D11TQ-011

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ОТН	ER ATTACH	IMENTS (CONT.)		
Н	YDRAULIC	LINES (Cont.)		
L	340-2061	HYDRAULIC LINES, SCREENS	mp CROL, BASIC	\$21,280
L	340-2062	472-3152 INSTALLATION, HYD LINES, SCREENS & AUTOCARRY Provides hydraulic screens for the main hydraulic puplus the tilt and fan hydraulic circuits. ONLY FOR USE WITH: 472-3149 MACHINE CONTACTOR 471-9610 MACHINE CONTACTOR	0 Imp TROL, PERFORMANCE	\$21,280
	CCESS SYS	STEM DERED DETACHED.		
L	509-6451	GUARDRAIL ARRANGEMENT	0	NC
L	502-4154	Includes fender mounted guard rails. LADDER ARRANGEMENT	of the machine.	\$19,980
L	502-4020	PLATFORM ARRANGEMENT	0 Y or	\$10,850
L	510-9805	ACCESS ARRANGEMENT	0 Y or DY	\$30,830
F	UEL TANK			
L	333-3476	FUEL TANK, STANDARD	0	NC
L	431-6684	Includes 1609 Liter (425 gallon) fuel tank. FUEL TANK, PLATFORM READY		\$9,980
		NOTE: If Platform or Access Arrangement is purchas Visibility Arrangement, Dual Camera is requir		
L	372-3000	FUEL TANK, EXTRA CAPACITY	ing provisions	\$10,820

REAR ATTACHMENT

Ripper shanks must be ordered separately.

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	HMENTS (CONT.)		
RE	EAR ATTAC	CHMENT (Cont.)		
L	374-6981	RIPPER, SS STANDARD	0	\$172,080 \$172,080 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Single-shank ripper for standard D11 tractor. Includ system, transmission guard, pin puller and pin pulle MUST BE ORDERED DETACHED ON MACHINE ORD REQUIRES: 445-2023 or 445-2024 TOOTH, SINGLE RIPPER LUBE GROUP	r hydraulics. DERS. SHANK RIPPER	, = . = ,
L	374-6982	RIPPER, SS PUSH BLOCK	0	\$179,790 \$179,790 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Single-shank ripper with push block for standard D1 Includes fast fuel system, transmission guard, pin pin puller hydraulics.MUST BE ORDERED DETACHE REQUIRES: 445-2023 or 445-2024 TOOTH, SINGLE RIPPER LUBE GROUP	1 tractor. ıller and ED ON MACHINE ORD	
L	374-6983	RIPPER, SS CARRYDOZER	0	\$203,450 \$203,450 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Single-shank ripper for D11 carrydozer tractor. Inchesystem, transmission guard, pin puller and pin pulle May be used on standard D11 tractor for heavy rippe MUST BE ORDERED DETACHED ON MACHINE ORD REQUIRES: 445-2023 or 445-2024 TOOTH, SINGLE RIPPER LUBE GROUP	r hydraulics. er option. DERS. SHANK RIPPER	
L	374-6984	RIPPER, MS STANDARD	0	\$175,080 \$175,080 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank ripper for standard D11 tractor. Include system, and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORD REQUIRES: 445-2026 TOOTH, MULTI-SHANK RIPPE RIPPER LUBE GROUP	DERS.	, = - 2, = 2 = -
L	374-6986	RIPPER, MS LEACHPAD	0	\$269,420 \$269,420 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Deep ripping for weak material applications such as Includes transmission guard, pin puller and pin pull Includes leach pad ripper shanks and a second fende Maximum depth is 3369.5mm below grade with stan MUST BE ORDERED DETACHED ON MACHINE ORD REQUIRES: 374-9567 RIPPER LUBE, BASIC CANNOT BE USED WITH: OTHER RIPPER SHANKS	er hydraulics. er support brace. dard 9W-4551 tip.	7207, 320 NI
L	357-3515	COUNTERWEIGHT, REAR		\$122,950
L	357-3520	ALSO AVAILABLE AS MISCELLANEOUS ORDER Extended rear counterweight. Includes fast fuel system and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORD DRAWBAR, REAR	0 nree slab	\$122,950 NI \$82,420

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D11TQ-013

D11TQ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OTHE	R ATTACH	HMENTS (CONT.)		
RE	AR ATTA	CHMENT (Cont.)		
L	374-6988	NO REAR ATTACHMENT Includes fast fuel system, transmission guard and rip Rear attachment is still required, this option is for cu already have a rear attachment for installation. REQUIRES: RIPPER LUBE GROUP	per light.	\$11,710
FLUID	S			
co	OLANT			
L	382-5934	ENGINE COOLANT, STD (-37C)		NC
L	371-6899	Provides cooling system antifreeze protection down to ENGINE COOLANT, ARCTIC (-51C)	0	\$467 NET

D11TQ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
POW	ERTRAIN			
L	340-9780	PRELUBE, ENGINE	0 surizes the oil	\$4,675
ELEC	TRICAL			
L	476-7086	LIGHT, WARNING, STROBE		\$1,795
OPER	ATOR ENV	TRONMENT		
L	349-3004	WINDOW SHADES		\$655
L	374-9585	PRECLEANER, POWERED		\$710
SAFE	TY AND SI	ECURITY		
FI	RE SUPPRE	SSION		
L	482-8903	FIRE SUPPRESSION READY	an ANSUL Liquid	\$1,895
L	471-3281	FIRE SUPPRESSION	e suppression. System Iting with 16 nozzle	\$41,080
		NOTE: A local ANSUL distributor must complete to the liquid chemical, two pressure cartridges and co LVS Liquid Agent has operating temp of -40 to 140 60 degree C.	ertify the system.	
GUAF	RDS			
Р	190-8428	GUARD, FINAL DRIVE, CLAMSHELL	rotect the final	\$9,250
P	139-2003	applications. GUARD, UNDERCARRIAGE IDLERS. Includes rubber idler protectors. Provides addition protection from abrasive material to the moving un	nal wear	\$3,920

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

15

D11TQ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	ER ATTACH	IMENTS		
S	CREENS			
L	435-9344	SCREENS, GRILL DOOR		\$3,940
BLAD	DES			
В	ULLDOZER	INSTALLATION PACKAGES		
L	349-3662	11SU/U BULLDOZER	s, standard VTROL, BASIC or	\$141,710 NI
L	359-0268	11SU/U DOZER AUTOCARRY	s, autocarry and lines.	\$147,780 NI
L	477-9950	ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer push arms, braces, tilt cylinders lift cylinders, trunnions and lines. ONLY FOR USE WITH: 472-3149 MACHINE COM 471-9610 MACHINE COM	s, position sensing NTROL, PERFORMANCE or	\$153,870 NI
BI	LADE OPTIO	ONS		
P	491-8149	BLADE, 11SU ABRASION		\$103,400 NI
P	491-8150	BLADE, 11SU ABRASION, BLACK	s, wear plate and	\$105,930 NI
Р	491-8151	BLADE, 11SU NO WEAR PLATE	0	\$101,350 NI
Р	491-8146	BLADE, 11U ABRASION		\$125,340 NI
Р	491-8147	BLADE, 11U ABRASION, BLACK		\$127,850 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

16

D11TQ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER			
BLAD	BLADES (CONT.)						
BLADE OPTIONS (Cont.)							
P	491-8148	BLADE, 11U NO WEAR PLATE					
	oal U-Blade Tools price	or Reclamation U-Blade please refer to WT-TTT (list.	Cat				
GROU	JND ENGA	GING TOOLS					
RI	PPER SHA	NK OPTIONS (Note that RIPPERS do not incl	ude any shanks.)				
L	445-2026	TOOTH, MULTI-SHANK RIPPER	ainer and tip. ess installation and mm below grade with	\$11,030 NI			
L	445-2023	TOOTH, SINGLE SHANK RIPPER ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes standard shank, sharp shank protector, pi tip. Tip and shank protector feature CapSure hamm and positive retention systems. Maximum depth is i with standard 357-2712 tip.	\$18,950 NI				
L	445-2024	ONLY FOR USE WITH: SINGLE SHANK RIPPERS TOOTH, SINGLE SHANK, DEEP ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes long shank, sharp shank protector, pin, pi Tip and shank protector feature CapSure hammerle positive retention systems. Maximum depth is 2180 standard 357-2712 tip. ONLY FOR USE WITH: SINGLE SHANK RIPPERS	n retainer and tip. ess installation and mm below grade with	\$22,590 NI			
FLUI	os						
RI	PPER LUBR	RICATION OPTIONS					
	NOTE: MUS	ST BE ORDERED DETACHED.					
L	374-9567	RIPPER LUBE, BASIC	or	NC			
L	373-8913	Provides grouped ripper lubrication points accessible level. ONLY FOR USE WITH: SS RIPPER or 374-6988	0 le from ground	\$1,980			

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D11TQ-017

D11TQ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
FLUID	OS (CONT.	.)		
RI	PPER LUBE	RICATION OPTIONS (Cont.)		
L	373-8916	RIPPER LUBE, GROUND LEVEL, MS		\$1,980
L	396-0947	ONLY FOR USE WITH: MS RIPPER or 374-6988 AUTOLUBE, SS, LINCOLN	\$18,580	
L	419-7592	ONLY FOR USE WITH: SS RIPPER or 374-6988 NO REAR ATTACHMENT AUTOLUBE, MS, LINCOLN		\$18,580
DOC	UMENTATI	ON		
	0G-6039	FACTORY SOUND TEST	0	NC
PACK	KING			
TF	RACTOR PA	ACKING		
	0P-0191	PACK, DOMESTIC TRUCK		\$3,755 NET
	0P-0189	PACK, DOMESTIC TRUCK	. Ripper detached.	\$2,985 NET
	0P-4996	PACK, DOMESTIC RAIL, ROPS LOOSE Tractor with ROPS dismounted for shipment.	0	\$1,525 NET
	0P-0210	PACK, DOMESTIC TRUCK	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D11TQ-018