D4K2 HRC

D4K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Caterpillar C4.4 ACERT diesel engine

-Turbocharged, EPA tier 4 final

-EU Stage IV certified engine with aftertreatment

Aftercooler, air to air (ATAAC)

Aluminum bar plate cooling system

(radiator, powertrain)

Air cleaner with precleaner, automatic dust ejection and under-hood intake Dual path, closed-loop, hydrostatic

transmission

Electric fuel priming pump

Fuel/water separator

Automatic traction control

UNDERCARRIAGE

Salt undercarriage (43 - section) 7 roller track frame Track rollers, lifetime lubricated Carrier rollers Track adjusters, hydraulic Guards, front/rear guiding

HYDRAULICS

3 valve hydraulics Single lever, three function control Hydraulic pump and oil Stable blade control

ELECTRICAL

Alternator,120 amp,heavy duty brushless Alarm, backup Horn, electric Batteries,heavy duty ,maintenance free, 750 CCA. Diagnostic connector Starter electric 12V

OPERATOR ENVIRONMENT

ROPS/FOPS canopy

Seat, air suspended, cloth or vinyl

Seatbelt, retractable 76mm(3")

Foot pads, dash

Electronic monitoring system

with gauge for:

-Engine coolant temperature,c

-Hydraulic oil temperature

-Fuel level

-Diesel exhaust fluid (DEF)

Travel speed limiter, electronic

Engine RPM and gear display

Hour meter, electronic

Engine air cleaner service indicator,

Electronic security System

Water-in-fuel indicator, electronic

Throttle switch, rotary

Eco mode

Controls, seat mounted, fore/aft

adjustment

Armrests, adjustable

Mirror, rearview, inside

Single pedal combining deceleration and

braking functions

Independent forward/reverse speed

settings

Powerport, 12 volt

Coat hook

Storage compartment

Cup holder

Floor mat, rubber, heavy duty

FLUIDS

Antifreeze, extended life coolant (-37C)

OTHER STANDARD EQUIPMENT

C-frame, variable pitch link,

-Hydraulic cylinders and lines

Engine enclosures

Front pull device

Rigid drawbar

Ecology drains (engine, powertrain and implement oil, and engine coolant)

Scheduled oil sampling ports (engine,

powertrain implement oil)

Vandalism protection

Heavy duty crankcase guard

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-001

1

D4K2 HRC

	4K2 TRACK TYPE TRACTOR THENS, GA, USA (SAP) Ibs				
Please use	Lane 2 is reserved for the Base Order Management Program Please use Lane 2 when placing orders that are part of the Base Order Management program.				
397-4125	D4K2 XL TRACTOR	\$134,010			
	1550MM(61") gauge				
397-4126	D4K2 LGP TRACTOR	\$141,660			
	1725MM(68") gauge				
452-3717	D4K2 XL FIRE TRACTOR	\$142,540			
	1550MM(61MM) gauge				
452-3718	D4K2 LGP FIRE TRACTOR	\$150,180			
	1725MM(68") gauge				
0P-3883	D4K2 MISC MATERIAL	NC			
	Only reference numbers that have the text				

"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D4K2 HRC

USE	REF NO.	MANDATO	DRY ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	DN			
	0P-9002 0P-9003	Only for dealers enrolled	in the Base Orders Manamemer	nt (BOM) program.	NC NC
POW	ERTRAIN				
El	VGINE INST	TALLATION - Standard	Tractor		
L	399-9100	ENGINE,EPA 4F,EU IV,JAPA ONLY FOR USE WITH:	AN 2014		NC
El	VGINE INST	TALLATION - Fire Trace	tor		
L	478-7464	INSTALLATION ARRANGEN ONLY FOR USE WITH:	MENT, ENG	TOR	\$2,090
L	488-4957	INSTALLATION ARR, ENG I ONLY FOR USE WITH:	HHP	0 CTOR	\$3,810
UNDE	ERCARRIA	GE			
	NDERCARA SystemOne ca applications.	RIAGE an be used in most of the HD	sealed and lubricated		
	eliminating lir O&O costs ar	idlers now run on the bushir nk scalloping, substantially i e significantly reduced by eli l components wear life.	ncreasing links life,		
;	SystemOne, E applications t	tential increase in undercarr Extreme Service (ES) shoes sl hat are anticipated to be sho e life with link life.	nould be considered for		
	undercarriage	nould carefully select between e based on expected applicat nt guiding / guarding (for Sy			

configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use Heavy Duty undercarriage in high

debris packing applications.

L	397-4327	UNDERCARRIAGE, SALT0	NC
		CANNOT BE USED WITH: EU DEALERS	
L	397-4207	UNDERCARRIAGE, SYSTEMONE	\$7,450

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-003

D4K2 HRC

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
UND	ERCARRIAC	GE (CONT.)	
T	RACK PAIR	es	
	SALT		
L	286-4304	TRACK, 18", MS, SALT	NC
L	286-4309	ONLY FOR USE WITH: 397-4327 UNDERCARRIAGE, SALT TRACK, 25", MS, SALT, LGP	NC
L	319-9514	TRACK, 25", SELF CLEANING, SALT	\$8,100
	SYSTEM	397-4126 D4K2 LGP Tractor ИОNE	
L	286-4314	TRACK, 18", MS, SYSTEMONE	NC
L	286-4319	ONLY FOR USE WITH: 397-4207 UNDERCARRIAGE, SYSTEMONE TRACK, 25", MS, SYSTEMONE, LGP	NC
HYDF	RAULICS		
Н	YDRAULIC	S - Standard Tractor	
L	397-4187	HYDRAULICS, 3 VALVE, PUMP STD	NC
L	397-4189	CANNOT BE USED WITH: 397-4317 RIPPER HYDRAULICS, 3 VALVE, WINCH	\$4,595
L	397-4191	CANNOT BE USED WITH: 397-4317 RIPPER HYDRAULICS, 4 VALVE, PUMP STD	\$1,060
L	397-4193	510-6255 WINCH AR, RETRIEVAL HYDRAULICS, 4 VALVE, WINCH	\$5,650

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-004

D4K2 HRC

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weig	ht LIST PRIC AT DEALE
HYDF	RAULICS (CONT.)	
	•	S - Fire Tractor	
L	474-5469	HYD, 4 VALVE, FLOAT Unsheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR	
L	474-5473	452-3718 D4K2 LGP FIRE TRACTOR AND 510-3522 WINCH, AR, RETRIEVAL HYD, 4 VALVE, FLOAT, WINCH	
-	474-3473	Unsheathed Hoses	υ ψ3,800
		ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR 452-3718 D4K2 LGP FIRE TRACTOR AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	
L	474-5477	HYD, 5 VALVE, FLOAT	0 \$1,815
		Unsheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR 452-3718 D4K2 LGP FIRE TRACTOR AND)
		510-6255 WINCH AR, RETRIEVAL	
L	474-5481	HYD, 5 VALVE, FLOAT, WINCH	0 \$6,410
		ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR 452-3718 D4K2 LGP FIRE TRACTOR AND 397-4389 WINCH, MOUNTING PLATE OR	
L	474-5471	397-4320 WINCH, PA40 HYD, 4 VALVE, FLOAT, FS	0 \$1,470
		Sheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR 452-3718 D4K2 LGP FIRE TRACTOR AND)
L	474-5475	510-6255 WINCH AR, RETRIEVAL HYD, 4 VALVE, FLOAT, WINCH, FS	0 \$6,950
_	474-3473	Sheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR	υ Ψυ, 330
		452-3718 D4K2 LGP FIRE TRACTOR AND 397-4389 WINCH, MOUNTING PLATE OR	
L	474-5479	397-4320 WINCH, PA40 HYD, 5 VALVE, FLOAT, FS	0 \$2,095
		Sheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR	,=,,,,,
		452-3718 D4K2 LGP FIRE TRACTOR AND 510-6255 WINCH AR, RETRIEVAL)
L	474-5483	HYD, 5 VALVE, FLOAT, WINCH, FS	0 \$7,560
		Sheathed Hoses ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR OR	
		452-3718 D4K2 LGP FIRE TRACTOR AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	
ELEC	TRICAL		
LI	GHTS		
L	394-1850	LIGHTS, 4	0 NC
L	394-1851	Includes: 4 halogen lights - 2 front, 2 rear. LIGHTS, 6	2 \$314

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-005

D4K2 HRC

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
ELEC	TRICAL (C	CONT.)	
	IGHTS (Col		
L	508-3301	LIGHTS, 6, LED	\$940
OPEF	RATOR ENV	VIRONMENT	
0	PERATOR S	STATION - Standard Tractor	
L	397-4263	CANOPY, ROPS, HEATER	NC
L	397-4265	EEC Dealers CAB, ROPS, HEATER & A/C Includes: Air conditioner Glass windows Air conditioner Glass windows ONLY FOR USE WITH: 397-4125 D4K2 XL TRACTOR	\$15,500
L	397-4310	397-4126 D4K2 LGP TRACTOR CAB, ROPS, POLYCARBONATE	\$15,930
0	PERATOR S	STATION - Fire Tractor	
L	474-5486	CAB, ROPS, HEATER & AC	\$15,500
L	474-5488	452-3718 D4K2 LGP FIRE TRACTOR CAB, ROPS, POLYCARBONATE	\$15,940

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-006

D4K2 HRC

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
OPER	ATOR ENV	VIRONMENT (CONT.)	
OF	PERATOR S	STATION - Fire Tractor (Cont.)	
		CAB, ROPS, HEATER & AC	ė21 7E0
L	474-5490	Includes: Air conditioner Glass windows 360 cab guarding Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR 452-3718 D4K2 LGP FIRE TRACTOR	\$21,750
-	474-5492	CAB, ROPS, POLYCARBONATE	\$22,180
		ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE TRACTOR 452-3718 D4K2 LGP FIRE TRACTOR	
SE	EAT		
•	393-4240	SEAT, VINYL	NC
•	393-4241	ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER SEAT, VINYL, HEATED SEAT&CNTRLS	\$1,115
•	393-4242	SEAT CLOTH	NC
•	393-4243	ONLY FOR USE WITH: Cab SEAT,CLOTH,HEATED SEAT&CNTRLS	\$1,115
		Includes: Cloth, heated seat Heated joystick control handles ONLY FOR USE WITH: Cab	
•	393-4244	SEAT, CLOTH, HEATED, VENTILATED	\$1,720
SC	OUND SUP	PRESSION	
-	397-4311	SOUND SUPPRESSION, OMISSION	NC
L	397-4312	SOUND SUPPRESSION	\$4,250

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-007

D4K2 HRC

USE REF MANDATORY ATTACHMENTS Ship Weight LIST PRICE lbs AT DEALER

OPERATOR ENVIRONMENT (CONT.)

SOUND SUPPRESSION - Fire Tractor

Includes:

Engine enclosure door, LH hinged Engine enclosure door, RH fast pins Flex pipe exhaust

REQUIRES: 397-4341 SWEEPS, FRONT

ONLY FOR USE WITH: 4523717 D4K2 XL FIRE TRACTOR OR 4523718 D4K2 LGP FIRE TRACTOR

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-008

Grounds Equipment Bid #ESCNJ 18/19-25

CATERPILLAR MACHINE PRICE LIST

D4K2 HRC

USE NO. LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

TECHNOLOGY PRODUCTS

MACHINE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Ordering Cat GRADE with Slope Assist allows the machine to be equipped with an AccuGrade GNSS, Laser, or UTS Grade Control System Electronics Kit. Site infrastructure is also necessary to operate the AccuGrade System.

For example, GNSS systems require a GNSS base station. Laser systems require a laser transmitter. UTS requires a Universal Total Station. AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) Cat GRADE with 3D - Factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a 3D display, factory enabled SEA, dual mounted GNSS receivers and antennas. Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

MACHINE CONTROL

Packages below include Mechanical Blade Pitch

L	538-3976		0	NC
		Includes: Mechanical Bla	de Pitch	
		ONLY FOR USE WITH:	397-4125 D4K2 XL TRACTOR OR	
			397-4126 D4K2 LGP TRACTOR	
L	538-3981	CONTROL, BASIC, MP, CAN	ЛЕRA 0	\$1,065
		Includes:		
		Mechanical Blade Pitch		
		Rear Camera		
		ONLY FOR USE WITH:	397-4125 D4K2 XL TRACTOR	
			397-4126 D4K2 LGP TRACTOR	

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-009

D4K2 HRC

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ECH	HNOLOGY F	PRODUCTS (CONT.)		
M	ACHINE CO	ONTROL ORDERING (Cont.)		
	538-3986	GRADE W/ SA		\$7,290
		Includes:		
		Cat GRADE with Slope Assist AccuGrade Ready option (ARO)		
		Mechanical Blade Pitch		
		Rear Camera REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADI	F OD	
		397-4174 BLADE, D4K AL, ACCUGRADI		
		522-6017 PRODUCT LINK, CELLULAR P	LE742 OR	
		522-6014 PRODUCT LINK, SATELLITE F ONLY FOR USE WITH: 397-4125 D4K2 XL TRACT		
		397-4126 D4K2 LGP TRAC	CTOR	
•	538-3991	GRADE W/ 3D	0	\$55,100
		Cat GRADE with 3D 3D		
		Cat GRADE with Slope Assist		
		AccuGrade ready option (ARO) Mechanical blade pitch		
		Rear camera		
		REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADI		
		397-4175 BLADE, D4K LGP, ACCUGRAI 522-6017 PRODUCT LINK, CELLULAR P		
		522-6014 PRODUCT LINK, SATELLITE F	PLE732	
		ONLY FOR USE WITH: 397-4125 D4K2 XL TRACT 397-4126 D4K2 LGP TRAC		
Pacl	kages below	include Power Blade Pitch (PP)		
-	538-3996	CONTROL, BASIC, PP	0	\$3,280
		ONLY FOR USE WITH: 397-4125 D4K2 XL TRACT	OR	
		397-4126 D4K2 LGP TRAC	CTOR	
	538-4001	CONTROL, BASIC, PP, CAMERA	0	\$4,345
		Power blade pitch		
		Rear camera		
			IOD OD	
		ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT		
	538-4006		CTOR	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP	CTOR	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP	CTOR	\$10,570
-	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch	CTOR	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera	CTOR 0	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADE 397-4175 BLADE, D4K LGP, ACCUGRADE	E OR DE AND	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADE 397-4175 BLADE, D4K LGP, ACCUGRADE 522-6017 PRODUCT LINK, CELLULAR P	ETOR O E OR DE AND PLE742 OR	\$10,570
	538-4006	ONLY FOR USE WITH: 397-4123 D3K2 XL TRACT 397-4124 D3K2 LGP TRACT GRADE W/ SA, PP Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADE 397-4175 BLADE, D4K LGP, ACCUGRADE	ETOR E OR DE AND PLE742 OR PLE732	\$10,570

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-010

D4K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICI AT DEALER
TECH	HNOLOGY F	PRODUCTS (CONT.)		
M	ACHINE CO	ONTROL ORDERING (Cont.)		
L	538-4011	Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4174 BLADE, D4K XL, ACCUGRADE 397-4175 BLADE, D4K LGP, ACCUGRADE 522-6017 PRODUCT LINK, CELLULAR P 522-6014 PRODUCT LINK, SATELLITE F ONLY FOR USE WITH: 397-4127 D5K2 XL TRACT 397-4128 D5K2 LGP TRACE ONTROL - Fire Tractor	E OR DE AND LE742 OR PLE732 OR	\$58,350
IVI	ACHINE CO			
-	474-5494	PITCH ARRANGEMENT	RACTOR	NC
	Efficiently and keep your job reduce the cos Availability va https://Deale	ation, operation, and condition of your equipment. If effectively monitor performance of your assets to so on schedule, maintain equipment condition, and sets of owning and operating your fleet. It is by country - please reference Incat.com/PL/Certification for certified countries. It your Cat marketing representative with questions.		
L	522-6017	PRODUCT LINK, CELLULAR PLE742	verage including t location, ewing in remote services, on corresponding	NC
-	522-6014	transmission and larger volumes of data. PRODUCT LINK, SATELLITE PLE732	vork to transmit g in	\$432
GUA	RDS			
R	ADIATOR G	GRILL		
	007 4005			
•	397-4285	GRILL, RADIATOR, STANDARD	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-011

D4K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
GUAI	RDS (CON	Т.)		
RA	ADIATOR G	GRILL - Fire Tractor		
P	477-2255	GUARD, RADIATOR, HD, HINGED	RACTOR	\$835
RI	EAR GUARI	D		
L	397-4287	GUARD GP, REAR OMISSION	0	NC
L	397-4288	GUARD GP, REAR		\$1,705
В	оттом ви	IARD		
L	397-4384	GUARD, BELLY, XL	0	NC
L	397-4304	GUARD, BELLY, HD XL		\$860 \$860 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for XL trace ONLY FOR USE WITH: 397-4125 D4K2 XL TRACT	actor	φοσ III
L	397-4385	GUARD, BELLY, LGP	0	NC
L	397-4305	GUARD, BELLY, HD LGP	0	\$860 \$860 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for LGP to ONLY FOR USE WITH: 397-4126 D4K2 LGP TRACE	tractor	4000 m
ОТНЕ	ER ATTACH	IMENTS		
RI	EAR ATTA	CHMENT		
L	244-7433	DRAWBAR, STANDARD	0	NC
L	244-7434	Drawbar extends 5 inches (127 mm). DRAWBAR, TOWING	18	\$545
L	397-4317	Drawbar extends 9.5 inches (241 mm). RIPPER	1,349 1,349	\$11,510 \$11,510 N
	207 4220	ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4191 HYDRAULICS, 4	VALVE, PUMP STD	
-	397-4320	WINCH, PA40	18,144 kg)	\$21,450
		REQUIRES: Winch hydraulics OR 393-4251 SCREEN, REAR CANOPY		
L	397-4389	393-4250 SCREEN, REAR CAB WINCH, MOUNTING PLATE	CH OR	\$1,255

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-012

D4K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	HMENTS (CONT.)		
RE	EAR ATTAC	CHMENT (Cont.)		
L	510-6255	WINCH AR, RETRIEVAL		\$24,820
		Retrieval Winch (Slower Speed) uses oil flow fr valve hydraulic curcuit to power winch. Maximum Line Pull-bare Drum - 32,150 Lbs (Maximum Line Speed-bare Drum - 50 ft/min Includes: 3 Fairlead Rollers - 2 Side and 1 Top ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: Hydraulics, winch, retrieval AND 393-4251 SCREEN, REAR CANOPY OR 393-4250 SCREEN, REAR CAB	14,583 kg) (15 m/min)	\$24,820 NI
C	OUNTERWE	EIGHT		
P	244-7503	COUNTERWEIGHT, OMISSION, STD	0	NC
P	244-7516	COUNTERWEIGHT, FRONT	631	\$995
		NOTE: RECOMENDED FOR RIPPER or WINCH		
اDDI ۸	ICATION C	PECIFIC COMPONENTS		
		nd Hydraulic - Fire Tractor		
-	474-5467	TANK ARRANGEMENT, METAL	RACTOR OR	\$2,915
LI	NES GROU	PS - Fire Tractor		
	474-5453	LINES AR, STANDARD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE T		
-	474-5454	LINES AR, STANDARD		NC
	474 5464	ONLY FOR USE WITH: 452-3718 D4K2 LGP FIRE		47 070
-	474-5461	Unsheathed Lines		\$7,070
-	474-5462	ONLY FOR USE WITH: 452-3717 D4K2 XL FIRE T LINES ARR, SHEATHED	0	\$7,070
FI	ITER CAR	ONLY FOR USE WITH: 452-3718 D4K2 LGP FIRE - Fire Tractor	TRACTOR	
	•			
L	484-1266	ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE T 452-3716 D3K2 LGP FIRE 452-3721 D3K2 LGP FIRE	RACTOR OR TRACTOR OR	\$820

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-013

D4K2 HRC

USE REF NO. LANE 2 / 3 MANDATORY Ship Weight LIST PRICE AT DEALER

INSTRUCTIONS

SERVICE INSTRUCTIONS

The technical media kit will include the Operation & Maintenence Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenence Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-014

D4K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
OPE	RATOR ENV	IRONMENT	
R	ADIO		
Р	394-1879	RADIO PREMIUM. 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery. ONLY FOR USE WITH: Cab	\$550
SAFE	ETY AND SI	ECURITY	
S	ecurity Syst	tem	
L	394-1849	SECURITY SYSTEM, MACHINE	\$995
GUA	RDS		
S	WEEPS ALSO AVAILA	BLE ON A MISCELLANEOUS ORDER	
P	397-4341	SWEEPS, FRONT	\$2,425 \$2,425 NI
P	397-4342	SWEEPS, REAR	\$1,100 \$1,100 NI
		Provides protection to rear top portion of cab or canopy REQUIRES: 397-4341 SWEEPS, FRONT	
G	UARDS		
Р	343-3525	SCREEN, FRONT & DOORS, CANOPY	\$3,110
P	250-1699	ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER SCREEN, SIDE	\$1,550 \$1,550 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER OR Cab	Ψ1,000 N1
Р	393-4251	SCREEN, REAR, CANOPY86	\$1,180 \$1,180 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER	
Р	393-4250	SCREEN, REAR, CAB	\$1,320 \$1,320 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: Cab	
G		<i>k Roller, Full Length</i> BLE ON A MISCELLANEOUS ORDER	
Р	397-4334	GUARD, TRACK ROLLER, FULL, S1	\$1,695
		ONLY FOR USE WITH: 397-4207 UNDERCARRIAGE, SYSTEMONE	\$1,695 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D4K2 HRC-015

D4K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
GUA	RDS (CON	Т.)	
G	uards, Trac	k Roller, Full Length (Cont.)	
P	397-4344	GUARD, TRACK ROLLER, FULL, SALT	\$1,360
		ONLY FOR USE WITH: 397-4327 UNDERCARRIAGE, SALT	\$1,360 NI
		k Roller, Center BLE ON A MISCELLANEOUS ORDER	
P	282-3664	GUARD,TRK GUIDING,CENTER,S153	\$835
P	282-3674	ONLY FOR USE WITH: 397-4207 UNDERCARRIAGE, SYSTEMONE GUARD,TRK GUIDING,CENTER,SALT	\$835 NI \$835 \$835 NI
		ONLY FOR USE WITH: 397-4327 UNDERCARRIAGE, SALT	·
OTHE	ER ATTACH	IMENTS	
S	TARTING A	IDS	
L	399-9086	HEATER, ENGINE COOLANT (120V)3	\$229
P	399-9087	STARTING AID, ETHER	\$388
W	INCH ROLL	ERS	
L	397-4392	FAIRLEAD, 3 ROLLERS	\$3,120
L	397-4393	Provides 2 side rollers and 1 top roller. FAIRLEAD, 4TH ROLLER	\$1,045
BLAD	DES		
	L ADES ALSO AVAILA	BLE ON A MISCELLANEOUS ORDER	
Р	397-4168	BLADE, D4K XL	\$4,365 \$4,365 NI
Р	397-4174	2.59 cyd (1.98 M3). 109.5 inches (2782 mm) width variable pitch, power, angle tilt blade. BLADE, D4K XL, ACCUGRADE	\$4,710 \$4,710 NI
_		2.59 cyd (1.98 M3). 109.5 inches (2782 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers.	44.0==
Р	397-4169	BLADE, D4K LGP	\$4,975 \$4,975 NI
Р	397-4175	124 inches (3149 mm) width variable pitch, power, angle tilt blade. BLADE, D4K LGP, ACCUGRADE	\$5,230 \$5,230 NI
		2.42 cyd (1.85 M3) 124 inches (3149 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers.	40,200 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019

Bid Term: 2/20/19 - 2/19/21

D4K2 HRC-016

D4K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	ip Weight LIST PRICE lbs AT DEALER
BLAD	ES (CONT)	
BL	ADES (Co	ont.)	
Р	397-4180	BLADE, INTERMEDIATE	1,454 \$4,045 1,454 \$4,045 NI
Р	397-4181	1.96 cyd (1.50 M3). 115 inches (2921 mm) width variable pitch, power, angle tilt b BLADE, INTERMEDIATE, ACCUGRADE	1,533 \$4,305
		1.96 cyd (1.50 M3). 115 inches (2921 mm) width variable pitch, power, angle tilt b Includes: Mounting brackets for receivers.	1,533 \$4,305 N 3 blade.
FLUID	os		
Al	N <i>TIFREEZE</i>		
	0P-6123	ANTIFREEZE, -50C (-58F)	0 \$220 NE
		NOTE: Standard machine protection includes Extended Life (protection to -37C (-34F).	Coolant
FACT	ORY SOUR	RCED KITS	
M	ISC Materia	al	
	Misc Materia Use Misc Top Quantity lim 8 Week Lead 6 Week Lead		
P	518-1005	GUARD GP, REARProvides protection below rear window, fuel and hyd fill points REQUIRES: 0P-3924 PACK, GUARD, REAR	0 \$1,705 N
w	256-3738	WINCH, HYDROSTATIC High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 k Maximum Line Speed-bare Drum - 131 ft/min (40 m/r REQUIRES: 397-4189 HYDRAULICS, 3 VALVE, WINCH OR 397-4193 HYDRAULICS, 4 VALVE, WINCH AND 397-4389 WINCH, MOUNTING PLATE AND 0P-3929 PACKING, WINCH	g)
PACK	KING		
PF	ROTECTION	I	
	0P-2266	SHIPPING/STORAGE PROTECTION	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D4K2 HRC-017

D4K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT DEALER
PACKI	NG (CON	NT.)		
PAC	CKING			
	0P-0210	PACK, DOMESTIC TRUCK	0	NC
	0P-7133	PACK, BLADE FOR MISC ORDER		\$935 NET
	0P-3923	PACKING, GUARDS, BOTTOM	<u>.</u>	\$182 NET
	0P-3924	PACKING, GUARD, REAR		\$182 NET
	0P-3922	PACKING, GUARDS, TRACK ROLLER		\$182 NET
	0P-3928	PACKING, RIPPER		\$182 NET
	0P-3921	PACKING, SCREEN		\$182 NET
	0P-3925	PACKING, SWEEPS	0	\$182 NET
	0P-3929	PACKING, WINCH	0	\$182 NET

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY