D6XE

D6 XE TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Electric drive, high efficiency continuously variable speed Travel speed control and brake pedals C9.3B diesel engine EPA/ARB Tier 4 final certified engine with aftertreatment Air cleaner, Strata tube precleaner with dust ejection Air filter w/electronic service indicator Aftercooler, air to air (ATAAC) Coolant, extended life Fan, hydraulic reversing, cold weather Final drives, double reduction planetary Radiator, aluminum bar plate Fuel priming pump, electric Parking brake, electronic Starting aid, ether ready, automatic Turbocharger Fuel water separator Ecology drain

UNDERCARRIAGE

Carrier rollers
Equalizer bar, maintenance free
Rollers, lifetime lubricated
Track, lifetime lubricated
Track roller frames, tubular
Track adjusters, hydraulic
Sprocket rim segments, replaceable

ELECTRICAL

LED lights, 6 standard Alarm, backup Alternator, 150 AMP Batteries, 2 maintenance free 12V (1400 cca) (24V system), heavy duty Converter, two 10 amp 12V outlets Starter, heavy duty, 24V Horn, forward warning Light, work, underhood

OPERATOR ENVIRONMENT

One piece cab, sound suppressed, Integrated roll over protection(IROPS), adjustable operator controls and armrests, cab mounted modular HVAC system, and screen ready. Cup holders Lunchbox storage Electro-hydraulic implement steering controls Full color LCD display, 254mm(10in)

integrated with rear camera Foot pads, dash Mirror, rearview Seatbelt, retractable 76mm(3 in) Wipers Glove box

OTHER STANDARD EQUIPMENT

Ripper ready rear hydraulics Winch ready rear hydraulics Fast fill ready fueling 30 minute cab removal Ladder, rear access Mounting provision for grease gun, shovel and fire extinguisher CD ROM parts book Engine enclosures, perforated hinged, removable Bottom guards, hinged, removable Ground level service center with remote electrical disconnect, secondary shutdown switch & hour meter Hood, perforated Hydraulics, independent steering and implement Hydraulics, load sensing, dozer lift and tilt Product link, Cellular PLE641 Radiator doors, perforated, hinged, louvered S.O.S sampling ports Vandalism protection for fluid compartments and battery box

	-TYPE TRACTOR , IL, USA (SAP)	Ship Weight Ibs	LIST PRICE AT DEALER
Lane 2 is reso Please use La Management	erved for the Base Order Management Program. ane 2 when placing orders that are part of the Base O Program.	rder	
464-5813	D6 XE 20A TTT CFG7	0	\$453,850
	76 inch gauge. 7 roller track frame. Up to 24 inch track shoes available.		
464-5814	D6 XE 20A LGP TTT CFG8	0	\$463,900
	82 inch gauge. 7 roller track frame. Up to 30 inch track shoes available. Low ground pressure (6.7 psi) capability		
464-5815	D6 XE 20A LGP TTT CFG9	0	\$481,890
	90 inch gauge. 8 roller track frame. 10 roller track frame of for fine grading applications. Up to 36 inch track shoes available. Ultra-low ground pressure (5.2 psi) capability.	optional	
464-5816	D6 XE 20A VPAT TTT CFG10	0	\$453,390
	82 inch gauge. 8 roller track frame. Up to 24 inch track shoes available.		
464-5817	D6 XE 20A LGP VPAT TTT CFG11	0	\$470,730
	90 inch gauge. 8 roller track frame. 10 roller track frame of for fine grading applications. Up to 30 inch track shoes available. Low ground pressure (6.1 psi) capability.	optional	
464-5818	D6 XE 20A LGP VPAT TTT CFG12	0	\$486,880
	94 inch gauge. 8 roller track frame. 10 roller track frame of for fine grading applications. Up to 36 inch track shoes available. Ultra-low ground pressure (5.1 psi) capability.	optional	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

	CK-TYPE TRACTOR	Ship Weight	LIST PRICE
	A, IL, USA (SAP)	Ibs	AT DEALER
0P-1676	D6 MISCELLANEOUS MATERIAL	0	NC

Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

USE REF NO. FACTORY STOCK

Ship Weight lbs

LIST PRICE AT DEALER

FACTORY STOCK FOR AM-NORTH

Factory Stock is available for the previous model(D6T-19A.) Please see https://dealer.cat.com/en/home.html

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

			DOME
REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
SELECTIO	N		
0P-9002			NC
0P-9003			NC
AL ARRAI	NGEMENTS		
464-5587	BASIC ARRANGEMENT	0	NC
464-5589	FOR USE IN LANE 3 ONLY		\$18,840
	522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FI 513-6215 STRIKER BOX or 564-8430 GUARD, REAR WITH SEALS A FINAL DRIVE ARRANGEMENT, GUARI A HEAVY DUTY UNDERCARRIAGE ARRA	ILL DED ANGEMENT, WASTE	
	NO. SELECTIO 0P-9002 0P-9003 AL ARRAN 464-5587	SELECTION OP-9002 LANE 2 ORDER	SELECTION OP-9002 LANE 2 ORDER

NOTE: RECOMMENDED OPTIONS

WASTE BLADE

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC
SPEC	IAL ARRAI	NGEMENTS (CONT.)		
L	464-5592	WASTE HANDLING ARR, VPAT FOR USE IN LANE 3 ONLY Includes cab with impact resistant polycarbonate doc for high debris applications. INCLUDES: 564-0764 CAB, HIGH DEBRIS 464-5557 PRECLEANER, WITH SCREEN 464-5175 ALTERNATOR, 150 AMP, DUCTED 471-6558 GUARD, BOTTOM, VPAT 511-6789 SEALS, HIGH DEBRIS 539-2782 LIGHTS, 12, PREMIUM, VPAT 472-5584 LIGHT, WARNING 533-5463 GUARD, LIGHTS, FRONT AND SIDE 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT	ors and attachments	\$16,790
	North N	522-7670 GUARD, FUEL TANK OR 475-7084 GUARD, FUEL TANK, FAST FI 513-6215 STRIKER BOX or 564-8430 GUARD, REAR WITH SEALS A FINAL DRIVE ARRANGEMENT, GUARI A HEAVY DUTY UNDERCARRIAGE ARRA	LL DED ANGEMENT, WASTE	
	NOTE: Not	compatible with 464-5816 D6-20A XE VPAT TTT CFG10		
L	464-5588	FORESTRY ARRANGEMENT, PUSHARM	nate doors, it guards, side	\$18,160
		REQUIRES: 522-7670 GUARD, FUEL TANK or	II.	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D6XE-006

475-7084 GUARD, FUEL TANK, FAST FILL

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
SPEC	IAL ARRAN	NGEMENTS (CONT.)		
L	464-5591	FORESTRY ARRANGEMENT, VPAT FOR USE IN LANE 3 ONLY Includes forestry cab with impact resistant polycarbor forestry (closed) sweeps premium (12) lights and light and rear screens, and other features required for fore applications. INCLUDES: 564-0763 CAB, FORESTRY 560-0312 SCREENS, SIDE 536-8780 SCREEN, REAR, HINGED 511-6789 SEALS, HIGH DEBRIS 539-2782 LIGHTS, 12, PREMIUM, VPAT 533-5463 GUARD, LIGHTS, FRONT AND SIDE 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FII	nate doors, guards, side stry	\$18,160
L	567-2132	OPEN SWEEPS, PUSHARM	0 LL RM	\$7,170
L	567-2133	OPEN SWEEPS, VPAT FOR USE IN LANE 3 ONLY REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FII 505-6967 GRAB HANDLES, HEAVY DUT	0 LL	\$7,170
POW	ERTRAIN			
FI	NAL DRIVE	ARRANGEMENTS		
76" (´ (FOR	1930 MM) (USE WITH 4	GAUGE FINAL DRIVES 164-5813 D6-20A XE TTT CFG7 ONLY)		
L	464-5180	FINAL DRIVE, 76" (1930 MM)		NC
L	464-5181	FINAL DRIVE, 76"(1930 MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard ri 76" gauge tractor. For applications where protection f materials is needed. Final drive guards and the labyri additional protection for Duo Cone seals.	ings for rom winding	\$18,070

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D6XE-007

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POW	/ERTRAIN (CONT.)		
	2" (2083 M	IM) GAUGE FINAL DRIVES TH 464-5814 D6-20A XE LGP TTT CFG8 OR 464-5816 D	06-20A	
L	464-5183	FINAL DRIVE, 82" (2083 MM)	NG ARR, PUSHARM	NC
L	464-5184	FINAL DRIVE, 82"(2083 MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard r for 82" gauge tractor. For applications where protecti materials is needed. Final Drive guards and the labyr additional protection for Duo Cone seals.	rings for on from winding	\$18,070
9	(FOR USE WIT	IM) GAUGE FINAL DRIVES TH 464-5815 D6-20A XE LGP TTT CFG9 OR 464-5817 D T CFG11 ONLY)	06-20A XE	
L	464-5186	FINAL DRIVE, 90" (2286 MM)	NG ARR, PUSHARM or	NC
L	464-5187	FINAL DRIVE, 90"(2286 MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard r gauge tractor. For applications where protection from materials is needed. Final drive guards and the labyr additional protection for Duo Cone Seals.	rings for 90" I winding	\$18,070
9		IM) GAUGE FINAL DRIVES TH 464-5818 D6-20A XE LGP VPAT TTT CFG12 ONLY)		
L	464-5189	FINAL DRIVE, 94" (2388MM)		NC
L	464-5190	FINAL DRIVE, 94" (2388MM), GRD FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard r gauge tractor. For applications where protection from materials is needed. Final drive guards and the labyr additional protection for Duo Cone Seals.	rings for 94" a winding	\$18,070
E		ANGEMENT e C9.3B Diesel Engines EPA/ARB Tier 4 Final with t.		
L	464-5206	ENGINE, XE, STANDARD	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POWE	ERTRAIN (CONT.)		
EΛ	IGINE ARR	ANGEMENT (Cont.)		
L <i>F</i> /\	464-5207	FOR USE IN LANE 3 ONLY Provides thermal insulation covering for the machine For use in high debris applications such as waste ha woodchip. REQUIRED BY: 464-5589 WASTE HANDLING ARR, 464-5592 WASTE HANDLING ARR,	exhaust system. ndling and PUSHARM	\$11,080
L	464-5556	PRECLEANER, BASIC	0	NC
L	464-5557	PRECLEANER, WITH SCREEN	0 USHARM	\$1,400
OI	L CHANGE	SYSTEM		
L	460-4590	OIL DRAIN, BASIC	0	NC
L	460-4580	OIL CHANGE SYSTEM, HIGH SPEED Easy access Wiggins connectors and remote engine a lines for quick, and easy oil changes without having the drains.	ınd powertrain drain	\$890

UNDERCARRIAGE

Customers should carefully select between SystemOne and Heavy Duty Extended Life (HDXL) undercarriage based on expected application. Please refer to the undercarriage selection and application Guide.

UNDERCARRIAGE SYSTEMS

- 1) HDXL: Heavy Duty Extended Life with Duralink. Well suited to aggressive, high impact applications such as logging, side-slopes, or working in rocky or uneven terrain.
 2) SYSTEMONE: Undercarriage designed to work and wear as a system for
- longer life and lower costs in many applications.

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

USE REF NO. LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------	--------------------	-------------------------

UNDERCARRIAGE (CONT.)

TRACK GUIDING

Guards and guides track for optimal performance. Protects sealing system, reduces undesired loads, and reduces packing. Guiding discourages derailing.

1) CENTER GUIDE: Light track guiding with single center track guard. For use up to 4:1 side slopes, with ground objects up to 1", and little, if any, v-ditching.

2) PART GUIDE: Moderate track guiding with two center track guards. For use in 4:1 to 2:1 side slopes, with ground objects 1" to 3", and low to moderate v-ditching.

OPTIONAL ARRANGEMENTS

- WASTE: Includes Kevlar guarded, sealed idlers to help prevent wire wrap and keep debris out. Includes part guides.
 FINE GRADING: Includes 10 bottom rollers for smoother grades at
- FINE GRADING: Includes 10 bottom rollers for smoother grades at higer speeds, even in difficult surfaces like sand and gravel. Moderate service track shoes recommended.

42 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5813 D6-20A XE TTT CFG7 or 464-5814 D6-20A XE LGP TTT CFG8 ONLY)

Not for use with Waste unless otherwise specified.

L	464-5404	UNDERCARRIAGE, HDXL	NC
L	464-5405	UNDERCARRIAGE, HDXL, PART GDE	\$4,365
L	464-5407	UNDERCARRIAGE, HDXL, WASTE	\$3,620
L	464-5401	UNDERCARRIAGE, S1, PART GUIDE	\$10,600
	(FOR USE WIT	UNDERCARRIAGE ARRANGEMENTS TH 464-5815 D6-20A XE LGP TTT CFG9 ONLY) th Waste unless otherwise specified.	
L	464-5412	UNDERCARRIAGE, HDXL, CTR GUIDE	NC
L	464-5413	UNDERCARRIAGE, HDXL, PART GDE	\$2,595
L	464-5415	UNDERCARRIAGE, HDXL, WASTE	\$4,030
L	464-5409	UNDERCARRIAGE, S1, PART GUIDE	\$18,380
L	542-5766	UNDERCARRIAGE,HD,FINE GRADING	\$5,670
L	542-5764	UNDERCARRIAGE,S1,FINE GRADING	\$21,450

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D6XE-010

				DOME
USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
UND	ERCARRIAC	GE (CONT.)		
4	(FOR USE WI	INDERCARRIAGE ARRANGEMENTS TH 464-5816 D6-20A XE VPAT TTT CFG10 ONLY) ith Waste unless otherwise specified.		
L	542-5760	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
L	542-5761	UNDERCARRIAGE, HDXL, PART GDE		\$4,355
L	542-5758	UNDERCARRIAGE, S1, PART GUIDE	0	\$12,560
_	(FOR USE WI' XE LGP VPAT	S UNDERCARRIAGE ARRANGEMENTS TH 464-5817 D6-20A XE LGP VPAT TTT CFG11 or 464-5 TTT CFG12 ONLY) ith Waste unless otherwise specified.	5818 D6-20A	
L	464-5420	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
L	464-5421	UNDERCARRIAGE, HDXL, PART GDE	0	\$3,485
L	464-5423	UNDERCARRIAGE, HDXL, WASTE	0	\$4,910
L	464-5417	FOR USE IN LANE 3 ONLY UNDERCARRIAGE, S1, PART GUIDE	0	\$11,870
L	542-5771	UNDERCARRIAGE, HD, FINE GRADING	0	\$6,560

TRACK GROUPS

Part guide

542-5769

L

- MODERATE SERVICE(MS):Moderate Service shoe is the best shoe for low to medium impact and abrasive conditions. It gives the best penetration and traction, resists wear and bending and is available in various widths and modifications.
- 2) EXTREME SERVICE(ES): Extreme Service shoes should be used wherever the Moderate Service shoe bends or breaks, or when links outlast shoes. Extreme Service shoes are both stronger to resist bending and breaking and have more allowable wear and material than the Moderate Service shoe.
- 3) CENTER(CTR): SystemOne track includes center holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.
- 4) TRAPEZOIDAL(TRAP): HDXL track includes trapezoidal holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris.

 Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.

Bid Term: 2/20/19 - 2/19/21

\$14,940

	CV	
IJ	אט	\E

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC
JNDE	ERCARRIAC	GE (CONT.)		
TF	RACK GRO	UPS (Cont.)		
	K PAIRS (42 USE WITH 4	2 section) 164-5813 D6-20A TTT CFG7 ONLY)		
	545-3920	TRACK, 560MM / 22" MS HDXL	0	NC
	545-3922	TRACK, 560MM / 22" ES HDXL	0	\$1,885
	509-7414	TRACK, 560MM / 22" MS S1	0	\$308
	509-7372	TRACK, 560MM / 22" ES S1	0	\$2,175
	545-3926	TRACK, 610MM / 24" MS HDXL	0	\$920
	545-3928	TRACK, 610MM / 24" ES HDXL	0	\$2,970
	472-4911	TRACK, 610MM / 24" MS S1	0	\$1,210
	509-7404	TRACK, 610MM / 24" ES S1	0	\$3,260
	•	42 section) TH 464-5814 D6-20A XE LGP TTT CFG8 ONLY)		
	545-3932	TRACK, 760MM / 30" MS HDXL	0	NC
	545-3934	TRACK, 760MM / 30" ES HDXL	0	\$2,565
	545-3936	TRACK, 760MM/30" ES TRAP HDXL	0	\$4,225
	509-7416	TRACK, 760MM / 30" MS S1	0	\$308
	509-7410	TRACK, 760MM / 30" ES S1	0	\$2,855
	509-7412	TRACK, 760MM / 30" ES CTR, S1	0	\$4,520
		45 section) TH 464-5815 D6-20A XE LGP TTT CFG9 ONLY)		
	545-3944	TRACK, 915MM / 36" MS HDXL	0	NC
	545-3946	TRACK, 915MM / 36" ES HDXL	10,961	\$3,380
	545-3948	TRACK, 915MM/36" ES TRAP HDXL	0	\$8,840
	385-7758	TRACK, 915MM / 36" MS S1	0	\$317
	385-7760	TRACK, 915MM / 36" ES S1	10,961	\$3,620
	385-7761	TRACK, 915MM / 36" ES CTR, S1	0	\$5,770

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

CV	
n x	_
\mathbf{U}	_

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC AT DEALEI
JNDE	ERCARRIAC	GE (CONT.)		
Tr	rack Pairs (4	45 section) (Cont.)		
L	545-3952	TRACK,1000MM/39" SELF-CLEAN HD	soft underfoot rate from one allowing dirt ndfills. FRONT REAR	\$28,790
	rack Pairs (4 (FOR USE WI	45 section) FH 464-5816 D6-20A XE VPAT TTT CFG10 ONLY)		
L	545-3958	TRACK, 610MM / 24" MS HDXL	0	NC
L	545-3960	TRACK, 610MM / 24" ES HDXL	0	\$1,885
L	545-3962	TRACK, 610MM/24" ES TRAP HDXL	0	\$3,425
L	385-2692	TRACK, 610MM / 24" MS S1	0	\$ -1 ,665
L	388-4809	TRACK, 610MM / 24" ES S1	0	\$545
-	385-2690	TRACK, 610MM / 24" ES CTR S1	0	\$1,970
		46 Section) TH 464-5817 D6-20A XE LGP VPAT TTT CFG11 ONLY)		
L	545-3972	TRACK, 760MM / 30" MS HDXL	0	NC
L	545-3974	TRACK, 760MM / 30" ES HDXL	0	\$5,170
L	545-3976	TRACK, 760MM/30" ES TRAP HDXL	0	\$6,700
L	521-5649	TRACK, 760MM / 30" MS S1	0	\$318
L	472-8722	TRACK, 760MM / 30" ES S1	0	\$2,940
L	509-7450	TRACK, 760MM / 30" ES CTR, S1	0	\$4,480
	rack Pairs(4 (FOR USE WI	'6 section) TH 464-5818 D6-20A XE LGP VPAT TTT CFG12 ONLY)		
L	545-3978	TRACK, 915MM / 36" MS HDXL	0	NC
L	545-3980	TRACK, 915MM / 36" ES HDXL	0	\$5,170
L	545-3982	TRACK, 915MM/36" ES TRAP HDXL	0	\$6,700
L	472-4914	TRACK, 915MM / 36" MS S1	0	\$2,510
L	472-4916	TRACK, 915MM / 36" ES S1	0	\$5,410

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D6XE-013

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICI AT DEALER
UND	ERCARRIAC	GE (CONT.)		
7	rack Pairs(4	6 section) (Cont.)		
L	509-7452	TRACK, 915MM / 36" ES CTR, S1	0	\$6,950
HYD	RAULICS			
Н	automatically Also includes	FAN driven, auto-reversing fan which changes direction to purge debris from radiator and enclosures. a hydraulic valve that allows for zero fan speed d weather performance.		
L	460-7149	FAN, REVERSING, PUSHARM	0	NC
L	471-0420	FAN, REVERSING, VPAT	0	NC
R	EAR HYDRA Includes hydr	AULICS raulic valve and lines for operation of ripper.		
L	464-5463	HYDRAULICS, PUSHARM	0	NC
L	464-5464	HYDRAULICS, VPAT	0	NC
V	VINCH HYDI	RAULICS		
L	460-4585	HYDRAULICS, WINCH READY LINES		NC
R	EAR ATTAC	CHMENT CONTROLS		
L	464-5459	CONTROL, RIPPER	0	NC
L	464-5460	CONTROL, RIPPER/WINCH	0	\$1,005
STAI	RTERS, BAT	TTERIES, & ALTERNATORS		
A	LTERNATO	RS		
L	464-5174	ALTERNATOR, 150 AMP	0	NC
L	464-5175	ALTERNATOR, 150 AMP, DUCTED	0	\$690

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D6XE-014

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC AT DEALER
ELEC	TRICAL			
LI	GHTING GF	ROUP		
L	503-0096	LIGHTS, 6, LED, BASIC	ty. 2 mounted on	NC
L	539-2781	LIGHTS,12,LED,PREMIUM PUSHARM	rith output of 1500 nt of dozer otal of 360 degrees PUSHARM	\$1,330
L	539-2782	LIGHTS, 12, LED, PREMIUM VPAT Adds 6 additional LED lights to basic arrangement we lumens each. Provides 2 more lights mounted on rac forward and 2 more mounted on each rear cab corned degrees of visibility. INCLUDED IN: 464-5592 WASTE HANDLING ARR, V 464-5591 FORESTRY ARRANGEMEN	vith output of 1500 diator guard facing er for a total of 360 VPAT	\$1,330
OPEF	RATOR ENV	IRONMENT		
0	PERATOR S	STATION		
L	564-0762	CAB, STANDARD	g side windows.	NC
L	564-0764	CAB, HIGH DEBRIS	onate glass doors solid for improved	\$6,260
-	564-0763	CAB, FORESTRY	onate	\$2,360
C	AB SEATS			
L	470-7252	SEAT, STANDARD		NC
L	560-9088	SEAT, HEATED & VENTILATED		\$1,700

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

USE REF NO. LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

VISIBILITY ARRANGMENT

surroundings, or provide a better view of the work tool. The camera display is viewed thru the primary display while machine is in reverse. It is compact, rugged, reliable and simple to use. It is designed to be operated in the "automatic" mode where the display remains in standard mode until the machine is placed in reverse gear.

TECHNOLOGY PRODUCTS

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) SLOPE INDICATE: Provides operator real time machine cross slope and and mainfall information on the primary display.
- 2) STABLE BLADE: Compliments the operators blade inputs to attain finish grades quicker with less effort.
- 3) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 4) ARO (Attachment Ready Option): Allows machine to easily be equipped with Earthworks integrated grade control system or Accugrade GNSS, laser, or UTS blade mounted Grade Control System. Includes IMU sensors, wiring, and mounting brackets. Earthworks and Accugrade are Dealer installed.
- 5) Grade w/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GPS antennas mounted to roof of cab. Includes touchscreen grade display, dual mounted receivers, dual mounted GNSS antennas, and factory enabled SEA. Cell based Product Link provides capability to wirelessly update grade design plans or connect to VRS networks (Subscriptions required for wireless services. Work with local Cat Dealer to enable.) Additional requirements via CAT/SITECH Dealer include correction radio and measure up calibration.

L	464-5451	BASIC, NON ARO	\$ - 5,560
L	464-5453	ARO W/ASSIST	NC
L	464-5455	GRADE W/3D	\$49,660

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECH	HNOLOGY F	PRODUCTS (CONT.)		
L	464-5456	GRADE W/3D, SWEEPS		\$49,660
J	OYSTICK/C	ONTROLS		
L	464-5756	CONTROL, STANDARD, PUSHARM	0	NC
L	464-5757	CONTROL, STANDARD, VPAT	0	NC
L	464-5758	CONTROL,ARO/GRADE W/3D,PUSHARM	0	NC
L	464-5759	CONTROL, ARO/GRADE W/3D, VPAT	0	NC
FUEL	. SYSTEMS			
FU	UEL FILL SY	YSTEMS		
L	471-4992	FUEL TANK, XE, FAST FILL		NC
GUAI	RDS			
В	OTTOM GU	<i>IARDS</i>		
L	471-7277	GUARD, BOTTOM	0	NC
L	471-7279	GUARD, BTM, SEALED, HD, PUSHARM		\$2,115
L	471-6558	GUARD, BOTTOM, VPAT		NC
El	NGINE ENC	LOSURES		
L	471-0416	ENCLOSURE, ENGINE, PUSHARM	0	NC
L	471-0418	ENCLOSURE, ENGINE, VPAT	0	NC

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	IMENTS		
RE	AR ATTAC	CHMENTS		
	RIPPER SH	IANKS MUST BE ORDERED SEPARATELY		
L	458-2640	RIPPER, HIGH LIFT	0	\$23,340
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER High lift capability for increased departure angle. Can accommodate 3 teeth (not included). NOTE: Machines with 36" shoes are not recommend applications. When installed with 36" shoes, this ripponly for scarifying applications.	0 ed for normal ripping	\$22,880 NI
L	491-3097	WINCH, PA85, VARIABLE SPEED PA85 variable speed, hydraulic winch manufactured Paccar. Integrated fairlead and drawbar. Line speed (21 meters) per minute and capacity rating up to 90, (40,800 kg)(bare drum). Utilizes 1" (26mm) diameter included). REQUIRES: 464-5460 CONTROL, RIPPER/WINCH 536-8780 SCREEN, REAR, HINGED CANNOT BE USED WITH: WASTE HANDLING ARRAN	for Caterpillar by up to 70 feet ,000 lbs. cable (not	\$50,210
L	471-7300	DRAWBAR	0	\$1,465 \$1,465 N
L	452-8203	NO REAR ATTACHMENT	vever, dealers n delivery. Minimum a DOCS case if	NC
L	513-6215	STRIKER BOXFOR USE IN LANE 3 ONLY Includes drawbar and storage area. Mounts to rear or protect fenders and other sheet metal from debris ca	of machine and helps	\$14,390
RE	AR GUARI	os .		
L	471-5029	GUARD, NO SEALS		NC
L	564-8430	GUARD, REAR WITH SEALS	nines when not	\$471

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
отне	ER ATTACH	HMENTS (CONT.)		
G	RAB HAND	LES		
L	505-6704	GRAB HANDLES, STD, PUSHARM	0	NC
<u> </u>	505-6705	GRAB HANDLES, HD, PUSHARM	ed by debris	\$955
-	505-6966	GRAB HANDLES, STANDARD, VPAT	0	NC
L	505-6967	GRAB HANDLES, HEAVY DUTY, VPAT Increased strength grab irons to resist damage cause in landfill or other severe applications. INCLUDED IN: WASTE HANDLING ARRANGEMENTS FORESTRY ARRANGEMENTS	ed by debris	\$955
W	ATER JAC	KET HEATER		
_	472-5602	WATER JACKET HEATER, 110V	0	NC
FLUII	DS			
C	OOLANTS			
L	464-5283	ENGINE COOLANT, STD		NC
-	566-5515	ENGINE COOLANT, ARCTIC		NC
NST	RUCTIONS			
FI	LMS			
L	555-5500	FILM, WARNING, ANSI	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ELECT	ΓRICAL			
BE	ACON LIG	HTS		
L	472-5584	FOR USE IN LANE 3 ONLY 3 LED lights integrated into the top perimeter of the each door and one in the rear. Fully visible for a 36 INCLUDED IN: WASTE HANDLING ARRANGEMENT	e cab. One above 60 degree view.	\$565
TECHI	NOLOGY F	PRODUCTS		
P lo e jo o p c q N	ocation, opera ffectively mon obs on sched of owning and olease referent countries. Plea questions.	enables the remote transmission of information about ation, and condition of your equipment. Efficiently and nitor the performance of your assets to help keep your ule, maintain equipment condition, and reduce the cost operating your fleet. Availability varies by country ce https://Dealer.cat.com/PL/Certification for certificate contact your Cat marketing representative with the ct Link Elite-Cellular PLE641 comes standard on this	ets	
L	509-4114	PROD LINK, DUAL PLE641 & PLE631	etwork to transmit iewing in Product areas with poor or	\$432
SAFE	TY AND SE	CURITY		
sc	REENS			
L	536-8780	SCREEN, REAR, HINGED	ar cab window.	\$1,525
L	560-0312	SCREENS, SIDE		\$1,805
FUEL	SYSTEMS			
FU	ELING AT	TACHMENTS		
L	526-7834	NOZZLE, FAST FILL This fast fuel system is designed to be compatible to (Wiggin) fuel nozzle system. It may or may not be contact that the fuel fill nozzle systems.	with the 4C-6716	\$1,215

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D6XE-020

D6XE

				_
USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
GUARD	S			
RE	L TANK (CQUIRED BY PEN SWEEP	Y WASTE HANDLING ARRANGEMENTS, FORESTRY ARI	RANGEMENTS AND	
L	522-7670	GUARD, FUEL TANK		\$3,025
L	475-7084	CANNOT BE USED WITH: 526-7834 NOZZLE, FAST GUARD, FUEL TANK, FAST FILL		\$3,025
LIGI	HT GUAR	DS		
L	533-5463	GUARD, LIGHTS, FRONT AND SIDE Wire guards for front and side facing lights. REQUIRES: PREMIUM LIGHTS INCLUDED IN: WASTE HANDLING ARRANGEMENTS		\$282 ANGEMENTS
SEA	L GROUP			
L	511-6789	SEALS, HIGH DEBRIS FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, and rear hood support. For use in high debris applic REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FI INCLUDED IN: 464-5589 WASTE HANDLING ARR, P 464-5592 WASTE HANDLING ARR, V 464-5588 FORESTRY ARRANGEMEN 464-5591 FORESTRY ARRANGEMEN	radiator guard cations. ILL PUSHARM PPAT IT, PUSHARM	\$1,025

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

CATERPILLAR MACHINE PRICE LIST

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
OTHEF	R ATTACH	IMENTS		
REA	AR ATTAC	CHMENTS - COUNTERWEIGHTS		
L	528-4038	COUNTERWEIGHT, REAR. ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a 2000 lb rear counterweight. Can add two (760 lbs each). NOTE: The new design of D6-20A provides improved Counterweights are only recommended with heavier ONLY FOR USE WITH: 471-7300 DRAWBAR	extra slabs	\$6,650
L	117-9058	COUNTERWEIGHT, REAR SLAB	ased. lance. Counterweights	\$2,940
REA	AR ATTAC	CHMENTS - WINCH ACCESSORIES		
L	118-7211	FAIRLEAD, 3 ROLLERS		\$8,770
L	174-4770	FOURTH ROLLERREQUIRES: 118-7211 FAIRLEAD, 3 ROLLERS	717	\$1,435
ST	RIKER BAR	rs		
L	560-3765	STRIKER BARS, FRONT		\$10,440 NI
L	560-3779	STRIKER BARS, REAR		\$11,860 NI
BLADE	S			
		INSTALLATION PACKAGES allation arrangements require lift cylinders.		
L	472-7310	6SU BULLDOZER	nd tilt cylinder.	\$14,010 NI

D6XE

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
BLAD	ES (CONT	·.)		
BU	ULLDOZER	INSTALLATION PACKAGES (Cont.)		
L	472-7311	6SU BULLDOZER, GUARDED	pplications. and tilt cylinder. T CFG7	\$15,010 NI
L	472-7312	6SU LGP BULLDOZER	and tilt cylinder.	\$17,090 NI
L	472-7313	6SU LGP BULLDOZER, GUARDED	pplications. and tilt cylinder. P TTT CFG8	\$18,090 NI
L	472-7314	6S LGP BULLDOZER	and tilt cylinder.	\$17,170 NI
L	472-7315	6S LGP BULLDOZER, GUARDED	pplications. and tilt cylinder. P TTT CFG9	\$18,180 NI
The V install	/PAT Bulldoz led. Blade w	zer (Power, Angle and Tilt), will be ordered comp ill be dismounted for shipment.	oletely	
L	538-1329	VPAT DOZER PACKAGE	s. dance. Counterweights ades. PAT TTT CFG10 P VPAT TTT CFG11	\$31,830

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
BU		LIFT CYLINDERS ders are selected, the front facing lights will be		
L	566-3144	CYLINDER LINES, PUSHARM	CFG7 or	\$7,740
L	566-3145	CYLINDER LINES, PUSHARM	TTT CFG9	\$8,230
BL	LADES			
L	463-5863	BLADE, 6SU ARO	ing cutting edges, ts.	\$11,850 NI
L	472-7305	FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 11.2m3/14.3 yd3. Includes trash recutting edges and end bits. Does not include plates for masts when used with Attachment Ready Option(ARCONLY FOR USE WITH: 464-5813 D6-20A XE TTT CANNOT BE USED WITH: FORESTRY ARRANGEMEN	ack, finish dozing or blade mounted O). CFG7	\$16,010 NI
L	472-7306	BLADE, 6SU LGP, ARO	ing cutting edges, ts.	\$13,170 NI
L	472-7307	BLADE, 6SU LGP, WASTE FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 12.3m3/16.1 yd3. Includes trash recutting edges and end bits. Does not include plates for masts when used with Attachment Ready Option(ARGONLY FOR USE WITH: 464-5814 D6-20A XE LGP CANNOT BE USED WITH: FORESTRY ARRANGEMEN	ack, finish dozing or blade mounted O). TTT CFG8	\$18,940 NI
L	472-7308	BLADE, 6S LGP ARO	ing cutting edges, ts.	\$11,590 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

24

D6XE

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLAD	ES (CONT	·.)		
BL	ADES (Co	nt.)		
L	472-7309	BLADE, 6S LGP, WASTE FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 9.4m3/12.3 yd3. Includes trash r cutting edges and end bits. Does not include plates mast when used with Attachment Ready Option(AR ONLY FOR USE WITH: 464-5815 D6-20A XE LG CANNOT BE USED WITH: FORESTRY ARRANGEME	rack, finish dozing for blade mounted (O) P TTT CFG9	\$17,290 NI
L	538-1333	BLADE, VPAT	ozing cutting edges, nts.	\$12,220 NI
L	538-1334	BLADE, LGP VPAT ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.5m3/5.8 yd3. Includes finish de end bits and left, right, and center AccuGrade mou ONLY FOR USE WITH: 464-5817 D6-20A XE LG	ozing cutting edges, nts.	\$14,750 NI
L	538-1335	BLADE, LGP VPAT ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.9m3/6.4 yd3. Includes finish d end bits and left, right, and center AccuGrade mou ONLY FOR USE WITH: 464-5818 D6-20A XE LG	lozing cutting edges nts.	\$19,330 NI
GROU	JND ENGA	GING TOOLS		
RIPPE	RS DO NOT	INCLUDE ANY SHANKS		
L	9J-8926	TOOTH, CURVED		\$1,340
		ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Curved shank with centerline tip. Can be ordered in quantities of 1, 2 or 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH		\$1,340 NI
L	8J-2189	ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Straight shank with penetration tip. Can be ordered in quantities of 1, 2 or 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH	456	\$1,380 \$1,380 NI

USE REF LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

WINCHES AVAILABLE FROM CAT WORK TOOLS FOR NORTH AMERICA ONLY PLEASE REFER TO THE WORK TOOLS-TTT PRICE LIST FOR CURRENT PRICES AND CONTACT INFO FOR AVAILABILITY.

L 491-3098 WINCH PKG, PA85, VARIABLE SPEED

PA85 variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. Line speed up to 64 feet (20 meters) per minute and capacity rating up to 85,000 lbs. (37,850 kg)(bare drum). Utilizes 1" (26mm) diameter cable (not included). Includes complete installation arrangement for Dealer installation, including mounting hardware and controls.

WINCH, H6H, VARIABLE SPEED 491-3101

H6H variable speed, hydraulic winch manufactured for Caterpillar by Allied. Integrated fairlead and drawbar. Line speed up to 58 feet(18 meters) per minute and capacity rating up to \$8,800lbs(40,280kg)(bare drum). Utilizes 1"(26mm) diameter cable(not included). Includes complete installation arrangement for Dealer installation, including mounting hardware and controls.

444-1165 **FAIRLEAD, 3 ROLLERS**

444-1166 KIT, CONVERSION, 4TH ROLLER

Adds 4th roller to 3 roller arrangement.

PACKING

TRACTOR PACKING

0P-8025	PACK, DOMESTIC TRUCK, MTTT	NC
	Tractor ships complete.	
0P-8026	PACK, DOMESTIC RÂIL, MTTT 0	NC
	Tractor ships complete.	

FREIGHT, RAIL DELIVERY

00 2004	EDELOUIT DAIL DELIVEDY	0	6 1 FFF 3700
UP-3994	FREIGHT, KAIL DELIVERT.		\$-1,555 NET

Machine credit for rail delivery when paired with a second machine

from the same source facility.

AVAILABLE FOR: PRE-APPROVED DEALERS

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY