D8T-VT

D8T TRACK-TYPE TRACTOR VICTORIA, TX, USA (SAP)

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

C15 ACERT diesel engine Electronic unit injection -After-treatment

-Equivalent to U.S. EPA tier 4 final

24-volt electric start

High performance single

plane cooling system

Aftercooler, air-to-air (ATAAC)

Air filter, with electronic service

indicator

Coolant, extended life

Fan, suction, auto reversing

Fuel priming pump, electric

Sound attenuated exhaust system

Parking brake, electronic

Precleaner, strata-tube dust ejector

Prescreener

Shift management

Full auto shift

Starting aid, automatic ether

Torque divider with lock up clutch

Transmission, electronically-controlled

powershift

Four planet, double-reduction

planetary final drives

Transmission control module, electronic

Turbocharger

Water separator

UNDERCARRIAGE

Rollers and idlers, lifetime lubricated Sprocket rim segments, replaceable Suspension-type undercarriage 8-roller tubular track roller frame (Carrier roller ready) Track adjusters, hydraulic Track guide 24 inch (610 mm) PPR moderate service grouser with sealed and lubricated track (44 section) Two-piece master links

HYDRAULICS

Hydraulics, independent steering and work tool pumps Load-sensing dozer lift and tilt Hydraulics, electronically controlled, load-sensing rear hydraulics, ripper or winch ready Electronically enabled quick drop valve

Starting receptacle, auxiliary

ELECTRICAL

Converter, 24V to 12V Diagnostic connector Horn, forward warning Ground level service center with hour meter

OPERATOR ENVIRONMENT

Rops mounted air conditioner Armrest, adjustable Touch screen operator interface Electronic monitoring system Diagnostic service information Operator preferences Cab, ROPS/FOPS, sound suppressed

Deactivation switch, hydraulic controls Access/egress lighting with shutdown timer

Decelerator pedal

Governor switch, electronic

Heater and air conditioning

Mirror, rearview

Radio, AM/FM, Bluetooth

Provision for wire passage in/out of cab

Interior LED courtesy lights Seat, cloth, air-suspension

Seat belt, retractable

Steering control, direction and speed control thumb switches with recall

button

Wipers, intermittent

OTHER STANDARD EQUIPMENT

CD rom parts book Engine enclosures Equalizer bar, pinned Front pull device Guards, bottom hinged Grade control ready HVAC box - corrosive resistant Mounting, lift cylinders Oil cooler, hydraulic Product link S.O.S. sampling ports Steering, electronically controlled power differential Vandalism protection for fluid compartments Engine compartment service light Six lights package

STARTERS, BATTERIES, & ALTERNATORS

Alternator, 150 amp Batteries, heavy duty

Effective 02JAN2019 D8T-VT-001

Bid Term: 2/20/19 - 2/19/21

1

D8T-VT

D8T TRACK-TYPE TRACTOR VICTORIA, TX, USA (SAP)

Ship Weight

LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

. 0 \$823,780

AVAILABLE FROM VICTORIA, TEXAS FTO CENTER

INCLUDES:

379-0300 D8T TRACTOR

379-0307 BASIC, ARRANGEMENT

379-0311 ENGINE, BASIC

382-7710 FILM, AFTERTREATMENT, ENGLISH

379-0290 INSTRUCTION, DOMESTIC

379-0317 HYDRAULICS, RIPPER

386-1802 GAUGE, STANDARD

382-5438 OPERATORS AR, STANDARD

217-3603 GUARDS, BOTTOM, STANDARD

486-6696 UNDERCARRIAGE, HD XL SUSPENDED

327-3492 VISIBILITY AR, BASIC

376-7873 PRECLEANER, BASIC

379-0292 FLUIDS, STANDARD

492-6092 CAB, SINGLE PANE GLASS

380-1151 SEAT, AIR SUSPENSION

379-0297 ACCUGRADE READY, SINGLE TILT

382-5934 ENGINE COOLANT, STD (-37C)

383-2838 ALTERNATOR, 150AMP, BASIC

384-4602 FINAL DRIVES, STANDARD

384-8305 BATTERIES, HEAVY DUTY

385-4730 CARRIER ROLLERS, SUSPENDED

386-7528 FAN, SINGLE TILT

387-3177 GUARD, FUEL TANK

387-8216 LIGHT, BASIC

388-1705 OIL CHANGE SYSTEM, HIGH SPEED

388-9402 FUEL SYSTEM, STANDARD

394-6286 BRAKES, BASIC

423-4626 RADIATOR, 6.35 FPI, DEBRIS

424-3510 HEATER, ENGINE COOLANT (120V)

428-7447 CYLINDERS, LIFT BASIC

502-6147 TRACK, 24" ES, HD XL

450-7631 FAN SPEED, LOW, COLD WEATHER

460-3966 PRODUCT LINK, CELLULAR PL641

487-5821 RADIO, AM/FM

Bid Term: 2/20/19 - 2/19/21

D8T-VT

US	REF NO.	LANE 1 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER					
LA	LANE 1 AM-NORTH MANDATORY ATTACHMENTS								
	LANE SELEC								
	0P-9001	LANE 1 ORDER	0	NC					
	REAR ATTA								
L	379-0308	8 RIPPER, SINGLE SHANK	0	\$55,390					
L	379-0309	8 RIPPER, SS W/ PIN PULLER INCLUDES: Parallelogram Design Single-Shank Ripper Ripper Light Pin Retainer Hydraulic Pin Puller that operates from a toggle switce of the operator REQUIRES: 4T-8986 TOOTH, SINGLE SHANK		\$60,960					
L,	379-0287	8 RIPPER, MULTI SHANK	anks	\$58,990					
L	381-7850	NO REAR ATTACHMENT	owever dealers delivery.	NC					
	FLUIDS								
	0P-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC					
	MANUAL								
	0P-0996	MANUAL, ENGLISH	0	NC					

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

D8T-VT

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	1 AM-NO	RTH OPTIONAL ATTACHMENTS		
В	ULLDOZER	INSTALLATION PACKAGES		
L	385-5575	8SU/U BULLDOZER, BASIC	1,162	\$18,740 NI
L	385-5576	REQUIRES: 450-3357 PUSH ARMS, SINGLE 386-4201 GRAB HANDLES, PU 8SU/U BULLDOZER, GUARDED	SH ARM1,257 harsh applications C TILT, STD e	\$19,740 NI
		386-4201 GRAB HANDLES, PU	SH ARM	
BL	LADE - TEC	HNOLOGY READY		
P	385-2620		J DOZER, SINGLE TILT or	\$28,200 NI
L	385-2621	ONLY FOR USE WITH: 385-5575 8SU/U	BULLDOZER, PACKAGE or	\$24,730 NI
L	385-2619	BLADE, 8SU INCLUDES: Finish dozing cutting edges General duty Bits ONLY FOR USE WITH: 385-5575 8 SU/U	J DOZER, SINGLE TILT or	\$21,660 NI
Р	385-2624	385-5576 8 SU/U 8U BLADE, ROCK GRD/WEAR PLATE	DOZER, SINGLE TILT GUARD	\$36,880 NI
-	333 232 7	Standard shank provides capability for 44.5 ONLY FOR USE WITH: 385-5575 8 SU/U		722/000 MZ
L	521-0077	BLADE, 8SU PLUS	0 % more capacity. Equipped	\$24,690 NI
		•	BULLDOZER, BASIC or BULLDOZER, GUARDED	

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D8T-VT-004

D8T-VT

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
		RTH OPTIONAL ATTACHMENTS (CONT.) CHNOLOGY READY (Cont.)		
L	521-0078	BLADE, 8SU PLUS W/RK GRD & WEA Larger (13.4 yd3 /10.3 m3) SU blade for 19% more of with Performance Cutting Edges for improved blade hard/frozen ground or moderate rock INCLUDES: Performance Cutting Edges End bitsblade 8SU Plus w/RK Grd & Wear Plt ONLY FOR USE WITH: 385-5575 8SU/U BULLDO	capacity. Equipped penetration in OZER, BASIC or	\$31,220 NI
P	USH ARMS			
L	450-3357	PUSH ARMS, SINGLE TILT, STD	R, SINGLE TILT or	\$12,520 NI
G	RAB HAND	LES		
L	386-4201	GRAB HANDLES, PUSH ARM	R, SINGLE TILT or	NC NI
R	PIPPER SHAI	VKS		
P	4T-8986	TOOTH, SINGLE SHANK RIPPER INCLUDES: Standard shank Shank protector Intermediate tip ONLY FOR USE WITH: 379-0308 8 RIPPER, SINC 379-0309 8 RIPPER, SS W	GLE SHANK or	\$6,260
P	4T-8987	TOOTH, MULTI-SHANK RIPPER INCLUDES: Shank Sharp Shank Protector Pin Pin Retainer and Intermediate Centerline Tip ONLY FOR USE WITH: 379-0287 8 RIPPER, MUL	743	\$5,480
P	ACKING			
	0P-8025	PACK, DOMESTIC TRUCK, MTTT	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D8T-VT-005