## **D9T-T4**

D9T TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

#### **POWERTRAIN**

Aftercooler, air-to-air Air filter, with precleaner Aluminum bar plate cooling system C18 with ACERT technology 24-volt electric start Controlled throttle shifting Coolant, extended life Directional shift management Engine idle shutdown timer Ether starting aid, automatic Fast fuel system Fuel priming pump, electric High speed oil change system, engine and powertrain Parking brake, electronic Prescreener Separator, water/fuel Three planet, double-reduction planetary final drives Torque converter Transmission, electronic control

#### **UNDERCARRIAGE**

-(3F/3R speeds)

Rollers and idlers, lifetime lubricated Sprocket rim segments, replaceable Suspension-type undercarriage 8-roller tubular track roller frame (Carrier roller ready) Track adjuster, hydraulic Track guides Two-piece master link

#### **ELECTRICAL**

Alternator, 150-amp
Back-up alarm
Batteries (2), 12-volt, 200 amp/hour
Converter, 12-volt, 10 amp and 20 amp
Diagnostic connector
Horn, forward warning
Light, engine compartment
Lighting system, halogen
Starting receptacle

## **OPERATOR ENVIRONMENT**

Air conditioner, ROPS mounted
Armrest, adjustable
Cab, FOPS
Deactivation switch, hydraulic controls
Decelerator pedal
Differential steer, power turn
Governor switch, electronic
Heater
Hydraulic system, electronically

controlled for bulldozer and ripper control Information display Mirror, rearview MP3/IPOD ready Radio ready, entertainment ROPS, rollbar Wipers, intermittent low and high speeds

#### SAFETY AND SECURITY

Fender guard rails Operator not present detection Seatbelt, retractable, 3" (76mm) Seatbelt warning system Slope and side-slope monitor Steps, heavy-duty and handles

### OTHER STANDARD EQUIPMENT

Auto-blade assist ready (for dual tilt)
CD ROM parts book
Ecology drains
Engine enclosure
Equalizer bar pins, greased
Fluid sampling ports
Ground level service center
Mounting, lift cylinders
Product link ready
VIMS 3G
Vandalism protection
Work positioning points

**D9T-T4** 

	-TYPE TRACTOR Ship Weight A, IL, USA (SAP) Ibs	LIST PRICE AT DEALER
363-4395	D9T TRACTOR, US	\$1,091,360
0P-0799	Includes necessary attachments for sale into the US.  D9T, MISC MATL, EAST PEORIA	NC
	AVAILABLE FROM EAST PEORIA FACTORY  Use this reference number when ordering miscellaneous material other than a body or body attachments.	

**D9T-T4** 

USE REF NO. MANDATORY ATTACHMENTS Ship Weight LIST PRICE AT DEALER

### NOTE

Each machine will be shipped with a Parts Book on CD ROM. The CD will be shipped with the other D9T literature. If a paper copy is desired, please order through the dealer parts department.

# **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
	0P-9002	LANE 2 ORDER	0 Y.	NC
	0P-9003	LANE 3 ORDER		NC
SPEC	CIAL ARRAI	NGEMENTS		
Si	PECIAL ARI	RANGEMENT		
L	363-4420	BASIC TRACTOR ARRANGEMENT	standard engine	NC
	363-4421	For use in heavy debris applications, excluding stock and waste handling.  Includes engine compartment hood and enclosures, precleaner and dust ejector, ducted alternator, hydradriven cooling fan with reversing feature, and fan gu Also includes extremely low speed fan operation for REQUIRES: 382-7775 EXHAUST, WRAPPED 382-7715 FUEL LINES, COOLER	xpile turbine engine aulically arding.	\$14,800
	363-4424	SOUND ARRANGEMENT	ction is required. and enclosures,	\$2,395
-	382-7684	STOCKPILE ARRANGEMENT	e.) lucing hood, alternator, grill eversing cold climates.	\$28,340

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

# **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
SPEC	IAL ARRAN	NGEMENTS (CONT.)		
SI	PECIAL ARI	RANGEMENT (Cont.)		
L	382-7685	WASTE HANDLING ARRANGEMENT  FOR USE IN LANE 3 ONLY For use in waste handling applications. Includes engine compartment hood and enclosures, to precleaner and dust ejector, ducted alternator, hydractiven cooling fan with reversing feature, and fan guar Also includes extremely low speed fan operation for control REQUIRES: 380-1404 GUARD, BOTTOM, SEALED 380-7125 FINAL DRIVES, WASTE HAND 363-4393 UNDERCARRIAGE, WASTE HAMD 382-7699 OPERATORS AR, QUICK OPEN 382-7775 EXHAUST, WRAPPED 382-7715 FUEL LINES, COOLER 423-9871 9SU/U DOZER, SINGLE TILT 423-9869 9SU/U DOZER, DUAL TILT GUARD SINGLE	turbine engine aulically arding. old climates. LING ANDLING NING	\$20,570
POW	ERTRAIN			
El	NGINE PAC	KAGE		
L	540-0983	EXHAUST, STANDARD		NC
L	540-0984	Includes engine with open manifolds and exhaust line EXHAUST, WRAPPED	0	\$17,140
FI	NAL DRIVE	₹		
L	380-7122	FINAL DRIVES, STANDARD	0	NC
-	380-7124	FINAL DRIVES, GUARDED		\$9,050
L	380-7125	FINAL DRIVES, WASTE HANDLING	nance in	\$17,710
L	380-7123	FINAL DRIVES, COLD WEATHER	nance in	\$725
UNDI	ERCARRIAC	GE .		
U	NDERCARR	RIAGE		
		UNDERCARRIAGE ARRANGEMENTS COME EQU R BAR END PINS	IIPPED WITH GREAS	SED
L	363-4391	UNDERCARRIAGE, BASIC	lange and	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

5

# **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
JNDE	RCARRIAG	GE (CONT.)		
		PIAGE (Cont.)		
			•	
	363-4392	UNDERCARRIAGE, ABRASION	0	\$1,650
	363-4393	UNDERCARRIAGE, WASTE HANDLING For use in waste handling applications. Includes guarded idlers, guarded pivot shaft seal and roller frames that can accept front striker bars.		\$5,480
	363-4394	UNDERCARRIAGE, COLD WEATHER	res. e flange rollers.	<b>\$4</b> ,335
TF	RACK ARRA	ANGEMENT		
	379-4043	TRACK, 560MM ES	0	\$-1,315
<u>-</u>	379-4045	TRACK, 610MM ES	0	NC
	379-4047	Extreme service shoes (24"/610mm).  TRACK, 610MM ES ROUND	0	\$3,945
	379-4049	TRACK, 610MM SES	0	\$6,320
	379-4051	TRACK, 610MM SES ROUND	oles.	\$6,580
	379-4055	TRACK, 685MM ES		\$3,945
	379-4059	TRACK, 685MM ES ROUND Extreme service shoes (27"/685mm). Round holes.		\$5,260
	379-4061	TRACK, 685MM SES		\$7,230
	379-4063	TRACK, 760MM MS  Moderate service shoes (30"/760mm).  REQUIRES: 205-7249 TRUNNIONS, WIDE DOZER wi 390-5415 or 423-9869 9SU/U DOZER, I CANNOT BE USED WITH: RIPPER or STRIKER BAR	th	\$2,625
-	379-4065	TRACK, 760MM MS ROUND	th	\$5,260
HYDF	RAULICS			
D	OZER TILT	HYDRAULICS		
	387-0435	HYDRAULICS, SINGLE TILT	0	NC
-	457-5022	HYDRAULICS, SINGLE TILT	0	NC
L	387-0436	ONLY FOR USE WITH: Installation, AccuGrade HYDRAULICS, DUAL TILT		\$4,295

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019

Bid Term: 2/20/19 - 2/19/21

D9T-T4-006

## **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ELEC	CTRICAL			
L	IGHTING GF	ROUP		
L	425-1513	LIGHTS, EIGHT	on the side of the of the dozer ae ROPS facing	NC
L	425-1514	forward and 2 halogen on top on the fuel tank facing LIGHTS, TWELVE	en on the top the side of the the of the ROPS the rearward	\$4,145
L	425-1515	and 2 halogen on top of the fuel tank facing rearwar LIGHTS, HID	halogen and ward, 2 LED the side of DPS facing	\$8,930
L	389-9490	rearward and 2 halogen on top of the fuel tank facin LIGHTS, LED	zer lift cylinders facing 2 LED on	\$10,430
В	ATTERY GR	ROUP		
L	429-0618	BATTERY GROUP, STANDARD	0	NC
L	389-2257	Standard set of batteries.  BATTERY GROUP, COLD WEATHER	0	\$10,350
OPE	RATOR ENV	TRONMENT		
C	AB GLASS			
L	375-7166	GLASS, SINGLE PANE  Includes sliding single pane tempered side windows, pane tempered rear glass, and solid single pane lami	solid single	NC
L	389-7519	windshield and doors.  GLASS, IMPACT RESISTANT  Includes solid, dual pane impact resistant windows.  Refer to TEKQ1019 within the global sales library for certifications. HVAC Precleaner no longer included.		\$5,420
L	375-7835	RECOMMENDED: Precleaner, Powered  GLASS, 40 PSI		\$38,330
C	AB SEAT			
L	380-1151	SEAT, AIR SUSPENSION	0	NC

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D9T-T4-007

## **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPER	RATOR ENV	IRONMENT (CONT.)		
C	AB SEAT (	Cont.)		
L	398-6907	SEAT, VINYL Includes vinyl seat with air suspension.	0	\$535
L	393-7245	SEAT, HEATED & VENTILATED		\$1,670
PL	ATFORM (	GROUP		
L	363-3719	OPERATORS AR, STANDARD	0	NC
L	382-7699	OPERATORS AR, QUICK OPENING	opening	\$4,080
L	363-3720	OPERATORS AR, 5TH PERCENTILE  FOR USE IN LANE 3 ONLY  Modifies operator controls and platform to allow oper the highest and most rearward position and easily reDesigned to improve attachment visibility for the small	rator to sit at each the pedals.	\$5,960
V	ISIBILITY A	RRANGEMENT		
L	327-3492	VISIBILITY AR, BASIC	0	NC
L	363-3683	Includes mirror in the cab.  VISIBILITY ARR, MIRRORS		\$530
L	363-4412	Includes mirrors in the cab and on the two lift cylind VISIBILITY AR, SINGLE CAMERA	0 lers and	\$5,200
TECH	INOLOGY F	PRODUCTS		
M	ACHINE CO	ONTROL		
L	382-7686	MACHINE CONTROL, BASIC	0	NC
L	382-7687	Includes basic machine controls.  INSTALLATION, ACCUGRADE		\$2,895
L	382-7689	MACHINE CONTROL, PERFORMANCE	Dlade assist, and	\$19,790

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

**D9T-T4** 

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

## TECHNOLOGY PRODUCTS (CONT.)

### MACHINE CONTROL (Cont.)

L 363-4414 \$54,930 Cat grade control is a chassis mounted, automatic, integrated blade positioning system which moves blade mounted components to the top of cab. This includes a display, factory enabled SEA and dual roof mounted GNSS receivers. To be functional, it will require an "off-board" radio network and GPS base station. Additional requirements via SITECH dealer or technology group include on-board data radio, measure up, and calibration. Includes AutoCarry, automatic ripper control, auto blade assist, and provisions for adding AccuGrade. REQUIRES: 387-0475 CYLINDER GROUP, GRADE CONTROL 387-0436 HYDRAULICS, DUAL TILT 484-7575 MACHINE CONTROL, TERRAIN, BC ..... 0 L \$64,360 Includes autocarry blade control, automatic ripper control, cat terrain for grading with blade control display and dual GNSS

> REQUIRES: 387-0475 CYLINDER GROUP, GRADE CONTROL 387-0436 HYDRAULICS, DUAL TILT

For additional Dealer installed technology products please refer to the following publications within the Global Sales Library:
AEXQ0566 - Cat MineStar
PEDJ0116 - Cat Fleet
PEDJ0114 - Cat Health
AEXQ0571 - Cat Terrain

Pricing for Dealer installed technology products may be found in the MINESTAR - Cat MineStar Fleet and Health TERAOFC - Terrain Office Software TERAGRADE - Terrain for Grading ACCUTTT1 - Accugrade

#### VIMS AND PRODUCT LINK

PEHJ0294 - AccuGrade Data Sheet

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D9T-T4-009

**D9T-T4** 

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
V	IMS AND P	RODUCT LINK (Cont.)		
L	482-9659	VIMS & CELL PROD LINK, PLE641  This single attachment supports activation of VIMS a Product Link. VIMS provides historical trends, histog more through a wired connection for off-board analysincluding VIMS PC.  Product Link Elite series PLE641 offers expanded country and CDMA2000 as well as 2G GSM and CDMA transmit location, utilization and condition information in Product Link's remote monitoring web interface. Coprovides capabilities for frequent transmission and ladata.  Not recommended for MineStar sites.	and/or cellular grams, events and sis in applications verage including 3G A cellular networks to on for viewing ellular technology	NC
L	505-4511	VIMS & SAT PROD LINK, PLE631	and/or satellite grams, events and sis in applications uses a satellite n information	\$425
L	505-4512	PROD LINK, DUAL PLE641 & PL631	ses a combination of tilization and applications. For	\$1,243
FUEL	SYSTEMS			
F	JEL LINES			
-	382-7791	FUEL LINES, STANDARD	0	NC
	382-7715	Standard fuel lines  FUEL LINES, COOLER	0	\$1,380
D	IESEL EXHA	AUST FLUID (DEF) TANK		
-	504-3120	DEF TANK, STANDARD		NC
	504-3105	DEF TANK, FAST FILL	0 l and ground 6-8793 DEF EIGHT	\$2,680

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

# **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
GUA	RDS			
В	оттом <mark>G</mark> U	IARDS		
L	380-1403	GUARDS, BOTTOM, STANDARD	R ARRANGEMENT	NC
L	380-1404	GUARDS, BOTTOM, SEALED		\$2,615
L	380-1405	GUARDS, BOTTOM, PARTIAL	ves R ARRANGEMENT RRANGEMENT	\$-1,110
L	380-1406	GUARDS, BOTTOM W/FRONT CTWT  FOR USE IN LANE 3 ONLY Includes front counterweight and full set of standard ONLY FOR USE WITH: 363-4420 BASIC TRACTOR 363-4421 HIGH DEBRIS A	0 bottom guards. R ARRANGEMENT	\$11,040
R	EAR SCREE	FN .		
L	390-0355	MOUNTING GP, LIGHTS	0	NC
L	415-6752	Includes mounting provisions for lights.  MOUNTING GP, SCREEN		\$3,785
ОТН	ER ATTACH	HMENTS		
R	EAR ATTAC	CHMENT		
NOTE	: RIPPER SH	IANKS MUST BE ORDERED SEPARATELY		
L	382-7690	ALSO AVAILABLE AS MISCELLANEOUS ORDER Single shank ripper. Includes ripper, ripper hydraulic system, and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORD DETACHED ON MACHINE ORD	0 cs, fast fuel DERS.	\$100,740 \$100,740 NI
L	382-7691	REQUIRES: 445-2032 TOOTH, SINGLE SHANK RIPPL 445-2033 TOOTH, SINGLE SHANK, DEE RIPPER, SS STANDARD W/ PULLER	es, fast fuel er hydraulics. DERS. ER or	\$109,360 \$109,360 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

11

## **D9T-T4**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	HMENTS (CONT.)		
RE	AR ATTA	CHMENT (Cont.)		
L	382-7692	RIPPER, MS STANDARD	0	\$104,450 \$104,450 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank ripper. Includes ripper, ripper hydraulic system, and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORD	DERS.	
	200 7000	REQUIRES: 445-2034 TOOTH, MULTI-SHANK RIPPE		
L	382-7693	COUNTERWEIGHT, REAR	0	\$47,460 \$47,460 NT
		ALSO AVAILABLE AS MISCELLANEOUS ORDER	U	\$47,460 NI
		Includes rear counterweight, hitch, fast fuel system,	and	
		transmission guard. MUST BE ORDERED DETACHE	D ON MACHINE ORD	ERS.
L	382-7694	STRIKER BAR, REAR		\$37,090
		FOR USE IN LANE 3 ONLY		
		Includes striker bar, storage box, drawbar, hitch, fas	t fuel system,	
		and transmission guard.		
	200 7005	REQUIRES: 388-5026 GUARD, FUEL TANK	0	440 600
L	382-7695	DRAWBAR, REAR		\$18,690
		Includes fast fuel system and transmission guard.		
L	382-7696	WINCH, PA140VS VARIABLE SPEED	0	\$119,930
		FOR USE IN LANE 3 ONLY		1,
		Includes fast fuel system and transmission guard.		
		ONLY FOR USE WITH: 415-6752 MOUNTING GP,		
L	382-7697	NO REAR ATTACHMENT, RIPPER RDY		\$10,340
		Includes fast fuel system, transmission guard and rij		
		Rear attachment is still required, this option is for cu	stomers who	
	500 0050	already have a rear attachment for installation.	0	410 010
L	560-9053	NO REAR ATTACHMENT, WINCH READY		\$10,340
		Includes fast fuel system, transmission guard and ware Rear attachment is still required, this option is for cu		
		already have a winch for installation.	istomers who	
		ONLY FOR USE WITH: 415-6752 MOUNTING GP,	SCREEN	
		one in the state of the state o		
FLUID	os			
CO	OOLANT			
			•	
L	382-5934	ENGINE COOLANT, STD (-37C)		NC
L	371-6899	Provides cooling system antifreeze protection down to ENGINE COOLANT, ARCTIC (-51C)		\$467 NET
_	371-0093	Provides cooling system antifreeze protection down to		5401 NE

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

**D9T-T4** 

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
POW	ERTRAIN			
L	421-5675	PRELUBE, ENGINE		\$4,920
UNDE	ERCARRIAC	GE		
L	211-9297	CARRIER ROLLERS	ovides t required.	\$7,840
L	381-4183	CARRIER ROLLERS, COLD WEATHER	es t required.	\$8,240
ELEC	TRICAL			
L	390-0351		beacon unit.  ITROL, PERFORMANCE  ITROL, GRADE CONTROL	\$1,365
L	425-1761	484-7575 MACHINE CON LIGHT, WARNING, STROBE	beacon unit.	\$1,495
OPER	RATOR ENV	<b>IRONMENT</b>		
L	349-3004	WINDOW SHADES	0 ft and right door	\$655
L	374-9585	PRECLEANER, POWERED		\$710
FUEL	SYSTEMS			
G	ROUND LE	VEL DIESEL EXHAUST FLUID (DEF) FAST FI	LL	
	NOTE: All s	systems compatible with 506-8793 DEF fill nozzle.		
L	428-9218	FAST FILL, DEF, RIPPER Ground level DEF fast fill system for use with ripper MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 504-3015 DEF TANK, FAST	rs.	\$2,090

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

13

# **D9T-T4**

JSE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRIC
UEL	SYSTEMS	(CONT.)		
G	ROUND LE	VEL DIESEL EXHAUST FLUID (DEF) FAST FIL	LL (Cont.)	
-	449-6261	FAST FILL, DEF, COUNTERWEIGHT	erweights. ST FILL and	\$2,465
-	428-9318	382-7693 COUNTERWEIG FAST FILL, DEF, DRAWBAR Ground level DEF fast fill system for use with drawb rear attachment. ONLY FOR USE WITH: 504-3015 DEF TANK, FAS 382-7695 DRAWBAR, REA 382-7697 NO REAR ATTA	0 ars or no ST FILL and AR or	\$2,625
-	450-5773	FAST FILL, DEF, WINCH  Ground level DEF fast fill system for use with winch ONLY FOR USE WITH:  504-3015 DEF TANK, FAS 382-7696 WINCH, PA140	0 es. T FILL and	\$2,440
-	445-9367	Ground level DEF fast fill system for use with striker ONLY FOR USE WITH:  504-3015 DEF TANK, FAS 382-7694 STRIKER BAR,	0 box. TFILL and	\$2,440
GUAI	RDS			
	426-3809	GUARD, UNDERCARRIAGE IDLERS	l wear ercarriage.	\$2,345
	388-5026	GUARD, FUEL TANK		\$8,580
	431-5053	GUARD, FUEL TANK W/ XMSN GUARD FOR USE IN LANE 3 ONLY Includes guarding for hydraulic and fuel tank and attransmission guard. ONLY FOR USE WITH: No Rear Attachment Drawbar, Rear		\$11,770
	224-4644	STRIKER BARS, FRONT		\$12,750
	489-8199	GUARD, DAMPER	oris applications.	\$1,290
OTHE	R ATTACH	IMENTS		
S	TARTING A	IDS		
-	390-0354	HEATER, ENGINE COOLANT, 120V		NC
-	425-3551	Includes a 120-volt, 1500-watt jacket water electrica HEATER, ENGINE COOLANT, 240V	0	NC

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

# **D9T-T4**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
BLAD	DES			
В	ULLDOZER	INSTALLATION PACKAGE		
L	423-9870	9SU/U DOZER, SINGLE TILT		\$35,940 NI
L	390-5415	ONLY FOR USE WITH: Hydraulics, Single Tilt  9SU/U DOZER, DUAL TILT		\$52,640 NI
L	423-9871	ONLY FOR USE WITH: Hydraulics, Dual Tilt  9SU/U DOZER, SINGLE TILT GUARD	tag link,	\$37,090 NI
L	423-9869	ONLY FOR USE WITH: Hydraulics, Single Tilt  9SU/U DOZER, DUAL TILT GUARD	nk,	\$53,780 NI
C	YLINDER PA	ACKAGE		
L	419-6993	CYLINDER GROUP, STANDARD	0	\$18,980
L	419-6994	Includes two standard lift cylinders.  CYLINDER GROUP, PERFORMANCE  Includes one standard lift cylinder and one lift cylinder position sensor.		\$22,230
L	387-0475	ONLY FOR USE WITH: 382-7689 MACHINE CONTROL Includes two lift cylinders with position sensors. ONLY FOR USE WITH: 363-4414 MACHINE CONTROL	ROL, GRADE CONTROL ROL, PERFORMANCE	\$25,430
T	RUNNION C	OPTIONS (May Select One)		
L	106-7364	TRUNNIONS, STANDARD DOZER		\$2,950 NI
L	205-7249	REQUIRED BY: BULLDOZER INSTALLATION PACKAG TRUNNIONS, WIDE DOZER  Extra wide dozer trunnions. REQUIRED BY: BULLDOZER INSTALLATION PACKAG ONLY FOR USE WITH: 30"/760MM TRACK AND DU	0 ES	\$3,120 NI
L	7T-6040	ONLY FOR USE WITH: 30"/760MM TRACK AND DUCOVERS, TRUNNION	85	\$1,195

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2019 D9T-T4-015

## **D9T-T4**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
BLAD	DES (CONT	¯.)		
Bl	LADE			
L	491-8138	BLADE, 9SU		\$47,770 NI
L	491-8137	BLADE, 9SU PUSH PLATE  ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, general duty cutting edges and e and push plate.		\$50,670 NI
L	491-8134	BLADE, 9SU ABRASION		\$56,830 NI
L	491-8135	BLADE, 9SU ABRASION, BLACK  ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges wear plate and rock guard. Black paint on the back	and end bits,	\$59,350 NI
L	491-8133	BLADE, 9U	0	\$52,000 NI
L	491-8131	BLADE, 9U ABRASION	and end bits,	\$61,310 NI
L	491-8132	BLADE, 9U ABRASION, BLACK  ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges a wear plate and rock guard. Black paint on the back	and end bits,	\$63,830 NI
L	491-8136	BLADE, 9SU LANDFILL	0	\$59,210 NI
For C to W	oal U-Blade, T-TTT Cat W	Landfill U-Blade, or Woodchip U-Blade please re /ork Tools price list.	fer	
GRO	UND ENGA	GING TOOLS		
RI	IPPER SHAI	NK OPTIONS (Note that RIPPERS do not incl	ude any shanks.)	
L	445-2034	TOOTH, MULTI-SHANK RIPPER	ainer and tip. ess installation and nm below grade with	\$5,730 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D9T-T4-016

Bid Term: 2/20/19 - 2/19/21

ONLY FOR USE WITH: MULTI SHANK RIPPER

## **D9T-T4**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER				
GROU	JND ENGA	GING TOOLS (CONT.)						
RI	RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.) (Cont.)							
L	445-2032	TOOTH, SINGLE SHANK RIPPER	n, pin retainer and erless installation	\$7,820 NI				
L	445-2033	TOOTH, SINGLE SHANK, DEEP  ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes long shank, sharp shank protector, pin, pin Tip and shank protector feature CapSure hammerles positive retention systems. Maximum depth is 1660n standard 331-3505 tip. ONLY FOR USE WITH: SINGLE SHANK RIPPER	retainer and tip. s installation and	\$8,620 NI				
PACK	ING							
TF	TRACTOR PACKING (Must Select One)							
	0P-2475	D9T DOMESTIC TRUCK	0	NC				
	0P-2476	Tractor ships complete. Ripper or counterweight deta	0	\$585 NET				
	0P-2477	Tractor ships complete. Ripper or counterweight deta <b>D9T TRUCK</b> , <b>ALTERNATE CLEARANCE</b>	0	\$620 NET				
	0P-0210	PACK, DOMESTIC TRUCK	0	NC				

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 D9T-T4-017