#### 6105E Open Operator Station Tractor (87 PTO hp)

**Equipment for Base Machine** 

ENGINE: John Deere PowerTech PWL Diesel Engine In-line 4-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5~L (276 Cu. In.) Displacement 105 Engine Horsepower [97/68/EC] @ Rated Speed 87 SAE PTO Horsepower @ Rated Speed High Pressure Common Rail Wastegate Turbocharger and Exhaust Gas Recirculation Closed Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with Deluxe Cornerpost Exhaust 41.7 Gal (158 L) Fuel Tank Capacity TRANSMISSION: 12 Forward / 12 PowrReverser Transmission (19 mph (30km/h) LH Power Reverser Wet Multi-Disk Clutch Mechanically Actuated Park Brake Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake Mechanically Actuated Rear Differential Lock HYDRAULICS: Open Center 20.0 GPM (75.7 L/min) Pump Flow @ Rated Speed (2200) 2 SCV's; Mechanical; ISO Breakaway Couplers REAR PTO: 540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic PTO Activation Wet Clutch Neutral Start Safety System Seat Activated Clutch Neutral Start Safety System Seat Activated PTO Warning ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch Category 2, 3-Point Hitch Mechanical Hitch Control 5500 Lb. (2500 kg) Lift Capacity Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Safety Chain Holder INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Coolant
Temperature PTO Engagement Engine Air Filter
Alternator Directional Indicators Hazard Switch
Park Brake Indicator MFWD Indicator OPEN OPERATOR
STATION: Two Post Foldable ROPS with Seat Belt,
Less Canopy Flat Platform with Steel Fenders Right
Hand and Left Hand Foot Steps Operational Controls
Location - Right Hand Console Mechanical Suspension
Seat with Armrest and Seat Belt Tilt / Telescopic
Steering Column Foot Throttle Control ELECTRICAL:
Key Shutoff 12-Volt Electrical System One 12-Volt
Battery, 925 Cold Cranking Amps 90 Amp Alternator 7
Terminal (ASAE) Outlet Socket LIGHTS: Two Front
Headlights One Rear ROPS Mounted Work Light Two
ROPS Hazard Lights Two Rear Fender Tail Lights with
Brake Lights FRONT AXLE WHEELS AND TIRES: MFWD
Front Axle with Limited Slip Differential Two
Multi-Position Steel Wheels Electrohydraulic MFWD
Engagement, Right-hand Console 13.6-24 In. 8PR R1
Bias Tires REAR AXLE WHEELS AND TIRES: Flange Axle
Eight Position Steel Wheels 18.4-34 In. 8PR R1
Bias Tires REAR AXLE WHEELS AND TIRES: Flange Axle
Eight Position Steel Wheels 18.4-34 In. 8PR R1
Bias MISCELLANEOUS: Operator's Manual (English) and
Holder SMV Emblem Horn Fuel Tank Guard

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
332TP		6105E Open Operator Station Tractor (87 PTO hp)	68,154.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
0203		Puerto Rico	No Added Cost
		OPERATOR'S MANUAL	
0409		English Operator's Manual North America	In Base Price
0437		Spanish Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
0413		French Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
		PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price

### 6105E Open Operator Station Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0511		PACKAGE CONFIGURATIONSContinued Open Station MFWD 2-SCV 12F/12R PowrReverser Value Package Open Operator Station Tractor with MFWD,12F/12R PowrReverser Transmission, Two Telescopic Draft Links and Two Selective Control Valves.	In Configuration
		Package contains Codes: 2000, 1383, 4120, and 3320.	
		OPERATOR'S STATION	
2000		Open Operator Sation - Flat Platform	In Base Price
		TRANSMISSION	
1382		12F/12R PowrReverser Transmission (19mph/30kmh) - 2WD Front Axle Adjustable 2WD Front Axle (59.1-74 in.). 540/1000rpm PTO. Requires code 6151.	-5,584.00
1383		12F/12R PowrReverser Transmission (19mph/30kmh) - MFWD Axle MFWD Axle. 540/1000 rpm PTO. Requires code 6120 or 6220.	In Base Price
1386		24F/12R PowrReverser Transmission (25mph/40kmh) - MFWD Axle MFWD Axle.540/1000rpm PTO. Includes: Electrohydraulic high/low button. Requires code 6210 or 6220.	1,284.00
		SELECTIVE CONTROL VALVES	
3320		Dual Standard SCV with ISO Breakaway Couplers Four Positions in each spool: Raise, Off/Neutral, Lower, and Float. Provides detent in Float position. See Ag Sales Manual for details.	In Base Price
3340		Triple Deluxe SCV with ISO Breakaway Couplers Spools 1, 2, and 3 have three detent choices: - Pressure Limit Kick-out (cylinder use)- Spring Center (front loader use)- Continuous Detent (hydraulic motor use) Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. See Ag Sales Manual for details.	394.00
		DRAFT LINK	
4120		Two Telescopic Draft Links	In Base Price
		STABILIZER	
4420		Sway Chain with Retainers	In Base Price
4421		Sway Bars	No Added Cost
		HITCH TYPE	
4015		Standard Hitch Hitch lift capacity 5500lb (2500kg)	In Base Price
4020		Heavy Duty Hitch Hitch lift capacity 7300lb (3318kg)	394.00
		DRAWBAR	
4315		Standard Drawbar	In Base Price

### 6105E Open Operator Station Tractor (87 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DRAWBARContinued	
4320		Heavy Duty Drawbar	254.00
		FRONT WHEELS AND TIRES	
6151		10.00-16 8PR F2 Bias Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - 2WD Front Axle (Code 1382).	-2,656.00
6200		320/85R24 In. 8PR R1 Radial Available in Mitas.	-624.00
6210		340/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5212. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383)	In Base Price
		or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	
6220		380/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5234 or 5221. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	154.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 8PR R1 Radial Available in Continental/Mitas.	806.00
5212		460/85R34 In. 8PR R1 Radial Available in Continental/Mitas.	In Base Price
5221		420/85/R38 In. 8PR R1 Radial Available in Continental/Mitas.	428.00
5460		300/95R42 R1 Radial Available in MITAS	-96.00
		LIGHTING	
8734		Second Rear Work Light	100.00
8733		Two Forward Facing Work Lights - Fender Mounted	254.00
		FRONT LOADER PACKAGES	
8910		2-Function Mechanical Independent Control Valve Loader Ready Includes: 2-Function Mechanical Joystick, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	3,828.00
8911		3-Function Mechanical Independent Control Valve Loader Ready Includes: 3-Function Mechanical Joystick, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox. Note: This package includes both the tractor and loader halves of the quick coupler	4,741.00

### 6105E Open Operator Station Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued connection.	
		MISCELLANEOUS	
8461		Draft Control	626.00
8002		Tool Box	52.00
		SPECIAL PAINTING	
8030		John Deere Industrial Yellow Paint Finish	1,561.00
		FRONT FENDERS	
8010		Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader Ready Packages (Code 8910 or 8911).	607.00
		FRONT WEIGHTS	
8995		Front Weight Support Bracket  Holds up to eighteen 100-Lbs suitcase weights.	284.00
		REAR WHEEL WEIGHTS	
8970		Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	309.00
8971		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	617.00
8972		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	926.00
8973		Eight Rear Wheel Weights  Eight - 120 Lb (54 kg) weights.	1,235.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10210	Engine Radiator Screen kit field Removable screen helps maintain good radiator air flow.	36.30
	BSJ10216	Fenders Fixed Front Fenders (MFWD only)	651.20
	BSJ10042	Hitch and Drawbar Hammerstrap	199.10
	BSJ10046	Heavy Duty Drawbar	380.60

### 6105E Open Operator Station Tractor (87 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10045	Heavy Duty Hitch: Hitch Lift Capacity: 7300 lb (3318 kg)	552.20
	BSJ10047	Mechanical Draft Sensing	731.50
	TY16042	Quik-Coupler, Economy, Category 2	580.37
	BSJ10218	Hydraulics Dual Function Mid SCV to Triple Function Mid SCV Conversion Includes valve, with switch and harness for third function. (Does not include loader mounting frames).	1,855.70
	BSJ10219	Dual Function Mid SCV with Joystick Control Kit Does not include loader mounting frames or quick connect hose couplers.	1,490.50
	BSJ10212	Rear SCV Oil Collection Kit Environmental system for collecting small drips of hydraulic oil during implement connection and removal process at the SCV.	68.20
	BSJ10221	Triple Function Mid SCV Kit  Does not include loader mounting frames or quick connect hose couplers.	2,214.30
	SJ291765	Lighting Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	124.30
	LVB25720	Lighting Auxiliary work light kit (2 lights)	156.20
	BSJ10026	Miscellaneous Backup Alarm Kit Compatible with PowrReverser transmission only.	81.40
	SU34006	Tool Box Also order bracket SU25610, and hardware 19M8184(2), 14M7166(4), and 19M7866(4).	54.09
	RE227949	Miscellaneous Engine Block Heater (110V)	108.37
	AL113087	Lockable Fuel Tank	29.27
	LVB25727	PowrReverser modulation control kit	160.60
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	AR201256	Operator Environment Canopy for ROPS For Open Operator Station Tractors Only	1,653.30

For Open Operator Station Tractors Only.

### 6105E Open Operator Station Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25714	Rear Fenders Rear fender extension	227.70
	BSJ10217	Weights Front Weight Support Bracket	345.40
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90

#### 6120E Open Operator Station Tractor (101 PTO hp)

**Equipment for Base Machine** 

ENGINE: John Deere PowerTech PWL Diesel Engine In-line 4-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5~L (276 Cu. In.) Displacement 120 Engine Horsepower [97/68/EC] @ Rated Speed 101 SAE PTO Horsepower @ Rated Speed High Pressure Common Rail Wastegate Turbocharger and Exhaust Gas Recirculation Closed Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with Deluxe Cornerpost Exhaust 41.7 Gal (158 L) Fuel
Tank Capacity TRANSMISSION: 12 Forward / 12
PowrReverser Transmission (19 mph (30km/h) LH Power
Reverser Wet Multi-Disk Clutch Mechanically Actuated Park Brake Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake Mechanically Actuated Rear Differential Lock HYDRAULICS: Open Center 20.0 GPM (75.7 L/min) Pump Flow @ Rated Speed (2200) 2 SCV's; Mechanical; ISO Breakaway Couplers REAR PTO: 540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic PTO Activation Wet Clutch Neutral Start Safety System Seat Activated Clutch Neutral Start Safety System Seat Activated PTO Warning ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch Category 2, 3-Point Hitch Mechanical Hitch Control 5500 Lb. (2500 kg) Lift Capacity Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Safety Chain Holder INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Coolant Temperature PTO Engagement Engine Air Filter Alternator Directional Indicators Hazard Switch Park Brake Indicator MFWD Indicator OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Flat Platform with Steel Fenders Right Hand and Left Hand Foot Steps Operational Controls Location - Right Hand Console Mechanical Suspension Seat with Armrest and Seat Belt Tilt / Telescopic Steering Column Foot Throttle Control ELECTRICAL: Key Shutoff 12-Volt Electrical System One 12-Volt Battery, 925 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket LIGHTS: Two Front Headlights One Rear ROPS Mounted Work Light Two Rear Fender Tail Lights with Brake Lights FRONT AXLE WHEELS AND TIRES: MFWD Front Axle with Limited Slip Differential Two Multi-Position Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 13.6-24 In. 8PR R1 Bias Tires REAR AXLE WHEELS AND TIRES: Flange Axle Eight Position Steel Wheels 18.4-34 In. 8PR R1 Bias MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem Horn Fuel Tank guard

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
333TP		6120E Open Operator Station Tractor (101 PTO hp)	74,638.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
0203		Puerto Rico	No Added Cost
		OPERATOR'S MANUAL	
0409		English Operator's Manual North America	In Base Price
0437		Spanish Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
0413		French Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
		PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price

4315

# AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

### 6120E Open Operator Station Tractor (101 PTO hp) Continued

		Continued	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0511		PACKAGE CONFIGURATIONSContinued Open Station MFWD 2-SCV 12F/12R PowrReverser Value Package Open Operator Station Tractor with MFWD,12F/12R PowrReverser Transmission, Two Telescopic Draft Links and Two Selective Control Valves.	In Configuration
		Package contains Codes: 2000, 1383, 4120, and 3320.	
		OPERATOR'S STATION	
2000		Open Operator Sation - Flat Platform	In Base Price
		TRANSMISSION	
1382		12F/12R PowrReverser Transmission (19mph/30kmh) - 2WD Front Axle Adjustable 2WD Front Axle (59.1-74 in.). 540/1000rpm PTO. Requires code 6151.	-5,584.00
1383		12F/12R PowrReverser Transmission (19mph/30kmh) - MFWD Axle MFWD Axle. 540/1000 rpm PTO. Requires code 6120 or 6220.	In Base Price
1386		24F/12R PowrReverser Transmission (25mph/40kmh) - MFWD Axle MFWD Axle.540/1000rpm PTO. Includes: Electrohydraulic high/low button. Requires code 6210 or 6220.	1,284.00
		SELECTIVE CONTROL VALVES	
3320		Dual Standard SCV with ISO Breakaway Couplers Four Positions in each spool: Raise, Off/Neutral, Lower, and Float. Provides detent in Float position. See Ag Sales Manual for details.	In Base Price
3340		Triple Deluxe SCV with ISO Breakaway Couplers Spools 1, 2, and 3 have three detent choices: - Pressure Limit Kick-out (cylinder use)- Spring Center (front loader use)- Continuous Detent (hydraulic motor use) Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. See Ag Sales Manual for details.	394.00
		DRAFT LINK	
4120		Two Telescopic Draft Links	In Base Price
		STABILIZER	
4420		Sway Chain with Retainers	In Base Price
4421		Sway Bars	No Added Cost
		HITCH TYPE	
4015		Standard Hitch Hitch lift capacity 5500lb (2500kg)	In Base Price
4020		Heavy Duty Hitch Hitch lift capacity 7300lb (3318kg)	394.00
		DRAWBAR	

Standard Drawbar

In Base Price

### 6120E Open Operator Station Tractor (101 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DRAWBARContinued	
4320		Heavy Duty Drawbar	254.00
		FRONT WHEELS AND TIRES	
6151		10.00-16 8PR F2 Bias Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - 2WD Front Axle (Code 1382).	-2,656.00
6200		320/85R24 In. 8PR R1 Radial Available in Mitas.	-624.00
6210		340/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5212. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	In Base Price
6220		380/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5234 or 5221. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	154.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 8PR R1 Radial Available in Continental/Mitas.	806.00
5212		460/85R34 In. 8PR R1 Radial Available in Continental/Mitas.	In Base Price
5221		420/85/R38 In. 8PR R1 Radial Available in Continental/Mitas.	428.00
5460		300/95R42 R1 Radial Available in MITAS	-96.00
		LIGHTING	
8734		Second Rear Work Light	100.00
8733		Two Forward Facing Work Lights - Fender Mounted	254.00
		FRONT LOADER PACKAGES	
8910		2-Function Mechanical Independent Control Valve Loader Ready Includes: 2-Function Mechanical Joystick, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	3,828.00
8911		3-Function Mechanical Independent Control Valve Loader Ready Includes: 3-Function Mechanical Joystick, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox. Note: This package includes both the tractor and loader halves of the quick coupler	4,741.00

### 6120E Open Operator Station Tractor (101 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued connection.	
		MISCELLANEOUS	
8461		Draft Control	626.00
8002		Tool Box	52.00
		SPECIAL PAINTING	
8030		John Deere Industrial Yellow Paint Finish	1,561.00
		FRONT FENDERS	
8010		Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader Ready Packages (Code 8910 or 8911).	607.00
		FRONT WEIGHTS	
8995		Front Weight Support Bracket  Holds up to eighteen 100-Lbs suitcase weights.	284.00
		REAR WHEEL WEIGHTS	
8970		Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	309.00
8971		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	617.00
8972		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	926.00
8973		Eight Rear Wheel Weights  Eight - 120 Lb (54 kg) weights.	1,235.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10210	Engine Radiator Screen kit field Removable screen helps maintain good radiator air flow.	36.30
	BSJ10216	Fenders Fixed Front Fenders (MFWD only)	651.20
	BSJ10042	Hitch and Drawbar Hammerstrap	199.10
	BSJ10046	Heavy Duty Drawbar	380.60

### 6120E Open Operator Station Tractor (101 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10045	ATTACHMENTS FOR FIELD CONVERSIONContinued Heavy Duty Hitch: Hitch Lift Capacity: 7300 lb (3318 kg)	552.20
	BSJ10047	Mechanical Draft Sensing	731.50
	TY16042	Quik-Coupler, Economy, Category 2	580.37
	BSJ10218	Hydraulics Dual Function Mid SCV to Triple Function Mid SCV Conversion Includes valve, with switch and harness for third function. (Does not include loader mounting frames).	1,855.70
	BSJ10219	Dual Function Mid SCV with Joystick Control Kit  Does not include loader mounting frames or quick connect hose couplers.	1,490.50
	BSJ10212	Rear SCV Oil Collection Kit Environmental system for collecting small drips of hydraulic oil during implement connection and removal process at the SCV.	68.20
	BSJ10221	Triple Function Mid SCV Kit  Does not include loader mounting frames or quick connect hose couplers.	2,214.30
	SJ291765	Lighting Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	124.30
	LVB25720	Lighting Auxiliary work light kit (2 lights)	156.20
	BSJ10026	Miscellaneous Backup Alarm Kit Compatible with PowrReverser transmission only.	81.40
	SU34006	Tool Box Also order bracket SU25610, and hardware 19M8184(2), 14M7166(4), and 19M7866(4).	54.09
	RE227949	Miscellaneous Engine Block Heater (110V)	108.37
	AL113087	Lockable Fuel Tank	29.27
	LVB25727	PowrReverser modulation control kit	160.60
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	AR201256	Operator Environment Canopy for ROPS For Open Operator Station Tractors Only	1,653.30

For Open Operator Station Tractors Only.

### 6120E Open Operator Station Tractor (101 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25714	Rear Fenders Rear fender extension	227.70
	BSJ10217	Weights Front Weight Support Bracket	345.40
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90

#### 6105E Cab Tractor (87 PTO hp)

**Equipment for Base Machine** 

ENGINE: John Deere PowerTech PWL Diesel Engine In-line 4-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5 L (276 Cu. In.) Displacement 105 Engine Horsepower [97/68/EC] @ Rated Speed 87 SAE PTO Horsepower @ Rated Speed High Pressure Common Rail Wastegate Turbocharger and Exhaust Gas Recirculation Closed Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with Deluxe Cornerpost Exhaust 41.7 Gal (158 L) Fuel Tank Capacity TRANSMISSION: 12 Forward / 12 PowrReverser Transmission (19 mph (30km/h) LH Power Reverser Wet Multi-Disk Clutch Mechanically Actuated Park Brake Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake Rear Axle

Differential Lock HYDRAULICS: Open Center 20.0 GPM (75.7 L/min) Pump Flow @ Rated Speed (2200) 2 SCV's; Mechanical; ISO Breakaway Couplers REAR PTO: 540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic PTO Activation Wet Clutch Neutral Start Safety System Seat Activated PTO Warning ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch Category 2, 3-Point Hitch Mechanical Hitch Control 5500 Lb. (2500 kg) Lift Capacity Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar;

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
332RP		6105E Cab Tractor (87 PTO hp)	78,177.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
0203		Puerto Rico	No Added Cost
		OPERATOR'S MANUAL	
0409		English Operator's Manual North America	In Base Price
0437		Spanish Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
0413		French Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
		PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0521		Cab MFWD 2-SCV 12F/12R PowrReverser Air Seat Value Package Cab Tractor with MFWD, 12F/12R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 2050,1383,2130, 4120, and 3320.	In Configuration
		OPERATOR'S STATION	
2050		Standard Cab	In Base Price

### 6105E Cab Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SEAT	
2100		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
2130		Air Suspension Seat with Swivel (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; 15 degree Seat swivel	912.00
		TRANSMISSION	
1382		12F/12R PowrReverser Transmission (19mph/30kmh) - 2WD Front Axle Adjustable 2WD Front Axle (59.1-74 in.). 540/1000rpm PTO. Requires code 6151.	-5,584.00
1383		12F/12R PowrReverser Transmission (19mph/30kmh) - MFWD Axle MFWD Axle. 540/1000 rpm PTO. Requires code 6120 or 6220.	In Base Price
1386		24F/12R PowrReverser Transmission (25mph/40kmh) - MFWD Axle MFWD Axle.540/1000rpm PTO. Includes: Electrohydraulic high/low button. Requires code 6210 or 6220.	1,284.00
		SELECTIVE CONTROL VALVES	
3320		Dual Standard SCV with ISO Breakaway Couplers Four Positions in each spool: Raise, Off/Neutral, Lower, and Float. Provides detent in Float position. See Ag Sales Manual for details.	In Base Price
3340		Triple Deluxe SCV with ISO Breakaway Couplers Spools 1, 2, and 3 have three detent choices: - Pressure Limit Kick-out (cylinder use)- Spring Center (front loader use)- Continuous Detent (hydraulic motor use) Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. See Ag Sales Manual for details.	394.00
		DRAFT LINK	
4120		Two Telescopic Draft Links	In Base Price
		STABILIZER	
4420		Sway Chain with Retainers	In Base Price
4421		Sway Bars	No Added Cost
		HITCH TYPE	
4015		Standard Hitch Hitch lift capacity 5500lb (2500kg)	In Base Price
4020		Heavy Duty Hitch Hitch lift capacity 7300lb (3318kg)	394.00
		DRAWBAR	
4315		Standard Drawbar	In Base Price

### 6105E Cab Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DRAWBARContinued	
4320		Heavy Duty Drawbar	254.00
		FRONT WHEELS AND TIRES	
6151		10.00-16 8PR F2 Bias Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - 2WD Front Axle (Code 1382).	-2,656.00
6200		320/85R24 In. 8PR R1 Radial Available in Mitas.	-624.00
6210		340/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5212. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	In Base Price
6220		380/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5234 or 5221. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	154.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 8PR R1 Radial Available in Continental/Mitas.	806.00
5212		460/85R34 In. 8PR R1 Radial Available in Continental/Mitas.	In Base Price
5221		420/85/R38 In. 8PR R1 Radial Available in Continental/Mitas.	428.00
5460		300/95R42 R1 Radial Available in MITAS	-96.00
		CAB EQUIPMENT	
8261		Cab with Loader View Roof includes sun visor	595.00
8254		Instructional Seat	579.00
		LIGHTING	
8726		Rotating Warning Light (Beacon Light)	232.00
8910		FRONT LOADER PACKAGES  2-Function Mechanical Independent Control Valve Loader Ready Includes: 2-Function Mechanical Joystick, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	3,828.00

### 6105E Cab Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8911		FRONT LOADER PACKAGESContinued 3-Function Mechanical Independent Control Valve Loader Ready Includes: 3-Function Mechanical Joystick, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox. Note: This package includes both the tractor and loader halves of the quick coupler connection.	4,741.00
		MISCELLANEOUS	
8461		Draft Control	626.00
8002		Tool Box	52.00
		SPECIAL PAINTING	
8030		John Deere Industrial Yellow Paint Finish	1,561.00
		FRONT FENDERS	
8010		Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader Ready Packages (Code 8910 or 8911).	607.00
		FRONT WEIGHTS	
8995		Front Weight Support Bracket  Holds up to eighteen 100-Lbs suitcase weights.	284.00
		REAR WHEEL WEIGHTS	
8970		Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	309.00
8971		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	617.00
8972		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	926.00
8973		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,235.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10210	Engine Radiator Screen kit field Removable screen helps maintain good radiator air flow.	36.30
	BSJ10216	Fenders Fixed Front Fenders (MFWD only)	651.20

#### 6105E Cab Tractor (87 PTO hp)

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10042	Hitch and Drawbar Hammerstrap	199.10
	BSJ10046	Heavy Duty Drawbar	380.60
	BSJ10045	Heavy Duty Hitch: Hitch Lift Capacity: 7300 lb (3318 kg)	552.20
	BSJ10047	Mechanical Draft Sensing	731.50
	TY16042	Quik-Coupler, Economy, Category 2	580.37
	BSJ10218	Hydraulics Dual Function Mid SCV to Triple Function Mid SCV Conversion Includes valve, with switch and harness for third function. (Does not include loader mounting frames).	1,855.70
	BSJ10219	Dual Function Mid SCV with Joystick Control Kit Does not include loader mounting frames or quick connect hose couplers.	1,490.50
	BSJ10212	Rear SCV Oil Collection Kit Environmental system for collecting small drips of hydraulic oil during implement connection and removal process at the SCV.	68.20
	BSJ10221	Triple Function Mid SCV Kit  Does not include loader mounting frames or quick connect hose couplers.	2,214.30
	LVB25720	Lighting Auxiliary work light kit (2 lights) For Cab Tractors Only.	156.20
	BLV10120	Beacon light kit	244.20
	BSJ10026	Miscellaneous Backup Alarm Kit Compatible with PowrReverser transmission only.	81.40
	SU34006	Tool Box Also order bracket SU25610, and hardware 19M8184(2), 14M7166(4), and 19M7866(4).	54.09
	SJ10170	Miscellaneous Antenna	30.60
	RE227949	Engine Block Heater (110V)	108.37
	AL113087	Lockable Fuel Tank	29.27
	LVB25727	PowrReverser modulation control kit	160.60
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80

#### 6105E Cab Tractor (87 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	BLV10173	Wiper and washer, rear	355.30
	RE321102	Operator Environment Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	481.80
	RE321109	Radio Radio Kit Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	942.70
	LVB25714	Rear Fenders Rear fender extension	227.70
	BSJ10215	Vandal Protection Vandal Protection Package (Includes Lockable Transmission Oil Fill, Lockable Hood, Lockable Oil Fill Cap and lockable DEF cap.)	148.50
	BSJ10217	Weights Front Weight Support Bracket	345.40
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)	746.90

#### 6120E Cab Tractor (101 PTO hp)

**Equipment for Base Machine** 

ENGINE: John Deere PowerTech PWL Diesel Engine In-line 4-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5~L (276 Cu. In.) Displacement 120 Engine Horsepower [97/68/EC] @ Rated Speed 101 SAE PTO Horsepower @ Rated Speed High Pressure Common Rail Wastegate Turbocharger and Exhaust Gas Recirculation Closed Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with Deluxe Cornerpost Exhaust 41.7 Gal (158 L) Fuel
Tank Capacity TRANSMISSION: 12 Forward / 12
PowrReverser Transmission (19 mph (30km/h) LH Power
Reverser Wet Multi-Disk Clutch Mechanically Actuated Park Brake Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake Rear Axle Differential Lock HYDRAULICS: Open Center 20.0 GPM (75.7 L/min) Pump Flow @ Rated Speed (2200) 2 SCV's; Mechanical; ISO Breakaway Couplers REAR PTO: 540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic PTO Activation Wet Clutch Neutral Start Safety System Seat Activated PTO Warning ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch Category 2, 3-Point Hitch Mechanical Hitch Control 5500 Lb. (2500 kg) Lift Capacity Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Safety Chain Holder INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Coolant Temperature PTO Engagement Engine Air Filter Alternator Directional Indicators Hazard Switch Park Brake Indicator MFWD Indicator CAB OPERATOR STATION: Air Conditioning and Heater 2 Doors Front Fixed Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Right Hand and Left Hand Foot Steps Operational Controls, RH Console Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Two Cup Holders RH & LH Fixed External Mirrors ELECTRICAL: Key Shutoff 12-Volt Electrical System 12-Volt Battery, 925 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket LIGHTS: Two Front Grille Headlights Two Front Roof Lights Two Rear Roof Lights Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 13.6-24 In. 8PR R1 Bias Tires REAR AXLE WHEELS AND TIRES: Flange Axle 8 Position Steel Wheels 18.4-34 In. 8PR R1 Bias MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem Horn Fuel Tank Guard

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
333RP		6120E Cab Tractor (101 PTO hp)	84,660.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
0203		Puerto Rico	No Added Cost
		OPERATOR'S MANUAL	
0409		English Operator's Manual North America	In Base Price
0437		Spanish Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
0413		French Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
		PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price

### 6120E Cab Tractor (101 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0521		PACKAGE CONFIGURATIONSContinued Cab MFWD 2-SCV 12F/12R PowrReverser Air Seat Value Package Cab Tractor with MFWD, 12F/12R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 2050,1383,2130, 4120, and 3320.	In Configuration
		OPERATOR'S STATION	
2050		Standard Cab	In Base Price
		SEAT	
2100		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
2130		Air Suspension Seat with Swivel (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; 15 degree Seat swivel	912.00
		TRANSMISSION	
1382		12F/12R PowrReverser Transmission (19mph/30kmh) - 2WD Front Axle Adjustable 2WD Front Axle (59.1-74 in.). 540/1000rpm PTO. Requires code 6151.	-5,584.00
1383		12F/12R PowrReverser Transmission (19mph/30kmh) - MFWD Axle MFWD Axle. 540/1000 rpm PTO. Requires code 6120 or 6220.	In Base Price
1386		24F/12R PowrReverser Transmission (25mph/40kmh) - MFWD Axle MFWD Axle.540/1000rpm PTO. Includes: Electrohydraulic high/low button. Requires code 6210 or 6220.	1,284.00
		SELECTIVE CONTROL VALVES	
3320		Dual Standard SCV with ISO Breakaway Couplers Four Positions in each spool: Raise, Off/Neutral, Lower, and Float. Provides detent in Float position. See Ag Sales Manual for details.	In Base Price
3340		Triple Deluxe SCV with ISO Breakaway Couplers Spools 1, 2, and 3 have three detent choices: - Pressure Limit Kick-out (cylinder use)- Spring Center (front loader use)- Continuous Detent (hydraulic motor use) Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. See Ag Sales Manual for details.	394.00
		DRAFT LINK	
4120		Two Telescopic Draft Links	In Base Price
		STABILIZER	
4420		Sway Chain with Retainers	In Base Price
4421		Sway Bars	No Added Cost

### 6120E Cab Tractor (101 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HITCH TYPE	
4015		Standard Hitch Hitch lift capacity 5500lb (2500kg)	In Base Price
4020		Heavy Duty Hitch Hitch lift capacity 7300lb (3318kg)	394.00
		DRAWBAR	
4315		Standard Drawbar	In Base Price
4320		Heavy Duty Drawbar	254.00
		FRONT WHEELS AND TIRES	
6151		10.00-16 8PR F2 Bias Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - 2WD Front Axle (Code 1382).	-2,656.00
6200		320/85R24 In. 8PR R1 Radial Available in Mitas.	-624.00
6210		340/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5212. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	In Base Price
6220		380/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5234 or 5221. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	154.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 8PR R1 Radial Available in Continental/Mitas.	806.00
5212		460/85R34 In. 8PR R1 Radial Available in Continental/Mitas.	In Base Price
5221		420/85/R38 In. 8PR R1 Radial Available in Continental/Mitas.	428.00
5460		300/95R42 R1 Radial Available in MITAS	-96.00
		CAB EQUIPMENT	
8261		Cab with Loader View Roof includes sun visor	595.00
8254		Instructional Seat	579.00
		LIGHTING	

#### 6120E Cab Tractor (101 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8726		LIGHTINGContinued Rotating Warning Light (Beacon Light)	232.00
		FRONT LOADER PACKAGES	
8910		2-Function Mechanical Independent Control Valve Loader Ready Includes: 2-Function Mechanical Joystick, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	3,828.00
8911		3-Function Mechanical Independent Control Valve Loader Ready Includes: 3-Function Mechanical Joystick, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	4,741.00
		MISCELLANEOUS	
8461		Draft Control	626.00
8002		Tool Box	52.00
		SPECIAL PAINTING	
8030		John Deere Industrial Yellow Paint Finish	1,561.00
		FRONT FENDERS	
8010		Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader Ready Packages (Code 8910 or 8911).	607.00
		FRONT WEIGHTS	
8995		Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	284.00
		REAR WHEEL WEIGHTS	
8970		Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	309.00
8971		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	617.00
8972		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	926.00
8973		Eight Rear Wheel Weights  Eight - 120 Lb (54 kg) weights.	1,235.00

#### ATTACHMENTS FOR FIELD CONVERSION

#### 6120E Cab Tractor (101 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10210	Engine Radiator Screen kit field Removable screen helps maintain good radiator air flow.	36.30
	BSJ10216	Fenders Fixed Front Fenders (MFWD only)	651.20
	BSJ10042	Hitch and Drawbar Hammerstrap	199.10
	BSJ10046	Heavy Duty Drawbar	380.60
	BSJ10045	Heavy Duty Hitch: Hitch Lift Capacity: 7300 lb (3318 kg)	552.20
	BSJ10047	Mechanical Draft Sensing	731.50
	TY16042	Quik-Coupler, Economy, Category 2	580.37
	BSJ10218	Hydraulics Dual Function Mid SCV to Triple Function Mid SCV Conversion Includes valve, with switch and harness for third function. (Does not include loader mounting frames).	1,855.70
	BSJ10219	Dual Function Mid SCV with Joystick Control Kit Does not include loader mounting frames or quick connect hose couplers.	1,490.50
	BSJ10212	Rear SCV Oil Collection Kit Environmental system for collecting small drips of hydraulic oil during implement connection and removal process at the SCV.	68.20
	BSJ10221	Triple Function Mid SCV Kit  Does not include loader mounting frames or quick connect hose couplers.	2,214.30
		Does not include todaet mounting frames of quick connect nose couplers.	
	LVB25720	Lighting Auxiliary work light kit (2 lights) For Cab Tractors Only.	156.20
	BLV10120	Beacon light kit	244.20
	BSJ10026	Miscellaneous Backup Alarm Kit Compatible with PowrReverser transmission only.	81.40
	SU34006	Tool Box Also order bracket SU25610, and hardware 19M8184(2), 14M7166(4), and 19M7866(4).	54.09
	SJ10170	Miscellaneous Antenna	30.60

APY10029

# AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

#### 6120E Cab Tractor (101 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	RE227949	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater (110V)	108.37
	AL113087	Lockable Fuel Tank	29.27
	LVB25727	PowrReverser modulation control kit	160.60
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	BLV10173	Wiper and washer, rear	355.30
	RE321102	<b>Operator Environment</b> Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	481.80
	RE321109	Radio Radio Kit Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	942.70
	LVB25714	Rear Fenders Rear fender extension	227.70
	BSJ10215	Vandal Protection Vandal Protection Package (Includes Lockable Transmission Oil Fill, Lockable Hood, Lockable Oil Fill Cap and lockable DEF cap.)	148.50
		Weights	
	BSJ10217	Front Weight Support Bracket	345.40

Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)

746.90

#### 6135E Cab Tractor (114 PTO hp)

**Equipment for Base Machine** 

ENGINE: John Deere PowerTech PWS Diesel Engine In-line 4-Cylinder Wet-Sleeve with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5~L (276 Cu. In.) Displacement 135 Engine Horsepower [97/68/EC] @ Rated Speed 114 SAE PTO Horsepower @ Rated Speed High Pressure Common Rail Wastegate Turbocharger and Exhaust Gas Recirculation Closed Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood AfterTreatment System with Deluxe Cornerpost Exhaust 41.7 Gal (158 L) Fuel
Tank Capacity TRANSMISSION: 12 Forward / 12
PowrReverser Transmission (19 mph (30km/h) LH Power
Reverser Wet Multi-Disk Clutch Mechanically Actuated Park Brake Neutral Safety Start System STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Rear Axle Differential Lock HYDRAULICS: Open Center 20.0 GPM (75.7 L/min) Flow @ Rated Speed (2200) 2 SCV's; Mechanical; ISO Breakaway Couplers REAR PTO: 540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic PTO Activation Wet Clutch Neutral Start Safety System Seat Activated PTO Warning ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch Category 2, 3-Point Hitch Mechanical Hitch Control 5500 Lb. (2500 kg) Lift 3-Point Hitch Capacity Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Safety Chain Holder INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Coolant

Temperature PTO Engagement Engine Air Filter Alternator Directional Indicators Hazard Switch Park Brake Indicator MFWD Indicator CAB OPERATOR STATION: Air Conditioning and Heater 2 Doors Front Fixed Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Right Hand and Left Hand Foot Steps Operational Controls, RH Console Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Two Cup Holders RH & LH Fixed External Mirrors ELECTRICAL: Key Shutoff 12-Volt Electrical System 12-Volt Battery, 925 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket LIGHTS: Two Front Grille Headlights Two Front Roof Lights Two Rear Roof Lights Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 13.6-24 In. 8PR Rl Bias Tires REAR AXLE WHEELS AND TIRES: Flange Axle 8 Position Steel Wheels 18.4-34 In. 8PR R1 Bias MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem Horn Fuel Tank Guard

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
334RP		6135E Cab Tractor (114 PTO hp)	91,183.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
0203		Puerto Rico	No Added Cost
		OPERATOR'S MANUAL	
0409		English Operator's Manual North America	In Base Price
0437		Spanish Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
0413		French Operator's Manual North America Includes Warning Labels in Spanish.	No Added Cost
		PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price

### 6135E Cab Tractor (114 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0521		PACKAGE CONFIGURATIONSContinued Cab MFWD 2-SCV 12F/12R PowrReverser Air Seat Value Package Cab Tractor with MFWD, 12F/12R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 2050,1383,2130, 4120, and 3320.	In Configuration
		OPERATOR'S STATION	
2050		Standard Cab	In Base Price
		SEAT	
2100		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
2130		Air Suspension Seat with Swivel (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; Operator's Manual holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; 15 degree Seat swivel	912.00
		TRANSMISSION	
1383		12F/12R PowrReverser Transmission (19mph/30kmh) - MFWD Axle MFWD Axle. 540/1000 rpm PTO. Requires code 6120 or 6220.	In Base Price
1386		24F/12R PowrReverser Transmission (25mph/40kmh) - MFWD Axle MFWD Axle.540/1000rpm PTO. Includes: Electrohydraulic high/low button. Requires code 6210 or 6220.	1,284.00
		SELECTIVE CONTROL VALVES	
3320		Dual Standard SCV with ISO Breakaway Couplers Four Positions in each spool: Raise, Off/Neutral, Lower, and Float. Provides detent in Float position. See Ag Sales Manual for details.	In Base Price
3340		Triple Deluxe SCV with ISO Breakaway Couplers Spools 1, 2, and 3 have three detent choices: - Pressure Limit Kick-out (cylinder use)- Spring Center (front loader use)- Continuous Detent (hydraulic motor use) Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. See Ag Sales Manual for details.	394.00
		DRAFT LINK	
4120		Two Telescopic Draft Links	In Base Price
		STABILIZER	
4420		Sway Chain with Retainers	In Base Price
4421		Sway Bars	No Added Cost
		HITCH TYPE	
4015		Standard Hitch	In Base Price

### 6135E Cab Tractor (114 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HITCH TYPEContinued Hitch lift capacity 5500lb (2500kg)	
4020		Heavy Duty Hitch Hitch lift capacity 7300lb (3318kg)	394.00
		DRAWBAR	
4315		Standard Drawbar	In Base Price
4320		Heavy Duty Drawbar	254.00
		FRONT WHEELS AND TIRES	
6200		320/85R24 In. 8PR R1 Radial Available in Mitas.	-624.00
6210		340/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5212. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	In Base Price
6220		380/85R24 In. 8PR R1 Radial Available in Continental/Mitas. Only available with Code 5234 or 5221. Requires 12F/12R PowrReverser Transmission (19 mph/30 kmh) - MFWD Axle (Code 1383) or 24F/12R PowrReverser Transmission (25 mph/40kmh) - MFWD Axle (Code 1386).	154.00
		REAR WHEELS AND TIRES	
5234		460/85R38 In. 8PR R1 Radial Available in Continental/Mitas.	806.00
5212		460/85R34 In. 8PR R1 Radial Available in Continental/Mitas.	In Base Price
5221		420/85/R38 In. 8PR R1 Radial Available in Continental/Mitas.	428.00
5460		300/95R42 R1 Radial Available in MITAS	-96.00
		CAB EQUIPMENT	
8261		Cab with Loader View Roof includes sun visor	595.00
8254		Instructional Seat	579.00
		LIGHTING	
8726		Rotating Warning Light (Beacon Light)	232.00
		FRONT LOADER PACKAGES	
8910		2-Function Mechanical Independent Control Valve Loader Ready Includes: 2-Function Mechanical Joystick, 4-hydraulic hoses from mid-mount tractor valve to	3,828.00

### 6135E Cab Tractor (114 PTO hp)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox. Note: This package includes both the tractor and loader halves of the quick coupler connection.	
8911		3-Function Mechanical Independent Control Valve Loader Ready Includes: 3-Function Mechanical Joystick, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, individual quick couplers, H-series loader mounting frames, hood guard, and toolbox.  Note: This package includes both the tractor and loader halves of the quick coupler connection.	4,741.00
		MISCELLANEOUS	
8461		Draft Control	626.00
8002		Tool Box	52.00
		SPECIAL PAINTING	
8030		John Deere Industrial Yellow Paint Finish	1,561.00
8010		FRONT FENDERS Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader Ready Packages (Code 8910 or 8911).	607.00
8995		FRONT WEIGHTS Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	284.00
		REAR WHEEL WEIGHTS	
8970		Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	309.00
8971		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	617.00
8972		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	926.00
8973		Eight Rear Wheel Weights  Eight - 120 Lb (54 kg) weights.	1,235.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10210	Engine Radiator Screen kit field Removable screen helps maintain good radiator air flow.	36.30

#### 6135E Cab Tractor (114 PTO hp)

		Continueu	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10216	Fenders Fixed Front Fenders (MFWD only)	651.20
	BSJ10042	Hitch and Drawbar Hammerstrap	199.10
	BSJ10046	Heavy Duty Drawbar	380.60
	BSJ10045	Heavy Duty Hitch: Hitch Lift Capacity: 7300 lb (3318 kg)	552.20
	BSJ10047	Mechanical Draft Sensing	731.50
	TY16042	Quik-Coupler, Economy, Category 2	580.37
	BSJ10218	Hydraulics Dual Function Mid SCV to Triple Function Mid SCV Conversion Includes valve, with switch and harness for third function. (Does not include loader mounting frames).	1,855.70
	BSJ10219	Dual Function Mid SCV with Joystick Control Kit  Does not include loader mounting frames or quick connect hose couplers.	1,490.50
	BSJ10212	Rear SCV Oil Collection Kit Environmental system for collecting small drips of hydraulic oil during implement connection and removal process at the SCV.	68.20
	BSJ10221	Triple Function Mid SCV Kit  Does not include loader mounting frames or quick connect hose couplers.	2,214.30
	LVB25720	Lighting Auxiliary work light kit (2 lights) For Cab Tractors Only.	156.20
	BLV10120	Beacon light kit	244.20
	BSJ10026	Miscellaneous Backup Alarm Kit Compatible with PowrReverser transmission only.	81.40
	SU34006	Tool Box Also order bracket SU25610, and hardware 19M8184(2), 14M7166(4), and 19M7866(4).	54.09
		Missallansous	
	SJ10170	Miscellaneous Antenna	30.60
	RE227949	Engine Block Heater (110V)	108.37
	AL113087	Lockable Fuel Tank	29.27
	LVB25727	PowrReverser modulation control kit	160.60

APY10029

# AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

#### 6135E Cab Tractor (114 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL71345	ATTACHMENTS FOR FIELD CONVERSIONContinued Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	BLV10173	Wiper and washer, rear	355.30
	RE321102	Operator Environment Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	481.80
	RE321109	Radio Radio Kit Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	942.70
	LVB25714	Rear Fenders Rear fender extension	227.70
	BSJ10215	Vandal Protection Vandal Protection Package (Includes Lockable Transmission Oil Fill, Lockable Hood, Lockable Oil Fill Cap and lockable DEF cap.)	148.50
	BSJ10217	Weights Front Weight Support Bracket	345.40

Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228)

746.90