6110M Open operator station Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
Tier II (check code selection)
4 cylinders
Rated power 97/68 EC w/o IPM 110 hp
Max. Power 97/68 EC w/o IPM 116 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 1
Diesel Exhaust Fluid Tank Capacity 13 1

Transmission (check code selection) Mechanical Park Lock

Operator Station Operator Station Type: Open Operator Station Steering Column: Telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	_
4224L		6110M Open operator station Tractor	88,963.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) inluding beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		TRANSMISSION	
1424		PowrQuad - 16/16, 30 km/h	In Base Price

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TRANSMISSIONContinued Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (19 mph)	
1426		PowrQuad - 24/24, 40 km/h Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) Requires Code 6045(MFWD).	1,811.00
1432		PowrQuad - 16/16, 30 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Left Hand Reverser (19 mph) with Creeper	3,209.00
1434		PowrQuad - 24/24, 40 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) with Creeper	4,570.00
		OPERATOR'S STATION	
2075		Open Operator Station Flat Platform Right-hand Steps Tilt/Telescopic Steering Column Right-hand Operational Controls Hand and Foot Throttle Control Power Outlet Socket (Code 8240) No Handbrake (Code 8762) LH Remote Hitch Controls (Code 8446) Swinging Drawbar with hammerstrap (Code 8434) 154ah battery (Code 8746)	In Base Price
		SEAT	
2100		Economy Seat Seat MSG-83 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat Seat MSG-85 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	660.00
		REAR AXLE	_
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft 100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,582.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6022		FRONT AXLEContinued 2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		WHEELS AND HUBS	
5093		2-Position Steel Wheels Rear wheels	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Only available with Rack & Pinion. Front wheels are adjustable steel when ordered with MFWD Mendowed with Rack with Riving and a sade 5000 only available with the fall aviing tire sizes.	181.00
		If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237. When ordered with 2WD (6022) the front wheel will be a 2-position Rear wheels	
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5150		Rear Wheels Size 21.5L-16.1 21.5L-16.1 In. 6PR R3 Bias Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires 27/9.5-15 In. 6PR II Bias Front wheel (Code 6141) Not compatible with 25 mph (40kmh) transmissions. Available in Firestone Turf and Field only.	-3,276.00
5161		Rear Wheels Size 420/85R24/16.9-24 R3 profile (All weather), 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in Mitas, Firestone, Michelin or Trelleborg.	-296.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 RIW Radial (420/85R30 140A8 RIW Radial) For 2WD: Requires Code 6100. For MFWD: Requires Code 6200. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	002 (4)
5190		Rear Wheels Size 460/85R30 Available in Mitas, Firestone, Michelin or Trelleborg. 18.4R30 In. 142A8 R1W (460/85R30 In. 145A8 R1W) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210 or 6200. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-206.00
5202		Rear Wheels Size 420/85R34 Available in Mitas, Michelin, Firestone. 16.9R34 In. 139A8 R1W (420/85R34 In. 139A8 R1W) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85	-356.00
5208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone, Michelin. 480/70R34 In. 143A8 R1W For MFWD: Requires Code 6211. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	362.00
5212		Rear Wheels Size 460/85R34 Available in Mitas, Firestone, Michelin. 18.4R34 In. 144A8 R1W (460/85R34 In. 147A8 R1W) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	In Base Price
5215		Rear Wheels Size 520/70R34 Available in Mitas, Firestone, Michelin. 520/70R34 In. 148A8 R1W For MFWD: Requires Code 6221 Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70	620.00
5220		Rear Wheels Size 320/90R42 Available in Firestone. 320/90R42 In. 139A8 R1W For MFWD: Requires Code 6215. Requires Code 5040(Rack & Pinion Steel). Available in Firestone R9000.	660.00
5221		Rear wheels size 420/85R38 Available in Mitas, Firestone, Michelin. 16.9R38 In. 141A8 R1W (420/85R38 In. 144A8 R1W) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	428.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Michelin. 480/70R38 In. 145A8 R1W For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T & Trelleborg	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Mitas, Firestone. 460/85R38 In. 145A8 R1W For MFWD: Requires Code 6221.	2,102.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T and Trelleborg.	
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone, Michelin. 520/70R38 In. 150A8 R1W For MFWD: Requires Code 6240 or 6221. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone R2 CSG only. 13.6-46 In. 6PR R2 Bias For MFWD: Requires Code 6280. Only compatible with 30K Transmissions. Available in Firestone R2 CSG only.	824.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R34 In. 159D R4 Radial For MFWD: Requires Code 6225. Available in Nokain TRI2 only.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237. Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999)	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone. Only with 2WD axle. 11L-15 In. 8PR F3 Bias Available in Firestone F3 Industrial Special. Standard Load Capacity 4708 Lbs.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone. Not with front fenders (Code 8011 or 8012). 10.5/80-18 In. 10PR 13 Bias Available in Firestone ATU. Not with front fenders (Code 8011 or 8012). Available for 2WD and MFWD (Code 6022 or 6045).	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone. Only with 2WD axle. 11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,638.00
6141		Front Wheels Size 27/9.5-15 Available in Firestone. Only with 2WD axle. Not compatible with no rear tire preference (code 5999). 27/9.5-15 In. 6PR II Bias Available in Firestone only.	-3,350.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6151		FRONT WHEELS AND TIRESContinued Front Wheels Size 10.00-16 Available in Firestone. Only with 2WD axle. 10.00-16 In. 10PR F2 Bias	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Michelin. 11.2R24 In. 114A8 RIW Available in Michelin Agribib. 280/85R24 115A8 RIW Available in Firestone Performer 85	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Mitas, Firestone, Michelin or Trelleborg. 320/85R24 In. 122A8 R1W Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-778.00
6210		Front Wheels Size 340/85R24 Available in Mitas, Firestone, Michelin. 13.6R24 In. 121A8 R1W Available in Michelin Agribib, 340/85R24 125A8 R1W Available in Firestone Performer 85, Mitas AC85.and Trelleborg	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone, Michelin. 380/70R24 In. 125A8 RIW Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	-550.00
6215		Front Wheels Size 320/85R28 Available in Mitas, Firestone, Michelin. 12.4R28 In. 121A8 R1W Available in Michelin Agribib 320/85R28 124 A8 R1W Available in Firestone Performer 85, and Mitas AC85.	-248.00
6220		Front Wheels Size 380/85R24 Available in Mitas, Firestone, Michelin. 380/85R24 In. 131A8 R1W Available in Firestone Performer 85 and Mitas AC85. 14.9R24 In. 126A8 R1W Available in Michelin Agribib, Not with Turnable Front Fenders for MFWD (Code 8012).	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Firestone, Michelin. 420/70R24 In. 130A8 RIW Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas AC70T and Trelleborg.	-256.00
6230		Front Wheels Size 340/85R28 Available in Mitas, Firestone, Michelin. 13.6R28 In. 123A8 R1W Available in ,Michelin Agribib 340/85R28 127A8 R1W Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	96.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6232		FRONT WHEELS AND TIRESContinued Front Wheels Size 420/85R24 Available in Mitas, Firestone. 16.9R24 In. 134A8 R1W Radial Available in Michelin Agribib (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	366.00
6236		Front Wheels Size 380/85R28 Available in Mitas, Firestone, Michelin. 380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Mitas AC85, and Trelleborg.	352.00
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Michelin. 420/70R28 133A8 RIW Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas HC70, and Trelleborg.	782.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone R2 CSG only. 13.6-38 In. 6PR R2 Bias Available in Firestone CSG only.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 440/80R24 149D R4 Radial Available in Nokian TRI2 only. Requires Code 5237 (Rear).	1,530.00
1000		CENTER LINK	200.00
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		STABILIZERContinued	
		REAR POWER TAKE-OFF (PTO)	
3810		Rear Independent 540rpm PTO Rear Independent 540 RPM PTO Not compatible with Power Beyond (Code 832J) or 3 SCVs (Codes 3335 or 3338)	-826.00
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. In base. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Hydraulic Pump - 114 l/min PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen.	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		ENGINE	
8304		Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8307		FUEL TANK Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank.	443.00
		EXHAUST	
8330		Horizontal Exhaust	1,378.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		EXHAUSTContinued Not with RH footstep Not with RH door Not with RH outer mirror Only for Canada and USA (Codes 0184, 0202) Not with mechanical cab suspension (8261) Not with ISOBUS Ready / AutoTrac Ready option or StarFire receiver (Codes 1830, 1832, 1840, 1841, 1842, 1843) Not with trailer brake system (Codes 8750, 8751, 8756) Not with additional oil reservoir (Code 832D) Not with Economy front hitch & front PTO (Codes 8410, 8381) Not with TLS front axle (Codes 6065, 6070) Not with footstep lights (Code 8728) Not with floormat (Code 8284) Not with Tier 2 engine (Codes 891H, 891G, 891D, 891C, 8923, 8922)	
8782		CAB EQUIPMENT Backup Alarm	507.00
0/02		Safety alarm for reverse.	507.00
878J		Vandal Protection Package Includes lock for hood, latch for transmission oil filler neck and lockable fuel cap.	366.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	120.00
		STEERING AND BRAKES	
		No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness ($\pm 20\%$) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00

6110M Open operator station Tractor

	achment Intifier Description	List Price Suggested USD (\$)
8747	BATTERY Battery 12V/174AH Located on right-hand floor.	126.00
873B	LIGHTING 2 Front Work Lights Two H3 halogen fender-mounted work lights.	205.00
873R	1 Additional Rear Working Light One halogen right-hand left-ROPS mounted work light (H3). Right Side ROPS mounted	122.00
8424	HITCH Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	652.00
8435	DRAWBAR Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
8457	REAR HITCH Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders. 6110M and 6120M: 7,431 lbs (3,371 kg)	399.00
8385	REAR POWER TAKE-OFF (PTO) Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
832J	SELECTIVE CONTROL VALVES Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
8924	FRONT LOADER PREPARATION Loader Preparation - Mechanical Midstack SCV - 3 Functions	3,405.00

6110M Open operator station Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATIONContinued Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 3-function mid-mounted control valve and mechanical joystick control.	
8925		Loader Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed, on OOS behind driver's seat	85.00
8781		License Plate Bracket - Rear Fender mounted. On OOS tractors mounted behind seat.	39.00

SPECIAL PAINTING

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8030		SPECIAL PAINTINGContinued Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15726	Electrical Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15650	Fenders MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30

6110M Open operator station Tractor

	Attachment		List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BL15652	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 ln. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	AL206240	Front Axle Tobacco Axle	1,630.20
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	BL15610	Hitch and Drawbar Lift Cylinder for Increased Lift Capacity (75mm)	943.80
	AL80849	Stabilizer Chains for Draft Links	336.60
	AL82925	Stabilizer Sway Chains for Draft Links (Low Profile)	407.00
	BL15710	Hydraulics ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15682	ATTACHMENTS FOR FIELD CONVERSIONContinued M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	AL179972	Lighting (2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	AL178998	Fender Mounted Work Lights (LH and RH), Front Facing	268.40
	BL15257	Hood Corner Work Lights	510.40
	BL15006	Miscellaneous Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	BL15279	Operator Environment Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60
	AL156779	Hub Extension 44mm, Rear, Tread Adjustment	590.70
	BL15134	Rear Hitch Equipment Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL158728	Transmission Back-up Alarm	631.40
	BL15622	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15702	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10

6110M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R56920	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6120M Open operator station Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 120 hp
Max. Power 97/68 EC w/o IPM 126 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 1
Diesel Exhaust Fluid Tank Capacity 13 1

Transmission (check code selection)
Mechanical Park Lock

Operator Station

Operator Station Type: Open Operator Station Steering Column: Telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
4294L		6120M Open operator station Tractor	94,811.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) inluding beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		TRANSMISSION	
1424		PowrQuad - 16/16, 30 km/h	In Base Price

6120M Open operator station Tractor

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		TRANSMISSIONContinued Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (19 mph)	
		•	
1426		PowrQuad - 24/24, 40 km/h Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph)	1,811.00
		Requires Code 6045(MFWD).	
1432		PowrQuad - 16/16, 30 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Left Hand Reverser (19 mph) with Creeper	3,209.00
1434		PowrQuad - 24/24, 40 km/h, with creeper	4,570.00
		Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) with Creeper	1,070.00
		OPERATOR'S STATION	
2075		Open Operator Station Flat Platform Right-hand Steps	In Base Price
		Tilt/Telescopic Steering Column	
		Right-hand Operational Controls Hand and Foot Throttle Control	
		Power Outlet Socket (Code 8240)	
		No Handbrake (Code 8762) LH Remote Hitch Controls (Code 8446)	
		Swinging Drawbar with hammerstrap (Code 8434)	
		154ah battery (Code 8746)	
		SEAT	
2100		Economy Seat Seat MSG-83 731.	In Base Price
		With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	
2107		Standard Seat	660.00
2107		Seat MSG-85 731.	000.00
		With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft	2,582.00
3040		100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,302.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6022		FRONT AXLEContinued 2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		WHEELS AND HUBS	
5093		2-Position Steel Wheels Rear wheels	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Only available with Rack & Pinion. Front wheels are adjustable steel when ordered with MFWD Mendowed with Rack with Riving and a sade 5000 only available with the fall aviing tire sizes.	181.00
		If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237. When ordered with 2WD (6022) the front wheel will be a 2-position Rear wheels	
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5150		Rear Wheels Size 21.5L-16.1 21.5L-16.1 In. 6PR R3 Bias Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires 27/9.5-15 In. 6PR II Bias Front wheel (Code 6141) Not compatible with 25 mph (40kmh) transmissions. Available in Firestone Turf and Field only.	-3,276.00
5161		Rear Wheels Size 420/85R24/16.9-24 R3 profile (All weather), 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in Mitas, Firestone, Michelin or Trelleborg.	-296.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 RIW Radial (420/85R30 140A8 RIW Radial) For 2WD: Requires Code 6100. For MFWD: Requires Code 6200. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	
5190		Rear Wheels Size 460/85R30 Available in Mitas, Firestone, Michelin or Trelleborg. 18.4R30 In. 142A8 R1W (460/85R30 In. 145A8 R1W) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210 or 6200. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-206.00
5202		Rear Wheels Size 420/85R34 Available in Mitas, Michelin, Firestone. 16.9R34 In. 139A8 R1W (420/85R34 In. 139A8 R1W) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85	-356.00
5208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone, Michelin. 480/70R34 In. 143A8 R1W For MFWD: Requires Code 6211. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	362.00
5212		Rear Wheels Size 460/85R34 Available in Mitas, Firestone, Michelin. 18.4R34 In. 144A8 R1W (460/85R34 In. 147A8 R1W) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	In Base Price
5215		Rear Wheels Size 520/70R34 Available in Mitas, Firestone, Michelin. 520/70R34 In. 148A8 R1W For MFWD: Requires Code 6221 Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70	620.00
5220		Rear Wheels Size 320/90R42 Available in Firestone. 320/90R42 In. 139A8 R1W For MFWD: Requires Code 6215. Requires Code 5040(Rack & Pinion Steel). Available in Firestone R9000.	660.00
5221		Rear wheels size 420/85R38 Available in Mitas, Firestone, Michelin. 16.9R38 In. 141A8 RIW (420/85R38 In. 144A8 RIW) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	428.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Michelin. 480/70R38 In. 145A8 R1W For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T & Trelleborg	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Mitas, Firestone. 460/85R38 In. 145A8 RIW For MFWD: Requires Code 6221.	2,102.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T and Trelleborg.	
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone, Michelin. 520/70R38 In. 150A8 R1W For MFWD: Requires Code 6240 or 6221. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone R2 CSG only. 13.6-46 In. 6PR R2 Bias For MFWD: Requires Code 6280. Only compatible with 30K Transmissions. Available in Firestone R2 CSG only.	824.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R34 In. 159D R4 Radial For MFWD: Requires Code 6225. Available in Nokain TRI2 only.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237. Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999)	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone. Only with 2WD axle. 11L-15 In. 8PR F3 Bias Available in Firestone F3 Industrial Special. Standard Load Capacity 4708 Lbs.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone. Not with front fenders (Code 8011 or 8012). 10.5/80-18 In. 10PR 13 Bias Available in Firestone ATU. Not with front fenders (Code 8011 or 8012). Available for 2WD and MFWD (Code 6022 or 6045).	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone. Only with 2WD axle. 11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,638.00
6141		Front Wheels Size 27/9.5-15 Available in Firestone. Only with 2WD axle. Not compatible with no rear tire preference (code 5999). 27/9.5-15 In. 6PR I1 Bias Available in Firestone only.	-3,350.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6151		FRONT WHEELS AND TIRESContinued Front Wheels Size 10.00-16 Available in Firestone. Only with 2WD axle. 10.00-16 In. 10PR F2 Bias	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Michelin. 11.2R24 In. 114A8 RIW Available in Michelin Agribib. 280/85R24 115A8 RIW Available in Firestone Performer 85	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Mitas, Firestone, Michelin or Trelleborg. 320/85R24 In. 122A8 R1W Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-778.00
6210		Front Wheels Size 340/85R24 Available in Mitas, Firestone, Michelin. 13.6R24 In. 121A8 RIW Available in Michelin Agribib, 340/85R24 125A8 RIW Available in Firestone Performer 85, Mitas AC85.and Trelleborg	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone, Michelin. 380/70R24 In. 125A8 RIW Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	-550.00
6215		Front Wheels Size 320/85R28 Available in Mitas, Firestone, Michelin. 12.4R28 In. 121A8 RIW Available in Michelin Agribib 320/85R28 124 A8 RIW Available in Firestone Performer 85, and Mitas AC85.	-248.00
6220		Front Wheels Size 380/85R24 Available in Mitas, Firestone, Michelin. 380/85R24 In. 131A8 R1W Available in Firestone Performer 85 and Mitas AC85. 14.9R24 In. 126A8 R1W Available in Michelin Agribib, Not with Turnable Front Fenders for MFWD (Code 8012).	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Firestone, Michelin. 420/70R24 In. 130A8 RIW Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas AC70T and Trelleborg.	-256.00
6230		Front Wheels Size 340/85R28 Available in Mitas, Firestone, Michelin. 13.6R28 In. 123A8 R1W Available in ,Michelin Agribib 340/85R28 127A8 R1W Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	96.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6232		FRONT WHEELS AND TIRESContinued Front Wheels Size 420/85R24 Available in Mitas, Firestone. 16.9R24 In. 134A8 R1W Radial Available in Michelin Agribib (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	366.00
6236		Front Wheels Size 380/85R28 Available in Mitas, Firestone, Michelin. 380/85R28 In. 133A8 RIW Radial Available in Firestone Performer 85, Michelin Agribib, Mitas AC85, and Trelleborg.	352.00
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Michelin. 420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas HC70, and Trelleborg.	782.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone R2 CSG only. 13.6-38 In. 6PR R2 Bias Available in Firestone CSG only.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 440/80R24 149D R4 Radial Available in Nokian TRI2 only. Requires Code 5237 (Rear).	1,530.00
		CENTER LINK	
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides	630.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		STABILIZERContinued	
		REAR POWER TAKE-OFF (PTO)	
3810		Rear Independent 540rpm PTO Rear Independent 540 RPM PTO Not compatible with Power Beyond (Code 832J) or 3 SCVs (Codes 3335 or 3338)	-826.00
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. In base. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Hydraulic Pump - 114 l/min PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen.	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		ENGINE	
8304		Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8307		FUEL TANK Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank.	443.00
		EXHAUST	
8330		Horizontal Exhaust	1,378.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		EXHAUSTContinued Not with RH footstep Not with RH door Not with RH outer mirror Only for Canada and USA (Codes 0184, 0202) Not with mechanical cab suspension (8261) Not with ISOBUS Ready / AutoTrac Ready option or StarFire receiver (Codes 1830, 1832, 1840, 1841, 1842, 1843) Not with trailer brake system (Codes 8750, 8751, 8756) Not with additional oil reservoir (Code 832D) Not with Economy front hitch & front PTO (Codes 8410, 8381) Not with footstep lights (Code 8728) Not with floormat (Code 8284) Not with Tier 2 engine (Code 8343) Not with mid stack SCVs (Codes 891H, 891G, 891D, 891C, 8923, 8922)	
		CAB EQUIPMENT	
8782		Backup Alarm Safety alarm for reverse.	507.00
878J		Vandal Protection Package Includes lock for hood, latch for transmission oil filler neck and lockable fuel cap.	366.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	120.00
		STEERING AND BRAKES No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness ($+20\%$) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
8950		FRONT WEIGHTS Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BATTERY	400.00
8747		Battery 12V/174AH Located on right-hand floor.	126.00
0700		LIGHTING	205.00
873B		2 Front Work Lights Two H3 halogen fender-mounted work lights.	205.00
873R		1 Additional Rear Working Light One halogen right-hand left-ROPS mounted work light (H3). Right Side ROPS mounted	122.00
0.40.4		HITCH	250.00
8424		Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	652.00
		DRAWBAR	
8435		Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
		REAR HITCH	
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders. 6130M: 8,456 lbs (3,836 kg)	399.00
		REAR POWER TAKE-OFF (PTO)	
8385		Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain.	640.00
		Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	
		FRONT LOADER PREPARATION	
8924		Loader Preparation - Mechanical Midstack SCV - 3 Functions	3,405.00

6120M Open operator station Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATIONContinued Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 3-function mid-mounted control valve and mechanical joystick control.	
8925		Loader Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed, on OOS behind driver's seat	85.00
8781		License Plate Bracket - Rear Fender mounted. On OOS tractors mounted behind seat.	39.00

SPECIAL PAINTING

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8030		SPECIAL PAINTINGContinued Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15726	Electrical Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15650	Fenders MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30

6120M Open operator station Tractor

	Attachment		List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BL15652	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 ln. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	AL206240	Front Axle Tobacco Axle	1,630.20
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	BL15610	Hitch and Drawbar Lift Cylinder for Increased Lift Capacity (75mm)	943.80
	AL80849	Stabilizer Chains for Draft Links	336.60
	AL82925	Stabilizer Sway Chains for Draft Links (Low Profile)	407.00
	BL15710	Hydraulics ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15682	ATTACHMENTS FOR FIELD CONVERSIONContinued M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	AL179972	Lighting (2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	AL178998	Fender Mounted Work Lights (LH and RH), Front Facing	268.40
	BL15257	Hood Corner Work Lights	510.40
	BL15006	Miscellaneous Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	BL15279	Operator Environment Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60
	AL156779	Hub Extension 44mm, Rear, Tread Adjustment	590.70
	BL15134	Rear Hitch Equipment Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL158728	Transmission Back-up Alarm	631.40
	BL15622	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15702	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10

6120M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R56920	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6130M Open operator station Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 130 hp
Max. Power 97/68 EC w/o IPM 137 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 1
Diesel Exhaust Fluid Tank Capacity 13 1

Transmission (check code selection)
Mechanical Park Lock

Operator Station

Operator Station Type: Open Operator Station Steering Column: Telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Miscellaneous Operators Manual

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
00R4L		6130M Open operator station Tractor	100,705.00
2121		DESTINATION	N. A.I. 10
0184		Canada	No Added Cost
0202		United States	In Base Price
		ODED A TODIC MANUAL	
0409		OPERATOR'S MANUAL English	In Base Price
0409		Liigiloii	III Dase Filce
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts	In Base Price
		are removed or tied up (e.g. bolts, upper link, etc.) inluding beacon light only in R1, R2 & R3	
		mudang beacon ugm only in K1, K2 & K3	
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		code 7702 pins certain parts of the tractor are coded with a protective full	
		TRANSMISSION	
1424		PowrQuad - 16/16, 30 km/h	In Base Price

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TRANSMISSIONContinued Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (19 mph)	
1426		PowrQuad - 24/24, 40 km/h Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) Requires Code 6045(MFWD).	1,811.00
1432		PowrQuad - 16/16, 30 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Left Hand Reverser (19 mph) with Creeper	3,209.00
1434		PowrQuad - 24/24, 40 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) with Creeper	4,570.00
		OPERATOR'S STATION	
2075		Open Operator Station Flat Platform Right-hand Steps Tilt/Telescopic Steering Column Right-hand Operational Controls Hand and Foot Throttle Control Power Outlet Socket (Code 8240) No Handbrake (Code 8762) LH Remote Hitch Controls (Code 8446) Swinging Drawbar with hammerstrap (Code 8434) 154ah battery (Code 8746)	In Base Price
		SEAT	
2100		Economy Seat Seat MSG-83 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat Seat MSG-85 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	660.00
		REAR AXLE	_
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft 100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,582.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6022		FRONT AXLEContinued 2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		WHEELS AND HUBS	
5093		2-Position Steel Wheels Rear wheels	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Only available with Rack & Pinion. Front wheels are adjustable steel when ordered with MFWD If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237. When ordered with 2WD (6022) the front wheel will be a 2-position Rear wheels	181.00
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5150		Rear Wheels Size 21.5L-16.1 21.5L-16.1 In. 6PR R3 Bias Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires 27/9.5-15 In. 6PR II Bias Front wheel (Code 6141) Not compatible with 25 mph (40kmh) transmissions. Available in Firestone Turf and Field only.	-3,276.00
5161		Rear Wheels Size 420/85R24/16.9-24 R3 profile (All weather), 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in Mitas, Firestone, Michelin or Trelleborg.	-296.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 RIW Radial (420/85R30 140A8 RIW Radial) For 2WD: Requires Code 6100. For MFWD: Requires Code 6200. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	
190		Rear Wheels Size 460/85R30 Available in Mitas, Firestone, Michelin or Trelleborg. 18.4R30 In. 142A8 R1W (460/85R30 In. 145A8 R1W) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210 or 6200. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85.	-206.00
202		Rear Wheels Size 420/85R34 Available in Mitas, Michelin, Firestone. 16.9R34 In. 139A8 RIW (420/85R34 In. 139A8 RIW) For 2WD: Requires Code 6100 or 6151. For MFWD: Requires Code 6210. Available in Firestone Performer 85, Michelin Agribib, and Continental/Mitas AC85	-356.00
208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone, Michelin. 480/70R34 In. 143A8 RIW For MFWD: Requires Code 6211. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	362.00
212		Rear Wheels Size 460/85R34 Available in Mitas, Firestone, Michelin. 18.4R34 In. 144A8 RIW (460/85R34 In. 147A8 RIW) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	In Base Price
215		Rear Wheels Size 520/70R34 Available in Mitas, Firestone, Michelin. 520/70R34 In. 148A8 R1W For MFWD: Requires Code 6221 Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70	620.00
220		Rear Wheels Size 320/90R42 Available in Firestone. 320/90R42 In. 139A8 RIW For MFWD: Requires Code 6215. Requires Code 5040(Rack & Pinion Steel). Available in Firestone R9000.	660.00
221		Rear wheels size 420/85R38 Available in Mitas, Firestone, Michelin. 16.9R38 In. 141A8 R1W (420/85R38 In. 144A8 R1W) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	428.00
222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Michelin. 480/70R38 In. 145A8 R1W For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T & Trelleborg	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Mitas, Firestone. 460/85R38 In. 145A8 R1W For MFWD: Requires Code 6221.	2,102.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T and Trelleborg.	
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone, Michelin. 520/70R38 In. 150A8 R1W For MFWD: Requires Code 6240 or 6221. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone R2 CSG only. 13.6-46 In. 6PR R2 Bias For MFWD: Requires Code 6280. Only compatible with 30K Transmissions. Available in Firestone R2 CSG only.	824.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R34 In. 159D R4 Radial For MFWD: Requires Code 6225. Available in Nokain TRI2 only.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R38 In. 161D R4 Radial For MFWD: Requires Code 6225 or 6237. Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999)	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone. Only with 2WD axle. 11L-15 In. 8PR F3 Bias Available in Firestone F3 Industrial Special. Standard Load Capacity 4708 Lbs.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone. Not with front fenders (Code 8011 or 8012). 10.5/80-18 In. 10PR 13 Bias Available in Firestone ATU. Not with front fenders (Code 8011 or 8012). Available for 2WD and MFWD (Code 6022 or 6045).	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone. Only with 2WD axle. 11.00-16 In. 12PR F2 Bias Available in Firestone.	-2,638.00
6141		Front Wheels Size 27/9.5-15 Available in Firestone. Only with 2WD axle. Not compatible with no rear tire preference (code 5999). 27/9.5-15 In. 6PR I1 Bias Available in Firestone only.	-3,350.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6151		FRONT WHEELS AND TIRESContinued Front Wheels Size 10.00-16 Available in Firestone. Only with 2WD axle. 10.00-16 In. 10PR F2 Bias	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Michelin. 11.2R24 In. 114A8 RIW Available in Michelin Agribib. 280/85R24 115A8 RIW Available in Firestone Performer 85	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Mitas, Firestone, Michelin or Trelleborg. 320/85R24 In. 122A8 R1W Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-778.00
6210		Front Wheels Size 340/85R24 Available in Mitas, Firestone, Michelin. 13.6R24 In. 121A8 R1W Available in Michelin Agribib, 340/85R24 125A8 R1W Available in Firestone Performer 85, Mitas AC85.and Trelleborg	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone, Michelin. 380/70R24 In. 125A8 RIW Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	-550.00
6215		Front Wheels Size 320/85R28 Available in Mitas, Firestone, Michelin. 12.4R28 In. 121A8 RIW Available in Michelin Agribib 320/85R28 124 A8 RIW Available in Firestone Performer 85, and Mitas AC85.	-248.00
6220		Front Wheels Size 380/85R24 Available in Mitas, Firestone, Michelin. 380/85R24 In. 131A8 RIW Available in Firestone Performer 85 and Mitas AC85. 14.9R24 In. 126A8 RIW Available in Michelin Agribib, Not with Turnable Front Fenders for MFWD (Code 8012).	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Firestone, Michelin. 420/70R24 In. 130A8 RIW Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas AC70T and Trelleborg.	-256.00
6230		Front Wheels Size 340/85R28 Available in Mitas, Firestone, Michelin. 13.6R28 In. 123A8 R1W Available in Michelin Agribib 340/85R28 127A8 R1W Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	96.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6232		FRONT WHEELS AND TIRESContinued Front Wheels Size 420/85R24 Available in Mitas, Firestone. 16.9R24 In. 134A8 R1W Radial Available in Michelin Agribib (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	366.00
6236		Front Wheels Size 380/85R28 Available in Mitas, Firestone, Michelin. 380/85R28 In. 133A8 R1W Radial Available in Firestone Performer 85, Michelin Agribib, Mitas AC85, and Trelleborg.	352.00
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Michelin. 420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas HC70, and Trelleborg.	782.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone R2 CSG only. 13.6-38 In. 6PR R2 Bias Available in Firestone CSG only.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 440/80R24 149D R4 Radial Available in Nokian TR12 only. Requires Code 5237 (Rear).	1,530.00
		CENTER LINK	
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
		Stabilizer Bars - Adjustable Both Sides	630.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description STABILIZERContinued	List Price Suggested USD (\$)
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. In base. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Hydraulic Pump - 114 l/min PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen.	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		ENGINE	
8304		Fuel Heater System	150.00
		COLD START PACKAGES	
8300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank.	443.00
		EXHAUST	
8330		Horizontal Exhaust Not with RH footstep Not with RH door Not with RH outer mirror Only for Canada and USA (Codes 0184, 0202)	1,378.00

6130M Open operator station Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggestee USD (\$
		EXHAUSTContinued Not with mechanical cab suspension (8261) Not with ISOBUS Ready / AutoTrac Ready option or StarFire receiver (Codes 1830, 1832, 1840, 1841, 1842, 1843) Not with trailer brake system (Codes 8750, 8751, 8756) Not with additional oil reservoir (Code 832D) Not with Economy front hitch & front PTO (Codes 8410, 8381)	
		Not with TLS front axle (Codes 6065, 6070) Not with footstep lights (Code 8728) Not with floormat (Code 8284) Not with Tier 2 engine (Code 8343) Not with mid stack SCVs (Codes 891H, 891G, 891D, 891C, 8923, 8922)	
		CAB EQUIPMENT	
3782		Backup Alarm Safety alarm for reverse.	507.0
378J		Vandal Protection Package Includes lock for hood, latch for transmission oil filler neck and lockable fuel cap.	366.0
378M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.0
3284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	120.0
		STEERING AND BRAKES	
		No handbrake in base for R4	
3763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness $(+20\%)$ to ensure higher braking capacity (designed for transport with non-braked trailers).	136.0
		FRONT FENDERS	
3011		Front Fenders 4WD - Rigid	600.0
8012		Front Fenders 4WD - Turnable	902.0
		FRONT WEIGHTS	
3950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.0
3951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.0

BATTERY

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8747		BATTERYContinued Battery 12V/174AH Located on right-hand floor.	126.00
		LIGHTING	
873B		2 Front Work Lights Two H3 halogen fender-mounted work lights.	205.00
873R		1 Additional Rear Working Light One halogen right-hand left-ROPS mounted work light (H3). Right Side ROPS mounted	122.00
		нітсн	
8424		Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	652.00
		DRAWBAR	
8435		Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
		REAR HITCH	
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders. 6130M: 8,456 lbs (3,836 kg)	399.00
		REAR POWER TAKE-OFF (PTO)	
8385		Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
000		FRONT LOADER PREPARATION	
8924		Loader Preparation - Mechanical Midstack SCV - 3 Functions	3,405.00

6130M Open operator station Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATIONContinued Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 3-function mid-mounted control valve and mechanical joystick control.	
8925		Loader Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed, on OOS behind driver's seat	85.00
8781		License Plate Bracket - Rear Fender mounted. On OOS tractors mounted behind seat.	39.00

SPECIAL PAINTING

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8030		SPECIAL PAINTINGContinued Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15726	Electrical Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15650	Fenders MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15652	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	AL206240	Front Axle Tobacco Axle	1,630.20
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	BL15611	Hitch and Drawbar Lift Cylinder for Increased Lift Capacity (80mm)	943.80
	AL80849	Stabilizer Chains for Draft Links	336.60
	AL82925	Stabilizer Sway Chains for Draft Links (Low Profile)	407.00
	BL15710	Hydraulics ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15682	ATTACHMENTS FOR FIELD CONVERSIONContinued M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	AL179972	Lighting (2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	AL178998	Fender Mounted Work Lights (LH and RH), Front Facing	268.40
	BL15257	Hood Corner Work Lights	510.40
	BL15006	Miscellaneous Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40

6130M Open operator station Tractor

		Oshundou	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	BL15279	Operator Environment Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60
		Rear Hitch Equipment	
	BL15134	Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
		•	220

6130M Open operator station Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BL15622	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15703	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60

6130M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AR112536	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6145M Open operator station Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 145 hp
Max. Power 97/68 EC w/o IPM 153 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 265 l
Diesel Exhaust Fluid Tank Capacity 16 l

Transmission (check code selection)
Mechanical Park Lock

Operator Station

Operator Station Type: Open Operator Station Steering Column: Telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
00T4L		6145M Open operator station Tractor	114,798.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) inluding beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		TRANSMISSION	
1424		PowrQuad - 16/16, 30 km/h	In Base Price

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested
Code	identiller	Description TRANSMISSIONContinued	USD (\$)
		Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (19 mph)	
1426		PowrQuad - 24/24, 40 km/h Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) Requires Code 6045(MFWD).	1,811.00
1432		PowrQuad - 16/16, 30 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Left Hand Reverser (19 mph) with Creeper	3,209.00
1434		PowrQuad - 24/24, 40 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) with Creeper	4,570.00
		OPERATOR'S STATION	
2075		Open Operator Station Flat Platform Right-hand Steps Tilt/Telescopic Steering Column Right-hand Operational Controls Hand and Foot Throttle Control Power Outlet Socket (Code 8240) No Handbrake (Code 8762) LH Remote Hitch Controls (Code 8446) Swinging Drawbar with hammerstrap (Code 8434) 154ah battery (Code 8746)	In Base Price
		SEAT	
2100		Economy Seat Seat MSG-83 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat Seat MSG-85 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	660.00
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5070		R&P Rear Axle - 86 mm Shaft 96" Inch lengths (2438 mm). Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 96 In. Length	2,802.00
		FRONT AXLE	
6022		2WD Front Axle Not for heavy pull application.	-9,087.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6045		FRONT AXLEContinued 4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		WHEELS AND HUBS	
5093		2-Position Steel Wheels Rear wheels	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Only available with Rack & Pinion. Front wheels are adjustable steel when ordered with MFWD If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237. When ordered with 2WD (6022) the front wheel will be a 2-position Rear wheels	181.00
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5221		Rear wheels size 420/85R38 Available in Mitas, Firestone, Michelin. Available in Mitas, Firestone, Michelin or Trelleborg. 16.9R38 In. 141A8 R1W (420/85R38 In. 144A8 R1W) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215, or 6220. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-1,672.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Michelin or Trelleborg. 480/70R38 In. 145A8 R1W For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T &	-482.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued Trelleborg	
234		Rear Wheels Size 460/85R38 Available in Mitas, Firestone. 460/85R38 In. 145A8 RIW For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T and Trelleborg.	In Base Price
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone, Michelin or Trelleborg. 520/70R38 In. 150A8 R1W For MFWD: Requires Code 6240 or 6221. Available in Firestone Performer 70, Michelin Omnibib, and Mitas HC70.	314.00
5242		Rear Wheels Size 520/85R38 Available in Mitas, Firestone, Michelin or Trelleborg. 520/85R38 In. 155A8 RIW For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-530.00
5244		Rear Wheels Size 650/65R38 Available in Mitas, Firestone, Michelin, or Trelleborg. 650/65R38 In. 157A8 R1W For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Mitas AC65.	1,040.00
5250		Rear Wheels 480/80R42 480/80R42 In. 151A8 RIW For MFWD: Requires Code 6250. Only with R&P Axle. Available in Michelin Agribib.	470.00
5251		Rear Wheels Size 460/85R42 Available in Firestone. 460/85R42 In. 151A8 R1W For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	-248.00
5252		Rear Wheels Size 380/90R46 Available in Mitas.	-888.00
5253		Rear Wheels Size 320/90R50 Available in Firestone only. 320/90R50 In. 147A8 RIW For MFWD: Requires Code 6257. Available in Firestone only.	-384.00
5254		Rear Wheels Size 420/80R46 Available in Firestone. 420/80R46 In. 151A8 R1 For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-402.00
5279		Rear Wheels Size 18.4R42 18.4R42 In. 148A8 R2 (480/80R42) For MFWD: Requires Code 6267. Available in Firestone.	-350.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 480/80R38 In. 161D R4 Radial	1,604.00

6145M Open operator station Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	
		For MFWD: Requires Code 6225 or 6237. Available in Nokain TRI2 only. Not compatible with No Rear Tire Preference (Code 5999)	
		FRONT WHEELS AND TIRES	
2402		For 2WD Front Axle / Transmission Front Wheels Size 11.00-16	2 002 00
123		Available in Firestone.	-2,982.00
		Only with 2WD axle.	
		Only for Region 4. 11.00-16 In. 12PR F2 Bias	
		Available in Firestone.	
6151		Front Wheels Size 10.00-16 Available in Firestone.	-3,162.00
		Only with 2WD axle.	
		Only for Region 4.	
		10.00-16 In. 10PR F2 Bias	
		For MFWD Front Axle / Transmission	
6220		Front Wheels Size 380/85R24 Available in Mitas, Firestone, Michelin.	-352.00
		Available in Mitas, Firestone, Michelin or Trelleborg.	
		380/85R24 In. 131A8 RIW Available in Firestone Performer 85 and Mitas AC85.	
		14.9R24 In. 126A8 RIW	
		Available in Michelin Agribib,	
		Not with Turnable Front Fenders for MFWD (Code 8012).	
6221		Front Wheels Size 420/70R24	-140.00
		Available in Mitas, Firestone, Michelin.	
		Available in Mitas, Firestone, Michelin or Trelleborg.	
5230		Front Wheels Size 340/85R28	-256.00
		Available in Mitas, Firestone, Michelin.	
		Available in Mitas, Firestone, Michelin or Trelleborg. 13.6R28 In. 123A8 RIW	
		Available in ,Michelin Agribib	
		340/85R28 127A8 R1W	
		Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	
6232		Front Wheels Size 420/85R24	10.00
		Available in Mitas, Firestone.	
		Available in Mitas, Firestone or Trelleborg. 16.9R24 In. 134A8 RIW Radial	
		Available in Michelin Agribib	
		(420/85R24 137A8 RIW Radial) Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	
6236		Front Wheels Size 380/85R28	In Base Price
		Available in Mitas, Firestone, Michelin.	
		Available in Mitas, Firestone, Michelin or Trelleborg. 380/85R28 In. 133A8 R1W Radial	
		Available in Firestone Performer 85 Michelin Agribib Mitas AC85 and Trelleborg	

Available in Firestone Performer 85, Michelin Agribib, Mitas AC85, and Trelleborg.

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6240		FRONT WHEELS AND TIRESContinued Front Wheels Size 420/70R28 Available in Mitas, Firestone, Michelin. Available in Mitas, Firestone, Michelin or Trelleborg. 420/70R28 133A8 R1W Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas HC70, and Trelleborg.	430.00
6250		Front Wheel Size 420/85R28 Available in Mitas, Michelin or Trelleborg. Available in Firestone 16.9R28 136A8 R1W Available in Michelin Agribib 420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Mitas AC85 and Trelleborg.	596.00
6252		Front Wheels Size 540/65R28 Available in Mitas, Firestone, Michelin or Trelleborg. 540/65R28 In. 142A8 R1W Radial Available in Firestone R9000 Evo, Michelin Multibib, Mitas AC65, and Trelleborg.	1,546.00
6257		Front Wheels Size 320/85R34 Available in Firestone only. 320/85R34 In. 133A8 R1 Radial Available in Firestone.	266.00
6258		Front Wheels Size 380/85R30 Available in Firestone, Mitas. Available in Firestone, Mitas and Trelleborg. Available in Michelin. 380/85R30 In. 135A8 RIW Radial Available in Firestone Performer 85, Mitas, and Michelin Agribib and Trelleborg.	982.00
6267		Front Wheels size 16.9R28 R2 16.9R28 In. 136A8 R2 Available in Firestone only.	692.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian only. Tight block pattern tread - ideal for grass and communal applications. 440/80R24 149D R4 Radial Available in Nokian TRI2 only. Requires Code 5237 (Rear).	1,178.00
		CENTER LINK	
4200		No Center Link	-939.00
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	

6145M Open operator station Tractor

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
4400		STABILIZERContinued No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. In base. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Hydraulic Pump - 114 l/min PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen.	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		ENGINE	
8304		Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8307		FUEL TANK Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank.	443.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CAB EQUIPMENT	
8782		Backup Alarm Safety alarm for reverse.	507.00
878J		Vandal Protection Package Includes lock for hood, latch for transmission oil filler neck and lockable fuel cap.	366.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	120.00
		STEERING AND BRAKES No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		LIGHTING	
873B		2 Front Work Lights Two H3 halogen fender-mounted work lights.	205.00
873R		1 Additional Rear Working Light One halogen right-hand left-ROPS mounted work light (H3). Right Side ROPS mounted	122.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8424		HITCH Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	652.00
8435		DRAWBAR Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
8457		REAR HITCH Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders. 6145M: 9,546 lbs (4,330 kg)	399.00
8385		REAR POWER TAKE-OFF (PTO) Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
832J		SELECTIVE CONTROL VALVES Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
8924		FRONT LOADER PREPARATION Loader Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 3-function mid-mounted control valve and mechanical joystick control.	3,405.00
8925		Loader Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed, on OOS behind driver's seat	85.00
8781		License Plate Bracket - Rear Fender mounted. On OOS tractors mounted behind seat.	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL78129	Draft Link Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	155.10
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15726	Electrical Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15650	Fenders MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15655	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90
	BL15106	Front Axle Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15552	Fuel Tank Fuel Tank Bottom Guard 87 US Gal. (330L)	272.80
	BL15612	Hitch and Drawbar Lift Cylinder for Increased Lift Capacity (85mm)	943.80
	AL82925	Stabilizer Sway Chains for Draft Links (Low Profile)	407.00
	BL15710	Hydraulics ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15687	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15688	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15737	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15689	V Oil Lines, PFC Hydraulic System	366.30
	AL179972	Lighting (2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	AL178998	Fender Mounted Work Lights (LH and RH), Front Facing	268.40
	BL15255	Hood Corner Work Lights	510.40
	BL15007	Miscellaneous Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66
	AL204829	Tool Box	301.40
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL113087	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Fuel Tank	29.27
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	BL15279	Operator Environment Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40
	AL81619	Rear Hitch Equipment Holder For Hitch Cable (Rope)	69.30
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15626	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,029.60

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15709	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6145M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL155035	Wheels and Tires Rear Wheel Reinforcement with 275 Bolt Circle Diameter For models with 10.8in. (275 mm) bolt circle diameter.	707.30

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

6145M Open operator station Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK

6155M Open operator station Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
6 cylinders
Rated power 97/68 EC w/o IPM 155 hp
Max. Power 97/68 EC w/o IPM 164 hp
Engine Displacement 6788 cc
Fuel Tank Capacity 270 l
Diesel Exhaust Fluid Tank Capacity 16 l

Transmission (check code selection) Mechanical Park Lock

Operator Station

Operator Station Type: Open Operator Station Steering Column: Telescoping and tilting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Miscellaneous Operators Manual

	Attachment dentifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
4314L		6155M Open operator station Tractor	127,093.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) inluding beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		TRANSMISSION	
1424		PowrQuad - 16/16, 30 km/h Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (19 mph)	In Base Price
1432		PowrQuad - 16/16, 30 km/h, with creeper Includes mechanical lefthand reverser.	3,209.00

6155M Open operator station Tractor

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		TRANSMISSIONContinued Transmission with Left Hand Reverser (19 mph) with Creeper	
1445		PowrQuad - 20/20, 40 km/h Includes mechanical lefthand reverser.	1,270.00
1446		PowrQuad -20/20, 40 km/h, with creeper Includes mechanical lefthand reverser. Transmission with Mechanical Left Hand Reverser (25 mph) with Creeper	4,015.00
		OPERATOR'S STATION	
2075		Open Operator Station Flat Platform Right-hand Steps Tilt/Telescopic Steering Column Right-hand Operational Controls Hand and Foot Throttle Control Power Outlet Socket (Code 8240) No Handbrake (Code 8762) LH Remote Hitch Controls (Code 8446) Swinging Drawbar with hammerstrap (Code 8434) 154ah battery (Code 8746)	In Base Price
		SEAT	
2100		Economy Seat Seat MSG-83 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
2107		Standard Seat Seat MSG-85 731. With mechanical suspension, comes with operator presence switch. Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	660.00
		REAR AXLE	
5041		R&P Rear Axle - 92 mm Shaft 100.4 Inch lengths (2.550 mm).	In Base Price
		FRONT AXLE	
6022		2WD Front Axle Not for heavy pull application.	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		WHEELS AND HUBS	
5093		2-Position Steel Wheels Rear wheels	-601.00

6155M Open operator station Tractor

			Liet Dries
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5090		WHEELS AND HUBSContinued Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Only available with Rack & Pinion. Front wheels are adjustable steel when ordered with MFWD If ordered with Rack and Pinion axle code 5040 only available with the following tire sizes: 5202, 5204, 5208, 5212, 5214, 5221, 5222, 5223, 5234, 5237. When ordered with 2WD (6022) the front wheel will be a 2-position Rear wheels	181.00
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5234		Rear Wheels Size 460/85R38 Available in Mitas, Firestone. 460/85R38 In. 145A8 R1W For MFWD: Requires Code 6221. Available in Firestone Performer 70, Michelin Omnibib, and Continental/Mitas AC70T and Trelleborg.	248.00
5242		Rear Wheels Size 520/85R38 Available in Mitas, Firestone, Michelin or Trelleborg. 520/85R38 In. 155A8 R1W For MFWD: Requires Code 6256 or 6250. Available in Firestone Performer 85, Michelin Agribib, and Mitas AC85.	-282.00
5244		Rear Wheels Size 650/65R38 Available in Mitas, Firestone, Michelin, or Trelleborg. 6175M only for R4. 650/65R38 In. 157A8 R1W For MFWD: Requires 6252. Available Firestone R9000 Evo, Michelin Multibib, and Mitas AC65.	1,288.00
5250		Rear Wheels 480/80R42 480/80R42 In. 151A8 RIW For MFWD: Requires Code 6250. Only with R&P Axle. Available in Michelin Agribib.	718.00
5251		Rear Wheels Size 460/85R42 Available in Firestone. 460/85R42 In. 151A8 RIW	In Base Price

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued For MFWD: Requires Code 6257, 6256, or 6250. Available in Firestone Performer 85.	
5252		Rear Wheels Size 380/90R46 Available in Mitas.	-640.00
5253		Rear Wheels Size 320/90R50 Available in Firestone only. 320/90R50 In. 147A8 R1W For MFWD: Requires Code 6257. Available in Firestone only.	-136.00
5254		Rear Wheels Size 420/80R46 Available in Firestone. 420/80R46 In. 151A8 R1 For MFWD: Requires Code 6256 or 6250. Available in Firestone RAT 23.	-152.00
5277		Rear Wheel Size 320/90R54 Available in Firestone. 320/90R54 In. 149A8 R1W For MFWD: Requires Code 6272. Available in Firestone only.	1,042.00
5279		Rear Wheels Size 18.4R42 18.4R42 In. 148A8 R2 (480/80R42) For MFWD: Requires Code 6267. Available in Firestone.	-102.00
		FRONT WHEELS AND TIRES	
6123		For 2WD Front Axle / Transmission Front Wheels Size 11.00-16 Available in Firestone. Only with 2WD axle. Only for Region 4. 11.00-16 In. 12PR F2 Bias Available in Firestone.	-3,586.00
6151		Front Wheels Size 10.00-16 Available in Firestone. Only with 2WD axle. Only for Region 4. 10.00-16 In. 10PR F2 Bias	-3,758.00
6232		For MFWD Front Axle / Transmission Front Wheels Size 420/85R24 Available in Mitas, Firestone. Available in Mitas, Firestone or Trelleborg. 16.9R24 In. 134A8 RIW Radial Available in Michelin Agribib (420/85R24 137A8 RIW Radial) Available in Firestone Performer 85, Mitas AC85, and Trelleborg.	-582.00

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6236		FRONT WHEELS AND TIRESContinued Front Wheels Size 380/85R28 Available in Mitas, Firestone, Michelin. Available in Mitas, Firestone, Michelin or Trelleborg. 380/85R28 In. 133A8 RIW Radial Available in Firestone Performer 85, Michelin Agribib, Mitas AC85, and Trelleborg.	-596.00
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Michelin. Available in Mitas, Firestone, Michelin or Trelleborg. 420/70R28 133A8 RIW Radial Available in Firestone Performer 70, Michelin Omnibib, Mitas HC70, and Trelleborg.	-166.00
6250		Front Wheel Size 420/85R28 Available in Mitas, Michelin or Trelleborg. Available in Firestone 16.9R28 136A8 R1W Available in Michelin Agribib 420/85R28 In. 139A8 R1W Radial Available in Firestone Performer 85, Mitas AC85 and Trelleborg.	In Base Price
6257		Front Wheels Size 320/85R34 Available in Firestone only. 320/85R34 In. 133A8 R1 Radial Available in Firestone.	-330.00
6258		Front Wheels Size 380/85R30 Available in Firestone, Mitas. Available in Firestone, Mitas and Trelleborg. Available in Michelin. 380/85R30 In. 135A8 RIW Radial Available in Firestone Performer 85, Mitas, and Michelin Agribib and Trelleborg.	386.00
6267		Front Wheels size 16.9R28 R2 16.9R28 In. 136A8 R2 Available in Firestone only.	96.00
6272		Front Wheels Size 320/90R42 320/90R42 In. 139A8 RIW Radial Available in Firestone only.	1,308.00
		CENTER LINK	
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 Category 3.	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		STABILIZERContinued Required with Draft Links with Telescopic Ball End- Cateogry 3N/3 (Code 4121).	
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3223		Hydraulic Pump - 114 l/min PFC system, 45 ccm pump. In base.	In Base Price
		Required if Cold Start package II (Code 8301) is chosen.	
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		ENGINE	
8304		Fuel Heater System Equipped with a 12V fuel heating system attached to fuel filter.	150.00
		COLD START PACKAGES	
8300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank.	443.00
		CAB EQUIPMENT	
8782		Backup Alarm Safety alarm for reverse.	507.00

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
878J		CAB EQUIPMENTContinued Vandal Protection Package Includes lock for hood, latch for transmission oil filler neck and lockable fuel cap.	366.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
8284		Floor Mat Requires Code 2075 Open Operator Station Flat Platform.	120.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		LIGHTING	
873B		2 Front Work Lights Two H3 halogen fender-mounted work lights.	205.00
873R		1 Additional Rear Working Light One halogen right-hand left-ROPS mounted work light (H3). Right Side ROPS mounted	122.00
		нітсн	
		REAR HITCH	
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders. 6155M: 9,193 lbs (4,170 kg)	399.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear	640.00

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SELECTIVE CONTROL VALVESContinued Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	
		FRONT LOADER PREPARATION	
8924		Loader Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 3-function mid-mounted control valve and mechanical joystick control.	3,405.00
8925		Loader Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons (Code 8214) included, without function on OOS tractors For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard. Note: Loader component of single point is ordered with loader. Front weight support is	6,161.00
		recommended. Compatible with 3-function R Series loaders.	

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued	
8002		MISCELLANEOUS Toolbox	85.00
		Left-hand side installed, on OOS behind driver's seat	
8781		License Plate Bracket - Rear Fender mounted. On OOS tractors mounted behind seat.	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15726	Electrical Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15650	Fenders MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15106	Front Axle Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15554	Fuel Tank Bottom Guard, Fuel Tank	272.80
	BL15613	Hitch and Drawbar Lift Cylinder for Increased Lift Capacity (90mm)	943.80
	BL15140	Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	1,111.00
	BL15710	Hydraulics ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15713	ICV Oil Line Kit Used only in PowerQuad and 4WD applications.	97.90
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15634	ATTACHMENTS FOR FIELD CONVERSIONContinued M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	AL179972	Lighting (2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	AL178998	Fender Mounted Work Lights (LH and RH), Front Facing	268.40
	BL15255	Hood Corner Work Lights	510.40
	BL15007	Miscellaneous Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL204829	ATTACHMENTS FOR FIELD CONVERSIONContinued Tool Box	301.40
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15403	Holder for Hitch Cable (ROPE)	25.30
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	BL15279	Operator Environment Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15812	ATTACHMENTS FOR FIELD CONVERSIONContinued Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15593	Creeper Kit for PowrQuad Reference Installation Instructions. Requires software.	1,613.70
	BL15594	Creeper Module Required for PowerQuad installation.	2,625.70
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50

6155M Open operator station Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00
	AL155035	Wheels and Tires Rear Wheel Reinforcement with 275 Bolt Circle Diameter For models with 10.8in. (275 mm) bolt circle diameter.	707.30

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

6155M Open operator station Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK

6110M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
Tier II (check code selection)
4 cylinders
Rated power 97/68 EC w/o IPM 110 hp
Max. Power 97/68 EC w/o IPM 116 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 1
Diesel Exhaust Fluid Tank Capacity 13 1

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor

Steering Column telescoping and tiliting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics
Hydraulic Pump PC System - 80 1/min
SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
4228L		6110M Cab Tractor	102,909.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONS	
0501		No package	In Base Price
		TRANSMISSION	
1436		PowrQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,992.00
1440		PowrQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,759.00
1441		PowrQuad Plus - 16/16, 30 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (19 mph) with Creeper Includes Transmission De-Clutch Function.	1,218.00
1454		AutoQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,033.00
1458		AutoQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,888.00
1500		CommandQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	7,880.00
		OPERATOR'S STATION	
2071		Basic Cab Right-hand Steps Front Windshield Wiper and Washer Tilt/Telescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8240) LH and RH Remote Hitch Controls (Code 8446) Air conditioning (Code 8206) No Handbrake (Code 8762) Drawbar flat version (Code 8437) 154ah battery (Code 8746) Requires Code Mechanical Suspension Seat (Code 2109) and Mirrors Standard-Left-hand and Right-hand (Code 2510) and Panorama windshield with RH door (Code 2631)	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00

6110M Cab Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
		OPERATOR'S STATIONContinued	
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
2074		Low Clearance Standard Cab Only for USA (Code 0202), Canada (Code 0184), Australia and New Zealand (Codes 0202, 0184, 0230, 0237) Requires 30 k transmission (Codes 1437, 1441) Air conditioning Front Windshield Wiper and Washer Not with Right-hand footstep Not with Right-hand door Not with Rear hitch remote control (8446), LH remote in base TiltTelescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8437) 154ah battery (Code 8762) Drawbar flat version (Code 8436) Horizontal exhaust (Code 8330) Includes Air Suspension Seat (Code 2127) No Mirrors (Code 2500)	13,864.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2500		Without Mirrors for Low Clearance Cab	In Configuration
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2651		Without Radio Preparation No pre-radio wiring, antenna installation and speaker package.	-895.00
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft 100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,582.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	
6022		2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels Rear wheels.	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5161		Rear Wheels Size 420/85R24/16.9-24 R1/R1W profile, 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in, Firestone, Michelin, Kleber, Trelleborg.	-296.00
5190		Rear Wheels Size 460/85R30 Available in Firestone or Trelleborg.	-206.00
5202		Rear Wheels Size 420/85R34 Available in Michelin, Firestone, Trelleborg.	-356.00
5208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone or Trelleborg.	362.00
5212		Rear Wheels Size 460/85R34 Available in Firestone, Trelleborg and Mitas	In Base Price
5215		Rear Wheels Size 520/70R34 Available in Mitas, Trelleborg or Firestone.	620.00
5220		Rear Wheels Size 320/90R42 Available in Firestone.	660.00
5221		Rear wheels size 420/85R38 Available in Firestone, Trelleborg.	428.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Trelleborg.	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Firestone orTrelleborg.	2,102.00
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone or Trelleborg.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone.	824.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5252		REAR WHEELS AND TIRESContinued Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	1,214.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian.	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone.	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone.	-2,638.00
6151		Front Wheels Size 10.00-16 Available in Firestone.	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Mitas, Trelleborg.	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Firestone or Trelleborg.	-778.00
6210		Front Wheels Size 340/85R24 Available in Trelleborg or Firestone.	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone or Trelleborg.	-550.00
6215		Front Wheels Size 320/85R28 Available in Trelleborg or Firestone.	-248.00
6220		Front Wheels Size 380/85R24 Available in Firestone or Trelleborg.	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Trelleborg or Firestone.	-256.00
6230		Front Wheels Size 340/85R28 Available in Firestone or Trelleborg.	96.00
6232		Front Wheels Size 420/85R24 Available in Trelleborg or Firestone.	366.00
6236		Front Wheels Size 380/85R28	352.00
6240		Front Wheels Size 420/70R28	782.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6258		FRONT WHEELS AND TIRESContinued Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	1,334.00
6275		Front Wheels Size 340/85R38 Available in Mitas.	1,732.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	1,530.00
6225		Front Wheels Size 400/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	910.00
		CENTER LINK	
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
4424		Stabilizer Bars - Automatic Both Sides Left-hand and right-hand automatic stabilizer bar.	630.00
		REAR POWER TAKE-OFF (PTO)	
3810		Rear Independent 540rpm PTO Rear Independent 540 RPM PTO Not compatible with Power Beyond (Code 832J) or 3 SCVs (Codes 3335 or 3338)	-826.00

6110M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3820		REAR POWER TAKE-OFF (PTO)Continued Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc Does not include Powerfill Brakes (option 8765)	In Base Price
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen. Does not include Powerfill Brakes (option 8765)	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00

RECEIVER

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1835		RECEIVERContinued Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	3,895.00
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867		Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription- 1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	1,350.00
1860		4640 Premium 3.0 Subscription- 1 Year	850.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SOFTWARE ACTIVATIONSContinued Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	
		ENGINE	
8304		Fuel Heater System	150.00
		COLD START PACKAGES	
8300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		EXHAUST	
8330		Horizontal Exhaust	No Charge
		CAB EQUIPMENT	
8261		Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLE	
8607		AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		STEERING AND BRAKES	
		No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
8765		Powerfill Brake The hydraulic system supports the operator to reduce braking pedal force.	531.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
		REAR FENDERS	
8020		Rear Fender Extensions - Adjusted to Tire Size	685.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
		ELECTRICAL EQUIPMENT	
878B		Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LIGHTING PACKAGES Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights	
873D		Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074) LIGHTING	456.00
873O		2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
8424		HITCH Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121). DRAWBAR	652.00
8435		Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
8437		Drawbar flat version Drawbar 1 inch bent to solve ground clearance issues Category 2	No Charge

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR HITCH	
8446		Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders.	399.00
		REAR POWER TAKE-OFF (PTO)	
8385		Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
8386		PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
		FRONT POWER TAKE-OFF (PTO)	
8380		Preparation for Front Auxiliary Drive Includes torsion-damper and belt-pulley. Crankshaft Pulley without Drive Shaft	639.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
8320		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
		AG MANAGEMENT SOLUTIONS	
8075		John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	8,495.00
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription.	2,495.00

6110M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		AG MANAGEMENT SOLUTIONSContinued Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
891F		Compatible with 2-function R Series loaders. Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	

MISCELLANEOUS

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8002		MISCELLANEOUSContinued Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted. Not with Code 2074 (Low Clearance Cab).	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15538	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15384	Stainless Steel Exhaust	982.30
	AL208651	Fenders Fender Mud Guard	61.60
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15646	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	AL206240	Tobacco Axle	1,630.20
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	(.,
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15610	Lift Cylinder for Increased Lift Capacity (75mm)	943.80
	BL15216	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15735	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL201586	ATTACHMENTS FOR FIELD CONVERSIONContinued Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15257	Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15006	Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	691.90

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL151224	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list. Also order (1) Radio Button - BL15585.	400.40
		Reference installation instructions for more information.	
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL156779	ATTACHMENTS FOR FIELD CONVERSIONContinued Hub Extension 44mm, Rear, Tread Adjustment	590.70
	BL15134	Rear Hitch Equipment Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	AL204297	Seat Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15622	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10

6110M Cab Tractor

		Continued	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15708	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15702	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50

6110M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6120M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 120 hp
Max. Power 97/68 EC w/o IPM 126 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 l
Diesel Exhaust Fluid Tank Capacity 13 l

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor

Steering Column telescoping and tiliting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
4298L		6120M Cab Tractor	108,756.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		PACKAGE CONFIGURATIONS	

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONSContinued	
0501		No package	In Base Price
		TRANSMISSION	
1436		PowrQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,992.00
1440		PowrQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,759.00
1441		PowrQuad Plus - 16/16, 30 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (19 mph) with Creeper Includes Transmission De-Clutch Function.	1,218.00
1454		AutoQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,033.00
1458		AutoQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,888.00
1500		CommandQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	7,880.00
		OPERATOR'S STATION	
2071		Basic Cab Right-hand Steps Front Windshield Wiper and Washer Tilt/Telescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8240) LH and RH Remote Hitch Controls (Code 8446) Air conditioning (Code 8206) No Handbrake (Code 8762) Drawbar flat version (Code 8437) 154ah battery (Code 8746) Requires Code Mechanical Suspension Seat (Code 2109) and Mirrors Standard-Left-hand and Right-hand (Code 2510) and Panorama windshield with RH door (Code 2631)	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00

6120M Cab Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
		OPERATOR'S STATIONContinued	
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
2074		Low Clearance Standard Cab Only for USA (Code 0202), Canada (Code 0184), Australia and New Zealand (Codes 0202, 0184, 0230, 0237) Requires 30 k transmission (Codes 1437, 1441) Air conditioning Front Windshield Wiper and Washer Not with Right-hand footstep Not with Right-hand door Not with Rear hitch remote control (8446), LH remote in base TiltTelescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8437) 154ah battery (Code 8762) Drawbar flat version (Code 8436) Horizontal exhaust (Code 8330) Includes Air Suspension Seat (Code 2127) No Mirrors (Code 2500)	13,864.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2500		Without Mirrors for Low Clearance Cab	In Configuration
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2651		Without Radio Preparation No pre-radio wiring, antenna installation and speaker package.	-895.00
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft 100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,582.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	
6022		2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels Rear wheels.	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5161		Rear Wheels Size 420/85R24/16.9-24 R1/R1W profile, 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in, Firestone, Michelin, Kleber, Trelleborg.	-296.00
5190		Rear Wheels Size 460/85R30 Available in Firestone or Trelleborg.	-206.00
5202		Rear Wheels Size 420/85R34 Available in Michelin, Firestone, Trelleborg.	-356.00
5208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone or Trelleborg.	362.00
5212		Rear Wheels Size 460/85R34 Available in Firestone, Trelleborg and Mitas	In Base Price
5215		Rear Wheels Size 520/70R34 Available in Mitas, Trelleborg or Firestone.	620.00
5220		Rear Wheels Size 320/90R42 Available in Firestone.	660.00
5221		Rear wheels size 420/85R38 Available in Firestone, Trelleborg.	428.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Trelleborg.	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Firestone orTrelleborg.	2,102.00
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone or Trelleborg.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone.	824.00

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5252		REAR WHEELS AND TIRESContinued Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	1,214.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian.	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone.	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone.	-2,638.00
6151		Front Wheels Size 10.00-16 Available in Firestone.	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Mitas, Trelleborg.	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Firestone or Trelleborg.	-778.00
6210		Front Wheels Size 340/85R24 Available in Trelleborg or Firestone.	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone or Trelleborg.	-550.00
6215		Front Wheels Size 320/85R28 Available in Trelleborg or Firestone.	-248.00
6220		Front Wheels Size 380/85R24 Available in Firestone or Trelleborg.	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Trelleborg or Firestone.	-256.00
6230		Front Wheels Size 340/85R28 Available in Firestone or Trelleborg.	96.00
6232		Front Wheels Size 420/85R24 Available in Trelleborg or Firestone.	366.00
6236		Front Wheels Size 380/85R28	352.00
6240		Front Wheels Size 420/70R28	782.00

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6258		FRONT WHEELS AND TIRESContinued Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	1,334.00
6275		Front Wheels Size 340/85R38 Available in Mitas.	1,732.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	1,530.00
6225		Front Wheels Size 400/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	910.00
		CENTER LINK	
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
4424		Stabilizer Bars - Automatic Both Sides Left-hand and right-hand automatic stabilizer bar.	630.00
		REAR POWER TAKE-OFF (PTO)	
3810		Rear Independent 540rpm PTO Rear Independent 540 RPM PTO Not compatible with Power Beyond (Code 832J) or 3 SCVs (Codes 3335 or 3338)	-826.00

6120M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3820		REAR POWER TAKE-OFF (PTO)Continued Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc Does not include Powerfill Brakes (option 8765)	In Base Price
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen. Does not include Powerfill Brakes (option 8765)	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00

RECEIVER

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1835		RECEIVERContinued Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	3,895.00
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867		Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription- 1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	1,350.00
1860		4640 Premium 3.0 Subscription- 1 Year	850.00

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SOFTWARE ACTIVATIONSContinued Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	
		ENGINE	
8304		Fuel Heater System	150.00
		COLD START PACKAGES	
8300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		EXHAUST	
8330		Horizontal Exhaust	No Charge
		CAB EQUIPMENT	
8261		Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLE	
8607		AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		STEERING AND BRAKES	
		No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
8765		Powerfill Brake The hydraulic system supports the operator to reduce braking pedal force.	531.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
		REAR FENDERS	
8020		Rear Fender Extensions - Adjusted to Tire Size	685.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
		ELECTRICAL EQUIPMENT	
878B		Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LIGHTING PACKAGES Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights	
873D		Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074) LIGHTING	456.00
873O		2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
8424		HITCH Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121). DRAWBAR	652.00
8435		Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
8437		Drawbar I inch bent to solve ground clearance issues Category 2	No Charge

6120M Cab Tractor

Code	Attachment Identifier	Description REAR HITCH	List Price Suggested USD (\$)
8446		Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders.	399.00
8385		REAR POWER TAKE-OFF (PTO) Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
8386		PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
8380		FRONT POWER TAKE-OFF (PTO) Preparation for Front Auxiliary Drive Includes torsion-damper and belt-pulley. Crankshaft Pulley without Drive Shaft	639.00
832J		SELECTIVE CONTROL VALVES Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
832O		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
8075		AG MANAGEMENT SOLUTIONS John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	8,495.00
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription.	2,495.00

6120M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		AG MANAGEMENT SOLUTIONSContinued Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
891F		Compatible with 2-function R Series loaders. Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	

MISCELLANEOUS

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8002		MISCELLANEOUSContinued Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted. Not with Code 2074 (Low Clearance Cab).	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15538	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15384	Stainless Steel Exhaust	982.30
	AL208651	Fenders Fender Mud Guard	61.60
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15646	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	AL206240	Tobacco Axle	1,630.20
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	(.,
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15610	Lift Cylinder for Increased Lift Capacity (75mm)	943.80
	BL15216	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15735	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL201586	ATTACHMENTS FOR FIELD CONVERSIONContinued Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15257	Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15006	Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	691.90

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL151224	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list. Also order (1) Radio Button - BL15585.	400.40
		Reference installation instructions for more information.	
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60

6120M Cab Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	AL156779	ATTACHMENTS FOR FIELD CONVERSIONContinued Hub Extension 44mm, Rear, Tread Adjustment	590.70
	BL15134	Rear Hitch Equipment Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	AL204297	Seat Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL 450700	Transmission	624.40
	AL158728 BL15622	Back-up Alarm Creeper Field Kit for PowrQuad Transmissions	631.40
	BL13022	Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15708	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15702	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50

6120M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6130M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage IV Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 130 hp
Max. Power 97/68 EC w/o IPM 137 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 195 1
Diesel Exhaust Fluid Tank Capacity 13 1

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor

Steering Column telescoping and tiliting

Differentials & Axles (check code selection)

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
00R8L		6130M Cab Tractor	114,651.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00
		PACKAGE CONFIGURATIONS	

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONSContinued	
0501		No package	In Base Price
		TRANSMISSION	
1436		PowrQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,992.00
1440		PowrQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,759.00
1441		PowrQuad Plus - 16/16, 30 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (19 mph) with Creeper Includes Transmission De-Clutch Function.	1,218.00
1454		AutoQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,033.00
1458		AutoQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,888.00
1500		CommandQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	7,880.00
		OPERATOR'S STATION	
2071		Basic Cab Right-hand Steps Front Windshield Wiper and Washer Tilt/Telescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8240) LH and RH Remote Hitch Controls (Code 8446) Air conditioning (Code 8206) No Handbrake (Code 8762) Drawbar flat version (Code 8437) 154ah battery (Code 8746) Requires Code Mechanical Suspension Seat (Code 2109) and Mirrors Standard-Left-hand and Right-hand (Code 2510) and Panorama windshield with RH door (Code 2631)	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00

6130M Cab Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
		OPERATOR'S STATIONContinued	
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
2074		Low Clearance Standard Cab Only for USA (Code 0202), Canada (Code 0184), Australia and New Zealand (Codes 0202, 0184, 0230, 0237) Requires 30 k transmission (Codes 1437, 1441) Air conditioning Front Windshield Wiper and Washer Not with Right-hand footstep Not with Right-hand door Not with Rear hitch remote control (8446), LH remote in base TiltTelescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8437) 154ah battery (Code 8762) Drawbar flat version (Code 8436) Horizontal exhaust (Code 8330) Includes Air Suspension Seat (Code 2127) No Mirrors (Code 2500)	13,864.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2500		Without Mirrors for Low Clearance Cab	In Configuration
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2651		Without Radio Preparation No pre-radio wiring, antenna installation and speaker package.	-895.00
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5040		R&P Rear Axle - 79 mm Shaft 100.6 Inch lengths (2.556 mm). Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length	2,582.00
5042		R&P rear axle - 79 mm shaft - short version 90 Inch length (2.286 mm)	2,258.00
		FRONT AXLE	
6022		2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels Rear wheels.	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5161		Rear Wheels Size 420/85R24/16.9-24 R1/R1W profile, 2WD and MFWD. Available in Firestone. 2WD requires Front wheels size 11L-15 (Code 6100) or Front wheels size 27/9.5-15 (Code 6141), MFWD requires Front wheels size 10.5/80-18 (Code 6110).	-1,231.00
5180		Rear Wheels Size 420/85R30 Available in, Firestone, Michelin, Kleber, Trelleborg.	-296.00
5190		Rear Wheels Size 460/85R30 Available in Firestone or Trelleborg.	-206.00
5202		Rear Wheels Size 420/85R34 Available in Michelin, Firestone, Trelleborg.	-356.00
5208		Rear Wheels Size 480/70R34 Available in Mitas, Firestone or Trelleborg.	362.00
5212		Rear Wheels Size 460/85R34 Available in Firestone, Trelleborg and Mitas	In Base Price
5215		Rear Wheels Size 520/70R34 Available in Mitas, Trelleborg or Firestone.	620.00
5220		Rear Wheels Size 320/90R42 Available in Firestone.	660.00
5221		Rear wheels size 420/85R38 Available in Firestone, Trelleborg.	428.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Trelleborg.	1,620.00
5234		Rear Wheels Size 460/85R38 Available in Firestone orTrelleborg.	2,102.00
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone or Trelleborg.	2,416.00
5245		Rear Wheels Size 13.6-46 Available in Firestone.	824.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5252		REAR WHEELS AND TIRESContinued Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	1,214.00
5214		Rear Wheels Size 480/80R34 - Special Profile Available in Nokian.	1,328.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian.	3,704.00
		FRONT WHEELS AND TIRES	
6100		For 2WD Front Axle / Transmission Front Wheels Size 11L-15 Available in Firestone.	-3,148.00
6110		Front Wheels Size 10.5/80-18 Available in Firestone.	-2,562.00
6123		Front Wheels Size 11.00-16 Available in Firestone.	-2,638.00
6151		Front Wheels Size 10.00-16 Available in Firestone.	-2,810.00
6180		For MFWD Front Axle / Transmission Front Wheels Size 280/85R24 Available in Firestone, Mitas, Trelleborg.	-1,198.00
6200		Front Wheels Size 320/85R24 Available in Firestone or Trelleborg.	-778.00
6210		Front Wheels Size 340/85R24 Available in Trelleborg or Firestone.	110.00
6211		Front Wheels Size 380/70R24 Available in Mitas, Firestone or Trelleborg.	-550.00
6215		Front Wheels Size 320/85R28 Available in Trelleborg or Firestone.	-248.00
6220		Front Wheels Size 380/85R24 Available in Firestone or Trelleborg.	In Base Price
6221		Front Wheels Size 420/70R24 Available in Mitas, Trelleborg or Firestone.	-256.00
6230		Front Wheels Size 340/85R28 Available in Firestone or Trelleborg.	96.00
6232		Front Wheels Size 420/85R24 Available in Trelleborg or Firestone.	366.00
6236		Front Wheels Size 380/85R28	352.00
6240		Front Wheels Size 420/70R28	782.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued	
6258		Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	1,334.00
6275		Front Wheels Size 340/85R38 Available in Mitas.	1,732.00
6280		Front Wheels Size 13.6-38 - R2 Available in Firestone.	-128.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian.	1,530.00
		Tight block pattern tread - ideal for grass and communal applications.	
6225		Front Wheels Size 400/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	910.00
			_
		CENTER LINK	
4200		No Center Link	-939.00
4210		Center Link with Ball End - Category 2 Comes with category 2 ball.	No Added Cost
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4120		Draft Links with Telescopic Ball End - Category 2	No Added Cost
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
4424		Stabilizer Bars - Automatic Both Sides Left-hand and right-hand automatic stabilizer bar.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3232		HYDRAULIC PUMPContinued Hydraulic Pump - 80 l/min PC system, 35 ccm pump. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc Does not include Powerfill Brakes (option 8765)	In Base Pric
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen. Does not include Powerfill Brakes (option 8765)	1,800.0
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		RECEIVER	
1835		Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready	3,895.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RECEIVERContinued Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867		Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription-1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	1,350.00
1860		4640 Premium 3.0 Subscription- 1 Year Includes first year subscription required to enable John Deere Section Control, AutoTrac	850.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SOFTWARE ACTIVATIONSContinued Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	
		ENGINE	
8304		Fuel Heater System	150.00
		COLD START PACKAGES	
8300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		EXHAUST	
8330		Horizontal Exhaust	No Charge
		CAB EQUIPMENT	
8261		Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00
		FRONT AXLE	
8607		AutoDifflock Steering angle dependent engagement and disengagement.	290.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLEContinued Provides 100 % rear axle Difflock, front axle remains limited slip	
		STEERING AND BRAKES No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness (+20%) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
8765		Powerfill Brake The hydraulic system supports the operator to reduce braking pedal force.	531.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
8020		REAR FENDERS Rear Fender Extensions - Adjusted to Tire Size 110×15 for tires up to 478 mm width (overall coverage 2200 mm), 200 x 20 for tires above 478 mm width (overall coverage 2380 mm).	685.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
878B		ELECTRICAL EQUIPMENT Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00

6130M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ELECTRICAL EQUIPMENTContinued	(*)
		LIGHTING PACKAGES	
		Base lighting - Cab: Hood High-beam light (HB3) (2)	
		Hood Low-beam light (HB3) (1) Turn lights rear fender (17)	
		Tail lights rear fender (18) Brake-lights fender (18) Work lights fender (18)	
		Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab	
		Four Front Grille Headlights Two Front Outer Roof Worklights	
		One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights	
		Two Rear Fender Tail Lights with Brake Lights	
873D		Light Package - Economy	201.00
		Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	
07011			450.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3).	456.00
		One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3).	
		Not in combination with Low Clearance Standard Cab (Code 2074)	
		LIGHTING	
873O		2 Beltline Road Lights - H4	500.00
		If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front	
		grill road light function. two beltline mounted adjustable road lights (H4) (6) Not with Code 2074 (Low Clearance Cab).	
8725		Beacon Light	221.00
0723		Front cab roof mounted. Not with Code 2074 (Low Clearance Cab).	221.00
		нітсн	
8424		Draft Control Electronic Lower Link Sensing.	652.00
		Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	
		DRAWBAR	
8435		Drawbar - High Clearance	269.00
		Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	

High Clearance with Sway Chains and Hammerstrap

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8437		DRAWBARContinued Drawbar flat version Drawbar I inch bent to solve ground clearance issues Category 2	No Charge
8446		REAR HITCH Rear Hitch Remote Control	No Charge
0110		Left-hand and right-hand.	110 Change
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders.	399.00
		REAR POWER TAKE-OFF (PTO)	
8385		Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
8386		PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
		FRONT POWER TAKE-OFF (PTO)	
8380		Preparation for Front Auxiliary Drive Includes torsion-damper and belt-pulley. Crankshaft Pulley without Drive Shaft	639.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
8320		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
		AG MANAGEMENT SOLUTIONS	
8075		John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements.	8,495.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		AG MANAGEMENT SOLUTIONSContinued Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	2,495.00
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted. Not with Code 2074 (Low Clearance Cab).	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15427	Cold Start Packages Cold Start Package Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	905.30
	BL15431	Cold Start Package Only compatible with 6R and 6M tractors.	447.70
	BL15538	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70

6130M Cab Tractor

	A 445.2h.m.2m4		List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
		Coupling Balls	
	AL179161	Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL78129	Draft Link Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	155.10
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749 BL15384	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware. Stainless Steel Exhaust	594.00 982.30
	AL208651	Fenders Fender Mud Guard	61.60
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15654	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15771	Stop Panel Kit for Turnable Front Fenders	19.80
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	AL206240	Tobacco Axle	1,630.20

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	721.60
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157299	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15550	Fuel Tank Bottom Guard, Fuel Tank	265.10
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15611	Lift Cylinder for Increased Lift Capacity (80mm)	943.80
	BL15216	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15684	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15685	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15635	ATTACHMENTS FOR FIELD CONVERSIONContinued Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15686	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15169	ATTACHMENTS FOR FIELD CONVERSIONContinued (2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15257	Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15006	Screen, Condenser Compatible on tractors without air conditioning.	91.30
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL213203	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	691.90
	AL151224	Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list.	400.40
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	AL156777	Rear Axle Hub Extension 111mm, Rear, Tread Adjustment	756.80
	AL156776	Hub Extension 30mm, Rear, Tread Adjustment	721.60
	AL156779	Hub Extension 44mm, Rear, Tread Adjustment	590.70
	BL15127	Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15134	Rear Hitch Equipment Center Link CAT.2, Hook Type	1,136.30
	AL81619	Holder For Hitch Cable (Rope)	69.30
	AL204297	Seat Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL176808	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15622	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,613.70
	BL15623	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 750, 775 50k Speed Radius Index 700, 725, 800, 825, 875	1,613.70
	BL15624	Creeper Kit for AutoQuad and PowrQuad PLUS Transmissions, 6-Range Reference Installation Instructions for also ordering parts and software. 40k Speed Radius Index 700, 725, 800, 825, 875 50k Speed Radius Index 750, 775	1,613.70
	BL15625	Creeper Kit for PowrQuad PLUS Transmissions, 4-Range Reference Installation Instructions.	1,613.70
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15703	Creeper, Assembly Parts Required for electronic PowerQuad Plus 6 range.	107.80
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20

6130M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	BL15934	Wheel Equipment Wheel Reinforcements, Rear For models with 8in. (203mm) bolt circle diameter.	1,767.70
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6145M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PSS
Stage V Compliant
4 cylinders
Rated power 97/68 EC w/o IPM 145 hp
Max. Power 97/68 EC w/o IPM 153 hp
Engine Displacement 4530 cc
Fuel Tank Capacity 265 l
Diesel Exhaust Fluid Tank Capacity 16 l

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor

Steering Column telescoping and tiliting

Differentials & Axles (check code selection)

Steering & brakes Powerfill brake

Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection)

PTO (check code selection)

Hydraulics Hydraulic Pump PC System - 80 l/min SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
00T8L		6145M Cab Tractor	128,782.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONS	
0501		No package	In Base Price
		TRANSMISSION	
1436		PowrQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,992.00
1440		PowrQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,759.00
1441		PowrQuad Plus - 16/16, 30 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (19 mph) with Creeper Includes Transmission De-Clutch Function.	1,218.00
1454		AutoQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,033.00
1458		AutoQuad Plus - 24/24, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,888.00
1500		CommandQuad Plus - 24/24, 40 km/h Includes electrical lefthand reverser.	7,880.00
		OPERATOR'S STATION	
2071		Basic Cab Right-hand Steps Front Windshield Wiper and Washer Tilt/Telescopic Steering Column Right Hand Operational Controls Floor Mat Hand and Foot Throttle Control Overhead Reading Light 7-pin Signal Interface Socket (Code 8224) Inner Rear View Mirror (Code 8230) Power Outlet Socket (Code 8240) LH and RH Remote Hitch Controls (Code 8446) Air conditioning (Code 8206) No Handbrake (Code 8762) Drawbar flat version (Code 8437) 154ah battery (Code 8746) Requires Code Mechanical Suspension Seat (Code 2109) and Mirrors Standard-Left-hand and Right-hand (Code 2510) and Panorama windshield with RH door (Code 2631)	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00

6145M Cab Tractor

Code	Attachment	December	List Price Suggested
Code	Identifier	Description OPERATOR'S STATIONContinued	USD (\$)
		OPERATOR 3 STATIONContinued	
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5010		Flange-Type Rear Axle	In Base Price
5070		R&P Rear Axle - 86 mm Shaft 96" Inch lengths (2438 mm). Rack and Pinion Axle 3.385 In. (86 mm) Diameter by 96 In. Length	2,802.00
		FRONT AXLE	
6022		2WD Front Axle Not for heavy pull application.	-9,087.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLEContinued	
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels Rear wheels.	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5221		Rear wheels size 420/85R38 Available in Firestone, Trelleborg.	-1,672.00
5222		Rear Wheels Size 480/70R38 Available in Mitas, Firestone, Trelleborg.	-482.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	
5234		Rear Wheels Size 460/85R38 Available in Firestone or Trelleborg.	In Base Price
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone or Trelleborg.	314.00
5242		Rear Wheels Size 520/85R38 Available in Firestone or Trelleborg.	-530.00
5244		Rear Wheels Size 650/65R38 Available in Mitas, Firestone, Trelleborg, Michelin.	1,040.00
5250		Rear Wheels 480/80R42	470.00
5251		Rear Wheels Size 460/85R42 Available in Firestone.	-248.00
5252		Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	-888.00
5253		Rear Wheels Size 320/90R50 Available in Firestone.	-384.00
5254		Rear Wheels Size 420/80R46 Available in Firestone.	-402.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian.	1,604.00
5249		Rear Wheels Size 540/80R38 - Special Profile Available in Nokian.	2,676.00
		FRONT WHEELS AND TIRES	
6123		For 2WD Front Axle / Transmission Front Wheels Size 11.00-16 Available in Firestone.	-2,982.00
6151		Front Wheels Size 10.00-16 Available in Firestone.	-3,162.00
6215		For MFWD Front Axle / Transmission Front Wheels Size 320/85R28 Available in Trelleborg or Firestone.	-568.00
6220		Front Wheels Size 380/85R24 Available in Firestone or Trelleborg.	-352.00
6221		Front Wheels Size 420/70R24 Available in Mitas, Trelleborg or Firestone.	-140.00
6230		Front Wheels Size 340/85R28 Available in Firestone or Trelleborg.	-256.00

6145M Cab Tractor

Code	Attachment	December	List Price Suggested
Code	Identifier	Description	USD (\$)
6232		FRONT WHEELS AND TIRESContinued Front Wheels Size 420/85R24 Available in Trelleborg or Firestone.	10.00
6236		Front Wheels Size 380/85R28 Available in Mitas, Firestone, Trelleborg.	In Base Price
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Trelleborg.	430.00
6250		420/85R28 139A8 R1W Radial Available in Mitas, Firestone, Trelleborg.	596.00
6252		Front Wheels Size 540/65R28	1,546.00
6255		Front Wheels Size 440/80R28 - Special Profile Available in Nokian.	1,678.00
6257		Front Wheels Size 320/85R34 Available in Firestone.	266.00
6258		Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	982.00
6267		Front Wheels size 16.9R28 R2	692.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	1,178.00
		CENTER LINK	
4200		No Center Link	-939.00
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 <i>Category 3N</i> .	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4424		STABILIZERContinued Stabilizer Bars - Automatic Both Sides Left-hand and right-hand automatic stabilizer bar.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3232		Hydraulic Pump - 80 l/min PC system, 35 ccm pump. Load Sensing Constant Flow Hydraulic System: 21.1 GPM (80 L/min), 35cc	In Base Price
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications PFC system, 45 ccm pump. Required if Cold Start package II (Code 8301) is chosen.	1,800.00
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS.	4,618.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		GREENSTAR AND AUTOTRACContinued Not compatible with Code 6022 (2WD).	
		RECEIVER	
1835		Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	3,895.00
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867		Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription- 1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation	1,350.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SOFTWARE ACTIVATIONSContinued is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	
1860		4640 Premium 3.0 Subscription- 1 Year Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	850.00
8304		ENGINE Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
		FUEL TANK	
8307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		CAB EQUIPMENT	
8261		Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLE	
8607		AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		STEERING AND BRAKES	
		No handbrake in base for R4	
8763		Heavy Duty Rear Wheel Brakes Increased disc brake thickness ($\pm 20\%$) to ensure higher braking capacity (designed for transport with non-braked trailers).	136.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
8020		REAR FENDERS Rear Fender Extensions - Adjusted to Tire Size 110 x 15 for tires up to 478 mm width (overall coverage 2200 mm), 200 x 20 for tires above	685.00
8950		FRONT WEIGHTS Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights. BATTERY	377.00
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
878B		ELECTRICAL EQUIPMENT Battery Circuit Breaker	157.00
		Can be ordered with any battery, integrated in ignition key.	
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LIGHTING PACKAGES	
		Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights	
873D		Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074)	456.00
873O		LIGHTING 2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
8424		HITCH Draft Control Electronic Lower Link Sensing. Requires draft links (Codes 4110, 4112, 4113, 4120,4121).	652.00
8435		DRAWBAR Drawbar - High Clearance Includes chainholder. Not compatible with Code 3810 (540 PTO) or 8434 (Swinging Drawbar with Hammerstrap). High Clearance with Sway Chains and Hammerstrap	269.00
8437		Drawbar flat version Drawbar 1 inch bent to solve ground clearance issues Category 2	No Charge

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR HITCH	
8446		Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8457		Higher Hitch Lift Capacity Capacity increase is achieved by bigger lift cylinders.	399.00
		REAR POWER TAKE-OFF (PTO)	
8385		Heavy-Duty Rear PTO Heavy-duty PTO option (for 540/1000 rpm PTO) includes ductile iron inner bearing support design for those heavy-duty PTO applications.	319.00
8386		PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
		FRONT POWER TAKE-OFF (PTO)	
8380		Preparation for Front Auxiliary Drive Includes torsion-damper and belt-pulley. Crankshaft Pulley without Drive Shaft	639.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
832O		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
		AG MANAGEMENT SOLUTIONS	
8075		John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	8,495.00
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription.	2,495.00

6145M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		AG MANAGEMENT SOLUTIONSContinued Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
891F		Compatible with 2-function R Series loaders. Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	

MISCELLANEOUS

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8002		MISCELLANEOUSContinued Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted.	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15473	Cold Start Packages Cold Start Package Includes engine block heater and all required hardware.	464.20
	BL15467	Cold Start Package Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,120.90
	BL15537	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL78129	Draft Link Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	155.10
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15384	Stainless Steel Exhaust	982.30
		Fenders	
	AL208651	Fender Mud Guard	61.60
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15655	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15106	Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70

6145M Cab Tractor

			Lint Balan
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15552	Fuel Tank Fuel Tank Bottom Guard 87 US Gal. (330L)	272.80
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15612	Lift Cylinder for Increased Lift Capacity (85mm)	943.80
	BL15216	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15687	ICV Oil Lines, PC Hyd System PB in Position #3 Independent Control Valve. Also order AL206034 power beyond and 3 studs L173495.	366.30
	BL15688	ICV Oil Lines, PC Hyd System PB in Position #4 Independent Control Valve. See installation instructons for also order parts.	366.30
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15682	ATTACHMENTS FOR FIELD CONVERSIONContinued M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15689	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL111705	ATTACHMENTS FOR FIELD CONVERSIONContinued Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15255	Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15007	Screen, Condenser Compatible on tractors without air conditioning.	91.30
	BL15010	Screen, Condenser Compatible on tractors with air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	691.90
	AL151224	Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list.	400.40
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40
	AL81619	Rear Hitch Equipment Holder For Hitch Cable (Rope)	69.30
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
	AL 00 4007	Seat	100.10
	AL204297	Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL176808	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15626	Creeper Field Kit for PowrQuad Transmissions Reference Installation Instructions.	1,029.60
	BL15709	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 700,725,800,825,875; and 50k Speed Radius Index 750,775.	507.10
	BL15708	Creeper Module Required for Power Reverser, PowerQuad, PowerQuad Plus, or with 40k Speed Radius Index 750,775; and 50k Speed Radius Index 700,725,800,825,875.	922.90
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15714	Creeper Shift Components Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	161.70
	BL15715	Creeper Shift Components Required for PowerQuad Plus 6 range/PowerQuad 6 range.	161.70
	BL15706	Creeper, Countershaft Required for Power Reverser, PowerQuad Plus 4 range/PowerQuad 4 range.	410.30
	BL15707	Creeper, Countershaft Required for PowerQuad Plus 6 range/PowerQuad 6 range.	410.30
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00

6145M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	APY10029	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00
	AL155035	Wheels and Tires Rear Wheel Reinforcement with 275 Bolt Circle Diameter For models with 10.8in. (275 mm) bolt circle diameter.	707.30

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

6145M Cab Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK

6155M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PVS
Stage V Compliant
Tier II (check code selection)
6 cylinders
Rated power 97/68 EC w/o IPM 155 hp
Max. Power 97/68 EC w/o IPM 164 hp
Engine Displacement 6788 cc
Fuel Tank Capacity 270 1
Diesel Exhaust Fluid Tank Capacity 16 1

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor

Steering Column telescoping and tiliting

Differentials & Axles (check code selection)

Steering & brakes Powerfill brake Wheels & Tires (check code selection)

Electronics & Lights Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection) Draft Control PTO (check code selection)

Hydraulics Hydraulic Pump PFC System - 114 l/min SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

List Price Suggested USD (\$)	Description	Attachment Identifier	Code
	Select One Code From Each Required Category		
	BASE MACHINE		
	Ex-works Port of Entry		
140,811.00	6155M Cab Tractor		4318L
	DESTINATION		
No Added Cost	Canada		0184
In Base Price	United States		0202
	OPERATOR'S MANUAL		
In Base Price	English		0409
No Added Cost	French		0413
No Added Cost	Spanish		0437
	SHIPPING PREPARATION		
In Base Price	Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3		7702
58.00	Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film		7706

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONS	. ,
0501		No package	In Base Price
		TRANSMISSION	
1435		PowrQuad Plus - 20/20, 40 km/h	In Base Price
00		Includes electrical lefthand reverser.	2466 1 1.166
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,710.00
1439		PowrQuad Plus - 20/20, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	3,460.00
1441		PowrQuad Plus - 16/16, 30 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (19 mph) with Creeper Includes Transmission De-Clutch Function.	1,498.00
1453		AutoQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,755.00
1457		AutoQuad Plus - 20/20, 40 km/h, with creeper Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) with Creeper Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	4,506.00
1501		CommandQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser.	7,475.00
		OPERATOR'S STATION	
2071		Basic Cab	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen.	In Base Price

6155M Cab Tractor

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
		SEATContinued Operator presence switch is included.	
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5041		R&P Rear Axle - 92 mm Shaft 100.4 Inch lengths (2.550 mm).	In Base Price
		FRONT AXLE	
6022		2WD Front Axle	-9,087.00
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels Rear wheels.	-601.00
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information. Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable) When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	In Base Price
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00

6155M Cab Tractor

Code	Attachment Identifier	Description REAR WHEELSContinued	List Price Suggested USD (\$)
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5234		Rear Wheels Size 460/85R38	248.00
5232		Rear Wheels Size 520/70R38 Available in Mitas, Firestone or Trelleborg.	562.00
5242		Rear Wheels Size 520/85R38 Available in Firestone or Trelleborg.	-282.00
5244		Rear Wheels Size 650/65R38 Available in Mitas, Firestone, Trelleborg, Michelin.	1,288.00
5250		Rear Wheels 480/80R42	718.00
5251		Rear Wheels Size 460/85R42 Available in Firestone.	In Base Price
5252		Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	-640.00
5253		Rear Wheels Size 320/90R50 Available in Firestone.	-136.00
5254		Rear Wheels Size 420/80R46 Available in Firestone.	-152.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	(4)
5277		Rear Wheel Size 320/90R54 Available in Firestone.	1,042.00
5237		Rear Wheels Size 480/80R38 - Special Profile Available in Nokian.	1,926.00
5249		Rear Wheels Size 540/80R38 - Special Profile Available in Nokian.	2,924.00
		FRONT WHEELS AND TIRES	
6123		For 2WD Front Axle / Transmission Front Wheels Size 11.00-16 Available in Firestone.	-3,586.00
6151		Front Wheels Size 10.00-16 Available in Firestone.	-3,758.00
6232		For MFWD Front Axle / Transmission Front Wheels Size 420/85R24 Available in Trelleborg or Firestone.	-582.00
6236		Front Wheels Size 380/85R28 Available in Mitas, Firestone, Trelleborg.	-596.00
6240		Front Wheels Size 420/70R28 Available in Mitas, Firestone, Trelleborg.	-166.00
6250		420/85R28 139A8 R1W Radial Available in Mitas, Firestone, Trelleborg.	In Base Price
6252		Front Wheels Size 540/65R28	950.00
6255		Front Wheels Size 440/80R28 - Special Profile Available in Nokian.	1,082.00
6257		Front Wheels Size 320/85R34 Available in Firestone.	-330.00
6258		Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	386.00
6267		Front Wheels size 16.9R28 R2	96.00
6272		Front Wheels Size 320/90R42	1,308.00
6237		Front Wheels Size 440/80R24 - Special Profile Available in Nokian. Tight block pattern tread - ideal for grass and communal applications.	582.00
		CENTER LINK	
4200		No Center Link	-939.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CENTER LINKContinued	, ,
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 Category 3.	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
4424		Stabilizer Bars - Automatic Both Sides Left-hand and right-hand automatic stabilizer bar.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications Required if Cold Start package II (Code 8301) is chosen.	In Base Price
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Provinced with Underwick Mesengary	120.00
3338		Required with Hydraulic Motors. 3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price

6155M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		GREENSTAR AND AUTOTRACContinued	
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		RECEIVER	
1835		Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	3,895.00
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00

SOFTWARE ACTIVATIONS

6155M Cab Tractor

Continued

			List Dat
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1867		SOFTWARE ACTIVATIONSContinued Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription- 1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	1,350.00
1860		4640 Premium 3.0 Subscription- 1 Year Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	850.00
		ENGINE	
8304		Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
8307		FUEL TANK Fuel Tank Bottom Guard	443.00

CAB EQUIPMENT

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8261		CAB EQUIPMENTContinued Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00
8607		FRONT AXLE AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00
8012		Front Fenders 4WD - Turnable	902.00
8020		REAR FENDERS Rear Fender Extensions - Adjusted to Tire Size 110×15 for tires up to 478 mm width (overall coverage 2200 mm), 200 x 20 for tires above 478 mm width (overall coverage 2380 mm).	685.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
		ELECTRICAL EQUIPMENT	
378B		Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
378H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00
		LIGHTING PACKAGES	
		Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights	
873D		Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074)	456.00
		LIGHTING	
873O		2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
		REAR HITCH	
8446		Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8457		Higher Hitch Lift Capacity	399.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR HITCHContinued Capacity increase is achieved by bigger lift cylinders.	
		REAR POWER TAKE-OFF (PTO)	
8386		PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
		SELECTIVE CONTROL VALVES	
832J		Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
8320		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
		AG MANAGEMENT SOLUTIONS	
8075		John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	8,495.00
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	2,495.00
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATIONContinued	
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	6,161.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 3-function R Series loaders.	
		MISCELLANEOUS	
8002		Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted.	39.00
		SPECIAL PAINTING	
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011	1,602.00

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SPECIAL PAINTINGContinued	
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15790	Hydraulic Trailer Brake Kit PC System, without SFA, No Front Axle Brake	635.80
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15473	Cold Start Packages Cold Start Package Includes engine block heater and all required hardware.	464.20
	BL15467	Cold Start Package Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,120.90
	BL15537	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	AL81724	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	503.80
	RE63147	Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	334.40
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BL15749	Engine Cold Weather Starting Package, 110 V, 4 cyl. Only compatible with AutoQuad and PowrQuad Transmissions. Includes engine block heater, charge pump preheater and all required hardware.	594.00
	BL15384	Stainless Steel Exhaust	982.30
	AL208651	Fenders Fender Mud Guard	61.60
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15649	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15106	Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15554	Fuel Tank Bottom Guard, Fuel Tank	272.80
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15613	Lift Cylinder for Increased Lift Capacity (90mm)	943.80

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15140	ATTACHMENTS FOR FIELD CONVERSIONContinued Load Control Shaft Support Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame.	1,111.00
	BL15217	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15711	ICV Oil Line Kit Used only in PowerQuad Plus and 2WD applications.	97.90
	BL15712	ICV Oil Line Kit Used only in PowerQuad Plus 4 range/PowerQuad and 4WD applications.	97.90
	BL15713	ICV Oil Line Kit Used only in PowerQuad and 4WD applications.	97.90
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15737	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15696	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15255	Hood Corner Work Lights	510.40

6155M Cab Tractor

		Communa	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15007	Screen, Condenser Compatible on tractors without air conditioning.	91.30
	BL15010	Screen, Condenser Compatible on tractors with air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15403	Holder for Hitch Cable (ROPE)	25.30
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90

6155M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL173569	ATTACHMENTS FOR FIELD CONVERSIONContinued Instructional Seat, Unsuspended Includes seatbelt.	691.90
	AL151224	Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list.	400.40
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	

6155M Cab Tractor

		Commusu	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
		Seat	
	AL204297	Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	BL15593	Creeper Kit for PowrQuad	1,613.70
	22.0000	Reference Installation Instructions. Requires software.	1,010.70
	BL15594	Creeper Module Required for PowerQuad installation.	2,625.70
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70

6155M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00
	AL155035	Wheels and Tires Rear Wheel Reinforcement with 275 Bolt Circle Diameter For models with 10 8 in (275 mm) bolt circle diameter	707.30

For models with 10.8in. (275 mm) bolt circle diameter.

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

AGRICULTURAL PRODUCTS JOHN DEERE TRACTORS

6155M Cab Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK

6175M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PVS
Stage V Compliant
Tier II (check code selection)
6 cylinders
Rated power 97/68 EC w/o IPM 175 hp
Max. Power 97/68 EC w/o IPM 185 hp
Engine Displacement 6788 cc
Fuel Tank Capacity 325 1
Diesel Exhaust Fluid Tank Capacity 20 1

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor Steering Column telescoping and tiliting Air Conditioning Differentials & Axles (check code selection)

Steering & brakes Powerfill brake

Wheels & Tires (check code selection)

Electronics & Lights

Alternator Capacity 14V/120A Lighting (check code selection)

Hitches & Drawbars (check code selection) Draft Control PTO (check code selection)

TTO (GILGOIT GOOD DELEGGIOTI)

Hydraulics Hydraulic Pump PFC System - 114 l/min SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		Ex-works Port of Entry	
4328L		6175M Cab Tractor	154,334.00
		DESTINATION	
0184		Canada	No Added Cost
0202		United States	In Base Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
		SHIPPING PREPARATION	
7702		Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3	In Base Price
7706		Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film	58.00

6175M Cab Tractor

Code	Attachment Identifier	Description SHIPPING PREPARATIONContinued	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONS	
0501		No package	In Base Price
		TRANSMISSION	
1435		PowrQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,710.00
1453		AutoQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,755.00
1501		CommandQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser.	7,475.00
		OPERATOR'S STATION	
2071		Basic Cab	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors - Left-hand and Right-hand Standard	In Base Price

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MIRRORSContinued	
		Have fixed length arms with manually adjustable mirror positions.	
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration
		WINDSHIELD	
2631		Panorama Front Windshield	In Base Price
		RADIO	
2650		Radio Preparation	In Base Price
2000		Includes pre-radio wiring, antenna installation and speaker package.	in base i nee
2663		Radio (Business Radio Package)	337.00
		only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers	
		and External Antenna.	
		DEAD AVIE	
5041		REAR AXLE R&P Rear Axle - 92 mm Shaft	In Base Price
3041		100.4 Inch lengths (2.550 mm).	III Dase Filce
		FRONT AXLE	
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5093		2-Position Steel Wheels	-601.00
		Rear wheels.	
5090		Adjustable Steel Wheels (Steel Disk) Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price
		Adjustable Steel wheel with flange axle Steel wheel with cast hub on R&P axle (2 position or adjustable)	
		When ordered with 2WD (6022) the front wheel will be a 2-position. Rear wheels.	
5091		Adjustable Cast Wheels (Cast Disk)	181.00
		Rear wheels.	
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels	In Base Price
		Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference Order results in either Mitas or Firestone tires.	In Base Price
		REAR WHEELS AND TIRES	
5242		Rear Wheels Size 520/85R38 Available in Firestone or Trelleborg.	-282.00
5244		Rear Wheels Size 650/65R38 Available in Mitas, Firestone, Trelleborg, Michelin. 6175M only for R4.	1,288.00
5250		Rear Wheels 480/80R42	718.00
5251		Rear Wheels Size 460/85R42 Available in Firestone.	In Base Price
5252		Rear Wheels Size 380/90R46 Available in Mitas or Michelin.	-640.00
5253		Rear Wheels Size 320/90R50 Available in Firestone.	-136.00
5254		Rear Wheels Size 420/80R46 Available in Firestone.	-152.00
5270		Rear Wheels Size 520/85R42 Available in Firestone or Trelleborg.	1,902.00
5272		Rear Wheels Size 620/70R42 Available in Firestone or Trelleborg.	3,598.00
5275		Rear Wheels Size 710/70R38 Available in Mitas, Firestone or Trelleborg.	4,958.00
5278		Rear Wheel Size 480/80R46	1,628.00
		FRONT WHEELS AND TIRES	
6250		For MFWD Front Axle / Transmission 420/85R28 139A8 R1W Radial Available in Mitas, Firestone, Trelleborg.	In Base Price

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6252		FRONT WHEELS AND TIRESContinued Front Wheels Size 540/65R28 Available in Mitas or Trelleborg.	950.00
6254		Front Wheels Size 600/65R28 Available in Mitas, Firestone, Michelin, Trelleborg.	2,350.00
6257		Front Wheels Size 320/85R34 Available in Firestone.	-330.00
6258		Front Wheels Size 380/85R30 Available in Mitas, Michelin or Firestone.	386.00
6262		Front Wheels Size 480/70R30 Available in Mitas, Firestone or Trelleborg.	72.00
6263		Front Wheels Size 420/85R30 Available in Mitas, Firestone, or Trelleborg.	352.00
6267		Front Wheels size 16.9R28 R2	96.00
6273		Front Wheels Size 380/85R34	-48.00
		CENTER LINK	
4200		No Center Link	-939.00
4213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
4100		No Draft Links/No Rockshaft	-2,941.00
4121		Draft Links with Telescopic Ball End - Category 3N / Category 3 Category 3.	In Base Price
		STABILIZER	
4400		No Sway Control Blocks and No Stabilizer Bar	-487.00
4410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
4421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications Required if Cold Start package II (Code 8301) is chosen.	In Base Price

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued	
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
		GREENSTAR AND AUTOTRAC	
1834		Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		RECEIVER	
1835		Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	3,895.00
1841		StarFire 6000 Receiver - SF3 Ready	7,895.00

6175M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RECEIVERContinued Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867		Less Software	In Base Price
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	3,000.00
1864		4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. Requires 4240 Universal Display (code 8076).	3,600.00
1866		4640 Automation 1.0 Subscription- 1 Year Includes first year subscription required to enable AutoTrac, Documentation, John Deere Section Control, AutoTrac RowSense, In-Field Data Sharing, AutoTrac Turn Automation and AutoTrac Implement Guidance (Passive guidance) to a 4640. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. Wireless Data Transfer available with an additional JDLink Connect subscription. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the StarFire receiver signal accuracy. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	1,350.00
1860		4640 Premium 3.0 Subscription- 1 Year Includes first year subscription required to enable John Deere Section Control, AutoTrac RowSense, and In-Field Data Sharing to a 4640 Display. After term use, subscription renewals are purchased through the StellarSupport website. Only compatible with 4640 Universal Display. To enable Wireless Data Transfer, a JDLink Connet subscription is required. Activation is machine specific and only available with a 4600 Processor. System accuracy is dependent on the receiver signal accuracy level. Feature availability may be limited in your area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	850.00

ENGINE

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3304		ENGINEContinued Fuel Heater System	150.00
		COLD START PACKAGES	
300		Cold Start Package I This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	340.00
3301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
		FUEL TANK	
3307		Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		CAB EQUIPMENT	
3261		Mechanical Cab Suspension	1,647.00
3237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
3782		Backup Alarm Safety alarm for reverse.	507.00
378M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
378T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00
		FRONT AXLE	
3607		AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		FRONT FENDERS	
3011		Front Fenders 4WD - Rigid	600.00
3012		Front Fenders 4WD - Turnable	902.00
		REAR FENDERS	
3020		Rear Fender Extensions - Adjusted to Tire Size 110×15 for tires up to 478 mm width (overall coverage 2200 mm), 200×20 for tires above	685.00

6175M Cab Tractor

Code	Attachment Identifier	Description REAR FENDERSContinued 478 mm width (overall coverage 2380 mm).	List Price Suggested USD (\$)
8950		FRONT WEIGHTS Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
8747		BATTERY Battery 12V/174AH Located on right-hand floor.	126.00
8742		ALTERNATOR Alternator 14V/200A	280.00
878B		ELECTRICAL EQUIPMENT Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00
872 D		LIGHTING PACKAGES Base lighting - Cab: Hood High-beam light (HB3) (2) Hood Low-beam light (HB3) (1) Turn lights rear fender (17) Tail lights rear fender (18) Brake-lights fender (18) Work lights roof front outer left-hand and right-hand (H3) (8) Work light roof rear inner right-hand (H3) (14) Region 4 Base Lighting - Cab Four Front Grille Headlights Two Front Outer Roof Worklights One Rear Right Roof Worklight Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights	204.00
873D		Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus.	456.00

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LIGHTING PACKAGESContinued Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074)	
873O		LIGHTING 2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
8446		REAR HITCH Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8386		REAR POWER TAKE-OFF (PTO) PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
832J		SELECTIVE CONTROL VALVES Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs.	640.00
832O		Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00
8075		AG MANAGEMENT SOLUTIONS John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation.	8,495.00

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		AG MANAGEMENT SOLUTIONSContinued Includes Bulkhead Connect.	
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	2,495.00
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard. Note: Loader component of single point is ordered with loader. Front weight support is	5,095.00
		recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard. Note: Loader component of single point is ordered with loader. Front weight support is	6,161.00

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued recommended. Compatible with 3-function R Series loaders.	
8002		MISCELLANEOUS Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted.	39.00
8030		SPECIAL PAINTING Special Painting - Industrial Yellow	1,602.00
8031		No RAL definition. John Deere owned colour. Special Painting - Municipality Orange RAL2011	1,602.00
		'Community Orange' Paint Finish ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15473	Cold Start Packages Cold Start Package Includes engine block heater and all required hardware.	464.20
	BL15467	Cold Start Package Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,120.90
	BL15536	DEF-Tank Filler Neck Heater	115.50
	BL15539	Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL180047	ATTACHMENTS FOR FIELD CONVERSIONContinued Guide Ball Holder, Category 3	104.50
	RE63147	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	334.40
	AL208071	Drawbar Dropdown, Cat. 2 Not compatible with category III drawbars.	352.00
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15383	Exhaust Stainless Steel Exhaust	982.30
	BL15264	Fenders Fender Mud Guard	36.30
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50
	BL15655	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15646	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15106	Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15407	Fuel Tank Bottom Guard, Fuel Tank	260.70
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15217	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00
	BL15438	Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15671	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15697	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40
	BL15255	Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00

6175M Cab Tractor

Ondo	Attachment	Description	List Price Suggested
Code	Identifier	Description	USD (\$)
	BL15011	ATTACHMENTS FOR FIELD CONVERSIONContinued Screen, Condenser Compatible on tractors with air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15403	Holder for Hitch Cable (ROPE)	25.30
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90
	AL173569	Instructional Seat, Unsuspended Includes seatbelt.	691.90
	AL151224	Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15082	ATTACHMENTS FOR FIELD CONVERSIONContinued Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also requires software, AL210796. Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list.	400.40
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
	AL204297	Seat Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15086	Vandal Protection Vandal Protection, Hood	155.10
	BL15362	Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10

6175M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R56920	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
		Wheel Weights	
	R167153	Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	737.00

6195M Cab Tractor

Equipment for Base Machine

Engine
John Deere Power Tech PVS
Stage V Compliant
Tier II (check code selection)
6 cylinders
Rated power 97/68 EC w/o IPM 195 hp
Max. Power 97/68 EC w/o IPM 206 hp
Engine Displacement 6788 cc
Fuel Tank Capacity 325 1
Diesel Exhaust Fluid Tank Capacity 20 1

Transmission (check code selection) Mechanical Park Lock

Operator Station 330° all-round visibility Front Wiper and Washer Front Sunvisor Steering Column telescoping and tiliting Air Conditioning Differentials & Axles (check code selection)

Steering & brakes Powerfill brake Wheels & Tires (check code selection) Electronics & Lights
Alternator Capacity 14V/120A
Lighting (check code selection)
Hitches & Drawbars (check code selection)
Praft Control

Hitches & Drawbars (check code selection Draft Control PTO (check code selection)

Hydraulics
Hydraulic Pump PFC System - 114 l/min
SCVs (check code selection)

Ag Management Solutions (AMS) (check code selection)

Miscellaneous Operators Manual

List Price Suggested USD (\$)	Description	Attachment Identifier	Code
	Select One Code From Each Required Category		
	BASE MACHINE		
	Ex-works Port of Entry		
166,353.00	6195M Cab Tractor		4338L
	DESTINATION		
No Added Cost	Canada		0184
In Base Price	United States		0202
	OPERATOR'S MANUAL		
In Base Price	English		0409
No Added Cost	French		0413
No Added Cost	Spanish		0437
	SHIPPING PREPARATION		
In Base Price	Shipment Preparation - by Ship Overseas includes various step as: 1) Tractor is equipped with operator manual etc. 2) All loose parts are removed or tied up (e.g. bolts, upper link, etc.) including beacon light only in R1, R2 & R3		7702
58.00	Shipment Preparation - by Ship Overseas, with Conservation Code 7702 plus certain parts of the tractor are coated with a protective film		7706

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGE CONFIGURATIONS	
0501		No package	In Base Price
		TRANSMISSION	
1435		PowrQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser.	In Base Price
1437		PowrQuad Plus - 16/16, 30 km/h Includes electrical lefthand reverser.	-1,710.00
1453		AutoQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser. Transmission with Left Hand Power Reverser (25 mph) Requires Code 6045 (MFWD) Includes Transmission De-Clutch Function.	2,755.00
1501		CommandQuad Plus - 20/20, 40 km/h Includes electrical lefthand reverser.	7,475.00
		OPERATOR'S STATION	
2071		Basic Cab	In Base Price
2072		Economy Cab Includes in addition to Base Cab: Economy Seat (Code 2127), Mirrors Manually Adjustable and Telescopic- LH & RH (Code 2511), Front & Rear Windshield Wiper & Washer, Cup Holder, and Sun Visor (Code 8278).	2,073.00
2073		Standard Cab Includes in addition to Economy Cab Front & Rear Roller Blind (Code 8276) Instructor Seat (Code 8254) Additional Storage Compartment (Code 8266) Bottle Holder (878R) iTec Basic (Code 8217)	2,801.00
		SEAT	
2109		Basic Seat With mechanical suspension, Grammer Seat MSG85-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Base Price
2127		Economy Seat With air suspension, Grammer Seat MSG 95GL-731. Comes with operator presence switch if CommandQuad Plus transmission (Code 1500, 1501, 1502, 1503, 1504, or 1505) is chosen. Operator presence switch is included.	In Configuration
		MIRRORS	
2510		Mirrors - Left-hand and Right-hand Standard Have fixed length arms with manually adjustable mirror positions.	In Base Price
2511		Mirrors - Left-hand and Right-hand Manual Telescopic	In Configuration

6195M Cab Tractor

Code	Attachment Identifier	Description WINDSHIELD	List Price Suggested USD (\$)
2631		WINDSHIELD Panorama Front Windshield	In Base Price
2031		T AHOTAINA T TOTIC VVIITASTIBIA	III Dase i fice
		RADIO	
2650		Radio Preparation Includes pre-radio wiring, antenna installation and speaker package.	In Base Price
2663		Radio (Business Radio Package) only for North America & Japan Includes: AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	337.00
		REAR AXLE	
5041		R&P Rear Axle - 92 mm Shaft 100.4 Inch lengths (2.550 mm).	In Base Price
		FRONT AXLE	
6045		4WD Front Axle - Unsuspended Limited slip differential.	In Base Price
		REAR WHEELS	
5091		Adjustable Cast Wheels (Cast Disk) Rear wheels.	181.00
		FRONT WHEELS	
6091		2-position steel wheels Front wheels	-601.00
6092		Adjustable steel wheels Front wheels Adjustable steel wheels allow a finer setting of treads, possible positions may vary between 8 or 16 allowable sets, please refer to Operators Manual for more precise information.	In Base Price
		TIRE BRAND PREFERENCE	
5904		Rear and Front Tire Brand - Mitas	200.00
5901		Rear and Front Tire Brand - Firestone	200.00
5902		Rear and front Tire Brand - Goodyear	200.00
5903		Rear and Front Tire Brand - Michelin	900.00
5915		Rear and Front Tire Brand - Nokian Special profile - Tight block pattern tread - ideal for grass and communal applications.	200.00
5905		Rear and Front Tire Brand - Trelleborg	200.00
5999		Rear and Front Tire Brand - No preference	In Base Price

6195M Cab Tractor

	ttachment dentifier	Description	List Price Suggested USD (\$)
		TIRE BRAND PREFERENCEContinued Order results in either Mitas or Firestone tires.	
		REAR WHEELS AND TIRES	
270		Rear Wheels Size 520/85R42 Available in Firestone or Trelleborg.	274.00
272		Rear Wheels Size 620/70R42 Available in Firestone or Trelleborg.	1,970.00
275		Rear Wheels Size 710/70R38 Available in Mitas, Firestone or Trelleborg.	3,330.00
278		Rear Wheel Size 480/80R46	In Base Price
		FRONT WHEELS AND TIRES	
254		For MFWD Front Axle / Transmission Front Wheels Size 600/65R28 Available in Mitas, Firestone, Michelin, Trelleborg.	1,998.00
262		Front Wheels Size 480/70R30 Available in Mitas, Firestone or Trelleborg.	-280.00
263		Front Wheels Size 420/85R30 Available in Mitas, Firestone, or Trelleborg.	In Base Price
273		Front Wheels Size 380/85R34	-400.00
		CENTER LINK	
200		No Center Link	-939.00
213		Center Link with Ball End - Category 3 Comes with category 3 ball.	In Base Price
		DRAFT LINK	
100		No Draft Links/No Rockshaft	-2,941.00
121		Draft Links with Telescopic Ball End - Category 3N / Category 3 Category 3.	In Base Price
		STABILIZER	
400		No Sway Control Blocks and No Stabilizer Bar	-487.00
410		Sway Control Blocks Stop-bar at PTO housing to prevent horizontal drawbar movement.	In Base Price
421		Stabilizer Bars - Adjustable Both Sides Left-hand and right-hand.	630.00

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR POWER TAKE-OFF (PTO)	
3820		Rear Independent 540/1000rpm PTO	In Base Price
		HYDRAULIC PUMP	
3223		Hydraulic Pump - 114 l/min Recommended for front loader applications Required if Cold Start package II (Code 8301) is chosen.	In Base Price
		SELECTIVE CONTROL VALVES (SCVS)	
3319		2 Mechanical SCVs (2 SCV 200 Series) Standard couplers. 2 Detent-200 Series with Standard Couplers with Plug Type Covers.	In Base Price
3320		2 Mechanical SCVs (2 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Required with Hydraulic Motors.	120.00
3338		3 Mechanical SCVs (3 SCV 450 Series) Standard couplers. 3 Detents - 450 Series with Standard Couplers with Dust Cover. Not possible if tractor equipped with Load Sensing Constant Flow Hydraulic (3232), loader ready/preparation and with Power Beyond (832J).	1,040.00
1834		GREENSTAR AND AUTOTRAC Less Greenstar Ready	In Base Price
1830		ISObus Ready / GreenStar Ready Option Power harness Connector at the A-post StarFire Receiver roof harness and bracket ISOBUS Class 2 gateway controller and In-cab ISOBUS connector 60A socket.	814.00
1832		AutoTrac Ready ISOBUS/GreenStar Ready (Code 1830) plus: Steering system unit (SSU) Wheel angle sensor Electrohydraulic steering valve Steering wheel sensor Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Required for tractor/implement communication through ISOBUS. Not compatible with Code 6022 (2WD).	4,618.00
		RECEIVER	
1835		Less StarFire Receiver	In Base Price
1840		StarFire 6000 Receiver - SF1 Ready Provides access to the no-charge SF1 differential correction signal. SF1 provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. An SF3 Ready Activation and License is required to use SF3 differential corrections. License sold separately via AMS PricePage.	3,895.00

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		RECEIVERContinued Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	
1841		StarFire 6000 Receiver - SF3 Ready Includes StarFire 6000 SF3 with Ready Activation. SF3 provides +/- 3 cm (1.2 in) horizontal pass-to-pass accuracy with in-season repeatability (where applicable). An SF3 Subscription is required to use SF3 differential corrections. Subscription sold separately via AMS PricePage. See Ag Sales Manual for additional information. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	7,895.00
1843		StarFire 6000 Receiver - SF3 and RTK (Modem/Radio Not Included) Includes StarFire 6000 SF3 Ready Activation and StarFire 6000 RTK Ready Activation. RTK provides +/- 2.5 cm (1 in) horizontal pass-to-pass accuracy with long-term repeatability. RTK functionality requires access to differential corrections from an RTK base station and additional hardware or subscriptions may be required. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.	11,395.00
		SOFTWARE ACTIVATIONS	
1867			
		Less Software	In Base Price
1865		Less Software 4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076).	In Base Price 3,000.00
1865		4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK.	
		 4240 AutoTrac Activation Includes activation to enable Gen 4 AutoTrac. System accuracy is dependent on the StarFire receiver signal accuracy. Compatible with SF1, SF2, SF3, or RTK. Requires 4240 Universal Display (code 8076). 4240 Section Control and Data Sync Subscription plus AutoTrac Activation Includes activation to enable Section Control and Data Sync. Includes separate CommandCenter AutoTrac activation. For separate Section Control and Data Sync only subscription, see ISG price pages. 	3,000.00

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		SOFTWARE ACTIVATIONSContinued area and/or may require additional hardware. Requires 4640 Universal Display (code 8075).	
		ENGINE	
8304		Fuel Heater System	150.00
8300		COLD START PACKAGES Cold Start Package This peakage includes an engine block heater and electrical cable for 230V/110V scalet.	340.00
		This package includes an engine block heater and electrical cable for 230V/110V socket. Not compatible with Code 8301 (Cold Start Package II)	
8301		Cold Start Package II This package includes a set of heaters (engine block heater, transmission oil pump heater & charge pump heater) and an electrical cable for 230V/110V socket. Not compatible with Code 8300 (Cold Start Package I)	485.00
8307		FUEL TANK Fuel Tank Bottom Guard Metal shield protecting the bottom of the fuel tank. Required in Japan (0079)	443.00
		CAB EQUIPMENT	
8261		Mechanical Cab Suspension	1,647.00
8237		Cigarette Lighter and Ashtray Mounted at right-hand console.	22.00
8782		Backup Alarm Safety alarm for reverse.	507.00
878M		Condenser Screen If the tractor is equipped with air conditioning, the optional super fine screen in front of the air conditioning perfects the protection of the Dual Temperature Cooling System. for Cooling Package	22.00
		ROOF SELECTION	
878T		Roof Hatch with Glass Openable hatch for ventilation, opens to rear.	647.00
8607		FRONT AXLE AutoDifflock Steering angle dependent engagement and disengagement. Provides 100 % rear axle Difflock, front axle remains limited slip	290.00
		FRONT FENDERS	
8011		Front Fenders 4WD - Rigid	600.00

6195M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT FENDERSContinued	
8012		Front Fenders 4WD - Turnable	902.00
		REAR FENDERS	
8020		Rear Fender Extensions - Adjusted to Tire Size 110×15 for tires up to 478 mm width (overall coverage 2200 mm), 200 x 20 for tires above 478 mm width (overall coverage 2380 mm).	685.00
		FRONT WEIGHTS	
8950		Front Base Weight - 60 kg Allows installation of quik-tatch weights. Front Weight Support- 132 lbs Holds up to 14 quick-tatch Front Weights.	282.00
8951		Front Base Weight - 110 kg Allows installation of quik-tatch weights. Front Weight Support- 242 lbs Holds up to 18 quick-tatch Front Weights.	377.00
		BATTERY	
8747		Battery 12V/174AH Located on right-hand floor.	126.00
		ALTERNATOR	
8742		Alternator 14V/200A	280.00
		ELECTRICAL EQUIPMENT	
878B		Battery Circuit Breaker Can be ordered with any battery, integrated in ignition key.	157.00
878H		Multi Power Outlet Strip Six additional outlets for powering monitors or other electrical equipment. Located at right-hand door behind right-hand console.	92.00

LIGHTING PACKAGES

Base lighting - Cab:
Hood High-beam light (HB3) (2)
Hood Low-beam light (HB3) (1)
Turn lights rear fender (17)
Tail lights rearfender (18)
Brake-lights fender (18)
Work lights roof front outer left-hand and right-hand (H3) (8)
Work light roof rear inner right-hand (H3) (14)
Region 4 Base Lighting - Cab
Four Front Grille Headlights
Two Front Outer Roof Worklights
One Rear Right Roof Worklight
Four Roof Mounted Flashing Hazard Lights
Two Rear Fender Tail Lights
with Brake Lights

6195M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
873D		LIGHTING PACKAGESContinued Light Package - Economy Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14).	201.00
873U		Light Package - Standard Base lighting plus. Two hood corner lights (H3) (3). One work light left-hand on the rear roof (H3) (14). Two front inner work lights (H3). Not in combination with Low Clearance Standard Cab (Code 2074)	456.00
873O		LIGHTING 2 Beltline Road Lights - H4 If a frontloader or front hitch is installed road lights might be covered during road drive by frontloader boom or implement. For safety the lights delivered with this code replace the front grill road light function. two beltline mounted adjustable road lights (H4) (6)	500.00
8725		Beacon Light Front cab roof mounted.	221.00
8446		REAR HITCH Rear Hitch Remote Control Left-hand and right-hand.	No Charge
8386		REAR POWER TAKE-OFF (PTO) PTO Remote Control Left-hand and right-hand, mounted on rear fenders. Rear Remote PTO Control- LH Included with Standard Cab	66.00
832J		SELECTIVE CONTROL VALVES Power Beyond - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. It is a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank and drain. Allows Hydraulic Pump to power implements that have Independent Control Valves (Electro-hydraulic stack valves on forage harvesters) or Orbital Motors (vacuum pump on	640.00
832O		planters). Provides a dedicated plate located on the RH side of the rockshaft providing four ports: pressure, load sensing, tank, and load drain. Includes pressure free return. Not available if tractor is equipped with 4 SCVs. Power Beyond Preparation - Rear Allows the supply of hydraulic oil to implements with own control valves or hydraulic motors. Four separate ports are provided at the rear end of the tractor: pressure (P), load sensing (LS), tank return (R) and drain (D). All ports without coupler and closed with plugs.	416.00

AG MANAGEMENT SOLUTIONS

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8075		AG MANAGEMENT SOLUTIONSContinued John Deere 4640 Universal Display + AutoTrac Activation Includes 10.4 inch touch screen Display with Bulkhead Connector, 2 USB Ports, 4 video inputs and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac, Premium and Ultimate Activation. Includes Bulkhead Connect.	8,495.00
8076		John Deere 4240 Universal Display Includes 8.4 inch touch screen Display with Bulkhead Connector, 1 USB Port, 1 video port, 1 ethernet port and Documentation functionality. Enables Wireless Data Transfer in combination with JDLink Connect subscription. Supports ISOBUS Implements for Universal Terminal (UT) and Joystick (AUX-N) functionality for Agricultural Industry Electronics Foundation (AEF) conform implements. Capable of Gen 4 Universal AutoTrac Activation and 4240 Section Control and Data Sync Subscription. Includes Bulkhead Connect.	2,495.00
		FRONT LOADER PREPARATION	
8924		Loader Hydraulic Preparation - Mechanical Midstack SCV - 3 Functions Includes 3 mechanical midstack SCVs: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included.	3,405.00
8925		Loader Hydraulic Preparation - Mechanical Midstack SCV - 2 Functions Includes 2 mechanical midstack SCVs: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, one rocker switch for the 3rd function (rocker switch not connected, plus wiring harnesses. Loader mounting frames, hood guard to be ordered separately, hydraulic connections from the valve up to front loader coupling point must to be ordered separately. Gear shifting buttons included. Includes: 2-function mid-mounted control valve with mechanical joystick control.	2,780.00
		FRONT LOADER PACKAGES	
891E		Loader Ready Package - Mechanical SCV, 2 Functions Includes mechanical midstack SCV's: 2 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension plus wiring harness. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler. Gear shifting buttons included. For R-Series Front Loaders. Includes: 2-function mechanical joystick and inactive rocker switch, activated gear shifting buttons, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard.	5,095.00
		Note: Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with 2-function R Series loaders.	
891F		Loader Ready Package - Mechanical SCV, 3 Functions Includes mechanical midstack SCV's: 3 function mechanical independent control valve, mechanical joystick: handle connected to the valve with cables, buttons on the joystick: front loader suspension, rocker switch for 3rd function plus wiring harnesses. Loader mounting frames, hood guard, hydraulic connections from the valve up to front loader coupling point, tractor half multicoupler.	6,161.00

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PACKAGESContinued Gear shifting buttons included. For R-Series Front Loaders. Includes: 3-function mechanical joystick and activated rocker switch, activated gear shifting buttons, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, loader mounting frame, and hood guard. Note: Loader component of single point is ordered with loader. Front weight support is recommended.	
		Compatible with 3-function R Series loaders.	
8002		MISCELLANEOUS Toolbox Left-hand side installed	85.00
8781		License Plate Bracket - Rear Fender mounted.	39.00
0020		SPECIAL PAINTING	4 000 00
8030		Special Painting - Industrial Yellow No RAL definition. John Deere owned colour.	1,602.00
8031		Special Painting - Municipality Orange RAL2011 'Community Orange' Paint Finish	1,602.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BL15680	Brakes Hydraulic Trailer Brake Kit PFC System, Basic, No Front Axle Brake	807.40
	BL15522	Cab Equipment Bottle-/ Cup-Holder	50.60
	AL80126	Cab Equipment Rear Mirror Mechanical	188.10
	AL80127	Rear Mirror Mechanical	188.10
	BL15473	Cold Start Packages Cold Start Package Includes engine block heater and all required hardware.	464.20
	BL15467	Cold Start Package Includes engine block heater, charge pump heater, transmission oil pump heater, and all required hardware. Only compatible with AutoQuad and PowrQuad Transmissions.	1,120.90
	BL15536	DEF-Tank Filler Neck Heater	115.50

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15539	ATTACHMENTS FOR FIELD CONVERSIONContinued Fuel Heating Device	194.70
	AL179161	Coupling Balls Guide Ball Holder, Category 2	117.70
	AL180047	Guide Ball Holder, Category 3	104.50
	RE63147	Drawbar Drawbar Dropdown Lowers the height of Drawbar by approximately 3 Inches.	334.40
	AL208071	Drawbar Dropdown, Cat. 2 Not compatible with category III drawbars.	352.00
	BL15659	Electrical Battery Cut-Off Switch Also Order Software AL216894.	591.80
	BL15726	Radar, Dual Beam Attaching Kit See installation instructions for also order parts. Requires software AL220212.	125.40
	BL15383	Exhaust Stainless Steel Exhaust	982.30
	BL15264	Fenders Fender Mud Guard	36.30
	BL15292	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models.110X15 for North America only.	226.60
	BL15293	Fender Side Extension Refer to installation instructions for additional hardware needed to complete installation on certain models. 200X20 for North America only.	226.60
	BL15650	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	927.30
	BL15652	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	957.00
	BL15654	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15647 MFWD Front Fender, Turnable, Base Support Kit.	973.50

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15655	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15656	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide - Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	988.90
	BL15646	MFWD Front Fender, Turnable, 24.4 in. (620mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	BL15658	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur. Also order BL15059 MFWD Front Fender, Turnable, Base Support Kit.	1,002.10
	AL180215	MFWD Front Fenders, Fixed, 10.2 In. (260 mm) Wide See Ag Sales Manual for compatible tire combinations.	754.60
	BL15649	MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	673.20
	BL15651	MFWD Front Fenders, Fixed, 16.5 ln. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	688.60
	BL15653	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	695.20
	BL15648	MFWD Front Fenders, Fixed, Base Support Kit Also order MFWD front fender kit in corresponding width and size.	192.50
	BL15770	Stop Panel Kit for Turnable Front Fenders	31.90
	BL15201	Front Axle Low Temperature Attachment For TLS Adds 1.4 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15202	Pressure Accumulator, 1.0 L - For Low Temperature Use Adds 1 liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using male thread M27 x 2.	704.00
	BL15106	Wheel Extension, 3.5in. (94mm), Front Reference installation instructions for additional compatibility information.	946.00
	BL15107	Wheel Extension, 8.5in. (219mm), Front Reference installation instructions for additional compatibility information.	1,434.40
	BL15206	Front Power Take-Off (PTO) NA Preparation For Installing Front PTO	1,305.70

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL157298	Front Weights Front Shield Protecting the frame end.	56.10
	AL176565	Front Weight Carrier, 243 Lb. (110 Kg)	457.13
	BL15407	Fuel Tank Bottom Guard, Fuel Tank	260.70
	AL180493	Hitch and Drawbar Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170.	110.00
	BL15090	Hydraulic Center Link	2,256.10
	BL15217	Hydraulics Additional Oil Reservoir Increases the existing oil capacity to 3.7 gallons (14 liters). Pressure and Flow Compensated.	585.20
	BL15288	Control Lever (Joystick) upgrade Converts PowerQuad Plus into AutoQuad Plus control. Requires software AL214131, see installation instructions.	630.30
	BL15710	ICV Oil Line Kit Used only in Power Reverser applications.	192.50
	BL15635	Lever M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	2,066.90
	BL15251	M-ICV 2-Function to 3-Function Upgrade Mechanical Independent Control Valve. To convert from 2-Function to 3-Function.	601.70
	BL15634	M-ICV, 2-Function Mechanical Independent Control Valve.NOTE: A field kit for single-lever actuator and a field kit for oil lines must always be ordered in conjunction with a field kit for valve block. These field kits must be appropriate to the tractor and its equipment, and must be ordered through normal parts channels.	1,342.00
	BL15682	M-SCV, 200 Series And 450 Series Position 3 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15683	M-SCV, 200 Series And 450 Series Position 4 Mechanical Selective Control Valve. Kit contains deluxe quick coupler and leak-off oil parts for dust protector housing.	464.20
	BL15735	Power Beyond Pressure Coupler, 1/2-Inch (12.5 mm) Also requires Power Beyond Return Coupler, BL15438. Additional also order parts are required. See installation instructions.	297.00

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15438	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Return Coupler 1/2-Inch (12.5 mm) Also requires Power Beyond Pressure Coupler, BL15435. Additional also order parts are required. See installation instructions.	292.60
	BL15737	Power Beyond Return Coupler 3/4-Inch (20 mm) Also requires Power Beyond Pressure Coupler, BL15434. Additional also order parts are required. See installation instructions.	314.60
	BL15671	Power Beyond Return Coupler, 3/4-Inch (19 mm), Flat Face Also requires Power Beyond Pressure Coupler, BL15432. Additional also order parts are required. See installation instructions.	427.90
	BL15739	Power Beyond With External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	295.90
	BL15740	Power Beyond With External Pressure Free Return Includes only the Power Beyond pressure free return coupler kit. Two connectors (Return, Case Drain).	77.00
	BL15674	Power Beyond Without External Pressure Free Return Includes complete Power Beyond supply and pressure free return coupler kits. Four connectors (Pressure, Return, Load Sense and Case Drain).	174.90
	BL15697	V Oil Lines, PFC Hydraulic System	366.30
	BL15170	Lighting (2) H3 Flood Lamps, Rear Cab Roof Mounted Additional also order parts and software required. See installation instructions.	223.30
	BL15169	(2) H3 Work Lights, Front Cab Roof Mounted, LH and RH Additional also order parts and software required. See installation instructions.	223.30
	AL179972	(2) H3 Work Lights, Rear Fender Mounted, LH and RH Also requires software, AL217733. Additional also order parts are required. See installation instructions.	247.50
	BL15174	(2) HB3 Work Lights, Beltline Upright Mounted Also order software AL217716.	313.50
	AL205916	1 Work Light H3, On Beacon Light Bracket Installed on beacon light support.	162.80
	AL205881	2 Headlights H4, Beltline Mounted (Upright Position) Additional also order parts required. Also requires software AL217713. See installation instructions.	327.80
	AL111705	Beacon Light, LH Requires Switch (AL181123).	276.10
	BL15716	Beacon Light, RH	272.80
	BL15670	Bracket, Headlights and Worklights	24.20
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	1,159.40

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15255	ATTACHMENTS FOR FIELD CONVERSIONContinued Hood Corner Work Lights	510.40
	BL15181	Miscellaneous Accumulator, Suspended Front Axle Adds I liter accumulator for suspended front axle in areas where cold climate or extreme cold temperatures are common. Compatible with pipe fitting using female thread M22 x 1.5.	704.00
	BL15011	Screen, Condenser Compatible on tractors with air conditioning.	91.30
	AL180127	Steering Limiter Kit Compatible with MFWD front axles.	1,495.66
	AL204829	Tool Box	301.40
	BL15295	Window decal, rear John Deere logo.	23.10
	BRE10151	Miscellaneous Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	374.00
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	129.80
	BL15403	Holder for Hitch Cable (ROPE)	25.30
	BL15869	Latch, Vandal-Kit, Transmission Oil Filler Neck	167.20
	AL211572	Lockable Filler Cap DEF-Tank	50.42
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	AL113087	Lockable Fuel Tank	29.27
	AL71345	Security Door Lock Kit Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	206.80
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one For front mount balasting. 43.1 kg (95 lbs) each. High gloss green paint. North American applications.	140.80
	AL203919	Operator Environment 3-Terminal Socket	91.30
	BL15158	Display Bracket For mounting display and implement controls.	177.10
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	273.90

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL173569	ATTACHMENTS FOR FIELD CONVERSIONContinued Instructional Seat, Unsuspended Includes seatbelt.	691.90
	AL151224	Mirror, Inside Rear	182.60
	AL174215	Power Strip with Six Outlets	88.00
	BL15082	Presence Switch, Operator Seat For air suspended seat. See installation instructions for additional parts and/or software required.	198.00
	AL180494	Remote Switch, PTO Also order AL174668. See installation instructions.	108.90
	BL15278	Seat, Operator - Mechanical Suspension See installation instructions for additional parts and/or software required. Includes foldable armrests, seatbelt, and salt and pepper colored fabric.	975.70
	AL117734	Seatbelt for Instructional Seat	72.60
	AL157620	Sun Visor Flip down style.	112.20
	BL15198	Sunshade Compatible in front, side, and rear. Pull to unroll style.	204.60
	AL173570	Suspension for Instructional Seat	283.80
	AL208658	Wiper/Washer, Rear	269.50
	BL15629	Wiper/Washer, Rear	269.50
	BL15231	iTEC Headland Management System Reference Installation Instructions. Also order software AL213360.	33.00
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BRE10255	Tablet Mount Kit Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141). With 1.5 inch toughball mount for increased tablet stability over original BRE10034.	92.40
	BL15385	Radio Deluxe Radio with CD Also order software AL216783. Only for North America (region 4).	446.60
	BL15387	Radio Deluxe with CD Also order software varies by model, see installation instructions for complete list.	400.40
		Also order (1) Radio Button - BL15585. Reference installation instructions for more information.	

6195M Cab Tractor

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BL15127	Rear Axle Wheel Extension, 3.5in. (94mm), Rear Reference installation instructions for additional compatibility information.	1,221.00
	BL15128	Wheel Extension, 8.5in. (219mm), Rear Reference installation instructions for additional compatibility information.	1,434.40
	BL15909	Rear Wheel Weights Adapter for Rear Wheel Weights Quick Mount, BCD = 275 Compatible with BCD 275 only. Mounting hardware not included.	875.60
	BL15892	Rear Wheel Weights Quick Mount, 2x100 Kg Adds two 100kg weights. Not compatible with HD welded ring (8503) or adjustable cast wheels (5091).	1,184.70
	BL15893	Rear Wheel Weights Quick Mount, 2x250 Kg Please verify compatibility with the wheel weight matrix before ordering any weights.	3,080.79
	AL204297	Seat Backrest Extension for Operator Seats	169.40
	BL15037	Comfort Seat - Air Suspended Air suspended (value spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	1,592.80
	BL15038	Super Comfort Seat Air suspended (mid spec.). Includes seatbelt. See installation instructions for additional parts and/or software required.	2,125.20
	BL15813	Selective Control Valves Implement Side, Flat Face Coupler Drain Case, Size 10, ISO 16028 Impliment side flat face coupler case drain. Size 10, ISO 16028.	50.60
	BL15812	Implement Side, Flat Face Coupler PB, Size 20, ISO 16028 Impliment side flat face coupler. Size 20, ISO 16028.	228.80
	AL176808	Power Beyond Coupler - Male, Size 12.5 mm (1/2") Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	297.00
	AL158728	Transmission Back-up Alarm	631.40
	AL213767	Creeper Shift Components Required for creeper retrofit.	161.70
	BL15086	Vandal Protection Vandal Protection, Hood	155.10

6195M Cab Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BL15362	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection, Lockable Transmission Oil Filler Cap	167.20
	T21689	Weights Weight, Rear Wheel, 107 Lb. (49Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	166.10
	R56920	Weight, Rear Wheel, 110 Lb. (50Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	142.26
	R61524	Weight, Rear Wheel, 135 Lb. (61Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	358.60
	AR112536	Weight, Rear Wheel, 440 Lb. (200Kg) (4-R56920) Requires Steel Wheels. Not compatible with Rack and Pinion Axle. Please verify compatibility with the wheel weight matrix before ordering any weights.	1,518.00
	APY10029	Weight, Rear Wheel, 480 Lb. (218Kg) (4-L28228) Please verify compatibility with the wheel weight matrix before ordering any weights.	746.90
	L214824	Weight, Rear Wheel, 551 Lb. (250Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	963.86
	L28228	Weight, Wheel, 120 Lb. (54Kg) Please verify compatibility with the wheel weight matrix before ordering any weights.	288.06
	R167153	Wheel Weights Starter Weight, Wheel, 159 Lb. (72 Kg)	258.50
	R207782	Weight, Wheel, 452 Lb. (205 kg)	737.00

Please verify compatibility with the wheel weight matrix before ordering any weights.

6195M Cab Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK