

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Commercial Side Discharge Deck**  
 Equipment for Base Machine

60 In. (152.4 cm ) Cutting Width	Quick Release Belt Shields
(3) Spindles, Blade	(4) Double Captured Adjustable
(3) 0.25 In. (6.35 mm) High Lift Blades	Anti-scalp Wheel Locations
7-Gauge (.177 In.) One Piece Stamped Deck Shell	(1) Left Rear Anti-scalp Wheel
1-6 In. (2.54-15.24 cm) Height of Cut	Hinged Side Discharge Chute
5.5 In. (13.97 cm) Deep Deck Design	Greaseable Spindles and Caster Wheels
(2) Semi-Pneumatic Caster Wheels	1 In. (2.54 cm) Splined Shaft Drive
	Rotate for Service with Safety Latches

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0338TC		60 In. 7-Iron PRO Commercial Side Discharge Deck <i>(For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II) Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,239.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>		15.81
	<b>Mower Deck and Mower Deck Attachments</b>		
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>		152.11
BTC10669	Mulch Kit (60 In. 7-Iron PRO)		339.19
	<b>Weights</b>		
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>		116.63

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**62 In. Fastback Commercial Rear Discharge Deck**  
 Equipment for Base Machine

62 In. (157.48 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Quick Release Belt Shields
(3) 0.31 In. (7.87 mm) Medium Lift Blades	(3) Double Captured Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) Fabricated Deck	Greaseable Spindles and Caster Wheels
1-6 In. (2.54-15.24 cm) Height of Cut	1 In. (2.54 cm) Splined Shaft Drive
Vehicle Enclosure Kit	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0352TC		62 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,399.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	15.81
<b>Mower Deck and Mower Deck Attachments</b>			
BTC10545		62 In. Rear Discharge Mulching Kit <i>Will Retrofit MY13 62-In. Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 62-In. Rear Discharge Decks.</i>	245.03
TCB10523		62 In. Rear-Discharge Mower Deck Deflector Kit	272.86
TCA22953		Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	152.11
<b>Weights</b>			
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck**  
 Equipment for Base Machine

72 In. (182.88 cm) Cutting Width	(4) Double Captured Adjustable
(3) Spindles, Blades	Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) One Piece	(2) Rear Anti-scalp Adjustable Wheels
Stamped Deck Shell	Hinged Side Discharge Chute
1-6 In. (2.54-15.24 cm) Height of Cut	Greaseable Spindles
Deep Deck Design	1 In. (2.54 cm) Splined Shaft Drive
(2) Semi-Pneumatic Caster Wheels	Rotate for Service
Quick Release Belt Shields	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0347TC		72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers)</i>	4,979.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Miscellaneous</b>	
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	15.81
		<b>Mower Deck and Mower Deck Attachments</b>	
TCA22953		Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	152.11
BTC10670		Mulch Kit 72" (7-Iron PRO)	344.54
		<b>Weights</b>	
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. Fastback Commercial Rear Discharge Deck**  
 Equipment for Base Machine

72 In. (182.88 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Belt Shields
7-Gauge 0.177 In. (4.49 mm)	(2) Rear Anti-Scalp Wheels
Fabricated Deck	Front Anti-Scalp Rollers
1-6 In. (2.54-15.24 cm) Height of Cut	Offset Spindles
Deep Deck Design	Greaseable Spindles
Vehicle Enclosure Kit	1 In. (2.54 cm) Splined Shaft
Rear Deck Deflector Kit	Drive
	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0553TC		72 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,999.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	15.81
<b>Mower Deck and Mower Deck Attachments</b>			
DMA210906		72 In. Deflector Kit	195.20
DMB210223		72 In. Rear Discharge Anti-Scalp Wheel (Front Pair) Kit <i>For use with all 72" Rear Discharge Decks for NA and Export.</i>	187.26
DMB210099		72 In. Rear Discharge Mulching Kit <i>For use with 72" Rear Discharge Decks for NA.</i>	449.40
TCA22953		Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	152.11
<b>Weights</b>			
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck**  
 Equipment for Base Machine

72 In. (1,829 mm) Cutting Width	Deep Deck Design
Three HD Spindles Blades	Four Front Pneumatic Caster
Three - One Piece Stamped Decks	Wheels
7-Gauge 0.177 In. (4.5 mm) Steel	20 Degrees of Wing Deck
1-5 In. (25-127 mm) Height of	Articulation
Cut	Hinged Side Discharge Chute
with Standard Rear Wheel Kit	Greasable Spindles
1-4 In. (25-102 mm) Height of	Splined Shaft Drive
Cut	45 Degrees Rotate for Service
with Optional Rear Roller Kit	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0050TC		72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck <i>(For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)</i> <i>Not Compatible with the MCS 600L Hydraulic High-Dump Material Collection System. Ballast Required, Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit, see Ballast Chart in Sales Manual.</i> <i>Hydraulic Weight Transfer Kit is Required for use with 72-In. (182.88 cm) V-Flex Mower Deck.on 1400/1500 Series II Front Mowers.</i> <i>(2) Lift Cylinders are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001.</i>	8,319.00
--------	--	--	----------

**REAR ROLLERS AND WHEELS**

1000		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	In Base Price
1001		Rear Roller Kit <i>Includes (3) 26 In. (660 mm) Smooth Solid Rollers.</i>	1,178.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Auxiliary Hydraulics</b>		
BTC10531	Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>		340.26
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>For 1500 TerrainCut Front Mowers.</i>		622.74
	<b>European CE Kit</b>		
TCB10771	European CE Hydraulic Wing Lift Kit <i>Meets CE Requirements. Requires Single Spool Auxiliary Hydraulic Kit (TCB11747).</i>		834.60
	<b>Hydraulics</b>		
TCB10566	Hydraulic Weight Transfer Kit <i>For Series II and Non-Series II Front Mowers.</i>		325.29

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TCB10653		Hydraulic Wing Lift Kit <i>*Requires Single Spool Auxiliary Hydraulic Kit (BTC10530) for 1500 TerrainCut Front Mowers</i> <i>**Requires Single Spool Auxiliary Hydraulic Kit (TCB11474) for 1400/1500 Series II Front Mowers</i>	789.66
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>For Series II and Non-Series II Front Mowers.</i>	589.57
		<b>Miscellaneous</b>	
TCA13394		(1) Lift Cylinder	290.25
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	15.81
		<b>Mower Deck and Mower Deck Attachments</b>	
TCB10581		Mulch Kit (72 In. V-Flex)	674.10
TCB10614		Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i>	1,797.60
TCB10578		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	537.14
		<b>Weights</b>	
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Hydraulic Angling Front Blade**  
 Equipment for Base Machine

60 In. Clearing Width "Straight"	Heavy-Duty, 7-Gauge Steel
52 In. Clearing Width "Fully Angled"	Reinforced Angle Bar on Back of Blade
0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle	Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes
Hydraulic Angling	Less Lift Arms
Replaceable Cutting Edge	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0390TC		60 In. Heavy-Duty Hydraulic Angling Front Blade For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.	1,799.00
--------	--	---	----------

**LIFT ARMS**

1000		Lift Arms and Hardware For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.	226.00
1001		Lift Arms and Hardware For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.	226.00
1010		Less Lift Arms	In Base Price

**EUROPEAN CE KIT**

9100		European CE Conversion Kit for 60 In. H.D. Hydraulic Angling Front Blade This Code Must be Ordered to Receive a 60 In. Front Blade Which Meets CE Requirements. Kit Includes Fuel Hose Conduit, Pictorial Decals, Operator's Manual in English, French, German, Spanish and Italian.	14.00
------	--	---	-------

**ATTACHMENTS FOR FIELD CONVERSION**

	BTC10530	<b>Auxiliary Hydraulics</b> Single-Spool Auxiliary Hydraulic Kit (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).	622.74
--	----------	---	--------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Hydraulic Angling Front Blade**  
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Hydraulics</b>	
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	589.57
		<b>Miscellaneous</b>	
BTC10608		Front Blade Lift Arms and Hardware Kit (For 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non Series II Front Mowers)	258.94
TCB10449		Front Blade Lift Arms and Hardware Kit (For 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non Series II Front Mowers)	258.94
M142885		Heavy Duty Skid Shoe (1)	54.86
AM119321		Heavy-duty skid shoe (1)	66.33
		<b>Tire Chains</b>	
TY15956		Tire chains (pair) for 23x10.50-12 tires	81.08
TY15841		Tire chains (pair) for 23x8.50-12 tires	68.14
		<b>Tire Chains</b>	
TY15958		Tire chains (pair) for 26x12-12 tires	97.67
		<b>Weights</b>	
BM18101		Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		<b>Weights</b>	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)**  
 Equipment for Base Machine

Modular Design  
 Side Panels with Doors  
 Rear Panel with Window  
 Two Work Lights with Wiring  
 Harness

Accoustic Canopy Liner

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0228TC		Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) (Not Compatible with 1500 TerrainCut Models) Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.	3,055.00
--------	--	---	----------

**MISCELLANEOUS**

9000		Front Windshield Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.	460.00
9001		Single Speed Front Windshield Wiper	361.00
9002		(1) Exterior Mirror Kit	205.00
9004		Cab Integrated Heater/Defroster Kit For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867	954.00
9005		Cab Integrated Heater/Defroster and Air Conditioner For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867	2,444.00
9006		4-Post ROPS Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy.	1,589.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mirrors</b>		
TCB10325	(1) Exterior Mirror Kit		233.26

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)**  
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
BTC10293		4-Post ROPS Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.	1,768.71
TCB10538		Breakaway Beacon Light Hard or Soft Cab with 4-Post ROPS Required.	356.31
TCB10821		Cab Integrated Heater/Defroster Kit For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867	1,020.79
TCB10822		Cab Integrated Heater/Defroster and Air Conditioner For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867	2,615.09
BTC10377		Compressor Bracket Kit Required for 1445/1545 AC Installation.	197.96
BTC10378		Compressor Bracket Kit	221.49
TCB10326		Floor Mounted Heater/Defroster Kit For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; M138867 1565; M138288	834.60
TCB11095		Front Worklight (2) Kit Requires 4-Post ROPS Conversion Kit with Canopy.	189.39
TCB10662		Rear Worklight (2) Kit Hard or Soft Cab with 4-Post ROPS Required.	253.59
TCB10981		Single Speed Front Windshield Wiper	386.27
TCB10620		<b>Windshield</b> Front Windshield Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.	511.46

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)**  
 Equipment for Base Machine

Modular Design  
 Side Panels with Doors  
 Rear Panel with Window  
 Two Work Lights with Wiring  
 Harness

Accoustic Canopy Liner

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0227TC		Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) (Not Compatible with 1500 TerrainCut Models) Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.	2,180.00
--------	--	---	----------

**MISCELLANEOUS**

9000		Front Windshield Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.	460.00
9001		Single Speed Front Windshield Wiper	361.00
9002		(1) Exterior Mirror Kit	205.00
9006		4-Post ROPS Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy.	1,589.00
9003		Floor Mounted Heater/Defroster Kit For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835	780.00

**ATTACHMENTS FOR FIELD CONVERSION**

TCB10325	<b>Mirrors</b> (1) Exterior Mirror Kit	233.26
----------	---	--------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)**  
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
BTC10293		4-Post ROPS Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.	1,768.71
TCB10538		Breakaway Beacon Light Hard or Soft Cab with 4-Post ROPS Required.	356.31
BTC10377		Compressor Bracket Kit Required for 1445/1545 AC Installation.	197.96
BTC10378		Compressor Bracket Kit	221.49
TCB10326		Floor Mounted Heater/Defroster Kit For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835	834.60
TCB11095		Front Worklight (2) Kit Requires 4-Post ROPS Conversion Kit with Canopy.	189.39
TCB10662		Rear Worklight (2) Kit Hard or Soft Cab with 4-Post ROPS Required.	253.59
TCB10981		Single Speed Front Windshield Wiper	386.27
		<b>Windshield</b>	
TCB10620		Front Windshield Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.	511.46

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Material Collection System (For F725, F735 Front Mowers)**  
Equipment for Base Machine

9 Bushel Capacity  
Polyethylene Hopper  
Less Power Flow Blower

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1341M		Material Collection System (For F725, F735 Front Mowers)	2,091.00
-------	--	--	----------

**POWER FLOW BLOWER**

1001		Power Flow Blower for 48 In and 54 In. Mower	461.00
1002		Less Power Flow Blower	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BM19090		<b>Mcs Power Flow Blowers</b> Blower Assembly for 54-in. (137-cm) Mower	555.33
---------	--	--	--------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**MCS 600 Hydraulic High-Dump Material Collection System**  
 Equipment for Base Machine

599 L (17 Bu.) Capacity (21 cu.ft.)  
 Hydraulic Dump System  
 High Performance Blower  
 Lift Height - 1.9 M (6.23 Ft)  
 Clam Shell Design  
 Fibreglass Structure  
 Easy to Dump System  
 Low Noise System  
 6 Blade Commercial Blower

Tractors Require Dual SCV.  
 4200-4400 and 4210-4410 Tractors also Require a Third SCV Kit.  
 The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0801TC		MCS 600 Hydraulic High-Dump Material Collection System <i>For 1400 4WD/1500 Series II and Non-Series II Front Mowers</i>  <i>Not Compatible with 1500 TerrainCut Models (1550/1570/1575/1580/1585). See Sales Manual for Complete Compatibility Requirements on MY14 and Prior Series II and Non-Series II Front Mowers. Mowers Require TCB10567 Rear Auxillary Hydraulic Kit and TCB11475 Double Spool Auxiliary Hydraulic Kit. Drive Coupler AM102741 is required for all MCS 600 Material Collection Systems.</i>  <i>All 1400 4WD Mowers can not be Operated with MCS and Cab. MCS can not be Used with the 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck.</i>	6,570.00
--------	--	---	----------

**CHUTE**

1000		1,829 mm (72 In.) Chute with MCS Adapter	In Base Price
1001		1,524 mm (60 In.) Chute with MCS Adapter	No Added Cost
1010		Less Chute and Less MCS Adapter	-316.00

**ATTACHMENTS FOR FIELD CONVERSION**

**Miscellaneous**

TCB11588		1524-mm (60-in.) Chute with Material Collection System (MCS) Adapter	384.13
TCB11589		1828.8-mm (72-in.) Chute with Material Collection System (MCS) Adapter	384.13
TCB11475		Double-Spool Auxiliary Hydraulic Kit	796.09
AM102741		Drive Coupler <i>Needs to be ordered with all MCS 600 Material Collection Systems for installation on 1400 and 1500 series Front Mowers</i> <i>Needs to be ordered with all MCS 600 Material Collection systems for installation on 1400 and 1500 series Front Mowers.</i>	127.88
TCA14116		MCS Support Stands	743.20
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	337.06

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers)**  
 Equipment for Base Machine

57 In. (145 cm) Clearing Width  
 Straight  
 50 In. (127 cm) Clearing Width  
 Fully Angled  
 0 Degrees Straight, 15-30  
 Degrees  
 Left or Right Brush Angle  
 26 In. (66 cm) Diameter  
 Polypropylene Brush  
 Heavy Duty Center Drive Gearbox  
 Storage Stand

Less Lift Arms and Drive Shaft  
 Chain and Sprocket Final Drive  
 (2) Caster Wheels  
 Steel Hood

Recommended only and are Subject  
 to Change without Notice.

The Above Specifications are  
 Indicative of the Base Feature  
 Machine only and may Differ if  
 Alternative Options/Attachments  
 are Ordered.  
 Pricing and Specifications are

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0500TC		60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling.</i>  <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	3,379.00
--------	--	---	----------

**LIFT ARMS AND DRIVE SHAFT**

1000		Lift Arms, Cylinders, Drive Shaft and Hardware	1,682.00
1010		Less Lift Arms, Cylinders, Drive Shaft and Hardware	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Auxiliary Hydraulics</b>		
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>		622.74
	<b>Hydraulics</b>		
TCB11474	Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>		589.57
	<b>Miscellaneous</b>		
TCB10391	60 Rotary Broom Lift Arms, Angle Cylinder, Drive Shaft and Hardware Kit		1,928.14
TCB10392	Debris Deflector		434.41
BM20706	Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)		370.21
AM128682	Wafers, Polypropylene Bristle (Pack of 16)		303.49
AM128683	Wafers, Steel Bristle (Pack of 16)		487.97

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and  
Non-Series II Front Mowers)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Weights</b>	
BM18101		Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		<b>Weights</b>	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**47 In. Heavy-Duty Two-Stage Snow Blower**  
 Equipment for Base Machine

Two-Stage Design	Reversible, Replaceable Scraper
Hydraulic Lift	Blade
47 In. Clearing Width	Hydraulic Discharge Chute
15.5 In. Diameter Impeller	Rotation 90 Degrees Right and
16 In. Diameter Auger	Left (180 Degrees Total)
(4) Spare Shear Bolts Mounted to Shell	HD Auger Bevel Gearbox Drive
Adjustable Spout Cap Deflector	Less Lift Arms and Drive Shaft
Large, Adjustable Skid Shoes	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0370TC	47 In. Heavy-Duty Two-Stage Snow Blower <i>For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers.                  Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers.                  Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.                  Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.                  Compatibility with F900/F1145 Front Mowers requires additional parts. See Sales Manual for 47 In. Heavy-Duty Snow Blower and Supplemental/Compatibility Information.</i>	4,349.00
--------	---	----------

**LIFT ARMS AND DRIVE SHAFT**

1000	Lift Arms, Drive Shaft and Hardware	462.00
1010	Less Lift Arms <i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BTC10530	<b>Auxiliary Hydraulics</b> Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	622.74
TCB11474	<b>Hydraulics</b> Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>	589.57
M88984	<b>Miscellaneous</b> Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i>	31.38
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	529.66

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**47 In. Heavy-Duty Two-Stage Snow Blower**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Tire Chains</b>	
	TY15956	Tire chains (pair) for 23x10.50-12 tires	81.08
	TY15841	Tire chains (pair) for 23x8.50-12 tires	68.14
		<b>Tire Chains</b>	
	TY15958	Tire chains (pair) for 26x12-12 tires	97.67
		<b>Weights</b>	
	BM18101	Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		<b>Weights</b>	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Two-Stage Snow Blower**  
 Equipment for Base Machine

Two-Stage Design  
 Hydraulic Lift  
 59 In. Clearing Width  
 60 In. Overall Width  
 16 In. Diameter Auger  
 Adjustable Spout Cap Deflector  
 Large, Adjustable Skid Shoes  
 Reversible, Replaceable Scraper

Blade  
 Hydraulic Discharge Chute  
 Rotation 90 Degrees Right and  
 Left (180 Degrees Total)  
 HD Auger Gearbox Drive  
 Less Lift Arms and Drive Shaft

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0380TC		60 In. Heavy-Duty Two-Stage Snow Blower For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.	4,839.00
--------	--	--	----------

**LIFT ARMS AND DRIVE SHAFT**

1000		Lift Arms, Drive Shaft and Hardware	462.00
1010		Less Lift Arms Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BTC10530	<b>Auxiliary Hydraulics</b> Single-Spool Auxiliary Hydraulic Kit (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).	622.74
TCB11474	<b>Hydraulics</b> Single Spool Auxiliary Hydraulic Kit (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).	589.57
M88984	<b>Miscellaneous</b> Drift Blade Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.	31.38
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	529.66
TY15956	<b>Tire Chains</b> Tire chains (pair) for 23x10.50-12 tires	81.08

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Two-Stage Snow Blower**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY15841	Tire chains (pair) for 23x8.50-12 tires	68.14
		<b>Tire Chains</b>	
	TY15958	Tire chains (pair) for 26x12-12 tires	97.67
		<b>Weights</b>	
	BM18101	Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		<b>Weights</b>	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Current Attachments for Non-Current Commercial Front Mowers and Equipment**  
Equipment for Base Machine

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Hydraulics</b>			
TCB10566		Hydraulic Weight Transfer Kit	325.29
TCB11474		Single Spool Auxiliary Hydraulic Kit	589.57
<b>Miscellaneous</b>			
BM18123		2000 RPM Front PTO (F900's)	1,290.41
BM17714		Auxiliary Hydraulic Kit For F900 Series and F1145	278.20
TCA12058		Slow Moving Vehicle (SMV) Kit	58.22
<b>Miscellaneous</b>			
TCB11475		Double-Spool Auxiliary Hydraulic Kit	796.09
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	337.06
<b>Mower Deck and Mower Deck Attachments</b>			
BM17436		72 In. Commercial Side Discharge Mower Deck (For F1145)	5,106.04
<b>Mulch Kits</b>			
BM19918		Mulch Kit, 48-in (122-cm)	242.89