

WHOLEGOODS PRICE LIST EFFECTIVE JANUARY 1, 2018

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of January 1, 2018.

1/1/2018 Increased Price on all High Flow Base Models

Increased Price on Wholegoods Rotating Beacon Light

Added Multi-Function Lever Kits for new grips

Increased Replacement Cab Offerings to include cabs

with new grips

1/8/2018 Noted compatibility of Sliding Side Window Kit for SVL75-2

See page 17-10.

1/19/2018 Added Replacement CABs for SVL75-2 and SVL95-2s with

new grips. See pages 17-10 and 17-18. Pages added at 17-18, all subsequent pages numbers have changed.

5/15/2018 Updated price of S6689 Hose Stay. See pages 17-10 and 17-18.

5/30/2018 Added the 14-Pin Coupler as standard on high flow models beginning with

SN 37130 for SVL75-2 SN 40618 for SVL95-2s

Updated Special Applications Door for both SVL75-2 and SVL95-2s

ROPS models



This page intentionally left blank.

Page 17-2 Bid Term: 2/20/19 - 2/19/21



PAGE	DESCRIPTION	GROSS HP	FACTORY NUMBER	SUGGEST LIST PRICE
17-5	SVL75-2	74.3	K42X432A32	\$55,832.00
17-13	SVL95-2s	96	K53K968A36	\$71,011.00
17-19	Replacement Engines			



This page intentionally left blank.

SVL75-2

SVL75-2 Compact Track Loader

FEATURES

Vertical Lift Path Loader Frame

Standard Front Quick Coupler, Float Standard

Hydraulic Quick Coupler Option

Loader Arm Self-Leveling

Loader Boom Lock

Open ROPS & Air Conditioned ROPS/FOPS Cab Models

High Back, Adjustable, Vinyl, Suspension Seat

2" Retractable Seat Belt And 2-Piece Seat Bar

12V Electric Outlet

17.4 gpm Auxiliary Hydraulics standard, 29.3 gpm Option

Direct To Tank Return Line

Rigid Mounted Undercarriage, 4 Lower Track Rollers

Rubber Tracks, 12.6" Standard, 15" Optional

Two Speed Travel System

Automatic Wet Disk Parking Brake

Kubota 4 Hydraulic Pump Load Sensing System

2 Gear, 2 Variable Displacement Pumps

Hydraulic Joystick Controls, Optional Multi-Function Grips

ISO Operating Pattern

Hand And Foot Throttle Controls

Electronic Travel Torque Management

Automatic Glow Plugs

Key Switch Stop System

Self Bleed Fuel System

2 Front And 2 Rear Working Lights

Hour Meter, Engine Temperature And Fuel

Gauges And Warning Lights

Horn And Backup Alarm

Lockable Fuel Cap

Bolt On Grab Handles to enter machine

DIMENSIONS

Cab Height	82.0"
Width (without attachment)	65.9"
Width with wide track option (without	
attachment)	68.3"
Length (without attachment)	109.0"
Length of Track on Ground	56.5"

BASIC UNITS

SVL75-2, 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler

SVL75-2F, 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2H, 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler

SVL75-2HF, 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2W, 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler

SVL75-2FW, 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2HW, 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler

SVL75-2HFW, 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2C, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler

SVL75-2FC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2HC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler

SVL75-2HFC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2WC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler

SVL75-2FWC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics & MF Grips SVL75-2HWC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler

SVL75-2HFWC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips

ENGINE

V3307 Kubota CR-TE4 Tier 4 Final Diesel Engine	
4 Cylinder, 4 Cycle, Turbo Charged	
74.3 Gross HP @ 2400 rpm (SAF J1995)	

OPERATIONAL DIMENSIONS

OI ENATIONAL DIMENSIONS	
Operating Weight*, SVL75-2H, 12.6" Rubber Tracks, Open ROPS/F	OPS Cat
Mechanical Quick Coupler	9,039 lbs.
Rated Operating Capacity (@ 35% of Tipping Load)	
Rated Operating Capacity (ROC) @ 50% of Tipping Load	3,285 lbs.
Tipping Load	6,570 lbs.
Auxiliary Hydraulics Flow	17.4 gpm
Travel Speed (Low / High)	4.7 / 7.1 mph
Reach @ Maximum Height	41.7"
Height to Hinge Pin	119.1"
Ground Pressure (Standard Track)	5.6 psi
Ground Pressure (Wide Track)	4.7 psi

^{*} Includes operator's weight, 175 lbs.

SVL75-2

HOW TO SELECT AN SVL75-2 Compact Track Loader

(Sample Order Information Page)

Below are examples of a complete SVL75-2 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SVL75-2 and get: Base Model, rubber tracks, open ROPS/FOPS cab, and a mechanical quick coupler.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and bolt-on edges, accessories, or a hydraulic breaker. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
UNIT SVL75-2 BASIC UNIT: SVL75-2 With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks Open ROPS/FOPS Cab Mechanical Quick Coupler	K42X432A32	8874	\$55,832.00
ATTACHMENTS: AP-HD68LT	68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side	K1K138A48	541	\$1,498.00
AP-PFL4548-99	Cutter, 14.2 cu-ft heaped capacity 48" Pallet Forks, 4500 lbs Capacity (Single Piece)	K804A77	460	\$1,059.01 \$58,389.01
UNIT SVL75- BASIC UNIT: SVL75-2HWC With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Wide Rubber Tracks A/C ROPS/FOPS Cab Hydraulic Quick Coupler	K48K827A72	9150	\$64,247.00
ATTACHMENTS: KXB560Q S6693A S6692A	HYDRAULIC BREAKER HYDRAULIC BREAKER HOSE KIT HYDRAULIC BREAKER BRACKET	K9K554A72 K481A84 K1K045A00	820 7 175	\$12,572.00 \$634.00 \$1,375.00 \$78,828.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point. Complete revision January 1, 2018.

Page 17-6 Bid Term: 2/20/19 - 2/19/21

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL SVL75-2 BASIC UNITS			
SVL75-2 With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler	K42X432A32	8874	\$55,832.00
SVL75-2F With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K43K819A32	8918	\$57,657.00
SVL75-2H With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler	K43K601A96	8874	\$57,371.00
SVL75-2HF With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K44K988A96	8918	\$59,196.00
SVL75-2W With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler	K43K601A96	8874	\$57,371.00
SVL75-2FW With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K44K988A96	8918	\$59,196.00
SVL75-2HW With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler	K44X772A36	8874	\$58,911.00
SVL75-2HFW With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K46K159A36	8918	\$60,736.00
SVL75-2C With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler	K46K487A68	9150	\$61,168.00
SVL75-2FC With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K47K874A68	9194	\$62,993.00
SVL75-2HC With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler	K47K658A08	9150	\$62,708.00
SVL75-2HFC With:	COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K49K045A08	9194	\$64,533.00
SVL75-2WC With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler	K47K658A08	9150	\$62,708.00
SVL75-2FWC With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K49K045A08	9194	\$64,533.00
SVL75-2HWC With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler	K48K827A72	9150	\$64,247.00

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SVL75-2HFWC With:	COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130)	K50K214A72	9194	\$66,072.00
PART 2	BUCKETS QUICK ATTACH BUCKETS			
AP-HD68LT	68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity	K1K138A48	545	\$1,498.00
AP-HD68LC	68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity	K1K138A48	598	\$1,498.00
AP-HD68LLT	68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity	K1K183A32	588	\$1,557.00
AP-HD68LLC	68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity	K1K184A08	641	\$1,558.00
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity	K1K270A72	581	\$1,672.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity	K1K319A36	636	\$1,736.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity	K1K361A16	626	\$1,791.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity	K1K409A80	680	\$1,855.00
	Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets			
PART 3	ATTACHMENTS			
KXB560Q	HYDRAULIC BREAKER Includes manual, side plates, one moil point and one chisel point. Requires a S6693A hose kit, S6692A mount bracket, and Special Application Door	K9K554A72	820	\$12,572.00
S6693A	HYDRAULIC BREAKER HOSE KIT	K481A84	7	\$634.00
S6692A	HYDRAULIC BREAKER BRACKET Required for KXB560Q Hydraulic Breakers	K1K045A00	175	\$1,375.00
S6698A	SPECIAL APPLICATION DOOR FOR ROPS MODELS With frame and wiper, to be used with ROPS models only with swing style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers Can still be used in combination with S6682, S6683A, S8884, S6	K2K519A40 685, and S6687	135	\$3,315.00

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS (Cont.)			
S6658	SPECIAL APPLICATION DOOR FOR CAB MODELS With frame and wiper, to be used with Enclosed Cab models only with tilt-up style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers.	K2K301A28	135	\$3,028.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
S6699A	Multifunction Controller Kit (For models previous to serial number 29725) To control 14-pin attachments (or 8-pin attachments with S6651 adapter) which feature multiple hydraulic functions controlled by solenoid valves.	K649A04	5	\$854.00
S6650	14-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. Requires S6699.	K236A36	1	\$311.00
S6651	8-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with an 8-pin Deutsch electrical connector. Requires S6699A	K222A68	1	\$293.00

	SVL Grips, Harnesses, and Adapters							
GRIP STYLE	MODEL(s)	SERIAL NUMBER BREAK IF APPLICABLE	14-PIN HARNESS (order from parts) Required on attachments that require electrical inputs to control hydraulic solenoids or motors.	HIGH FLOW MULTIFUNCTION GRIP DIA KIT Needed if mare than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.	14-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin- out configuration.	8-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with an 8-pin Deutsch electrical connector		
A 🔊	SVL75, SVL90, SVL90-2		V0511-97013					
	SVL75-2	Prior to 29725	V0311 37013	S6699A				
SVL Standard	SVL95-2s	Prior to 35986	V0631-97010					
	SVL75-2	Beginning with SN 29725; Standard on High Flow Models Beginning with SN 37130	V0521-97010	V1311-97301	S6650	S6651		
SVL Standard Grips (Kubota Exclusive)	SVL95-2s	Beginning with SN 35986; Standard on High Flow Models Beginning with SN 40618		V1311-9/301				

SVL75-2

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
	REPLACEMENT CAB/ROPS FOR SVL75-2 Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes standard suspension seat and new "bolt-on" style grab handles. Lift-Assist gas struts are not included. See CAB Adoption List.			
S6627	REPLACEMENT OPEN ROPS CAB/SVL75-2 For models prior to serial number 29725	K5K889A24	992	\$7,749.00
S6628A	REPLACEMENT ENCLOSED CAB/SVL75-2 For models prior to serial number 29725	K9K047A80	992	\$11,905.00
S6666	REPLACEMENT OPEN ROPS CAB/SVL75-2 For models Beginning with Serial Number 29725	K5K889A24	970	\$7,749.00
S6667	REPLACEMENT ENCLOSED CAB/SVL75-2 For models Beginning with Serial Number 29725	K9K047A80	992	\$11,905.00
PART 4 K9926	ACCESSORIES RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K62A32	3	\$82.00
S6676	Strobe Light Kit S6680 Accessory Wire Harness is required to connect the S6676 to the machine's main wire harness on SVL75 Serial Number < 10630.	K152A76	3	\$201.00
S6677	Red Tail Light Kit	K169A48	3	\$223.00
S6678	Rotating Beacon Light Kit S6680 Accessory Wire Harness is required to connect the S6678 to the machine's main wire harness on SVL75 Serial Number < 10630.	K262A20	3	\$345.00
S6679	Air Ride Seat Suspension Kit S6680 Accessory Wire Harness is required to connect the S6679 to the machine's main wire harness on SVL75 Serial Number < 10630.	K402A04	51	\$529.00
S6680	Accessory Wire Harness Kit	K39A52	1	\$52.00
S6641	Rearview Mirror includes Mounting Bracket & Hardware	K16A72	1	\$22.00
S6689	Hose Stay – (Group attachment hoses together at Loader frame base) Recommend for use with: Brush Grapple, Scrap Grapple, Hopper Sweeper, 4-in-1 bucket, and Tilt Attach	K72A99	5	\$96.04
S6681A	ENCLOSURE KITS (for ROPS Models Only) Door Kit (Swing) with Frame and Wiper and Quick Glass Release Handles	K1K596A00	170	\$2,100.00
S6682	Sliding Side Window Kit (for Models prior to serial number 29725)	K885A40	170	\$1,165.00
S6683A	Heater Kit	K508A44	16	\$669.00
S6684	Windshield Washer Kit	K120A08	5	\$158.00
S6685	Circulation Fan Kit	K119A32	25	\$157.00
S6687	Mounting Bracket for Magnetic Base	K52A44	3	\$69.00

Page 17-10 Bid Term: 2/20/19 - 2/19/21

Page 17-11 Bid Term: 2/20/19 - 2/19/21

KUBOTA

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 6	Available from Parts			_
V0511-97013	14 Pin Attachment Coupler Kit for models previous to Serial Number 2	29725 only		
V0521-97010	14 Pin Attachment Coupler Kit models beginning with Serial Number	29725		
V1311-97301	Multi-Function Lever Kit for serial numbers beginning with Serial Num	ber 29725 only		
V0511-97020	Engine Bonnet Lock Kit			
V0511-97030	Radiator Screen Kit			
77700-08260	Block Heater Kit, 60" Cord			
V0521-99302	Cover Kit for CCV System (for operations in cold weather; see PSB-2	(016-056)		
77700-04787	Radio Kit for Cab Models prior to serial number 25743 Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness			
77700-04752	Radio for New Cab Models beginning with serial number 25734			
77700-04757	Radio with Bluetooth for New Cab Models beginning with serial number 25743			
77700-06119	Radio Kit for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness			
77700-06120	Radio Kit with Bluetooth for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness			
77700-06141	Rear View Camera Kit prior to serial number 25743 Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware			
77700-07933	Rear View Camera Kit beginning with serial number 25743 Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware			

Page 17-12 Bid Term: 2/20/19 - 2/19/21

KUBOTA

SVL75-2

SVL75-2 REPLACEMENT CAB & ROPS ADOPTION LIST **						
Model	Cab or ROPS WG # Add Items Discard Items					
SVL75-2C	Cab	S6628A	nono	none		
SVL75-2WC	Cab	30020A	none	Hone		
SVL75-2HC	Cab	S6628A	1, 2	5		
SVL75-2HWC	Cab	30020A	1, 2	3		
SVL75-2	ROPS	S6627	none	none		
SVL75-2W	IXOI 3	00021	Hone	Hone		
SVL75-2H	ROPS	S6627	1,2	5		
SVL75-2WH	KOI 3	30021	1,2	3		
	Order Addit	ional Items from	Service Parts			

Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V0511-35453	Cover	1	
2	V0511-53851	Switch	1	

Discard Items				
Item #	Part #	Part Name	Qty	
5	RD451-44642	Сар	1	

^{**}For models prior to serial number 29725.

12

SVL75-2

Model	Cab or ROPS	WG#	Add Items	Discard Items			
SVL75-2C							
SVL75-2WC	Cab	S6667	none	none			
SVL75-2HC							
SVL75-2HWC	Cab	S6667	1, 2	5			
SVL75-2FC	Cab	00007	7.0.0	2.4.0			
SVL75-2FWC	Cab	S6667	7, 8, 9	3, 4, 6			
SVL75-2HFC	Cab	S6667	1, 2, 7, 8, 9	3, 4, 5, 6			
SVL75-2HFWC	Cab	30007	1, 2, 7, 0, 9	3, 4, 5, 6			
SVL75-2	ROPS	S6666	none	none			
SVL75-2W							
SVL75-2H	ROPS	S6666	1, 2	5			
SVL75-2HW			,				
SVL75-2F	ROPS	S6666	7, 8, 9	3, 4, 6			
SVL75-2FW			, -, -	-, , -			
SVL75-2HF SVL75-2HFW	ROPS	S6666	1, 2, 7, 8, 9	3, 5, 4, 6			
	Order Addit	ional Items from	Service Parts				
Item #	Part #		t Name	Qty			
1	V0511-35453		Gover	1			
2	V0511-53851		witch	1			
7	V0611-53841		(High Flow)	1			
8	V1311-57710	,	High Flow)	1			
9	V0521-97301	Multi	-Grip Kit	1			
	Discoud House						
		Discard Items					
-	Part #	Discard Items Part	t Name	Qtv			
Item #		Par		Qty 1			
-	Part # V0511-53832 V0521-57930	Part Swite	ch (AUX)				
Item #	V0511-53832	Pari Swito Label (O		1			

13

SVL95-2s

SVL95-2s Compact Track Loader

FEATURES

Final Tier 4 Certified Kubota Diesel Engine Electronic Travel Torque Management System Vertical Lift Path Loader Frame Standard Front Quick Coupler, Float Standard Hydraulic Quick Coupler Option Loader Arm Self-Leveling

Loader Boom Lock Open ROPS/FOPS

Optional enclosed and pressurized cab with A/C High Back, Adjustable, Vinyl, Suspension Seat 2" Retractable Seat Belt And 2-Piece Seat Bar 12V Electric Outlet

23.1 gpm Auxiliary Hydraulics Standard, 40.0 gpm Option Direct To Tank Return Line

Rigid Mounted Undercarriage, 5 Lower Track Rollers

High Grip Rubber Tracks, 17.7" Standard

Two Speed Travel System

Automatic Wet Disk Parking Brake

Kubota 4 Hydraulic Pump Load Sensing System

3 Variable Displacement Pumps,

1 additional piston pump for High Flow Option

Hydraulic Joystick Controls ISO Operating Pattern

Dial Knob And Foot Throttle Controls

Stall Guard Engine Control

Automatic Glow Plugs

Key Switch Stop System

Self Bleed Fuel System

2 Front And 2 Rear Working Lights

Hour Meter, Engine Temperature, DEF, And Fuel

Gauges And Warning Lights Horn And Backup Alarm Lockable DEF Tank Cap

Lockable Fuel Cap

Radio Ready on Enclosed Cabs

BASIC UNITS

SVL95-2S, 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler

SVL95-2SH, 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler

SVL95-2SF, 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics SVL95-2SHF, 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics SVL95-2SC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler

SVL95-2SHC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler

SVL95-2SFC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics SVL95-2SHFC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics

ENGINE

V3800-Tier 4 Kubota Final Tier 4 Diesel Engine	
4 Cylinder, 4 Cycle, Turbo Charged	
96.0 Gross HP @ 2400 rpm	

DIMENSIONS

22.10.0.10	
Cab Height	83.4"
Width (without attachment)	77.2"
Length (without attachment)	123.5"
Length of Track on Ground	65.6"

Page 17-14 Bid Term: 2/20/19 - 2/19/21

OPERATIONAL DIMENSIONS

** =: ** · · · · · · = = · · · · = · · · · ·	
Operating Weight*, SVL95-2s, 17.7" Rubber Tracks, Open ROPS/FOPS Cab, Mechanical Quick Coupler	11,299 lbs.
Rated Operating Capacity (ROC) @ 35% of Tipping Load complies with ISO 14397-1 and SAE J 818)	3,200 lbs.
Rated Operating Capacity (ROC) @ 50% of Tipping Load	4,572 lbs.
Tipping Load	9,143 lbs.
Auxiliary Hydraulics Flow	23.1 / 40.0 gpm
Travel Speed (Low / High)	5.0 / 7.3 mph
Reach @ Maximum Height	40.7"
Height to Hinge Pin	128.6"
Ground Pressure	4.4 psi.
Traction Force	12.178 lbf.

^{*} Includes operator's weight, 175 lbs.

SVL95-2s

HOW TO SELECT AN SVL95-2s Compact Track Loader

(Sample Order Information Page)

Below are examples of a complete SVL95-2s order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SVL95-2s and get: Base Model, rubber tracks, open ROPS/FOPS cab, and a mechanical quick coupler.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and bolt-on edges, accessories, or a hydraulic breaker. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
STANDARD UNIT	SVL95-2s COMPLETE ORDER AND PRICE			
BASIC UNIT:				
SVL95-2S	COMPACT TRACK LOADER BASIC UNIT	K53K968A36	10738	\$71,011.00
With:	17.7" Rubber Tracks			
	Open ROPS/FOPS Cab			
	Mechanical Quick Coupler			
ATTACHMENTS:				
AP-HD80LT	80" low profile standard floor bucket with	K1K354A32	541	\$1,782.00
	teeth and bolt-on side cutters			
				\$72,793.00
UNIT SVL95-				
BASIC UNIT:				
SVL95-2SHC	COMPACT TRACK LOADER BASIC UNIT	K58K858A96	11299	\$77,446.00
With:	17.7" Rubber Tracks	KJOKOJOA90	11299	φ <i>11</i> , 44 0.00
vviti.	A/C ROPS/FOPS Cab			
	Hydraulic Quick Coupler			
	Tryardano Quion Coupler			
ATTACHMENTS:				
S6679	Air Ride Seat Suspension Kit	K402A04	51	\$529.00
				\$77.975.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point. Complete revision January 1, 2018.

SVL95-2s

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL SVL95-2S BASIC UNITS			
SVL95-2S With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler	K53K968A36	10738	\$71,011.00
SVL95-2SH With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler	K54K982A20	10782	\$72,345.00
SVL95-2SF With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618)	K56K122A96	10738	\$73,846.00
SVL95-2SHF With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618)	K57X137A56	11299	\$75,181.00
SVL95-2SC With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler	K57K845A12	11014	\$76,112.00
SVL95-2SHC With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler	K58K858A96	11299	\$77,446.00
SVL95-2SFC With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618)	K59X999A72	11014	\$78,947.00
SVL95-2SHFC With:	COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618)	K61K013A56	11299	\$80,281.00
PART 2	BUCKETS QUICK ATTACH			
AP-HD80LT	80" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 16.9 cu-ft heaped capacity	K1K354A32	667	\$1,782.00
AP-HD80LC	80" Heavy Duty Low Profile, Standard Floor, Cutting Edge, Side Cutter, 16.8 cu-ft heaped capacity	K1K356A60	725	\$1,785.00
AP-HD80LLT	80" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter, 20.9 cu-ft heaped capacity	K1K398A40	717	\$1,840.00
AP-HD80LLC	80" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 20.9 cu-ft heaped capacity	K1K399A92	774	\$1,842.00
AP-HD80HT	80" Heavy Duty High Capacity, Teeth, Side Cutter 25.0 cu-ft heaped capacity	K1K492A64	745	\$1,964.00
AP-HD80HC	80" Heavy Duty, High Capacity, Side Cutter and BOCE 25.0 cu-ft heaped capacity	K1K430A32	802	\$1,882.00
	Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets			

SVL95-2s

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS			
KXB560Q	HYDRAULIC BREAKER Includes manual, side plates, one moil point and one chisel point. Requires S6693A Hose Kit, S6692A Mount Bracket and Special Application Door	K9K554A72	820	\$12,572.00
S6693A	HYDRAULIC BREAKER HOSE KIT	K481A84	7	\$634.00
S6692A	HYDRAULIC BREAKER BRACKET Required for KXB560Q Hydraulic Breakers	K1K045A00	175	\$1,375.00
S6658	SPECIAL APPLICATION DOOR FOR CAB MODELS With frame and wiper, to be used with Enclosed Cab models only with tilt-up style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers.	K2K301A28	135	\$3,028.00
S6698A	SPECIAL APPLICATION DOOR FOR ROPS MODELS With frame and wiper, to be used with ROPS models only with swing style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers Can still be used in combination with S6682, S6683A, S8884, S6688	K2K519A40 5, and S6687	135	\$3,315.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
S6699A	Multifunction Controller Kit (For models previous to serial number 35986) To control 14-pin attachments (or 8-pin attachments with S6651 adapter) which feature multiple hydraulic functions controlled by solenoid valves.	K649A04	5	\$854.00
S6650	14-pin to 14-pin Adapter Harness (For models previous to serial number 35986) Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. Requires S6699A.	K236A36	1	\$311.00
S6651	8-pin to 14-pin Adapter Harness (For models previous to serial number 35986) Allows a user to control an attachment with an 8-pin Deutsch electrical connector. Requires S6699A.	K222A68	1	\$293.00

SVL95-2s

ORDER		FACTORY	APPROX.	SUGGESTED
CODE	DESCRIPTION	NUMBER	WEIGHT	LIST PRICE

		SV	L Grips, Harnesses,	and Adapters		
GRIP STYLE	MODEL(s)	SERIAL NUMBER BREAK IF APPLICABLE	14-PIN HARNESS (order from parts) Required on attachments that require electrical inputs to control hydraulic solenoids or motors.	HIGH FLOW MULTIFUNCTION GRIP DIA KIT Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.	14-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin- out configuration.	8-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with an 8-pin Deutsch electrical connector
A 🔊	SVL75, SVL90, SVL90-2		V0511-97013			
	SVL75-2	Prior to 29725	V 0311 37013	S6699A		
SVL Standard	SVL95-2s	Prior to 35986	V0631-97010			
	SVL75-2	Beginning with SN 29725; Standard on High Flow Models Beginning with SN 37130	· V0521-97010	V1311-97301	S6650	S6651
SVL Standard Grips (Kubota Exclusive)	SVL95-2s	Beginning with SN 35986; Standard on High Flow Models Beginning with SN 40618		V1511-97301		

REPLACEMENT CAB/ROPS

Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes standard suspension seat and new "bolt-on" style grab handles. Lift-Assist gas struts are not included. See CAB Adoption List.

	See CAB Adoption List.			
S6662	REPLACEMENT OPEN ROPS CAB/SVL95-2s For Models Prior to Serial Number 035896	K6K004A00	948	\$7,900.00
S6663	REPLACEMENT ENCLOSED CAB/SVL95-2s For Models Prior to Serial Number 035896	K9K652A00	948	\$12,700.00
S6668	REPLACEMENT OPEN ROPS CAB/SVL95-2s For Models Beginning with Serial Number 035896	K6K004A00	948	\$7,900.00
S6669	REPLACEMENT ENCLOSED CAB/SVL95-2s For Models Beginning with Serial Number 035896	K9K652A00	948	\$12,700.00
PART 4	ACCESSORIES			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K62A32	3	\$82.00
S6676	Strobe Light Kit	K152A76	3	\$201.00
S6677	Red Tail Light Kit	K169A48	3	\$223.00
S6678	Rotating Beacon Light Kit	K262A20	3	\$345.00
S6679	Air Ride Seat Suspension Kit	K402A04	51	\$529.00
S6641	Rear View Mirror, includes Mounting Bracket & hardware	K16A72	1	\$22.00
00000		1/70400	_	COC 04
S6689	Hose Stay (Group hoses together at loader frame base) Recommend for use with: Brush Grapple, Scrap Grapple, SBB – Hopper Sweeper, 4-in-1 bucket, and Tilt Attach	K72A99	5	\$96.04

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point. Úæ'ær revision Tæ'Á⊩€, 2018.

Page 17-19 Bid Term: 2/20/19 - 2/19/21

KUBOTA

SVL95-2s

ORDER		FACTORY	APPROX.	SUGGESTED
CODE	DESCRIPTION	NUMBER	WEIGHT	LIST PRICE
PART 5	Available from Parts (Refer to PARTS for Pricing)			
V0631-97010	14 Pin Attachment Coupler Kit for models prior to SN 35986			
V0511-97020	Engine Bonnet Lock Kit			
V0521-97010	14 Pin Attachment Coupler Kit for all models			
V1311-97301	Multi-Function Lever Kit for serial numbers beginning with Serial N	umber 35986 only		
77700-08260	Block Heater Kit, 60" Cord			
V0511-97030	Radiator Screen Kit			
77700-06119	Radio Kit for Open Station Models. Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness			
77700-06120	Radio Kit with Bluetooth for Open Station Models. Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness			
77700-04752	Radio for Enclosed Cab Models			
77700-04757	Radio with Bluetooth for Enclosed Cab Models			
77700-07933	Rear View Camera Kit Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware			

Page 17-20 Bid Term: 2/20/19 - 2/19/21

KUBOTA

SVL95-2s

SVL95-2s REPLACEMENT CAB & ROPS ADOPTION LIST**				
Model	Cab or ROPS	WG#	Add Items	Discard Items
SVL95-2SC	Cab	S6663	none	none
SVL95-2SHC	Cab	S6663	1, 2	4
SVL95-2SFC	Cab	S6663	3	none
SVL95-2SHFC	Cab	S6663	1, 2, 3	4
SVL95-2S	ROPS	S6662	none	none
SVL95-2SH	ROPS	S6662	1	4
SVL95-2SF	ROPS	S6662	3	none
SVL95-2SHF	ROPS	S6662	1, 2, 3	4

Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V0511-53850	Switch (Hitch)	1	
2	V0511-35451	Cover (Switch)	1	
3	V1311-57710	Label (High Flow)	1	

		Discard Items	
Item #	Part #	Part Name	Qty
4	RD451-44642	Cap, Switch	1

^{**}For Models Prior to Serial Number 035986

SVL95-2s

SVL95-2s REPLACEMENT CAB & ROPS ADOPTION LIST Δ				
Model	Cab or ROPS	WG#	Add Items	Discard Items
SVL95-2SC	Cab	S6669	none	none
SVL95-2SHC	Cab	S6669	1, 2	4
SVL95-2SFC	Cab	S6669	3, 8 ,9	5, 6, 7
SVL95-2SHFC	Cab	S6669	1, 2 ,3 ,8, 9	4, 5, 6, 7
SVL95-2S	ROPS	S6668	none	none
SVL95-2SH	ROPS	S6668	1, 2	4
SVL95-2SF	ROPS	S6668	3, 8, 9	6, 7
SVL95-2SHF	ROPS	S6668	1, 2, 3, 8, 9	4, 5, 6, 7

Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V0511-53850	Switch (Hitch)	1	
2	V0511-35451	Cover (Switch)	1	
3	V1311-57710	Label (High Flow)	1	
8	V0611-53840	Switch (High Flow)	1	
9	V1311-97301	Kit, Multi-Grip	1	

Discard Items				
Item #	Part #	Part Name	Qty	
4	RD451-44642	Cap, Switch	1	
5	V0511-53830	Switch (Aux)		
6	V0521-57930	Label (Operation, LH)	1	
7	V1311-57942	Label (Operation, RH)	1	

 Δ For Models Beginning Serial Number 035986

21