

WHOLEGOODS PRICE LIST EFFECTIVE SEPTEMBER 10, 2018

These pages are a complete revision of
this section of your price book.
All prices are effective September 10, 2018.

9/10/2018 Price increase on select implements and attachments due to steel price increase.
See pages 7-6 thru 7-10, 7-13, 7-15 thru 7-17, 7-21, 7-22, 7-30 thru 7-34, 7-36
10/3/2018 Corrected part number referenced in B2714C description. See page 7-8.

PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
7-3	B2301HSD	17.5	K11B458B20	\$ 14,690.00
7-3	B2601HSD	19.5	K12B230B40	\$ 15,680.00
7-6	B2301/2601 Dealer Installed Accessories			
7-7	B2301/2601 Front Loaders			
7-8	B2301/2601 Front Quick Hitch and Quick Hitch Implements			
7-10	B2301/2601 Implements			
7-11	B2320DTWO	18	K9B147B84	\$ 11,728.00
7-11	B2320DT	18	K9B607B26	\$ 12,317.00
7-13	B2320DTWO/DT Dealer Installed Accessories			
7-14	B2320DTWO/DT Front Loaders			
7-15	B2320DTWO/DT Front Quick Hitch and Quick Hitch Implements			
7-17	B2320DTWO/DT Implements			
7-19	B2320DTN-1	18	K10B069B02	\$ 12,909.00
7-21	B2320DTN-1 Dealer Installed Accessories			
7-23	B2650HSDC	19.5	K18B872B10	\$ 24,195.00
7-23	B2650HSD	19.5	K12B926B16	\$ 16,572.00
7-25	B3350HSDC	27	K22B514B70	\$ 28,865.00
7-25	B3350HSD	27	K16B568B76	\$ 21,242.00
7-27	B3350SUHSD	27	K14B789B58	\$ 18,961.00
7-29	B2650/3350 Dealer Installed Accessories			
7-31	B2650/3350 Front Loaders			
7-32	B2650/3350 Front Quick Hitch and Quick Hitch Implements			
7-34	B2650/3350 Implements			

B Series

B2301/B2601

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 14.5 Amps
12V – 430 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Pumps Gear Type
3.6 gpm Power Steering
4.7 gpm Remote/3 Pt. Hitch
8.3 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 1808 lbs.
24" Behind 1411 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2773 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2753 Eng. rpm

TRANSMISSION

Hydrostatic Drive
Rear Differential Lock
3 Forward Ranges
3 Reverse Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron
Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	6.1 gal.
Cooling System	4.0 qts.
Crankcase	3.3 qts.
Transmission and Hydraulics	4.0 gal.
Front Axle	3.7 qts.

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

Model Specifications

B2301		B2601	
SAE Gross HP:	22.0	SAE Gross HP:	25.5
Engine Net HP:	20.1	Engine Net HP:	23.4
PTO HP:	17.5	PTO HP:	19.5
Engine Model:	D1005	Engine Model:	1105
Displacement:	61.1 Cu In	Displacement:	68.5 Cu In

B Series

B2301HSD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2301HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K11B458B20	1392 lbs	\$14,690.00

B2301		Additional Price With Tire Option			
TIRES AND WHEELS [†]					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price		In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K87B36	Add	\$ 112.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K43B68	Add	\$ 56.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K98B28	Add	\$ 126.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B Series

B2601HSD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2601HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K12B230B40	1392 lbs	\$15,680.00

B2601		Additional Price With Tire Option		
TIRES AND WHEELS†				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs		
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K15B60	Add \$ 20.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs		
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K28B08	Less \$ (36.00)
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs		
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K71B76	Less \$ (92.00)
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs		
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K26B52	Add \$ 34.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs		

† See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B Series

B2301/B2601

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
B1654	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K294B84	7 lbs	\$378.00
B1655	2nd Position Stacking Kit and 2nd Lever Requires B1654, B7304, and a B7304 or B7305	K131B04	10 lbs	\$168.00
B7304	Double Acting Valve Section	K187B20	4 lbs	\$240.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K235B56	5 lbs	\$302.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K251Z16	90 lbs	\$322.00
E1124	Fiberglass Canopy Mounting Kit	K140Z40	28 lbs	\$180.00
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
WORK LIGHTS				
BX7356A	ROPS-Mount Lights (2), 4-LED Front/Rear Adjustable, 700 Lumen	K154B44	4 lbs	\$198.00
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K69B42	4 lbs	\$89.00
BALLAST				
BALLAST BOX				
B8160	Ballast Box - 3-Point Mount	K203B58	101 lbs	\$261.00
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K80B34	23 lbs	\$103.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K4B68	1 lbs	\$6.00
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-73274	Block Heater	(Order from the Parts Department)		
GRILL GUARD - NON LOADER APPLICATION				
B1632	Grill Guard for Non-Loader Application	K134B16	15 lbs	\$172.00
HIGH CAPACITY ALTERNATOR KIT				
B7311	40 Amp High Capacity Alternator Kit	K149B76	8 lbs	\$192.00
REAR WHEEL SPACERS				
B8786	1 3/8" Spacers - Not Compatible with Mid Mount Mowers	K248B82	34 lbs	\$319.00
REPLACEMENT ROPS				
SFB-F26	Replacement ROPS - B2301HSD and B2601HSD	K452B40	115 lbs	\$580.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler	(Order from the Parts Department)		
STORAGE COVER				
70000-73732	Storage Cover	(Order from the Parts Department)		

B Series

B2301/B2601

Front End Loaders

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA434				
LA434	Front End Loader Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor Requires Bucket.	K2B197B26	646 lbs	\$2,817.00

3RD FUNCTION VALVES

B1653	3rd Function Valve Kit Must order hydraulic line quick couplers separately	K623B22	45 lbs	\$799.00
-------	---	---------	--------	----------

PIN-ON BUCKETS

B1623	48" Pin-On Bucket	K295B62	125 lbs	\$379.00
B1624	50" Pin-On Bucket	K328B38	125 lbs	\$421.00
B1625	54" Pin-On Bucket	K360B36	125 lbs	\$462.00
B1626	60" Light Material Pin-On Bucket	K445B38	150 lbs	\$571.00

QUICK ATTACH COUPLERS & BUCKETS

B2366	2 Lever Quick Coupler	K336B96	78 lbs	\$432.00
B2324	54" QA Bucket	K352B56	202 lbs	\$452.00
B2356	60" Light Material QA Bucket	K436B02	227 lbs	\$559.00

QUICK ATTACH PALLET FORK FRAME / PALLET FORKS

B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K496B08	165 lbs	\$636.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00

QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES

B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B374B36	411 lbs	\$1,762.00
B2673	72" Straight Blade w/Man. Angle (B2366)	K1B504B62	535 lbs	\$1,929.00
B2766	60" Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Rubber Cutting Edge	K202B02	59 lbs	\$259.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K401B70	14 lbs	\$515.00

B Series

B2301/B2601

Front Quick Hitch & Front Quick Hitch Implements

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B2714C	Quick Hitch and Sub-Frame When installing on units without a Loader Sub-Frame, order 2 each of 70060-02159 from Parts. Mid Mount Mower Decks must be removed to install Hitch. Hitch Brackets can stay in place when MMM Deck is installed.	K943B80	223 lbs	\$1,210.00
FRONT QH DRIVELINE KITS				
B2798	Mid PTO Driveline Kit. Requires a Front Driveline Kit.	K531B18	21 lbs	\$681.00
BX6751	Front Female Driveline Kit for BX5450	K148B20	5 lbs	\$190.00
BX6752	Front Female Driveline Kit for BX5455HD	K148B20	5 lbs	\$190.00
BX6743	Front Female Driveline Kit for BX2537A	K401B70	17 lbs	\$515.00
FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit	K3B318B90	300 lbs	\$4,255.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K365L04	45 lbs	\$468.00
L2168	Rubber Deflector for B2779	K127L14	31 lbs	\$163.00
FRONT QH MOUNTED BLADES AND ACCESSORIES				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B284B66	411 lbs	\$1,647.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B400B10	535 lbs	\$1,795.00
B2766	60" Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Rubber Cutting Edge	K202B02	59 lbs	\$259.00

B Series

B2301/B2601

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOW BLOWERS & ACCESSORIES				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B649X70	313 lbs	\$2,115.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K2B804X88	425 lbs	\$3,596.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B262B00	475 lbs	\$2,900.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B428B92	500 lbs	\$3,114.00
BX5441	Hydraulic Chute Rotation for BX5450	K664B56	14 lbs	\$852.00
BX5442	Electric Chute Rotation Kit for BX5450	K315B12	7 lbs	\$404.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K414B96	7 lbs	\$532.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K112B32	2 lbs	\$144.00
BX5445	Hard Plastic Cutting Edge for BX5450	K82B68	2 lbs	\$106.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K90B48	2 lbs	\$116.00
BX5447	Drift Cutters for BX5455HD	K65B52	9 lbs	\$84.00
GR2714	Drift Cutters for BX5450	K48G38	50 lbs	\$59.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K496B08	9 lbs	\$636.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K613B86	20 lbs	\$787.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2786	Side Extension Kit for B2781B and B2782B	K94B38	27 lbs	\$121.00

B Series

B2301/B2601

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK54-32	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K1B694B94	365 lbs	\$2,173.00
RCK60-32	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K2B056B08	418 lbs	\$2,636.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit	K1B627B86	320 lbs	\$2,087.00
B3045A	Boot Kit - 54" Deck	K225B42	25 lbs	\$289.00
B3047A	Boot Kit - 60" Deck	K225B42	31 lbs	\$289.00

BACKHOE & ACCESSORIES

BH70	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K4B655B04	850 lbs	\$5,968.00
BH1627	BH Sub-Frame Includes Reversible Seat Mechanism	K921B18	202 lbs	\$1,181.00
BT1950A	10" Bucket - 3 Teeth	K323B70	63 lbs	\$415.00
BT1951A	12" Bucket - 3 Teeth	K382B98	69 lbs	\$491.00
BT1952A	16" Bucket - 4 Teeth	K505B44	82 lbs	\$648.00
BH1976	Mechanical Thumb - 6 Position	K370B50	51 lbs	\$475.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K96B72	19 lbs	\$124.00

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B115B36	390 lbs	\$2,712.00
BL2665	Manual Chute Rotation Kit	K134B16	11 lbs	\$172.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K654B42	14 lbs	\$839.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2516A	Electric Chute Deflector Kit	K496B08	9 lbs	\$636.00
L2177	Side Extension Kit - 5"	K89L70	27 lbs	\$115.00

B Series

B2320DT/B2320DTWO

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 14.5 Amps
12V – 430 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Pumps Gear Type
3.6 gpm Power Steering
4.7 gpm Remote/3 Pt. Hitch
8.3 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At lift Point 1356 lbs.
24" Behind 1058 lbs.
Quarter Inching 3-Point Valve

POWER TAKE OFF

Transmission Driven with
Over-Running Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2773 Eng. rpm

TRANSMISSION

Gear Drive
Rear Differential Lock
9 Forward Speeds
3 Reverse Speeds
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron (Narrow)
Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	6.9 gal.
Cooling System	4.1 qts.
Crankcase	3.3 qts.
Transmission and Hydraulics	3.7 gal.
Front Axle	3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications

B2320DT/DTWO

SAE Gross HP:	23.0
Engine Net HP:	20.0
PTO HP:	18.0
Engine Model:	D1005
Displacement:	61.1 Cu In

B Series

B2320DT/B2320DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2320DT	4WD Compact Tractor - 2 Post Rigid ROPS	K9B607B26	1348 lbs	\$12,317.00
B2320DTWO	4WD Compact Tractor - 2 Post Rigid ROPS Not Equipped with Front Loader Valve	K9B147B84	1348 lbs	\$11,728.00

B2320DT/B2320DTWO		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price	In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs		
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K87B36	Add \$ 112.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs		
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K43B68	Add \$ 56.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs		
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K98B28	Add \$ 126.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B Series

B2320DT/B2320DTWO

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
B7333	1st Position Valve Kit - B2320DTWO Contains Valve and Hoses B2320DTWO also requires (1) 75536-68112 and (2) 75536-68132	K585B78	30 lbs	\$751.00
B7309C	1st Position Valve Kit - B2320DT Contains Valve and Hoses	K620B10	27 lbs	\$795.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K39B00	1 lbs	\$50.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K39B00	2 lbs	\$50.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K234B00	5 lbs	\$300.00
BL7393	FD (Float Detent) Valve Section	K257B40	6 lbs	\$330.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K251Z16	90 lbs	\$322.00
E1124	Fiberglass Canopy Mounting Kit	K140Z40	28 lbs	\$180.00
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K69B42	4 lbs	\$89.00
BALLAST				
BALLAST BOX				
B8160	Ballast Box - 3-Pont Mount	K203B58	101 lbs	\$261.00
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K80B34	23 lbs	\$103.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K4B68	1 lbs	\$6.00
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-73274	Block Heater	(Order from the Parts Department)		
GRILL GUARD - NON LOADER APPLICATION				
B1642	Grill Guard for Non-Loader Application	K134B16	14 lbs	\$172.00
HIGH CAPACITY ALTERNATOR KIT				
B7311	40 Amp High Capacity Alternator Kit	K149B76	8 lbs	\$192.00
REPLACEMENT ROPS				
SFB-F292	Replacement ROPS - B2301HSD and B2601HSD	K435B00	150 lbs	\$580.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler	(Order from the Parts Department)		
STORAGE COVER				
70000-73732	Storage Cover	(Order from the Parts Department)		

B Series

B2320DT/B2320DTWO

Front End Loaders

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA304FL				
LA304FL	Front End Loader Includes Mounting Kit, Stand, Grill Guard, and 48" Bucket Valve is Standard on Tractor (Except B2320DTWO)	K2B203B50	646 lbs	\$2,825.00
FRONT END LOADER CONTROL VALVE				
B1980	Loader Control Valve - B2320DTWO only	K521B82	36 lbs	\$669.00
PIN-ON BUCKETS				
B1623	48" Pin-On Bucket	K295B62	125 lbs	\$379.00

B Series

B2320DT/B2320DTWO

Front Quick Hitch & Front Quick Hitch Implements

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B2733A	Quick Hitch and Sub-Frame Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K822B12	190 lbs	\$1,054.00
B1980	Front Loader Valve B2320DTWO Models Only	K521B82	36 lbs	\$669.00
FRONT QH DRIVELINE KITS				
B2788	Mid PTO Driveline Kit. Requires Front Driveline Kit.	K353B34	16 lbs	\$453.00
BX2735	Front Male Driveline Kit for BX2537A, BX5450, and BX5455HD	K148B20	7 lbs	\$190.00
B2736	Front Male Driveline Kit for B2779, B2781B, and B2782B	K166B14	7 lbs	\$213.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
BX2537A	47" Rotary Sweeper - Man. Angle, 18" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K1B577X94	300 lbs	\$2,023.00
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K3B318B90	300 lbs	\$4,255.00
BX2737	Side Caster Wheel Kit for BX2537A Recommended for snow removal or lawn dethatching	K219B18	30 lbs	\$281.00
BX2761	Hydraulic Angle Kit for BX2537A	K386B10	13 lbs	\$495.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K365L04	45 lbs	\$468.00
L2168	Rubber Deflector for B2779	K127L14	31 lbs	\$163.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B284B66	411 lbs	\$1,647.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B400B10	535 lbs	\$1,795.00
B2766	60" Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Rubber Cutting Edge	K202B02	59 lbs	\$259.00

B Series

B2320DT/B2320DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOW BLOWERS & ACCESSORIES				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B649X70	313 lbs	\$2,115.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K2B804X88	425 lbs	\$3,596.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B262B00	475 lbs	\$2,900.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B428B92	500 lbs	\$3,114.00
BX5441	Hydraulic Chute Rotation for BX5450	K664B56	14 lbs	\$852.00
BX5442	Electric Chute Rotation Kit for BX5450	K315B12	7 lbs	\$404.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K414B96	7 lbs	\$532.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K112B32	2 lbs	\$144.00
BX5445	Hard Plastic Cutting Edge for BX5450	K82B68	2 lbs	\$106.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K90B48	2 lbs	\$116.00
BX5447	Drift Cutters for BX5455HD	K65B52	9 lbs	\$84.00
GR2714	Drift Cutters for BX5450	K48G38	50 lbs	\$59.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K496B08	9 lbs	\$636.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K613B86	20 lbs	\$787.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2786	Side Extension Kit for B2781B and B2782B	K94B38	27 lbs	\$121.00

B Series

B2320DT/B2320DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK54-29B	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K1B640B34	365 lbs	\$2,103.00
RCK60-29B	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K2B008B50	418 lbs	\$2,575.00
GCK60-76BA	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit	K1B627B86	270 lbs	\$2,087.00
B3045A	Boot Kit - 54" Deck	K225B42	25 lbs	\$289.00
B3047A	Boot Kit - 60" Deck	K225B42	31 lbs	\$289.00

BACKHOE & ACCESSORIES

BH65	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K4B457B70	850 lbs	\$5,715.00
BH4965	BH Sub-Frame Includes Reversible Seat Mechanism	K767B52	202 lbs	\$984.00
BT1950A	10" Bucket - 3 Teeth	K323B70	63 lbs	\$415.00
BT1951A	12" Bucket - 3 Teeth	K382B98	69 lbs	\$491.00
BT1952A	16" Bucket - 4 Teeth	K505B44	82 lbs	\$648.00
BH1976	Mechanical Thumb - 6 Position	K370B50	51 lbs	\$475.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K96B72	19 lbs	\$124.00

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B115B36	390 lbs	\$2,712.00
BL2665	Manual Chute Rotation Kit	K134B16	11 lbs	\$172.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K654B42	14 lbs	\$839.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2516A	Electric Chute Deflector Kit	K496B08	9 lbs	\$636.00
L2177	Side Extension Kit - 5"	K89L70	27 lbs	\$115.00

This page intentionally left blank.

B Series

B2320DTN-1

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 14.5 Amps
12V – 430 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Pumps Gear Type
3.6 gpm Power Steering
4.7 gpm Remote/3 Pt. Hitch
8.3 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat 1 3-Point Hitch
At lift Point 1655 lbs.
24" Behind 1300 lbs.
Position Control Valve

POWER TAKE OFF

Transmission Driven with
Over-running Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2773 Eng. rpm

TRANSMISSION

Gear Drive
Rear Differential Lock
9 Forward Speeds
3 Reverse Speeds
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron (Narrow)
Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	6.9 gal.
Cooling System	4.1 qts.
Crankcase	3.3 qts.
Transmission and Hydraulics	3.7 gal.
Front Axle	3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications

B2320DTN

SAE Gross HP:	23.0
Engine Net HP:	20.0
PTO HP:	18.0
Engine Model:	D1005
Displacement:	61.1 Cu In
Tread Width:	Front: 27.8" (overall width 34.1") Rear: 27.6" to 29.5" (overall width 35.4" to 37.4")

B Series

B2320DTN-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2320DTN-1	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K10B069B02	1348 lbs	\$12,909.00

B2320DTN-1		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8754A*	R-TIRE 8-16 R1 Bridgestone Farm Svc Lug	62 lbs		
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K17B16	Add \$ 22.00
ABR8753B	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

B Series

B2320DTN-1

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
B7333	1st Position Valve Kit Contains Valve and Hoses B2320DTN-1 also requires (1) 75536-68112 and (2) 75536-68132	K585B78	30 lbs	\$751.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K39B00	1 lbs	\$50.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K39B00	2 lbs	\$50.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K234B00	5 lbs	\$300.00
BL7393	FD (Float Detent) Valve Section	K257B40	6 lbs	\$330.00

ROPS ACCESSORIES

CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K251Z16	90 lbs	\$322.00
E1124	Fiberglass Canopy Mounting Kit	K140Z40	28 lbs	\$180.00
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K69B42	4 lbs	\$89.00

BALLAST

BALLAST BOX				
B8160	Ballast Box - 3-Point Mount	K203B58	101 lbs	\$261.00
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K80B34	23 lbs	\$103.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K4B68	1 lbs	\$6.00
REAR WHEEL WEIGHT KITS				
B8048	Rear Wheel Weight for BR8754 Includes 2 Weights and Hardware	K194B22	TBA	\$249.00

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

ADDITIONAL ACCESSORIES

BLOCK HEATER				
70000-73274	Block Heater			(Order from the Parts Department)
GRILL GUARD - NON LOADER APPLICATION				
B1642	Grill Guard for Non-Loader Application	K134B16	14 lbs	\$172.00
HIGH CAPACITY ALTERNATOR KIT				
B7311	40 Amp High Capacity Alternator Kit	K149B76	8 lbs	\$192.00
REPLACEMENT ROPS				
SFB-232N	Replacement ROPS - B2301HSD and B2601HSD	K285B00	115 lbs	\$380.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler			(Order from the Parts Department)
STORAGE COVER				
70000-73732	Storage Cover			(Order from the Parts Department)

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B115B36	390 lbs	\$2,712.00
BL2665	Manual Chute Rotation Kit	K134B16	11 lbs	\$172.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K654B42	14 lbs	\$839.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2516A	Electric Chute Deflector Kit	K496B08	9 lbs	\$636.00
L2177	Side Extension Kit - 5"	K89L70	27 lbs	\$115.00

B Series

B2650HSD/B2650HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 14.5 Amps
 Charging Output (Cab) 60.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 7.4 gal
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and 4.0 gal.
 Hydraulics
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Telescoping Stabilizers
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

CAB FEATURES

Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Ratchet Right Link
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

<u>B2650HSD</u>		<u>B2650HSDC</u>	
SAE Gross HP:	25.0	SAE Gross HP:	25.0
Engine Net HP:	23.3	Engine Net HP:	23.3
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In

KUBOTA

B Series

B2650HSD/B2650HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2650HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K12B926B16	1392 lbs	\$16,572.00
B2650HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K18B872B10	2271 lbs	\$24,195.00

B2650HSD / B2650HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K60B84	Add \$ 78.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K62B40	Add \$ 80.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		

† See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B Series

B3350HSD/B3350HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 Charging Output (Cab) 75.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 7.4 gal
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and 4.0 gal.
 Hydraulics
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Telescoping Stabilizers
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

CAB FEATURES

Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Ratchet Right Link
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

<u>B3350HSD</u>		<u>B3350HSDC</u>	
SAE Gross HP:	33.0	SAE Gross HP:	33.0
Engine Net HP:	29.6	Engine Net HP:	29.6
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.5 Cu In	Displacement:	91.5 Cu In

B Series

B3350HSD/B3350HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B3350HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K16B568B76	1403 lbs	\$21,242.00
B3350HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K22B514B70	2271 lbs	\$28,865.00

B3350HSD / B3350HSDC		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K60B84	Add \$ 78.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K62B40	Add \$ 80.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K419B64	Add \$ 538.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B Series

B3350SUHSD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Quarter Inching 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

	<u>B3350SUHSD</u>
SAE Gross HP:	33.0
Engine Net HP:	29.6
PTO HP:	27.0
Engine Model:	V1505
Displacement:	91.5 Cu In

B Series B3350SUHSD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B3350SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K14B789B58	1743 lbs	\$18,961.00

B3350SUHSD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K60B84	Add \$ 78.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K62B40	Add \$ 80.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K419B64	Add \$ 538.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B Series

B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - ROPS MODELS				
B7309C	1st Position Valve Kit Contains Valve and Hoses When installing a B7309C on tractors with Backhoe or 3rd Function Valve, please refer to PIB-2016-011 for additional part needed.	K620B10	27 lbs	\$795.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K39B00	1 lbs	\$50.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K39B00	2 lbs	\$50.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K234B00	5 lbs	\$300.00
BL7393	FD (Float Detent) Valve Section	K257B40	6 lbs	\$330.00
HYDRAULIC REAR REMOTE VALVES - CAB MODELS				
B7316	Base Kit and 1st Lever - Cab Models Only Requires B7304 Double Acting Valve	K389B22	15 lbs	\$499.00
B7317	2nd Position Stacking Kit and 2nd Lever - Cab Models Only Requires B7316, B7304, and a B7304 or B7305	K212B94	7 lbs	\$273.00
B7304	Double Acting Valve Section	K187B20	4 lbs	\$240.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K235B56	5 lbs	\$302.00
3-POINT OPTIONS				
B2677	Telescoping Lower Link End Kit B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K162B24	32 lbs	\$208.00
B2667	Ratchet Type Lift Rod B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K88B14	5 lbs	\$113.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K251Z16	90 lbs	\$322.00
E1124	Fiberglass Canopy Mounting Kit	K140Z40	28 lbs	\$180.00
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (1 Light)	K69B42	4 lbs	\$89.00

B Series

B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB OPTIONS				
HIGH CAPACITY ALTERNATOR KIT				
B2655	90 Amp High Capacity Alternator Kit May be required with some electrical accessories Please see Bulletin PSB-2015-069 for details For B3350 Cab models only.	K361B14	28 lbs	\$463.00
RADIOS				
3 Models	Jensen Radio	(Order from the Parts Department)		
REAR WORK LIGHTS				
B7337	Rear Work Light Kit (2 Lights)	K102B18	3 lbs	\$131.00
BALLAST				
BALLAST BOX				
B8160	Ballast Box - 3 pt Mount	K203B58	101 lbs	\$261.00
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K80B34	23 lbs	\$103.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8062 per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K4B68	1 lbs	\$6.00

B Series

B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
ARM REST				
B7358	Arm Rest Kit - B3350SUHSD Only	K60B84	7 lbs	\$78.00
BLOCK HEATER				
70000-73274	Block Heater	(Order from the Parts Department)		
CRUISE CONTROL				
B1015	Cruise Control Kit - B3350SUHSD Only	K35B10	3 lbs	\$45.00
EXTRA LENGTH SEAT BELT				
70002-06605	B2650HSDC and B3350HSDC	(Order from the Parts Department)		
GRILL GUARD - NON LOADER APPLICATION				
B2336A	Grill Guard for Non-Loader Application	K164B58	19 lbs	\$211.00
REAR WHEEL SPACERS				
B8785	1 3/8" Spacers Not Compatible with Mid Mount Mowers	K248B82	39 lbs	\$319.00
REPLACEMENT ROPS				
SFB-F50	Replacement ROPS - B2301HSD and B2601HSD	K452B40	115 lbs	\$580.00
REPLACEMENT CABS (SOME COMPONENTS FROM THE OLD CAB WILL BE NEEDED)				
B7076	Replacement Cab for B2650HSDC	K6B111B30	627 lbs	\$7,835.00
B7075	Replacement Cab for B3350HSDC	K6B148B74	627 lbs	\$7,883.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler for B2650HSD and B2650HSDC	(Order from the Parts Department)		
STEERING STOP KITS				
B4573	Steering Stop Kit - B3350HSD and B3350SUHSD Use when ABR8767 Tires are installed	K15B60	1 lbs	\$20.00
STORAGE COVER				
70000-73732	Storage Cover	(Order from the Parts Department)		
FRONT SNOW MASK				
77700-06480	Front Snow Mask	(Order from the Parts Department)		

B Series

B2650/3350

Front End Loaders

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA534A				
LA534A	Front End Loader Includes Mounting Kit, Stand, Level Indicator, and Grille Guard Valve is Standard on Tractor Requires Bucket	K2B502B24	621 lbs	\$3,208.00
SPILL GUARD				
B2346	Hydraulic Spill Guard	K428B22	37 lbs	\$549.00
3RD FUNCTION VALVES				
B7302A	3rd Function Valve Kit - Cab Models Must order hydraulic line quick couplers separately	K623B22	43 lbs	\$799.00
B7308A	3rd Function Valve Kit - ROPS Models Must order hydraulic line quick couplers separately	K623B22	43 lbs	\$799.00
PIN-ON BUCKETS				
B1625	54" Pin-On Bucket	K360B36	125 lbs	\$462.00
B1626	60" Light Material Pin-On Bucket	K445B38	150 lbs	\$571.00
QUICK ATTACH COUPLER & QUICK ATTACH BUCKETS				
B2366	2 Lever Quick Coupler	K336B96	78 lbs	\$432.00
B2324	54" QA Bucket	K352B56	202 lbs	\$452.00
B2356	60" Light Material QA Bucket	K436B02	227 lbs	\$559.00
QUICK ATTACH PALLET FORK FRAME / PALLET FORKS				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K496B08	165 lbs	\$636.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00
QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES				
B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B374B36	411 lbs	\$1,762.00
B2673	72" Straight Blade w/Man. Angle (requires B2366)	K1B504B62	535 lbs	\$1,929.00
B2766	60" Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Rubber Cutting Edge	K202B02	59 lbs	\$259.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K401B70	14 lbs	\$515.00

B Series

B2650/3350

Front Quick Hitch & Front Quick Hitch Implements

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B2714C	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K943B80	223 lbs	\$1,210.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K189B54	32 lbs	\$243.00
FRONT QH DRIVELINE KITS				
B2747	Mid PTO Driveline Kit for B2650HSD and B3350HSD	K531B18	19 lbs	\$681.00
B2793	Mid PTO Driveline Kit for B2650HSDC and B3350HSDC	K531B18	25 lbs	\$681.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K3B318B90	300 lbs	\$4,255.00
BL2178	Side Caster Wheel Kit Recommended for snow removal or lawn dethatching	K365L04	45 lbs	\$468.00
L2168	Rubber Deflector for B2779	K127L14	31 lbs	\$163.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B284B66	411 lbs	\$1,647.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B400B10	535 lbs	\$1,795.00
B2766	60" Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Rubber Cutting Edge	K202B02	59 lbs	\$259.00

B Series

B2650/3350

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOWBLOWERS & ACCESSORIES				
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K2B262B00	475 lbs	\$2,900.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K2B428B92	500 lbs	\$3,114.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K496B08	9 lbs	\$636.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K613B86	20 lbs	\$787.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K750B36	22 lbs	\$962.00
B2786	Side Extension Kit for B2781B and B2782B	K94B38	27 lbs	\$121.00

B Series

B2650/3350

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK60-30BA	60" Cutting Width - 3 Blade Finish Mower RH Discharge Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 R4 Tires Not compatible with B3350SUHSD.	K2B226B12	468 lbs	\$2,854.00
RC72-30B	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 R4 Tires Not Compatible with Grass Catcher Not compatible with B3350SUHSD.	K2B802B54	528 lbs	\$3,593.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30B	K1B627B86	320 lbs	\$2,087.00
B3046	Boot Kit - 60" Deck	K225B42	31 lbs	\$289.00
70000-02505	Mulching Kit for RCK60-30BA Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck			(Order from Parts Department)
70000-02507	Left Baffle Kit			(Order from Parts Department)
70000-25041	Mulching Blades (3)			(Order from Parts Department)

BACKHOES & ACCESSORIES

BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B338B32	1077 lbs	\$6,844.00
BH4973	BH Sub-Frame for B2650HSDC and B3350HSDC Includes Fixed Seat	K732B42	202 lbs	\$939.00
BH4962	BH Sub-Frame for B2650HSD and B3350HSD Includes Reversible Seat Mechanism	K732B42	243 lbs	\$939.00
BH4963	BH Sub-Frame for B3350SUHSD Includes Reversible Seat Mechanism	K732B42	255 lbs	\$939.00
BT1950A	10" Bucket - 3 Teeth	K323B70	63 lbs	\$415.00
BT1951A	12" Bucket - 3 Teeth	K382B98	69 lbs	\$491.00
BT1952A	16" Bucket - 4 Teeth	K505B44	82 lbs	\$648.00
BT1953A	24" Bucket - 5 Teeth	K660B66	118 lbs	\$847.00
BH1976	Mechanical Thumb - 6 Position	K370B50	51 lbs	\$475.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K96L72	15 lbs	\$124.00

B Series

B2650/3350

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

3-POINT MOUNTED IMPLEMENTS & ACCESSORIES

Rear Mount Snow Blowers

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B115B36	390 lbs	\$2,712.00
-------	--	-----------	---------	------------

BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B268B24	681 lbs	\$2,908.00
----------	---	-----------	---------	------------

REAR MOUNT SNOW BLOWER OPTIONS

BL2665	Manual Chute Rotator	K134B16	11 lbs	\$172.00
--------	----------------------	---------	--------	----------

BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K613B86	20 lbs	\$787.00
--------	---	---------	--------	----------

BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K750B36	22 lbs	\$962.00
---------	---	---------	--------	----------

B2516A	Electric Chute Deflector	K496B08	9 lbs	\$636.00
--------	--------------------------	---------	-------	----------

L2177	Width Extension Kit, adds 5" overall cut	K89L70	27 lbs	\$115.00
-------	--	--------	--------	----------