



July 2, 2018

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 18-40A

### **NEW HOLLAND DEALERS WITH MRT AGREEMENT**

#### SUBJECT: T6 SERIES: COMPLETE REVISION - EFECTIVE 10/1/2018

Performance and productivity. It's table stakes in the game. Yet New Holland continues to take those levels of performance and productivity to new heights. To best meet the demands of today's producers, we're launching the T6.180, the largest model in the T6 Series that features a 6-cylinder engine, and can now be ordered with either Dynamic Command™ or Auto Command™ transmission.

The T6 Dynamic Command provides a powerful competitive advantage over the competition. It utilizes a dual-clutch technology not found on other tractors of this frame size. The T6 Auto Command Continuously Variable Transmission (CVT) continues to be the smoothest, easiest-to-operate and productive CVT in the market.

Customers can now decide on their choice of any of the three transmissions (also including the Electro Command™), and 4- or 6-cylinder engine configurations, to meet their horsepower requirements.

	New Holland T6 Series Line-Up							
		Electro Comman		Dynamic	Auto Command™			
Model	Value	emi-PowerShift T Plus	Elite	Command™ 23X23 Dual Clutch Transmission	Continuously Variable Transmission (CVT)			
T6.145	Х	Χ	Х	Х	Х			
T6.155	Х	Х	Х	Х	Х			
T6.165	Х	Х	Х	Х	-			
T6.175	Х	Х	Х	Х	Х			
T6.180	Х	Х	Х	Х	Х			

Shipments of the T6.180 Dynamic Command and Auto Command are anticipated to begin in Q1 of 2019. When placing your new orders for these two models, please use a request date of October 1, 2018, or later.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "To Series." The latest published items will appear at the top of the list.

Christine Chleboun Director, Commercial Marketing New Holland, North America Dan Valen Director, Product Marketing New Holland, North America

Attachment

CNH Industrial America LLC 500 Diller Avenue, P.O. Box 1895 New Holland, PA 17557-0903 Telephone: (717) 355-1121 www.newholland.com/na



### **Index - T6 Series Tractor**

EQUIPMENT DESCRIPTION	LATEST REVISION	PAGE <u>NUMBER</u>
T6 Series "Value" Package Models: T6.145, T6.155, T6.165, T6.175, T6.180	10/01/18	2
T6 Series "Plus" Package Models: T6.145, T6.155, T6.165, T6.175, T6.180	10/01/18	12
T6 Series "Elite" Package Models: T6.145, T6.155, T6.165, T6.175, T6.180	10/01/18	30
T6 Series Dynamic Command Package Models: T6.145, T6.155, T6.165, T6.175, T6.180	10/01/18	48
T6 Series Auto Command™ Package Models: T6.145, T6.165, T6.175, T6.180	10/01/18	68
T6 Series Tire Application Chart	10/1/18	86
T6 Series Special Color Paint Information	10/1/18	87
T6 Tier 4B Dealer Installed Accessories	10/1/18	88

### **T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST**

### **Standard Equipment**

KEY SELLING POINTS:

-Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emmissions system -Electro Command™ Semi-power shift transmission -Standard LED work lighting \_Easy attach remote outlets

STD. FRONT WHEEL DRIVE MODELS

-Long Stable 104" wheel base for all

-New bold styling (hood, cab roof,

-15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

OPT. 2 WHEEL DRIVE MODELS

-95.8" wheel base

- 14' turning radius

- ECO 19 MPH at reduced engine speed

#### ENGINE

lighting)

T6.145

Rated PTO HP - 95 Rated Engine HP - 116 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 145 Rated Speed - 2200 RPM 274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L) DEF Tank: 10.4 Gallon (39.5L)

T6.155 Rated PTO HP - 105 Rated Engine HP - 125 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 155 Rated Speed - 2200 RPM 274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110 Rated Engine HP - 135 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 169 Rated Speed - 2200 RPM 274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L) DEF Tank: 10.4 Gallon (39.5L)

T6.175 Rated PTO HP - 120 Rated Engine HP - 145 Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 175 Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L) DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125 Rated Engine HP - 145 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 175 Rated Speed - 2200 RPM 411 cu. in. (6.7L) - 6 Cylinder Fuel Tank: 52.2 Gallon (197.5L) DEF Tank: 10.4 Gallon (39.5L)

#### COMMON ENGINE FEATURES

\_\_\_\_\_

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Power Management and Constant RPM Power Boost in PTO & Transport Modes Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes)



## T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

### **Standard Equipment**

A-Pillar Exhaust with Integral Muffler Viscous Fan (5 blade)
Foot and Hand Throttle

Drive Shaft Shield Optional Heavy Duty 2WD Axle

#### TRANSMISSION

-----

16x16 Electro Command™ Semipowershift with 4 Gears and 4 Ranges
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

#### ROAD SPEEDS

-----

Std 4WD - 25 mph/40 kph Optional 2WD - 19 mph/30 kph (speeds varies by tire size)

#### STEERING & BRAKES

-----

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

#### REAR AXLE

-----

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

#### FRONT AXLE

-----

STD Front FWD (limited slip)
Class 3 Heavy Duty FWD Axle
55 Degree Turning Angle -4WD
Dual Steering Cylinders
8 Degree Axle Oscillation(adjustable)
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
Limited Slip Differential

#### PTO

-----

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Rear Fender Mounted PTO Controls

#### HYDRAULIC SYSTEM

-----

Fixed Displacement Gear Pumps
with closed center remote valves
Maximum Flow at Rated Engine Speed
21.1 gpm (80 1/m) Implement Pump
12.4 gpm (47 1/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

#### 3-POINT LIFT SYSTEM

-----

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control™
Category II Flex Link Ends
Telescoping Stabilizers
8,338 lb. Lift Capacity (OECD)

with Dual 80mm External Rams

Bid Term: 2/20/19 - 2/19/21

DRAWBAR

# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

## **Standard Equipment**

CAB

Independent Swinging Drawbar	Low Roof w/Fixed Visibility Panel and Sunshade
ELECTRICAL	Flat Deck Platform
	Air Conditioner and Heater with
(1) 12-volt 1300 cca Battery	4-speed Pressurizer
120 amp Alternator	Two Doors with Locks
Geared Starter Motor (4.2 kW)	Two-speed Intermittent Front
7-pin Outlet for Trailer/Implement	Wiper/Washer
Lighting	Rear Intermittent Wiper/Washer
3-pin, 40 amp Implement Socket	Hinged Rear Window
ISO/JD (30 amp) Socket	Tinted Glass with Sunshade
15 amp Screw-type Positive/Negative Terminals	Tilt and Telescoping Steering Wheel
	Air Suspension Seat with Operator
Single Pin (8 amp) Accessory Outlet	Presence Switch and Lap Belt
Cigar Lighter	Instructor Seat
(2) Roof Mounted Single Pin Outlets	Radio Ready with Speakers, Antenna
Battery Boost Terminals	and Wiring Harness
	Digital Clock
LIGHTS	Integral ROPS
	Interior Dome Light
(4) Halogen front hood headlights	(2) External Courtesy Lights
(2) LED front hood signature lights	(2) Fixed External Mirrors
(8) LED cab mounted work lights	Horn
(4) LED high front & rear cab	
(4) LED mid-mount front & rear	MISCELLANEOUS
(2) taillights	
	Pivoting Engine Hood
Front & Rear Flashing Cab Safety Lights	SMV Emblem
INSTRUMENTATION	Toolbox
Analog/Digital Instrument Cluster with	
LCD Display	WARRANTY

# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price		
T6.145 ELEC COM T4B	15,245 LB	9087177P09	\$113,217.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429.	.00			
T6.155 ELEC COM T4B	15,245 LB	9093041P41	\$120,833.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429.	.00			
T6.165 ELEC COM T4B	15,245 LB	9095591P65	\$124,145.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429	.00			
T6.175 ELEC COM T4B	15,245 LB	9100605P12	\$130,656.00		
Includes the following Equipment \$2,608.00 460/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00					
T6.180 ELEC COM T4B	15,245 LB	9104769P28	\$136,064.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429	.00			



Grounds Equipment Bid #ESCNJ 18/19-25
-T1KF 01

# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

## **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
PACKAGE SELE	CTION			
CD T0000 D	ACKACINO			
SD_T9980 P/	VALUE PACKAGE			No Charge
1 / 7027070	NOTE: Standard tires/wheel price is in the base tractor price, add or			No onargo
	subtract the price of the optional tires/wheels to the standard			
	tire/wheel price.			
ENGINE				
COLD WEATHER	AIDS			
COLD WEATHER	ADO			
SD_T1938 W	EATHER PACK			
758402	Grid_Heater + 110V Pack		9000302P61	\$393.00
	Grid heater and cold weather pack			
	Includes engine block heater and transmission heater			
FUEL TANK GUAF	RD			
SD T1400 FL	IFI TANK			
759128	Std Fuel Tank+Guard			No Charge
	Standard fuel tank with guard - 52.2 gallons (197.5 L)			
	Required for use with 34" rear wheels			
TRANSMISSION				
SD_T2800 SF	PEED			
2WD Units	I			,.
759375	30KPH 16X16 L/Autoshift		(901101P87)	(\$1,431.00)
EWD Usite	16x16 Electro Command semi-powershift for 2WD axle			
FWD Units 392195	40KPH_16X16_L/Autoshift			No Charge
392195	16x16 Electro Command semi-powershift transmission for FWD			NO Charge
	units			
	unite			

### **T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST**

### **FRONT AXLE**

#### SD\_T4010 FRONT AXLE

2WD Heavy Duty Axle						
	759381	2WD Heavy Duty Axle		(906866P09)	(\$8,917.00)	
Class 3 Standard FWD Axle						
	392196	Class 3, L/Brakes			No Charge	
		Limited slip front axle				
	758420	Class 3 Hydraulic Lock		9000248P71	\$323.00	
		With TerraLock traction management system with multi-plate				
		differential				

### **REAR AXLE**

### SD\_T3200 REAR AXLE

	758430	HD Flange Multi-Diff		No Charge
		Heavy duty flange axle - 10.8" (275 mm)		
	758432	HD Bar Steel Multi-Diff	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for steel wheels		
	758434	HD Bar Cast Multi-Diffential	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for cast wheels		

### TIRES

### BRAND CHOICE

### SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330447	Alliance	9000418P88	\$544.00
	330446	Firestone	9000418P88	\$544.00
	330439	Continental	9000418P88	\$544.00
	330442	Michelin	9000418P88	\$544.00

### FRONT WHEELS & TIRES

### SD\_T4940 FRONT WHEELS AND TIRES

2WD Heavy Duty Axle					
	8138401	11.00-16 10PR F2 GY		9000682P99	\$887.00
Class 3 FWD Axle					
	8240402	380/85(14.9)R24 A8		9001771P00	\$2,300.00
		Requires 460/85(18.4)R34 R1W			
	8255404	420/85(16.9) R28 R1W MI-FI-TR		9002563P33	\$3,329.00
		Requires 20.8R38 R1W			

# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

	8258404	380/85(14.9)R30R1W MI,F,T,C,A	9002430P12	\$3,156.00
		Requires 18.4R42 R1W		
	8299905	Front Shipping Wheels-4WD	9001098P02	\$1,426.00
		Requires rear shipping wheels		
	8859604	320/85R34 R1W MI,FI	9002556P40	\$3,320.00
		Requires 320/90R50 R1W		
	8201201	400/80R28 Fixed Cls 3 Alliance	9002785P09	\$3,617.00
		Municipality Tire		

#### REAR WHEELS & TIRES

#### SD\_T4950 REAR WHEELS AND TIRES

Flange and E	AR WHEELS AND TIRES Bar - Steel		
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	9003117P73	\$4,049.00
	Matching Front Tire - 14.9R24 R1W		, ,
	- 8240402 (Class 3 Axle)		
8328401	460/85(18.4)R38 R1W-MIFITRCO	9004180P33	\$5,429.00
	Matching Front Tire - 14.9R28 R1W		
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8380404	520/85 (20.8) R38 R1W MI, TR	9005784P24	\$7,512.00
	Matching Front Tire - 16.9R28		
	- 8255404 (Class 3 Axle)		
	- 8255904 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8919401	480/80R38 Alliance	9005237P54	\$6,802.00
	Municipal Tire		
	Matching Front Tire - 400/80R28 MUNICIPAL		
	- 8201201 (Class 3 Axle)		
	- 8866501 (Class 4 Axle)		
	Compatible with 31- MPH (50-KPH)		
	Fixed steel rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9004536P07	\$5,891.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8963504	320/90R50 R1W MI	9004645P41	\$6,033.00
	Matching Front Tire - 320/85R34 R1W		
	- 8859604 (Class 3 Axle)		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		

Shipping Wheels					
	8399906	Rear Shipping Wheels		9001487P64	\$1,932.00
		Matching Front Shipping Wheels			
		- 8299905 (Class 3 Axle)			
		- 8299906 (Class 4 Axle)			

### **HYDRAULICS**

### REAR REMOTE VALVES

### SD\_T8270 REAR REMOTES

_							
	Mechanical Rear Remotes						
ſ		743740	2 Mech Rear Remote Valves (2C)			No Charge	
L			2 Configurable Rear Remotes				
I		743741	3 Mech Rear Remote Valves (2C)		9000669P13	\$869.00	
			2 Configurable, 1 Non-Configurable Rear Remotes				

#### COMPLETE LOADER READY

#### SD\_T8110 LOADER BRACKETS

Mechanical	Mid Mount		
758344	Loader Ready + 2Mech MMV +Joy	9005614P07	\$7,291.00
	Complete Loader Ready: Includes 2 slice mechanical mid-mount		
	valve (MMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the mulit-coupler and joystick. Incompatible with electro-		
	hydraulic rear remotes & electronic joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
758351	Loader Ready + 3Mech MMV+Joy	9006943P09	\$9,017.00
	Complete Loader Ready: Includes 3 slice mechanical mid-mount		
	valve (MMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the multi-coupler and joystick. Incompatible with electro-		
	hydraulic rear remotes & electronic joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		

758580 Sunshade, Rear Window



# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

Engine Side	Rails		
758478	Engine Side Rails	9000727P65	\$945.00
	Not for loader mounting.	3333.233	φο .σ.σ.
	Tect of leader mountings	1	
JOYSTICK CONTR	OL		
SD_T7780 JO	VETICE		
759374	Basic Mech Joystick w/3rd Func	9001199P66	\$1,558.00
, , , , , , , ,		3337733733	<b>,</b> , ,
3-POINT HITCH			
REAR 3 POINT HIT	СН		
SD TOOSO DD	ANNEAR AND 2 DOINT LITCH		
SD_T8960 DR 758452	AWBAR AND 3 POINT HITCH  Cat II/III Flex Links	9000093P94	\$122.00
7 00 102	eat II/III Flox Ellike	00000001 011	Ψ122.00
WEIGHTS			
EDONE WEIGHTS			
FRONT WEIGHTS			
SD_T2150 FR	ONT BALLAST		
758562	Weight Carrier w/Hook	9000194P81	\$253.00
	Weight carrier with tow hook - 199 lbs (90.4 kg)		
758518	Weight Pack A w/Hook	9000843P92	\$1,096.00
	Pack "A" includes weight rack - 199.3 lbs.,		
	(6) 99.2 lbs. weights, plus the tow hook		
	- 15.4 lbs., total weight is 703 lbs. (319 kg)		
758519	Weight Pack B w/Hook	9001314P39	\$1,707.0
	Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights,		
	plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)		
	CUTO		
REAR WHEEL WEI	0113		
SD_T4960 WH	IEEL WEIGHTS		
X49601X	L/Wheel Weights		No Charge
758564	6X65KG Wheel Weight	9000895P51	\$1,163.0
	Includes (6) 143 lbs. weights totalling 860 lbs.		
CAR ORTION			
CAB OPTION			
CLIMATE CONTRO	DL		
SD_T9291 RE	AR WINDOW SUNSHADE		

\$200.00

9000154P00

759101

French NAR



# T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

LIGH	HTS				
_	D T0446 DC	OTADV DE ACON			
$\neg$	758489	TARY BEACON Rotary Beacon Lefthand Side	1	9000312P62	\$406.00
	7 30403	Single rotary beacon mounted on rear left side		30003121 02	Ψ-00.00
		of tractor for increased safety and visibility			
	758491	Twin Beacon		9000625P24	\$812.00
	'00'.0'.	Rotary beacons mounted on rear of the cab		0000020.2.	ψο.Ξ.σσ
		on both left and right side of tractor for			
		maximum safety and visibility			
			•		
RAD	OIO				
0	D T7610 DE	RACKET MONITOR			
$\top$	758497	Bracket for Equipment Monitor	1	9000118P58	\$154.00
	730437	Monitor mounting bracket		3000110130	Ψ104.00
		montes mounting state of			
S	D_T7620 SF	PEAKERS			
	743714	Deluxe Radio with Bluetooth			No Charge
		Deluxe Radio that includes AM, FM, Micro SD, USB,			
		AUX and Bluetooth with noise cancelling microphone			
		complete with wires and speakers in the cab.			
MISC	ELLANEOUS	8			
FFN	IDERS FRONT				
S	D_T8740 FR	ONT FENDERS			
	758505	Front Fender 420mm Dynamic		9000587P51	\$763.00
		Dynamic front fenders 16.5 inches wide (420 mm)			
OPE	RATOR'S MA	NUALS			
S	SD T9802 OF	PERATORS MANUAL			
TĬ	758535	Spanish NAR			No Charge
$\overline{}$	1		-		

No Charge



### **Standard Equipment**

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emmissions system - Electro Command™ Semi-powershift with AutoShift feature -Standard LED work lighting -Easy attach remote outlets -New bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all 4WD models -15' 1" (181") turning radius (Std FWD

#### ENGINE

-----

T6.145

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

disengaged, no brake, no fenders)

2WD wheel base is 95.8" for all models - 14' turning radius for 2WD versions

- ECO 19 MPH at reduced engine speed

T6.155
Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110
Rated Engine HP - 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175
Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Power Management and Constant RPM Power Boost in PTO & Transport Modes Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Viscous Fan (5 blade) Foot and Hand Throttle

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

**AGRICULTURE** 

### **Standard Equipment**

TerraLock™ Auto FWD/Diff-Lock Drive Shaft Shield

TRANSMISSION

\_\_\_\_\_

16x16 Electro Command™ Semipowershift w/opt. AutoShift feature
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

-----

Std 4WD - 25 mph/40 kph Optional 4WD - 31 mph/50KPH Optional 2WD - 19 mph/30 kph (speeds varies by tire size)

STEERING & BRAKES

-----

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

\_\_\_\_\_

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

-----

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock™)
Class 4 Heavy Duty FWD Axle

55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from

61.4 in. to 88.8 in.. (varies by tire size)

Electrohydraulic FWD Engagement

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard

Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

-----

CCLS: Closed-Center-Load-Sensing
/pressure and flow compensated System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 1/m) Implement Pump
12.4 gpm (47 1/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

-----

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control

Category II Flex Link Ends
Telescoping Stabilizers

9,214 lb. Lift Capacity (OECD) with Dual 80mm External Rams

14

Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and

Performance Monitor

DRAWBAR



**AGRICULTURE** 

### **Standard Equipment**

socket

Advanced instrumentation with ISO

Independent Swinging Drawbar	CAB
ELECTRICAL	High Roof w/Opening Visibility Panel and Sunshade
(1) 12-volt 1300 cca Battery	Flat Deck Platform w/Integral ROPS
ALTERNATOR SELECTION MUST BE	Air Conditioner and Heater with
MADE. ENTRY LEVEL OPTION IS:	4-Speed Pressurizer
120 amp Alternator	Two doors with Locks
Geared Starter Motor (4.2 kW)	Two-speed Intermittent Front
7-pin Outlet for Trailer/Implement	Wiper/Washer
Lighting	Rear Intermittent Wiper/Washer
3-pin, 40 amp Implement Socket	Hinged Rear Window
ISO/JD (30 amp) Socket	Tinted Glass with Sunshade
15 amp Screw-type Positive/Negative Terminals	Tilt and Telescoping Steering Wheel
Single Pin (8 amp) Accessory Outlet	Deluxe Air Suspension Seat with
Cigar Lighter	Automatic Adjustment, Operator
(2) Roof Mounted Single Pin Outlets for beacon	Presence Switch and Lap Belt
Less ISO BUS Socket	Instructor Seat
Battery Boost Terminals	Radio Ready with Speakers, Antenna and Wiring Harness
LIGHTS	Digital Clock
	Interior Dome Light
WORK LIGHT SELECTION MUST BE	(2) External Courtesy Lights
MADE. ENTRY LEVEL OPTION IS:	(2) Telescopic (manual adjustment)
(4) Halogen front hood headlights	External Mirrors
(2) LED front hood signature lights	
(12) LED cab mounted work lights	MISCELLANEOUS
(8) LED high front & rear	
(4) LED mid-mount front & rear	Pivoting Engine Hood, SMV Emblem,
(2) taillights	Toolbox, Horn
Front & Rear Flashing Cab Safety Lights	
	WARRANTY
INSTRUMENTATION	
	New Holland Standard Warranty Applies



### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price				
T6.145 ELEC COM T4B	15,245 LB	9087177P09	\$113,217.00				
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00							
T6.155 ELEC COM T4B	15,245 LB	9093041P41	\$120,833.00				
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00							
T6.165 ELEC COM T4B	15,245 LB	9095591P65	\$124,145.00				
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429.	00					
T6.175 ELEC COM T4B	15,245 LB	9100605P12	\$130,656.00				
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00							
T6.180 ELEC COM T4B	15,245 LB	9104769P28	\$136,064.00				
Includes the following Equipment \$380/85(14.9)R28 A8 (8241401) \$2,608.00 \$60/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00							

Bid Term: 2/20/19 - 2/19/21

Grounds Equipment Bid #ESCNJ 18/19-25
-T1KF 02

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

**AGRICULTURE** 

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price	
PACKAGE SELEC	CTION				
THORNOL GLLLC	5110N				
OD T0000 DA	OV4 ON O				
SD_T9980 PA	PLUS PACKAGE		9004827P90	\$6,270.00	
	Plus package and pricing includes: high roof, telescopic mirrors,			<b>40,</b> _1000	
	CCLS hydraulic pump and Enhanced instrumentation with ISO				
	socket				
	NOTE: Standard tires/wheel price is in the base tractor price, add or				
	subtract the price of the optional tires/wheels to the standard				
	tire/wheel price.				
	Requires one selection for each of the following:				
	front axle and work lamps				
CAB CONFIGURA	ATION				
FIXED OR SUSPE	NDED				
SD T9200 OF	PERATOR STRUCTURE #1				
758479	Suspended_Cab		9001321P32	\$1,716.00	
	Cab suspension reduces shock loads to the tractor by up to 25%			ψ.,ο.οο	
	utilitizing two adjustable shocks to increase confort to the operator.				
ENGINE					
	LECTION				
ALTERNATOR SE	LECTION				
SD_T1040 CHARGING SYSTEMS					
758557	150 AMP_Alternator		9000115P50	\$150.00	
COLD WEATHER	AIDS	·			
OD T1000 '''	TATUED DAOK				
SD_T1938 WE	Grid Heater + 110V Pack		9000302P61	\$393.00	
7 30402	Grid heater and cold weather pack		3000302F01	<b>დაფა.00</b>	
	One neater and cold weather pack		1		

Page 16 of 89

Includes engine block heater and transmission heater



**AGRICULTURE** 

### FUEL TANK GUARD

SD\_T1400 FUEL TANK

	759128	Std Fuel Tank+Guard		No Charge
		Standard fuel tank with guard - 52.2 gallons (197.5 L)		
		Required for use with 34" rear wheels		
	759130	Large Fuel Tank+Guard	9000175P56	\$228.00
		Standard fuel tank plus auxiliary tank - 58.6 gal (222 L)		
		Incompatible with 34" rear wheels		

### **TRANSMISSION**

SD\_T2800 SPEED

2WD Units			
759375	30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle	(901101P87)	(\$1,431.00)
759377	30KPH 16X16 W/Autoshift 16x16 Electro Command™ semi-powershift for 2WD units	(900508P97)	(\$661.00)
759379	30KPH 16X16 Autoshift+Creeper 16x16 Electro Command™ semi-powershift for 2WD units	9001361P36	\$1,768.00
FWD Units			
392195	40KPH_16X16_L/Autoshift 16x16 Electro Command semi-powershift transmission for FWD units		No Charge
758413	40KPH_16X16_w/Autoshift 16x16 Electro Command™ semi-powershift with AutoShift feature	9000593P67	\$771.00

### FRONT AXLE

SD\_T4010 FRONT AXLE

2WD Heavy Duty Axle						
759381	2WD Heavy Duty Axle		(907807P80)	(\$10,140.00)		
Class 4 Star	ndard FWD Axle					
758425	Class 4 Hydraulic Lock			No Charge		
	-With TerraLock traction management system with					
	multi-plate differential					
	-Incompatible with 34" rear wheels					
Class 4 Sup	erSteer FWD Axle					
758429	Class 4 SuperSteer L/Water		9002575P65	\$3,345.00		
	SuperSteer front axle with TerraLock traction management system.					
	Includes mulit-plate differential lock.					
	Incompatible with Autoguidance					

18

Class 4 Suspended FWD Axle						
	758427	Class 4 Suspension Lock		9005260P64	\$6,832.00	
		With TerraGlide suspended axle with TerraLock traction				
		management system. Includes mult-plate differential.				
		Requires advanced processor 758498				
		Incompatible with 34" rear wheels				

### **REAR AXLE**

SD\_T3200 REAR AXLE

_	, ==					
		758430	HD Flange Multi-Diff			No Charge
			Heavy duty flange axle - 10.8" (275 mm)			
		758432	HD Bar Steel Multi-Diff		9001113P42	\$1,446.00
			Heavy duty 98" bar axle for steel wheels			
Γ		758434	HD Bar Cast Multi-Diffential		9001113P42	\$1,446.00
			Heavy duty 98" bar axle for cast wheels			

### **TIRES**

### BRAND CHOICE

### SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330447	Alliance	9000418P88	\$544.00
	330446	Firestone	9000418P88	\$544.00
	330439	Continental	9000418P88	\$544.00
	330442	Michelin	9000418P88	\$544.00

### FRONT WHEELS & TIRES

### SD\_T4940 FRONT WHEELS AND TIRES

2WD Heavy	2WD Heavy Duty Axle					
8138401	11.00-16 10PR F2 GY	9000682P99	\$887.00			
Class 4 FWI	D Axle					
8255904	420/85(16.9)R28 R1W MI-FI	9002563P33	\$3,329.00			
	Requires 20.8R38 R1W or 18.4R42 R1W					
8258704	380/85(14.9)R30 R1W MI-FI-CM	9002410P87	\$3,131.00			
	Requires 18.4R42 R1W or 14.9R46 R1W					
8299906	Front Shipping Wheels	9001098P02	\$1,426.00			
	Scrap, no return refund					
8801601	520/60R28 R1W Fixed HD	9004467P54	\$5,802.00			
	Requires 650/60R38					
8801604	320/85R34 R1W Brands - MI	9002556P40	\$3,320.00			
	Requires 320/90R50 R1W					
8825501	480/65R28 R1W MI-CM	9002278P43	\$2,959.00			
	Requires 600/65 R38					



	8852501	420/70R28 A8 R1W FI 8852501	9002554P09	\$3,317.00
		Requires 520/70 R38		

### REAR WHEELS & TIRES

#### SD T4950 REAR WHEELS AND TIRES

	EAR WHEELS AND TIRES		
Flange and	Bar - Steel		
8975401	520/70R38 A8 R1W FI	9005699P54	\$7,402.00
	Matching Front Tire - 420/70R28 R1W		
	- 8852501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8949401	600/65R38 R1W Fixd-FI,MI,CO,TR	9005887P42	\$7,646.00
	Matching Front Tire - 480/65R28 R1W		
	- 8825501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8919401	480/80R38 Alliance	9005237P54	\$6,802.00
	Municipal Tire		
	Matching Front Tire - 400/80R28 MUNICIPAL		
	- 8201201 (Class 3 Axle)		
	- 8866501 (Class 4 Axle)		
	Compatible with 31- MPH (50-KPH)		
	Fixed steel rims		
8998401	650/65R38 A8 R1W FI/MI/TR/CO	9005209P05	\$6,765.00
	Matching Front Tire - 540/65R28 R1W		
	- 8858401 (Class 3 Axle)		
	- 8858501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9004536P07	\$5,891.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8370404		9004466P77	\$5,801.00
	Matching Front Tire - 14.9R30 R1		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

8963504	320/90R50 R1W MI	9004645P41	\$6,033.00
	Matching Front Tire - 320/85R34 R1W		
	- 8859604 (Class 3 Axle)		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		
8907501	650/60R38 Fixed Rim - MI	9005209P82	\$6,766.00
	Matching Front Tire - 520/60R28 R1W		
	- 8801301 (Class 3 Axle)		
	- 8801601 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
Bar Axle - Ca	ast		
8334406	460/85(18.4)R38 R1W- MI,FI,CM	9004180P33	\$5,429.00
	Matching Front Tire - 16.9R28 R1W		
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8384406	460/85(18.4)R42 R1W - MI	9005669P51	\$7,363.00
	Matching Front Tire - 14.9R30 (380/85R30)		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
Shipping Wh	eels		
8399906	Rear Shipping Wheels	9001487P64	\$1,932.00
	Matching Front Shipping Wheels		
	- 8299905 (Class 3 Axle)		
	- 8299906 (Class 4 Axle)		

### **HYDRAULICS**

### REAR REMOTE VALVES

### SD\_T8270 REAR REMOTES

Mechanical Rear Remotes					
	743740	2 Mech Rear Remote Valves (2C)			No Charge
		2 Configurable Rear Remotes			
	743741	3 Mech Rear Remote Valves (2C)		9000669P13	\$869.00
		2 Configurable, 1 Non-Configurable Rear Remotes			
	743685	4 Mech Rear Remotes (2NC+2C)		9001588P51	\$2,063.00
		2 Configurable, 2 Non-Configurable Rear Remotes			

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

### COMPLETE LOADER READY

SD T8110 LOADER BRACKETS

Mechanical	DADER BRACKETS Mid Mount		
758344	Loader Ready + 2Mech MMV +Joy	9005614P07	\$7,291.00
700044	Complete Loader Ready: Includes 2 slice mechanical mid-mount	30000141 07	ψ1,201.00
	valve (MMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the mulit-coupler and joystick. Incompatible with electro-		
	hydraulic rear remotes & electronic joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
758351	Loader Ready + 3Mech MMV+Joy	9006943P09	\$9,017.00
	Complete Loader Ready: Includes 3 slice mechanical mid-mount		
	valve (MMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the multi-coupler and joystick. Incompatible with electro-		
	hydraulic rear remotes & electronic joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
Electro-Hyd	raulic Mid Mount		
758353	Loader Ready + 2 EH MMV + Joy	9006992P37	\$9,081.00
	Complete Loader Ready: Includes 2 slice electronic mid-mount		
	valve (EMMV), horizontal and verticle two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the multi-coupler and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

	,		
758354	Loader Ready + 3 EH MMV + Joy	9008120P42	\$10,546.00
	Complete Loader Ready: Includes 3 slice electronic mid-mount		
	valve (EMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the hydraulic multi-coupler and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
Engine Sid	·		
758478	Engine Side Rails	9000727P65	\$945.00
	Not for loader mounting.		
		·	
JOYSTICK CONT	ROL		
SD_T7780 J	DYSTICK		
759374	Basic Mech Joystick w/3rd Func	9001199P66	\$1,558.00
1 1 100014	Basic Medit doystor word Faire	30011331 00	ψ1,000.00
MID MOUNT VAL	VES		
SD_T7790 M	ID-MOUNT VALVES		
743689	2 Electronic MMV	9001868P02	\$2,426.00
743690	3 Electronic MMV	9002862P86	\$3,718.00
759372	3 Mechanical MMV	9002683P45	\$3,485.00
	,		
3-POINT HITCH			
DEAD O BOINT II	ITOU		,
REAR 3 POINT H	IICH		
CD TOOCO D	DAMDAD AND 2 DOINT HITCH		
	RAWBAR AND 3 POINT HITCH	0000003704	¢122.00
758452	Cat II/III Flex Links	9000093P94	\$122.00
FRONT 3 POINT	HITCH		
SD_T8100 F	RONT THREE POINT HITCH		
390811	Less Front Linkage		No Charge
759144	Integrated FHPL 759144	9005813P50	\$7,550.00
	Front Hitch for units with Standard or Suspended Front Axles		
	Requires hoses (758473, 758474, 758475, 758544 or 758582)		
	Incompatible with front weights		
1 1 1			· ·

Includes integrated tow hook



759147	Int FHPL+FPTO	9012387P76	\$16,088.00
	Front Hitch and PTO for units with standard or		
	suspended Front Axle (ratio matches rear PTO)		
	Requires Advanced Processor (758498), hoses		
	(758473, 758474,758475, 758544 or 758582)		
	Incompatible with front weights		
	Includes integrated tow hook		
	1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
	Engine RPM's at 1895		
	Maximum power transmission:		
	87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient		

### SD\_T8300 HOSES FOR FHPL

Н	loses less f	Front Couplers		
	758473	Tubes FHPL Connect Mech RR		No Charge
		Front hitch hoses to connect front hitch to mechanical rear remotes		
	758474	Hose pkg for frt hitch w/ ERV		No Charge
		Front hitch hoses to connect to front hitch to		
		electro-hydraulic rear remotes.		
	758475	Hose pkg for frt hitch w/ MMV		No Charge
		Front hitch hoses to connect front hitch to mid mount valve		
		Incompatible with loader ready		
H	loses with f	Front Couplers		
	758582	Tubes + Coupler Mech Rear Rem.	9000143P99	\$187.00
		Front couplers and hoses for front hitch to connect to mechanical		
		rear remotes		
		Requires 4 rear remotes		
		Incompatible with mid mount valve		
	758544	Hse pkg frt hit w/MMV/frt coup	9000143P99	\$187.00
		Front couplers and hoses for front hitch to connect to mid mount		
		valve		
		Incompatible with loader ready		

### **WEIGHTS**

### FRONT WEIGHTS

### SD\_T2150 FRONT BALLAST

	758562	Weight Carrier w/Hook	9000194P81	\$253.00
		Weight carrier with tow hook - 199 lbs (90.4 kg)		
	758518	Weight Pack A w/Hook	9000843P92	\$1,096.00
		Pack "A" includes weight rack - 199.3 lbs.,		
		(6) 99.2 lbs. weights, plus the tow hook		
		- 15.4 lbs., total weight is 703 lbs. (319 kg)		
	758519	Weight Pack B w/Hook	9001314P39	\$1,707.00
		Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights,		
		plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)		

	758520	Weight Pack C w/Hook	9002142P14	\$2,782.00
		Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights,		
		plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)		
		Not compatible with two wheel drive (2WD) option		
		Not compatible with loader ready packages:		
		758344, 758351, 758353, 758354, 758351		

### REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

 3D_14900 WI	ILLE WEIGHTS		
X49601X	L/Wheel Weights		No Charge
758564	6X65KG Wheel Weight	9000895P51	\$1,163.00
	Includes (6) 143 lbs. weights totalling 860 lbs.		
759137	2X150KG + 2X250KG Wheel Weight	9001168P09	\$1,517.00
	Rear Wheel WeightsRear Wheel Weights		
	Includes 2 X 150 plus 2 X 250 KG Weights		
	Four weights totaling 800 KG or 1,764 lbs.		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		
759821	2X150KG + 4X250KG Wheel Weight	9002005P85	\$2,605.00
	Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.		
	Total of 6 rear weights for 1,300 KG or 2,866 lbs.		
	3 weights (650 KG) on each side		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		

### **CAB OPTION**

SD\_T9360 RR MIRRORS

	759154	2 Tele/Heat/Rem Adj Mirror	9000050P05	\$65.00
		(2) External Mirrors (Electric-adjust, Telescopic and Heated)		
		Requires:		
		- 743729, 713816, or 743730 (High Roof Cab)		

### CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

_	 <u> </u>	THE WINDOW CONCINGE		
	758580	Sunshade, Rear Window	9000154P00	\$200.00

SEA	TS.			
				'
S	D_T8500 SE	AT		
	758485	Deluxe Seat Air Susp Heated	9001461P46	\$1,898.00
		Super Deluxe Seat with Low Frequency		
		Suspension (+DDS) Belt and Swivel		
		Headrest Heated Leather/Alacantara		
STO	RAGE			
S	SD T9010 RF	EAR CAB STORAGE BO		
ΤĬ	758570	Lefthand Rear Cab Storage Box	9000167P09	\$217.00
	100070	Incompatible with Autoguidance	33331311 33	Ψ211.00
		moompatible with Autoguraanoo		
LIGH	HTS			
S	SD_T9130 W	ORK LAMPS		
	758594	12 LED High Power Hi-Roof		No Charge
		12 total LED cab mounted work lights:		
		8 high roof mounted; 4 front, 4 rear		
		4 mid-cab mounted; 2 front, 2 rear		
		Total work light package emits 23,400 lumens		
	758596	16 LED High Power Hi-Roof	9001171P94	\$1,522.00
		A total of 16 Cab mounted LED work lights:		
		12 high cab-mounted; 6 front, 6 rear		
		4 mid-cab mounted; 2 front, 2 rear		
		16 LED work lights emiting 31,200 lumens		
	•		•	
S	D_T9131 FR	ONT WORK LAMPS ON		
	758487	HIGH HEADLAMP LH DIP	9000231P77	\$301.00
		2 Grab Rail-mounted headlights - remain on for road transport.		
		These lights assist in visibility during transport with a loader or		
		front 3-point hitch mounted implement.		
	758488	High Headlight Righthand DIP	9000231P77	\$301.00
		2 Grab Rail-mounted headlights - remain on for road transport.		
		These lights assist in visibility during transport with a loader or		
		front 3-point hitch mounted implement.		
_	. <b> </b>	77.174.77.1004		
S		DTARY BEACON	222242522	<b>#</b> 400.00
	758489	Rotary Beacon Lefthand Side	9000312P62	\$406.00
		Single rotary beacon mounted on rear left side		
-		of tractor for increased safety and visibility		<b>*</b>
	758491	Twin Beacon	9000625P24	\$812.00
		Rotary beacons mounted on rear of the cab		
		on both left and right side of tractor for		

maximum safety and visibility



RA	ADIO			
	SD T7612 BF	RACKET MONITOR		
	758497	Bracket for Equipment Monitor	9000118P58	\$154.00
		Monitor mounting bracket		,
	758590	Fred Display	9004590P74	\$5,962.00
		Monitor mounting bracket with IntelliView IV		*-,
		Required for Autoguidance Ready or ISOBus Class 2 Socket		
		, . ,		
ISC	O BUS CONNEC	CTOR		
	SD_T7642 IS	O BUS		
	743795	ISO Bus Connector	9000201P74	\$262.00
		ISOBUS Class II		
	•			
AUT	TO GUIDANCE			
AU	JTO GUIDANCE	READY		
	SD_T6300 ST	FEERING OR AUTOGUIDANCE READY		
	759185	Autoguidance Ready	9003976P28	\$5,164.00
		Autoguidance Ready which includes: steering sensor, electronic		
		steering valve, steering manifold, hoses, wiring harness, receiver		
		mounting bracket, cabling, & hardware		
		Note:		
		-Requires CCLS hydraulics		
		-Incompatible with SuperSteer front axle		
	<u>'</u>			
AU	JTO GUID COM	PLETION		
	SD_T7630 AL	JTOGUIDANCE		
	392484	Less Autoguidance		No Charge
T	758803	Full AG Nav GPS L1	9011031P02	\$14,326.00
		Autoguidance Complete		
		Includes Nav II controller and NH 372 receiver		
		Requires Autoguidance ready, monitor mounting bracket		
		with IntelliView IV monitor 758590		
- 1	1		1 1	

Activated to WAAS level accuracy (Level 1)

# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

	758804	Full AG Nav GPS L2	9013083P84	\$16,992.00
		Autoguidance - Complete Pack		
		Autoguidance Complete		
		Includes Nav II controller and NH 372 receiver		
		Requires Autoguidance ready, monitor mounting bracket		
		with IntelliView IV monitor 758590		
		Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
		accuracy (Level 2)		
;	758871	Autoguidance Lvl 3 RTK Modem	9015135P89	\$19,657.00
		Autoguidance Complete		
		Includes Nav II controller, NH 372 receiver		
		Requires Autoguidance ready, monitor mounting		
		bracket with IntelliView IV monitor 758590		
		Activated to RTK level accuracy (Level 3)		
		Requires either a RTK radio or modem not included		

#### **TELEMATICS**

SD\_T7625 TELEMATICS

391249	Less Telematics		No Charge
	Unit does not have any wiring or the hardware required to utilize		
	telematics or an NTRIP Accuracy signal		
759349	Telematics Predisposition	9000068P53	\$89.00
	Offering is Prewired		
759394	Basic Telematics	9000532P84	\$692.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to PLM		
	Connect Essential which will allow unit to		
	use Basic Fleet Management, Baisc usage		
	reports, Current Fleet Status, Maintenance		
	Alerts (requires additional subsription and		
	harness to utilize Agronomical Data File Transfer)		
759094	NTRIP	9000569P80	\$740.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to NTRIP,		
	which will allow unit to access PLM RTK+		
	Accuracy Signal (RTK + Accuracy subscription		
	still required seperatly) (requires additional		
	modem, subsription, and harness to utilize		
	Agronomical Data File Transfer).		

and front hitch with PTO



# T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

759093	Telematics	9000657P58	\$854.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to PLM		
	Connect Professional which will gives all of		
	the features of PLM Connect Essentail as		
	well as adding PLM Connect Live Viewing,		
	Alarm and Fault Code notification, and access		
	to proprietary CAN BUS (requires additional		
	subsription and harness to utilize Agronomical		
	Data File Transfer).		
l l	- Sata File Transfer i		
MISCELLANEOU	S		
	-		
FENDERS FRONT			
	RONT FENDERS		
758505	Front Fender 420mm Dynamic	9000587P51	\$763.00
	Dynamic front fenders 16.5 inches wide (420 mm)		
FENDERS REAR			
SD_T8700 FE			<u> </u>
743707	Full Cover	9000542P08	\$704.00
	Full Cover Rear Fender (92.1 in. / 2,340 mm)		
TRAILOR BRAKES	5		
CD T7420 T			
SD_T7130 TF		0000845D46	¢4 000 00
/44/64	Hyd Trailer Brake Universal	9000845P46	\$1,098.00
	Includes Brake Logic Valve 744783		
	Applies trailer brakes and front axle brakes when both brake pedals		
	are activated simultaneously		
D.4.D.4.D.			
RADAR			
OD T7500 D	NDAD.		
SD_T7580 RA	Radar NAR	9000611P38	\$794.00
1 1 756501	Radai NAR	9000611P38	\$794.00
ADVANCED PRO	PESSOB		
ADVANGED FROM	DEGOOK		
SD T5101 AF	DV PROCESSOR		
758498	Advanced Processor	9000297P22	\$386.00
700-300	Advanced Processor	33002377 22	Ψ000.00
	Required for Suspended front axle, electro-hydraulic rear remotes		
	required for Suspended from axie, electro-flydraulic real felliotes		

OTH	HER			
5	SD_T7420 BA	TTERY		
	758409	HD Battery W/Isolator 176AH	9000327P25	\$425.00
		Heavy duty battery with isolator		
OPE	RATOR'S MA	NUALS		
	SD_T9802 OP	ERATORS MANUAL		
	758535	Spanish NAR		No Charge
	759101	French NAR		No Charge



### **Standard Equipment**

T6.175

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emmissions system -16x16 Electro Command™ Semipowershift with AutoShift feature -Standard LED work lighting -Easy attach remote outlets -New bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all 4WD models -15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

Т6.145

\_\_\_\_\_

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155
Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165
Rated PTO HP - 110
Rated Engine HP - 135

Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

#### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle



### **T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST**

### **Standard Equipment**

TRANSMISSION	PTO		
16x16 Electro Command™ Semi- powershift with AutoShift feature	Independent 540/1000 rpm PTO with Reversible Shaft		
Auto Field and Road Modes	Multi-Plate Wet Clutch Design		
Clutchless Range Change between	Electrohydraulic Engagement with		
Ranges A/B and C/D	Soft Start/Auto Feathering		
Steering Column Mounted Left-hand	Hydraulic Piston PTO Brake with Manual		
Power Shuttle	Override (coast-down feature)		
Multi-plate Wet Clutch Design	Flip-up PTO Shaft Guard		
	Auto PTO Management System		
ROAD SPEEDS	Rear Fender Mounted PTO Controls		
Std 4WD - 25 mph/40 kph	HYDRAULIC SYSTEM		
Optional 4WD - 31 mph/50KPH			
(speeds varies by tire size)	CCLS: Closed-Center-Load-Sensing System		
STEERING & BRAKES	Variable Displacement Piston Pump		
	Maximum Flow at Rated Engine Speed		
Hydrostatic Power Steering	29.9 gpm (113 1/m) Implement Pump		
Hydraulic Wet Disc Brakes	12.4 gpm (47 1/m) Steering Pump		
(self-equalizing/self-adjusting)	(2) Lever Controlled, Configurable,		
Parking Brake (automotive style)	Mechanical Remote Valves with Quick Couplers, Flow Control & Anti-leak-down		
REAR AXLE	Oil Collection Bottles		
	Hydraulic Tapping Port (power beyond)		
Heavy Duty Flange	Low Pressure Return Quick Coupler		
Wet Plate Differential Lock			
Electrohydraulic Engaged Rear Diff Lock	3-POINT LIFT SYSTEM		
FRONT AXLE	Electronic Draft Control (EDC)		
	Lower Link Sensing		
SELECTION MUST BE MADE WHEN	Fast Raise/Lower Control in Cab		
ORDERING. ENTRY LEVEL OPTION IS:	Rear Fender Mounted 3-PT Raise/Lower		
Front FWD (TerraLock™ )	Switches		
Class 4 Heavy Duty FWD Axle	Dynamic Ride Control™		
55 Degree Turning Angle	Category II Flex Link Ends		
Dual Steering Cylinders	Telescoping Stabilizers		
8 Degree Axle Oscillation	11,650 lb. Lift Capacity (OECD)		
Adjustable Tread Width from	with Dual 90mm External Rams		
61.4 in. to 88.8 in. (varies by tire size)			
Electrohydraulic FWD Engagement	DRAWBAR		
TerraLock™ Auto FWD/Diff-Lock			
Drive Shaft Shield	Independent Swinging Drawbar		

## T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

### **Standard Equipment**

CUSTOM HEADLAND
MANAGEMENT SYSTEM

Allows Programming of the Following

-Transmission Upshift/Downshift

- Fast Raise/Lower of the 3-PT Hitch
- Engine rpm Increase/Decrease via Throttle
- Engine rpm Increase/Decrease via Constant RPM
- Optional Electro-Hydraulic Remotes

#### ELECTRICAL

-----

(1) 12-volt 1300 cca Battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
150 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting

3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative

Terminals
Single Pin (8 amp) Accessory Outlet

Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon

Less ISO BUS Socket Battery Boost Terminals

#### LIGHTS

\_\_\_\_\_

WORK LIGHT SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

#### INSTRUMENTATION

Analar (Pinital Tratament Glaster vith

Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAB

High Roof w/ Opening Visibility Panel and Sunshade

Flat Deck Platform with Integrated ROPS Automatic Temperature Control with

Air Conditioner and Heater with 4-Speed Pressurizer

Two doors with Locks

Two-speed Intermittent Front Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

SEAT SELECTION MUST BE MADE WHEN ORDERING. ENTRY LEVEL SEAT

FOR ELITE CONFIGURATION IS:
Deluxe Air Suspension Seat with

Automatic Adjustment, Operator

Presence Switch and Lap Belt Instructor Seat

Deluxe Radio with BlueTooth, High Performance Speakers & Antenna

Digital Clock

Interior Dome Light

- (2) External Courtesy Lights
- (2) Electronically Adjustment
  Telescoping, Heated External Mirrors

Horn

33



Grounds Equipment Bid #ESCNJ 18/19-25
-T1KF 03

# T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

## **Standard Equipment**

WARRANTY

MISCELLANEOUS						
HIDCHILL WILDOOD	<b>3</b> T	TT - 7 77	Q+	7.7	774	
	мем	HOIIANG	Standard	Warranty	Applies	
Pivoting Engine Hood						
SMV Emblem						
Toolbox						

### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price			
T6.145 ELEC COM T4B	15,245 LB	9087177P09	\$113,217.00			
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429.	.00				
T6.155 ELEC COM T4B	15,245 LB	9093041P41	\$120,833.00			
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429	.00				
T6.165 ELEC COM T4B	15,245 LB	9095591P65	\$124,145.00			
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429	.00				
T6.175 ELEC COM T4B	15,245 LB	9100605P12	\$130,656.00			
Includes the following Equipment \$80/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00						
T6.180 ELEC COM T4B	15,245 LB	9104769P28	\$136,064.00			
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) \$2,608.00 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00						

Bid Term: 2/20/19 - 2/19/21

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
PACKAGE SELE	CTION			
SD_T9980 P.	ACKAGING			
X0272XX	ELITE PACKAGE		9009996P91	\$12,983.00
	Elite package and pricing includes: high roof, telescopic and			
	heated mirrors, CCLS hydraulic pump, electro-hydraulic joystick			
	with rocker switch for rear remote valves or mid-mount valves,			
	90 mm 3-PT lift cylinders, deluxe radio with Bluetooth,			
	auto temperature control (ATC), enhanced instrumentation with			
	ISO socket, auto PTO, end row function, self-cancelling turn			
	signals with audible alarm, leather steering wheel and carpet floor.			
	NOTE: Standard tires/wheel price is in the base tractor price, add or			
	subtract the price of the optional tires/wheels to the standard			
	tire/wheel price.			
	Requires one selection for each of the following: suspended cab			
	option, alternator, transmission, front axle and work lamps.			
	option, anomator, transmission, from axic and work lamps.			
ENGINE				
ALTERNATOR SE	ELECTION			
	HARGING SYSTEMS			*
758557	150 AMP_Alternator		9000115P50	\$150.00
758558	200 AMP_Alternator		9000179P41	\$233.00
COLD WEATHER	AIDS			
OOLD WEATHER	AIDO			
SD_T1938 W	EATHER PACK			
758402	Grid_Heater + 110V Pack		9000302P61	\$393.00
	Grid heater and cold weather pack			
	Includes engine block heater and transmission heater			
FUEL TANK GUA	RD			
SD T1400 F	IEL TANK			
SD_T1400 FI 759128	Std Fuel Tank+Guard			No Charge
733120	Standard fuel tank with guard - 52.2 gallons (197.5 L)			No Charge
	Otalidala radi talik with guala - 52.2 gallons (157.5 L)			

Required for use with 34" rear wheels

Ī	759130	Large Fuel Tank+Guard	9000175P56	\$228.00
		Standard fuel tank plus auxiliary tank - 58.6 gal (222 L)		
		Incompatible with 34" rear wheels		

### **TRANSMISSION**

### SD\_T2800 SPEED

FW	'D Units			
7	'58413	40KPH_16X16_w/Autoshift		No Charge
		16x16 Electro Command™ semi-powershift with AutoShift feature		
7	43764	40 KPH (17x16) ECO	9001051P05	\$1,365.00
		17x16 Electro Command™ "Economy"		
		Semipowershift with AutoShift -		
		25 MPH (40 KPH)		
7	43766	50 KPH (17x16)	9001051P05	\$1,365.00
		17x16 Electro Command™ "Fast Mover" semi-powershift with		
		AutoShift feature - 31 MPH (50 KPH)		
		Requires:		
		- Suspended front axle		
		- 31 MPH (50KPH) Compatible Rear Tire Sizes		
		(see rear tire options)		
		- 758428 Class 4 suspended front axle with brakes		

#### **FRONT AXLE**

#### SD T4010 FRONT AXLE

 D_14010 FK	ON AXEE		
Class 4 Star	ndard FWD Axle		
758425	Class 4 Hydraulic Lock		No Charge
	-With TerraLock traction management system with		
	multi-plate differential		
	-Incompatible with 34" rear wheels		
Class 4 Sup	erSteer FWD Axle		
758429	Class 4 SuperSteer L/Water	9002575P65	\$3,345.00
	SuperSteer front axle with TerraLock traction management system.		
	Includes mulit-plate differential lock.		
	Incompatible with Autoguidance		
Class 4 Sus	pended FWD Axle		
758427	Class 4 Suspension Lock	9004318P93	\$5,609.00
	With TerraGlide suspended axle with TerraLock traction		
	management system. Includes mult-plate differential.		
	Requires advanced processor 758498		
	Incompatible with 34" rear wheels		

The Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
NEW HOLLAND

Grounds Equipment Bid #ESCNJ 18/19-25
-T1KF 03

# T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

**AGRICULTURE** 

	758428	Class 4 Susp + Brake Hyd Lock	9004740P89	\$6,157.00
		With TerraGlide suspended axle with TerraLock traction		
		management system. Includes mult-plate differential and		
		front brakes.		
		Requires advanced processor 758498		
		Incompatible with 34" rear wheels		
		Requires hydraulic trailer brakes 744784 or brake logic valve 744783		

### **REAR AXLE**

#### SD\_T3200 REAR AXLE

	758430	HD Flange Multi-Diff		No Charge
		Heavy duty flange axle - 10.8" (275 mm)		
	758432	HD Bar Steel Multi-Diff	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for steel wheels		
	758434	HD Bar Cast Multi-Diffential	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for cast wheels		

#### **TIRES**

#### **BRAND CHOICE**

### SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330447	Alliance	9000418P88	\$544.00
	330446	Firestone	9000418P88	\$544.00
	330439	Continental	9000418P88	\$544.00
	330442	Michelin	9000418P88	\$544.00

#### FRONT WHEELS & TIRES

#### SD\_T4940 FRONT WHEELS AND TIRES

С	Class 4 FWD	) Axle		
	8255904	420/85(16.9)R28 R1W MI-FI	9002563P33	\$3,329.00
		Requires 20.8R38 R1W or 18.4R42 R1W		
	8258704	380/85(14.9)R30 R1W MI-FI-CM	9002410P87	\$3,131.00
		Requires 18.4R42 R1W or 14.9R46 R1W		
	8299906	Front Shipping Wheels	9001098P02	\$1,426.00
		Scrap, no return refund		
	8801601	520/60R28 R1W Fixed HD	9004467P54	\$5,802.00
		Requires 650/60R38		
	8801604	320/85R34 R1W Brands - MI	9002556P40	\$3,320.00
		Requires 320/90R50 R1W		
	8825501	480/65R28 R1W MI-CM	9002278P43	\$2,959.00
		Requires 600/65 R38		

Bid Term: 2/20/19 - 2/19/21

-T1KF 03

# T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

885	52501	420/70R28 A8 R1W FI 8852501	9002554P09	\$3,317.00
		Requires 520/70 R38		
885	58501	540/65R28 A8 R1W FI 8858501	9004489P10	\$5,830.00
		Requires 650/65 R38		
886	66501	400/80R28 Fixed Cls 4 Alliance	9002785P09	\$3,617.00
		Requires 480/80 R38 Municipality		

#### REAR WHEELS & TIRES

#### SD T4950 REAR WHEELS AND TIRES

	REAR WHEELS AND TIRES		
8328	and Bar - Steel 3401 460/85(18.4)R38 R1W-MIFITRCO	9004180P33	\$5,429.00
	Matching Front Tire - 14.9R28 R1W	30041001 33	ψ5,429.00
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8975	-	9005699P54	\$7,402.00
	Matching Front Tire - 420/70R28 R1W		ψ.,.σΞ.σσ
	- 8852501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8949		9005887P42	\$7,646.00
	Matching Front Tire - 480/65R28 R1W		
	- 8825501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8919	4401 480/80R38 Alliance	9005237P54	\$6,802.00
	Municipal Tire		
	Matching Front Tire - 400/80R28 MUNICIPAL		
	- 8201201 (Class 3 Axle)		
	- 8866501 (Class 4 Axle)		
	Compatible with 31- MPH (50-KPH)		
	Fixed steel rims		
8998	4401 650/65R38 A8 R1W FI/MI/TR/CO	9005209P05	\$6,765.00
	Matching Front Tire - 540/65R28 R1W		
	- 8858401 (Class 3 Axle)		
	- 8858501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		



8388404 4	60/85(18.4)R42R1W MI,F,T,C,A	9004536P07	\$5,891.00
	latching Front Tire - 14.9R30 R1W		, ,
	8258404 (Class 3 Axle)		
	8258704 (Class 4 Axle)		
	compatible with 31 MPH (50 KPH)		
	djustable Rims		
8370404 3	80/90(14.9)R46R1WAdj Rim-C,MI	9004466P77	\$5,801.00
	latching Front Tire - 14.9R30 R1		
	8258404 (Class 3 Axle)		
	8258704 (Class 4 Axle)		
	djustable Rims		
8963504 3	20/90R50 R1W MI	9004645P41	\$6,033.00
	latching Front Tire - 320/85R34 R1W		
	8859604 (Class 3 Axle)		
	8801604 (Class 4 Axle)		
_   A	djustable Rims		
8907501 6	50/60R38 Fixed Rim - MI	9005209P82	\$6,766.00
	latching Front Tire - 520/60R28 R1W		
	8801301 (Class 3 Axle)		
	8801601 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	equires:		
	743707 (Full Cover Rear Fenders)		
	ixed Rims		
Bar Axle - Cast			
8334406 4	60/85(18.4)R38 R1W- MI,FI,CM	9004180P33	\$5,429.00
	latching Front Tire - 16.9R28 R1W		
	8241401 (Class 3 Axle)		
	8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
A	djustable Rims		
8384406 4	60/85(18.4)R42 R1W - MI	9005669P51	\$7,363.00
	latching Front Tire - 14.9R30 (380/85R30)		
	8258404 (Class 3 Axle)		
	8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
A	djustable Rims		
Shipping Whee	ls		
8399906 R	ear Shipping Wheels	9001487P64	\$1,932.00
	latching Front Shipping Wheels		
	8299905 (Class 3 Axle)		
	8299906 (Class 4 Axle)		

743690

3 Electronic MMV

-T1KF 03

# T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

**AGRICULTURE** 

HYDRAULICS			
REAR REMOTE	VALVES		
	REAR REMOTES		
Mechanic	al Rear Remotes		
743685	, ,	9001588P51	\$2,063.00
	2 Configurable, 2 Non-Configurable Rear Remotes		
759397	, ,	9000575P19	\$747.00
	3 mechanical rear remotes, 2 configurable detents		
	and flow control and Power Beyond		
COMPLETE LOA	ADER READY		
	_OADER BRACKETS /draulic Mid Mount		
758353		9006992P37	\$9,081.00
''00000	Complete Loader Ready: Includes 2 slice electronic mid-mount	30003021 07	ψο,σσ1.σσ
	valve (EMMV), horizontal and verticle two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the multi-coupler and joystick.		
	of the muiti-coupler and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	,		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
Engine Si			
758478		9000727P65	\$945.00
	Not for loader mounting.		·
101/07/0// 0.01/	TD 01		
JOYSTICK CON	IROL		
OD T7700	IOVOTICIA		
SD_T7780 .		0004400Dee	¢4 550 00
759374	Basic Mech Joystick w/3rd Func	9001199P66	\$1,558.00
MID MOUNT VA	LVES		
SD T7790	MID-MOUNT VALVES		
743689		9001868P02	\$2,426.00
H 1 7 43003		30010001 02	Ψ2, 720.00

9002862P86

\$3,718.00

3-PC	INT HITCH			
RE/	AR 3 POINT HI	ТСН		
<del></del> ;	<del> </del>	RAWBAR AND 3 POINT HITCH		20004
	758452	Cat II/III Flex Links	900009	93P94 \$122.00
FRO	ONT 3 POINT H	IITCH		
		***		
	SD_T8100 FR	ONT THREE POINT HITCH		
	390811	Less Front Linkage		No Charge
	759144	Integrated FHPL 759144	900581	13P50 \$7,550.00
		Front Hitch for units with Standard or Suspended Front Axles		
		Requires hoses (758473, 758474, 758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
	759147	Int FHPL+FPTO	901238	37P76 \$16,088.00
		Front Hitch and PTO for units with standard or		
		suspended Front Axle (ratio matches rear PTO)		
		Requires Advanced Processor (758498), hoses		
		(758473, 758474,758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
		1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
		Engine RPM's at 1895		
		Maximum power transmission:		
		87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient		
·	SD T8300 HC	DSES FOR FHPL		

#### SD\_T8300 HOSES FOR FHPL

Hoses less I	Front Couplers		
758473	Tubes FHPL Connect Mech RR		No Charge
	Front hitch hoses to connect front hitch to mechanical rear remotes		
758474	Hose pkg for frt hitch w/ ERV		No Charge
	Front hitch hoses to connect to front hitch to		
	electro-hydraulic rear remotes.		
758475	Hose pkg for frt hitch w/ MMV		No Charge
	Front hitch hoses to connect front hitch to mid mount valve		
	Incompatible with loader ready		
Hoses with I	Front Couplers		
758582	Tubes + Coupler Mech Rear Rem.	9000143P99	\$187.00
	Front couplers and hoses for front hitch to connect to mechanical		
	rear remotes		
	Requires 4 rear remotes		
	Incompatible with mid mount valve		

	758544	Hse pkg frt hit w/MMV/frt coup	9000143P99	\$187.00
		Front couplers and hoses for front hitch to connect to mid mount		
		valve		
L		Incompatible with loader ready		

### **WEIGHTS**

#### FRONT WEIGHTS

SD T2150 FRONT BALLAST

 SD_12150 FR	ONT BALLAST	 	
758562	Weight Carrier w/Hook	9000194P81	\$253.00
	Weight carrier with tow hook - 199 lbs (90.4 kg)		
758518	Weight Pack A w/Hook	9000843P92	\$1,096.00
	Pack "A" includes weight rack - 199.3 lbs.,		
	(6) 99.2 lbs. weights, plus the tow hook		
	- 15.4 lbs., total weight is 703 lbs. (319 kg)		
758519	Weight Pack B w/Hook	9001314P39	\$1,707.00
	Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights,		
	plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)		
758520	Weight Pack C w/Hook	9002142P14	\$2,782.00
	Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights,		
	plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with two wheel drive (2WD) option		
	Not compatible with loader ready packages:		
	758344, 758351, 758353, 758354, 758351		

#### REAR WHEEL WEIGHTS

#### SD\_T4960 WHEEL WEIGHTS

	X49601X	L/Wheel Weights		No Charge
	758564	6X65KG Wheel Weight	9000895P51	\$1,163.00
		Includes (6) 143 lbs. weights totalling 860 lbs.		
	759137	2X150KG + 2X250KG Wheel Weight	9001168P09	\$1,517.00
		Rear Wheel WeightsRear Wheel Weights		
		Includes 2 X 150 plus 2 X 250 KG Weights		
		Four weights totaling 800 KG or 1,764 lbs.		
		Incompatible with shipping wheels		
		Requires Bar Axle & Fixed Rims		

	US PRICE LIST		
759821	2X150KG + 4X250KG Wheel Weight	9002005P85	\$2,605.0
	Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.		* ,
	Total of 6 rear weights for 1,300 KG or 2,866 lbs.		
	3 weights (650 KG) on each side		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		
CAB OPTION			
SD_T9360 RI	RMIRRORS		
759154	2 Tele/Heat/Rem Adj Mirror		No Charg
	(2) External Mirrors (Electric-adjust, Telescopic and Heated)		
	Requires:		
	- 743729, 713816, or 743730 (High Roof Cab)		
CLIMATE CONTR	OL .		
SD T0201 RI	EAR WINDOW SUNSHADE		
758580	Sunshade, Rear Window	9000154P00	\$200.0
	1	,	,
STORAGE			
	EAR CAB STORAGE BO	0000407700	
758570	Lefthand Rear Cab Storage Box	9000167P09	\$217.0
	Incompatible with Autoguidance		
LIGHTS			
SD_T9130 W	ORK LAMPS		
758594	12 LED High Power Hi-Roof		No Char
	12 total LED cab mounted work lights:		
	8 high roof mounted; 4 front, 4 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	Total work light package emits 23,400 lumens		
758596	16 LED High Power Hi-Roof	9001171P94	\$1,522.
	A total of 16 Cab mounted LED work lights:		
	12 high cab-mounted; 6 front, 6 rear		
1 1			

4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens

SD\_T7642 ISO BUS

ISO Bus Connector

ISOBUS Class II

743795

# T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

9000231P77 9000312P62 9000625P24	\$301.00 \$406.00 \$812.00
9000312P62	\$406.00
9000312P62	\$406.00
9000312P62	\$406.00
9000625P24	\$812.00
9000625P24	\$812.00
9000625P24	\$812.00
I I	
9000118P58	\$154.00
0000110100	Ψ101.00
9004590P74	\$5,962.00
	9000118P58 9004590P74

9000201P74

\$262.00

#### **AUTO GUIDANCE**

AUTO GUIDANCE READY

SD T6300 STEERING OR AUTOGUIDANCE READY

 OD_10000 O1	ELITING OIL AGTOGOIDANGE ILEADT		
759185	Autoguidance Ready	9003976P28	\$5,164.00
	Autoguidance Ready which includes: steering sensor, electronic		
	steering valve, steering manifold, hoses, wiring harness, receiver		
	mounting bracket, cabling, & hardware		
	Note:		
	-Requires CCLS hydraulics		
	-Incompatible with SuperSteer front axle		

### **AUTO GUID COMPLETION**

#### SD\_T7630 AUTOGUIDANCE

392484	Less Autoguidance		No Charge
758803	Full AG Nav GPS L1	9011031P02	\$14,326.00
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, monitor mounting bracket		
	with IntelliView IV monitor 758590		
	Activated to WAAS level accuracy (Level 1)		
758804	Full AG Nav GPS L2	9013083P84	\$16,992.00
	Autoguidance - Complete Pack		
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, monitor mounting bracket		
	with IntelliView IV monitor 758590		
	Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
	accuracy (Level 2)		
758871	Autoguidance Lvl 3 RTK Modem	9015135P89	\$19,657.00
	Autoguidance Complete		
	Includes Nav II controller, NH 372 receiver		
	Requires Autoguidance ready, monitor mounting		
	bracket with IntelliView IV monitor 758590		
	Activated to RTK level accuracy (Level 3)		
	Requires either a RTK radio or modem not included		

#### **TELEMATICS**

SD T7625 TELEMATICS

SD_T7625 TE			
391249	Less Telematics		No Charge
	Unit does not have any wiring or the hardware required to utilize		
	telematics or an NTRIP Accuracy signal		
759349	Telematics Predisposition	9000068P53	\$89.00
	Offering is Prewired		
759394	Basic Telematics	9000532P84	\$692.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to PLM		
	Connect Essential which will allow unit to		
	use Basic Fleet Management, Baisc usage		
	reports, Current Fleet Status, Maintenance		
	Alerts (requires additional subsription and		
	harness to utilize Agronomical Data File Transfer)		
759094	NTRIP	9000569P80	\$740.00
	Unit is factory fit complete with wiring,		
	modem, and a 1 year susbscription to NTRIP,		
	which will allow unit to access PLM RTK+		
	Accuracy Signal (RTK + Accuracy subscription		
	still required seperatly) (requires additional		
	modem, subsription, and harness to utilize		
	Agronomical Data File Transfer).		
759093	Telematics	9000657P58	\$854.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to PLM		
	Connect Professional which will gives all of		
	the features of PLM Connect Essentail as		
	well as adding PLM Connect Live Viewing,		
	Alarm and Fault Code notification, and access		
	to proprietary CAN BUS (requires additional		
	subsription and harness to utilize Agronomical		
	Data File Transfer).		

#### **MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

Ī	758505	Front Fender 420mm Dynamic	9000587P51	\$763.00
		Dynamic front fenders 16.5 inches wide (420 mm)		

F	FN	IDERS REAR				
		IDENO NEAN				
	S	SD_T8700 FE	NDERS			
		743707	Full Cover		9000542P08	\$704.00
			Full Cover Rear Fender (92.1 in. / 2,340 mm)			
Т	RΑ	ILOR BRAKES				
_	S	D_T7130 TR				
		744784	Hyd Trailer Brake Universal		9000845P46	\$1,098.00
			Includes Brake Logic Valve 744783			
			Applies trailer brakes and front axle brakes when both brake pedals			
Ш			are activated simultaneously			
_						
L R	RAE	DAR				
	_	D T7500 DA	DAD			
		SD_T7580 RA			0000044 D00	¢704.00
ш		758501	Radar NAR		9000611P38	\$794.00
	ער	/ANCED PROC	PESSOR			
	(D v	ANOLDTROC	25001			
	S	SD T5101 AD	V PROCESSOR			
		758498	Advanced Processor			No Charge
			Advanced Processor			
			Required for Suspended front axle, electro-hydraulic rear remotes			
			and front hitch with PTO			
		•	-	''	'	
	TH	IER				
	S	D_T7420 BA	TTERY			
		758409	HD Battery W/Isolator 176AH		9000327P25	\$425.00
			Heavy duty battery with isolator			
OF	PE	RATOR'S MA	NUALS			
	S	D_T9802 OP	ERATORS MANUAL			
Ш		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

### **Standard Equipment**

T6.175

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emmissions system -23X23 Dynamic Command™ Powershift with AutoShift feature -Standard LED work lighting -Easy attach remote outlets -New bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all 4WD models -15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

Т6.145

\_\_\_\_\_

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L) DEF Tank: 10.4 Gallon (39.5L)

T6.155
Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165
Rated PTO HP - 110
Rated Engine HP - 135

Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

#### COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

TRANSMISSION

-T1IY 01



**AGRICULTURE** 

### **Standard Equipment**

TRANSMISSION	
23 X 23 Dynamic Command ™	Independent 540/1000 rpm PTO with Reversible Shaft
Powershift	Multi-Plate Wet Clutch Design
	3
Clutchless Range Change between	Electrohydraulic Engagement with
Ranges A/B, B/C	Soft Start/Auto Feathering
Steering Column Mounted Left-hand	Hydraulic Piston PTO Brake with Manual
Power Shuttle	Override (coast-down feature)
Multi-plate Wet Clutch Design	Flip-up PTO Shaft Guard
	Auto PTO Management System
ROAD SPEEDS	Rear Fender Mounted PTO Controls
Std 4WD - 25 mph/40 kph	HYDRAULIC SYSTEM
Optional 4WD - 31 mph/50KPH	
(speeds varies by tire size)	CCLS: Closed-Center-Load-Sensing
	System
STEERING & BRAKES	Variable Displacement Piston Pump
	Maximum Flow at Rated Engine Speed
Hydrostatic Power Steering	29.9 gpm (113 l/m) Implement Pump
Hydraulic Wet Disc Brakes	12.4 gpm (47 l/m) Steering Pump
(self-equalizing/self-adjusting)	(2) Lever Controlled, Configurable,
Parking Brake (automotive style)	Mechanical Remote Valves with Quick
	Couplers, Flow Control & Anti-leak-down
REAR AXLE	Oil Collection Bottles
	Hydraulic Tapping Port (power beyond)
Heavy Duty Flange	Low Pressure Return Quick Coupler
Wet Plate Differential Lock	Low liebbare Redain galon coupler
Electrohydraulic Engaged Rear Diff Lock	3-POINT LIFT SYSTEM
Electionydiaulic Engaged Real Dill Bock	5-FOINI DIFI 5151EM
FRONT AXLE	Electronic Draft Control (EDC)
	Lower Link Sensing
SELECTION MUST BE MADE WHEN	Fast Raise/Lower Control in Cab
ORDERING. ENTRY LEVEL OPTION IS:	Rear Fender Mounted 3-PT Raise/Lower
Front FWD (TerraLock™)	Switches
Class 4 Heavy Duty FWD Axle	Dynamic Ride Control™
55 Degree Turning Angle	Category II Flex Link Ends
Dual Steering Cylinders	Telescoping Stabilizers
8 Degree Axle Oscillation	11,650 lb. Lift Capacity (OECD)
Adjustable Tread Width from	with Dual 90mm External Rams
61.4 in. to 88.8 in. (varies by tire size)	
Electrohydraulic FWD Engagement	DRAWBAR
TerraLock™ Auto FWD/Diff-Lock	
Drive Shaft Shield	Independent Swinging Drawbar
PTO	CUSTOM HEADLAND



### Standard Equipment

#### MANAGEMENT SYSTEM

Allows Programming of the Following

\_\_\_\_\_

-Transmission Upshift/Downshift

- Fast Raise/Lower of the 3-PT Hitch
- rast kaise/Lower of the 3-P1 hitt
- Engine rpm Increase/Decrease via Throttle
- Engine rpm Increase/Decrease via Constant RPM
- Optional Electro-Hydraulic Remotes

#### ELECTRICAL

-----

(1) 12-volt 1300 cca Battery ALTERNATOR SELECTION MUST BE

MADE. ENTRY LEVEL OPTION IS:

120 amp Alternator

Geared Starter Motor (4.2 kW)

7-pin Outlet for Trailer/Implement

Lighting

3-pin, 40 amp Implement Socket

ISO/JD (30 amp) Socket

15 amp Screw-type Positive/Negative

Terminals

ISO BUS Class 3 Basic

Single Pin (8 amp) Accessory Outlet

Cigar Lighter

(2) Roof Mounted Single Pin Outlets for

beacon

Battery Boost Terminals

#### LIGHTS

-----

WORK LIGHT SELECTION MUST BE MADE. STANDARD EQUIPMENT IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning INSTRUMENTATION

\_\_\_\_\_\_

Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAR

-----

High Roof w/ Opening Visibility Panel
 and Sunshade

Flat Deck Platform with Integrated ROPS Automatic Temperature Control with

Air Conditioner and Heater with

4-Speed Pressurizer

Two doors with Locks

Two-speed Intermittent Front

Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt Instructor Seat Deluxe Radio with BlueTooth, High

Performance Speakers & Antenna

Digital Clock

Interior Dome Light

- (2) External Courtesy Lights
- (2) Electronically Adjustment

Telescoping, Heated External Mirrors

Horn

MISCELLANEOUS

\_\_\_\_\_

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY

-----

New Holland Standard Warranty Applies

### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price		
T6.145 DCT	15,245 LB	9095911P97	\$124,561.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429.	.00			
T6.155 DCT	15,245 LB	9101776P29	\$132,177.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 (401) \$5,429	.00			
T6.165 DCT	15,245 LB	9104325P76	\$135,488.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 (401) \$5,429	.00			
T6.175 DCT	19,268 LB	9109339P23	\$141,999.00		
Includes the following Equipment \$380/85(14.9)R28 A8 (8241401) \$2,608.00 \$460/85(18.4)R38 R1W-MIFITR (8328401) \$5,429.00					
T6.180 DCT	15,245 LB	9113503P39	\$147,407.00		
Includes the following Equipment 380/85(14.9)R28 A8 (8241401) 460/85(18.4)R38 R1W-MIFITR (8328	\$2,608.00 401) \$5,429	.00			

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price

### **CAB CONFIGURATION**

#### FIXED OR SUSPENDED

#### SD\_T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen		No Charge
		Standard Cab - Does not include cab suspension.		
	758479	Suspended_Cab	9001321P32	\$1,716.00
		Suspended Cab includes two adjustable rear shocks		
		Cab suspension reduces shock loads to the tractor by up to 25%		
		utilitizing two adjustable shocks to increase confort to the operator.		

cluch between ranges.

23 gear limited @ 2000 engine rpm both forward and reverse

# T6 T4B DYNAMIC COMMAND US PRICE LIST

	US PRICE LIST		
758480	Suspended Cab w/Heated Screens	9001700P16	\$2,208.0
	Includes 758479 Cab Suspension plus defrost elements on		Ψ2,200.0
	front and rear windows		
	Tront und rout windows		
	Requires 200 Amp alternator		
NGINE			
ALTERNATOR SE	I ECTION		
ALTERNATOR SE	ELECTION		
SD T1040 C	HARGING SYSTEMS		
758557	150 AMP_Alternator	9000115P50	\$150.0
758558	200 AMP_Alternator	9000179P41	\$233.0
	Required for units equipped wtih 758480 Suspended Cab w/Heated		
	Screens		
•			
COLD WEATHER	AIDS		
	/EATHER PACK	1	
758402	Grid_Heater + 110V Pack	9000302P61	\$393.0
	Improves starting in cold weather conditions. Option includes grid		
	heater and 110V electrical plug in of engine block heater and		
	transmission heater		
FUEL TANK GUA	RD		
SD_T1400 F			
759130	Large Fuel Tank+Guard	9000175P56	\$228.0
	Large fuel tank with guards		
	Not compatible with 34" Rear Wheels		
	59 Gallon / 222 Liters Capacity		
RANSMISSION			
SD_T2800 S		<u> </u>	
759110	40 KPH DCT		No Char
	Dynamic Command Transmission: 23 Speed Transmission		
	with up to 8 powershifts per range for three ranges that		
1 1	does not require mechanical range lever or a need to		

759111	40 KPH ECO - DCT	9001369P83	\$1,779.00
	Dynamic Command Transmission: 24 Speed		
	Transmission with Economy 24th gear		
	24 gear limited @ 1650 engine rpm , 23 gear limited		
	@ 2000 engine rpm both forward and reverse		
759113	50 KPH - DCT	9001369P83	\$1,779.00
	Dynamic Command Transmission: 24 Speed		* ,
	Transmission with 50 KPH 24th gear providing		
	top transport speed of 31 MPH		
Creeper Tra	ansmissions		
759131	40KPH DCT + CREEPER	9001869P56	\$2,428.00
	Creeper Transmisison - provides 722 Feet per Hour (220 meters per		
	hour)		
759112	40K ECO - DCT+CREEPE	9003239P39	\$4,207.00
	Creeper Transmisison - provides 722 Feet per Hour (220 meters per		
	hour)	_	
759134	50KPH DCT + CREEPER	9003239P39	\$4,207.00
	Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)		
	Requires 113l Hyd Pump (758441) which is base equipment		
SD T2816 AI	UTO FEATURES		
759166	BASIC AUTO FEATURE		No Charge
	Basic Auto Features include: Smart Range Shift, Memory Shuttle,		· ·
	Smooth Shift, Pedal Kick Down, Auto Functions and		
	Brake-To-Clutch		

	759166	BASIC AUTO FEATURE		No Charge
		Basic Auto Features include: Smart Range Shift, Memory Shuttle,		
		Smooth Shift, Pedal Kick Down, Auto Functions and		
		Brake-To-Clutch		

### **FRONT AXLE**

#### SD\_T4010 FRONT AXLE

Class 3 Standard FWD Axle					
	758420	Class 3 Hydraulic Lock			No Charge
	Class 4 Stan	dard FWD Axle			
	759109	Class 4 HD Std Axle		9001131P13	\$1,469.00
	758425	Class 4 Hydraulic Lock		9000941P71	\$1,223.00
		With TerraLock traction management system			
		with multi-plate differential			
		Incompatible with 34" rear wheels			

Class 4 Sur	perSteer FWD Axle			
758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock.		9003517P36	\$4,568.00
	Incompatible with Autoguidance			
	spended FWD Axle	<del>- 1</del>		40.07
758427	Class 4 Suspension Lock		9005260P64	\$6,832.00
	With TerraGlide suspended axle with			
	TerraLock traction management system.			
	Includes mult-plate differential.			
	Requires advanced processor 758498			
	Incompatible with 34" rear wheels			
758428	Class 4 Susp + Brake Hyd Lock		9005683P37	\$7,381.00
	With TerraGlide suspended axle with TerraLock			
	traction management system. Includes mult-plate			
	differential and front brakes.			
	Requires advanced processor 758498			
	Incompatible with 34" rear wheels			
	Requires hydraulic trailer brakes 744784 or			
	brake logic valve 744783			

### **REAR AXLE**

SD\_T3200 REAR AXLE

	758430	HD Flange Multi-Diff		No Charge
		Heavy duty flange axle - 10.8" (275 mm)		
	758432	HD Bar Steel Multi-Diff	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for steel wheels		
	758434	HD Bar Cast Multi-Diffential	9001113P42	\$1,446.00
		Heavy duty 98" bar axle for cast wheels		

### **TIRES**

### BRAND CHOICE

SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330447	Alliance	9000418P88	\$544.00
	330439	Continental	9000418P88	\$544.00
	330446	Firestone	9000418P88	\$544.00
	330442	Michelin	9000418P88	\$544.00



	330418	Trelleborg	9000418P88	\$544.00
				_

#### FRONT WHEELS & TIRES

#### SD T4940 FRONT WHEELS AND TIRES

SD_T4940 FR	ONT WHEELS AND TIRES		
Class 3 FWI	) Axle		
8240402	380/85(14.9)R24 A8	9001771P00	\$2,300.0
	Requires 460/85(18.4)R34 R1W		
8255404	420/85(16.9) R28 R1W MI-FI-TR	9002563P33	\$3,329.0
	Requires 20.8R38 R1W		
8258404	380/85(14.9)R30R1W MI,F,T,C,A	9002430P12	\$3,156.0
	Requires 18.4R42 R1W		
8299905	Front Shipping Wheels-4WD	9001098P02	\$1,426.0
	Requires rear shipping wheels		
8801301	520/60R28 MAVT Rims - MI	9003732P19	\$4,847.0
8801401	520/60R28 (R1W) FIXED RIM F/CL	9003642P10	\$4,730.0
	Requires 650/60 R38		
8858401	540/65R28 A8 R1W FI	9003750P67	\$4,871.0
	Requires 650/65 R38		
8859604	320/85R34 R1W MI,FI	9002556P40	\$3,320.0
	Requires 320/90R50 R1W		
8241401	380/85(14.9)R28 A8	9002008P16	\$2,608.0
	Requires 460(18.4)R38		
Class 4 FWI	D Axle		
8241901	380/85(14.9)R28R1W HD-MIFITRCO	9002008P16	\$2,608.0
	Requires: 460(18.4)R38 R1W		
8255904	420/85(16.9)R28 R1W MI-FI	9002563P33	\$3,329.0
	Requires 20.8R38 R1W or 18.4R42 R1W		
8258704	380/85(14.9)R30 R1W MI-FI-CM	9002410P87	\$3,131.0
	Requires 18.4R42 R1W or 14.9R46 R1W		
8299906	Front Shipping Wheels	9001098P02	\$1,426.0
	Requires rear shipping wheels		
8801601	520/60R28 R1W Fixed HD	9004467P54	\$5,802.0
	Requires 650/60R38		
8801604	320/85R34 R1W Brands - MI	9002556P40	\$3,320.0
	Requires 320/90R50 R1W		
8825501	480/65R28 R1W MI-CM	9002278P43	\$2,959.0
	Requires 600/65 R38		
8852501	420/70R28 A8 R1W FI 8852501	9002554P09	\$3,317.0
	Requires 520/70 R38		
8858501	540/65R28 A8 R1W FI 8858501	9004489P10	\$5,830.0
	Requires 650/65 R38		
8866501	400/80R28 Fixed CIs 4 Alliance	9002785P09	\$3,617.0
	Requires 480/80 R38 Municipality		

### REAR WHEELS & TIRES

SD T4950 REAR WHEELS AND TIRES

SD_T4950 RE	AR WHEELS AND TIRES		
Bar Axle - Ca	ast		
8334406	460/85(18.4)R38 R1W- MI,FI,CM	9004180P33	\$5,429.00
	Matching Front Tire - 16.9R28 R1W		
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8384406	460/85(18.4)R42 R1W - MI	9005669P51	\$7,363.00
	Matching Front Tire - 14.9R30 (380/85R30)		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
Flange and I	Bar - Steel	·	
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	9003117P73	\$4,049.00
	Matching Front Tire - 14.9R24 R1W		
	- 8240402 (Class 3 Axle)		
8328401	460/85(18.4)R38 R1W-MIFITRCO	9004180P33	\$5,429.00
	Matching Front Tire - 14.9R28 R1W		
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9004466P77	\$5,801.00
	Matching Front Tire - 14.9R30 R1W		<b>,</b> -,
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9004536P07	\$5,891.00
	Matching Front Tire - 14.9R30 R1W		ψο,σο 1.σο
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8963504	320/90R50 R1W MI	9004645P41	\$6,033.00
0903504		9004045F41	φυ,υυυ.υυ
	Matching Front Tire - 320/85R34 R1W		
	- 8859604 (Class 3 Axle)		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		



8998401	650/65R38 A8 R1W FI/MI/TR/CO	9005209P05	\$6,765.00
	Matching Front Tire - 540/65R28 R1W	333233: 33	φο,: σσ.σσ
	- 8858401 (Class 3 Axle)		
	- 8858501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8907501	650/60R38 Fixed Rim - MI	9005209P82	\$6,766.00
	Matching Front Tire - 520/60R28 R1W	30002031 02	ψο,7 ου.σο
	- 8801301 (Class 3 Axle)		
	- 8801601 (Class 4 Axie)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8907601	650/60R38 R1W F/Bar AXL - MI	9005209P82	\$6,766.00
0907001	Matching Front Tire - 520/60R28 R1W	90032091 02	ψ0,7 00.00
	- 8801301 (Class 3 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders) Adjustable Rims		
8919401	480/80R38 Alliance	9005237P54	\$6,802.00
0919401		9003237F34	φ0,002.00
	Municipal Tire		
	Matching Front Tire - 400/80R28 MUNICIPAL		
	- 8201201 (Class 3 Axle)		
	- 886650 (Class 4 Axle)		
	Compatible with 31- MPH (50-KPH)		
8975401	Adjustable Rims 520/70R38 A8 R1W FI	9005699P54	\$7,402.00
0975401	Matching Front Tire - 420/70R28 R1W	9003099F34	\$7,402.00
	- 8852501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	l · ·		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
9290404	Fixed Rims	0005794D24	¢7 542 00
8380404	520/85 (20.8) R38 R1W MI, TR	9005784P24	\$7,512.00
	Matching front tire is 8255404		
0040404	420/85(16.9) R28 R1W MI-FI-TR	0005007D40	₽7.C4C.00
8949401	600/65R38 R1W Fixd-FI,MI,CO,TR	9005887P42	\$7,646.00
	Matching Front Tire - 480/65R28 R1W		
	- 8825501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		

Shipping Wheels					
	8399906	Rear Shipping Wheels		9001487P64	\$1,932.00
		Matching Front Shipping Wheels			
		- 8299905 (Class 3 Axle)			
		- 8299906 (Class 4 Axle)			

### **HYDRAULICS**

#### REAR REMOTES

#### SD\_T8270 REAR REMOTES

 OD_10270 INL	LAK NEWOTES		
Mechanical	Rear Remotes		
743741	3 Mech Rear Remote Valves (2C)		No Charge
	3 mechanical rear remotes, 2 configurable detents and flow control		
759397	3 MECH RR(1NC+2C)+PB	9000575P19	\$747.00
	3 mechanical rear remotes, 2 configurable detents		
	and flow control and Power Beyond		
	·		
743685	4 Mech Rear Remotes (2NC+2C)	9000917P84	\$1,192.00
	4 mechanical rear remotes, 2 configurable detents and flow control		
Electro-Hyd	raulic Rear Remotes		
743686	3 Elect Hyd. Rear Remote Valve	9001819P51	\$2,363.00
	3 electronic rear remotes		
759452	3 ELEC RR W/PB	9002394P70	\$3,110.00
	3 electronic rear remotes and power beyond		
743733	4 Elect Hyd. Rear Remote Valve	9002739P66	\$3,558.00
	4 electronic rear remotes		

#### COMPLETE LOADER READY

#### SD\_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount					
759470	NA LDR RDY+2MMV+ADV		9007325P01	\$9,513.00	
	Complete Loader Ready: Includes 2 slice				
	electronic mid-mount valve (EMMV), horizontal				
	and vertical two piece system (TPS) mounting				
	brackets, grill guard, hydraulic plumbing, tractor half				
	of the mulit-coupler and joystick.				
	Includes predisposition for Complete Loader Ready (758622)				
	Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL				
	Series Front End Loader Price & Data Pages				

759471	NA LDR RDY+3MMV+ADV	9008452P29	\$10,977.00
	Complete Loader Ready: Includes 3 slice electronic		
	mid-mount valve (EMMV), horizontal and vertical two		
	piece system (TPS) mounting brackets, grill guard,		
	hydraulic plumbing, tractor half of the multi-coupler		
	and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
758478	Engine Side Rails	9000727P65	\$945.00

### **REAR PTO**

SD T8710	FENDERS PTO	) CONTROL
30 10710	LINDLINGII	JOONINGE

	743680	Fender EDC/PTO/Rem Valv Contrl	9000217P14	\$282.00
		Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote		
		Control Switches.		
		Requires:		
		- 743686 or 743733 (3 or 4 EH Rear Remotes)		
		- 330345 (Advanced Processor)		

### **3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8950 AUX RAMS

	743811	2 External 90mm Cylinders -EDC	9000395P78	\$514.00
		Lift Capacity 11,649 lbs (5284 kg)		
 •				

SD\_T8960 DRAWBAR AND 3 POINT HITCH

	3D_10900 DITAWDAIT AND 31 OINT HITCH					
ſ		758452	Cat II/III Flex Links		9000093P94	\$122.00

### FRONT 3 POINT HITCH

SD\_T8100 FRONT THREE POINT HITCH

	759144	Integrated FHPL 759144	9005813P50	\$7,550.00
		Front Hitch for units with Standard or Suspended Front Axles		
		Requires hoses (758473, 758474, 758475, 758544 or 758582)		
		Incompatible with front weights		
L		Includes integrated tow hook		

759147	Int FHPL+FPTO	9012387P76	\$16,088.00
	Front Hitch and PTO for units with standard or		
	suspended Front Axle (ratio matches rear PTO)		
	Requires Advanced Processor (758498), hoses		
	(758473, 758474,758475, 758544 or 758582)		
	Incompatible with front weights		
	Includes integrated tow hook		
	1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
	Engine RPM's at 1895		
	Maximum power transmission:		
	87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient		

#### SD T8300 HOSES FOR FHPL

	Front Couplers		
758473	Tubes FHPL Connect Mech RR		No Charge
	Front hitch hoses to connect front hitch to mechanical rear remotes		
758474	Hose pkg for frt hitch w/ ERV		No Charge
	Front hitch hoses to connect front hitch to electro-hydraulic rear		
	remotes		
758475	Hose pkg for frt hitch w/ MMV		No Charge
	Front hitch hoses to connect front hitch to mid mount valve		
	Incompatible with loader ready		
Hoses with I	Front Couplers		
758582	Tubes + Coupler Mech Rear Rem.	9000143P99	\$187.00
	Front couplers and hoses for front hitch to connect		
	to mechanical rear remotes.		
	Requires 4 rear remotes		
	Incompatible with mid mount valve		
758544	Hse pkg frt hit w/MMV/frt coup	9000143P99	\$187.00
	Front couplers and hoses for front hitch to connect to		
	mid mount valve		
	Incompatible with loader ready		

### **WEIGHTS**

### FRONT WEIGHTS

#### SD\_T2150 FRONT BALLAST

	390444	Tow Hook-Only		No Charge
		Tow hook with attachment hardware - 15.4 lbs.		
	758562	Weight Carrier w/Hook	9000194P81	\$253.00
		Weight carrier with tow hook - 199.3 lbs (90.4 kg)		

758518	Weight Pack A w/Hook	9000843P92	\$1,096.00
	Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
758519	Weight Pack B w/Hook	9001314P39	\$1,707.00
	Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
758520	Weight Pack C w/Hook	9002142P14	\$2,782.00
	Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
	Not compatible with loader ready packages:		
	758344, 758351, 758353, 758354, 758351		

#### REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

SD_14960 N	VILLE WEIGHTS		
758564	6X65KG Wheel Weight	9000895P51	\$1,163.00
	Includes (6) 143 lbs. weights totalling 860 lbs.		
759137	2X150KG + 2X250KG Wheel Weight	9001168P09	\$1,517.00
	Rear Wheel Weights		
	Includes 2 X 150 plus 2 X 250 KG Weights		
	Four weights totaling 800 KG or 1,764 lbs.		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		
	Requires Dai Axie & Fixeu Riilis		
759821	2X150KG + 4X250KG Wheel Weight	9002005P85	\$2,605.00
	Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.		
	Total of 6 rear weights for 1,300 KG or 2,866 lbs.		
	3 weights (650 KG) on each side		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		

### **CAB OPTION**

SD T9360 RR MIRRORS

_	 <u> </u>	Militarono		
	759154	2 Tele/Heat/Rem Adj Mirror	9000049P28	\$64.00
		(2) External Mirrors (Electric-adjust, Telescopic and Heated)		
		Requires:		
١		- 743729, 713816, or 743730 (High Roof Cab)		

CLIMATE CONT	ROI		
OLIVITATE OCIVI	NOL .		
SD_T9291	REAR WINDOW SUNSHADE		
758580	Sunshade, Rear Window	9000154P00	\$200.00
	Perforated sun screen used to reduce sun shine on operator		
SEATS			
OD T0500			
SD_T8500	1		No Chargo
391284			No Charge
758485	Deluxe Air suspension seat with adjustable headrest	9001461P46	\$1,898.00
/ / / / / / / / / / / / / / / / / / / /	· ·	9001461F46	φ1,090.00
	Super Deluxe Seat with Low Frequency		
	Suspension (+DDS) Belt and Swivel		
750400	Headrest Heated Leather/Alacantara	0000004P40	\$2.700.00
758486		9002864P40	\$3,720.00
	Semi Active Suspension, Heated, Vented, Belt,		
	Alacantara/Leather, Up/Down Headrest		
	(Maximo Evo)		
CTODACE			
STORAGE			
SD T9010	REAR CAB STORAGE BO		
758570		9000167P09	\$217.00
'''	Large LH storage box	00001071 00	Ψ217.00
	Located in the back left hand corner, behind		
	instructor seat area		
	matractor scat area		
	Incompatible with Autoguidance		
	· · ·	·	
LIGHTS			
	NORK LAMPS		
758596	16 LED High Power Hi-Roof	9001171P94	\$1,522.00
	Work Lamp Package includes: 16 Cab mounted LED work lights		
	12 high cab-mounted; 6 front, 6 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	16 LED work lights emiting 31,200 lumens		
	FRONT WORK LAMPS ON		
758487		9000231P77	\$301.00
	2 Grab Rail-mounted headlights - remain on for road transport.		
	These lights assist in visibility during transport with a loader or		
1 1	front 2 maint hitals manustad insulament	i	

front 3-point hitch mounted implement.

 S	SD_T9146 RC	TARY BEACON		
	758489	Rotary Beacon Lefthand Side	9000312P62	\$406.00
		Single rotary beacon mounted on rear left side of tractor		
		for increased safety and visibility		
	758491	Twin Beacon	9000625P24	\$812.00
		Rotary beacons mounted on rear of the cab on both		
		left and right side of tractor for maximum safety		

### RADIO

$\sim$	T7000	SPEAKERS
- 511	1/6/0	SPEAKERS

Г	743714	Deluxe Radio with Bluetooth		No Charge
		Deluxe Radio that includes AM, FM, Micro SD, USB,		
		AUX and Bluetooth with noise cancelling microphone		
		complete with wires and speakers in the cab.		

#### MONITOR BRACKETS

#### SD\_T9223 RH WINDOW BAR MOUNT

and visibility

	390665	Fixings for Mounted Monitor		No Charge
		No Bar or Monitor		
	758153	Monitor Mounting Bracket.	9000112P42	\$146.00
		Includes Bar mounted in righthand side of cab without Monitor		
	758154	RH Window Bar Display Ready.	9000182P49	\$237.00
		Includes Bar mounted in right hand side of cab with		
		Intelliview ready harness and window mount without		
		Monitor		
	758621	10 <sup>-</sup> Color Touch Screen Display	9004354P35	\$5,655.00
		Monitor mounting bracket with IntelliView IV		
1				

### SD\_T9228 RH ARMREST MOUNT

	759155	BASIC ARMRST MTD DOG		No Charge
L		Basic display of gears mounted on the armrest		
	758548	10 <sup></sup> Color Touch Screen Display	9004368P98	\$5,674.00
		10.4 inch, wide screen Intellivew touchscreen monitor attached to		
L		SideWinder II armrest		



AU <sup>-</sup>	TO GUIDANCE			
AL	JTO GUIDANCE	READY		
	OD T0000 OT	TEEDING OR AUTOCUIDANGE READY		
		EERING OR AUTOGUIDANCE READY	9003976P28	¢5 464 00
	759185	Autoguidance Ready	9003976P26	\$5,164.00
		Autoguidance Ready with steering sensor, electronic steering		
		valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware		
		mounting bracket, cabing, & nardware		
		Incompatible with SuperSteer front axle		
	759186	Variable Ratio Steer	9002159P08	\$2,804.00
		CUSTOMSTEER™ OPTION feature allows operators		
		to turn fully from lock to lock with as little as one		
		rotation of the steering wheel with precision control.		
		You can choose a steering ratio preference from		
		1:1 to 1:4 for quicker maneuvering at the headland,		
		reversing with trailers, or during repetitive loader work.		
	SD_T7630 AL	ITOGUIDANCE		
	758803	Full AG Nav GPS L1	9011031P02	\$14,326.00
		Autoguidance Complete		
		Includes Nav II controller and NH 372 receiver		
		Requires Autoguidance ready, monitor mounting bracket		
		with IntelliView IV monitor 758590		
$\perp$		Activated to WAAS level accuracy (Level 1)		
	758804	Full AG Nav GPS L2	9013083P84	\$16,992.00
		Autoguidance - Complete Pack		
		Autoguidance Complete		
		Includes Nav II controller and NH 372 receiver		
		Requires Autoguidance ready, monitor mounting bracket		
		with IntelliView IV monitor 758590		
		Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
$\vdash$		accuracy (Level 2)	_	
	758871	Autoguidance Lvl 3 RTK Modem	9015135P89	\$19,657.00
		Autoguidance Complete		
		Includes Nav II controller, NH 372 receiver		
		Requires Autoguidance ready, monitor mounting		
		bracket with IntelliView IV monitor 758590		
		Activated to RTK level accuracy (Level 3)		

Requires either a RTK radio or modem not included

#### **TELEMATICS**

SD\_T7625 TELEMATICS

SD_T7625 TE	LESS Telematics			No Charge
	Unit does not have any wiring or the hardware required to utilize			
	telematics or an NTRIP Accuracy signal			
759349	Telematics Predisposition	9000	068P53	\$89.00
	Unit is Prewired for but does not include Modem,			
	Subsriptions or additional harnesses required for			
	File transfer or NTRIP Accuacry Signal			
759394	Basic Telematics	9000	532P84	\$692.00
	Unit is factory fit complete with with wiring,			
	modem, and a 1 year susbscription to PLM			
	Connect Essential which will allow unit to use			
	Basic Fleet Management, Baisc usage reports,			
	Current Fleet Status, Maintenance Alerts			
	(requires additional subsription and harness			
	to utilize Agronomical Data File Transfer)			
759094	NTRIP	9000	569P80	\$740.00
	Unit is factory fit complete with wirhn wiring,			
	modem, and a 1 year susbscription to NTRIP,			
	which will allow unit to access PLM RTK+ Accuracy			
	Signal (RTK+ Accuracy subscription still required			
	seperatly) (requires additional modem, subsription,			
	and harness to utilize Agronomical Data File Transfer)			
759093	Telematics	9000	657P58	\$854.00
	Unit is factory fit complete with with wiring,			
	modem, and a 1 year susbscription to PLM			
	Connect Professional which will gives all of			
	the features of PLM Connect Essentail as			
	well as adding PLM Connect Live Viewing,			
	Alarm and Fault Code notification, and access			
	to proprietary CAN BUS (requires additional			
	subsription and harness to utilize Agronomical			
	Data File Transfer)			

### **MISCELLANEOUS**

FF	NΠ	FRS	FR	ONT

SD.	T8740	FRONT	<b>FENDERS</b>

_						
		758505	Front Fender 420mm Dynamic		9000587P51	\$763.00

759101

French NAR



# T6 T4B DYNAMIC COMMAND US PRICE LIST

		DEDC DEAD				1
	FEN	DERS REAR				
	0	D_T8700 FE	NDEDS			
		743707	Full Cover		9000542P08	\$704.00
		143707	Full Cover Rear Fender (92.1 in. / 2,340 mm)		30003421 00	Ψ704.00
			Tun dever read Female (02.1 m./ 2,040 mm)			
	TRA	ILOR BRAKES				
	S	D_T7130 TR	LR BRK VLV			
		744784	Hyd Trailer Brake Universal		9000845P46	\$1,098.00
			Includes Brake Logic Valve 744783			
			Applies trailer brakes and front axle brakes when			
			both brake pedals are activated simultaneously			
	RAD	AR				
	S	D_T7580 RA			<u> </u>	
		758501	Radar NAR		9000611P38	\$794.00
	O.T.					
-	OTH	IER				
		D_T7420 BA	TTEDV			
	$\Box$	758409	HD Battery W/Isolator 176AH		9000327P25	\$425.00
		730409	Heavy duty battery with electronic isolator switch		9000327723	\$425.00
			on right hand rear c-pillar in cab.			
			on right hand real c-pillar in cab.			
			In-cab switch disconnects battery to prevent			
			battery drainage.			
			battery dramage.	-		
0	DE	RATOR'S MA	NIIAI S			
	r Li	KATOK 3 MIA	NOALO			
	S	:D T9802 OP	ERATORS MANUAL			
	П	758534	English USA			No Charge
		758535	Spanish NAR			No Charge

No Charge

#### **US PRICE LIST**

### **Factory Supplied Options**

Order Code	Order Code Description		Factory Data	List Price
CAB OPTION				
LIGHTS				
SD_T9131	FRONT WORK LAMPS ON			
75848	B High Headlight Righthand DIP		9000231P77	\$301.00
	2 Grab Rail-mounted headlights - remain on for road transport.			
	These lights assist in visibility during transport with a loader or			
	front 3-point hitch mounted implement.			



### T6 T4B SERIES AUTO COMMAND US PRICE LIST

### **Standard Equipment**

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emmissions system -Auto Command™ CVT high efficiency transmission -Standard LED work lighting -Easy attach remote outlets -New bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all models -15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

#### MODELS

-----

T6.145

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145

Rated Speed - 2200 RPM

Rated PTO HP - 110

274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated Engine HP - 135 Engine Power Management (EPM) Maximum Engine HP w/ EPM - 169 Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120 Rated Engine HP - 145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 175 Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125

ENGINE Rated Engine HP  $\scriptstyle-$  145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 175

Rated Speed - 2200 RPM

411 cu. in. (6.7L) - 6 Cylinder Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

ENGINE

\_\_\_\_\_

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system

Engine with Turbocharger and

Air-to-Air Intercooler
4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Power Management and Constant  $\ensuremath{\mathsf{RPM}}$ 

Power Boost in PTO & Transport Modes

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner

(spin tube intakes)

A-Pillar Exhaust with Integral Muffler

Viscous Fan (5 blade)

Hand Throttle

TRANSMISSION

-----

Auto Command™ CVT with

column-mounted power shuttle

 $\hbox{\tt Command Grip}^{\tt m} \quad \hbox{\tt multi-function controller}$ 

Infinite speed from 0 to 25 MPH

(Opt.31 MPH / 50 KPH)

3 target speed selections

Infinite target speed thumb wheel

Three choice forward/reverse shuttle

controls



### T6 T4B SERIES AUTO COMMAND US PRICE LIST

### **Standard Equipment**

Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

Hydrostatic power steering
Hydraulic wet disc brakes
(self-equalizing/self-adjusting)
Parking brake (automotive style)

CAB

-----

High Roof w/ Opening Visibility Panel and Sunshade

Flat Deck Platform with Integrated ROPS Standard Air Conditioner and Heater

with 4-Speed Pressurizer and

dual zone air conditioning

Two doors with Locks

Two-speed Intermittent Front

Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

IntelliView $^{\text{\tiny M}}$  IV disp. mtd. on arm rest

SEAT SELECTION MUST BE MADE

WHEN ORDERING. ENTRY LEVEL SEAT

FOR AC CONFIGURATION IS:

Deluxe Air Suspension Seat with Automatic Adjustment, Operator

Presence Switch and Lap Belt

Instructor Seat

Deluxe radio

Digital clock

Integral ROPS

Interior dome light

- (2) External courtesy lights
- (2) External telescopic remote

adjustable, heated mirrors

Horn

Std steering wheel & floor mat

ISOBUS connector

STEERING & BRAKES

-----

FRONT AXLE

\_\_\_\_\_

Front FWD (TerraLock™)

Class 4 heavy-duty FWD axle

55-degree turning angle

Dual steering cylinders

8-degree axle oscillation

Adjustable tread width from 62.2 in. to

92 in. (varies by tire size)

Electrohydraulic FWD engagement

TerraLock™ Auto FWD/Diff-Lock

Driveshaft shield

REAR AXLE

\_\_\_\_\_

Heavy-duty flange axle
Wet plate differential lock
Electrohydraulic-engaged dif. lock

ELECTRICAL

\_\_\_\_\_

(1) 12-volt 1300 CCA battery ALTERNATOR SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS: 120-amp alternator Geared starter motor (4.2 kW)

7-pin outlet for implement lighting

2 min 40 amm implement goglest

3-pin 40-amp implement socket

ISO/JD (30 amp) socket

15 amp screw-type +/- terminals

Single pin (8 amp) accessory outlet

Cigarette lighter

(2) single-pin outlets for beacon on roof

Battery boost terminals

#### **T6 T4B SERIES AUTO COMMAND US PRICE LIST**

**AGRICULTURE** 

### **Standard Equipment**

ISOBUS Class 3 Basic Speed Control

LIGHTS

WORK LIGHT SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
  - (8) LED high front & rear
  - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

\_\_\_\_\_\_

Independent 540/1000 RPM PTO with reversible shaft and flip-up shield Multi-plate wet clutch design Electrohydraulic-engagement with soft start/auto feathering Hydraulic piston PTO brake w/override HYDRAULIC SYSTEM

\_\_\_\_\_

-T1KG 01

Closed-center load-sensing pump Flow at 1,900 RPM: 33.5 gpm (127 1/m)(3) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable) Oil collection bottles Hydraulic tapping port (Power Beyond) Independent pump for CVT and operating circuits

3-POINT LIFT SYSTEM

\_\_\_\_\_\_

Electronic Draft Control (EDC)

Lower link sensing

Fast raise/lower control

Dynamic Ride Control™

Category II flex link ends

Telescopic stabilizers

9,214 lb. Lift Capacity (OECD)

with Dual 80mm External Rams

MISCELLANEOUS

\_\_\_\_\_

Flip-up engine hood Swinging drawbar SMV emblem Toolbox

WARRANTY

New Holland standard warranty applies

# T6 T4B SERIES AUTO COMMAND US PRICE LIST

### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price			
T6.145 AC CVT T4B	15,245 LB	9106993P04	\$138,952.00			
Includes the following Equipment						
380/85(14.9)R28R1W HD-MIFI (8241	,					
460/85(18.4)R38 R1W-MIFITR (8328	<u>401)</u> \$5,429	.00				
T6.165 AC CVT T4B	15,245 LB	9122289P86	\$158,818.00			
Includes the following Equipment						
380/85(14.9)R28R1W HD-MIFI (8241		.00				
460/85(18.4)R38 R1W-MIFITR (8328	401) \$5,429	.00				
T6.175 AC CVT T4B	15,245 LB	9127388P80	\$165,440.00			
Includes the following Equipment						
380/85(14.9)R28R1W HD-MIFI (8241	901) \$2,608	.00				
460/85(18.4)R38 R1W-MIFITR (8328	401) \$5,429	.00				
T6.180 AC CVT T4B	15,245 LB	9131623P80	\$170,940.00			
Includes the following Equipment						
380/85(14.9)R28R1W HD-MIFI (8241	, , , ,	.00				
460/85(18.4)R38 R1W-MIFITR (8328	401) \$5,429	.00				

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
		•	•	
CAB CONFIGURA	ATION			
OAB COM ICOM	TION .			
CAB ROOF/COLO	R			
SD_T9850 SI	PECIAL COLORS/PANELS			
392209	Base Color ISO			No Charge
	High roof with visibility panel			
758320	BLUE POW. SPEC. ED.		9003078P46	\$3,998.00
	Blue Power Special Edition			
	High roof with visibility panel			
	ONLY AVAILABLE ON T6.175			
SUSPENDED CAR	3			
SD_T9200 OI	PERATOR STRUCTURE #1			
758479	Suspended_Cab			No Charge
	Cab Suspension			
758480	Suspended Cab w/Heated Screens		9000378P84	\$492.00
	Cab Suspension with defrost elements on front and rear windows			
	Requires 200 Amp alternator			
ENGINE				
SD T1000 EN	IGINE			
SD_T1000 Et		I	9001426P04	\$1.852.00
SD_T1000 Et	Tier 4B Engine Exhaust Brake		9001426P04	\$1,852.00
	Tier 4B Engine Exhaust Brake Electronically managed high pressure common		9001426P04	\$1,852.00
	Tier 4B Engine Exhaust Brake Electronically managed high pressure common fuel rail engine with 4 valve per cylinder,		9001426P04	\$1,852.00
	Tier 4B Engine Exhaust Brake Electronically managed high pressure common		9001426P04	\$1,852.00
758400	Tier 4B Engine Exhaust Brake  Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake		9001426P04	\$1,852.00
	Tier 4B Engine Exhaust Brake  Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake		9001426P04	\$1,852.00
758400 ALTERNATOR SE	Tier 4B Engine Exhaust Brake Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake  LECTION		9001426P04	\$1,852.00
ALTERNATOR SE  SD_T1040 CI	Tier 4B Engine Exhaust Brake Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake  LECTION  HARGING SYSTEMS		9001426P04	
758400  ALTERNATOR SE  SD_T1040 CI	Tier 4B Engine Exhaust Brake Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake  LECTION  HARGING SYSTEMS 120 AMP_Alternator			No Charge
ALTERNATOR SE  SD_T1040 CI	Tier 4B Engine Exhaust Brake Electronically managed high pressure common fuel rail engine with 4 valve per cylinder, power boost and engine exhaust brake  LECTION  HARGING SYSTEMS		9001426P04 9000115P50 9000179P41	\$1,852.00  No Charge \$150.00 \$233.00

Bid Term: 2/20/19 - 2/19/21

COLD WEATHER	AIDS		
COLD WEATHER	AIDO		
SD_T1938 W	EATHER PACK		
758402	Grid_Heater + 110V Pack	9000302P61	\$393.00
	Grid heater and cold weather pack		
	Includes engine block heater and transmission heater		
FUEL TANK GUAF	RD		
OD T4400 FI	IEL TANK		
SD_T1400 FU 759128	Std Fuel Tank+Guard	1	No Chargo
759120			No Charge
	Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels		
759130	Large Fuel Tank+Guard	9000175P56	\$228.00
733130	Large fuel tank with guards	30001731 30	Ψ220.00
	Not compatible with 34" Rear Wheels		
	59 Gallon / 222 Liter compacity		
	Co Calletti, 222 21101 Compassing		
	· · · · · · · · · · · · · · · · · · ·	•	
TRANSMISSION			
SD_T2800 SF	PEED		
396247	40 KPH Economy		No Charge
758549	50KPH ECO CVT	9001054P13	\$1,369.00
	Requires suspended front axle 758427 or 758428		

### SD\_T4010 FRONT AXLE

**FRONT AXLE** 

 OD_14010 11	CONTINUE		
Class 4 Star	ndard FWD Axle		
758425	Class 4 Hydraulic Lock		No Charge
	With TerraLock traction management system		
	with multi-plate differential.		
	Incompatible with 34" rear wheels		
Class 4 Sup	perSteer FWD Axle		
758429	Class 4 SuperSteer L/Water	9003517P36	\$4,568.00
	-SuperSteer front axle with TerraLock traction		
	management system.		
	-Includes mulit-plate differential lock.		
	-Incompatible with Autoquidance		

Class 4 Suspended FWD Axle				
	758427	Class 4 Suspension Lock	9005260P64	\$6,832.00
		With TerraGlide suspended axle with TerraLock traction		
		management system. Includes mult-plate differential.		
		Incompatible with 34" rear wheels		
	758428	Class 4 Susp + Brake Hyd Lock	9005683P37	\$7,381.00
		With TerraGlide suspended axle with TerraLock traction		
		management system. Includes mult-plate differential and brakes.		
		Incompatible with 34" rear wheels		
		Requires hydraulic trailer brakes or brake logic valve		

#### **REAR AXLE**

SD\_T3200 REAR AXLE

	391223	Heavy-duty Rear Flange		No Charge
	758538	HD 98" Bar Axles - Steel Wheel	9001113P42	\$1,446.00
	758539	HD 98" Bar Axles - Cast Wheel	9001113P42	\$1,446.00

#### TIRES

#### **BRAND CHOICE**

#### SD\_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330446	Firestone	9000418P88	\$544.00
	330439	Continental	9000418P88	\$544.00
	330442	Michelin	9000418P88	\$544.00

#### FRONT WHEELS & TIRES

#### SD\_T4940 FRONT WHEELS AND TIRES

Class 4			
8299906	Front Shipping Wheels	9001098P02	\$1,426.00
Class 4 FWI	D Axle		
8241901	380/85(14.9)R28R1W HD-MIFITRCO	9002008P16	\$2,608.00
	Requires 18.4 R38		
8825501	480/65R28 R1W MI-CM	9002278P43	\$2,959.00
	Requires 600/65 R38		
8258704	380/85(14.9)R30 R1W MI-FI-CM	9002410P87	\$3,131.00
	Requires 18.4R42 R1W or 14.9R46 R1W		
8801604	320/85R34 R1W Brands - MI	9002556P40	\$3,320.00
	Requires 320/90R50 R1W		
8255904	420/85(16.9)R28 R1W MI-FI	9002563P33	\$3,329.00
	Requires 20.8R38 R1W or 18.4R42 R1W		
8866501	400/80R28 Fixed Cls 4 Alliance	9002785P09	\$3,617.00
	Requires 480/80 R38 Municipality		



	8801601	520/60R28 R1W Fixed HD	9004467P54	\$5,802.00
		Requires 650/60R38		

#### REAR WHEELS & TIRES

#### SD T4950 REAR WHEELS AND TIRES

SD_14950_R	EAR WHEELS AND TIRES		
Flange and	Bar - Steel		
8975401	520/70R38 A8 R1W FI	9005699P54	\$7,402.00
	Matching Front Tire - 420/70R28 R1W		
	- 8852501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8380404	520/85 (20.8) R38 R1W MI, TR	9005784P24	\$7,512.00
	Matching front tire is 8255904 - 16,9 R28		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8949401	600/65R38 R1W Fixd-FI,MI,CO,TR	9005887P42	\$7,646.00
	Matching Front Tire - 480/65R28 R1W		
	- 8825501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8998401	650/65R38 A8 R1W FI/MI/TR/CO	9005209P05	\$6,765.00
	Matching Front Tire - 540/65R28 R1W		
	- 8858501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9004536P07	\$5,891.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9004466P77	\$5,801.00
	Matching Front Tire - 14.9R30 R1		, ,
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		
8963504	320/90R50 R1W MI	9004645P41	\$6,033.00
	Matching Front Tire - 320/85R34 R1W		,
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		

8919401	480/80R38 Alliance	9005237P54	\$6,802.00
	Matching Front Tire - 400/80 R28 Municipality		
	- 8866501 (Class 4 Axle)Fixed steel rims		
8907501	650/60R38 Fixed Rim - MI	9005209P82	\$6,766.00
	Matching Front Tire - 520/60R28 R1W		
	- 8801601 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		
Bar Axle - Ca	ast		
8334406	460/85(18.4)R38 R1W- MI,FI,CM	9004180P33	\$5,429.00
	Matching Front Tire - 16.9R28 R1W		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8384406	460/85(18.4)R42 R1W - MI	9005669P51	\$7,363.00
	Matching Front Tire - 14.9R30 (380/85R30)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
Shipping Wh	eels		
8399906	Rear Shipping Wheels	9001487P64	\$1,932.00
	Matching Front Shipping Wheels		
	- 8299906 (Class 4 Axle)		

#### **HYDRAULICS**

#### REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

	743686	3 Elect Hyd. Rear Remote Valve		No Charge
		3 electro-hydraulic rear remotes		
	743733	4 Elect Hyd. Rear Remote Valve	9000920P15	\$1,195.00
		4 electro-hydraulic rear remote valves		
	758359	4-Elec Rear Remotes F/ Pwr Byd	9001499P19	\$1,947.00
		4 electro-hydraulic rear remotes for power beyond		
		Requires 758542 power beyond plus low pressure return		

#### **AUXILLARY FUNCTIONS**

SD T8275	POWER BEYOND COUPLE
----------	---------------------

	758542	Power Beyond + Low-Pressure		9000575P19	\$747.00	
		Power beyond coupler and low pressure return				
		Incompatible with 743733 4 electro-hydraulic rear remote option				

#### COMPLETE LOADER READY

LOADER BRACKETS

_	raulic Mid Mount		
758353	Loader Ready + 2 EH MMV + Joy	90069921	937 \$9,081.00
	Complete Loader Ready Includes 2 slice electronic mid-mount		
	valve (EMMV), horizontal and verticle two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the multi-coupler and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
758354	Loader Ready + 3 EH MMV + Joy	90081201	P42 \$10,546.00
	Complete Loader Ready Includes 3 slice electronic mid-mount		
	valve (EMMV), horizontal and vertical two piece system (TPS)		
	mounting brackets, grill guard, hydraulic plumbing, tractor half		
	of the hydraulic multi-coupler and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
Engine Side	Rails		
758478	Engine Side Rails	90007271	P65 \$945.00
	Not for loader mounting.		

#### JOYSTICK CONTROL

#### SD\_T7780 JOYSTICK

	758069	Joystick with Rocker Switch		
		Electro-hydraulic joystick		
		Incompatible with Complete Loader Ready		
		if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy		No Charge
Ī		if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy		No Charge



MID MOUN	NT VALV	ES		
SD T77	700 MII	D-MOUNT VALVES		
	43689	2 Electronic MMV		No Charge
		2 function electronic mid-mount valve		
		Requires electronic joystick 758069		
		Incompatible with Complete Loader Ready		
		Included in Complete Loader Ready option 758353		
7.	43690	3 Electronic MMV		No Charge
		3 function electronic mid mount valve (EMMV)		
		Requires electronic joystick 758069		
		Incompatible with Complete Loader Ready		
		Included in Complete Loader Ready 758354		
3-POINT H	IITCH			
REAR 3 P	OINT HIT	TCH CH		
	950 AU			
7	43811	2 External 90mm Cylinders -EDC	9000395P78	\$514.00
		Increased 3-point lift capacity to 11,649 lbs.		
05				
SD_T89		AWBAR AND 3 POINT HITCH	000000000	\$400.00
	58452	Cat II/III Flex Links	9000093P94	\$122.00
FRONT 3 F		ITCU		
FRONT 31	FOINT II	TIGH		
SD T8	100 FR	ONT THREE POINT HITCH		
	59144	Integrated FHPL 759144	9005813P50	\$7,550.00
		Front Hitch for units with Standard or Suspended Front Axles		<b>*</b> * * * * * * * * * * * * * * * * * *
		Requires hoses (758473, 758474, 758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
7	59147	Int FHPL+FPTO	9012387P76	\$16,088.00
		Front Hitch and PTO for units with standard or		. ,
		suspended Front Axle (ratio matches rear PTO)		
		Requires Advanced Processor (758498), hoses		
		(758473, 758474,758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
		1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
		Engine RPM's at 1895		
		Maximum power transmission:		
		87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient	1	1

Page 78 of 89



SD\_T8300 HOSES FOR FHPL

Hoses less	Front Couplers		
758474	Hose pkg for frt hitch w/ ERV		No Charge
	Front hitch hoses to connect front hitch to electro-hydraulic rear		
	remotes		
758475	Hose pkg for frt hitch w/ MMV		No Charge
	Front hitch hoses to connect front hitch to mid mount valve		
	Incompatible with loader ready		
Hoses with	Front Couplers		
758544	Hse pkg frt hit w/MMV/frt coup	9000143F	99 \$187.00
	Front couplers and hoses for front hitch to connect to		
	mid mount valve		
	Incompatible with loader ready		
SD_T8540 IC	P - SWITCH PANEL		
759545	ICD - EDT HITCH MNGT		No Chargo

	758545	ICP + FRT HITCH MNGT		No Charge
		Front hitch management for front hitch controlled by		
		mid mount valves		
		Requires front hitch with hoses from mid mount valve		
		(758475 or 758544)		

#### WEIGHTS

#### FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

<u> </u>	KONT BALLAGT		
390444	Tow Hook-Only		No Charge
758519	Weight Pack B w/Hook	9001314P39	\$1,707.00
	Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)		
	Not compatible with front 3-PT hitch - 743699 and 743700		
758520	Weight Pack C w/Hook	9002142P14	\$2,782.00
	Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with front 3-PT hitch - 743699 and 743700		
	Not compatible with loader ready packages		
	758344,758351,758353,758354,758478		
758562	Weight Carrier w/Hook	9000194P81	\$253.00
	Weight carrier with tow hook - 199.3 lbs (90.4 kg)		

REAR WHEEL WEIGHTS

SD	T/060	\//HEEI	WEIGHTS
യ	14900	VVDEEL	WEIGHIS

_	 <u> </u>	iele Weionio		
Γ	X49601X	L/Wheel Weights		No Charge



758	8564 6X65KG Wheel Weight	9000895P51	\$1,163.00
	Includes (6) 143 lbs. weights totalling 860 lbs.		
759	2X150KG + 2X250KG Wheel Weight	9001168P09	\$1,517.00
	Rear Wheel WeightsRear Wheel Weights		
	Includes 2 X 150 plus 2 X 250 KG Weights		
	Four weights totaling 800 KG or 1,764 lbs.		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		
759	9821 2X150KG + 4X250KG Wheel Weight	9002005P85	\$2,605.00
	Rear Wheel Weights 2 X 150 KG and 4 X 250 KG.		
	Total of 6 rear weights for 1,300 KG or 2,866 lbs.		
	3 weights (650 KG) on each side		
	Incompatible with shipping wheels		
	Requires Bar Axle & Fixed Rims		

#### **CAB OPTION**

CLIMATE CONTROL

#### SD T9291 REAR WINDOW SUNSHADE

OD_10201 REAR WINDOW CONCINDE								
758580	Sunshade, Rear Window		9000154P00	\$200.00				

SEATS

SD_T8500 SE	AT		
758485	Deluxe Seat Air Susp Heated	9001461P46	\$1,898.00
	Super Deluxe Seat with Low Frequency Suspension		
	(+DDS) Belt and Swivel Headrest Heated		
	Leather/Alacantara		
	Seat swivel:		
	10 degrees left and 20 degrees right.		
758486	MAXIMO EVO	9002864P40	\$3,720.00
	Semi Active Suspension, Heated, Vented, Belt,		
	Alacantara/Leather, Up/Down Headrest		
	(Maximo Evo)		
	Seat swivel:		
	10 degrees left and 20 degrees right.		



759384			
	SDLX HTD ALCANT BP	9001603P91	\$2,083.00
	BLUE POWER		
	Super Deluxe Seat with Low Frequency Suspension		
	(+DDS) Belt and Swivel Headrest Heated		
	Leather/Alacantara		
	Seat swivel:		
	10 degrees left and 20 degrees right		
759385	MAXIMO EVO BP	9002914P45	\$3,785.00
	BLUE POWER		
	Semi Active Suspension, Heated, Vented, Belt, Alacantara,		
	Up/Down Headrest (Maximo Evo)		
STORAGE			
SD_T9010 RE	AR CAB STORAGE BO		
758570	Lefthand Rear Cab Storage Box	9000167P09	\$217.00
JGHTS			
SD_T9130 W	DRK LAMPS		
758596	16 LED High Power Hi-Roof	9001171P94	\$1,522.00
	A total of 16 Cab mounted LED work lights:		
	12 high cab-mounted; 6 front, 6 rear		
	12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear		
	_		
	4 mid-cab mounted; 2 front, 2 rear		
SD_T9131 FR	4 mid-cab mounted; 2 front, 2 rear		
SD_T9131 FR 758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens	9000231P77	\$301.00
	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON	9000231P77	\$301.00
	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON HIGH HEADLAMP LH DIP	9000231P77	\$301.00
	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport.	9000231P77	\$301.00
	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or	9000231P77 9000231P77	
758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.		
758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport.		·
758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or		·
758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport.		·
758487 758488	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or		
758487	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.		\$301.00
758487 758488 758488 SD_T9146 RC	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  OTARY BEACON  Rotary Beacon Lefthand Side	9000231P77	\$301.00
758487 758488 758488 SD_T9146 RC	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  OTARY BEACON  Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for	9000231P77	\$301.00
758487 758488 SD_T9146 RC	4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emiting 31,200 lumens  ONT WORK LAMPS ON  HIGH HEADLAMP LH DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.  OTARY BEACON  Rotary Beacon Lefthand Side	9000231P77	\$301.00 \$301.00 \$406.00

Page 81 of 89

-T1KG 01 0029 000 01-OCT-18

82

-T1KG 01

	758491	Twin Beacon	9000625P24	\$812.00
		Rotary beacons mounted on rear of the cab on both left and right		
		side		
		of tractor for maximum safety and visibility		

#### MONITOR BRACKETS

SD T9223 RH WINDOW BAR MOUNT

<del>, -</del>			
390665	Fixings for Mounted Monitor		No Charge
	Predisposition for installing DIA monitor mounting bracket		
758153	Monitor Mounting Bracket.	9000112P42	\$146.00
	Monitor mounting bracket		
758154	RH Window Bar Display Ready.	9000182P49	\$237.00
	Monitor mounting bracket with wiring harness and monitor mount		
	Requires ISOBUS socket 743795, 758561 or 758624		
758621	10 <sup></sup> Color Touch Screen Display	9004354P35	\$5,655.00
	Monitor mounting bracket with IntelliView IV		
	Requires ISOBUS socket 743795, 758561 or 758624		

#### **AUTO GUIDANCE**

#### AUTO GUIDANCE READY

SD\_T6300 STEERING OR AUTOGUIDANCE READY

759185	Autoguidance Ready	9003976P28	\$5,164.00
	Autoguidance Ready which includes: steering sensor, electronic		
	steering valve, steering manifold, hoses, wiring harness, receiver		
	mounting bracket, cabling, & hardware		
	Mate		
	Note:		
	-Requires CCLS hydraulics		
	-Incompatible with SuperSteer front axle		
759186	Variable Ratio Steer	9002159P08	\$2,804.00
	CUSTOMSTEER™ OPTION feature allows operators		
	to turn fully from lock to lock with as little as one		
	rotation of the steering wheel with precision control.		
	You can change a steering ratio preference from		
	You can choose a steering ratio preference from		
	1:1 to 1:4 for quicker maneuvering at the headland,		
	reversing with trailers, or during repetitive loader work.		

#### AUTO GUID COMPLETION

SD_T7630	AUTOGUIDANCE
----------	--------------

	392484	Less Autoguidance		No Charge



			<b>4</b>
758803	Full AG Nav GPS L1	9011031P02	\$14,326.00
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, monitor mounting		
	bracket with IntelliView IV monitor 758590		
	Activated to WAAS level accuracy (Level 1)		
758804	Full AG Nav GPS L2	9013083P84	\$16,992.00
	Autoguidance - Complete Pack		
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, monitor mounting bracket		
	with IntelliView IV monitor 758590		
	Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
	accuracy (Level 2)		
758871	Autoguidance Lvl 3 RTK Modem	9015135P89	\$19,657.00
	Autoguidance Complete		
	Includes Nav II controller, NH 372 receiver		
	Requires Autoguidance ready, monitor mounting		
	bracket with IntelliView IV monitor 758590		
	Activated to RTK level accuracy (Level 3)		
	Requires either a RTK radio or modem not included		

#### **TELEMATICS**

SD\_T7625 TELEMATICS

391249	Less Telematics		No Charge
	Unit does not have any wiring or the hardware required to utilize		
	telematics or an NTRIP Accuracy signal		
759349	Telematics Predisposition	9000068P53	\$89.00
	Units is Prewired for but does not include Modem, Subsriptions or		
	additnal Harnesses required for File transfer or NTRIP Accuacry		
	Signal		
759394	Basic Telematics	9000532P84	\$692.00
	Unit is factory fit complete with with wiring,		
	modem, and a 1 year susbscription to PLM		
	Connect Essential which will allow unit to		
	use Basic Fleet Management, Baisc usage		
	reports, Current Fleet Status, Maintenance		
	Alerts (requires additional subsription and		
	harness to utilize Agronomical Data File Transfer)		
759094	NTRIP	9000569P80	\$740.00
	Offering includes: Mounting Kit, Modem,		
	NTRIP Harness, and 1 Year susbcription to NTRIP		

Bid Term: 2/20/19 - 2/19/21

			<u> </u>	
759093	Telematics		9000657P58	\$854.00
	Unit is factory fit complete with with wiring,			
	modem, and a 1 year susbscription to PLM			
	Connect Professional which will gives all of			
	the features of PLM Connect Essentail as			
	well as adding PLM Connect Live Viewing,			
	Alarm and Fault Code notification, and access			
	to proprietary CAN BUS (requires additional			
	subsription and harness to utilize Agronomical			
	Data File Transfer).			
MISCELLANEOU	S			
FENDERS FRONT				
SD T8740 FF	RONT FENDERS			
758505	Front Fender 420mm Dynamic		9000587P51	\$763.00
	Dynamic front fenders 16.5 inches wide (420 mm)			,
			1	
FENDERS REAR				
00 70-00 55				
SD_T8700 FE			0000540000	ф <b>7</b> 04 00
743707	Full Cover		9000542P08	\$704.00
TRAILOR BRAKES				
TRAILOR BRAKES				
SD_T7130 TF	RLR BRK VLV			
744784	Hyd Trailer Brake Universal		9000845P46	\$1,098.00
	Includes Brake Logic Valve 744783			
	Applies trailer brakes and front axle brakes when both brake pedals			
	are activated simultaneously			
	,		<u>'</u>	
RADAR				
SD_T7580 RA				
758501	Radar NAR		9000611P38	\$794.00
OTHER				
UINEK				
SD_T7420 BA	ATTERY			
758409	HD Battery W/Isolator 176AH		9000327P25	\$425.00
1 1 1	In the second second	l		

Heavy duty battery with isolator

The Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
NEW HOLLAND

Grounds Equipment Bid #ESCNJ 18/19-25
-T1KG 01

## T6 T4B SERIES AUTO COMMAND US PRICE LIST

**AGRICULTURE** 

#### **OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		758535	Spanish NAR		No Charge
Ī		759101	French NAR		No Charge



# T6 Tier 4B Tire Chart

														ž	Ξ	ίĒ	ပိ	>
		Rear Tires - Fam	ily T4950					Front	Tires - Fami	ly T4940				- 88	142 -	- <del>1</del> 46	439 - nd	157 -
Tire Size	Pattern	Metric Equivalent	Rim Type	Variant Not	tes 1	Tire Size	Pattern	Metric Equivalent	Туре	Class 3	Class 4(3.5)	HD 2\	WD	3307	3307	3307	330⁄ Braı	33045
REAR FLANC	GE OR BAR AX	KLE - STEEL		Not	t compat	tible with 98 in. k	oar axle for Cas	t Wheels (758434)				Goody	/ear					
18.4R34	R1W	460/85R34	Adjustable	8365401	1	14.9R24	R1W	380/85R24	Adjustable	8240402	-	11:00-16 F2	8138401	х	AB	PERFORMER85		
18.4R38	R1W	460/85R38	Adjustable	8328401 50K	( 1	14.9R28	R1W	380/85R28	Adjustable	8241401	8241901	II .	11	x	AB	PERFORMER85	AC8	Traxion 85
480/80R38	Municipal		Fixed	8919401 50K	( 4	440/80R24	Municipal		Fixed	8847401	8803501	"	II .	х				
20.8R38	R1W	520/85R38	Adjustable	8380404 50K	(,FCF 1	16.9R28	R1W	420/85R28	Adjustable	8255404	8255904	"	II .	x	AB	PERFORMER65	AC85	
520/70R38	R1W		Fixed	8975401 50K	(,FCF 4	420/70R28	R1W		Fixed	-	8852501	"	II .	х	ОВ	PERFORMER70	AC7/HC70	Traxion +
									Adjustable	8801301	-	"	II .	x	XB			
650/60R38	R1W		Fixed	8907501 50K	K,FCF	520/60R28	R1W		Fixed	8801401	8801601	"	II .	х	XB			
									Adjustable	8801301	-	"	II .	х	XB			
650/60R38	R1W		Adjustable	8907601 50K	K,FCF	520/60R28	R1W		Fixed	8801401	8801601	"	"	х	XB			
600/65R38	R1W		Fixed	8949401 50K	(,FCF 4	480/65R28	R1W		Fixed	-	8825501	"	"	TM8	PERFORMER65	AC6		Traxion +
650/65R38	R1W		Fixed	8998401 50K	C,FCF	540/65R28	R1W		Fixed	8858401	8858501	"	"	x	MB	R9	AC6	Traxion +
18.4R42	R1W	460/85R46	Adjustable	8388404 50K	( 1	14.9R30	R1W	380/85R30	Adjustable	8258404	8258704	"	"	x	Х		AC 85	
14.9R46	R1W	380/85R46	Adjustable	8370404	1	14.9R30	R1W	380/85R30	Adjustable	8258404	8258704	"	"	x	X		AC 85	
320/90R50	R1W		Adjustable	8963504	3	320/85R34	R1W		Adjustable	8859604	8801604	"	11	х	AB			
REAR BAR -	CAST			Rec	quires 98	3 in. bar axle for 0	Cast Wheels											
18.4R38	R1W	460/85R38	Adjustable	8334406 50K	(	14.9R28	R1W	380/85R28	Adjustable	8241401	8241901	II .	11	х	AB	PERFORMER85	AC85	
18.4R42	R1W	460/85R42	Adjustable	8384406 50K	( 1	16.9R28	R1W	420/85R28	Adjustable	8255404	8255904	"	"	x	AB	PERFORMER87	AC87	
18.4R42	R1W	460/85R42	Adjustable	8384406 50K	( [1	14.9R30	R1W	380/85R30	Adjustable	8258404	8258704	11	11	х	AB	PERFORMER86	AC86	
SHIPPING W	/HEELS			Rec	quires 98	3 in. bar axle for 0	Cast Wheels											
Rear	Shipping	12.4X32		8399906 50K	( F	Front	Shipping	11.2X24		8299905	8299906	Front Shipping	g N/A	х				

NOTES:

50K Suitable for 31 MPH (50KPH) FCF Requires Full Cover Rear Fenders

If no tire brand preference is selected orders may receive any of the 4 tire brands

### **Special Paint Color Information**

Customer demand may require special color paint. New Holland can supply many of the standard colors that are listed in the Classic RAL System on the exterior of T6 Series Tractors. The Special Paint service is aimed at meeting the requirement by operations such as highway maintenance agencies, airport authorities, etc. for a tractor painted in a nonstandard color. This process delivers to the customer a professionally painted tractor with no requirement for a dealer to strip down and paint the tractor locally.

#### The Process:

The New Holland Territory Business Manager (TBM) must be involved to authorize the color choice and coordinate contact with the order management team.

- 1. TBM approval of RAL color
- 2. The tractor retail order\* is placed including the Special Paint Color order as listed in options in the Price & Data pages.
- 3. The Special Paint order code flags order management and the plant of the request for special paint
- 4. The RAL paint color is communicated to order management to go along with the retail tractor order
- 5. Order management then contacts the manufacturing plant to gain authorization
- 6. The tractor with special paint is scheduled into production\*\*

Please determine the RAL System color number your customer requests (example Omaha Orange = RAL 2005). Please visit <a href="www.ralcolor.com">www.ralcolor.com</a> or <a href="https://www.ral-farben.de/info-ral-classic.html?&L=1">https://www.ral-farben.de/info-ral-classic.html?&L=1</a> for more information on RAL colors.

The Special Paint Color order codes are offered in two levels of special paint inclusion:

- 1. Hood, roof, rear fenders
- 2. Chassis, wheels, hood, roof, fenders

See the Price & Data pages for order codes and other details

#### More information:

Any replacement panels for special color tractors do have to be sourced locally. Unlike Blue Power parts, they will not be available through the CNH parts system.

\*New Holland will only accept retail sales orders for tractors with special paint colors and we reserve the right to refuse to paint tractors in colors deemed inappropriate (example: competitor paint schemes).

\*\*Tractors with special color paint schemes may require additional lead times.

Once a tractor order is submitted with a special color paint request, the tractor order cannot be changed to another color.

Service Parts Supplied Dealer Installed Accessories (DIA's)		T6 Electro Command™ (EC) So power shift -T1G					(AC) CVT -			
DIA Description	Part Number	T6.145 SPS	T6.155 SPS	T6.165 SPS	T6.165 SPS	T6.180 SPS	T6.145 CVT	T6.165 CVT	T6.175 CVT	
ENGINE & STARTING SYSTEM										
Grid Heater 4cyl 4v (recommended for climates -10 to -18C)	718203024	Х	Х	Х	Х		Х	Х	X	
Grid Heater 6cyl 4v (recommended for climates -10 to -18C)	718203104					Х				
Cold Weather Pack (Block and Trans Heater 110V	710206144	Х	X	Х	Х	Х	Х	Х	X	
Cold Weather Pack (Block and Trans Heater 240V	719106114	X	X	X	X	X	Х	X	X	
Fuel Heater (req grid heater to be fitted to provide power supply)	718204044	X	X	X	X	X	X	X	X	
Fuel Cooler (6cyl)	719831034				<u> </u>	X				
Fuel Cooler (4cyl)	719831044	Х	X	Х	Х	- `	Х	X	Х	
Engine side rails 4 and 6 Cyl	710245124	X	X	X	X	Х	X	X	X	
Lockable DEF and Fuel Cap	718221014	X	X	X	X	X	X	X	X	
CREEPER TRANSMISSION	710221014			/\						
Creeper Speed for 16x16 Semi-power shift	718100014	Х	Х	X	Х	X				
REAR HYD. REMOTE VALVES - CLOSED CENTER - MECHANICAL - CONFIG/NON-CONFI										
Additional Rear Remote valve (from 2 to 3)	718715084	Х	Х	Х	Х	X				
Additional Rear Remote valve (from 3 to 4)	710020054	X	X	X	X	X	Х	Х	Х	
REAR HYD. REMOTE VALVES - CLOSED CENTER - ELECTRO-HYDRAULIC- CONFIGURA										
EH Remote slice 3 to 4 GARU -NH EHS 1	719411144						Х	Х	Х	
EH Remote slice 3 to 4 (MTA 1 architecture) EHS 1	719411164	Х	Х	X	Х	X				
DETENT KITS FOR NON-CONFIGURABLE RCV SLICES	710411104									
Permanent detent kit for single RCV spool (Closed center valves)	710362024	Х	Х	Х	Х	Х	Х	X	X	
Zero detent kit for single RCV spool (Closed center valves)	718362024	X	X	X	X	X	X	X	X	
Zero detent kit (plus float) for single RCV spool (Closed center valves)	719362024	X	X	X	X	X	Х	X	X	
Hydraulic Free flow return pipe kit	719979034	X	X	X	X	X	X	X	X	
Hydraulic Power Beyond Slice with Flat face couplers	719143014	X	X	X	X	X	X	X	X	
MID MOUNT HYDRAULIC VALVE KITS	7.101.13311			/\						
Electronic Mid Mount valve kit (1 slice) - joystick not included	718223014	Х	Х	Х	Х	X	Х	X	Х	
Electronic Mid Mount valve kit (2 slice) - joystick not included	719763094	X	X	X	X	X	X	X	X	
Electronic Mid Mount valve kit (3 slice) - joystick not included  Note if tractor is not already fitted with a joystick this will need to be ordered to operate the mid mount valve.	718229014	X	X	X	X	X	X	X	X	
REAR 3-POINT LINKAGE										
Hydraulic Adjust Top Link	719790034	Х	Х	X	Х	X	Х	X	X	
Hydraulic Adjust Adj. RH lift link	718485034	X	X	X	X	X	X	X	X	
FRONT 3-POINT HITCH & PTO										
Front PTO, 6 spline NH - not suitable for integrated Front 3-point hitch	718041054	Х	Х	X	Х	Х	Х	X	X	
Front PTO 6 spline for Integrated Front 3-point hitch	719098114	X	X	X	X	X	X	X	X	
2 frt mtd (LHS) hyd couplers operated from 1 Mid RCV for integrated F. 3-point hitch	718036024	X	X	X	X	X	X	X	X	
FRONT TOW HOOK & FRONT WEIGHTS						- `			- \	
Supersteer carrier less weights less tow hook	710022014	Х	Х	Х	Х	Х	Х	X	X	
Standard steer carrier less weights less tow hook NH	710023014	X	X	X	X	X	X	X	X	
Pack of 45 kg front end weights & attaching hardware - NH = 10	719065034	X	X	X	X	X	X	X	X	
2205 lbs (1000 kg) front end weight & attaching hardware NH	710061024	X	X	X	X	X	X	X	X	
FRONT FENDERS										
F Fender 420 Dynamic	718510024	Х	Х	Х	Х	Х	Х	Х	Х	
F Fender 480 Dynamic	718511024	X	X	X	X	X	Х	X	X	
F Fender 540 Dynamic	718775024	X	X	X	X	X	X	X	X	

Service Parts Supplied Dealer Installed Accessories (DIA's) continued		T6 Electro Command™ (EC power shift -1			EC) S		T6 Auto Command™ (AC) CVT - T1HU		
DIA Description	Part Number	T6.145 SPS	T6.155 SPS	T6.165 SPS	T6.165 SPS	T6.180 SPS	T6.145 CVT	T6.165 CVT	T6.175 CVT
REAR FENDERS									
Rear Fender extensions for Full cover fenders 75 mm	718293014	Х	Х	Х	Х	Х	Х	Х	Х
Rear Fender extensions for Full cover fenders 150 mm	718601014	Х	Х	Х	Х	Х	Х	Х	Х
CAB & PLATFORM									
Telescopic arms for Rear view Mirror (conversion kit - does not contain mirrors)	718794014	Х	Х	Х	X	Х	Х	Х	Х
Wide view internal mirror	719876014	X	X	X	X	X	X	X	X
	710577014	X	X	X	X	X	X	X	X
Carbon Filters & Pressure Gauge (high roof only)			X	X	-		X	X	X
Sunshade for rear window	719570014	X	X	X	X	X	X	X	
LH rear cab storage box NH	718577054		^	^	Х	^	^	^	X
INSTRUCTOR SEATS									
Instructional Seat with belt BASE MATERIAL(Includes warning decal for NAR) NH	710036104	Х	Х	Х	Х	Х	Х	Х	X
Instruction seat with belt (NEW FABRIC – NH) (Includes warning decal for NAR)	718248014	Х	X	Х	Х	Х	Х	Х	Х
WORKLIGHTS / HEADLIGHTS									
Front headlights kit for top of sidelights LH dip NH	710177064	Х	X	Х	X	X	Х	Х	X
Front headlights kit for top of sidelights RH dip NH	718177064	X	X	X	X	X	Х	Χ	X
2 x additional work light for under side lights NH	710768084	Х	Х	Х	X	Х	Х	Χ	Χ
INSTRUMENTS & PERFORMANCE MONITORS									
Bracket for mounting equipment monitors ('baler bar')	710686024	Х	Х	Х	Х	Х	Х	Х	Х
Mounting bracket and harness for mounting IntelliView™ (includes 'baler bar' mounting bracket	740040044								
and harnessdoes not include screen)	719343014	Х	X	Х	Х	Х	Х	Х	Х
TECU for use with tractors already fitted with ISOBUS virtual terminal and Socket.  This is an additional module that allows tractor information to be used by an implement connected to the ISOBUS socket.  The functionality is to ISOBUS Class 1 Tractor Basic Information and includes:  • Wheel based speed and ground based speed  • Rear hitch position and 'in work' indication  • Engine RPM  • PTO RPM  • PTO engaged indication  • Implement power control  • Equivalent message of trailer lighting socket (indicators, brake lights etc)  • Selected language	710059014	х	x	X	x	x	x	x	x
ELECTRICAL SOCKETS									
30A implement socket front of cab (inside)	719774034	Х	Х	Х	Х	Х	Χ	Х	Χ
IntelliSteer™ AUTOGUIDANCE									
DIA Fitment of Autoguidance system <b>AC CVT w/Class 3 front axle</b> (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. ( <i>Finishing Kit</i> )	718083024						Х	Х	Х
DIA Fitment of Autoguidance system <b>AC CVT w/Class 4 front axle</b> (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. ( <i>Finishing Kit</i> )	718084024						Х	Х	х
DIA Fitment of Autoguidance system EC <b>SPS w/class 3 front axle</b> (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. ( <i>Finishing Kit</i> )	718228014	х	х	Х	Х	Х			
DIA Fitment of Autoguidance system EC <b>SPS w/class 4</b> front axle (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. ( <i>Finishing Kit</i> )	718230014	Х	х	х	х	х			
MISCELLANEOUS									
Reverse Alarm	719161024	Х	Х	Х	Х	Х	Χ	Х	Х
APUH viewing mirror	710960024	Х	Х	Х	Х	Х	Χ	Х	Х
Driveshaft for hydraulic pump	718770014	Х	Х	Х	Х	Х	Х	Х	Х
COUNTRY CONFIGURATIONS									
French language decal kit for North America	710982024	Х	X	Х	Х	Х	Х	Х	Х
Spanish language decal kit for North America	710986024	X	X	X	X	X	Х	X	X