



January 1, 2019

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 19-04A

NEW HOLLAND DEALERS WITH LIGHT CE AGREEMENT

SUBJECT: COMPACT WHEEL LOADERS: PRICE PAGES - EFFECTIVE 1/1/2019

New Holland is pleased to announce the addition of a canopy option on *All* compact wheel loader models available for April 2019 production. This ROPS version, often requested by dealers in the southern U.S., provides dealers with a non-cab option for "value" minded customers. This project was fast-tracked due to dealer demand and market growth. For this reason, marketing materials are limited to these P&D pages. Photography, web updates, brochures and other marketing materials will follow before the first units are shipped.

The attached Price and Data pages also reflect the 2% price adjustment effective January 1, 2019, announced in Price and Data Bulletin US18-61A/CN18-60A published December 3, 2018. The 2% Steel Surcharge is also continued.

Finally, a high floatation tire option is available for 2019 ordering on *W80C* and *W80C HS* models. This new option is suitable for on and off-road conditions and is available for both STD and HS models.

Action Required:

- Please carefully read through this Product & Pricing Bulletin.
- Review this bulletin with the appropriate people in your organization to ensure they understand the new pricing structure.
- Update business systems as required.
- File this bulletin under your Compact Wheel Loader tab for easy reference.
- Refer to your Dealer Policy Manual for details or contact Dealer Sales Support for assistance.

This bulletin and the price pages may also be accessed via the Dealer Portal if you have the Light CE agreement with New Holland. Log on to the Dealer Portal, with the "Wholegoods" button displayed, click on "Pricing," and then click on "Compact Wheel Loaders." The latest published items will appear.

Please replace your current P&D pages with those attached to this bulletin.

1

Christine Chleboun Director, Commercial Marketing New Holland, North America Dan Valen Director, Product Marketing New Holland, North America

Attachment

CNH Industrial America LLC 500 Diller Avenue, P.O. Box 1895 New Holland, PA 17557-0903 Telephone: (717) 355-1121 www.newholland.com/na

Bid Term: 2/20/19 - 2/19/21



U.S. PRICE LIST

COMPACT WHEEL LOADERS

UP-CW REVISION 25

EFFECTIVE JANUARY 1, 2019

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compact Wheel Loaders W50C TC W50C ZB W80C W80C HS

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2019 By

CNH Industrial America LLC

INDEX



Compact Wheel Loader Line Price & Data Pages

EQUIPMENT DESCRIPTION	PAGE
Compact Wheel Loaders	
W50C TC & W50C ZB	3
W80C & W80C HS	11
DIA Kit Information	20



W50C COMPACT WHEEL LOADERS US PRICE LIST

Standard Equipment

DIESEL ENGINE

F5HFL463B*F001

4-Cylinder

Tier 4 Final

- CEGR / Diesel Oxidation Catalyst

- No regeneration

- No emissions related maintenance
Displacement: 3.4 L (207 cu. in.)

58 Gross hp @ 2500 RPM

55 Net hp @ 2500 RPM

Electric Cold Weather Starting Device

POWERTRAIN

All-Wheel Drive Oscillating Rear Axle Articulated Frame Outboard Planetary Axles Mechanical Park Brake

HYDRAULICS

Common Gear Pump Hydraulic System
Integral Single Lever Loader Control
Hydraulic Quick Coupler
(with control & piping)
3 spool valve
Standard C.U.P. Auxiliary Hydraulics

TRANSMISSION

Hydrostatic Transmission 2 Speed Forward, 2 Speed Reverse Integral Lever Electric Shift Controls

TIRES

Dunlop 335/80 R18 SPT9

OPERATOR STATION

ROPS/FOPS Cab w/ Sound Suppression
Heater/Defroster & Ventilation System
Windshield Wiper & Washer
(Front & Rear)
Adjustable Seat with 2" Seat Belt
Tinted Safety Glass
Tilting Steering Column
Radio Ready-Antenna and Speakers
12 volt power

External Rear View Mirrors
Hydraulic lockout
Front Sun Screen
Cloth Suspension Seat
FREIGHT
FOB Port of Entry

SHIPPING POINT

Baltimore or Galveston

LOADER SYSTEM

Open-center, Hydraulic Loader Control with single lever includes: F/N/R, float, Low/High travel mode, Auxiliary Function Roller
Skid Steer Attachment Compatible
Hydraulic Quick Coupler (Not approved for use with skid steer ground engaging attachments, such as skid steer bucket or mini-hoe.)
Return to Dig (optional)

INSTRUMENTS

Display/Gauges: Fuel Level Speed Hour meter Current Gear Direction PM Catalyst Clock Indicator Lights: Main Hydraulic Enabled Park Brake Creep Speed Work Lamps Headlamp Indicator Turn Signal Indicator Ride Control Parking Brake Hazard Light Indicator Rear Work Lamps

Glow Plug

Alternator



W50C COMPACT WHEEL LOADERS US PRICE LIST

Standard Equipment

Rabbit
Clogged Air Filter
Low Fuel
PM Catalyst
INSTRUMENTS (Cont)
Brake Fluid Level
Quick Coupler On
Engine Oil Pressure

ELECTRICAL

12V System
120 Amp Alternator with 900 CCA
battery
12V Electrical Socket in Cab
Back-up Alarm
Two Head Lights
Four Turning Lights
(2 in Front, 2 in Rear)
Two Stop Lights
Two Tail Lights
Two Front Work lights
Battery Disconnect

WARRANTY: Base Warranty coverage:
12-Month / Unlimited Hr Full Machine
Limited Warranty

SHIPPING POINT:
Port of Entry

Grounds Equipment Bid #ESCNJ 18/19-25 -CL5M 01



W50C COMPACT WHEEL LOADERS US PRICE LIST

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
W50C TC	533144050	11,111 LB		\$79,823.00
W50C ZB	533134050	10,913 LB		\$79,429.00



W50C COMPACT WHEEL LOADERS US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
CAB GROUP				
CAB				
SD_05127 CA	AR.			
734631	Base Cab			No Charge
734632	Deluxe Cab			\$2,167.00
104002	Internal covers for side pillars, Metal A/C vents, side storage box for			Ψ2,107.00
	personal belongings, fully adjustable steering column			
	(Telescopic/Tiltable), full steering column cover, two position side			
704074	window (Partial / 180 degree)		+	(\$4.500.00)
734671	Canopy, ROPS		ļ <u>.</u>	(\$4,500.00)
OD 05400 OF	- A T			
SD_05133 SE 734589	Mechanical Seat		1	No Charge
734590	Air Seat			\$737.00
1 1				
734672	Canopy Only - Vinyl Seat			No Charge
SD_05136 RA	ADIO OPTION			
	No Radio			No Charge
	Wiring harness installed.			ŭ
734502	Radio Ready			\$217.00
	Wiring harness for radio, speakers installed. This option allows for			,
	customer to install their own radio.			
734504	Radio with speakers			\$345.00
	Wiring harness for radio, speakers installed. Radio with MP3 and			ψο .σ.σ.σ
	USB included.			
	OOD Included.			
SD 05197 CI	LIMATE CONTROL			
734505	Heater			No Charge
734506	Air Conditioner w/ Heater			\$3,033.00
X05197X				No Charge
	Canopy Only - No near			No Charge
DOWEDED A IN				
POWERTRAIN				
DDIVE				
DRIVE				
SD 15021 AV	(LES FRONT AND REAR			
734511	Axles Open cal		1	No Charge
/ 34311			[No Charge
704540	12.4 MPH (20 KM/H)		+	Φ4 7 40 00
734510	Axles Limited Slip Diff. cal			\$1,718.00

12.4 MPH (20 KH/H) Recommended for wet/snowy conditions.

734615

Hydr. C.U.P. std aux

Grounds Equipment Bid #ESCNJ 18/19-25 -CL5M 01



W50C COMPACT WHEEL LOADERS US PRICE LIST

LAN	NGUAGE OPTI	ONS	
OF	PERATOR MANU	JALS	
	SD 32003 DE	CALS & LITERATURE	
	734529	Decal & Lit English	No Charge
T	734540	Decal & Lit Spanish	No Charge
	734533	Decal & Lit French	No Charge
ΗΥΙ	DRAULICS		
	/DRAULICS		
	SD_20053 CR	EEP SPEED	
Т		No Creep Speed	No Charge
	734583	Creep Speed	\$867.00
		Once Creep Speed is activated (switch on the dashboard), the	
		operator can set the engine RPM (dial switch on the dashboard)	
		and set ground speed using a rocker switch up to 3.2 MPH (5 KM/H)	
	•		·
	SD_20086 HY	DRAULIC COUPLER	
	734516	Hyd. SSL Compatible Coupler	No Charge
	734517	Hyd. Horizontal Pin Coupler	\$2,167.00
_	SD_20119 HY	DRAULIC AUX	
	734586	Standard Auxiliary	No Charge
		Quick coupler allows 3rd function. Comes standard with connect	
┸		under pressure connectors.	
	734584	Secondary Auxiliaries	\$1,733.00
		Quick coupler, allows 4th function. Comes standard with connect	
		under pressure connectors.	
_	SD_20176 RE		
\bot	734509	No Return To Dig	No Charge
	782734	Return to Dig	\$651.00
_	SD_20178 RII		
+	X20178X	No Ride Control	No Charge
	734520	Auto Ride control	\$1,517.00
		Engages at approx 2.2 MPH (3.5 KM/H)	
_		DRAULICS CONNECTORS STD AUX	
+	734614	Hydr. Non C.U.P. std aux	(\$43.00

No Charge

side.

-CL5M 01



W50C COMPACT WHEEL LOADERS US PRICE LIST

SD_20240 HYD.	CONNECTORS SECONDARY AUX	
734618 H	yd. C.U.P. 2nd aux	\$217.00
X20240X N	o Hyd. Connectors 2nd aux	No Charge
SD_20242 REM.	DRAIN LIVER OIL	
	o remote drain of hyd. oil	No Charge
	emote drain of hyd. oil	\$130.00
704012 10	emote drain of riya. Oil	\$130.00
	HYDR DRAIN LINE	
	o Aux. Hyd. Drain Line	No Charge
734636 A	ux. Hyd. Drain Line Coupling	No Charge
MISCELLANEOUS		
OTHER OPTIONS		
	WEATHER STARTING	
	td Weather Package	No Charge
1 1	ne 900 CCA Battery	Two charge
	old Weather w/ Block Heater	\$723.00
	wo 680 CCA batteries, Low-temp Hytran oil, engine block heater.	ψ/20.00
	ated down to -9.4F (-23C)	
1 -		,
	AND WORK LIGHTS	
 	Front & 2 Rear work lights	No Charge
	Front work lights	(\$87.00)
734663 L	ED 2 Front 2 Rear	\$423.00
SD 21009 ALIXII	LIARY FRONT ELECTRIC	
	o Auxiliary Front Electric	No Charge
	ront Electrical Socket	\$433.00
	,	, , , , , , , , , , , , , , , , , , , ,
SD_30005 FIRE	EXTINGUISHER	
	o Fire Extinguisher	No Charge
1 1	ire Extinguisher Mount	\$65.00
<u> </u>	nly available with Deluxe Cab option #734632	
SD_30047 BEAC	ON	
X30047X N	o beacon light	No Charge
782108 R	otating LED amber beacon	\$130.00
SD 43024 TOOL	BOX	
 	o Tool Box	No Charge
	ool Box (no tools)	\$87.00
	ontains no tools; located outside of the cab on the driver's right	
1 1 1	,	

482083

Tooth Protection (1900 mm)

during a collision.

Used while roading; device covers ends of teeth for safety



W50C COMPACT WHEEL LOADERS US PRICE LIST

	734017	NH FLEETFORCE	\$816.00
		NO TELEMATICS	No Charge
IRE	S AND WHEE	ELS	
TIRI	ES		
	SD_16066 WH	HEELS AND TIRES	
	9420294	12.5-18 MPT-04 Bias Mitas	(\$867.00
	9420161	335/80 R18 SPT9 L2 Dunlop	No Charg
	9400023	365/80 R18 SPT9 L2 Dunlop	\$1,040.0
	9420374		\$433.0
	9420378	335/80 R18 EM-02 Mitas	(\$433.00
	T	HEEL CHOCKS KIT	
		No Wheel Chocks	No Charg
	734587	Wheel Chocks	\$173.0
		· · · · · · · · · · · · · · · · · · ·	<u> </u>
	•	AFAITO.	<u> </u>
	NT ATTACHN	MENTS	
BUC	NT ATTACHN CKETS SD_U5101 CC	OMPACT WHEEL LOADER BUCKETS	
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X	DMPACT WHEEL LOADER BUCKETS No Bucket	No Charg
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal P	DMPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets	No Charg
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X	DMPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket	No Charg
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal Pi 734605	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket	No Charg \$1,733.0
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal P	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket	
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket	\$1,733.0 \$1,993.0
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal Pi 734605	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket	\$1,733.0 \$1,993.0
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal P 734605 734606 734604	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket	\$1,733.0 \$1,993.0
BUC	NT ATTACHN CKETS SD_U5101 CC	DMPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets	\$1,733.0 \$1,993.0 \$2,383.0
BUC	NT ATTACHN CKETS SD_U5101 CC XU5101X Horizontal P 734605 734606 734604	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler	\$1,733.0 \$1,993.0 \$2,383.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL	\$1,733.0 \$1,993.0 \$2,383.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket ible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler	\$1,733.0 \$1,993.0 \$2,383.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket ible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516)	\$1,733.0 \$1,993.0 \$2,383.0 \$1,690.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516) 1.05 cu. yd. Bkt -SSL Coupler	\$1,733.0 \$1,993.0 \$2,383.0 \$1,690.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516) 1.05 cu. yd. Bkt -SSL Coupler (0.8 cubic meter); 80.71 in (2050 mm) Bucket for use with SSL	\$1,733.0 \$1,993.0 \$2,383.0 \$1,690.0
BUC	NT ATTACHN CKETS SD_U5101 CC	MPACT WHEEL LOADER BUCKETS No Bucket in Coupler Buckets .92 cu. yd. Bucket (0.7 cubic meter); 74.8 in (1900 mm) Bucket 1.05 cu. yd. Bucket (0.8 cubic meter); 80.71 in (2050 mm) Bucket 1.31 cu. yd. LM Bucket (1 cubic meter); 80.71 in (2050 mm) Light Material Bucket iible Coupler Buckets .92 cu. yd. Bkt -SSL Coupler (0.7 cubic meter); 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516) 1.05 cu. yd. Bkt -SSL Coupler	No Charg \$1,733.0

\$108.00

Grounds Equipment Bid #ESCNJ 18/19-25
-CL5M 01



W50C COMPACT WHEEL LOADERS US PRICE LIST

482084	Tooth Protection (2050 mm)		\$152.00
	Used while roading; device covers ends of teeth for safety		
	during a collision.		
XU5102>	No Tooth Protection		No Charge
SD_V5203 B	JCKET ACCESSORIES		
734570	Cutting Edge (2050 mm)		\$1,127.00
734603	Cutting Edge (1900 mm)		\$953.00
734610	Bucket Teeth (1900 mm)		\$217.00
XV5203X	No Bucket Accessories		No Charge
PALLET FORK A	SSEMBLY		
SD U5201 LI	FT FORKS		
	No Lift Forks		No Charge
Horizontal F	Pin Coupler Forks	<u> </u>	

XU5201X No Lift Forks					No Charge
Horizontal Pin Coupler Forks					
	734573	48" Forks (1200 mm)			\$1,733.00
SSL Compatible Coupler Forks					
	734642	48" Forks (1200mm) - SSL Coup.			\$1,174.00
	•				

_	SD_U5202 PROTECT. DEVICE FORKS				
		782064	Protection Device Forks		\$303.00
			Used while roading; device covers ends of the tines for safety		
			during a collision.		
Ι		X115202X	No Protection Device Forks		No Charge



W80C COMPACT WHEEL LOADER US PRICE LIST

Standard Equipment

DIESEL ENGINE

F5HFL463A*F001

4-Cylinder

Tier 4 Final

- EGR / Diesel Oxidation Catalyst

- No Regeneration

- No emissions related maintenance

Displacement: 3.4 L (207 cu. in.)

74 Gross hp @ 2500 RPM

70 Net hp @ 2500 RPM

Electric Cold Weather Starting Device

POWERTRAIN

All-Wheel Drive Oscillating Rear Axle Articulated Frame Outboard Planetary Axles Mechanical Park Brake

HYDRAULICS

Common Gear Pump Hydraulic System
Integral Single Lever Loader Control
Hydraulic Quick Coupler
(with control & piping)
3 spool valve
Standard C.U.P. Auxiliary Hydraulics

TRANSMISSION

Hydrostatic Transmission 2 Speed Forward, 2 Speed Reverse Integral Lever Electric Shift Controls

TIRES

Dunlop 335/80 R18 SPT9

Tilting Steering Column

OPERATOR STATION

ROPS/FOPS Cab with Sound
Suppression
Heater/Defroster & Ventilation System
Windshield Wiper & Washer
(Front & Rear)
Adjustable Seat with 2" Seat Belt
Tinted Safety Glass

Radio Ready-Antenna and Speakers 12 volt power External Rear View Mirrors Hydraulic lockout Front Sun Screen Cloth Suspension Seat FREIGHT FOB Port of Entry SHIPPING POINT Baltimore or Galveston LOADER SYSTEM Open-center, Hydraulic Loader Control with single lever includes: F/N/R, float, Low/High travel mode, Auxiliary Function Roller Skid Steer Attachment Compatible Hydraulic Quick Coupler (Not approved for use with skid steer ground engaging attachments, such as skid steer bucket or mini-hoe.) Return to Dig (optional)

INSTRUMENTS

Display/Gauges: Fuel Level Speed Hour meter Current Gear Direction PM Catalyst Clock Indicator Lights: Main Hydraulic Enabled Park Brake Creep Speed Work Lamps Headlamp Indicator Turn Signal Indicator Ride Control Parking Brake Hazard Light Indicator Rear Work Lamps



-CL8M 01

W80C COMPACT WHEEL LOADER US PRICE LIST

Standard Equipment

Alternator
Glow Plug
Rabbit
Clogged Air Filter
Low Fuel
PM Catalyst
Brake Fluid Level
Quick Coupler On
Engine Oil Pressure
ELECTRICAL

12V System
120 Amp Alternator with 900 CCA
battery
12V Electrical Socket in Cab
Back-up Alarm
Two Head Lights

Four Turning Lights
(2 in Front, 2 in Rear)
Two Stop Lights
Two Tail Lights
Two Front Work lights
Battery Disconnect

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry

Grounds Equipment Bid #ESCNJ 18/19-25

-CL8M 01



W80C COMPACT WHEEL LOADER **US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
W80C	13,184 LB		\$97,994.00
W80C HS	13,184 LB		\$100,786.00

USB included.



W80C COMPACT WHEEL LOADER US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
AB GROUP				
CAB				
CAB				
SD_05127 C/	AB			
734671	Canopy, ROPS			(\$4,500.00
	Must also order: 734672 Canopy Only - Vinyl Seat;			
	X05197X Canopy Only - No Heat;			
	X05136X - No Radio;			
	X30005X No Fire Estinguisher.			
734631	Base Cab			No Charge
734632	Deluxe Cab			\$2,166.00
	Internal covers for side pillars, metal A/C vents, side storage box			
	for personal belongings, fully adjustable steering column			
	(telescopic/tiltable), full steering column cover, two position			
	side window (partial / 180 degrees).			
CLIMATE CONTR	OL			
SD_05197 CI	LIMATE CONTROL			
734505	Heater			No Charge
734506	Air Conditioner w/ Heater			\$3,033.00
X05197X	Canopy Only - No Heat			No Charge
MISCELLANEOUS				
SD_05133 SE	EAT			
734589	Mechanical Seat			No Charge
734590	Air Seat			\$737.00
734672	Canopy Only - Vinyl Seat			No Charge
<u>'</u>			· · · · · ·	<u> </u>
SD 05136 R/	ADIO OPTION			
X05136X	No Radio			No Charge
	Wiring harness installed			· ·
734502	Radio Ready			\$217.00
	Wiring harness for radio, speakers installed. This option allows for			
	customer to install their own radio.			
734504	Radio with speakers		 	\$345.00
,5,554	Wiring harness for radio, speakers installed. Radio with MP3 and			ψ3 13.00
1 1	Training married for radio, opeanors motalical radio with the stand		1	

-CL8M 01



W80C COMPACT WHEEL LOADER US PRICE LIST

PO	WERTRAIN		
DF	RIVE		
	05 45004 AV	I FO FRONT AND READ	
		LES FRONT AND REAR	
\neg	Standard Sp 734665	Axles Limted Slip Diff. wd	No Charge
	734003	with wet disk service brakes	No Charge
		12.4 MPH (20KM/H)	
		12.4 (11) (2013)	
		Additional differential options (Open, Limited Slip & Diff Lock)	
		equipped	
		with caliper service brakes are available by special order.	
		Please contact Dealer Sales Support for pricing and availability.	
	High Speed	, <u>,</u>	
	734514	HS Axles Open wd	No Charge
		21.8 MPH (35 KM/H)	
		with wet disk service brakes	
	734513	HS Axles Limited Slip Diff. wd	\$3,033.00
		21.8 MPH (35 KPH) with wet disk service brakes	
_		Recommended for wet/snowy conditions.	
	734515	HS Axles Differential Lock wd	\$3,726.00
		21.8 MPH (35 KM/H)	
		with wet disk service brakes	
		capable of 100% differential lock	
LAN	IGUAGE OPTI	ONS	
OF	PERATOR MANU	JALS	
	0D 00000 DE	COAL O A LITERATURE	
_		CALS & LITERATURE	No Charre
-	734529 734533	Decal & Lit English Decal & Lit French	No Charge
-	734533	Decal & Lit French Decal & Lit Spanish	No Charge No Charge
	734340	Decar & Eli Opanion	140 Charge
ЦУΙ	DRAULICS		
1111	DIAULIUS		
H	'DRAULICS		
	DICKOLIGO		
	SD_20053 CR	REEP SPEED	
	X20053X		No Charge
	734583	Creep Speed	\$867.00
		Once Creep Speed is activated (switch on the dashboard), the	
		operator can set the engine RPM (dial switch on the	
		dashboard) and set the ground speed using a rocker switch	
		up to 3.2 MPH (5 KM/H).	

X20244X No Aux. Hyd. Drain Line



W80C COMPACT WHEEL LOADER US PRICE LIST

SD_20086 HY	DRAULIC COUPLER	
734516	Hyd. SSL Compatible Coupler	No Charge
734517	Hyd. Horizontal Pin Coupler	\$2,167.00
CD 20440 LIV	DRAIII IC ALIV	
SD_20119 HY 734586	Standard Auxiliary	No Charge
734300	Quick coupler allows 3rd function. Comes standard with connect	No Griarge
	under pressure connectors.	
734591	Standard Aux w/ High Flow	\$867.00
/ / / / / /	Option 734583 Creep Speed is mandatory with High Flow Aux.	φουν.ου
	Comes standard with connect under pressure connectors.	
Secondary A		<u> </u>
734584	Secondary Auxiliaries	\$1,733.00
	Quick coupler, allows 4th function. Comes standard with connect	ψ1,1 00.0X
	under pressure connectors.	
734585	Secondary Aux w/ High Flow	\$2,167.00
	Quick coupler, allows 4th function.	ΨΞ,137.10
	Option 734583 Creep Speed is mandatory with High Flow Aux.	
	Comes standard with connect under pressure connectors.	
SD_20176 RE		No Chara
-		·
734509	No Return To Dig	No Charge
782734	Return to Dig	\$651.00
SD_20178 RIE	DE CONTROL	
X20178X	No Ride Control	No Charge
734520	Auto Ride control	\$1,517.00
	Engages at approx 2.2 MPH (3.5 KM/H)	
	DRAULICS CONNECTORS STD AUX	(642.00
734614	Hydr. Non C.U.P. std aux	(\$43.00
734615	Hydr. C.U.P. std aux	No Charge
CD 20240 LIV	D. CONNECTORS SECONDARY AUX	
734618	Hyd. C.U.P. 2nd aux	\$217.00
	No Hyd. Connectors 2nd aux	No Charge
A20240A	No Tryd. Connectors and adx	No Charge
SD 20244 HV	D. CONNECT.W/ H.F.	
734621	Hydr. C.U.P. high flow	\$217.00
X20241X	No Hydr. Connectors high flow	No Charge
1 //20271/	110 Try dr. Controlled High How	ı No Charge
SD 20242 RF	M.DRAIN HYDR.OIL	
X20242X	No remote drain of hyd. oil	No Charge
734612	Remote drain of hyd. oil	\$130.00
1 101012		, \$100.00
SD_20244 AU	X HYDR DRAIN LINE	

No Charge



W80C COMPACT WHEEL LOADER US PRICE LIST

734636	Aux. Hyd. Drain Line Coupling	No Charge
734030	Aux. Tryu. Drain Line Coupling	No charge
MISCELLANEOU	<u> </u>	
OTHER OPTIONS		
SD_02025 CC	OLD WEATHER STARTING	
734574	Std Weather Package	No Charge
	One 900 CCA battery	
734654	Cold Weather w/ Block Heater	\$723.00
	Two 680 CCA batteries, Low-temp Hytran oil, engine block heater.	
	Rated down to -9.4F (-23C).	
	DAD AND WORK LIGHTS	
734508	2 Front work lights	(\$87.00)
734507	2 Front & 2 Rear work lights	No Charge
734663	LED 2 Front 2 Rear	\$423.00
CD 04000 AI	IVILIADY FRONT FLECTRIC	
X21009 AC	JXILIARY FRONT ELECTRIC	No Charge
734588	No Auxiliary Front Electric Front Electrical Socket	No Charge \$433.00
7 34300	Front Electrical Socket	1 \$433.00
SD 30005 FII	RE EXTINGUISHER	
	No Fire Extinguisher	No Charge
734524	Fire Extinguisher Mount	\$65.00
''''	Only available with Deluxe Cab option #734632	ψοσ.σο
	only available with Belake out option #101002	<u> </u>
SD_30047 BE	ACON	
	No beacon light	No Charge
782108	Rotating LED amber beacon	\$130.00
SD_40001 AE	DITIONAL COUNTERWEIGHT	
X40001X	No Additional Counterweight	No Charge
734523	Additional Counterweight	\$1,040.00
	330 lb. (150 kg) Additional Counterweight	
SD_43024 TC	OL BOX	
	No Tool Box	No Charge
734595	Tool Box (no tools)	\$87.00
	Contains no tools. Located outside of the cab on the driver's right	
	side.	
SD_V9000 TE		
XV9000X		No Charge
734017	NH FLEETFORCE	\$816.00

-CL8M 01

XU5102X No Tooth Protection



-CL8M 01

W80C COMPACT WHEEL LOADER **US PRICE LIST**

TIRES AND WHE	FLS	
SD_16066 W	/HEELS AND TIRES	
9420390	550/45 R22.5 Flotation Tire	\$2,588
9400051	14.5-20 MPT-04 Bias Mitas	(\$867.
9420375	365/80 R20 EM-01 Mitas	(\$347)
9420376	405/70 R20 EM-01 Mitas	(\$173
9420162	365/80 R20 STP9 L2 Dunlop	No Cha
9400025	405/70 R20 STP9 L2 Dunlop	\$433
9420386	360/80R20 NOKIAN SNW	\$2,165
SD_30045 W	/HEEL CHOCKS KIT	
X30045>	No Wheel Chocks	No Cha
734587	Wheel Chocks	\$173
DON'T ATTACK	MENTO	
RONT ATTACH	MEN15	
BUCKETS		
SD_U5101 C	OMPACT WHEEL LOADER BUCKETS	
XU51012	X No Bucket	No Cha
	t the Edenter	INU CITA
Horizontal	Pin Coupler Buckets	INO CITA
Horizontal 734576	· · · · · · · · · · · · · · · · · · ·	
	Pin Coupler Buckets	
	Pin Coupler Buckets 1.31 cu. yd. Bucket	\$2,42
734576	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket	\$2,42
734576	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket	\$2,42
734576 734609	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket	\$2,42 \$2,60
734576 734609 734578	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket	\$2,42 \$2,60
734576 734609 734578	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket	\$2,42° \$2,60° \$2,77°
734576 734609 734578 SSL Comp	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets	\$2,42° \$2,60° \$2,77°
734576 734609 734578 SSL Comp	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL	\$2,42° \$2,60° \$2,77°
734576 734609 734578 SSL Comp	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler	\$2,42 \$2,60 \$2,77
734576 734609 734578 SSL Comp	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516)	\$2,42 \$2,60 \$2,77 \$2,42
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler	\$2,42 \$2,60 \$2,77 \$2,42
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL	\$2,42 \$2,60 \$2,77 \$2,42
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler	\$2,42 \$2,60 \$2,77 \$2,42
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516)	\$2,42 \$2,600 \$2,773 \$2,42 \$3,46
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.70 cu. yd. Bkt - SSL Coupler	\$2,421 \$2,600 \$2,773 \$2,421 \$3,461
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.70 cu. yd. Bkt - SSL Coupler (1.3 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL	\$2,427 \$2,600 \$2,773 \$2,427 \$3,467
734576 734609 734578 SSL Comp 734623	Pin Coupler Buckets 1.31 cu. yd. Bucket (1.0 cubic meter); 82.68 in (2100 mm) Bucket 1.44 cu. yd. Bucket (1.1 cubic meter); 82.68 in (2100 mm) Bucket 1.70 cu. yd. Bucket (1.3 cubic meter); 82.68 in (2100 mm) Bucket atible Coupler Buckets 1.31 cu. yd. Bkt - SSL Coupler (1.0 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.44 cu. yd. Bkt - SSL Coupler (1.1 cubic meter); 82.68 in (2100 mm) Bucket for use with SSL Compatible Coupler (734516) 1.70 cu. yd. Bkt - SSL Coupler	\$2,427 \$2,600 \$2,773 \$2,427 \$3,467

No Charge

during a collision.

-CL8M 01



W80C COMPACT WHEEL LOADER US PRICE LIST

482088	Tooth Protection (2100 mm)	\$195.00
	Used while roading. Device covers ends of teeth for safety	
	during a collision.	
482084	Tooth Protection (2050 mm)	\$152.00
	Used while roading. Device covers ends of the teeth for safety	
	during a collision.	
SD_V5203 BI	JCKET ACCESSORIES	
XV5203X	No Bucket Accessories	No Charge
734572	Bucket Teeth (2050/2100 mm)	\$260.00
734571	Cutting Edge (2100 mm)	\$1,300.00
PALLET FORK AS	SEMBLY	
	FT FORKS	
	No Lift Forks	No Charge
	Pin Coupler Forks	<u> </u>
734573	48" Forks (1200 mm)	\$1,733.00
	tible Coupler Forks	
734642	48" Forks (1200mm) - SSL Coup.	\$1,174.00
T T =	ROTECT. DEVICE FORKS	
	No Protection Device Forks	No Charge
782064	Protection Device Forks	\$303.00
1 1	Used while roading. Device covers ends of the teeth for safety	

DIA KIts for C Series Compact Wheel Loaders Must order through Service Parts

Part Number	Description	DIA_KIT CWL W50C STD TC T4	DIA_KIT CWL W50C STD ZB T4	DIA_KIT CWL W80C HS ZB T4	DIA_KIT CWL W80C STD ZB T4
47700189	KIT, DIA, RIDE CONTROL W50C TC	Χ			
47700206	KIT, DIA, RIDE CONTROL W50C Z-BAR		Χ		
47700210	KIT, DIA, RIDE CONTROL W80C Z-BAR			Χ	Χ
47700216	KIT, DIA, RETURN TO DIG W50C TC	Χ			
47700231	KIT, DIA, RETURN TO DIG W50C Z-BAR		Χ		
47700233	KIT, DIA, RETURN TO DIG W80C Z-BAR			Χ	Χ
47700334	KIT, HYDRAULIC SYSTEM 4TH FUNCTION Z BAR		Χ	Χ	Χ
47700342	KIT, HYDRAULIC SYSTEM 4TH FUNCTION_TC	Χ			
47700352	KIT, HYDRAULIC SYSTEM 4TH FUNCT_TC_SKID	Χ			
47704680	KIT, HYD STD PROVISION W50C Z-BAR		Χ		
47704682	KIT, HYD STD PROVISION W50C TC	Χ			
47704686	KIT, HYD STD PROVISION W80C Z-BAR			Χ	Χ
47704938	KIT, DIA, HIGH FLOW			Χ	Χ
47705685	KIT, DIA, CREEP SPEED	Χ	Χ	Χ	Χ
47706103	KIT, HYD QUICK COUPLER STD_TC	Χ			
47706104	KIT, HYD QUICK COUPLER SKID_TC	Χ			
47706109	KIT, HYD QUICK COUPLER STD		Χ	Χ	Χ
47706111	KIT, HYD QUICK COUPLER SKID 50		Χ		
47706112	KIT, HYD QUICK COUPLER SKID 80			Χ	Χ
47716258	KIT, DIA, TELEMATICS	Χ	Χ	Χ	Χ
47724482	KIT, DIA, RADIO MP3_USB - NA	Χ	Χ	Χ	Χ
47724485	KIT, DIA, AUXILIARY FRONT, ELECTRICAL	Χ	Χ	Χ	Χ
47731629	KIT, AIR CONDITIONER AND HEATER W50C	Х	Χ		
47731630	KIT, AIR CONDITIONER AND HEATER W80C			Χ	Х
47771773	KIT, BUCKET CUTTING EDGE L 2100			Χ	Χ
47771776	KIT, BUCKET CUTTING EDGE L 2050	Х	Χ		
47771778	KIT, BUCKET CUTTING EDGE L 1900	Х	Χ		
47771779	KIT, BUCKET TOOTH L 2100-2050	Х	Χ	Χ	Х
47771780	KIT, BUCKET TOOTH L 1900	Х	Χ		
47838833	KIT, HYD DRAIN 3RD FUNCTION Z BAR		Χ	Χ	Х
47838834	KIT, HYD DRAIN 3RD FUNCTION TC	Х			