



July 2, 2018

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 18-33A

NEW HOLLAND DEALERS WITH MRT AGREEMENT

SUBJECT: TS6 SERIES: COMPLETE REVISION - EFFECTIVE 10/1/2018

Attached please find a complete revision of the TS6 Series tractor price and data pages which reflect a general economic increase for units invoiced 10/1/2018 and beyond.

The TS6 Series tractor product offering remains unchanged for Model Year 2019. Several long descriptions were changed for a better understanding of the option name and its purpose.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "TS6 Series." The latest published items will appear at the top of the list.

Christine Chleboun Director, Commercial Marketing New Holland, North America Dan Valen Director, Product Marketing New Holland, North America

Attachment

CNH Industrial America LLC 500 Diller Avenue, P.O. Box 1895 New Holland, PA 17557-0903 Telephone: (717) 355-1121 www.newholland.com/na



Index - TS6 Series Tractor

EQUIPMENT DESCRIPTION	LATEST REVISION	PAGE NUMBER
TS6.110, TS6.120, TS6.130, TS6.140 "Value" Packaged Tractors	10/01/18	2
TS6.110, TS6.120, TS6.130, TS6.140 "Plus" Packaged Tractors	10/01/18	14
TS6 High Clearance	10/01/18	25
Tire Chart	10/01/18	33
Referral Attachment - Front 3-Point Hitch & PTO	10/01/18	34
TS6 Tier 4B Dealer Installed Accessories	10/01/18	35

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Cab has ten repositionable vents for heating and air conditioning
- -Full-size instructor seat (option)
- -Creeper transmission (option)
- -4.5L, 4-cylinder, FPT engines with
- 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Cab, ROPS, 2WD or 4WD options
- -Factory Installed Joystick and loader mounts
- -Economy priced All Purpose Heavy tractor

ENGINE

тс6 110

Rated PTO HP - 90 Rated Engine HP - 110

Rated Engine Speed - @ 2200 rpm

274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged

Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96

Rated Engine HP - 119

Rated Engine Speed - @ 2200 rpm

274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged

Intercooled Engine

TS6.130

Rated PTO HP - 105

Rated Engine HP - 130

Rated Engine Speed - @ 2200 rpm

274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged

Intercooled Engine

TS6.140

Rated PTO HP - 115

Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm

274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged

Intercooled Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant

ECOBlue™ HI-eSCR Tier4B emmissions

system

Engine with Turbocharger and

Air-to-Air Intercooler

4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner

(spin tube intakes)

A-Pillar Exhaust with Integral Muffler

Air cleaner with integrated pre-cleaner &

dust ejector

Fixed Fan

Cooling System with Antifreeze

Water Separator and Dual Fuel Filters $\,$

Plastic Fuel Tank

57.5 gallon (217.6 liter) fuel capacity

7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

8 X 8 Power Shuttle

8 Forward x 8 Reverse

18.7 MPH (30 KPH)

Main gearbox synchronized in range

Left-hand shuttle lever

(2) Right-hand Shift Levers

Multiplate Wet Clutch (7) 6in. plates

Standard Equipment

STEERING	HYDRAULIC SYSTEM
 Hydrostatic Power Steering	Fixed displacement pumps
AXLES	Dual Gear Pumps Maximum Flow at Rated Engine Speed: Implement Pump: 22 gpm (includes Aux
Front - 2WD	Pump effective Oct 2017 production)
STD - 100" Wheel Base - TS6.110 &	Steering Pump: 7 gpm
TS6.120	Total Flow: 29 gpm
HD - 96" wheel Base - TS6.130 & TS6.140	(2) Close Center Deluxe Remotes (opt. for 3) with Flow Control and
55° Turning Angle	(4) Couplers
12° Axle Oscillation	(4) Coupleis
Adjustable Tread Width from 60 in.	3-POINT LIFT SYSTEM
to 80 in.	
00 00 III.	Top Link Draft Sensing
Front - FWD	3735 lbs. Lift Capacity @ 24 in. (ASAE)
99" Wheel Base TS6.110 & TS6.120	Category II, 3-point Linkage with Flexible
104" Wheel Base TS6.130 & TS6.140	Link Ends
TS6.110 & TS6.120 - Class 3 Standard	Telescopic Stabilizers
Duty	-
TS6.130 & TS6.140 - Class 3 Heavy	ELECTRICAL:
Duty	(1) 950 cca Heavy-Duty Battery
Limited Slip Front Wheel Drive	120 amp Alternator
Mechanical FWD Engagement	7-pin Outlet for trailer/implement lighting
55° Turning Angle	and signals
12° Axle Oscillation	3-pin Power Outlet (30 amp) - cab only
Front Drive Shaft Shield	Single Pin (8 amp) Accessory Power
Manual Adjustable Tread Width from	outlet
64 in. to 80 in.	12V power socket (cigarette lighter) -
	cab only
Rear	
Hydraulic Wet Brakes (equalizing)	INSTRUMENTATION:
Park Brake Lever	Analog Instrumentation with warning
Swinging Drawbar	lights for air cleaner service,
Manual Adjustable Tread Width from	alternator, oil pressure, fuel
64 in. to 80 in.	sediment/water sensor, PTO
D.T.O.	engagement, head light high beam,
PTO	low fuel and parking brake,
Independent F40/1000 xxxx DTO	digital speed readout (cab only)
Independent, 540/1000 rpm PTO Multi-plate Wet Clutch	Gauges for fuel level, engine
Multi-plate wet Clutch Mechanical Engagement	temperature, tachometer and hour meter
riechanical bugayement	Horn
	110111



Standard Equipment

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

CAB

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

CAB MODELS

ROPS protected, FOPS Certified, flat deck platform with heat and air

conditioning, tinted windshield, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension,
operator's presence sensor,

operator's presence sensor, retractable seat belt and arm rests Suspended pedals Radio ready, wires, speakers, and antenna

Front window washer and wiper

MISCELLANEOUS

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY

New Holland Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	2WD	8,532 LB	9046672P08	\$59,836.00
Includes the following E 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (83	404) \$839.00				
TS6.110 T4B	Rops	MFD	9,700 LB	9052117P26	\$66,817.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,799.00				
TS6.110 T4B	Cab	2WD	9,281 LB	9055660P02	\$71,359.00
Includes the following E 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (83	404) \$839.00				
TS6.110 T4B	Cab	MFD	10,450 LB	9061105P20	\$78,340.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,799.00				
TS6.120 T4B	Rops	2WD	8,532 LB	9050151P66	\$64,297.00
Includes the following E 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (83	404) \$839.00				
TS6.120 T4B	Rops	MFD	9,700 LB	9055596P84	\$71,278.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	Equipment 201703) \$1,799.00				
TS6.120 T4B	Cab	2WD	9,281 LB	9059139P60	\$75,820.00
Includes the following E 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (83	404) \$839.00				
TS6.120 T4B	Cab	MFD	10,450 LB	9064584P78	\$82,801.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,799.00				
TS6.130 T4B	Rops	2WD	8,576 LB	9054054P00	\$69,300.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	Equipment AxI (8180522) \$839.00	•	.,		, , , , , , , , , , , , , , , , , , ,
TS6.130 T4B	Rops	MFD	9,877 LB	9059499P18	\$76,281.00
Includes the following E		·			7: 5,=5:100



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
13.6R28 MICHELIN (82 18.4R34 MICHELIN (83		99.00 87.00	•		
TS6.130 T4B	Cab	2WD	9,326 LB	9063041P94	\$80,823.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	AxI (8180522)	\$839.00 87.00			
TS6.130 T4B	Cab	MFD	10,626 LB	9068487P12	\$87,804.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,7	99.00 87.00			
TS6.140 T4B	Rops	2WD	8,576 LB	9059778P42	\$76,639.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	Áxl (8180522)	\$839.00 87.00			
TS6.140 T4B	Rops	MFD	9,877 LB	9065223P60	\$83,620.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,7	99.00 87.00			
TS6.140 T4B	Cab	2WD	9,326 LB	9068766P36	\$88,162.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	AxI (8180522)	\$839.00 87.00			
TS6.140 T4B	Cab	MFD	10,626 LB	9074211P54	\$95,143.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,7	99.00 87.00			



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGE SELEC	CTION			
SD_T9980 PA	CKAGING			
3D_19900 17 X0255XX				No Charge
,	8 x 8 transmission only			
	18.7 MPH (30 KPH) only			
<u> </u>	, , ,	!	· · · · ·	
TRANSMISSION				
SD_T2810 TR	ANSMISSION	•		
330059	8x8 With Power Shuttle			No Charge
	8x8 Power Shuttle			
390340	8x8 with Synch Mech Rev		(901446P90)	(\$1,855.00)
	8x8 Mechanical Shuttle			
SD T3330 CE	REEPER or Interlock			
330066	10:1 CREEPER FOR 8+8		9001906P32	\$2,444.00
	Creeper Transmission		30010001 02	Ψ2,444.00
	NOT Compatible with 16x8 (330061) AND 46" rear			
	wheels (8360761 or 8360781).			
			•	
FRONT AXLE				
				_
SD_T4010 FR	ONT AXLE			
330403	Standard 2WD front axle			No Charge
	For TS6.110 and TS6.120 only			
390373	2WD Front Axle HD		9002014P74	\$2,583.00
	Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and			
	TS6.140			
	if MODEL is TS6.140			No Charge
	if MODEL is TS6 130 NH	1		No Charge

REAR AXLE

SD_T3200 REAR AXLE

_	<u> </u>	***************************************		
Ī	330331	98 in. bar axle (Steel Wheels)	9001252P68	\$1,606.00
L		Includes Extremity lights (fold down safety flashers)		
Ī	390331	Heavy-duty Flange Axle		No Charge

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

2WD Front	ONT WILLES AND TIMES		
8114404	10.00-16 8PR F2	9000654P42	\$839.00
	Firestone Brand - 2WD		
8180522	10.00 x 16 8ply For HD Axle	9000654P42	\$839.00
	Firestone Brand - 2WD		
8199101	Front Shipping Wheels-2wd	9000086P58	\$111.00
	2WD Shipping Wheels		
	(NOT compatible with Heavy Duty 2WD front axle 390373)		
8843901	Front Shipping Wheels 2WD HD	9000086P58	\$111.00
	Requires 2WD Heavy Duty axle 390373		
4WD Front		,	
8248641	12.5/80-18 R4	9001281P54	\$1,643.00
	Requires 19.5Lx24 R4 Rear Tires		
8201702	13.6R24 MICHELIN	9001347P06	\$1,727.00
	Requires 18.4R30 R1W Rear Tires		
8201703	13.6R28 MICHELIN	9001403P22	\$1,799.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001630P20	\$2,090.00
	Requires 12.4x42 Rear Tires		
8201704	14.9R28 MICHELIN	9001603P68	\$2,056.00
	Models TS6.110/TS6.120 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8201705	380/85R30 MICHELIN	9001603P68	\$2,056.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9001856P40	\$2,380.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003172P26	\$4,067.00
	Requires 14.9R46 (380/85R46) Rear Tires		

	8299905	Front Shipping Wheels-4WD	9000147P42	\$189.00
		4WD Shipping Wheels		
Γ	8201708	13.6R38	9002264P34	\$2,903.00
L		Requires 320/90R54 R1W - Bar Single Rear Tires		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle			
8391505	19.5Lx24 10PR R4	9002329P08	\$2,986.00
8301702	18.4R30 MICHELIN	9002319P72	\$2,974.00
8301707	520/70R38 MICHELIN	9005458P44	\$6,998.00
	520/70R38 R1W Michelin Omnibib		
8301703	18.4R34 MICHELIN	9002719P86	\$3,487.00
8301705	18.4R38 MICHELIN	9003166P02	\$4,059.00
8380100	12.4x42 8PR R1	9003499P08	\$4,486.00
8399905	Shipping Wheels-Rear	9000555P36	\$712.00
Bar Axle - S	singles		
8301708	520/85R38 MICH BAR S	9005539P56	\$7,102.00
	520/70R38 R1W Michelin Omnibib		
8301806	320/90R54 MICHELIN	9004699P50	\$6,025.00
	Requires 13.6 R38 128A8/125B Front Tires		
8301704	18.4R34-MICH BAR S	9002719P86	\$3,487.00
8301706	18.4R38 MICH BAR S	9003166P02	\$4,059.00
8318590	Single 12.4 x 42 R1	9003499P08	\$4,486.00
8360761	320/90R46 R-1 - Bar Single	9004277P52	\$5,484.00
	Requires 250/95 R34 R1 Front Tire		
8399906	Rear Shipping Wheels	9000555P36	\$712.00
Bar Axle - D	Duals		
8301711	18.4R34-MICH BAR D	9005441P28	\$6,976.00
8301712	18.4R38-MICH BAR D	9006334P38	\$8,121.00
8318690	DUAL 12.4x42 R1 - An	9006997P38	\$8,971.00

HYDRAULICS

SD_T8270 REAR	REMOTES
---------------	---------

	429473	3 Bosch RR Flow Ctrl	9000786P24	\$1,008.00

334923

Carrier less front weights

TS6 T4B VALUE US PRICE LIST

10	ADED DEADY	ORTIONS		
LO	ADER READY	DPTIONS		
	CD T0110 1.0	DADER BRACKETS		
	429475	Loader Ready 429475	9004009P20	\$5,140.00
	429473	,	9004009F20	φ3,140.00
		Includes loader mounting brackets (horizontal and verticle), 2 slice		
		mid-mount loader valve and joystick control, with hoses from the		
		mid-mount valve (MMV) to the multi-coupler. Includes tractor half		
		of the multi-coupler. Does not include front end loader frame,		
		buckets or attachments. Refer to 805 Series loader pages to order		
		suitable front end loader. Order base loader, desired bucket or		
		attachments and multi-coupler 4 hose cap (MC4) if a non-self		
		leveling (NSL) base loader. For 3rd loader function, must order		
		diverter valve kit and electric joystick handle kit.		
3-P0	OINT HITCH			
RE	AR 3 POINT HI	тсн		
	SD_T8240 EX	(TERNAL LIFT CONTROL		
	330845	External 3-pt Control for MDC	9000137P28	\$176.00
		Mechanical ground control for 3 point hitch		
		(not compatible with 2 external lift cylinders 339784)		
	SD_T8950 AL	JX RAMS		
	390344	Hyd Lift w/ 1 int. cyl		No Charge
		1 Internal Lift Ram		
		3,735 pounds lift capacity		
	336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000534P30	\$685.00
		1 Auxiliary Lift Ram		
		5,499 pounds lift capacity		
	•			
WFI	IGHTS			
FR	ONT WEIGHTS			
	SD T2150 FF	CONT BALLAST		
$\neg \vdash$	330213	Front Weight Carrier +8 wghts	9000932P88	\$1,196.00
	333210	Front weight carrier & 8 weight slices (31kgs / 68 lbs each)	00000021 00	ψ1,100.00
+	330214	Front Weight Carrier +12 wghts	9001319P76	\$1,692.00
	330214	Front weight carrier & 12 weight slices (31kgs / 68 lbs each)	3001313170	Ψ1,092.00
+		1 Total weight carrier a 12 weight shoes (31kgs / 00 h)s each)		

\$304.00

9000237P12

REAR WHEEL	WEIGHTS		
SD T4961	REAR BALLAST		
Bar Axle			
33693	5 6 Rear wheel weights	9000639P60	\$820.00
	6 rear wheel weights for bar axle (65 kgs / 143 lbs each)		
33435		9001066P26	\$1,367.0
	10 rear wheel weights for bar axle (65 kgs / 143 lbs each)		
Flange /			
33249	7 12 Rear wheel weights	9001276P86	\$1,637.0
	12 rear wheel weights for flange axle		
	(40 kgs / 88 lbs each)total 1056 lbs.		
	ONLY compatible with 18.4-38 rear wheels		
33013	8 6 rear wheel wts	9000639P60	\$820.0
	6 rear wheel weights (40 kgs / 88 lbs each)		
	for flange axle , total 528 lbs.		
	ONLY compatible with 16.9-30 & 18.4-30 rear wheels		
33047	1 6 Rear Wheel Weights	9000639P60	\$820.0
	6 rear wheel weights (40 kgs / 88 lbs each)		
	for flange axle , total 528 lbs.		
	ONLY compatible with 18.4-34 & 18.4-38 rear wheels		
CAB OPTION			
	HIGH VISIBILITY WINDOW		
33474	3 High-visibility window	9000401P70	\$515.0
SEATS			
SD_T8500	SEAT		
33692	Air suspension seat w/swivel	9000711P36	\$912.0
	With 15 degree swivel		
INSTRUCTOR	SEAT		
SD_T5702	INSTRUCTOR SEAT		
33693		9000435P24	\$558.0



	REA	R WINDOW W	IPER/WASHER		
	S	D_T9150 RE	AR WIPER & WASHER		
		330642	Rear wiper/washer - CAB	9000205P92	\$264.00
			Rear window wiper/washer for Cab		
I	RAD	OIO			
	S	D_T9160 RA	DIO READY		
		392295	Radio 392295	9000184P86	\$237.00
М	ISC	ELLANEOUS	8		
F	EN	DERS FRONT			
	S	D_T8740 FR	ONT FENDERS		
		336940	Front Fenders-Dynamic	9000555P36	\$712.00
			Requires 331497 axle oscillation stops.		
E	BRA	KES/TRAILER	BRAKE		
	S	D_T7130 TR	LR BRK VLV		
		330718	Hydraulic trailer brakes	9000692P64	\$888.00
(HTC	IER			
	S	D_T4011 FR	ONT AXLES ACCESSO		
		331497	Axle oscillation stops	9000024P96	\$32.00
			Oscillation stops are required for 336940 dynamic		
			front fenders		
ı	REV	ERSE ALARM			
	S	D_T9249 RE	VERSE ALARM	 	
		330692	Reverse Alarm	9000127P92	\$164.00
I	ROP	S CANOPY			
	S		NOPY		
		335857	Canopy	9000602P16	\$772.00
			Only for Open Station POPS tractor		



RUB	BER FLOOR N	MAT		
SI	D_T5701 FL0	OOR MAT		
	334742	Rubber floor mat	9000080P34	\$103.00
		Only for open station ROPS tractors		
OPER	ATOR'S MA	NUALS		
SI	D_T9802 OP	PERATORS MANUAL		
	333986	Spanish Operator's Manual,		No Charge
	334651	NAR French Ops Manua		No Charge



Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -High visibility panel provides a better view of loader when at full height
- -Ten repositionable vents for heating and air conditioning
- -Full-size instructor seat
- -Creeper transmission option
- -4.5L, 4-cylinder, FPT engines with
- 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Cab, ROPS, 2WD or 4WD options
- -Factory Installed joystick and loader mounts (optional)
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged

Intercooled Diesel Engine

TS6.120
Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130
Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged Intercooled Diesel Engine

TS6.140
Rated PTO HP - 115
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
2WD - 18.7 MPH (30 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever

(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates



Standard Equipment

HYDRAULIC SYSTEM STEERING _____ _____ Hydrostatic Power Steering Fixed displacement pumps Dual Gear Pumps AXLES Maximum Flow at Rated Engine Speed: Implement Pump: 22 gpm (includes Aux Front - 2WD Pump effective Oct 2017 production) STD - 100" Wheel Base - TS6.110 & Steering Pump: 7 gpm TS6,120 Total Flow: 29 gpm HD - 96" wheel Base - TS6.130 & (2) Close Center Deluxe Remotes (opt. TS6.140 f/3 & 4) with Flow Controls and 55° Turning Angle (4) Couplers 12° Axle Oscillation Adjustable Tread Width from 60 in. 3-POINT LIFT SYSTEM to 80 in. ______ Top Link Draft Sensing Front - FWD 5499 lbs. Lift Capacity @ 24 in. (ASAE) 99" Wheel Base TS6.110 & TS6.120 Category II, 3-point Linkage with Flexible 104" Wheel Base TS6.130 & TS6.140 Link Ends TS6.110 & TS6.120 - Class 3 Standard Telescopic Stabilizers Duty TS6.130 & TS6.140 - Class 3 Heavy ELECTRICAL: Duty (1) 950 cca Heavy-Duty Battery Limited Slip Front Wheel Drive 120 amp Alternator Mechanical FWD Engagement 7-pin Outlet for trailer/implement lighting 55° Turning Angle and signals 12° Axle Oscillation 3-pin Power Outlet (30 amp) - cab only Front Drive Shaft Shield Single Pin (8 amp) Accessory Power Manual Adjustable Tread Width from outlet 64 in. to 80 in. 12V power socket (cigarette lighter) cab only Rear Hydraulic Wet Brakes (equalizing) INSTRUMENTATION: Park Brake Lever Analog Instrumentation with warning Swinging Drawbar lights for air cleaner service, Manual Adjustable Tread Width from alternator, oil pressure, fuel 64 in. to 80 in. sediment/water sensor, PTO engagement, head light high beam, PTO low fuel and parking brake, digital speed readout Independent, 540/1000 rpm PTO Gauges for fuel level, engine Multi-plate Wet Clutch temperature, tachometer and hour Mechanical Engagement meter Horn

-T1HP 02

TS6 T4B PLUS US PRICE LIST

AGRICULTURE

Standard Equipment

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and

(4) cab mounted worklights

Rear: (4) cab mounted worklights Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-

mounted flat deck platform

with rubber floor mat

Steering Wheel - adjustable tilt

Seat - Vinyl covered with mechanical

suspension, operator's presence

sensor, retractable seat belts and

arm rests

Suspended pedals

Locking brake pedals

CAB MODELS

ROPS protected, FOPS certified, flat

deck platform

with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side windows,

hinged rear window (opens

completely)

Steering Wheel - adjustable tilt

Seat - Cloth covered with air suspension,

operator's presence sensor, retractable

seat belt and arm rests

Instructor seat

Suspended pedals

Radio complete with radio, wires,

speakers, and antenna

Front and rear window washer and

wiper

Overhead high visibility window

Sun visor

MISCELLANEOUS

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY

New Holland Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	2WD	8,532 LB	9046672P08	\$59,836.00
Includes the following I 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (8					
TS6.110 T4B	Rops	MFD	9,700 LB	9052117P26	\$66,817.00
Includes the following B 13.6R28 MICHELIN (8 18.4R34 MICHELIN (8	201703) \$1,799.00				
TS6.110 T4B	Cab	2WD	9,281 LB	9055660P02	\$71,359.00
Includes the following E 10.00-16 8PR F2 (811- 18.4R34 MICHELIN (8	4404) \$839.00				
TS6.110 T4B	Cab	MFD	10,450 LB	9061105P20	\$78,340.00
Includes the following E 13.6R28 MICHELIN (8 18.4R34 MICHELIN (8	201703) \$1,799.00				
TS6.120 T4B	Rops	2WD	8.532 LB	9050151P66	\$64,297.00
Includes the following E 10.00-16 8PR F2 (811- 18.4R34 MICHELIN (8	\$839.00 \$839.00				
TS6.120 T4B	Rops	MFD	9,700 LB	9055596P84	\$71,278.00
Includes the following E 13.6R28 MICHELIN (8 18.4R34 MICHELIN (8	Equipment 201703) \$1,799.00				. ,
TS6.120 T4B	Cab	2WD	9,281 LB	9059139P60	\$75,820.00
Includes the following E 10.00-16 8PR F2 (8114 18.4R34 MICHELIN (8	4404) \$839.00				
TS6.120 T4B	Cab	MFD	10,450 LB	9064584P78	\$82,801.00
Includes the following E 13.6R28 MICHELIN (8 18.4R34 MICHELIN (8	201703) \$1,799.00				
TS6.130 T4B	Rops	2WD	8,576 LB	9054054P00	\$69,300.00
Includes the following B 10.00 x 16 8ply For HD 18.4R34 MICHELIN (8	Equipment 0 AxI (8180522) \$839.0	•	, 3,3.122		733,33300
TS6.130 T4B	Rops	MFD	9,877 LB	9059499P18	\$76,281.00
Includes the following I		1 5	, 0,077 LD	0000 7001 10	Ψ1 0,201.00



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	, , , , , , , , , , , , , , , , , , , ,				
TS6.130 T4B	Cab	2WD	9,326 LB	9063041P94	\$80,823.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	AxI (8180522) \$839.00				
TS6.130 T4B	Cab	MFD	10,626 LB	9068487P12	\$87,804.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	201703) \$1,799.00				
TS6.140 T4B	Rops	2WD	8,576 LB	9059778P42	\$76,639.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	ÁxÍ (8180522) \$839.00				
TS6.140 T4B	Rops	MFD	9,877 LB	9065223P60	\$83,620.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	equipment 201703) \$1,799.00				
TS6.140 T4B	Cab	2WD	9,326 LB	9068766P36	\$88,162.00
Includes the following E 10.00 x 16 8ply For HD 18.4R34 MICHELIN (83	AxI (8180522) \$839.00				
TS6.140 T4B	Cab	MFD	10,626 LB	9074211P54	\$95,143.00
Includes the following E 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83					



Factory Supplied Options

	Factory Supplied Option	0115		
Order Code	Description	Weight	Factory Data	List Price
PACKAGE SELEC	CTION			
SD_T9980 PA X0256XX	CKAGING			
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plus package and pricing includes:			
	Flus package and pricing includes.			
	All configurations: 16x8 DualPower, auxiliary hydraulic pump,			
	and one external lift ram.			
	and one external lift ram.			
	Cab: Air suspension seat, instructor seat,			
	rear wiper/washer, radio and high visibility panel.			
	real wiper/washer, radio and high visibility panel.			
	ROPS: Rubber floor mat			
	ROFS. Rubber 11001 Illat			
	4WD only: 25mph (40 kph)			
	if TRACTION is 2WD		9002155P14	\$2,763.00
	and VERSION is Rops		90021331 14	Ψ2,103.00
	if TRACTION is MFD		9002347P02	\$3,009.00
	and VERSION is Rops			. ,
	if TRACTION is 2WD		9004014P66	\$5,147.00
	and VERSION is Cab			
	if TRACTION is MFD		9004204P98	\$5,391.00
	and VERSION is Cab			
TRANSMISSION				
0D T0040 TD	ANIONIOGIONI			
SD_T2810 TR		1		No Channa
330061	16x8 With Power Shuttle			No Charge
	16x8 DualPower Power Shuttle			
	NOT O (It Is It Is			
	NOT Compatible with Creeper (330066) AND rear			
	wheels 8360781.	ļ	<u> </u>	
SD_T3230 CF	PEEDED or Interlock			
330066	REEPER or Interlock 10:1 CREEPER FOR 8+8		9001906P32	\$2,444.00
330000			9001900F32	φ ∠ ,444.00
	Creeper Transmission			
	NOT Compatible with 16x8 (330061) AND 46" rear			
	NOT Companion with 10x0 (330001) AND 40 Teal			

wheels (8360761 or 8360781).

FRONT AXLE

SD_T4010 FRONT AXLE

ſ	330403	Standard 2WD front axle		No Charge
L		For TS6.110 and TS6.120 only		
	390373	2WD Front Axle HD	9002014P74	\$2,583.00
		Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and		
L		TS6.140		
		if MODEL is TS6.140		No Charge
ſ		if MODEL is TS6 130 NH		No Charge

REAR AXLE

SD_T3200 REAR AXLE

	330331	98 in. bar axle (Steel Wheels)	9001252P68	\$1,606.00
		Includes Extremity lights (fold down safety flashers)		
	390331	Heavy-duty Flange Axle		No Charge

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

2WD Front			
8114404	10.00-16 8PR F2	9000654P42	\$839.00
	Firestone Brand - 2WD		
8180522	10.00 x 16 8ply For HD Axle	9000654P42	\$839.00
	Firestone Brand - 2WD		
8199101	Front Shipping Wheels-2wd	9000086P58	\$111.00
	2WD Shipping Wheels		
	(NOT compatible with Heavy Duty 2WD front axle 390373)		
8843901	Front Shipping Wheels 2WD HD	9000086P58	\$111.00
	Requires 2WD Heavy Duty axle 390373		
4WD Front			
8248641	12.5/80-18 R4	9001281P54	\$1,643.00
	Requires 19.5Lx24 R4 Rear Tires		
8201702	13.6R24 MICHELIN	9001347P06	\$1,727.00
	Requires 18.4R30 R1W Rear Tires		
8201703	13.6R28 MICHELIN	9001403P22	\$1,799.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001630P20	\$2,090.00
	Requires 12.4x42 Rear Tires		



8201704	14.9R28 MICHELIN	9001603P68	\$2,056.00
	Models TS6.110/TS6.120 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8201705	380/85R30 MICHELIN	9001603P68	\$2,056.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9001856P40	\$2,380.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003172P26	\$4,067.00
	Requires 14.9R46 (380/85R46) Rear Tires		
8299905	Front Shipping Wheels-4WD	9000147P42	\$189.00
	4WD Shipping Wheels		
8201708	13.6R38	9002264P34	\$2,903.00
	Requires 320/90R54 R1W - Bar Single Rear Tires		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle			
8391505	19.5Lx24 10PR R4	9002329P08	\$2,986.00
8301702	18.4R30 MICHELIN	9002319P72	\$2,974.00
8301703	18.4R34 MICHELIN	9002719P86	\$3,487.00
8301705	18.4R38 MICHELIN	9003166P02	\$4,059.00
8380100	12.4x42 8PR R1	9003499P08	\$4,486.00
8399905	Shipping Wheels-Rear	9000555P36	\$712.00
Bar Axle - Si	ngles		
8301708	520/85R38 MICH BAR S	9005539P56	\$7,102.00
	520/70R38 R1W Michelin Omnibib		
8301806	320/90R54 MICHELIN	9004699P50	\$6,025.00
	Requires 13.6 R38 128A8/125B Front Tires		
8301704	18.4R34-MICH BAR S	9002719P86	\$3,487.00
8301706	18.4R38 MICH BAR S	9003166P02	\$4,059.00
8318590	Single 12.4 x 42 R1	9003499P08	\$4,486.00
8360761	320/90R46 R-1 - Bar Single	9004277P52	\$5,484.00
	Requires 250/95 R34 R1 Front Tire		
8399906	Rear Shipping Wheels	9000555P36	\$712.00
Bar Axle - D	uals		
8301711	18.4R34-MICH BAR D	9005441P28	\$6,976.00
8301712	18.4R38-MICH BAR D	9006334P38	\$8,121.00
8318690	DUAL 12.4x42 R1 - An	9006997P38	\$8,971.00

IYDRAULICS			
REAR REMOTE	/ALVES		
SD_T8270 R	EAR REMOTES	1	
429473	3 Bosch RR Flow Ctrl	9000786P24	\$1,008.00
429474	4 Bosch RR Flow Ctrl	9001570P92	\$2,014.00
LOADER READY	OPTIONS		
SD T8110 L	OADER BRACKETS		
429475	Loader Ready 429475	9004009P20	\$5,140.00
	Includes loader mounting brackets (horizontal and verticle), 2 slice		
	mid-mount loader valve and joystick control, with hoses from the		
	mid-mount valve (MMV) to the multi-coupler. Includes tractor half		
	of the multi-coupler. Does not include front end loader frame,		
	buckets or attachments. Refer to 805 Series loader pages to order		
	suitable front end loader. Order base loader, desired bucket or		
	attachments and multi-coupler 4 hose cap (MC4) if a non-self		
	leveling (NSL) base loader. For 3rd loader function, must order		
	diverter valve kit and electric joystick handle kit.		
-POINT HITCH	ITCH		
REAR 3 POINT H	XTERNAL LIFT CONTROL		
REAR 3 POINT H	XTERNAL LIFT CONTROL External 3-pt Control for MDC	9000137P28	\$176.00
REAR 3 POINT H	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch	9000137P28	\$176.00
REAR 3 POINT H	XTERNAL LIFT CONTROL External 3-pt Control for MDC	9000137P28	\$176.00
REAR 3 POINT H SD_T8240 E 330845 SD_T8950 A	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS		
REAR 3 POINT H SD_T8240 E 330845	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl	9000137P28 9000475P80	\$176.00 \$610.00
REAR 3 POINT H SD_T8240 E 330845 SD_T8950 A	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams		
REAR 3 POINT H SD_T8240 E 330845 SD_T8950 A	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl		
REAR 3 POINT H SD_T8240 E 330845 SD_T8950 A	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams		
SD_T8240 E	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity		
SD_T8240 E	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity		
SD_T8240 E	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity	9000475P80	\$610.00
SD_T8240 E	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity		\$610.00
SD_T8240 E	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity S RONT BALLAST Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each)	9000475P80 9000475P80	\$610.00 \$1,692.00
SD_T8240 E	XTERNAL LIFT CONTROL External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity S RONT BALLAST Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each) Front Weight Carrier +16 wghts	9000475P80	\$610.00
SD_T8240 E	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784) UX RAMS Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity S RONT BALLAST Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each)	9000475P80 9000475P80	\$610.00 \$1,692.00



RE	AR WHEEL WE	EIGHTS		
	SD_T4961 RE	EAR BALLAST		
	Bar Axle	O December description	00000000000	Ф000 00
	336935	6 Rear wheel weights	9000639P60	\$820.00
\vdash	004054	6 rear wheel weights for bar axle (65 kgs / 143 lbs each)	0004000000	#4.007.00
	334354	10 rear wheel weight	9001066P26	\$1,367.00
\vdash	Flamma Anda	10 rear wheel weights for bar axle (65 kgs / 143 lbs each)		
\vdash	Flange Axle 332497	12 Rear wheel weights	9001276P86	\$1,637.00
	332497	12 rear wheel weights for flange axle	9001276F86	\$1,037.00
		(40 kgs / 88 lbs each)total 1056 lbs.		
		ONLY competible with 19.4.29 rear wheels		
\vdash	330138	ONLY compatible with 18.4-38 rear wheels 6 rear wheel wts	9000639P60	\$820.00
	330130	6 rear wheel weights (40 kgs / 88 lbs each)	90000391 00	ψ020.00
		for flange axle, total 528 lbs.		
		To hange axie, total 326 lbs.		
		ONLY compatible with 16.9-30 & 18.4-30 rear wheels		
\vdash	330471	6 Rear Wheel Weights	9000639P60	\$820.00
	000111	6 rear wheel weights (40 kgs / 88 lbs each)		ψ020.00
		for flange axle , total 528 lbs.		
		To hange axie, total ozo iss.		
		ONLY compatible with 18.4-34 & 18.4-38 rear wheels		
MIS	CELLANEOU	8		
FE	NDERS FRONT	•		
		RONT FENDERS		^- 10.00
	336940	Front Fenders-Dynamic	9000555P36	\$712.00
		Requires 331497 axle oscillation stops.		
	ALCEO/TO ALL ES	A DDAVE		
BK	RAKES/TRAILER	SONANE		
	SD_T7130 TF	D DDV VI V		
	330718	Hydraulic trailer brakes	9000692P64	\$888.00
ш	330710	Trydraulic trailer brakes	9000092F04	φοσο.υυ
ОТ	HER			
	SD_T4011 FR	RONT AXLES ACCESSO		
	331497	Axle oscillation stops	9000024P96	\$32.00
		Oscillation stops are required for 336940 dynamic		
		front fenders		
	•	•		

REVERSE	ALARM			
SD_T92	249 RE	VERSE ALARM	 	
3	30692	Reverse Alarm	9000127P92	\$164.00
ROPS CAI	NOPY			
SD_T87	771 CA	NOPY		
3	35857	Canopy	9000602P16	\$772.00
		Only for Open Station ROPS tractor		
RUBBER I	FLOOR M	MAT		
SD_T5	701 FLC	OOR MAT	 	
3	34742	Rubber floor mat		No Charge
		Only for open station ROPS tractors		
OPERATO	R'S MA	NUALS		
SD_T98	802 OP	ERATORS MANUAL		
	33986	Spanish Operator's Manual,		No Charge
3	34651	NAR French Ops Manua		No Charge



TS6 T4B HIGH CLEARANCE US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- -VisionView™ cab
- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Cab has ten repositionable vents for heating and air conditioning w/dual fan
- -Full-size instructor seat (option)
- -Creeper transmission (option)
- -4.5L, 4-cylinder, FPT engines with
 4 valves per cylinder, and common rail
 fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Offering to fit customer; Cab or ROPS

ENGINE

TS6.120

Fixed Fan

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant

ECOBlue™ HI-eSCR Tier4B emmissions
system

Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pe-cleaner &
dust ejector

Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8X8 Mechanical Shuttle 8 Forward x 8 Reverse gears

Creeper transmission
Synchronized gear change
Main gearbox synchronized
Left-hand shuttle lever
14" cerametalic clutch
18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTC

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

AXLES

Front Axle - FWD:
Class III Standard Duty
Limited Slip Front Wheel Drive Axle
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation Drive Shaft Shield
Front Drive Shaft Shield
Manual Adjustable Tread Width from
72 in. to 84 in.
Maximum Axle Clearance - 28 in.

Rear Axle:

Drop Box Final Drives

Hydraulic Wet Brakes (equalizing)

Park Brake Lever

TS6 T4B HIGH CLEARANCE US PRICE LIST

Standard Equipment

Manual Adjustable Tread Width from 72 in. to 84 in.

Maximum Drawbar Support Clearance - 30 in.

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm (includes Aux
Pump effective Oct 2017 production)
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes with
Flow Controls, Adjustable Detents and
(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder
Top Link Draft Sensing
3735 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout (cab only) Gauges for fuel level, engine temperature, tachometer and hour meter

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals

3-pin Power Outlet (30 amp) - cab only Single Pin (8 amp) Accessory Power outlet 12V power socket (cigarette lighter) cab only

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

CAB

OPERATOR PROTECTIVE STRUCTURE:
ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests Suspended pedals

CAB MODELS

Locking brake pedals

ROPS protected, FOPS Certified, flat deck platform with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side windows, hinged rear window (opens completely)

Steering Wheel - adjustable tilt

Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt and arm rests

Suspended pedals, Radio ready, wires, speakers, and antenna

Front window washer and wiper



TS6 T4B HIGH CLEARANCE US PRICE LIST

Standard Equipment

MISCELLANEOUS	WARRANTY				
Front push frame mounts	New Holland Standard Warranty Applies				

Pivoting Engine Hood SMV Emblem Toolbox

TS6 T4B HIGH CLEARANCE US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB	9065551P20	\$84,040.00
Includes the following Equipment 13.6R38 MICHELIN (8201706) \$2,235.00 13.6R38 MICHELIN HC (8301709) \$2,235.00					
TS6.120 HC T4B	Cab & High Clearance	MFD	11,442 LB	9074443P98	\$95,441.00
Includes the following E 13.6R38 MICHELIN (82 13.6R38 MICHELIN HC	201706) \$2,235.00				

8399905 Shipping Wheels-Rear

TS6 T4B HIGH CLEARANCE US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
TRANSMISSION				
TRANSMISSION				
SD_T2810 TF	RANSMISSION			
330059	8x8 With Power Shuttle		9001446P90	\$1,855.00
	8x8 Power Shuttle			, ,
390340	8x8 with Synch Mech Rev			No Charge
	8x8 Mechanical Shuttle			
SD T3230 CF	REEPER or Interlock			
330066	10:1 CREEPER FOR 8+8			No Charge
	Creeper Transmission			9
	NOT Compatible with 16x8 (330061) AND 46" rear			
	wheels (8360761 or 8360781).			
390266	L/CREEPER FOR 8+8		(901906P32)	(\$2,444.00
	Less Creeper Option		(33 333 3)	(, ,
IRES				
FRONT WHEELS	& TIRES			
SD T4040 EE	RONT WHEELS AND TIRES			
4WD Front	CONT WHELES AND TIKES			
8201706	13.6R38 MICHELIN		9001743P30	\$2,235.00
8296801	12.4R x 46 R2 - ANY BR		9003484P26	\$4,467.00
8215404	9.5R48 R1W Wide Track		9003573P18	\$4,581.00
8299905	Front Shipping Wheels-4WD		9000147P42	\$189.00
	4WD Shipping Wheels			,
		•	•	
REAR WHEELS &	TIRES			
SD_T4950 RE	EAR WHEELS AND TIRES			
Flange Axle				
8301709	13.6R38 MICHELIN HC		9001743P30	\$2,235.00
	Requires 13.6R38 Front Tires			
8390701	12.4R X46 R2 8390701		9003484P26	\$4,467.00
	Requires 12.4 x 46 R2 Front Tires			
8903401	230/95R48 R1W		9003573P18	\$4,581.00
	Requires 230/9.5 x 48 Rear Tires			
0000005				A-10

9000555P36

\$712.00



TS6 T4B HIGH CLEARANCE US PRICE LIST

HYDRAULICS			
REAR REMOTE	/ALVES		
KLAK KLWOTL	VALVES		
SD T8270 R	EAR REMOTES		
429473	3 Bosch RR Flow Ctrl	9000786P24	\$1,008.00
429474	4 Bosch RR Flow Ctrl	9001570P92	\$2,014.00
	12330174171311341	300.0.0.02	ψ=,σ:σσ
3-POINT HITCH			
3-1 01141 1111011			
REAR 3 POINT H	ITCH		
SD_T8240 E	XTERNAL LIFT CONTROL		
330845	External 3-pt Control for MDC	9000137P28	\$176.00
	Mechanical ground control for 3 point hitch		
	(not compatible with 2 external lift cylinders 339784)		
SD_T8950 A	UX RAMS		
390344	Hyd Lift w/ 1 int. cyl		No Charge
	1 Internal Lift Ram		
	3,735 pounds lift capacity		
336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000534P30	\$685.00
	1 Auxiliary Lift Ram		
	5,499 pounds lift capacity		
339784	Hyd Lift w/ 1 int. & 2 ext cyl	9001010P10	\$1,295.00
	2 Auxiliary Lift Rams		
	7,326 pounds lift capacity		
WEIGHTS			
FRONT WEIGHT	S		
	RONT BALLAST		
330213	Front Weight Carrier +8 wghts	9000932P88	\$1,196.00
	Front weight carrier & 8 weight slices (31kgs / 68 lbs each)		
330214	Front Weight Carrier +12 wghts	9001319P76	\$1,692.00
	Front weight carrier & 12 weight slices (31kgs / 68 lbs each)		
330218	Front Weight Carrier +16 wghts	9001444P56	\$1,852.00
	Front weight carrier & 16 weight slices (31kgs / 68 lbs each)		
334923	Carrier less front weights	9000237P12	\$304.00

TS6 T4B HIGH CLEARANCE US PRICE LIST

OPTION					
ATS					
SD T8500 SE	АТ				
336923			9000711P36	\$912.00	
	With 15 degree swivel			·	
TRUCTOR SEA	T				
SD T5702 INS	STRUCTOR SEAT				
336937			9000435P24	\$558.00	
				, , , , , , , , , , , , , , , , , , , ,	
AR WINDOW W	IPER/WASHER				
OD T0450 DE	AD WIDER A WARVER				
			0000205002	\$264.00	
330042	· ·		90002031 92	Ψ204.00	
-					
DIO					
1			1		
392295	Radio 392295		9000184P86	\$237.00	
SELLANEOUS					
AKES/TRAILER	BRAKE				
11120/110/112211	DIVINE				
SD_T7130 TR	LR BRK VLV				
330718	Hydraulic trailer brakes		9000692P64	\$888.00	
VERSE ALARM					
SD T9249 RF	VERSE ALARM				
PS CANOPY					
on To	No.				
1			00000000000	\$772.00	
333031	• •		3000002F10	Φ112.00	
	336923 STRUCTOR SEA SD_T5702 INS	SD_T8500 SEAT 336923 Air suspension seat w/swivel With 15 degree swivel With 15 degree swivel STRUCTOR SEAT SD_T5702	SD_T8500_SEAT 336923	SD_T8500 SEAT	

TS6 T4B HIGH CLEARANCE US PRICE LIST

AGRICULTURE

RUBBER FLOOR MAT					
	SD_T5701 FL	OOR MAT			
	334742	Rubber floor mat	9000080P34	\$103.00	
		Only for open station ROPS tractors			
OPE	RATOR'S MA	NUALS			
	SD_T9802 OF	PERATORS MANUAL			
	SD_T9802 OF	PERATORS MANUAL Spanish Operator's Manual,		No Charge	



TS6 Tier 4B Tire Charts

Tire Combinations - **TS6.110, TS6.120, TS6.130, TS6.140**

		FRONT Wheels for 4WD FRONT AXLE							FRONT Wheels for 2WD FRONT AXLE						
										13.6 R38 128A8/125B TL					
All Purpose Standard Tractor	Туре	12.5/80-18 R4	13.6R24 R1W	13.6R28 R1W	14.9R28 R1W	380/85R30 R1W	12.4x28 R1	250/95R34 R1	320/85R34 R1	AGRIBIB - 54" Front	FR Shipping Whl	10.00x16 8ply	(F2) Firestone	Front S	Ship Whl
Туре	Variant	8244641	8201702	8201703	8201704	8201705	8282201	8248621	8248631	8201708	8299905	8114404	8180522	8199101	8843901
REAR Wheels for Flange Axle												Std. Duty F. Axle	HD Front Axle	Std. Duty F. Axle	HD Front Axle
19.5Lx24 10 ply R4	8391505	Х										Х	Х	Х	Х
18.4R30 R1W Michelin Agribib	8301702		Х									X	Х	Х	Х
18.4R34 R1W Michelin Agribib	8301703			Χ								X	Х	X	Х
18.4R38 R1W Michelin Agribib	8301705				TS6.110/120	TS6.130/140						Х	Х	Х	Х
520/70R38 R1W Michelin Omnibib	8301707				TS6.110/120	TS6.130/140						X	Х	Х	Х
12.4x42 R1 Firestone	8380100						Х					Х	Х	Х	Х
RR Shipping Wheels	8399905										Х	Х	Х	Х	Х
REAR SINGLE Wheels for 98" Bar Axle													,		
18.4R34 R1W Michelin Agribib	8301704			X								Х	Х	X	Х
18.4R38 R1W Michelin Agribib	8301706				TS6.110/120	TS6.130/140						Х	X	X	Х
520/70R38 R1W Michelin Omnibib	8301708				TS6.110/120	TS6.130/140						Х	X	X	Х
12.4x42 R1 Firestone	8318590						Х					Х	Х	X	Х
320/90R46 R1 Goodyear *	8360761							Х				Х	X	X	Х
380/85R46 R1 Goodyear *	8360781								Х			Х	Х	X	Х
320/90R54 R1W - Bar Single	8301806									Х		N/A	N/A	N/A	N/A
RR Shipping Wheels	8399906										Х	Х	Х	Х	X
REAR DUAL Wheels for 98" Bar Axle															
18.4R34 R1W Michelin Agribib	8301711			Х								Х	Х	Х	Х
18.4R38 R1W Michelin Agribib	8301712				TS6.110/120	TS6.130/140						Х	Х	Х	Х
12.4x42 R1 Firestone	8318690						Х					Х	Х	Х	Х

* Not compatible with 16x8 and creeper transmission #330066

Tire Combinations - TS6.120 High Clearance

RR Shipping Wheels

6R38 R1V
3201706
Χ

8399905

FRONT Wheels for 4WD FRONT AXLE								
13.6R38 R1W	12.4R46 R2	230/9.5R48 R1W	FR Ship Whl					
8201706	8296801	8215405	8299905					
Х								
	Х							
		Х						
			Х					

Authorized Referral Attachment:

Front 3-Point Hitch & Front PTO for New Holland TS6 Series (Tier 4B TS6)



For customers looking for additional TS6 versatility and productivity, a front 3-point hitch, with or without front PTO, is available from Zuidberg North America, Inc.

For process information and pricing, please contact:

Zuidberg North America Inc. 3105 Capital Way, Suite 1 Cedar Falls, IA-50613 United States of America Toll free: 844-791-4674 Phone: 319-553-4800

E-mail: sales@zuidbergna.com Web: www.zuidbergna.com

Front hitch features (TS6 Tier 4B tractors):

- Lift capacity up to 6200 lbs (2800 kg)
- Two double acting lift cylinders with multi-valve for double/single acting operation
- Cat. II width with Cat. IIIL quick couplers and balls
- Compatible with New Holland front loaders for TS6-series
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible w/ 2WD tractors
- Optional equipment:
 - Front hydraulic outlets, chain hooks and accumulator
 - o Weight frame, to carry tractor original suitcase weights
 - Push bar and torsion tube for pushing applications
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction

Front PTO features (TS6 Tier 4B tractors):

- Wet plate clutch with internal oil pump
- Adjustable engagement to accommodate different implements
- PTO options:
 - o 1000 rpm clockwise rotation, 1 3/8" shaft, 21 spline
 - o 1000 rpm counter clockwise rotation, 1 3/8" shaft, 6 spline
 - o 540 clockwise rotation, 1 3/8 shaft, 6 spline
 - o 1000 rpm variants handle full engine performance
 - o 540 CW variant max. 80 HP (overload protection required)
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible with 2WD tractors
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction.

Please be advised that Zuidberg North America Inc. is responsible for service parts, warranty and service support.

Grounds Equipment Bid #ESCNJ 18/19-25

	Service Parts Supplied Dealer Installed Acessories (DIA's)	TS6 Tier 4B Models and Configurations									
Part Number	DIA Description	TS6.110	TS6.120	TS6.130	TS6.140	ROPS	CAB	2WD	4WD	All Purpose	High Clear
	Engine Engine										
710206034	110 volt Engine block heater	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
	Vehicle										
47805466	Clevis for draw bar (110,120)	Х	Х			Х	Х	X	Х	Х	Х
47805469	Clevis for draw bar (130,140)			Х	Х	Х	Х	Х	Х	Х	
47805455	Front weight carrier + 8 weight slices	X	Х	Х	Х	Х	Х	X	Х	Х	Х
47805457	Front weight carrier + 16 weight slices	X	Х	Х	Х	Х	Х	X	Х	X	Х
47805459	6 rear weight slices (incl. 30" & 12 slice adaptor kits), Black	Χ	Χ	Х	Х	Х	Χ	Χ	Χ	Χ	Х
47805463	Dynamic Front Fenders for MFWD (110,120)	X	Х	-	-	Х	Х	-	Х	Х	_
718510024	Dynamic Front Fenders for MFWD (130,140)	-	-	Х	Х	Х	Х	-	Х	Х	_
					\vdash						_
	Cab										
47805414	2 additional front + 2 additional rear worklights for cab(Total 4 front and	Х	Х	Х	Х	-	Х	Х	Х	Х	Х
	rear) NH 2 additionI front + 2 additional rear worklights for cab(Total 4 front and	.,	.,	-							
47805420	rear) CIH	Х	Х	Х	Х		Х	Х	Х	Х	Х
710879250	2 x Telescopic External Mirrors (Shatter proof & Large head)	X	X	Х	Х	-	Х	X	X	X	Х
47805427	Rear window washer & wiper	X	X	X	X	-	X	X	X	X	X
718130060 718121253	Monitor Mounting Bracket (baler control box) Instructor seat DIA NH	X	X	X	X	-	X	X	X	X	X
710121230	mondotor sear BWTTT		^								
	ROPS										
47805456	Floor mat (Platform) Rops	Х	Χ	Χ	Χ	Χ	-	Χ	Χ	Χ	Χ
47805467 47911750	Canopy, Blue Steel FOPS (White) Recommended for loader installation	X	X	X	X	X	-	X	X	X	X
4/311/30	Steel FOF3 (Willie) Recommended for loader installation		^	^	^	^	_			^	^
47805476	Rotating beacon F/Cab	Х	Х	Х	Х	-	Х	Х	Х	Х	Х
47805477	Back-up alarm	X	Х	Х	Х	Х	Х	X	X	Х	Х
47805481	Extremity Lights for Duals ROPS	X	Х	Х	Х	Х	_	X	Х	Х	
47805483	Extremity Lights for Duals CAB	X	X	X	X	-	Х	X	X	X	-
	Driveline										
48048942	Trailer Brake- Tier 3 & 4B (not for High Clearance)	X	Х	Х	Х	Х	Х	X	X	Х	
	Hydraulics										
47932558	Auxiliary hydraulic pump kit (9 gpm)	X	Х	Х	Х	X	Х	X	X	Х	Х
	ramany ryanama parrip int (a gpirry			<u> </u>							
47805493	From 2 Deluxe Valves to 3 Cab for Sohipren	Х	Х	Х	Х		Χ	Х	Х	Х	Х
47805497	From 3 Deluxe Valves to 4 Cab for Sohipren	Х	Χ	Χ	Χ		Χ	Χ	Χ	Χ	Χ
47805499	From 2 Deluxe Valves to 3 Platform for Sohipren	Х	Х	Х	Х	Х		Х	Х	Х	Х
47805500 47805484	From 3 Deluxe Valves to 4 Platform for Sohipren	X	X	X	X	Х		X	X	X	X
47805484 47805488	Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren	X	X	X	X		X	X	X	X	X
47929594	From 2 Deluxe Valves to 3 Cab for Bosch	X	X	X	X		X	X	X	X	X
47929596	From 3 Deluxe Valves to 4 Cab for Bosch	Х	Х	Х	Х		Х	Х	Х	Х	Х
47929608	From 2 Deluxe Valves to 3 Platform for Bosch	Х	Х	Χ	Χ	Χ		Х	Χ	Χ	Х
47929610	From 3 Deluxe Valves to 4 Platform for Bosch	X	X	Х	Х	Χ		X	Х	X	Х
47932560 47033573	Mid-Mount Loader Valve & Joystic (NH Cab) Bosch	X	X	X	X	<u> </u>	X	X	X	X	X
47932573	Mid-Mount Loader Valve & Joystic (NH ROPS) Bosch 3-Point Hitch	X	Х	Х	Х		Х	X	Х	Х	Х
47805472	LH Single Auxillary 3 PT Hitch Lift Ram Kit (+ 1,800 lbs. capacity)	Χ	Χ	Х	Х	Х	Χ	Χ	Χ	Χ	Х