



July 2, 2018

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 18-35A

NEW HOLLAND DEALERS WITH MRT AGREEMENT

SUBJECT: T5 SERIES: COMPLETE REVISION - EFFECTIVE 10/1/2018

Attached please find a complete revision of the T5 Series tractor price and data pages which reflect a general economic increase for units invoiced 10/1/2018 and beyond.

The T5 Series tractor product offering remains unchanged for Model Year 2019.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "T5 Series." The latest published items will appear at the top of the list.

Christine Chleboun Director, Commercial Marketing New Holland, North America Dan Valen Director, Product Marketing New Holland, North America

Attachment

CNH Industrial America LLC 500 Diller Avenue, P.O. Box 1895 New Holland, PA 17557-0903 Telephone: (717) 355-1121 www.newholland.com/na

Bid Term: 2/20/19 - 2/19/21



Index - T5 Series Tractor

EQUIPMENT DESCRIPTION	LATEST REVISION	PAGE <u>NUMBER</u>
T5.90 DC, T5.100 DC, T5.110 DC, T5.120 DC - Dual Command™	10/01/18	1
Service Parts Supplied Accessories – T5 Dual Command™	10/01/18	10
Tire Chart – T5 Dual Command™	10/01/18	11
T5.110 & T5.120 Electro Command™	10/01/18	12
Service Parts Supplied Accessories – T5 Electro Command™	10/01/18	23
Tire Chart - T5 Electro Command™	10/01/18	24

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -High visibility panel provides a better view of loader when at full height
- -Ten repositionable vents for heating and air conditioning
- -Full-size instructor seat
- -Electro Hydraulic shuttle lever
- -24x24 Dual Command™ transmission
- -Power clutch to allow for gear changes without the use of the foot clutch
- -3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- -Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- -Factory Installed Loader available

T5.90 DC

86 Gross Engine hp

73 PTO hp @ 2300 rpm

4 Cyl Turbocharged Engine

207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp

85 PTO hp @ 2300 rpm

4 Cyl Turbocharged Engine

207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp

93 PTO hp @ 2300 rpm

4 Cyl Turbocharged Engine

207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp

100 PTO hp @ 2300 rpm

4 Cyl Turbocharged Engine

207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:

(SCR + CEGR)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Constant Engine RPM

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Dual Element Air Filter

Vertical Exhaust

30.3 gal Fuel Tank with Guard

2.8 gal AdBLUE DEF Tank

Front Axle Support with access for

Front Pump

Parking brake

TRANSMISSION:

LH side steering column mounted

Power Shuttle

24 Forward X 24 Reverse Speeds

(4) Synchronized Gears with a

HiLo in each Gear

Power clutch button on Gear lever

to allow for gear changes without

the use of the foot clutch
(3) Non-synchronized Ranges

Forward Reverse Synchronized Shuttle

25 mph (40 kph)

Speed varies with tire selection

${\tt STEERING/BRAKES:}$

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assited

AXLES:

FRONT

Heavy Duty 4WD

Electrohydraulic FWD Engagement

Adjustable Tread Width

Standard Equipment

REAR

Heavy Duty Flange Type Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps with Cooler

Implement Pump: 16.9 gpm (63.8 L)

Steering Pump: 9.7 gpm (37.0 L)

Total Flow: 26.6 gpm (100.8 L)

(2) Open Center Remote Valves with

detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent

Hydraulic Engagement

Flip-up PTO Shaft Guard

540/1000 rpm

Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control

Cab - Electronic Draft Control with

Fender mounted controls

ROPS - Mechanical Draft Control with

Lift-O-Matic Plus

5,620 Pounds Lift Capacity

Category II Ends

Telescopic Stabilizers

Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting

and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power

outlet

CAB - 2 - 12V power sockets

ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and

(2) cab mounted worklights

Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)

Steering Wheel - tilt & telescope

Seat - Cloth covered air suspension

seat with 10 degrees swivel, operator's presence sensor,

retractable seat belt and arm rests

Suspended pedals

Radio, speakers, and antenna

Standard Equipment

ROPS MODELS

2-Post Foldable ROPS with ISO mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
 suspension, operator's presence
 sensor, retractable seat belts and
 arm rests
Suspended pedals

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

Locking brake pedals

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity

bucket attach

Max Height @ 800mm: 2,632 LBS 59" high @ 800mm: 3,638 LBS Breakout Force @ 800mm: 4,455 LBS Reach @ Max Lift Height: 43" Reach @ Ground Level: 91" Bucket Rollback Angle: 44 degrees Bucket Dump Angle: 60 degrees Skid Steer or Euro style Loader 665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"

Dump Clearance: 102.2"
Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 3,428 LBS 59" high @ 800mm: 5,549 LBS Breakout Force @ 800mm: 5,661 LBS Reach @ Max Lift Height: 43"

Reach @ Ground Level: 93

Bucket Rollback Angle: 40 degrees Bucket Dump Angle: 60 degrees Skid Steer or Euro style Loader

bucket attach



Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB	9060804P12	\$77,954.00
Includes the following Equipmen	nt	•	•	
	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5.90 DC	Rops	8,157 LB	9051159P42	\$65,589.00
Includes the following Equipmer	nt			
	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5.100 DC	Cab	8,157 LB	9062666P76	\$80,342.00
Includes the following Equipmer	nt			
	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5.100 DC	Rops	8,157 LB	9053022P06	\$67,977.00
Includes the following Equipmer	nt			
14.9R24 R1W (8239404)	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5 440 D0		0.4574.01	2024747	A 00 000 00
T5.110 DC	Cab	8,157 LB	9064711P14	\$82,963.00
Includes the following Equipmer				
` ,	\$2,099.00 \$3,734.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5.110 DC	Rops	8,157 LB	9055066P44	\$70,598.00
Includes the following Equipmen	-	, -, -, -		* -,
14.9R24 R1W (8239404)	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5.120 DC	Cab	10,031 LB	9066551P94	\$85,323.00
Includes the following Equipmen	nt			
14.9R24 R1W (8239404)	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			
T5 400 D0	T ₅		005000555	A== === ==
T5.120 DC	Rops	8,157 LB	9056907P24	\$72,958.00
Includes the following Equipmer				
` ,	\$2,099.00			
18.4R34 R1W (8365404)	\$3,721.00			



Factory Supplied Options

Order Code Description Weight	Factory Data	List Price
-------------------------------	--------------	------------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

ROPS			
392315	Platform w/Foldable ROPS		No Charge
	Includes tilt column		
334190	Deluxe Platform w/FOPS	9001258P14	\$1,613.00
	Includes tilt column, FOPS canopy, noise reduction kit		
	and 12V power outlet		
Cab			
744588	Deluxe Cab		No Charge
	Includes instructor seat, rear wiper and washer,		
	radio & internal mirror		
334183	Deluxe Cab w/HiVis Panel	9000421P98	\$541.00
	Includes high visibility panel, instructor seat,		
	rear wiper and washer, radio & internal mirror		

POWER TRAIN

TRANSMISSION

SD_T2820 PARK LOCK

	743551	Parking Lock	9000039P78	\$51.00
	759176	Hand Brake		No Charge
		Hand operated parking brake lever		
		Standard Equipment		

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires					
	8232404	11.2R24 R1W		9000911P04	\$1,168.00
	8235404	12.4R24 R1W		9001087P32	\$1,394.00
	8236404	13.6R24 R1W		9001330P68	\$1,706.00
	8239404	14.9R24 R1W		9001637P22	\$2,099.00
Specialty Front Tires					
	8290904	12.5/80-18 10PR R4		9001300P26	\$1,667.00

	8873402	360/80R20 TRI 2 HD	9001481P22	\$1,899.00
		Municipal tread		
	8247404	11.2R28 R1W	9001123P98	\$1,441.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tire	es		
8355404	16.9R30 R1W	9001975P74	\$2,533.00
	4WD Front Tire - 11.2R24 (8232404)		
8357404	18.4R30 R1W	9002635P62	\$3,379.00
	4WD Front Tire - 12.4R24 (8235404)		
8302804	16.9R34 R1W	9001896P96	\$2,432.00
	Front Tire - 13.6R24 (8236404)		
8365404	18.4R34 R1W	9002902P38	\$3,721.00
	4WD Front Tire - 14.9R24 (8239404)		
Specialty Re	ear Tires		
8391904	19.5L-24 10 PR R4	9002013P18	\$2,581.00
	4WD Front Tire - 12.5/80-18 (8290904)		
8906401	440/80 R30	9002759P64	\$3,538.00
	Municipal tread		
	4WD Front Tire - 360/80R20 (8873402)		
8372404	13.6R38 R1W 8372404	9001770P60	\$2,270.00
	4WD Front Tire - 11.2R28 (8247404)		

HYDRAULICS

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

	338125	2Mid-Mount w/Mec Joystick	9001123P98	\$1,441.00
		2 function mid-mount valve and joystick		
	336780	2Mid-Mount w/Mec Joystick +Div	9001686P36	\$2,162.00
		2 function mid-mount valve and joystick with 3rd function diverter		
		Requires a Loader		
		Bucket with Grapple NOT AVAILABLE as Factory Installed		

LOADER

LOADER

SD T8110	LOADER BRACKETS
----------	-----------------

	336740	HD Non Self Leveling Ldr +SSQA	9005319P60	\$6,820.00
		665TL Non Self Leveling with Skid Steer Style Attachment		
	336742	HD Non Self Leveling Ldr +Euro	9005319P60	\$6,820.00
		665TL Non Self Leveling with Euro Style Attachment		



Total weight - 837 lbs (380 kg)

T5 DUAL COMMAND US PRICE LIST

	US PRICE LIST		
336744	HD Self Leveling Ldr +SSQA	9006162P78	\$7,901.00
	665TL Mechanical Self Leveling with Skid Steer Style Attachment		. ,
336746	HD Self Leveling Ldr +Euro	9006162P78	\$7,901.00
	665TL Mechanical Self Leveling with Euro Style Attachment		
SD_T8140 B 336750	84" Bucket	9000713P70	\$915.00
	04 Bucket	9000713170	ψ913.00
НІТСН			
REAR 3 POINT H	TCH		
SD T8130 3	POINT HITCH CONTROL		
332035	Mech 3 Pt Hitch Ground Control	9000197P34	\$253.00
1 002000	Most of this order of the control of		Ψ200.00
SD_T8200 H	ITCH		
758931	MDC HPL+LOM+2AUX	9000811P20	\$1,040.00
	2 auxiliary lift rams for ROPS		
	8,000 lbs lift capacity		
758932	EDC HPL + 2 AUX	9000811P20	\$1,040.00
	2 auxiliary lift rams for Cab		
	8,000 lbs lift capacity		
CAB OR ROPS P	LATFORM		
OTHER			
CD T0700 D	IN CONNECTOR		
334994	IN CONNECTOR STD+30+HRN+ACS+MON	9000059P28	\$76.00
334994	Monitor mounting bracket, 30Ah socket & 2-12V power outlets	9000039F28	\$70.00
	Cab ONLY		
	Cab ONL1		
WEIGHTS			
FRONT			
CD T0450 5	DON'T DALL ACT		
333215	Front Carrier +6 88 lb Weights	9000620P10	\$795.00
333213	Total weight - 661 lbs (300 kg)	30000201 10	Ψ1 95.00
335215	8 WEIGHTS 40 KG - CA	9000784P68	\$1,006.00
333213	O WEIGHTO TO NO TO A	3000704100	ψ1,000.00



Spanish operator manual

T5 DUAL COMMAND US PRICE LIST

RI	EΑ	R			
	S	D_T4961 RE	AR BALLAST	 	
		330470	4 x 110 lb Rear Wheel Weights	9000483P60	\$620.00
			Total weight - 440 lbs (200 kg)		
			NOT compatible with 24" rear tires option		
MIS	SCI	ELLANEOUS	3		
FE	ENI	DERS FRONT			
	SI	D_T8700 FE	NDERS		
		744599	Rear Fenders w/Extensions	9000125P58	\$161.00
FE	ENI	DERS REAR			
	SI	D_T8740 FR	ONT FENDERS		
		744674	Dynamic Fenders	9000542P10	\$695.00
OP	ER	RATOR'S MA	NUALS		
	S	D_T9840 CC	UNTRY CONFIGURATION		
		334256	Canada (FR) Config ROPS		No Charge
			French operator manual		
	Т	334257	USA Spanish Configuration		No Charge

Part Number	Description	T5.90 DC, T5.100 DC,	T5.110 DC, T5.120 DC	Notes	
	HYDRAULICS	ROPS	САВ		
719195700	Third rear remote valve with lever control	Х		Tractor must have 2nd rear remote valve installed.	
719195701	Third rear remote valve with lever control		Х	Tractor must have 2nd rear remote valve installed.	
719405700	First rear remote valve flow control	Х		Tractor must have 2nd rear remote valve installed. Not compatible with 3 rear remote valves.	
719405701	First rear remote valve flow control		Х	Tractor must have 2nd rear remote valve installed. Not compatible with 3 rear remote valves.	
719124720	Two mid mount valves with joystick control	X	X	Includes trim kit	
	WEIGHTS				
710225250	Front End weight bracket				
710226250	6 Front Weights 88 lbs each (528 lbs total)	X	X	Requires front end weight bracket #710225250	
710249250	8 Front Weights 88 lbs each (704 lbs total)	X	X	Requires front end weight bracket #710225250	
710471250	4 Rear Wheel Weights 110 lbs each (440 lbs total)	X	X	For 28" and 30" rear wheels	
710465250	6 Rear Wheel Weights 70 lbs each (420 lbs total)	X	X	For 24" wheels	
	ELECTRICAL				
710762251	Rotary Beacon Kit	Х		Connects to 12V power socket	
710462252	Rotary Beacon Kit		Х	Connects to 12V power socket	
719216250	Engine Block Heater Kit	Х	Х		
81864735	4 Pin Outlet (25 amp) Electrical Plug				
86508819	Single Pin Male (8 amp) Electrical Plug				
718122950	Back Up Alarm		Х		
	PLATFORM				
718130050	Monitor Mounting Bracket		Х		
718462250	White Canopy	Х		FOPS Compliant	
718463250	Blue Canopy	X		FOPS Compliant	
	LOADER				
	DIA	Х	Х	See 600TL Series Loader Price and Data Pages	
	3rd Function Diverter Valve	Х	Х	NOT AVAILABLE AS DIA	
715824136	Grill Guard Insert	X	X	Order from 600TL Series Loader Price and Data Pages	
	MISCELLANEOUS				
718057720	Dynamic Front Fenders	Х	Х	Requires 4WD - 14.9-24, 14.9R24, 11.2-28, 11.2R28, 13.6-24 13.6R24, 12.4-24 or 12.4R24	
719430250	Bolt-on Cutting Edge for 84" Bucket	Х	Х		

Bid Term: 2/20/19 - 2/19/21

T5 Dual Command™ TIRE CHART					
Time Trues	Annlingtion	Rear	Tires	Matching 4W	D Front Tires
Tire Type	Application	Tire	Order Code	Tire	Order Code
		16.9R30	8355404	11.2R24	8232404
Dodial	Agricultural D4M	18.4R30	8357404	12.4R24	8235404
Radial	Agricultural - R1W	16.9R34	8302804	13.6R24	8236404
		18.4R34	8365404	14.9R24	8239404
	Narrow	13.6R38	8372404	11.2R28	8247404
Specialty	Industrial - R4	19.5L24	8391904	12.5/80-18	8290904
	Municipal	440/80R30	8906401	360/80R20	8873402

Standard Equipment

KEY SELLING POINTS (some features are optional equipment): -16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature -Comfort Ride™ cab suspension for a smoother ride - Optional -Auto PTO manages PTO engagment in relation to the rear hitch position -Engine Speed Management (constant engine RPM) - 2 settings -Terralock $\mbox{\em m}$ automatic traction system -Terraglide™ opt. front axle suspension -Opt TerraGlide™ class 1.5 HD front axle -CommandArc™ ergonomics -Optional LED work lights -200 degree windshield wiper -Standard high visibility panel (opening) -(10) repositionable AC/heater vents -Full-size instructor seat -Electrohydraulic armrest-mntd joystick -Hydraulic shuttle lever -finger control -3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems -8,084 lb. 3-point lift capacity -Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Cayalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel

MODELS:

T5.110
107 gross engine HP
93 PTO HP @ 2300 rpm
4-cyl. turbocharged and intercooled
207 cu. in. (3.4 L) displacement
4 valves per cylinder

particulate filter, no regeneration req.

T5.120 117 gross engine HP 100 PTO HP @ 2300 rpm 4-cyl. turbocharged and intercooled 207 cu. in. (3.4 L) displacement 4 Valves per cylinder

KEY COMMON FEATURES & OPTIONS:

- -16X16 Electro Command transmission with optional Auto Shift feature
- -Optional Suspended cab w/HiVis panel
- -Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- -Opt. premium air suspension seat with armrests, backrest, and heated cushion
- -Full-size, deluxe radio with Bluetooth $^{\text{\tiny{M}}}$
- -Telescopic rearview mirror option
- -(3) closed center rear remotes option
- -Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- -Auto PTO option
- -Engine block heater option

ENGINE:

-Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
-Electronic injection Bosch high-pressure common rail system
-Engine Speed Management
-Electric engine shutoff
-Grid heater starting Aid
-Dual element air filter
-Vertical exhaust
-43.6 gallon (165 L) fuel tank with guard
-3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch

Standard Equipment

STEERING/BRAKES:

- -Hydrostatic power steering
- -Hydraulic wet brakes (equalizing and self-adjusting)
- -Park brake

FRONT AXLE:

- -Class 1.5 w/Auto 4WD management
- -Limited slip differential
- -Opt. electrohydraulic FWD engagement
- -Opt. suspended front axle

-REAR AXLE:

- -Heavy-duty flange
- -Dog clutch differential lock
- -Auto differential lock management
- -Electrohydraulic rear differential lock

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- -Tandem gear pumps
- -Maximum flow at rated engine speed:
- -Implement pump: 21.1 gpm (80 l/m)
- -Steering pump: 11.4 gpm (43 1/m)
- -(2) closed center rear remote valves configurable detent w/ quick release couplers

PTO:

- -Fully independent
- -Flip-up PTO shaft guard
- -540/1000 rpm interchangeable shaft
- -Electrohydraulic engagement
- -Multi-plate clutch
- -Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- -Right hand console-mounted mouse
- -Electronic Draft Control (EDC)
- -Fast raise/lower control
- -8,084 lb. lift cap (OECD, 90% psi at 24"
- rear of lower link balls)
- -Category II flexible lower link ends
- -Telescopic stabilizers

INSTRUMENTATION:

- -Analog/digital instrument panel with:
 - -Integrated warning lights
 - -Analog fuel, temp., and temp. gauges
 - -Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- -(1) 12-volt, 800 CCA battery
- -120-amp alternator
- -7-pin outlet for implement lighting
- -3-pin connector (TYCO CPC)
- -Single pin (8-amp) power outlet
- -Detusch diagnostic port

LIGHTING:

- -(2) Halogen front hood headlights
- -(2) Front and (2) rear cab work lights
- -Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- -Flat deck platform and integral ROPS
- -Heater and air conditioner
- -"A" pillar exhaust
- -(2) tinted doors with locks
- -Partially opening tinted side windows
- -Hinged tinted rear window
- -Rear cab access plug for imp. wires
- -Front and rear wipers and washers
- -Tilt and telescoping steering wheel
- -Fixed external mirrors
- -Radio and speakers
- -Deluxe air suspension seat with operator's presence and seat belt
- -Instructor's seat with seat belt
- -HiVis panel (overhead window-opens)

MISCELLANEOUS:

- -One-piece hood with gas strut
- -Swinging drawbar
- -SMV emblem
- -Toolbox

WARRANTY:

New Holland standard warranty applies

Bid Term: 2/20/19 - 2/19/21

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB	9073692P06	\$94,477.00
Includes the following Equipment 14.9R24 A8 HD Rim (8242301) 460/85(18.4)R34 A8 FI,MI,C (836540	\$2,098.00 (1) \$3,722.00)	
T5.120 ELEC COM T4B	8,157 LB	9075243P48	\$96,466.00
Includes the following Equipment 14.9R24 A8 HD Rim (8242301) 460/85(18.4)R34 A8 FI,MI,C (836540	\$2,098.00 (1) \$3,722.00)	

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9982 OPERATOR AREA PACK

X0380XX	BASE		No Charge
	Base Includes:		_
	- 339434 One Piece Fixed front screen, HI VIS panel,		
	bluetooth radio, internal mirror, rear wiper,		
	instructor seat and A/C System		
	- 332850 Deluxe air suspension seat with operator's		
	presence and seat belt		
X0381XX	SILVER	9000794P82	\$1,019.00
	Silver Includes:		
	- 339434 One Piece Fixed front screen, HI VIS panel,		
	bluetooth radio, internal mirror, rear wiper,		
	instructor seat and A/C System		
	- 758312 Fixed (NO SWIVEL) premium air suspension seat		
	with left and right hand adjustable armrests,		
	backrest extension, fore-aft isolation, adjustable		
	damper and heated cushions.		

- 330803 External fender mounted EDC& PTO

switches (Left and Right side)

T5 TIER 4B ELECTRO COMMAND SERIES US PRICE LIST

X0382XX	GOLD	9001885P26	\$2,417.00
	Gold Includes:		
	-336730 Suspended cab with one piece fixed front screen, high		
	viisibility panel, blueetooth radio, internal mirror, rear wiper,		
	instructor seat and A/C System		
	-758312 Fixed (NO SWIVEL) premium air suspension seat		
	with left and right hand adjustable armrests,		
	backrest extension, fore-aft isolation, adjustable		
	damper and heated cushions.		
	·	•	
SD_T9983 TR	ANSMISSION PACK		
X0383XX	BASE		No Charge
	Base Includes:		
	- 390430 16 X16 Semi-Powershift Transmission 25 MPH (40 KPH)		
	- 390433 540/1000 RPM PTO		
	- 330803 External fender mounted EDC& PTO switches		
	(Left and Right side)		
X0384XX	SILVER	9000549P90	\$705.00
	Silver Includes:		
	- 334775 16 X16 Semi-Powershift Transmission 25 MPH		
	(40 KPH) with Auto Shift Function		
	- 390433 540/1000 RPM PTO		
	- 330803 External fender mounted EDC& PTO switches		
	(Left and Right side)		
X0385XX	GOLD	9001154P40	\$1,480.00
	Gold Includes:		
	- 334775 16 X16 Semi-Powershift Transmission 25 MPH		
	(40 KPH) with Auto Shift Function		
	- 331729 540/540E/1000 RPM PTO		
	- 336933 Auto PTO disengage / engage linked		
	to rear linkage position + ext. fender mounted		
	EDC&PTO switches (Left and Right side)		
With Creeper	Transmission		
X0386XX	BASE + CREEPER	9000599P82	\$769.00
	Base Includes:		
	- 334114 16 X16 Semi-Powershift Transmission 25 MPH		
	(40 KPH) with Creeper (32X32)		
1	- 390433 540/1000 RPM PTO		

	03 FRICE EIST		
X0387XX	GOLD + CREEPER	9001754P22	\$2,249.0
	Gold Includes:		
	- 334779 16 X16 Semi-Powershift Transmission 25		
	MPH (40 KPH) with Creeper (32X32)		
	- 331729 540/540E/1000 RPM PTO		
	- 336933 Auto PTO disengage / engage linked to		
	rear linkage position + ext. fender mounted EDC&PTO switches		
	(Left and Right side)		
	ONT AXLE PACK		
X0388XX			No Charg
	Base Includes:		
	- 390399 Standard FWD Axle		
	- 391264 HYD DIFF LOCK & 4 WD ENGAGEMENT		
	-Not Compatible with Front Suspended Axle		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	option code : 337707 and 758604	0000000000	
X0389XX		9000293P28	\$376.0
	Bronze Includes:		
	- 330308 HD FWD Axle with hydraulic activated differential lock		
	- 391264 HYD DIFF LOCK & 4 WD Engagement		
	-Not Compatible with Front Suspended Axle		
	option code : 337707 and 758604		
X0390XX	•	9000524P16	\$672.0
7,0000781	Silver Includes:	555552 11 15	ψ012.0
	- 330308 HD FWD Axle with hydraulic activated differential lock		
	- 330333 Multi-plate differential lock		
X0391XX		9003393P78	\$4,351.0
	Gold:		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	-Includes: 337707 TerraGlide Class 1.5 suspended front 4WD axle		
	-Includes: 330333 Multi-plate differential lock		
•	,	-	
SD_T9985 LO	ADER PACK		
X0392XX	BASE		No Charg
	Base Includes:		
	- 744711 Less loader ready TPS and grill guard		
	- 758303 Less Mid Mount Valve		
X0393XX	BRONZE	9001090P44	\$1,398.0
	Bronze Includes:		
	- 744711 Less loader ready TPS and grill guard		
	- 758820 Two function mid-mount valve with mechanical		
	joystick control with hydraulic lines and hoses to the tractor		
I	1	i I	

half of the multi-coupler

	OUVED	0004500000	ΦE 050 00
X0394XX		9004563P00	\$5,850.00
	Silver Includes:		
	- 758980 Loader Ready includes horizontal and		
	vertical mounting brackets (TPS) and grill guard		
	- 758820 Two function mid-mount valve with mechanical		
	joystick control with hydraulic lines and hoses to the tractor		
	half of the multi-coupler		
	Does not include front end loader frame, buckets, or other		
	loader attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
X0395XX	 	9004982P64	\$6,388.00
	Gold Includes:		*-,
	- 758980 Loader Ready includes horizontal and vertical mounting		
	brackets (TPS) and grill guard		
	- 758821 Two function mid-mount valve with electro-hydraulic		
	armrest mounted joystick control		
	anni oo maanaa jeyonor connor		
	Does not include front end loader frame, buckets, or other		
	loader attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		
	orios from End Edddor friod a Bala f ages.		
	Requires 758312 premium seat		
' '	1 - 4	· '	'
SD_T9986 CC	OLD WEATHER PACK		
X0396XX	BASE		No Charge
	Base Includes:		
	- 392250 Less Engine Block Heater and Transmission Oil Heater		
	- 391741 Less Electronic Battery Isolator		
X0397XX	SILVER	9000121P68	\$156.00
	Silver Includes:		
	- 744982 Engine Block Heater and Transmission Oil Heater		
	- 391741 Less Electronic Battery Isolator		
X0398XX	GOLD	9000415P74	\$533.00
	Gold Includes:		
	-744982 Engine Block Heater and Transmission Oil Heater		
	-334774 Electronic Battery Isolator		
SD_T9987 PE	RFORMANCE PACK		
X0399XX	BASE		No Charge
	Base Includes:		
	- 391738 Dispaly of additional performance information		
1 1	integrated into dashboard instrumentation		
	1	1	
	- Less Monitor Bracket		
	- Less Monitor Bracket - XT7640X Less ISO BUS Ready		

	DD QUITE		1 010-00
X0400XX		9000105P3	\$135.00
	Bronze Includes:		
	- 391738 Dispaly of additional performance		
	information integrated into dashboard instrumentation		
	- 338761 Monitor Mounting Bracket		
	- XT7640X Less ISO BUS Ready		
	- 390703 Less Radar		
X0401XX	SILVER	9000189P5	\$243.00
	Silver Includes:		
	- 337738 Dispaly of additional performance		
	information integrated into dashboard		
	instrumentation + 11786 ISO connector.		
	- 338761 Monitor Mounting Bracket		
	- XT7640X Less ISO BUS Ready		
	- 390703 Less Radar		
X0402XX	GOLD	9000662P2	\$849.00
	Gold Includes:		
	- 337738 Dispaly of additional performance information		
	integrated into dashboard instrumentation		
	and 11786 ISO connector.		
	- X76121X Less Monitor Mounting Bracket		
	- XT7640X Less ISO BUS Ready		
	- 390703 Less Radar		

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference		No Charge
	330447	Alliance	9000336P18	\$431.00
	330439	Continental	9000336P18	\$431.00
	330418	Trelleborg	9000336P18	\$431.00
	330444	Nokian	9000588P12	\$754.00
	330442	Michelin	9000839P28	\$1,076.00

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
	8235401	12.4R24 A8		9001086P54	\$1,393.00	
		R1W, Adjustable Rim,				
		Match w/ 8357401 rear tire/wheel				
	8242301	14.9R24 A8 HD Rim		9001636P44	\$2,098.00	
		Match with 8365401 rear tire/wheel				
		R1W. adjustable rim				



	8838501	13.6-R28 6PR	9002150P46	\$2,757.00
		Match with 8376701 rear tire/wheel		
		R1W, adjustable rim		
	8224604	480/60R28	9002978P04	\$3,818.00
		Match with 8324604 rear tire/wheel		
		R1W tread pattern		
	Specialty Fro	ont Tires		
	8880401	360/80R24 GRSLND, Adj. Rim	9001481P22	\$1,899.00
		Match with 8916401 rear tire/wheel		
		Municipal tire with adjustable rim		

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tire	es		
8357401	18.4R30 R1W	9002635P62	\$3,379.00
	Matching front tire/whl is 8235401, 12.4R24		
	(320/85R24)		
	R1W, adjustable rim		
	Not compatible with narrow rear fenders		
	option code: 331870		
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	9002903P16	\$3,722.00
	Matching front tire/whl is 8242301, 14.9R24		
	(380/85R24)		
	R1W, adjustable rim		
	Not compatible with narrow rear fenders		
	option code: 331870		
8376701	16.9R38 R1W	9002138P76	\$2,742.00
	Matching front tire is 8838501, 13.6R28		
	(340/85R28)		
	R1W, adjustable rim		
	Not compatible with narrow rear fenders		
	option code: 331870		
8324604	600/60R38	9005143P32	\$6,594.00
	Matching front tire/whl is 8224604 480/60R28		
	with Fixed rim		
	R1W tread pattern		
	Not compatible with narrow rear fenders		
	331870		

	OF MOE EIOT		
Specialty Re	ear Tires		
8916401	440/80R34 GRSLND, Adj. Rim	9002463P24	\$3,158.00
	Matching front tire/whl is 8880401, 360/80R24		, , , , , , , , , , , , , , , , , , ,
	TRI 2 MAVT		
	Muncipal with adjustable rim		
	Not compatible with narrow rear fenders		
	option code: 331870		
HYDRAULICS			
REAR REMOTES			
CD T0070 DI	TAD DEMOTES		
SD_T8270 RE 330849	2 MRRV (2C) Fixed Pump,EDC	<u> </u>	No Chargo
330049	2 closed center mechanical hydraulic remote		No Charge
	valves both with configurable detent		
331844	3 MRRV (1NC+2C)Fixed Pump,EDC	9001132P56	\$1,452.00
	3 mechanical rear hydraulic remote valves,		ψ.,.σΞ.σσ
	2 with configurable detents and 1 with		
	non-configurable detent		
	-		
ENGINE			
AIR INTAKE			
SD_T1910 All			21.7.00
330200	Air Filter w/Dust Ejector	9000091P26	\$117.00
200200	Engine air cleaner with dust ejector		No Chara
390200	Air Cleaner w/ Pre-Cleaner		No Charge
	Standare engine air cleaner with precleaner	<u> </u>	
CAB OR ROPS P	LATEORM		
DAD ON NOF3 F	LATIONW		
OTHER			
-			
SD_T9360 RF	RMIRRORS		
392428	2 Fixed Wide Angle Mirrors		No Charge
341852	2 External Wide Angle Mirrors	9000303P42	\$389.00
	2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment		
LIGHTS			
ROTARY BEACON	N .		
CD T0440 D0	OTARV REACON		
335916	DTARY BEACON 2 Beacons RH and LH Side	9000166P92	\$214.00
333916	Left and right side safety beacons	9000100P92	\$∠14.00
	Lett and right side safety beacons		

759160	ROTARY BEACON 759160	9000084P24	\$108.00
WEIGHTS			
WEIGHTS			
FRONT			
	RONT BALLAST		
331759	10 Weights	9000881P40	\$1,130.00
	Qty. 10, 88 lb. (40 Kg) weights		
	totaling 882 lb. (400 Kg)		
	Requires a front axle support with weight carrier (335156 or 758385)		
SD_T8100 F	RONT THREE POINT HITCH		
390789	Less FHPL Less FPTO		No Charge
	Standard front axle support		
	Not compatable with suspended front axle.		
335156	L/FHPL L/FPTO-STD	9000272P22	\$349.00
	Standard front axle support with weight carrier.		
	Not compatable with suspended front axle.		
758385	L/FHPL L/FPTO-MULTI		No Charge
	Suspended axle front axle support with weight carrier		
	Not compatable with non suspended front axle.		
REAR			
SD T4961 R	REAR BALLAST		
330471	6 Rear Wheel Weights	9000738P66	\$947.00
	6, 110 lb. (50 kg.) rear disc weights		
	totaling 661 lb. (300Kg)		
		·	
MANUALS			
OPERATORS			
	COUNTRY CONFIGURATION		
335148	USA Spanish Config		No Charge
335151	Canada (FR) Config		No Charge
MISCELLANEOU	JS		
FENDERS FRON	Т		
	RONT FENDERS		
	RONT FENDERS Dynamic Front Fenders 480mm	9000562P38	\$721.00

FENDERS REAR			
SD_T8700 FE	NDERS		
331870	Narrow Rear Fenders 331870		No Charge
	Not compatible with front fender options		
	Reguires 8201801 9.5R28 front tires/wheels and		
	8369501 12.4R38 rear tire/wheels		
REVERSE ALARM			
SD_T9249 RE	EVERSE ALARM		
332692	Reverse Alarm w/Work Light	9000185P64	\$238.00

art Number	Description	T5.110 EC, T5.120 EC	Notes			
	HYDRAULICS	САВ				
19302070	Mechanical mid mount valve and joystick	Х				
18196070	Electrohydraulic mid mount valve and joystick	X				
	WEIGHTS					
10226430	6 Front Weights	X	Does not include weight bracket			
10227160	10 Front Weights	X	Does not include weight bracket			
10471260	4 Rear Wheel Weights	X				
18471070	6 Rear Wheel Weights	X				
	ELECTRICAL					
10762070	Rotary beacon	X				
18082010	120 V Engine Block Heater and Transmission Oil Heater	Х				
18077010	4 LED worklights	Х	To convert from 4 halogen to LED - Elec Harnesses are unique.			
18825070	Back Up Alarm	Х				
18093010	Pre-Disposiiton for ISO BUS Virtual Terminal	Х				
18095010	Pre-Disposiiton for ISO BUS Virtual Terminal with GPS Antenna	X				
18096010	Pre-Disposiiton for ISO BUS Virtual Terminal with GPS Antenna & Monitor	X				
	PLATFORM					
18130060	Monitor Mounting Bracket	X				
	LOADER					
	DIA	X	See 805TL Series Loader Price and Data Pages			
	3rd Function Diverter Valve	X	Order from 805TL Series Loader Price and Data Pages			
	Grill Guard Insert	X	Order from 805TL Series Loader Price and Data Pages			
	MISCELLANEOUS					
18212010	Hydraulic Top Link	X				

Bid Term: 2/20/19 - 2/19/21

T5 Electro Command™ TIRE CHART											
Tine Type	A 11 41	Rear Tires Matching 4WD Front Tires		D Front Tires	Brand Preference						
Tire Type	Application	Tire	Order Code	Tire	Order Code	No Brand	Trelleborg	Michelin	Continental/Mitas	Alliance	Nokian
		18.4R30	8357401	12.4R24	8235401	01 X X X					
Dodial	Agricultural D4M	18.4R34	8365401	14.9R24	8242301	Х	Χ	Χ	Χ	Х	
Radial	Agricultural - R1W	16.9R38	8376701	13.6R28	8838501	Х	Χ	Χ	Χ	Χ	
		600/60R38	8324604	480/60R28	8224604	Х		Х			
Specialty	Municipal	440/80R34	8916401	360/80R24	8880401	Χ				X	Х
Shipping Wheels		840/900	8399801	700/720	8299801	Χ					