WT-FP

FORESTRY WORK TOOLS LAGRANGE, GA, USA

Ship Weight lbs

LIST PRICE AT FACTORY

Standard Equipment:

The WT-FP price list consists of work tools and not-installed accessories used with Forest Products machine offerings

Notes:

This price list is organized by machine model, please reference the individual machine model for all work tool and accessory options available

Accessory options available include all not-installed options for each machine model, which may include kits, loose linkages, cylinder groups, and other attachments

For help in selecting work tools or accessories, please contact Caterpillar Forest Products; Forest Products will assist in the development, pricing, and ordering of the work tool or accessory configuration

WT-FP

FORESTRY WORK TOOLS LAGRANGE, GA, USA Ship Weight Ibs		•	LIST PRICE AT FACTORY
0P-4604	FORESTRY WORK TOOLS	NGE, GA FACILITY	
	Use this as the top level reference number when ordering a part number or part numbers from this price list for the following machine models: 521B, 522B, 541 Series 2, 552 Series 2, 538 (Bucket Linkages only), 538 LL (Heels and Power Clam/Butt-n-Top Kits Only), 548 LL (Power Clam/Butt-n-Top Kits only), 558 LL (Power Clam/Butt-n-Top Kits only), 568 LL (Power Clam/Butt-n-Top Kits only), 569D, 579D, 563D, 573D, 2570D, 2670D, 525D, 535D, 545D, & 5550	r	
0P-4632	FORESTRY WORK TOOLS	0	NC
	Use this as the top level reference number when ordering Log Grapples for the following machine models:		

NOTE:

PACKING

OP-0058 PACK, MISC SHIPMENTS For use with OP-4604 Forestry Work Tools

538 LL, 548 LL, 558 LL, & 568 LL

0G-0211 PACK, TRUCK For use with 0P-4632 Forestry Work Tools

0G-0213 PACK, RO-RO TRUCK TO VESSEL For use with 0P-4632 Forestry Work Tools

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
521B	3			
C	ONTINUOU	S SAW - FRAMES		
W	365-0560	HF201B HEAD, PART TILT, 40 DEG Includes: -572 mm (22.5 in) continuous saw	7,540	\$80,420 NI
w	369-1677	-40 degree partial rotate -Grab arms -Accumulate arms For use with 379-5870 Linkage, Feller Buncher and 373 Hot Saw, Low Flow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver ONLY FOR USE WITH: 0P-4604 Forestry Work Tools HF201B HEAD,FULL TILT, 330 DEG Includes: -572 mm (22.5 in) continuous saw -330 degree full rotate -Grab arms -Accumulate arms For use with 379-5870 Linkage, Feller Buncher and 373 Hot Saw, Low Flow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	7,890	\$100,550 NI
C	ONTINUOU	S SAW - TEETH		
	Must selec	et one when ordering an HF201B head		
w	223-9268	TEETH, CARBIDE, SUPER TIP Includes: -1 set of 18 super tip carbide teeth and bolts installed -1 set of 18 super tip carbide teeth and bolts not-installe For extended life in non-impact harvesting conditions Please be aware that the not-installed set of teeth is store the saw motor access door on the side of the felling head shipment ONLY FOR USE WITH: 365-0560 HF201B Head, Part	ed ed within d for Tilt, 40 Deg	\$1,250
w	223-9269	369-1677 HF201B Head,Full of TEETH, STEEL, BEAVER Includes: -1 set of 18 beaver steel teeth and bolts installed -1 set of 18 beaver steel teeth and bolts not-installed For extended life in high impact harvesting conditions Please be aware that the not-installed set of teeth is store the saw motor access door on the side of the felling head shipment ONLY FOR USE WITH: 365-0560 HF201B Head, Part 369-1677 HF201B Head, Full of	ed within d for Tilt, 40 Deg	NC
U	NDERCARR	PIAGE - TRACK		
W	239-1305	TRACK, 24" SG, 330	10,017	\$24,410 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-003

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
521B	(CONT.)			
UΝ	IDERCARR	RIAGE - TRACK (Cont.)		
w	219-4808	TRACK, 28" SG, 330		\$25,460 NI
N	290-5754	TRACK, 28" DG, 330	10,971	\$26,950 NI
N	417-4869	TRACK, 36" TG, TRI-TRACK	13,203	\$42,200 NI
LΙΛ	IKAGES			
w	379-5870	LINKAGE, FELLER BUNCHER Includes: -Standard feller buncher boom -Feller buncher stick -Boom, stick, and tool hydraulic cylinders -Standard light group -All line groups for continuous saw attachments Recommended head attachment weight of no more tha max cut capacity of 24 inches For use with 373-6575 Hydraulic, Hot Saw, Low Flow of Hydraulic, Hot Saw, High Flow ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	n 8,000 pounds, with or 373-6577	\$47,920 NI
w	379-5860	LINKAGE, INTERMITTENT Includes: -Standard feller buncher boom -Feller buncher stick -Boom, stick, and tool hydraulic cylinders -Standard light group -All line groups for intermittent saw attachments Recommended head attachment weight of no more tha max cut capacity of 28 inches For use with 373-6573 Hydraulic, Intermittent ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	8,734 n 8,000 pounds, with	\$52,250 NI
w	376-8000		7,780 ents n 5,500 pounds, with	\$58, 4 30 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
522E	3			
С	ONTINUOU	S SAW - FRAMES		
W	365-0560	HF201B HEAD, PART TILT, 40 DEG Includes: -572 mm (22.5 in) continuous saw -40 degree partial rotate -Grab arms -Accumulate arms		\$80,420 NI
w	369-1677	For use with 379-5870 Linkage, Feller Buncher and 37. Hydraulic, Hot Saw, Low Flow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver ONLY FOR USE WITH: 0P-4604 Forestry Work Tools HF201B HEAD, FULL TILT, 330 DEG Includes: -572 mm (22.5 in) continuous saw -330 degree full rotate -Grab arms -Accumulate arms For use with 379-5870 Linkage, Feller Buncher and 37. Hydraulic, Hot Saw, Low Flow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	3-6576	\$100,550 NI
C	ONITINIIOII	S SAW - TEETH	•	
C				
	iviust selec	t one when ordering an HF201B head		
W	223-9268	TEETH, CARBIDE, SUPER TIP Includes: -1 set of 18 super tip carbide teeth and bolts installed -1 set of 18 super tip carbide teeth and bolts not-install For extended life in non-impact harvesting conditions Please be aware that the not-installed set of teeth is storthe saw motor access door on the side of the felling heat shipment ONLY FOR USE WITH: 365-0560 HF201B Head, Parl	lled red within ad for t Tilt, 40 Deg	\$1,250
W	223-9269	369-1677 HF201B Head,Full TEETH, STEEL, BEAVER Includes: -1 set of 18 beaver steel teeth and bolts installed -1 set of 18 beaver steel teeth and bolts not-installed For extended life in high impact harvesting conditions Please be aware that the not-installed set of teeth is storthe saw motor access door on the side of the felling heat shipment ONLY FOR USE WITH: 365-0560 HF201B Head, Par 369-1677 HF201B Head,Full	red within ad for	NC
U	INDERCARR	IAGE - TRACK		
W	239-1305	TRACK, 24" SG, 330		\$24,410 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
522B	(CONT.)			
UΛ	IDERCARR	RIAGE - TRACK (Cont.)		
w	219-4808	TRACK, 28" SG, 330ONLY FOR USE WITH: 0P-4604 Forestry Work Tool		\$25,460 NI
LII	VKAGES			
w	379-5870	Includes: -Standard feller buncher boom -Feller buncher stick -Boom, stick, and tool hydraulic cylinders -Standard light group -All line groups for continuous saw attachments Recommended head attachment weight of no more tha max cut capacity of 24 inches For use with 373-6576 Hydraulic, Hot Saw, Low Flow of Hydraulic, Hot Saw, High Flow ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	n 8,000 pounds, with or 373-6578	\$47,920 NI
W	379-5860	LINKAGE, INTERMITTENT Includes: -Standard feller buncher boom -Feller buncher stick -Boom, stick, and tool hydraulic cylinders -Standard light group -All line groups for intermittent saw attachments Recommended head attachment weight of no more tha max cut capacity of 28 inches For use with 382-5911 Hydraulic, Intermittent ONLY FOR USE WITH: OP-4604 Forestry Work Tool	8,734 n 8,000 pounds, with	\$52,250 NI
W	376-8000	UNLY FOR USE WITH: OP-4004 Forestry Work Tool LINKAGE, HARVESTER Includes: -Standard harvester boom -Harvester stick -Boom and stick hydraulic cylinders -Standard light group -All line groups for harvester/processor head attachm Recommended head attachment weight of no more tha max cut capacity of 30 inches For use with 373-6572 Hydraulic, Harvester ONLY FOR USE WITH: OP-4604 Forestry Work Tool	ents n 5,500 pounds, with	\$58, 4 30 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
541 S	SERIES 2			
CC	ONTINUOU	S SAW - FRAMES		
w	374-7582	HF201B HEAD, PART TILT, 40 DEG Includes: -572 mm (22.5 in) continous saw -40 degree partial rotate -Grab arms -Accumulate arms For use with 479-7521 Linkage, Std Reach, HS, Lowflow of 376-6639 Boom & Stick, 32.5' Low Flow		\$81,910 NI
w	369-3551	REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver ONLY FOR USE WITH: OP-4604 Forestry Work Tools HF201B HEAD,FULL TILT, 330 DEG Includes: -572 mm (22.5 in) continous saw -330 degree full rotate -Grab arms -Accumulate arms For use with 479-7521 Linkage, Std Reach, HS, Lowflow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver	8,090	\$102,380 NI
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools		
CC	ONTINUOU	'S SAW - TEETH		
	Must selec	ct one when ordering an HF201B head		
w	223-9268	Includes: -1 set of 18 super tip carbide teeth and bolts installed -1 set of 18 super tip carbide teeth and bolts not-installed For extended life in non-impact harvesting conditions Please be aware that the not-installed set of teeth is stored the saw motor access door on the side of the felling head f shipment ONLY FOR USE WITH: 374-7582 HF201B Head, Part Ti	within for ilt, 40 Deg	\$1,250
w	223-9269	369-3551 HF201B Head,Full Til TEETH, STEEL, BEAVER Includes: -1 set of 18 beaver steel teeth and bolts installed -1 set of 18 beaver steel teeth and bolts not-installed For extended life in high impact harvesting conditions Please be aware that the not-installed set of teeth is stored the saw motor access door on the side of the felling head f shipment ONLY FOR USE WITH: 374-7582 HF201B Head, Part Ti 369-3551 HF201B Head,Full Til	within for lilt, 40 Deg	NC

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
	SERIES 2 (ONTINUOU	CONT.) S SAW - TILT ARRANGEMENTS		
W	290-6128	TILT AR, PARTIAL-40 DEG Includes: -Partial tilt arrangement with 40 degree rotate -Mounting group for FTS carrier -Pins -Line groups to install to FTS stick May require additional modifications to complete instal For use with models HF201B and HF221 from 1st productions up	llation luction	\$16,600 NI
w	306-2065	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools TILT AR, FULL-330 DEG	2,262 llation luction	\$40,880 NI
LI	NKAGES			
W	284-5615	LINKAGE, FELLING, FTS Includes: -Standard feller buncher boom -Feller buncher stick -Stick and tool hydraulic cylinders -All line groups for continuous saw attachments Loose parts must be assembled to machine Additional machine modifications may be required For use with S/Ns F7D00190 and up, F7G00170 and For use with 479-7522 Omission, Front, HS	up	\$54,540 NI
w	284-5618	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools LINKAGE, INTERMITTANT, FTS Includes: -Standard feller buncher boom -Feller buncher stick -Stick and tool hydraulic cylinders -All line groups for intermittent saw attachments Loose parts must be assembled to machine Additional machine modifications may be required For use with S/N's F7D00190 and up, F7G00170 and For use with 372-8941 Omission, Front ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	8 , 529 up	\$55,220 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
541	SERIES 2 (CONT.)		
LI	NKAGES (Cont.)		
w	284-5620	Includes: -Long reach harvester boom -Harvester stick -Stick hydraulic cylinder -All line groups for harvester/processor head attachme Loose parts must be assembled to machine Additional machine modifications may be required For use with S/Ns F7D00190 and up, F7G00170 and up For use with 372-8939 Omission, Front ONLY FOR USE WITH: OP-4604 Forestry Work Tools	ents ip	\$57,050 NI
552	SERIES 2			
C	ONTINUOU	S SAW - FRAMES		
W	374-7582	HF201B HEAD, PART TILT, 40 DEG Includes: -572 mm (22.5 in) continous saw -40 degree partial rotate -Grab arms -Accumulate arms For use with 376-6638 Linkage Ar-Std Reach, Low Flow 376-6639 Boom & Stick, 32.5' Low Flow REQUIRES: 223-9268 Teeth, Carbide, Super Tip 223-9269 Teeth, Steel, Beaver	v or	\$81,910 NI
w <i>C</i>	369-3551 ONTINUOU	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools HF201B HEAD, FULL TILT, 330 DEG	8,090 v	\$102,380 NI
	Must selec	ct one when ordering an HF201B head		
W	223-9268	TEETH, CARBIDE, SUPER TIP Includes: -1 set of 18 super tip carbide teeth and bolts installed -1 set of 18 super tip carbide teeth and bolts not-installed For extended life in non-impact harvesting conditions Please be aware that the not-installed set of teeth is storthe saw motor access door on the side of the felling heat shipment ONLY FOR USE WITH: 374-7582 HF201B Head, Par 369-3551 HF201B Head, Full	lled red within ad for rt Tilt, 40 Deg	\$1,250

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
552 SI	ERIES 2 (CONT.)		
CO	NTINUOU	S SAW - TEETH (Cont.)		
w	223-9269	Includes: -1 set of 18 beaver steel teeth and bolts installed -1 set of 18 beaver steel teeth and bolts not-installed For extended life in high impact harvesting conditions Please be aware that the not-installed set of teeth is ste the saw motor access door on the side of the felling he shipment ONLY FOR USE WITH: 374-7582 HF201B Head, Pa 369-3551 HF201B Head, Ful	ored within ead for art Tilt, 40 Deg	NC
CO	NTINUOU	S SAW - TILT ARRANGEMENTS		
W	290-6128	Includes: -Partial tilt arrangement with 40 degree rotate -Mounting group for FTS carrier -Pins -Line groups to install to FTS stick May require additional modifications to complete instal For use with models HF201B and HF221 from 1st productions and up	llation duction	\$16,600 NI
w	306-2065	ONLY FOR USE WITH: 0P-4604 Forestry Work Tool TILT AR, FULL-330 DEG Includes: -Full tilt arrangement with 330 degree rotate -Mounting group for FTS carrier -Pins -Line groups to install to FTS stick May require additional modifications to complete instate For use with models HF201B and HF221 from 1st production and up ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	2,262 llation duction	\$40,880 NI
ВО	OM CYLIN	NDERS .		
w	521-6112	CYLINDER, BOOM, AEM LKG, FTS Includes: -Main boom cylinders for AEM directional felling linka -Line groups for main boom cylinders For use with 521-4449 Omission, Front, AEM Linkage ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	ge	\$14,510 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-010

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
552 \$	SERIES 2 (CONT.)		
LI	NKAGES			
w	284-5615	LINKAGE, FELLING, FTS Includes: -Standard feller buncher boom -Feller buncher stick -Stick and tool hydraulic cylinders -All line groups for continuous saw attachments Loose parts must be assembled to machine Additional machine modifications may be required For use with S/Ns F7D00190 and up, F7G00170 and up For use with 372-8938 Omission, Front ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	up	\$54,540 NI
w	284-5618	LINKAGE, INTERMITTANT, FTS Includes: -Standard feller buncher boom -Feller buncher stick -Stick and tool hydraulic cylinders -All line groups for intermittent saw attachments Loose parts must be assembled to machine Additional machine modifications may be required For use with S/N's F7D00190 and up, F7G00170 and For use with 372-8941 Omission, Front	8 , 529 up	\$55,220 NI
W	284-5620	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools LINKAGE, LONG HARVESTER, FTS Includes: -Long reach harvester boom -Harvester stick -Stick hydraulic cylinder -All line groups for harvester/processor head attachmed Loose parts must be assembled to machine Additional machine modifications may be required For use with S/Ns F7D00190 and up, F7G00170 and up For use with 372-8939 Omission, Front ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	9,141 ents up	\$57,050 NI
S	TEEP SLOP	E HARVESTING KITS		
W	527-7468	KIT, SSH, E & H, 552 2 Includes: -Engine steep slope kit, which includes engine oil pan secondary breather designed for steep slope application-Hydraulic steep slope kit, which includes suction tube designed for steep slope applications For use with 351-6853 552 II Base Track Machine ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	and ions e and breather	\$6,780 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-011

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
552 8	SERIES 2 (CONT.)		
S7	TEEP SLOP	E HARVESTING KITS (Cont.)		
w	527-7469	Includes: -Engine steep slope kit, which includes engine oil pan secondary breather designed for steep slope applicate. Hydraulic steep slope kit, which includes suction tub breather designed for steep slope applications. Dual anchor point cable-assist mount Maximum total pull force capacity of 60,000 kg (132,00 Please refer to welding procedure described in Special document number M0078376 Welding procedure (M0078376) must be strictly followed meet rated maximum total pull force capacity For use with 351-6853 552 II Base Track Machine ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	and ions e and 00 lb) Instruction ed in order to	\$12,800 NI
538				
BU	JCKET LINI	KAGES		
w	468-5671	LINKAGE, BUCKET, B1-FAMILY Includes: -Bucket cylinder -Power link -Lifting eye For use with 426-2029 Linkage, Reach, GF or 486-195 Rotate GR, GF ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	50 Linkage,	\$5,700 NI
538 L	.L			
HE	ELS			
W	359-2555	HEEL, UNDER/UNDER Includes: -Heel assembly for use with GLL grapples -Bottom mounted cylinder Hoses ship loose if Cat grapple is not ordered For use with 469-0520 Linkage, Under/Under, LL		\$16,640 NI
w	499-3659	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools HEEL, OVER/UNDER	0	\$17,440 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-012

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT FACTORY
538 I	LL (CONT.)			
LC	OG GRAPPL	ES		
w	271-1533	GRAPPLE, GLL52B LOG LOADING Includes: -GLL52B grapple -Hoses for Cat grapples For use with 359-2555 Heel, Under/Under or 499-3659 ONLY FOR USE WITH: 0P-4632 Forestry Work Tools	9 Heel, Over/Under	\$28,768 NI
w	271-1534	GRAPPLE, GLL55B LOG LOADING Includes: -GLL55B grapple -Hoses for Cat grapples For use with 359-2555 Heel, Under/Under or 499-3659 ONLY FOR USE WITH: 0P-4632 Forestry Work Tools	2,861 9 Heel, Over/Under	\$30,151 NI
PO	OWER CLA	M/BUTT-N-TOP KITS		
w	521-9181	KIT, POWERCLAM/BNT INSTALL Includes: -Cab wiring harness -Foot activated float switch For use with 542-7406 Linkage, Powerclam/BnT, LL ONLY FOR USE WITH: 0P-4604 Forestry Work Tools		\$1,145 NI
548 I	LL			
LC	OG GRAPPL	ES		
w	271-1533	GRAPPLE, GLL52B LOG LOADING Includes: -GLL52B grapple -Hoses for Cat grapples For use with 501-8836 Heel, Under/Under or 499-3659 ONLY FOR USE WITH: 0P-4632 Forestry Work Tools	9 Heel, Over/Under	\$28,768 NI
w	271-1534	GRAPPLE, GLL55B LOG LOADING Includes: -GLL55B grapple -Hoses for Cat grapples For use with 501-8836 Heel, Under/Under or 499-3659	2,861 9 Heel, Over/Under	\$30,151 NI
w	271-1535	ONLY FOR USE WITH: 0P-4632 Forestry Work Tools GRAPPLE, GLL60B LOG LOADING	9 Heel, Over/Under	\$32,453 NI

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS Ship Weight lbs	LIST PRICE AT FACTORY
548 L	LL (CONT.)	
PC	OWER CLA	M/BUTT-N-TOP KITS	
w	521-9181	KIT, POWERCLAM/BNT INSTALL 0 Includes: -Cab wiring harness -Foot activated float switch For use with 494-6960 Linkage, Powerclam/BnT, LL ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	\$1,145 NI
558 L	LL		
LC	OG GRAPPL	LES	
W	271-1533	GRAPPLE, GLL52B LOG LOADING	\$28,768 NI
W	271-1534	GRAPPLE, GLL55B LOG LOADING	\$30,151 NI
W	271-1535	GRAPPLE, GLL60B LOG LOADING	\$32,453 NI
PC	OWER CLA	M/BUTT-N-TOP KITS	
w	521-9181	KIT, POWERCLAM/BNT INSTALL 0 Includes: -Cab wiring harness -Foot activated float switch For use with 513-9010 Linkage, BnT/Powerclam, LL ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	\$1,145 NI
568 L	LL		
LC	OG GRAPPL	LES	
w	271-1533	GRAPPLE, GLL52B LOG LOADING	\$28,768 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

14

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS Ship Weight lbs	LIST PRICE AT FACTORY
568	LL (CONT.)	
L	OG GRAPPL	LES (Cont.)	
W	271-1534	GRAPPLE, GLL55B LOG LOADING	\$30,151 NI
W	271-1535	Includes: -GLL60B grapple -Hoses for Cat grapples For use with 357-0054 Heel, Under/Under, 357-8736 Heel, Over/Under, or 359-3085 Heel, Under/Under, Offset ONLY FOR USE WITH: 0P-4632 Forestry Work Tools	\$32,453 NI
P	OWER CLA	M/BUTT-N-TOP KITS	
W	344-3432	KIT, BNT/POWERCLAM INSTALL Includes: -Bracket for tool cylinder -Float valve -Hydraulic lines near boom foot -Hydraulic lines for stick -Pressure sensors -Machine wiring harness -Cab wiring harness -Relay block -Foot activated float switch Tool cylinder bracket requires welding For use with 339-6439 Linkage, Under/Under, BnT, LL ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	\$4,515 NI
2384	D, 2484D		
D	ELIMBERS		
w	517-5880	DELIMBER, PRE426	\$55,600 NI
G	RAPPLES		
w	517-5475	GRAPPLE, PRE5055 SN	\$20,660 NI
W	517-5476	GRAPPLE, PRE5055 SN,3 PORT SWVL	\$21,860 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-015

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
2384	D, 2484D	(CONT.)		
GF	RAPPLES	(Cont.)		
w	517-5478	GRAPPLE, PRE5055 TW	0	\$20,660 N
		Tapered wide jaw ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	3	
W	517-5479	GRAPPLE, PRE5055 TW, 3 PORT SWVL		\$21,860 N
		Tapered wide jaw with 3 port swivel allows for grapple saw mounting		
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	5	
W	517-5482	GRAPPLE, PRE4548 SN, 3 PORT SWVL		\$20,440 N
		saw mounting		
w	517-5485	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools GRAPPLE, PRE4548 TW, 3 PORT SWVL		\$20,440 N
vv	317-0400	Tapered wide jaw with 3 port swivel allows for grapple		\$20,440 N.
		saw mounting ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	_	
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	5	
559D	, 579D			
DE	ELIMBERS			
w	465-0810	DELIMBER, DLK426	0	\$55,600 N
••	100 0010	DLK426 LF (4 Knife) Delimber with Topping Saw DS		400,000 11
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	5	
GF	RAPPLES			
W	517-5463	GRAPPLE, GLK55 SN	0	\$20,660 N
		Straight narrow jaw		
w	517-5464	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools GRAPPLE, GLK55 SN, 3 PORT SWVL		\$21,860 N
		Straight narrow jaw with 3 port swivel allows for grappl		4==,000 =
		saw mounting ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	2	
W	517-5466	GRAPPLE, GLK55 TW		\$20,660 N
		Tapered wide jaw ONLY FOR USE WITH: 0P-4604 Forestry Work Tools		
W	517-5467	GRAPPLE, GLK55 TW, 3 PORT SWVL		\$21,860 N
		Tapered wide jaw with 3 port swivel allows for grapple		
		saw mounting ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	5	
W	517-5470	GRAPPLE, GLK48 SN, 3 PORT SWVL	0	\$20,440 N
		Straight narrow jaw with 3 port swivel allows for grappl saw mounting	le	
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools		
W	517-5473	GRAPPLE, GLK48 TW, 3 PORT SWVL	0	\$20,440 N
		saw mounting		
		ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	5	

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
563D), 573D			
S	AW HEADS			
W	474-5860	HFW232 BUNCHING SAW	e	\$74,370 NI
W	508-1885	HFW221 FELLING SAW Center Post Felling Saw Single Cut Capacity 57.6 cm (22.7"); Accumulation Area 0.47 sq m (5.1 sq ft) Includes: Inline 1 piece disc, 16 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardward ONLY FOR USE WITH: OP-4604 Forestry Work Tools	7,100	\$71,030 NI
С	508-1884	HFW22SC FELLING HEAD CONTACT LAGRANGE FACILITY FOR AVAILABILITY. Dual Post Side Cut Saw Single Cut Capacity 56.0 cm (22.0"); Directional Fell Capacity 76.2 cm (30.0"); Accumulation Area 0.37 sq m (4.0 sq ft) Includes: Inline 1 piece disc, 16 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardward ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	6,554 e	\$70,330 NI
2570	D, 2670D			
S	AW HEADS			
W	496-5261	SH-58 BUNCHING SAW	e	\$74,370 NI
W	508-8160	SC-57 FELLING SAW Center Post Felling Saw Single Cut Capacity 57.6 cm (22.7"); Accumulation Area 0.47 sq m (5.1 sq ft) Includes: Inline 1 piece disc, 16 x 2.25" bolt on shankless carbide teeth, tilt links, hoses, pins, wire harness, and other miscellaneous installation hardward ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	7,100 e	\$71,030 NI

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
2570	D, 2670D	(CONT.)		
S	AW HEADS	(Cont.)		
C	508-8161	SS-56 FELLING SAW	e	\$70,330 NI
525D), 535D, 54	I5D, 555D		
G	RAPPLE TO	NG KITS		
w	564-2054	KIT,525D BIOMASS GRAPPLE TONGS CONTACT LAGRANGE FACTORY FOR AVAILABILITY. Includes: High capacity biomass single plate style grap all required components for installation; Dealer installations and other minor components are required to availability and follows the same assembly process as through parts. Capacity: 1.46 sq m (15.7 sq ft); Tip to tip opening 346 Application: Designed for handling short, small diamet timber in biomass type applications, not intended for large timber applications	ople tongs and ation of expedite tongs ordered 2 mm (136.3in) er low weight continuous	\$10,960 NI
w	564-2055	ONLY FOR USE WITH: 0P-4604 Forestry Work Tool KIT,535D BIOMASS GRAPPLE TONGS	ople tongs and ation of expedite tongs ordered 3 mm (145.0in) er low weight continuous	\$11,840 NI
w	564-2056	ONLY FOR USE WITH: 0P-4604 Forestry Work Tool KIT,545D BIOMASS GRAPPLE TONGS CONTACT LAGRANGE FACTORY FOR AVAILABILITY. Includes: High capacity biomass single plate style grap all required components for installation; Dealer installate bearings and other minor components are required to availability and follows the same assembly process as through parts. Capacity: 1.93 sq m (20.8 sq ft); Tip to tip opening 381 Application: Designed for handling short, small diamet timber in biomass type applications, not intended for large timber applications ONLY FOR USE WITH: 0P-4604 Forestry Work Tool	ople tongs and ation of expedite tongs ordered O mm (150.0in) er low weight continuous	\$12,430 NI

Supersedes 02JAN2018 Caterpillar: Confidential Green US-A-19-01 A Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-018

WT-FP

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT FACTORY
		15D, 555D (CONT.) ONG KITS (Cont.)		
w	564-2058	KIT,555D BIOMASS GRAPPLE TONGS CONTACT LAGRANGE FACTORY FOR AVAILABILITY. Includes: High capacity biomass single plate style grappall required components for installation; Dealer installate bearings and other minor components are required to eavailability and follows the same assembly process as through parts. Capacity: 2.21 sq m (23.8 sq ft); Tip to tip opening 3937 Application: Designed for handling short, small diamete timber in biomass type applications, not intended for clarge timber applications ONLY FOR USE WITH: 0P-4604 Forestry Work Tools	ple tongs and tion of expedite ongs ordered 7 mm (155.0in) er low weight continuous	\$14,210 NI
0	THER KITS			
w	566-4133	KIT, CAB LED WORKING LIGHTS	s to replace with 2 front,	\$2,390 NI
W	566-2667	KIT, WINDOW SCREENS CONTACT LAGRANGE FACTORY FOR AVAILABILITY. Includes: Additional swing open screens for the 3 rear of protecting windows and optional wipers; REQUIRES GLINSTALLED AND IS NOT CERTIFIED FOR OPERATOR IS GLASS INSTALLED Only compatible with cabs: 529-0162, 538-8685, & 538 ONLY FOR USE WITH: OP-4604 Forestry Work Tools	windows ASS TO REMAIN PROTECTION WITHOUT 8-8686.	\$3,225 NI
PACK	KING			
PA	ACKING CO	DDES		
	0P-0058	PACK, MISC SHIPMENTS		\$163
	0G-0211	ONLY FOR USE WITH: 0P-4604 Forestry Work Tools PACK, ROLL ON ROLL OFF-TRUCK ONLY FOR USE WITH: 0P-4632 Forestry Work Tools	0	NC

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2019 WT-FP-019