

Addressing Individual Needs with Innovation and Intuition

MVMT ergonomic seating is changing the dynamic of the seated worker experience in today's workplace, combining a forward-looking European perspective with the BioFit tradition of technological precision and proven durability. The line is offered in two series—Pro and Tech. Modular componentry permits numerous configuration alternatives tailored to suit specific tasks, body types, interior design trends and budgetary considerations in the following work spaces and beyond: Clean Room / Static Control / Laboratory / Healthcare / Industrial / Standing Workstation Applications



Designed for Critical Performance

MVMT models are available to accommodate workspaces from ISO Class 3 clean room to harsh environments. All models are designed to withstand 3-shift use, 365 days per year and carry a 13-year warranty. Refer to the chart below to determine if there is a MVMT performance package to meet the exacting specifications of your facility.



Manufacturing Code	Work Area Classification	List Price Upcharge
06	For non-critical applications (areas without clean room ratings, electrostatic dissipative needs or specialized material requirements); features powder-coated metal parts	**
Т	Technical Workspaces - Chrome Metal Parts	
	MVMT Pro Series	+\$0
	MVMT Tech Series w/Classic 5-Star Base	+\$32
	MVMT Tech Series w/Heavy Duty Base	+\$72
K	ESD (Static Control) Package	
	MVMT Pro Series	+\$452
	MVMT Tech Series	+\$250
8	ISO Class 8 Clean Room Compatible	
	MVMT Pro Series	+\$32
	MVMT Tech Series	+\$84
8K	ISO Class 8 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$250
7	ISO Class 7 Clean Room Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$100
7K	ISO Class 7 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$250

Manufacturing Code	Work Area Classification	List Price Upcharge
6	ISO Class 6 Clean Room Compatible	оронагдо
	MVMT Pro Series	**
	MVMT Tech Series	+\$160
6K	ISO Class 8 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$252
5	ISO Class 5 Clean Room Compatible	
	MVMT Pro Series	+\$314
	MVMT Tech Series	+\$246
5K	ISO Class 5 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$314
3	ISO Class 3 Clean Room Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$427
3K	ISO Class 3 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$492
WD*	Wipe Down Workspaces – for Continuous Exposure to Harsh Cleaning	**
WDK*	Wipe Down Workspaces + ESD	**

^{*} Available on MVMT Pro Series only.

^{**}For performance package pricing on specific models, contact BioFit at 800.597.0246 or biofit@biofit.com.







MVMT Pro series models for critical performance environments feature an exclusive under-seat EPDM (ethylene propylene diene monomer) rubber boot.

MVMT Pro Series Specifications

The MVMT Pro Series is available in six primary models, with options available to custom- configure each to meet unique requirements. All Pro Series models are available with the standard and optional components below. Refer to the chart on the next page for options pricing.

Adjustable urethane armrest pads on solid polished cast aluminum uprights adjust 3.5" vertically, 2" front to back, 1" left to right on each armrest – for 2 full inches of width adjustment – and lock into place once adjusted (manufacturing code **3D**); optionally available without arms (manufacturing code **XA**/\$88 off list price)

Additional options for all MVMT seating includes:

- C133: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- SW: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.

Upholstered ergonomic seat, 20.5" wide with adjustable seat depth from 16.4" - 18.9" Weight-activated Pro control with 5:1 synchro tilt, forward seat tilt, backrest forward adjustment, micro tension adjustment, control lockout (manufacturing code PM) 2" high dual wheel polyurethane casters resist movement when seat is unoccupied (manufacturing code RC); optionally available with 2" high dual wheel polyurethane casters for ESD applications (manufacturing code RK), or 2.25" glides made of first class polyamide (manufacturing code HG/ no additional charge)

MVMT Pro with Tall Backrest

These three models feature an upholstered 17.5" wide x 19.5" high backrest with lumbar support and 3" height adjustment range.

MVMT Pro with Medium Backrest These three models feature an upholstered 17.5" wide x 15" high backrest with lumbar support and 3" height adjustment range.



MP-TL Low seat height range - 17" to 21" List Price: \$1,145



Low seat height range - 17" to 21" List Price: \$1088

High profile, glass-reinforced composite base with 25.4" leg spread is standard (manufacturing code GR), optional large, high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code P28/add \$63 to list price) or high profile, 5 leg solid cast aluminum base with polished top and 25.6" leg spread (manufacturing code P25/add \$54 to list price) are also available.

These models are not available with a footring



Medium seat height range - 20" to 27" List Price: \$1,323



Medium seat height range - 20" to 27" List Price: \$1,266



High seat height range - 24" to 33.5" List Price: \$1,329



High seat height range - 24" to 33.5" List Price: \$1,271

Large high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code P28) 22" diameter adjustable oval tube footring on solid polished cast aluminum spoke (manufacturing code AFP), also available without a footring (manufacturing code **XF**)

Components/Options	+/- Price			
Large Backrest Upgrade	+\$58			
Arms	Included			
Minus Arms	-\$88			
Resistance Casters	Included			
Footring	Included As Shown			
Minus AFP Footring	-\$105			
Black Metal Parts	Included			
Standard Seat	Included			
Glides (if selected)	Included			
Upholstery Upgrades				
Grade 3	+\$57			
Grade 4	+\$92			
Grade 5	+\$169			
Grade 6	+\$229			
Grade 7	+\$296			

MVMT Tech Series Specifications

The MVMT Tech Series is divided into two categories – MVMT Tech Series with Classic 5-Star Base and MVMT Tech Series with Heavy Duty Base. There are six primary models in each category with options available to custom-configure each to meet unique requirements. All Tech Series models are available with the standard and optional components below. Refer to the chart on the next page for Tech Series with Classic 5-Star Base options pricing.

Standard upholstered ergonomic seat, 20.5" wide, mounted forward for 18" seat depth (manufacturing code 1F); or, an optional upholstered ergonomic seat, 20.5" wide, mounted rearward for 16.4" seat depth (manufacturing code 1B)

Additional options for all MVMT seating includes:

- C133: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- **SW**: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.

Standard task control which regulates seat height and backrest angle while keeping the seat fixed at a 3.5° rearward angle (manufacturing code **E1**); or, an optional control which regulates seat tilt, backrest tilt, and seat height



Tech Series chairs come standard

without arms (manufacturing code

⁽R) MVMT Tech Series with Classic 5-Star Base, high profile glass reinforced base, low height configuration with medium backrest, vinyl upholstery

MVMT Tech Series with Classic 5-Star Base with Tall Backrest

These three models feature an upholstered 17.5"wide x 19.5" high backrest with lumbar support and 3" height adjustment range.

MVMT Tech Series with Classic 5-Star Base with Medium Backrest These three models feature an upholstered 17.5" wide x 15" high backrest with lumbar support and 3" height adjustment range.



MTCL-TL

Low seat height range E1 & E2 controls – 17" to 22" Low seat height range E3 control – 17.5" to 22.5" List Price: \$765



MTCL-ML

Low seat height range E1 & E2 controls – 17" to 22" Low seat height range E3 control – 17.5" to 22.5" List Price: \$708 High profile, glass-reinforced composite base with 25.4" leg spread is standard (manufacturing code **GR**), optional large, high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**/add \$63 to list price) or high profile, 5 leg solid cast aluminum base with polished top and 25.6" leg spread (manufacturing code **P25**/add \$54 to list price) are also available.

These models are not available with a footring



MTCL-TM

Medium seat height range E1 & E2 controls - 19" to 26.5" Medium seat height range E3 control - 21" to 28.5" List Price: \$935



MTCI -MN

Medium seat height range E1 & E2 controls - 19" to 26.5" Medium seat height range E3 control - 21" to 28.5" List Price: \$877



MTCL-TH

High seat height range E1 & E2 controls – 21.5" to 32" High seat height range E3 control – 23.5" to 34" List Price: \$939



MTCL-MH

High seat height range E1 & E2 controls – 21.5" to 32" High seat height range E3 control – 23.5" to 34" List Price: \$881 Large high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**) 22" diameter adjustable oval tube footring on solid polished cast aluminum spoke (manufacturing code **AFP**), also available without a footring (manufacturing code **XF**)

••••••				
Components/Options	+/- Price			
Large Backrest Upgrade	+\$58			
Arms	+\$88			
Resistance Casters	Included			
Footring	Included As Shown			
Minus AFP Footring	-\$105			
Black Metal Parts	Included			
E2 Control Upgrade	+\$74			
E3 Control Upgrade	+\$131			
Standard Seat	Included			
Glides (if selected)	Included			
Upholstery Upgrades				
Grade 3	+\$57			
Grade 4	+\$92			
Grade 5	+\$169			
Grade 6	+\$229			
Grade 7	+\$296			

MVMT Tech Series Specifications (continued)

Models within the Tech Series with Heavy Duty Base category carry the design aesthetic of the overall MVMT family with the addition of a rugged tubular steel base with an affixed footring. All MVMT Tech Series with Heavy Duty Base models are available with the standard and optional components below. This is part of what makes "HD" Base models an ideal solution for industrial workspaces and harsh applications. Refer to the chart on the next page for options pricing.

Standard upholstered ergonomic seat, 20.5" wide, mounted forward for 18" seat depth (manufacturing code **1F**); or, an optional upholstered ergonomic seat, 20.5" wide, mounted rearward for 16.4" seat depth (manufacturing code **1B**)

Additional options for all MVMT seating includes:

- **C133**: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- **SW**: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.



MVMT Tech Series with Heavy Duty Base with Tall Backrest

These three models feature an upholstered 17.5" wide x 19.5" high backrest with lumbar support and 3" height adjustment range.

MVMT Tech Series with Heavy Duty Base with Medium Backrest
These three models feature an upholstered
17.5"wide x 15" high backrest with lumbar support

and 3" height adjustment range.

Low high profile tubular base with 23" leg spread and fixed height footring of 21" diameter, 8" above floor level (manufacturing code **TUL**)



MTHD-TL Low seat height range - 17.5" to 21.5" List Price: \$782



MTHD-ML Low seat height range - 17.5" to 21.5" List Price: \$725





MTHD-TM

Medium seat height range - 20.5" to 27.5"

List Price: \$784



Medium seat height range - 20.5" to 27.5" List Price: \$727

Tall high profile tubular base with 23" leg spread ···· and fixed height footring of 21" diameter, 12" above floor level (manufacturing code **TUH**)



MTHD-TH
High seat height range - 24.5" to 31.5"
List Price: \$794




MTHD-MH High seat height range - 24.5" to 31.5" List Price: \$736

Unique Motion Simplified.

MVMT delivers an intuitive user experience featuring what may be the first self-regulating weight activation control in a specialized chair. This means it not only adjusts to the primary user's movements, but also automatically fine-tunes itself to others of various sizes and weights, sensing their individual support needs from the moment they sit down.









Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline — it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products P.O. Box 109 Waterville, OH 43566-0109 USA

biofit.com 800.597.0246



GSA Contract Number GS-28F-0044Y