

#### Discover a child's potential through PLAY!



A PAYCORE Company

ItraPlay recreation products offer the ideal commercial play solution for homeowners associations, multi-family housing, child development centers, faith-based facilities, and more.

- Affordably priced
- Designed for easy installation
- Meets commercial safety standards
- Great option for community volunteer builds.

### The UltraPlay Difference

Providing the ultimate, outdoor play and learning experience for children ages 6 months to 12 years old is not only our passion, it is an expertise supported through research and strategic partnerships with highly respected play scholars through our parent company, PlayCore. The products in this catalog are specially designed to further enrich play in a childhood development and outdoor environment.

Whether you are seeking to provide indoor early childhood play, outdoor community play, or large-scale loose parts play, UltraPlay will help you find the perfect playground for your facility.





**Our designs** are based on educational research developed with PlayCore partnerships and early childhood experts.

### 6-23 months



Use indoors or outside.

Durable materials withstand
full-time outdoor use.

A Bibliothia	
	all lave

add-on activities for UplayToday	:
swings	
reestanding activities	
site amenities	
shade & shelter	
warranty	
safety surfacing	
mounting & surfacing	
recommendations	

34
35
36
53
54
55
56




#### Incorporate learning outdoors



**Quality play equipment** that promotes learning and makes a positive impression on your facility.

### 6-23 months 2-5 years



TouchMath® panel
promotes math concepts,
available on all 2-5 structures.

### **UPLAY TODAY**

Build & play in one day



**Maximum play value** encouraging children to learn, grow, and lead healthy lifestyles.

# 2-5 **years 8** 5-12 **years**



Commercial playground solution for play spaces where residential equipment is not appropriate.

# NatureROCKS® A boulder way to play!"

**Climb** on realistic boulders & nets



**NatureRocks** is a dynamic climbing experience for all abilities that encourages problem solving while developing strength, balance, and endurance.

2-5 years 5-12 years





Loose Parts play





PAGE 44
Outdoor music

Freenotes ...

# What makes a learly

he makers of Early Play have little ones too, and we want only the best and most stimulating play activities to enrich the play and learning experiences of young children. Children under the age of two are growing at a rapid rate, and it is through play that they absorb the world around them. Early Play provides a variety of sensory-rich opportunities to help promote best practices to meet licensing and accreditation requirements for early childhood.

Early Play combines crawling and climbing with creative and fun elements of development for children under two. Children will love to play and discover with their friends while learning concepts such as cause-and-effect and gaining confidence with gross and fine motor skills.

- 1 Spinning Shapes and Gears develop fine motor skills
- Cruise Rail for practicing walking and standing
- Mirror inspires self-discovery and recognition
- 4 Bubble Panel facilitates teacher and peer interaction
- 5 Visual Wheel for sensory stimulation
- 6 Indoor or Outdoor Ideal for indoor or outdoor play areas







### Use Indoors or Out in Early Childhood Settings



No mounting required, making it easy to use them inside or out.



Durable materials are appropriate for full-time outdoor use.




Inground mounting options.

# the perfect solution?



### Excellent Solution for Early Education Centers

Early Play complies with national commercial safety standards to help meet licensing and accreditation requirements.



ComfyTuff coated foam can be left outside, is mold/mildew resistant, and is soft for crawlers and toddlers.



Steel decks offer the same quality as traditional playground decks.
Plastic coating softens the edges and helps regulate temperature.



Configurable options are perfect for early childhood centers with limited space.



All surfaces are easy to clean.



# Crawl&Toddle featuring a coated steel platform

Color Theme: UP133 natural UP132 playful

Dimensions: 5'2"Lx3'8"Wx2'9"H 157 cm x 112 cm x 84 cm

Kid Capacity: 8

Use Zone: 11'2" x 9'8" | 340 cm x 295 cm

Surface Mount Kit\* UP135 Inground Kit\* UP134





UP133 natural (Back View)

Meets ASTM F2373 standards and CPSC standards for ages 6-23 months.

#### NAEYC Criterion Number 9.B.01

#### **RAMPS AND A PULL-UP BAR:**

Young children are able to develop gross motor skills.

Outdoor play areas, designed with equipment that is age and developmentally appropriate and that is located in clearly defined space with semiprivate areas where children can play alone or with a friend, accommodate motor experiences such as balancing, crawling, and climbing.



color it



Natural
Coated Steel Deck

UP137 natural (Top View)



# Cruise-a-Long

#### featuring Coated Steel Platform

Color Theme: UP139 natural | UP138 playful


Dimensions: 5'2"L x 2'1"W x 2'9"H 157 cm x 64 cm x 84 cm

Kid Capacity: 6

Use Zone: 8'1"x11'2" | 246 cm x 340 cm

Surface Mount Kit\* UP141
Inground Kit\* UP140

\* Surface Mount Kit and Inground Kit packages sold separately











<sup>\*</sup> Surface Mount and Inground packages sold separately.



The Crawl & Toddle, available with ComfyTuff or Coated Steel Deck, combines creative and fun elements of development for children ages 6-23 months: Cruise Rail, Spinning Shapes and Gears, Bubble Panel, Visual Wheel, three ways to climb including stairs and a ramp. Hand holds are placed throughout to provide support for new walkers and cruisers.

Color Theme:	UP131 natural   UP130 playful
Dimensions:	4'8"Lx3'6"Wx2'9"H   142cm x 107cm x 84cm
Kid Capacity:	8
Use Zone:	10'8" x 9'6"   325 cm x 290 cm
Surface Mount Kit*	UP135
Inground Kit*	UP134

<sup>\*</sup> Surface Mount Kit and Inground Kit packages sold separately

#### **SMALL USE ZONE**

Units featuring ComfyTuff have a smaller use zone than units featuring a coated steel deck to comply with ASTM standards for 6-23 months








### Ideal for indoor classrooms!

# Cruise-a-Long featuring ComfyTuff Platform The Cruise-a-Long carries the same great benefits as the Crawl & Toddle; with two access points instead of three. Perfect for slightly smaller spaces.





#### 6-23 months

### Learn-a-Lot Play Station & Sensory Wall

Learn-a-Lot is perfect for use indoors or out, and provides a varietal addition to any play space.

The Learn-a-Lot can be configured in a square or zig-zag, depending on preference.



Playful or

Natural



#### NAEYC Criterion Number 5.A.06

#### **CAN BE USED INDOORS!**

Indoor equipment for large motor activities meets national safety standards and should be supervised at the same level as outdoor equipment.



### 4-Panel configuration

Color Theme:	UP143 natural   UP142 playful
Dimensions:	6'2"L x 6'7"W x 11"H │ 188 cm x 201 cm x 61 cm
Kid Capacity:	16
Use Zone:	12'9" x 12'9"   389 cm x 389 cm
Surface Mount Kit*	UP145
Inground Kit*	UP144

<sup>\*</sup> Surface Mount Kit and Inground Kit packages sold separately

#### NAEYC Criterion Number 2.J.06

#### **CHIMES & MUSIC WHEEL:**

Children explore music and movement while creatively expressing themselves.

Children are provided many and varied open-ended opportunities and materials to express themselves creatively through music.

### Easy configuration!

Versatile in design, Learn-a-Lot is easily reconfigurable to meet facility needs and to provide variety for users.



### 2-Panel configuration

Color Theme:	UP150 natural <i>(2 Green panels)</i> UP149 playful <i>(2 Yellow panels)</i>
Dimensions:	6'2"L x 6'2"W x 11"H │ 188 cm x 188 cm x 61 cm
Kid Capacity:	12
Use Zone:	12'6" x 12'6"   381 cm x 381 cm
Surface Mount Kit*	UP152
Inground Kit*	UP151

\* Surface Mount Kit and Inground Kit packages sold separately











Mirror

Spinning Flowers

Spinning Game


### The Big Outdoors

Meets ASTM F2373 standards and CPSC standards for ages 6-23 months.

he Big Outdoors allows young tots to recognize familiar objects from their own backyard. With recycled deck slats for flooring, the Big Outdoors provides a unique venue for exploration.

Colors (as shown):	UP146 playful
Dimensions:	6'9"L x 3'4"W x 2'3"H 206 cm x 102 cm x 69 cm
Kid Capacity:	16
Use Zone:	9'4" x12'9"   284cm x 389cm
Surface Mount Kit*	UP148
Inground Kit*	UP147
* Curfo as Mount Vit and I	navound Vit nackages sold consentally

<sup>\*</sup> Surface Mount Kit and Inground Kit packages sold separately



### Developmental Benefits Include:

- Object Recognition
- Expressive/Receptive Language Skills
- Cause-and-Effect
- Fine Motor Skills
- Gross Motor Skills
- Dramatic Play

















Helps meet best practices & licensing requirements in early childhood program standards.

Gross Motor Development A variety of opportunities for physical activity and exploration through sliding, climbing, jumping, and large motor development.

Music & Movement Multiple types of music, such as the Bongos & Rain Wheel, and auditory experiences encourage movement, creativity, and self-expression.

Open-ended play areas, like the Store Panel, encourage children to think creatively, use their imaginations, and socialize with friends.

Fine Motor Development The Gear Panel, Clock Panel, and other small motor activities help develop strength, eye-hand coordination, and dexterity.


Multi-sensory Experiences Sensory rich play experiences, like the Telescope, provide auditory, visual, or tactile feedback and help meet individual learning needs.

6 Creative Arts The Bench Seat provides raised graphics that bring creative arts and literacy development outdoors.

Relaxing Areas Under Roof enclosures and deck areas provide cozy spots to play independently or with peers.


Mounting Options

Choose from Ground Spike or Surface Mount. Inground kits sold separately.



### Benefits


- Affordable
- Easy to install
- Commercially compliant
- Superior detail and variety for hours of activity
- Increased teacher interaction
- Quick Ship
- Meets ASTM F1487



Ground Spike

INSTALL

GROUND SPIKES


















DC-SSR

## Discovery Center Super Sprout



6-23 months

Ages:		6-23 m	nonths					
Activit	ies:	6						
Kid Ca	pacity:	6-8						
Fall He	eight:	1'3"	38 cm					
Unit W	/eight:	278 lb 370 lb						
Use Zo	one:	14'2"	x 10'5	"	432	cm x 318	cm	

For supervised area

Mounting Kits not required For Loose Fill Surfacing

Anchor Bolt 02-08-0163 Ground Spike 02-08-0164

#### For Unitary Surfacing

Anchor Bolt 02-08-0163 02-08-0165 Ground Spike

Top View **Shapes Panel** 




1-2-3 Steps

Rain Wheel Clock Panel

Play Ramp

**Bongo Drums** 







Molded edge provides a natural handhold for children learning to pull up, stand, and walk

#### DC-SEED

**DC-SEEDR** 

# Discovery Center Seedling

Ages:	6-23 months
Activities:	8
Kid Capacity:	8-10
Fall Height:	1'10"   38 cm
Unit Weight:	366 lbs. w/o roof 448 lbs. w/ roof
Use Zone:	13'7" x 13'5"   414 cm x 409 cm w/o roof 13'10" x 13'8"   422 cm x 417 cm w/ roof

For supervised area

Mounting Kits (Required)

#### For Loose Fill Surfacing

**Anchor Bolt** 02-08-0166 Ground Spike 02-08-0167

#### For Unitary Surfacing

Anchor Bolt	02-08-0166
Ground Spike	02-08-0168











### Discovery Center Sapling

Ages: Activities:


Kid Capacity:



6-23 months



Play ramp features animals, shapes, ABC's and numbers to encourage language development and counting skills.





6-23 months

10

15-25

## Discovery Center Playhouse


Ages:	6-23 months
Activities:	6
Kid Capacity:	15-25
Fall Height:	N/A
Unit Weight:	314 lbs.
Use Zone:	13'8" x 11'10" 417cm x 361 cm

Mounting Kits (Required) For Loose Fill Surfacing Anchor Bolt 02-08-0189 Ground Spike 02-08-0187 For Unitary Surfacing Anchor Bolt 02-08-0189 Ground Spike 02-08-0188



Reverse View


Open design offers excellent visibility for supervisors.





# **TOUCHMATH**

All Discovery Centers for 2-5 years exclusively feature an interactive TouchMath® learning panel and free printed curriculum for bringing learning outdoors. TouchMath is an awardwinning multi-sensory math curriculum designated for ages 2-5 years old.





Each TouchMath Panel comes with:

- Training Manual
- Classroom Sampler and Activity Panel Poster
- TouchMath Activity Panel Manual

For more information, please visit:

www.touchmath.com/playcore



#### DC-1SM

### Discovery Center 1

This efficient design is ideal for home early childhood centers, and can be used indoors or outside.

Ages:	2-5 years
Activities:	2 ground level, 5 elevated
Kid Capacity:	5-10
Fall Ht:	3'1.5"   96cm
Unit Weight:	415 lbs.
Use Zone:	22' x 22'   264 cm x 264 cm

Mounting Kits (Required)

For Loose Fill Surfacing

Anchor Bolt 02-08-0201

Ground Spike 02-08-0200

For Unitary Surfacing

Anchor Bolt 02-08-0201

02-08-0202


Ground Spike



2-5 years



Kids will discover lady bugs, ants and caterpillars in the Vine Climber.



#### DC-2MDR

### Discovery Center 2

Maximum play value is packed into a compact design, inspiring fine and gross motor development.

Ages:	2-5 years
Activities:	2 ground level, 7 elevated
Kid Capacity:	10-15
Fall Ht:	3'1.5"   96cm
Unit Weight:	688 lbs.
Use Zone:	22' x 27'   264 cm x 324 cm


Mounting Kits (Required)
For Loose Fill Surfacing

Anchor Bolt 02-08-0204
Ground Spike 02-08-0203

#### **For Unitary Surfacing**

Anchor Bolt 02-08-0204

Ground Spike 02-08-0205








Roof features leafy canopy underside!



Moving the hands on the Clock Panel promotes fine motor development.









2-5 years



#### DC-4LG

### Discovery Center 4

Our most popular design provides multiple climbing and sliding opportunities for up to 20 children.

Mounting Kits (Required)

Ages:	2-5 years				
Activities:	4 ground level, 6 elevated				
Kid Capacity:	15-20				
Fall Ht:	3'1.5"   96cm				
Unit Weight:	875 lbs.				
Use Zone:	27' x 28'   324cm x 854cm				

For Loose Fill Surfacing				
Anchor Bolt	02-08-0207			
Ground Spike	02-08-0206			
For Unitary Surfacing				
Anchor Bolt	02-08-0207			
Ground Spike	02-08-0208			

#### DC-5XLG


### Discovery Center 5

Superior detail and variety for hours of activity and increased teacher interaction. The DC-5XLG offers the longest slide in the Discovery Center product line.


Ages:	2-5 years
Activities:	5 ground level, 7 elevated
Kid Capacity:	20-25
Fall Ht:	3'9"   115cm
Unit Weight:	1,140 lbs.
Han Zanar	20' v 21'   954 cm v 945 cm

Mounting Kits (Required)

For Loose Fill Surfacing				
Anchor Bolt	02-08-0210			
Ground Spike	02-08-0209			
For Unitary Surfacing				
Anchor Bolt	02-08-0210			
C 1C 1	00 00 0044			



Meets or exceeds ADA guidelines for accessibility. Includes all activities from DC-4 plus a Store Panel, Shapes & Colors Panel, and a longer Curved Slide for added play value.





Moving the hands on the Clock Panel promotes fine motor development.

# 5 Reasons to BUY



TO INSTAL

2



Easy to Install

No Concrete or Digging Required

**Ships in 7 Days** 

Fast Delivery to Your Site

**IPEMA Certified** 

Meets Commercial Standards

**ADA Accessible** 

Meets ADA Requirements

**Saves Money** 

Affordable, Great for Volunteer Builds

### **Easy Set Up**

UPlayToday is the commercial play solution for play spaces where residential equipment is not appropriate:

- Churches
- Apartments
- Early Childhood Centers
- Any Supervised Play Area
- Age appropriate for ages 2-5 or 5-12 years

Mounting Options

Anchor Bolt and Inground kits sold separately. See page 57 for more information.



#### **Ground Spike/Surface Mount**

Included with all structures. Used to secure structure on top of ground.
Use this option with loose fill surfacing.

(Not recommended for sandy or loamy



#### **Anchor Bolt Surface Mount**

**Sold separately.** Used to secure structure to concrete. Use this option with poured-in-place surfacing or rubber tiles.

#### **Concrete Inground Mount**

**Sold separately.** Used to secure structure in the ground. Use this option with loose fill, poured-in place, or rubber tile surfacing.





# UPLAY TODAY

- Robust 3½" round steel uprights
- Premium quality double wall roof, panels, and slide entries

### Product Features

- Tested in the USA and meets or exceeds IPEMA safety standards
- Nature details integrated throughout all structures
- Three mounting options
- Multiple ground level activities so everyone can play
- Available in Natural(N) or Playful(P) color options













## pike's peak UPLAY-014-P

# **UPLAY TODAY**

2-5 or 5-12 **years** 




Specify Color option	MOUNTING KITS (Required)			
Play Structure G	Ground Spike	Anchor Bolt	Inground Kit	
UPLAY-014-N Pike's Peak (natural)	Included	33-12-0132	33-12-0104	
UPLAY-014-P Pike's Peak (playful)	Included	33-12-0132	33-12-0104	









## carson's canyon UPLAY-009-P

Age: 2-5 or 5-12

Activities: 11

رار	Use Zone: 27'1" x 38'5" Fall Height: 5'0"   153cm	(P) Pla		DAMETER SALVANIZED EEL UPRIGHT POSTS
	Specify Color option	MOU	NTING KITS (R	equired)
	Play Structure	Ground Spike	Anchor Bolt	Inground Kit
	UPLAY-009-N Carson's Canyon (natural)	Included	33-12-0097	33-12-0098
	UPLAY-009-P Carson's Canyon (playful)	Included	33-12-0097	33-12-0098




# cumberland gap UPLAY-007-P


# **Age: 2-5 or 5-12** Activities: 11

Play Structure		Ground Snike	Anchor D	alt Ingre
Specify Color option		MOU	NTING KIT	<b>S</b> (Required
Fall Height: 4'0"   122cm				
Use Zone: 32'8" x 35'5"	REQUIREMEN	(P) PI	ay <mark>ful</mark>	GALVANIZE STEEL UPRIG POSTS
Kid Capacity: 20-25	\ ADA		or	DIAMETE

Inground Kit Play Structure UPLAY-004-N Cumberland Gap (natural) Included 33-12-0053 33-12-0095 UPLAY-004-P Cumberland Gap (playful) Included 33-12-0053 33-12-0095










# **UPLAY TODA**

2-5 or 5-12 **years** 

Top View



## deer creek UPLAY-002-N

Age: 2-5 or 5-12			
Activities: 7			RABLE 1/"
Kid Capacity: 15-20	or	DIA	METER
Use Zone: 27'6" x 23'11"	(P) Play	STEEL	VANIZED LUPRIGHT OSTS
Fall Height: 4'0"   122cm			
Specify Color option	MOU	NTING KITS (R	equired)
Play Structure	<b>Ground Spike</b>	Anchor Bolt	Inground Kit
UPLAY-002-N Deer Creek (natural)	Included	33-12-0085	33-12-0086
UPLAY-002-P Deer Creek (playful)			







Reverse View





# hamilton ridge **UPLAY-004-P**











## everett's landing (UPLAY-021-N)

## hawk's nest UPLAY-017-P

Age: 2-5 or 5-12						$\overline{}$
Activities: 9	PLAYTO	DAY™ //	colc	or it atural		DURABLE 201/11
Kid Capacity: 20-25	A D	A				5 ½ DIAMETER
Use Zone: 30'7" x 31'10"	EQUIRE	MENTS	(P) Pl	ay <mark>ful</mark>		GALVANIZED STEEL UPRIGHT POSTS
Fall Height: 5'0"   153cm						
Specify Color option MOUNTING KITS (Required)					quired)	
Play Structure		Ground Spi	ke .	Anchor B	olt	Inground Kit
UPLAY-021-N Everett's Landing (natu	ural)	Included		33-12-01	46	33-12-0147

Age: 2-5 or 5-12			
	YTODAY™ (	color it	DURABLE 21/"
Kid Capacity: 15-20	DA I	or	J'/2 DIAMETER
Use Zone: 26'4" x 32'10"	JIREMENTS	P) Playful	STEEL UPRIGHT POSTS
Fall Height: 4'0"   122 cm			
Specify Color option	MOL	INTING KITS (R	equired)
Play Structure	<b>Ground Spike</b>	Anchor Bolt	Inground Kit
UPLAY-017-N Hawk's Nest (natural)	Included	33-12-0134	33-12-0135
UPLAY-017-P Hawk's Nest (playful)	Included	33-12-0134	33-12-0135















# maddie's chase UPLAY-006-P











Top View

Curved Slide

ADA Steps

Bongo Drums (Below Deck)

Rain Wheel (Below Deck)

2' Tower

, Window Panel

Rung Climber

6' Wave Slide

Deluxe Climbing Wall



5-12 **years** 



# bighorn

UPLAY-008-N

Age: 5-12	col	or it	DURABLE
Activities: 7		latural	31/2"
Kid Capacity:15-20	A (P) P	lavful	DIAMETER GALVANIZED
	W/	laylul	STEEL UPRIGHT POSTS
Use Zone for Space Saver Configurati	on: 29'2"	x 29'8"	
Use Zone for Space Standard Configuration: 25'4" x 38'11"			
Fall Height: 6'0"   183cm			
Specify Color option	MOU	NTING KITS (R	equired)
Play Structure	<b>Ground Spike</b>	Anchor Bolt	Inground Kit
UPLAY-008-N Bighorn (natural)	Included	33-12-0054	33-12-0096
UPLAY-008-P Bighorn (playful)	Included	33-12-0054	33-12-0096

# boulder point UPLAY-079-N

Age: 5-12

	Activities. 7	UPLAYTOL		(NI) N	atural		<b>31/"</b>	
	Kid Capacity:20-30	STRUCTURES	A		or		JAMETER	
	Use Zone: 34'7" x 36'7"	REQUIREM	ENTS	(P) <b>P</b>	lay <mark>ful</mark>		GALVANIZED TEEL UPRIGHT POSTS	
	Fall Height: 6'0"   183cm							
	Specify Color option	MOUNTING KITS (Required)						
	Play Structure		Ground	Spike	Anchor	Bolt	Inground	Kit
	UPLAY-079-N Boulder Point (natu	ral)	Inclu	ded	33-12-0	082	33-12-01	10
	UPLAY-079-P Boulder Point (playf	ul)	Inclu	ded	33-12-0	082	33-12-01	10



add border timbers



# ▲ timber glen UPLAY-005-P

Age: 5-12			
Activities: 6	AY™ (AD NI		DURABLE 21/11
Kid Capacity: 10-15	A ) — •		DIAMETER
Use Zone: 30'1" x 27'8"	(P) Pla		GALVANIZED TEEL UPRIGHT POSTS
Fall Height: 6'0"   183cm			
Specify Color option	MOU	NTING KITS (R	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-005-N Timber Glen (natural)	Included	33-12-0091	33-12-0092
UPLAY-005-P Timber Glen (playful)	Included	33-12-0091	33-12-0092









### slide mountain UPLAY-015-N







## clingman's dome UPLAY-016-P





# rainbow lake UPLAY-012-P

Age: 5-12 Activities: 10 Kid Capacity: 20-30 Use Zone: 27'7" x 44'8"





Fall Height: 6'0" | 183cm

32

**Specify Color option MOUNTING KITS** (Required) **Play Structure** Ground Spike Anchor Bolt Inground Kit UPLAY-012-N Rainbow Lake (natural) Included 33-12-0055 33-12-0101 33-12-0101 UPLAY-012-P Rainbow Lake (playful) Included 33-12-0055









big sky

Age: 5-12

UPLAY-080-N



Activities: 12	UPLAYTODAY" STRUCTURES MEE	CO
Kid Capacity: 35-45	A DA	(N)
Use Zone: 38'11" x 42'9"	REQUIREMENTS	(P) F
Fall Height: 6'0"   183cm		
Specify Color option		IV

Specify Color option	MOUNTING KITS (Required)			
Play Structure	Ground Spike	Anchor Bolt	Inground Kit	
UPLAY-080-N Big Sky (natural)	Included	33-12-0083	33-12-0129	
UPLAY-080-P Big Sky (playful)	Included	33-12-0083	33-12-0129	

# aiden's pass

Kid Capacity: 15-25 Use Zone: 29'2" x 30'4" Fall Height: 6'0" | 183cm

Age: 5-12

Activities: 8





Specify Color option	
Play Structure	Grou
UPLAY-078-N Aiden's Pass (natural)	In
UPLAY-078-P Aiden's Pass (playful)	In

**MOUNTING KITS** (Required) nd Spike Anchor Bolt **Inground Kit** luded 33-12-0081 33-12-0130 33-12-0130 luded 33-12-0081

### Top View Rain Wheel (Below Deck) Window Panel Ultra Mountain Climber Bass Drum (Below Deck) Bongo Drums (Below Deck) Deluxe Climbing Wall 2' Tower Stairs Curved Slide **ADA Steps** 6' Wave Slide E

# Add more ground level play with these Add-on activities!

Easily add more ground level play to your structure with these add-on activity kits.

#### **Bench Panel**

Age: 2-5 or 5	Age: 2-5 or 5-12				
Model	Color Scheme	Bench Color	Clamp Color		
02-07-5014-YLW	Playful	Yellow	Red		
02-07-5014-GRN	Natural	Green	Beige		

Provide children and adults a place to rest or gather with friends by adding the Bench Panel. Add to any two unobstructed posts.



#### Drums & Rain Wheel Set

Age: 2-5 or 5	-12 Set includes	Set includes: Bass Drum, Bongos and Rainwheel		
Model	Color Scheme	Drums/Rain Wheel Color	Clamp Color	
02-07-5009-YLW	Playful	As Shown	Red	
02-07-5009-GRN	Natural	As Shown	Beige	

Offer even more sound play with the Drums and Rain Wheel set. Activities that provide music and movement teach children about cause and effect while providing sensory development. Children will hear the different sounds made from the upbeat bongo drums, the deeper sound of the bass drum and the calming rush of the rain wheel. Set includes Bongo Drum, Bass Drum, and Rain Wheel. Add-on packages require 1-2 unobstructed posts. Ask your representative to help identify the best placement of components to enhance your structure.





Rain Wheel

Bongo Drums

Bass Drum

### **Swings**





### Bipod Swings 2-5 or 5-12 Years

8' high single bay or double bay frames

- 2-3/8" galvanized pipe top rail and 2-3/8" diameter legs
- Commercial strap seats or tot seats
- Powder coated blue (BLU) or green (GRN) yoke connectors
- Seats, swing hangers, chain and factory-closed S-hooks included with swing sets

Green Model	Blue Model	Beam Ht.	Description Sea	t Style	Use Zone
PBP-8-1S-GRN	PBP-8-1S-BLU	8'	Single Bay Stra	p Seats 24'	11" x 32'   759 cm x 975 cm
PBP-8-2S-GRN	PBP-8-2S-BLU	8'	Double Bay Stra	p Seats 36	' 3" x 32'   1105 cm x 975 cm
PBP-8-1C-GRN	PBP-8-1C-BLU	8'	Single Bay Tot S	Seats 24'	11" x 32'   759 cm x 975 cm
PBP-8-2C-GRN	PBP-8-2C-BLU	8'	Double Bay Tot S	Seats 36	' 3" x 32'   1105 cm x 975 cm
PBP-8-2SC-GRN	PBP-8-2SC-BLU	8'	Double Bay (2) S	trap Seats ot Seats 36	'3" x 32'   1105 cm x 975 cm



PBP-8-2S-BLU 8' Double Bay with Strap Seats





Strap Seat

Tot Seat

### Swing Seat & Hardware Packages

Packages include (1) seat, (2) hangers, (2) chains and (4) S-hooks

Model	Description
02-07-0100	Commercial Strap Seat Package
02-07-0101	Commercial Tot Seat Package

### **Wear Mats**

A great addition to surfacing in high traffic areas such as under swings and slide exits.

Model	Description
101692	48" x 48" Rubber Wear Mat

## freestanding activities for ages 2-5 add fun to any playground!



#### Sailboat Sandbox 66506

Multiple seating areas surround this distinctive sailboat inspired sandbox, inviting kids to socialize as they hunt for buried treasure.

- Mounts inground
- Requires the use of safety surfacing
- Capacity: 10 Children
- Space Required: 18'6"x 21'1" | 564cm x 643cm
- · Colors as shown



### Cat's Den 66503

Add Dramatic play to your play space.

- Features shape cut-outsCapacity: 4-5 Children
- Space Required: 17'3"x 15'1" | 526cm x 460cm
- Colors as shown

### Helicopter EC-126

This kid-sized helicopter invites little explorers to test their piloting skills.

- Mounts inground
- Requires the use of safety surfacing
- Capacity: 2 Children
- Space Required: 17' x 20' | 518cm x 610cm
- Colors as shown



### **Flight Jet** 66517

Seating for three in a row, the Flight Jet is a realistic adventure game with two turning steering wheels. Color as shown.

- Mounts inground
- Requires the use of safety surfacing
- Capacity: 3 Children
- Space Required: 19' x 19' | 580cm x 580cm
- Colors as shown





### **Educational Activity Center** 66507

- Mounts inground
- Requires the use of safety surfacing
- Capacity: 8-12 Children
- Space Required: 8'5"x 4'6" x 3'2" | 251cm x 137cm x 97cm
- Colors as shown



#### Game Central Station 66519

- Mounts inground
- Requires the use of safety surfacing
- Capacity: 8-12 Children
- Space Required: 9'8"x 3'7" x 3'6" | 269cm x 84cm x 107cm
- Colors as shown



#### TouchMath® Panel MEC-046

The TouchMath Panel is an interactive outdoor play event created in partnership with Innovative Learning Concepts Inc. to bring learning outside to the playground!

Each TouchMath Panel comes with:

- Training Manual
- Classroom Sampler and Activity Panel
- TouchMath Activity Panel Manual

For more information, please visit: www.touchmath.com/playcore

Space required: 0'7" x 4'6" | 18cm x 137cm





### **Paint & Play** 66575

The clear, unbreakable polycarbonate window is great for painting with watercolors. Holes cut in the shelves provide a handy place to rest paint cups and brushes, and the window is rewashable for reusable fun. Does not include paints, brushes, or supplies.

Model	Description
66575P	Red
66575N	Green



Horse 02-07-0053

#### **2-Rider Spring See Saw** 02-07-0055

2-5 Years

Encourage social interaction with the Spring See Saw designed for two riders. Colors as shown.

- Appropriate for ages 2-5
- Powder coated blue frame with red seats
- Anchor bolts included for mounting
- In-ground mounting kit also available: #02-07-0187 (sold separately)
- Requires the use of safety surfacing
- Use zone: 20' x 13' | 610 cm x 396 cm

### Spring Riders 2-5 Years

UPlayToday™ Spring Riders are an excellent way to add excitement and imaginative play to a new or existing playground. Colors as shown.

- HDPE body
- Heavy-duty surface mount steel spring
- Anchor bolts included for mounting
- In-ground mounting kit also available: #02-07-0187 (sold separately)
- Requires the use of safety surfacing
- Use zone: 15' x 13' | 457 cm x 396 cm

### **Trike Path Traffic Signs**

Truck 02-07-0054

Signs include a moveable base and can be rearranged throughout the pathway or brought indoors. Trike path must be placed outside of use zone. Trike Path sign height is 37-1/2".



UP125 Stop



**UP157** Do Not Enter



**UP153** Hazard Barrier\*



**UP126** Yield



**UP128** School Zone



**UP154** Trike Parking



**UP127** Railroad



**UP156** Arrow



**UP155** No Trikes



**UP128** School Zone

Model	Description
UP129	Package of 4 Signs*

\*Includes Stop, Yield, Railroad, and School Zone signs

### **UPLAY TODAY**



### 4' Freestanding Slide SLIDE-P

#### 2-5 or 5-12 Years

- 3-1/2" powder coated steel uprights, perforated, coated steel stairs
- Heavy-duty rotomolded straight slide with matching entrance
- Colors as shown
- Assembly and inground installation is required
- 3'6" wide x 11'6" long x 7'6" high
- Use zone: 24' x 16' | 732 cm x 488 cm

### Climb & Discover Cave UP120

### 2-5 or 5-12 Years

- Large openings offer crawl through points and allow easy interior supervision
- Children will discover new nature details each time they play: mushrooms, turtle, ladybug, bird in nest, leaves, and more!
- Professional hand holds available in 2 color schemes
- Use zone: 20' x 21' 610 cm x 640 cm
- Fall Height: 3'4" | 102 cm

### Rockin' Drums MEC-007

2-5 Years

Inspire future generations of creative percussionists while promoting upper body motion.

Space required: 3'4" x 1'6" | 102cm x 46cm



### **Zig-Zag Balance Beam TZBAL-8** 2-5 or 5-12 Years

- High quality thermoplastic coating resists impacts and is UV stable
- Mounts inground on 2-3/8" support posts
- Requires the use of safety surfacing
- Use zone: 20' x 13' | 610 cm x 396 cm
- 4" wide x 8' long
- Color as shown



### UP121 **Standard Hand Holds**Natural Color Palette

















UP120 Letter & Number Hand Holds

Playful Color Palette














### **Early Childhood Horizontal Ladder PJHLAD** 2-5 Years

- Great upper body development for ages 2-5
  The Tire Boost Package (02-01-0025) adds height assistance and prevents surfacing displacement (sold separately)
- 19-1/2" wide x 6' long x 52" high when installed
- Use zone: 18' x 14' 549 cm x 427 cm
- Color as shown





#### **GeoDome** PMOON 5-12 years

- A classic climbing addition to any playground
- Constructed with 1" O.D. galvanized steel pipe
- Multi-color powder coated connectors
- Mounts inground
- Requires the use of safety surfacing
- 3'6" high x 7'6" diameter
- Use zone: 20' (310 cm) diameter

### **Horizontal Ladder PHLAD** 5-12 Years

- Powder coated steel with cast aluminum corner connectors
- 2-3/8" O.D. galvanized zinc tubing
- 19-1/2" wide x 12' long x 80" high when installed
- Requires the use of safety surfacing
- Use zone: 24' x 14' | 732 cm x 427 cm
- Color as shown



### **Whirl & Twirl** 2-5 or 5-12 BT-002 BT-003 (w/clicking sound)


This freestanding spinner features a tilted design allowing children to spin independently or with the assistance from a friend.

- Mounts inground
- Requires the use of safety surfacing
  Space Required: 15'7" x 15'7"
- Fall height: 20"(610 cm)



Create fun.





### Play systems powered by a child's imagination.







### What is snug play?

Snug Play is a new approach to play spaces that allows children of all ages to play to their own ability. With no right or wrong way to play, children can create a dynamic play space that stimulates spontaneous play and cooperation as they create endless configurations. Ask your sales representative about short videos showing children and Snug Play in action!







### snug play systems

Choose from **5 unique systems** to bring creative, loose parts play opportunities to your facility.



An entry level kit for a compact setting.

**Space:** 12' x 12' | 144 sq. ft.

Weight: 266 lbs.





Great for the average classroom of children in a small setting.

**Space:** 15' x 15' | 225 sq. ft.

Weight: 540 lbs.





Ideal for larger class sizes wanting more creative play pieces, this is the smallest kit offering our Loop Ring!

**Space:** 25' x 25' | 625 sq. ft.

Weight: 875 lbs.






Accommodates a large number of children with a variety of different play elements.

**Space:** 35' x 35' | 1,255 sq. ft.

Weight: 1,400 lbs.





Our largest system contains architectural elements to offer the most opportunities for creative play.

**Space:** 40' x 40' | 1,600 sq. ft.

**Weight:** 2,278 lbs. \*Averages based on typical play space.

	wave	bump	full loop	cone	wall	pad	spider	noodle	mound
items:	<b>~</b>	<b>*</b>	م		(P)				
qty:	8	6	18 pieces	2	4	2	2	20	1

# NO INSTALLATION USE INSIDE or OUT INCLUSIVE EASY to HANDLE DURABLE

**Snug Play USA** systems are ideal for early childhood centers, supervised parks, schools, community centers, festivals, special events, museums, therapeutic areas, and much, much more.



Independent evaluation by National Lekotek Center



Lekotek

**Building Blocks of Inclusion**A division of Anixter Center



A PLAYCORE Company

### the mound combo

The mound dramatically transforms your play area's landscape and topography to inspire creative play, allowing children to create and experience various levels of terrain. They are only limited by their own imaginations!





mini mound SNUG-MMD Great for early childhood areas.



the mini + plus
Our mid-size system offers lots of possibilities.

SNUG-MMDP



the **standard** + plus
Provides additional surface area for creative play.

SNUG-MDP



the **standard** mound
Our most popular combo. Jump it. Climb it. Walk it.

SNUG-MD



the standard + extended snug

Our largest system with endless combinations.

	mound combos details									
Mound Component	Weight	Dimensions		<mark>mini</mark> SNUG-MMD	mini+ plus SNUG-MMDP	standard mound SNUG-MD	standard+ plus SNUG-MDP	standard+ extended SNUG-MDX		
Q	52 lbs.	39.5" x 39.5" x 23" 100 cm x 100 cm x 58 cm		4	4	4	4	4		
R	41 lbs.	39.5" x 39.5" x 23" 100 cm x 100 cm x 58 cm		0	2	2	6	6		
P	45 lbs.	39.5" x 19.5" x 23" 100 cm x 50 cm x 58 cm		0	0	0	1	1		
S	20 lbs.	39.5" x 19.5" x 3.5" 100 cm x 50 cm x 9 cm		0	0	0	0	6		

### mound combos overhead configurations







star	ıdar	' <b>d+</b>	plus
Q	R	R	Q
R	F		R
Q	R	R	Q
ŀ	(id Ca 5		r:





### the loop combos

### the loop ring Consisting of 6 pieces, the Loop Ring is great for games,

balancing and socializing.

SNUG-LPR



### the compact loop Allows for creativity, games,

and changing landscapes Consists of 9 pieces.



### the full loop Our largest and most

popular combo.

SNUG-LP



allow children to create a unique and changeable landscape through cooperation.



The Loop can be reconfigured by children using hook-and-loop fastening straps. Metal plates and bolts are also included for utilizing the Loop as a fixed structure.

usa

A PLAYCORE Company



Freenotes are outdoor musical instruments that offer play to participants of all ages. Designed by a Grammy award winning musician, these instruments use the Pentatonic Scale, which creates a naturally pleasing sound no matter which notes are played together. Each piece is built specifically for the outdoors using heavy duty impact resistant materials engineered for continuous exposure to elements and frequent use. Best of all, Freenotes are accessible to people of all ages and abilities, encouraging physical and mental development through the exploration of sound.



# Why Freenotes?

- Always perfectly tuned
- Multi-Generational

- Durable and low maintenance
- No power required

Group Freenotes instruments together to create harmonically pleasing sounds.

### Benefits of music

### It's good for your brain:

Music helps build reasoning skills, increases the size of your memory, refines time management and organizational skills, and teaches perseverance.

#### It's good for your soul:

Playing music helps build confidence, encourages creativity and self-expression, reduces anxiety, and helps relieve symptoms of depression.

#### It's good for your heart:

Playing and listening to music can reduce stress, ease pain, lower blood pressure, and improve sleep.



Aria



Weenotes Package - Includes Merry, Piper, and Griffin (Portable mounts sold separately)



Piper

Melody

Griffin





Merry



Griffin

Inground, surface mount, and portable options available for most music Items.

Description	Space Required	
Aria	2'7" x 1'3"	79 cm x 38 cm
Weenotes Package	5'5" x 6'8"	165 cm x 203 cm
Piper	2'3" × 2'3" × 1'10"	69 cm x 69 cm x 56 cm
Rhythm	1'8" x 1'4" x 1'10"	38 cm x 51 cm x 56 cm
Melody	1′8″ × 1′4" × 1′10″	38 cm x 51 cm x 56 cm
Merry	2'3" x 2'3" x 1'10"	69 cm x 69 cm x 56 cm

2'3" x 0'6" x 3'3"

These half-size instruments are perfect for Early Childhood!

69 cm x15 cm x 99 cm



### Music inspires multi-generational play!











Imbarimba



Pegasus



Duet



Pagoda Bells



Contrabass Chimes



Manta Ray

Space Required	
5'6" x 1'4" x 2'10"	168 cm x 41 cm x 86 cm
4'5" x 1'4" x 0'4"	135 cm x 41 cm x 10 cm
3'9" x 1'4" x 2'2"	114 cm x 41 cm x 66 cm
3'0" x 1'4" x 2'4"	91 cm x 41 cm x 71 cm
3'11" x 1'4" x 2'6"	119 cm x 41 cm x 76 cm
4'1" x 1'4" x 1'10"	124 cm x 41 cm x 56 cm
Tallest Chime = 8'9"	252 cm
3'5" x 1'4" x 2'0"	103 cm x 41 cm x 61 cm
1' Dia. x 2'5"H	29 cm Dia. x 74 cm
6'1" x 1'6"	185 cm x 46 cm
	5'6" x 1'4" x 2'10"  4'5" x 1'4" x 0'4"  3'9" x 1'4" x 2'2"  3'0" x 1'4" x 2'4"  3'11" x 1'4" x 2'6"  4'1" x 1'4" x 1'10"  Tallest Chime = 8'9"  3'5" x 1'4" x 2'0"  1' Dia. x 2'5"H

# NatureROCKS®

A *boulder* way to play!™




**NatureROCKS®** playground boulders and play elements bring exciting and authentic climbing experiences to any park or playground. They are thoughtfully designed to provide active adventure for a variety of ages and ability levels – from children to experienced adult rock climbers. Rock climbing on boulders develops strength, balance, and coordination. In addition, playground boulders spark the imagination and invite creative play.



All boulders feature built-in forklift channels to facilitate delivery and placement.

- Made from durable Glass Fiber Reinforced Concrete (GFRC) that will hold up against a range of climates and frequent use
- Molded from real rock outcroppings to give each boulder a truly organic look and feel
- Hand-painted in sandstone or granite finishes to bring beauty to the landscape and complement naturalized play spaces
- Available in a range of sizes to offer climbing experiences for young children, teens and adults
- Configure boulders alone, in sets, or in conjunction with other play equipment
- Boulders feature built-in forklift channels to facilitate delivery and placement



**Boulder finishes** 



Granite



Sandstone

### A *boulder* way to play!<sup>™</sup>

Nature ROCKS® Constructed of Glass Fiber Reinforced Concrete (GFRC), Nature ROCKS® Climbing Boulders are artfully inspired from real rock outcroppings and hand-painted to look and feel like natural stone.

Model	Description	Capacity	Space Required	Ages
5TSL	Tree Slices ( Includes 2 small and 3 large steps)	5	13'9" x 21'7"   419 cm x 658 cm	2-5 or 5-12
UP501	Stepping Boulders ( Includes 2 small and 1 large Boulder)	3	13'11" x 20'0"   424 cm x 610 cm	5-12
3SB	Stepping Boulders (Includes 3 small Boulders) (not shown)	3	13'11"x 20'0"   424 cm x 610 cm	2-5
4LB	4' Log Bench	3-4	4'0" x 2'0"   122 cm x 61 cm	N/A
6LB	6' Log Bench (not shown)	5-6	6'0" x 2'0"   183 cm x   61 cm	N/A
8FT	8' Fallen Tree Balance Beam	5-6	13'3" x 20'1"   404 cm x 612 cm	N/A
4HL	4' Half Log Beam (not shown)	3-4	16'0" x 14'0"   488 cm x 427 cm	2-5 or 5-12
6HL	6' Half Log Beam	5-6	18'0" x 14'0"   550 cm x 427 cm	2-5 or 5-12
UP500	Tree Stumps ( Includes 1 small, 1 medium, and 1 large Stump) (not shown)	3	19'0" x 13'4"   579 cm x 406 cm	5-12
3TST	Tree Stumps (Includes 2 small and 1 medium Stump)	3	18'8" x 13'4"   569 cm x 406 cm	2-5
4LT	4' Log Tunnel	4-5	15'5" x 15'8"   470 cm x 478 cm	2-5 or 5-12
6LT	6' Log Tunnel (not shown)	6-8	18'0" x 15'4"   550 cm x 467 cm	2-5 or 5-12
5ST	Stepping Turtles	5	13'0" x 10'0"   396 cm x 305 cm	2-5 or 5-12



**5TSL** Tree Slices

**UP501** Stepping Boulders



4LB Log Bench



8FT Fallen Tree Balance Beam



6HL Half Log Beam



**3TST** Tree Stumps



**4LT** Log Tunnel



**5ST** Stepping Turtles



**SND-SM** Small Sandstone Boulder



**SND-MD** Medium Sandstone Boulder

**SND-LG** Large Sandstone Boulder



**GRN-SM** Small Granite Boulder



**GRN-MD** Medium Granite Boulder



**GRN-LG** Large Granite Boulder

Model	Description	Capacity	Space Required	Ages	Height
SND-SM	Small Sandstone Boulder	2-3	18′1″ x 17′7″ / 549 cm x 536 cm	2-5 or 5-12	3'0" / 91 cm
SND-MD	Medium Sandstone Boulder	4-5	18'6" x 17'0" / 564 cm x 518 cm	5-12	5′0″ / 152 cm
SND-LG	Large Sands <mark>tone Boulder</mark>	6-8	19'7" x 17'5" / 597 cm x 518 cm	5-12	8'0" / 244 cm
GRN-SM	Small Granite Boulder	2-3	16'10" x 17'7" / 513 cm x 536 cm	2-5 or 5-12	3'0" / 91 cm
GRN-MD	Medium Granite Boulder	4-5	20'4" x 17'9" / <mark>620 cm x</mark> 541 cm	5-12	6'0" / 183 cm
GRN-LG	Large Granite Boulder	6-8	19'5" x 21'8" / 592 cm x 66 0 cm	5-12	8'0" / 244 cm

Durable GFRC construction and inground mounting makes NatureROCKS perfect for high-use play spaces.



### **NatureROCKS®**

### A boulder way to play!™

Model	Description	Capacity	Ages	Height
UP-506	Mount McKinley	6-7	5-12	6'0"   183 cm
UP-502	Spider Mountain	6-8	5-12	6'0"   183 cm
UP-504	Mount Hayden	6-7	5-12	5'0"   152 cm
UP-505	Sierra Nevada	12-14	5-12	8'0"   244 cm
UP-507	The Rockies	6-7	5-12	5'0"   152 cm
UP-508	Cascade Range	16-18	5-12	8'0"   244 cm
UP-503	Pike's Peak	3-4	5-12	3′0″   91 cm



Spider Mountain



Sierra Nevada



Cascade Range

Add an extra challenge to NatureROCKS® Boulders with climbing nets! Durable nets are attached to boulders or log posts to create a unique and fun nature play climbing area.



Mount McKinley



Mount Hayden



The Rockies



Pike's Peak



### ultra site. Showcase

### Site Amenities





#### Child's Picnic Table

4' (122 cm) or 6' (183 cm) portable preschool table with rounded corners

- 12" (30 cm) high seating, 20" (51 cm) high table
- Diamond pattern
- 1-5/8" (4 cm) O.D. frame
- 1-1/16" (2.7 cm) O.D. brace
- Thermoplastic green or blue coating w/ powder coated black frame
- All stainless steel hardware

### Portable Preschool Table

The Portable Preschool Table is 20" (51 cm) high and comes in a 46" (117 cm) octagon, round, or square top with rounded corners. This table is also available as a learning table with full alphabet and numbers 0-9 to complement your early childhood setting.

- 1-5/8" O.D. (4 cm) all MIG welded pipe with 1-1/16" O.D. (2.7 cm) brace
- Walk through design
- All stainless steel hardware

Model Description **358PS-PLP** 46" (117 cm) Learning Table

**Dimensions** 78" x 78" x 20" | 199 cm x 199 cm x 51 cm

### Portable Child's and Standard Size Benches

- Diamond pattern
- 1-1/16" (2.7 cm) O.D. brace
- Thermoplastic green or blue coating with powder coated black frame
- All stainless steel hardware

Model	Description	Dimensions
940PPS-V6	3' Portable Child's Bench	36" x 20" x 25"   92 cm x 51 cm x 64 cm
940P-V6	6' Standard Size Bench	72" x 26" x 38"   183 cm x 66 cm x 97 cm
940P-V8	8' Standard Size Bench	96" x 26" x 38"   244 cm x 66 cm x 97 cm

#### 940PPS-V3

- 3' Portable Child's Bench
- 3' (92 cm) portable bench
- 12" (30 cm) high seating
- 1-5/8" (4 cm) O.D. frame



#### **UP105** Welcome Sign

- Made of 1/8" Thick fiberglass
- Mounted to a 2.375"O.D.(13ga) x 84-1/4" long powder coated galvanized tubing post with steel cap



#### Model Description **Dimensions 158PS-V4** 4' (117 cm) Child's Picnic Table 48" x 70" x 20" | 122 cm x 178 cm x 51 cm **158PS-V6** 6' (117 cm) Child's Picnic Table 72" x 70" x 20" | 183 cm x 178 cm x 51 cm



### 4' Heavy Duty Preschool Table

The P557-PE Heavy-Duty 4' Preschool Table comes with your choice of green or blue polyethylene planks and powder coated frame. The preschool table is portable and the solid table top provides an easy to clean solution for early childhood environments.

- Walk-through design
- •12" (30 cm) high seating, 20" (51 cm) high table
- 9" (23cm) x 48" (122cm) seat planks and 30" (76cm) x 48" (122cm) table top
- Your choice of green (PEG) or blue (PEB) polyethylene planks and table top
- •1-5/8" (4 cm) O.D. all MIG welded pip with 1" (2.5 cm) O.D. brace
- Zinc-plated hardware

### Standard Size Table (not shown)

- 6' (183 cm) or 8' (244 cm) portable table
- 18" (46 cm) high seating, 30" high table
- Diamond pattern
- 2-3/8" (6 cm) O.D. frame
- 1-1/16" (2.7 cm) O.D. brace
- Thermoplastic green or blue coating with powder coated black frame
- All stainless steel hardware

Model Description		Dimensions			
238-V6	6' Rectangular Table	72" x 70" x 30"   183 cm x 178 cm x 77 cm			
238-V8	8' Rectangular Table	96" x 70" x 30"   244 cm x 178 cm x 77 cm			



940-P6-BB 6' Buddy Bench

2-3/8" O.D. MIG welded Frame. Available in 6' and 8' Lengths Seat available in Diamond(V) or Perforated(P) pattern.

ocar avanabit	on Blamona(v) or remorated(r) pattern	
Model	Welcome Sign Description	Dimensions
UP102	Ages 6 to 23 months	
UP103	Ages 6 to 23 months or 2-5 years	23" x 30"
UP104	Ages 2-5 years	58 cm x 76 cm
UP105	Ages 5-12 years	
UP106	Ages 2-5 years or 5-12 years	








### **Showcase**

Complete your early childhood environment with **Shade** 



Ask your representative about the right shade option for your facility

ASTM standards recommend shade for early childhood play areas. By integrating shade over the play space, children are offered protection from the sun and harmful UV rays. With options of both standard shapes and custom-designed structures, your representative will guide you through a simplified process of providing the appropriate shade that helps protect your recreation investment and your youngest constituents.



### Design Features:

- 1 All steel tubing and bolts meet or exceed ASTM Standards
- 2 Framework is engineered to withstand wind gusts up to 90 mph with fabric and up to 150 mph with fabric removed
- 3 Structures are free of sharp edges and corners
- 4 Galvanized aircraft-quality cable resists rust



Blocks up to 97% of harmful UV rays



Lockstitch technique prevents frays or unraveling



Temperature reductions up to 30 degrees



resistant, powder-coated steel tubing











### www.shadeandshelters.com

### Create an outdoor classroom with a high quality **Shelter!**

These commercial grade outdoor shelters provide shade and comfort for outdoor classrooms, picnic pavilions, and other areas requiring shelter from the sun and rain.



### Be confident in your investment

As a premier provider of play and recreation equipment, we have made a significant investment to ensure that your playground meets all safety standards and provides developmentally appropriate activities for children of all abilities.



### Services -

#### Nationwide **Installation Program**



providing quality installation and delivery services since 1978.

Call your representative to learn more about this program.



### Flexible Finance Program

Find out if you qualify for flexible financing by scanning the QR code. Complete the online financing request



form, and bring new play opportunities to your early childhood facility and your community. Call 888-403-7684 to learn more.

### Standards & Organizations

Here are just a few of the standards & organizations that guide our design and manufacturing processes.



The **ISO 14001** designation certifies that our manufacturing facility is environmentally

responsible and that we strive to reduce our carbon footprint every day.



ISO 9001 industry certification provides a quality 9001 management system that sets quality control

measures and processes for equipment design, development, production, installation, inspection, and testing.\*



All of our products are tested to either INTERNATIONAL meet or exceed

#### **ASTM** standards.

the globally recognized leader in the development and delivery of international standards designed to improve product quality, enhance safety, facilitate market access and trade, and build consumer confidence.



We believe everyone should have access to play. Look for

products with this icon that meet the Americans with Disabilities Act quidelines.



The Consumer **Product Safety** Commission informs the public of current SAFETY COMMISSION product safety

performance and recommended practices. CPSC standards are cited in the NAEYC Early Childhood Program Standards and Accreditation Criteria Guidance as a reliable source for playground safety standards.



The International Playground **Equipment Manufacturers Association** (IPEMA) provides third party product testing and validates compliance by publicly posting product validation certificates on their website. To verify product certification, visit www.ipema.org.

### **Limited Warranty**

Bra	nd	1 year	3 years	5 years	10 years	15 years
Pl	irly ly*	HARDWARE COMPONENTS WITH MOVING PARTS COMFYTUFF PLATFORMS	-	-	HDPE PANEL	STEEL DECKS METAL PARTS
Disag	MOTO TO THE PROPERTY OF THE PR	COMPONENTS WITH MOVING PARTS	-	ROTOMOLDED PLASTIC BLOW MOLDED PLASTIC GROUND MOUNT METAL PARTS	UPRIGHT POSTS POST CAPS HARDWARE	-
UPLAY	TODAY	HARDWARE HDPE CLIMBERS & SPRING RIDERS STRAP & TOT SWING SEATS	PLASTIC PARTS	METAL PARTS GROUND MOUNT METAL PARTS	UPRIGHT POSTS	_

### Surfacing Showcase

We can help you choose the right surfacing for your unique play area by working closely with you to discover usage statistics, budget, site specific conditions, and desired outcomes.

Value Moderate Premium

Required Maintenance

Required Maintenance

Required Maintenance

Required Maintenance

Required Maintenance

Required Maintenance

Site Preparation

Longevity

Site Preparation

Longevity

Site Preparation

Site Preparation

Site Preparation

Longevity

Longevity

Longevity

Price

Price

Price

Price

Site Preparation

Longevity



### Poured In Place (PIP) Rubber

- Superior impact absorption
- Easily customized with graphic design and color
- Resilient non-skidding surface
- Utilizes recycled products



#### Turf

- Natural looking but padded to meet ASTM regulations for fall attenuation
- Looks like grass without all the maintenance and mowing
- Innovative coating system penetrates yarn for enduring resilience
- Available in varying piles and colors to fulfill specific play area needs



#### Tile

- Offered in standard or Secure Lock patented interlocking design
- Allows for easy replacement
- Multiple colors options
- Custom edging and accessible ramps also available







#### **Bonded Rubber**

- Made of clean recycled shredded rubber coated and mixed with binder
- Excellent option to fill accessibility need
- Seamless installation at various depths



#### **Shredded Rubber**

- Durable with great impact attenuation
- Made from clean, wire-free shredded rubber and will not decompose
- Available in multiple color options
- Easily installed without outsourced labor



### **Engineered Wood Fiber (EWF)**

- Economical surfacing option
- Requires periodic maintenance to retain required depth
- Can be installed easily
- Will meet accessibility standards if maintained and compacted



#### **Park Timber Adapter**

Allows a smooth transition between different fall height requirement zones. Available in LEFT and RIGHT versions.



#### Park Timber Connector

Joins two regular timbers to create lengths to fit within any space. Available in 8" and 12" heights



PTAC Accessible Park Timber

Connects to Park Timbers to allow for

Park Timbers (Black only)
Park Timbers are available in both 8" and 12" heights.

**Park Timber** 

Available in 8" and 12" heights.

4' long. Black only.

4' Straight, 12" High PT412 PT48 4' Straight, 8" High PTLA Left Adapter PTRA Right Adapter PT8C 8" Connector PT12C 12" Connector PTAC Accessible Park Timber PTAC1 Accessible Park Timber w/ Adapter



### NatureCurb

Bring the look of nature to your playground. The log themed curb is a perfect addition Available in 12" height.

NCB Nature Curb Brown NCBL Nature Curb Left Brown N CBR Nature Curb Right Brown NCBAC Accessible Nature Curb Brown




### ultraPLAY Installation & Surfacing Matrix

A PLAYCORE Company

Model Number	Product Name	Use Zone	Ages	Minimum Timbers	Minimum Cubic Yards of EWF	Standard Mounting System	Optional Mounting Kit (Sold Separately)
DC-SEED	Seedling, no roof	13'8" x 13'5"	6-23 Months	16	10	Ground Spike or Anchor Bolt	In-Ground
DC-SEEDR	Seedling, w/roof	13'10" x 13'8"	6-23 Months	16	10	Ground Spike or Anchor Bolt	In-Ground
DC-SS	Super Sprout, no roof	14'2" x 10'5"	6-23 Months	10	8	Ground Spike or Anchor Bolt	In-Ground
DC-SSR	Super Sprout, w/roof	14'2" x 10'5"	6-23 Months	10	8	Ground Spike or Anchor Bolt	In-Ground
DC-SAPR	Sapling	19'6" x 14'5"	6-23 Months	18	15	Ground Spike or Anchor Bolt	In-Ground
DC-PLAY	Playhouse	13′8″ x 11′10″	6-23 Months	10	9	Ground Spike or Anchor Bolt	In-Ground
DC-1SM	Discovery Center 1	22' X 22'	2-5 Years	24	25	Ground Spike or Anchor Bolt	In-Ground
DC-2MDR	Discovery Center 2	22' x 27'	2-5 Years	26	30	Ground Spike or Anchor Bolt	In-Ground
DC-4LG	Discovery Center 4	27' x 28'	2-5 Years	28	31	Ground Spike or Anchor Bolt	In-Ground
DC-5XLG	Discovery Center 5	28' x 31'	2-5 Years	30	44	Ground Spike or Anchor Bolt	In-Ground
UPLAY-001-P(N)	South Fork	24'5" x 26'4"	2-5 or 5-12	28	33	Ground Spike	Anchor Bolt or In-Ground
UPLAY-002-P(N)	Deer Creek	27'6" x 23'11"	2-5 or 5-12	26	33	Ground Spike	Anchor Bolt or In-Ground
UPLAY-003-P(N)	Signal Springs	29'10" x 27'7"	2-5 or 5-12	30	42	Ground Spike	Anchor Bolt or In-Ground
UPLAY-004-P(N)	Hamilton Ridge	26'11" x 29'2"	2-5 or 5-12	30	40	Ground Spike	Anchor Bolt or In-Ground
UPLAY-005-P(N)	Timber Glen	30'1" x 27'8"	5-12 Years	30	42	Ground Spike	Anchor Bolt or In-Ground
UPLAY-006-P(N)	Maddie's Chase	27'8" x 32'10"	5-12 Years	32	46	Ground Spike	Anchor Bolt or In-Ground
UPLAY-007-P(N)	Cumberland Gap	32'8" x 35'5"	2-5 or 5-12	36	58	Ground Spike	Anchor Bolt or In-Ground
UPLAY-008-P(N)	Bighorn	25'4" x 38'11"	5-12 Years	34	50	Ground Spike	Anchor Bolt or In-Ground
UPLAY-009-P(N)	Carson's Canyon	27'1" x 38'5"	2-5 or 5-12	34	53	Ground Spike	Anchor Bolt or In-Ground
UPLAY-012-P(N)	Rainbow Lake	27'7" x 44'8"	5-12 Years	38	62	Ground Spike	Anchor Bolt or In-Ground
UPLAY-014-P(N)	Pike's Peak	28'1" x 34'5"	2-5 or 5-12	34	50	Ground Spike	Anchor Bolt or In-Ground
UPLAY-015-P(N)	Slide Mountain	33′1″ x 41′4″	5-12 Years	40	69	Ground Spike	Anchor Bolt or In-Ground
UPLAY-016-P(N)	Clingman's Dome	38'2" x 29'4"	5-12 Years	36	56	Ground Spike	Anchor Bolt or In-Ground
UPLAY-017-P(N)	Hawk's Nest	26'4" x 32'10"	2-5 or 5-12	32	32	Ground Spike	Anchor Bolt or In-Ground
UPLAY-019-P(N)	Falcon's Roost	26'1" x 39'3"	2-5 or 5-12	30	38	Ground Spike	Anchor Bolt or In-Ground
UPLAY-021-P(N)	Everett's Landing	30'7" x 31'10"	2-5 or 5-12	32	36	Ground Spike	Anchor Bolt or In-Ground
UPLAY-078-P(N)	Aiden's Pass	29'2" x 30'4"	5-12 Years	32	45	Ground Spike	Anchor Bolt or In-Ground
UPLAY-079-P(N)	Boulder Point	34'7" x 36'7"	5-12 Years	36	63	Ground Spike	Anchor Bolt or In-Ground
UPLAY-080-P(N)	Big Sky	38'11" x 42'9"	5-12 Years	42	84	Ground Spike	Anchor Bolt or In-Ground

### How to plan your playground





### **INSTALLATION FACTORS** to consider:

- Professional Installation Certified installers manage the entire process
- Supervised Installation Volunteers participate under supervision of factory-certified installers.
- Customer Installation\* olunteers organize and fully participate in installation.



Considerations



• Site space

Age-appropriate activities



### Considerations Considerations

- TopographySoil / Circulation
- Drainage



\*Using volunteers for your installation allows for more equipment



A PLAYCORE Company

UltraPlay

1675 Locust Street,

Red Bud, IL 62278

**888.403.7684** ultraplay.com





