January 3, 2011 Updated January 2, 2017 800-424-2432






Contents
Refer to KI Terms & Conditions document or visit ki.com.

700 Series® Desk Product Offering		2	
700 Series® Desk Typicals		6	
Genesis® Specifications		8	
700 Series® Desk	Desk	10	
	P-Shape and D-Shape Desk	12	
	Returns	14	
	P-Shape and D-Shape Returns	16	
	Corner	18	
	Bridges	20	
	Credenzas	22	
	Desk with PowerUp®	24	
	Returns with PowerUp®	26	
	Corner with PowerUp®	28	
	Bridges with PowerUp®	30	
	Countertop	32	
	Overhead Storage	34	
	Tackboards/Screens	38	
	Accessories	40	
700 Series® Pedestals	Mobile and Freestanding	44	
	Hanging	50	
	Worksurface Supporting	52	
	Accessories	54	
700 Series® Curve Pedestals	Mobile and Freestanding	56	
	Hanging	60	
	Worksurface Supporting	62	
700 Series® Credenza	Credenza Files	64	
Index		66	

700 Series® Desk Product Offering



Desks

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 48 x 29 30 x 54 x 29 30 x 60 x 29

30 x 66 x 29 30 x 72 x 29 36 x 60 x 29 36 x 66 x 29

36 x 72 x 29



Worksurfaces P-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29


36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



D-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Returns

Full or Partial Modesty Panel $\mathsf{D} \quad \mathsf{W} \quad \mathsf{H}$ 24 x 24 x 29 24 x 30 x 29 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 36 x 29





P-Shape

D W H 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



D-Shape

D W H 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29

24 x 72 x 29

30 x 48 x 29 30 x 54 x 29 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 48 x 29 36 x 54x 29 36 x 60 x 29 36 x 66 x 29

36 x 72 x 29



Full or Partial Modesty Panel D W H 24 x 36 x 29 24 x 42 x 29

30 x 42 x 29 30 x 48 x 29



Bridges


Full or Partial Modesty Panel D W H

20 x 36 x 29 20 x 42 x 29 20 x 48 x 29

24 x 36 x 29 24 x 42 x 29

24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29

24 x 72 x 29




Credenzas

Full or Partial Modesty Panel D W H 20 x 62 x 29 24 x 60 x 29 24 x 62 x 29



Credenzas

(Top Only) 20 x 60 24 x 60



Returns with PowerUp Full or Partial Modesty Panel

D W 24 x 27 24 x 30 24 x 36 24 x 42 42 x 48



Desks with PowerUp

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Corners with PowerUp

Full or Partial Modesty Panel $\mathsf{D} \ \mathsf{W} \ \mathsf{H}$ 24 x 36 x 29

30 x 42 x 29 30 x 48 x 29

24 x 42 x 29



Bridges with PowerUp

Full or Partial Modesty Panel D W H 20 x 36 x 29 20 x 42 x 29

24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29

20 x 48 x 29

24 x 66 x 29 24 x 72 x 29

700 Series® Desk Product Offering

Accessories

Center Drawer

Mouse Surface

Optional Wrist Rest

Grommet Options

Sliding Keyboard Drawer

Task Lights

Surface

Plate Dividers PowerUp Options

CPU Sling


Center Drawer with Lock

Fully Adjustable Keyboard Tray

Fully Adjustable Keyboard Tray w/

Sliding Keyboard Drawer w/ Mouse





D W H



(Open Storage) W D H 30 x 14 x 36 36 x 14 x 36 42 x 14 x 36 48 x 14 x 36 54 x 14 x 36 60 x 14 x 36


66 x 14 x 36

72 x 14 x 36



Tackboard/Screens

Rectangular W H 30 x 19 36 x 19 42 x 19 48 x 19 54 x 19 60 x 19 66 x 19 72 x 19



Corner W H



Hanging

15" wide x 24" deep Box/File Box/Box/Box Pencil/Box/File File/File

15" wide x 30" deep Box/Box/File

Worksurface Supporting 15" wide x 20" deep File/File

15" wide x 30" deep



15" wide x 20" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File


Box/Box/File

Box/File Box/Box/Box Pencil/Box/File File/File

Box/Box/File

15" wide x 24" deep File/File Box/Box/File Pencil/Box/File

File/File Box/Box/File



Counter Top w/Tackboard

12 x 60 x 15 12 x 66 x 15 12 x 72 x 15




Overheads



Overheads (Closed Storage) W D H

30 x 14 x 36 36 x 14 x 36 42 x 14 x 36

48 x 14 x 36 54 x 14 x 36 60 x 14 x 36




W D H 66 x 14 x 36 72 x 14 x 36


700 Series® Desk Product Offering

Pedestal Options Depth

When no grommets are specified:




When worksurface or end panel grommets are specified:




Dimensions are nominal. Contact customer service for exact dimensions.

Pedestal Height Options

29" High Worksurfaces








When ordering a desk shell or return with a partial modesty, Box/File hanging pedestals are recommended. Otherwise pedestals will hang below the partial modesty.






Pedestal Drawer Configurations


Hanging Pedestals



Worksurface Supporting Pedestals 29" H




62" Credenza Shell



Credenza Shell allows one to four worksurface supporting pedestals, one or two credenza laterals or a combination of both.

60" Credenza Top



Credenza top allows two or more worksurface supporting pedestals, two credenza laterals or a combination of both.

700 Series Desk Typicals

 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF Total Price	Price \$1058 \$698 \$1908
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 48" Right Return with Full Modesty Panel, Self Edge 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/R2448-SE-F/Color Total Price	Price \$1058 \$698 \$814 \$2570
 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 42" Bridge with Partial Modesty Panel, Self Edge 30" x 60" D-Shape Worksurface, Self Edge 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF 7D/B2442-SE-F/Color 7D/DD3060-SE/Color Total Price	Price \$1058 \$698 \$705 \$1018 \$3479
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 42" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 42" x 19" Tackboard/Screen on Return, Group 1 Fabric 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/TB6619/Uph/Color 7D/R2442-SE-F/Color S7P/1524WBBF 7D/TB4219/Uph/Color Total Price	Price \$1058 \$698 \$501 \$767 \$806 \$362 \$4192
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" Open Overhead Storage on Desk 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 48" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 48" x 19" Tackboard/Screen on Return, Group 1 Fabric 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/OSS66/Color 7D/TB6619/Uph/Color 7D/R2448-SE-F/Color S7P/1524WFF 7D/TB4819/Uph/Color Total Price	Price \$1058 \$698 \$599 \$501 \$814 \$737 \$381 \$4788


700 Series Desk Typicals






- 30" x 72" Desk with Partial Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
 700 Series Worksurface Supporting Pedestal File/File
- 72" Closed Overhead Storage, Group 1 Fabric
- 72" Tackboard/Screen on Desk, Group 1 Fabric

Model Number	Price
7D/D3072-SE-P/Color	\$1104
S7P/1520WBBF	\$698
S7P/1524WFF	\$737
7D/OSD72/F/Color/Uph	\$1387
7D/TB7219/Uph/Color	\$542
Total Price	\$4468




- 30" x 72" Desk with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 72" Closed Overhead Storage on Desk, Steel
- 72" x 19" Tackboard/Screen on Desk, Group 1 Fabric
- 24" x 60" Right Return with Full Modesty Panel, Self Edge

Model Number	Price
7D/D3072-SE-F	\$1104
S7P/1520WBBF	\$698
7D/OSD72/S/Color	\$1172
7D/TB7219/Uph/Color	\$542
7D/R2460-SE-F	\$889
Total Price	\$4405



- 24" x 60" Left Return with Full Modesty Panel, Self Edge
- . 60" Closed Overhead Storage on Left Return, Steel • 60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric
- 24" x 42" Corner Surface with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 24" x 60" Right Return with Full Modesty Panel, Self Edge

wodel Number	Price
7D/R2460-SE-F/Color	\$889
7D/OSD60/S/Color	\$951
7D/TB6019/Uph/Color	\$474
7D/CU2442-SE-F/Color	\$1088
S7P/1524WBBF	\$806
7D/R2460-SE-F/Color	\$889
Total Price	\$5097



- 24" x 60" Left Return with Full Modesty Panel, Self Edge
- 60" Closed Overhead Storage on Left Return, Group 1 Fabric
- 60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric
- 30" x 60" P-Shaped Return (right), Self Edge
- 24" x 42" Corner Surface with Full Modesty Panel, Self Edge
 42" x 36" Corner Tackboard/Screen, Group 1 Fabric
- 24" x 60" Right Return with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 60" x 19" Tackboard/Screen on Right Return, Group 1 Fabric
- 60" Open Overhead Storage on Right Return

Model Number	Price
7D/R2460-SE-F/Color	\$889
7D/OSD60/F/Uph/Color	\$1109
7D/TB6019/Uph/Color	\$474
7D/PR3060-SE-R/Color	\$1002
7D/CU2442-SE-F/Color	\$1088
7D/CTB4236/Uph/Color	\$1178
7D/R2460-SE-F/Color	\$889
S7P/1524WBBF	\$806
7D/TB6019/Uph/Color	\$474
7D/OSS60/Color	\$579
Total Price	\$8488

700 Series® Desk Specifications

700 Series® Desk Specifications

The 700 Series® Desk line is a free standing, modular system of desks, returns, bridges, credenzas, corner units and overhead storage components. Designed for flexibility, it can be set up to suit differing customer requirements. It is shipped knock-down and accepts 700 Series® or U-Series® Pedestals.

Worksurfaces

Worksurfaces shall be 1-1/4" thick laminate top with a particle board core. Edge treatments shall be self-edge, wood edge or 74P polypropylene. All tops shall be pre-drilled for mounting of end panels, modesty panels, wire management channels, return or bridge connectors and hanging or worksurface supporting pedestals. Worksurfaces shall be available with left and right grommet options, or center PowerUp® module.

Desk Shells

Desk shells shall consist of a worksurface top, two end panels, full or partial modesty panel and wire management channel. Desks are available in depths of 24", 30" and 36", and widths of 48", 54", 60", 66" and 72" and shall be 29" high. The 36" deep desk worksurface shall have a 6" overhang. The desk shall accept a variety of hanging or worksurface supporting pedestals.

End Panels

Desk, return, corner, and credenza end panels shall be floor height and feature doublewall construction. The outer panel shall be 20-gauge with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The inner panel shall be 20-gauge with flanges formed on all edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the nut inserts that accept the leveling glides. Two 20-gauge channels shall be welded into the 36" deep end panels to provide additional reinforcement. All end panels shall feature prepunched holes through two metal thickness for connecting modesty panels.

Desks, credenzas, P-shape worksurfaces, D-shape worksurfaces and corners shall be 29th high. Returns and bridges shall be available in 29th high. Both interface with the desk or corner unit with 16-guage connectors that are screwed to the tops.

Modesty Panels

Desk, return, corner, bridge and credenza modesty panels shall span the full width of the unit connecting to the end panels. The modesty panels shall be spaced down from the top by 1-5/8" to allow for the routing of cables. They shall be available in full floor length, for privacy, or partial, which is spaced up off the floor by 8-3/8" for outlet access and increased air circulation. The modesty panels on a 36" deep desk shall be recessed by 6" for visitor knee space. All modesty panels shall be 20-gauge with double flanges formed along the top and bottom. Desk and

credenza panels shall have single flanges formed on both vertical edges. Return panels shall have offset flanges formed on one end and a single flange on the other. Bridge panels shall have offset flanges formed on both ends. The vertical flanges of all modesty panels have prepunched holes for connecting to the end panels.

Wire Management

Desks, returns, corners, bridges and credenzas shall be equipped with a wire management channel. This 20-gauge channel shall have the bottom edge hemmed for safety and strength. The wire management channel shall fasten to the underside of the top and run between end panels.

Returns

Returns shall be the same construction as the desk and credenza worksurfaces. Returns consist of a top, end panel, full or partial modesty panel and wire management channel. They are available in depths of 24" and 30". A 24" deep return is available in widths of 24", 30", 36", 42", 48", 54", 60", 66" and 72" and shall be 29" high. A 30" deep return is available in widths of 36", 42", 48", 54" and 60" and shall be 29" high. One level connector will be included with each return.

Bridges

Bridge worksurfaces shall be the same construction as the desk and credenza worksurfaces. Bridges consist of a top, full or partial modesty panel and wire management channel. They are available in depths of 20" and 24" and widths of 36", 42", 48", 54", 60", 66"and 72" and shall be 29" high. Two level connectors shall be included with 29" high units.

P-Shape Worksurfaces

P-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape worksurface shall be available for mounting right or left. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Worksurfaces

D-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Returns

D-Shape returns shall be the same construction as the desk and credenza worksurfaces. The returns shall be available in 24", 30" or 36" depths and 36", 42", 48", 54", 60", 66" and 72" lengths and shall be 29" high. The return is standard with a supporting 14-guage tubular leg and includes a level connector.

P-Shape Returns

P-Shape returns shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape returns shall be available for mounting right or left. The return is standard with a supporting 14-gauge tubular leg and includes a level connector.

Corner Units

Corner units shall accept 29" high returns and bridges. The corner units shall be 24" deep and 36" or 42" wide and 30" deep and 42" or 48" wide. The modesty panels shall be 20-gauge and consist of two end panels with one leveling glide each and two side panels with two leveling glides each. The end panel and side panels shall have double flanges formed along the bottom and both vertical edges. A single flange with prepunched holes shall have double flanges formed on the top and bottom and single flanges on the vertical edges. It shall be spaced down from the top by 1-5/8" to allow for the routing of cables.

Credenza Top

Credenza top shall be constructed of 1-1/4" thick particle board available in self edge, wood edge or polypropylene edge. The top shall be available 20" or 24" deep and 60" wide and shall be predrilled to accept up to four worksurface supporting pedestals.

Credenza Shell

The credenza shell consists of a 1-1/4" particleboard top available with self edge, wood edge or polypropylene edge. The top shall be available in a 20" depth and 62" width and 24" depth and 60" and 62" widths. It is available with either a full or partial modesty panel and end panels of 20-gauge steel. The credenza shall accept up to four hanging or worksurface supporting pedestals.

Overhead Storage

Units shall be standard with an open back allowing for interaction in a group situation. Overhead storage shall be available in an open or closed style. The closed style overhead storage shall have one door on 30", 36", 42", 48", 54" and 60" and two doors on 66" and 72". The door shall have a lock as standard. The closed overhead doors are available in steel or fabric covered steel.

Tackboard/Screen

The tackboard/screen shall close the back of an overhead storage unit and offer a tackable surface. The screen shall be constructed of 1-1/8" thick fabric wrapped particleboard. The screen shall be available in rectangular widths of 30", 36", 42", 48", 54" 60", 66" and 72" and 19" height. The tackboard/screen shall attach to the worksurface with 12-gauge steel metal brackets screwed into the worksurface. There shall be a 1-5/8" space between the worksurface and the tackboard/screen for cord access. Corner screen available in 36", 42", and 48" widths and 19" or 36" height.

Countertop

The countertop shall be constructed of 1-1/4" particleboard and shall be available with self edge, wood edge or polypropylene edge. The countertop shall be 15" high, 12" deep and available in 60", 66" and 72" widths. The countertop unit shall consist of three steel vertical panels and a fabric covered privacy screen/tackboard attached to the back of the unit. The end steel support panels shall be of 20-gauge formed steel. The middle support panel shall be of 18-gauge formed steel.

Task Lights

Task lights shall be offered in three levels of efficiency and cost. The standard light shall have a magnetic high-power factor ballast with rapid start, cool white T-8 fluorescent lamp. The energy efficiency model shall have an electronic ballast with rapid start, cool-white T-8 fluorescent lamp. The third model shall have 2-step (hi/low) high-power factor ballast with rapid start, cool-white T-8 fluorescent lamp which shall help reduce glare on computer screens and help reduce eye strain. Task lights shall attach to the underside of the shelf on overhead cabinets. Lights shall be UL Listed and available in black only. They shall be available as 20" wide for use with 30" and 36" wide overhead cabinets, 32" wide for 42" and 48" wide units and 48" wide for 60", 66" and 72" units.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary. The center drawer shall be painted to match the color of desk.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric


Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.

700 Series® Desk Specifications



The posted standard lead time will apply to the Special Cost Request.

Desk



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge	
74P	- 74P edge	
348	- 3/8" Wood band edge	Ī

Select modesty panel style.

F	- Full
P	- Partial

Select grommet option.

NG	- No grommets
G	- Grommets - left and right;
add \$61	

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



-				
Approx.	·		3/8" Wood	
Packaged	Self Edge	74P Edge	Band Edge	
Weight	(SE)	(74P)	(34S)	
91.0#	\$ 766	\$ 783	\$ 1112	
97.0#	887	906	1293	
104.0#	887	906	1293	
111.0#	961	981	1339	
118.0#	992	1015	1399	
112.0#	941	1038	1295	
112.0#	985	1057	1332	
127.0#	1021	1085	1346	
137.0#	1058	1164	1463	
144.0#	1104	1172	1466	
148.0#	1178	1198	1509	
156.0#	1207	1274	1615	
165.0#	1262	1278	1623	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

P-Shape and D-Shape Desk

MODEL NUMBER										
	MODEL	D x W x H	Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
	P-Shape DeskConsists of top, end panel, support	30 x 60 x 29"	7D/PD3060							106.0#
	panel, support column and required	30 x 66 x 29"	7D/PD3066							115.0#
Right	hardware Must be specified as either Right or Left Available 29" high only	30 x 72 x 29"	7D/PD3072							121.0#
Shown		36 x 60 x 29"	7D/PD3660							121.0#
U		36 x 66 x 29"	7D/PD3666							128.0#
7DWSU		36 x 72 x 29"	7D/PD3672							138.0#
_	D-Shape Desk	30 x 60 x 29"	7D/DD3060							102.0#
	 Consists of top, end panel, support panel, support column and required hardware Available 29" high only 	30 x 66 x 29"	7D/DD3066							110.0#
		30 x 72 x 29"	7D/DD3072							116.0#
		36 x 60 x 29"	7D/DD3660							118.0#
-		36 x 66 x 29"	7D/DD3666							125.0#
7DWSU		36 x 72 x 29"	7D/DD3672							131.0#
			A	0	0	0	3	(3	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

OS

elect	direction.	
L	- Left	
R	- Riaht	

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



700 Series® Desk P-Shape and D-Shape Desk

0.454		3/8" Wood	
Self Edge	74P Edge	Band Edge	
(SE)	(74P)	(34S)	
\$ 1103	\$ 1122	\$ 1372	
1145	1167	1499	
1178	1196	1522	
1182	1375	1539	
1208	1464	1746	
1260	1467	1746	
\$ 1018	\$ 1065	\$ 1275	
1051	1123	1367	
1094	1124	1367	
1151	1160	1419	
1172	1199	1494	
1206	1248	1543	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Returns

MODEL NUMBER Wood Trim/ Modesty Basic Edge Desk Laminate Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7D/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7D/R2430 П $\Box\Box$ $\Box\Box$ panel, wire management channel and 7D/R2436 24 x 36 x 29" required hardware Field changeable Right or Left 24 x 42 x 29" 7D/R2442 Includes level connector 24 x 48 x 29" 7D/R2448 Partial modesty panels are raised off 7DWSU 24 x 54 x 29" 7D/R2454 floor 8-3/8" 24 x 60 x 29" 7D/R2460 Wire management access between top and modesty panel 24 x 66 x 29" 7D/R2466 · Available in 29" height only 7D/R2472 24 x 72 x 29" 7D/R3036 30 x 36 x 29" 30 x 42 x 29" 7D/R3042 30 x 48 x 29" 7D/R3048 7D/R3054 30 x 54 x 29" 7D/R3060 30 x 60 x 29" A **3** 0 0 **(3 (3**) 0 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge	
- 74P edge	
- 3/8" Wood band edge	

©Select modesty panel style.

P - Partial
F - Full

OSelect grommet option.

G - Grommets - left and right;
add \$61

NG - No grommets

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

G Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



-				
Approx.			3/8" Wood	
Packaged Weight	Self Edge (SE)	74P Edge (74P)	Band Edge (34S)	
60.0#	\$ 615	\$ 631	\$ 895	
66.0#	642	657	941	
67.0#	751	792	963	
73.0#	767	835	1063	
79.0#	814	846	1072	
94.0#	825	859	1206	
99.0#	889	956	1230	
114.0#	961	981	1339	
120.0#	992	1015	1399	
73.0#	817	850	1074	
81.0#	860	881	1280	
92.0#	877	912	1288	
112.0#	884	917	1294	
115.0#	961	1042	1300	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

P-Shape and D-Shape Returns

			MODEL NU	MBER						
	MODEL	D x W x H	Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
	P-Shape Return	24 x 54 x 29"	7D/PR2454							82.0#
	 Consists of top, support column and required hardware 	24 x 60 x 29"	7D/PR2460							66.0#
Right	Includes level connector	24 x 66 x 29"	7D/PR2466							74.0#
Shown	Must be specified as either Right or Left	24 x 72 x 29"	7D/PR2472							82.0#
U	 Available in 29" high only 	30 x 60 x 29"	7D/PR3060							85.0#
7DWSU		30 x 66 x 29"	7D/PR3066							94.0#
		30 x 72 x 29"	7D/PR3072							100.0#
		36 x 60 x 29"	7D/PR3660							100.0#
		36 x 66 x 29"	7D/PR3666							107.0#
		36 x 72 x 29"	7D/PR3672							114.0#
	D-Shape Return Consists of top, support column and required hardware Includes level connector	24 x 36 x 29"	7D/DR2436							38.0#
		24 x 42 x 29"	7D/DR2442							44.0#
		24 x 48 x 29"	7D/DR2448							50.0#
	 Available in 29" high only 	24 x 54 x 29"	7D/DR2454							56.0#
		24 x 60 x 29"	7D/DR2460							62.0#
7DWSU		24 x 66 x 29"	7D/DR2466							68.0#
		24 x 72 x 29"	7D/DR2472							72.0#
		30 x 48 x 29"	7D/DR3048							70.0#
		30 x 54 x 29"	7D/DR3054							76.0#
		30 x 60 x 29"	7D/DR3060							81.0#
		30 x 66 x 29"	7D/DR3066							89.0#
		30 x 72 x 29"	7D/DR3072							95.0#
		36 x 48 x 29"	7D/DR3648							78.0#
		36 x 54 x 29"	7D/DR3654							86.0#
		36 x 60 x 29"	7D/DR3660							94.0#
		36 x 66 x 29"	7D/DR3666							101.0#
		36 x 72 x 29"	7D/DR3672							107.0#
			A	3	0	0	(3	(3	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

CSelect direction.

L - Left
R - Right

Select desk color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. **G**Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



700 Series® Desk P-Shape and D-Shape Returns

	*	3/8" Wood	
Self Edge	74P Edge	Band Edge	
(SE)	(74P)	(34S)	
\$ 688	\$ 737	\$ 1240	
744	742	1307	
792	800	1399	
796	805	1419	
1002	1023	1280	
1023	1048	1374	
1056	1075	1404	
1037	1145	1307	
1059	1317	1598	
1109	1318	1598	
\$ 535	\$ 565	\$ 952	
559	584	1001	
590	607	1056	
680	714	1088	
808	877	1109	
818	903	1223	
860	928	1247	
847	878	1157	
746	743	1203	
919	963	1173	
929	1001	1244	
973	1003	1245	
886	917	1138	
813	823	1320	
983	1012	1274	
1023	1051	1345	
1056	1052	1345	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corne

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Edge Basic Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color 24 x 36 x 29" 7D/CU2436 П G Corner Consists of top, two end panels, two 24 x 42 x 29" 7D/CU2442 G modesty panels and required hardware 7D/CU3042 30 x 42 x 29" G · Full modesty panels extend to floor, 30 x 48 x 29" 7D/CU3048 G partial modesty panels are raised off floor 8-3/8" 7DWSU Wire management access between top and modesty panel Includes end panel grommets for wire pass-through Includes a center grommet Available in 29" high only 0 0 Θ **3** • **(** 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

Select modesty panel style.

P - Partial F - Full

Select grommet option.

G - Grommets - center
Center grommet and end panel grommets
included.

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.	*		3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34S)
86.0#	\$ 995	\$ 1094	\$ 1301
103.0#	1088	1141	1455
193.0#	1103	1156	1465
227.0#	1135	1191	1505

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Bridges

			MODEL N	JMBER						
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color
	Bridges	20 x 36 x 29"	7D/B2036							
	 Consists of top, modesty panel, wire management channel and required hardware 	20 x 42 x 29"	7D/B2042							
		20 x 48 x 29"	7D/B2048							
	Includes two level connectors	24 x 36 x 29"	7D/B2436							
7DWSU	 Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8" Wire management access between top 	24 x 42 x 29"	7D/B2442							
		24 x 48 x 29"	7D/B2448							
		24 x 54 x 29"	7D/B2454							
	and modesty panel	24 x 60 x 29"	7D/B2460							
	 Available in 29" height only 	24 x 66 x 29"	7D/B2466							
		24 x 72 x 29"	7D/B2472							
			A	B	•	•	(3	•	(0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select modesty panel style

seiect i	nodesty panei style.	
P	- Partial	
F	- Full	

DSelect grommet option.

	illilict option.
NG	- No grommets
G	- Grommets - left and right;
add \$61	

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).

For the exceptions, the accessories and grommets for Flannel paint are

BL and Wet Sand paint receives SA

accessories and grommets.

INFORMATION

Wood Color Variations



Approx.			3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34S)
51.0#	\$ 690	\$ 731	\$ 903
57.0#	705	774	1002
63.0#	751	798	1010
56.0#	690	731	903
63.0#	705	774	1002
70.0#	751	798	1010
80.0#	728	750	1133
86.0#	827	847	1217
92.0#	925	943	1302
98.0#	958	977	1361

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

							MODEL NUMBER						
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight			
	Credenza Shell	20 x 62 x 29"	7D/CS2062							106.0#			
	 Consists of top, two end panels, mod- esty panel and required hardware 	24 x 48 x 29"	7D/CS2448							96.0#			
	 Full modesty panels extend to floor, 	24 x 60 x 29"	7D/CS2460							113.0#			
	partial modesty panels are raised off floor 8-3/8" Pedestals to be specified separately 62" allows for bank of four pedestals, two 30" credenza laterals or a combina-	24 x 62 x 29"	7D/CS2462							118.0#			
		24 x 66 x 29"	7D/CS2466							122.0#			
7DWSU		24 x 72 x 29"	7D/CS2472							129.0#			
	tion of both												
	Credenza Top	20 x 60"	7D/CT2060							55.0#			
	 Consists of top only, predrilled to accept up to four worksurface supporting 	24 x 60"	7D/CT2460							63.0#			
	pedestals, two 30" credenza laterals or a												
	combination of both												
7TOPU													
			A	B	•	0	(3	(3	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

elect	modesty panei sty	ie.
F	- Full	
P	- Partial	

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



•			
Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 834	\$ 1021	\$ 1310	
891	916	1125	
933	996	1247	
931	1028	1328	
971	1048	1378	
1018	1077	1387	
\$ 512	\$ 596	\$ 886	
596	603	900	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Desk with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge DxWxH MODEL Model Style Panel Grommets Color Color Color Color Desk 24 x 48 x 29" 7DD/D2448 П $\Box\Box$ Consists of top, two end modesty 24 x 54 x 29" 7DD/D2454 $\Box\Box$ panels, wire management channel and $\Box\Box$ 24 x 60 x 29" 7DD/D2460 required hardware One PowerUp® grommet with 108" cord 24 x 66 x 29" 7DD/D2466 is included in center of worksurface 24 x 72 x 29" 7DD/D2472 Wire management access between top 30 x 48 x 29" 7DD/D3048 and modesty panel 7DWDU 30 x 54 x 29" 7DD/D3054 Full modesty panels extend to floor, partial modesty panels are raised off 30 x 60 x 29" 7DD/D3060 floor 8-3/8" 7DD/D3066 30 x 66 x 29" Modesty panels on 36" deep desks are 7DD/D3072 30 x 72 x 29" set in 6" 36 x 60 x 29" 7DD/D3660 Pedestals to be specified separately Available in 29" high only 36 x 66 x 29" 7DD/D3666 7DD/D3672 36 x 72 x 29" 0 Θ 0 **(3**) **(3**) 0 0 A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge	
- 74P edge	
- 3/8" Wood band edge	Ī

CSelect modesty panel style.

P - Partial
F - Full

• Select grommet option.

D - PowerUp module only

GDM - Center PowerUp with left and right grommets; add \$32

Select desk color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Desk with PowerUp®

Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
91.0#	\$ 939	\$ 958	\$ 1285
97.0#	1059	1079	1464
104.0#	1059	1079	1464
111.0#	1133	1155	1512
118.0#	1165	1189	1570
112.0#	1117	1211	1466
119.0#	1158	1230	1504
127.0#	1194	1259	1520
137.0#	1232	1336	1634
144.0#	1278	1344	1639
148.0#	1349	1371	1682
156.0#	1378	1446	1789
165.0#	1437	1450	1794

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Returns with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7DD/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7DD/R2430 $\Box\Box$ panel, wire management channel and 24 x 36 x 29" 7DD/R2436 required hardware Field changeable right or left 24 x 42 x 29" 7DD/R2442 Includes level connector for 29" high 24 x 48 x 29" 7DD/R2448 Full modesty panels extend to floor, 7DWDU 24 x 54 x 29" 7DD/R2454 partial modesty panels are raised off 24 x 60 x 29" 7DD/R2460 floor 8-3/8" Wire management access between top 24 x 66 x 29" 7DD/R2466 and modesty panel 7DD/R2472 24 x 72 x 29" Available in 29" height only 7DD/R3036 30 x 36 x 29" 30 x 42 x 29" 7DD/R3042 30 x 48 x 29" 7DD/R3048 $\Box\Box$ 7DD/R3054 30 x 54 x 29" 7DD/R3060 30 x 60 x 29"

A

0

Θ

0

(3

G

0

0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

CSelect modesty panel style.

P - Partial
F - Full

Select grommet option.

D - PowerUp module only

GDM - Center PowerUp with left and right grommets; add \$32

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Returns with PowerUp®

Approx.			3/8" Wood	
Packaged	Self Edge	74P Edge	Band Edge	
Weight	(SE)	(74P)	(34S)	
60.0#	\$ 790	\$ 802	\$ 1069	
66.0#	816	830	1117	
70.0#	924	964	1135	
77.0#	940	1008	1237	
80.0#	986	1032	1244	
94.0#	999	1018	1405	
99.0#	1063	1126	1377	
114.0#	1133	1155	1512	
120.0#	1165	1189	1570	
73.0#	990	1022	1246	
81.0#	1049	1083	1453	
92.0#	1056	1088	1460	
120.0#	1033	1052	1465	
115.0#	1133	1213	1473	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner with PowerUp®

MODEL NUMBER Wood Trim/ Laminate Basic Edge Modesty Desk Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color 24 x 36 x 29" 7DD/CU2436 Corner Consists of top, two end panels, two 7DD/CU2442 24 x 42 x 29" modesty panels and required hardware 30 x 42 x 29" 7DD/CU3042 • One PowerUp® grommet with 108" cord 30 x 48 x 29" 7DD/CU3048 is included in center of worksurface If a center grommet is specified, it 7DWDU will be installed behind the PowerUp® module · Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8" Wire management access between top and modesty panel Includes end panel grommets for wire pass-through · Available 29" high only **((3**) 0 0 **(3 (3**) **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

Select modesty panel style.

F - Full
P - Partial

• Select grommet option.

D - PowerUp module only

GDM - Grommet behind center

PowerUp module; add \$32

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

G Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Corner with PowerUp®

Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
86.0#	\$ 1166	\$ 1266	\$ 1475
103.0#	1261	1316	1627
193.0#	1276	1329	1638
227.0#	1306	1364	1678

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

700 Series® Desk Bridges with PowerUp®

		MODEL NUMBER									
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	
	Bridges	20 x 36 x 29"	7DD/B2036								
	Consists of top, modesty panel, wire management channel and required.	20 x 42 x 29"	7DD/B2042								
	management channel and required hardware	20 x 48 x 29"	7DD/B2048								
	One PowerUp® grommet with 108" cord	24 x 36 x 29"	7DD/B2436								
7DWDU	is included in center of worksurface	24 x 42 x 29"	7DD/B2442								
	 Includes two level connectors for 29" high 	24 x 48 x 29"	7DD/B2448								
	 Full modesty panels extend to the floor, 	24 x 54 x 29"	7DD/B2454								
	partial modesty panels are raised off	24 x 60 x 29"	7DD/B2460								
	floor 8-3/8"	24 x 66 x 29"	7DD/B2466								
	 Wire management access between top and modesty panel 	24 x 72 x 29"	7DD/B2472								
	Available in 29" height only										
			A	B	0	O	(3	(3	Ѳ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge	
74P	- 74P edge	
348	- 3/8" Wood band edge	

Select modesty panel style.

- Full - Partial

• Select grommet option.

- PowerUp module only - Center PowerUp with left and right grommets; add \$32

Select desk color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Bridges with PowerUp®

Approx. Packaged	Self Edge	74P Edge	3/8" Wood Band Edge	
Weight	(SE)	(74P)	(34S)	
51.0#	\$ 860	\$ 904	\$ 1075	
57.0#	878	945	1173	
63.0#	924	968	1181	
56.0#	860	904	1075	
63.0#	878	945	1173	
70.0#	924	968	1181	
80.0#	903	923	1304	
86.0#	1001	1020	1389	
92.0#	1098	1119	1476	
98.0#	1128	1153	1533	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Countertop

		MODEL NUMBER							
			Basic	Fabric	Enamel	Laminate	Wood Edge	Trim/ Edge	Approx. Packaged
	MODEL	WxDxH	Model	Color	Color	Color	Color	Color	Weight
	Countertop with Tackboard (74P) Edge (74P) Edge style Attaches to worksurface to create a countertop	60 x 12 x 15"	7D/CTU60/74P						67.0#
		66 x 12 x 15"	7D/CTU66/74P						73.0#
		72 x 12 x 15"	7D/CTU72/74P						76.0#
	Fabric covered tackboard is included and								
~	fabric wrapped on both sides								
7DCTU	• For use on 60", 66" and 72" worksurfaces								
1									
	Countertop with Tackboard (SE) Edge (SE) Self Edge style Attaches to worksurface to create a countertop	60 x 12 x 15"	7D/CTU60/SE						67.0#
		66 x 12 x 15"	7D/CTU66/SE						73.0#
		72 x 12 x 15"	7D/CTU72/SE						76.0#
	Fabric covered tackboard is included and								
~	fabric wrapped on both sides • For use on 60", 66" and 72" worksurfaces								
7DCTU	• For use on 60, 66 and 72 worksurfaces								
	Countertop with Tackboard (34S) Edge (34S) Wood Edge Laminate edge style Attaches to worksurface to create a countertop	60 x 12 x 15"	7D/CTU60/34S						67.0#
		66 x 12 x 15"	7D/CTU66/34S						73.0#
		72 x 12 x 15"	7D/CTU72/34S						76.0#
	Fabric covered tackboard is included and								
•	fabric wrapped on both sides								
7DCTU	• For use on 60", 66" and 72" worksurfaces								
			A	ß	G	O	(3	(3)	
			•	•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Calcot fabria

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

- Select enamel color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select trim/edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 1090	\$ 1103	\$ 1142	\$ 1122	\$ 1165
1142	1155	1201	1177	1224
1211	1223	1275	1246	1297
\$ 1049	\$ 1058	\$ 1099	\$ 1079	\$ 1123
1104	1121	1160	1136	1180
1171	1180	1231	1204	1250
\$ 1255	\$ 1267	\$ 1319	\$ 1294	\$ 1343
1310	1321	1376	1348	1405
1377	1392	1449	1419	1475

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

		MODEL NUMBER						
			MODEL MOMBER					
	MODEL	WxDxH	Basic Model	Enamel Color	Assembly	Key Option	Approx. Packaged Weight	
	Open Overhead - Steel	30 x 14 x 36"	7D/0SS30				51.0#	
	 For use on rectangular worksurfaces Clearance between overhead and work- 	36 x 14 x 36"	7D/0SS36				55.0#	
	surface is 19" to underside of shelf Formed steel wire management in end panels for cord access Overhead will accommodate task lights Tackboard/Screen, if any, must be ordered separately Ships unassembled	42 x 14 x 36"	7D/0SS42				59.0#	
		48 x 14 x 36"	7D/0SS48				64.0#	
		54 x 14 x 36"	7D/0SS54				64.0#	
		60 x 14 x 36"	7D/0SS60				75.0#	
7DOSU		66 x 14 x 36"	7D/0SS66				78.0#	
		72 x 14 x 36"	7D/0SS72				80.0#	
7DOSU	Closed Overhead (one door) - Steel For use on rectangular worksurface Clearance between overhead and work-	30 x 14 x 36"	7D/0SD30/S				66.0#	
		36 x 14 x 36"	7D/0SD36/S				74.0#	
	surfaces is 19" to underside of self	42 x 14 x 36"	7D/0SD42/S				81.0#	
	Formed steel wire management in end	48 x 14 x 36"	7D/0SD48/S				89.0#	
	panels for cord access Doors recede inside overhead on rack and pinion system Overhead will accommodate task lights Tackboard/Screen, if any, must be	54 x 14 x 36"	7D/0SD54/S				89.0#	
		60 x 14 x 36"	7D/0SD60/S				105.0#	
	ordered separately							
7DOSU	Closed Overhead (two doors) - Steel	66 x 14 x 36"	7D/0SD66/S				117.0#	
	 For use on rectangular worksurfaces Clearance between overhead and work- 	72 x 14 x 36"	7D/0SD72/S				123.0#	
	surfaces is 19" to underside of shelf							
	Formed steel wire management in end							
	panels for cord accessTwo doors recede inside overhead on							
	rack and pinion system							
	Overhead will accomodate task lights							
	 Tackboard/Screen, if any, must be ordered separately 							
	σιαστού σεματαίεις							
			Δ	ß	•	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect enamel color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select assembly option.

UAS - Unassembled - Assembled; add \$128

OSelect key option.

- Key alike - Key standard NLC - No lock core



700 Series® Desk Overhead Storage

Delivered	
Pricing	
\$ 479	
497	
520	
540	
608	
579	
599	
618	
\$ 800	
819	
839	
860	
921	
951	
\$ 1155	
1172	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

			MODEL NUN	/IRFK				
	MODEL	WxDxH	Basic Model	Fabric Color	Enamel Color	Assembly	Key Option	Approx. Packaged Weight
	Closed Overhead (one door) - Fabric	30 x 14 x 36"	7D/0SD30/F					66.0#
	 For use on rectangular worksurface Clearance between overhead and work- 	36 x 14 x 36"	7D/0SD36/F					74.0#
	Surfaces is 19" to underside of self	42 x 14 x 36"	7D/0SD42/F					81.0#
	Formed steel wire management in end panels for cord access Doors recede inside overhead on rack and pinion system	48 x 14 x 36"	7D/0SD48/F					89.0#
		54 x 14 x 36"	7D/0SD54/F					89.0#
		60 x 14 x 36"	7D/0SD60/F					105.0#
7DOSU	Overhead will accommodate task lights							
	Tackboard/Screen, if any, must be ordered separately							
	Closed Overhead (two doors) - Fabric	66 x 14 x 36"	7D/0SD66/F					117.0#
	For use on rectangular worksurfaces	72 x 14 x 36"	7D/0SD72/F					123.0#
	 Clearance between overhead and work- surfaces is 19" to underside of shelf 							
	Formed steel wire management in end							
	panels for cord access							
\supset	 Two doors recede inside overhead on rack and pinion system 							
7DOSU	Overhead will accommodate task lights							
	Tackboard/Screen, if any, must be							
	ordered separately							
			A	ß	0	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect assembly option.

UAS - Unassembled
WAS - Assembled; add \$128

Select key option.

KA - Key alike KS - Key standard - No lock core



700 Series® Desk Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 974	\$ 1003	\$ 1022	\$ 1072	\$ 1121
995	1025	1045	1095	1142
1021	1051	1072	1124	1174
1039	1071	1092	1142	1195
1104	1109	1132	1208	1215
1109	1127	1148	1222	1257
\$ 1346	\$ 1386	\$ 1414	\$ 1482	\$ 1549
1387	1429	1458	1527	1598

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUM	IBER			
	MODEL	WxH	Basic Model	Fabric Color	Enamel Color	Approx. Il Packaged Weight	
	Tackboards/Screens	30 x 19"	7D/TB3019			12.0#	
	Fits under overstorage unit Motal brackets seems tackboard to back	36 x 19"	7D/TB3619			14.0#	
	 Metal brackets secure tackboard to back of desk top Brackets are painted color of the desk 	42 x 19"	7D/TB4219			17.0#	
		48 x 19"	7D/TB4819			19.0#	
4	Allows wire pass-through	54 x 19"	7D/TB5419			19.0#	
	Dimensions are nominal	60 x 19"	7D/TB6019			24.0#	
7DTBU		66 x 19"	7D/TB6619			27.0#	
		72 x 19"	7D/TB7219			29.0#	
-	Corner-Tackboards/Screens	36 x 19"	7D/CTB3619			30.0#	
	• Fits 36", 42" or 48" corner	36 x 36"	7D/CTB3636			59.0#	
	 Available in 19" or 36" high Brackets are painted the color of the 	42 x 19"	7D/CTB4219			35.0#	
	desk	42 x 36"	7D/CTB4236			69.0#	
	Allows wire pass-through	48 x 19"	7D/CTB4819			40.0#	
7DTBU	Dimensions are nominal	48 x 36"	7D/CTB4836			78.0#	
			A	B	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



700 Series® Desk Tackboards/Screens

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 320	\$ 329	\$ 338	\$ 352	\$ 368
342	350	359	375	393
362	370	380	397	415
381	392	402	420	439
460	468	489	519	533
474	482	495	529	541
501	518	527	551	577
542	559	572	597	625
\$ 715	\$ 740	\$ 751	\$ 788	\$ 824
1137	1172	1196	1250	1307
755	779	792	832	870
1178	1213	1238	1296	1355
857	883	899	942	985
1306	1346	1374	1443	1505

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL N	JMBER		
	MODEL	WxDxH	Basic Model	Enamel Color	Approx. Packaged Weight	
	Center Drawer • Mounts beneath any worksurface at least	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#	
	24" deep	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#	
7DACU	CDL model includes lockHardware included					
	Plate DividersSold in package of three		7D/OSPD		6.0#	
	cold in paolage of three					
2						
7DACU						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select enamel color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



Delivered Pricing \$ 168

210

50 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Task Light • Electronic ballast	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
	 Task light attaches to underside of overhead 	48"	TLT5.48	6.7#		
	 Available in 24", 36" and 48" widths 					
<i>A</i>	UL listed					
	Includes 8' cordAvailable in black only					
HRDPT	- Available III black Offig					
			A			



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH

Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42"

48" 54" 48" 60" 48" 48" 48" 66" 72"



Delivered Pricing \$ 76 83 91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBE	R				
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
	Pedestal - BFTP	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP					
S7PDU	Top surface of pedestal has black, four compartment pencil tray and black recessed pull """ file drawer with partition "" file drawer with partition Anti-tip caster travels with file drawer Counterbalance weight not required Only use 21-5/8" D peds with 30" D desks								
	Pedestal - BF	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF					
	 One 6" box drawer, one 12" file drawer with hanging folder partition 	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBF					
	5th wheel in lieu of counterbalance	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF					
	weight								
	Only use 21-5/8" D peds with 30" D desks								
070011	455.10								
S7PDU S7PDU	Pedestal - BBB	Mobile	15 v 17 5/0 v 01 0/4"	C7D/1500MDDD					
	Three 6" box drawers	Mobile	15 x 17-5/8 x 21-3/4" 15 x 21-5/8 x 21-3/4"	S7P/1520MBBB					
	5th wheel in lieu of counterbalance	Mobile Mobile	15 x 21-5/8 x 21-3/4 15 x 27-5/8 x 21-3/4"	S7P/1524MBBB S7P/1530MBBB					
	weight	Mobile	13 X 27-3/8 X 21-3/4	57P/103UIVIBBB					
	 Only use 21-5/8" D peds with 30" D desks 								
	4001.0								
S7PDU									
071.00	Pedestal - PBF	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF					
	 One 3" pencil drawer; one 6" box drawer; 		15 x 17-5/8 x 24-11/16"	S7P/1520MPBF					
	one 12" file drawer with hanging folder partition	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF					
	Mobile units include 5th wheel in lieu of	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF					
	counterbalance weight	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF					
	Counterbalance weight recommended	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF					
	when freestanding unit is not under worksurface								
S7PDU	Only use 21-5/8" D peds with 30" D								
	desks								
	 A freestanding pedestal will have a mini- mal gap between the top of the pedestal 								
	and the underside of the worksurface or								
	desk it may be placed under								
				A	3	Θ	O	9	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

Select unit and drawer color.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance

See pricing column for counterbalance
weight upcharge.

Select key option.

KA - Key alike KS - Key standard

- No lock core

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth										
Series	20"	24"	30"	36"							
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A							
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A							
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"							
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	275/8"	27 ⁵ /8"							
True	N/A	17 ⁵ /8"	215/8"	N/A							

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZor desk with modesty panel, the pedestal will sticl out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Deliv Pricir		Count balann Weigh add to price	ce ht o list
79.0#	\$	8		N/A
79.0#		95		N/A
90.0#		98		N/A
93.0#		98		N/A
83.0#	φ.	10		N/A
92.0#	\$	74		
95.0# 95.0#		4		N/A N/A
93.0#		4		N/A
53.0#	\$	29	\$	166
89.0#		71	Ψ	N/A
55.0#		59		142
90.0#		29		N/A
75.0#		9		82
95.0#		31		N/A
00.0#				

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBI	FR			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
	Pedestal - FF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF				
	 Two 12" file drawers with hanging folder partitions 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF				
	Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF				
	standing unit is not under worksurface	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF				
	 Only use 21-5/8" D peds with 30" D desks 	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF				
4	A freestanding pedestal will have a mini-							
PDU PDU	mal gap between the top of the pedestal							
	and the underside of the worksurface or desk it may be placed under							
	desk it may be placed under							
	Pedestal - BBF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF				
	 Two 6" box drawers; one 12" file drawer with hanging folder partition 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF				
	Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF				
	standing unit is not under worksurface • Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF				
	desks	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF				
•	A freestanding pedestal will have a mini-							
'PDU	mal gap between the top of the pedestal and the underside of the worksurface or							
	desk it may be placed under							
				A	B	•	0	3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER NLC - No lock core A Select basic model. BSelect pull option. ALBT - Aluminum Bow Tie ALMT - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) NKBT - Nickel Bow Tie RETN - Retro Nickel Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select counterbalance weight. CBW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge. Select key option. - Key alike

- Key standard

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Wo	Workstation Depth										
Series	20"	24"	30"	36"								
NorkZone or NorkZone with evel 1 PowerUp	N/A	21 ⁵ /8"	275/8"	N/A								
NorkZone with evels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A								
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"								
700 Series v/o gromments	17 ⁵ /8"	215/8"	275/8"	275/8"								
Γrue	N/A	17 ⁵ /8"	21 ⁵ /8"	N/A								

hoose a pedestal whose depth is no longer nan the dimension shown.

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZor esk with modesty panel, the pedestal will sticl ut 1" from the front edge of the worksurface. Io not specify larger sized hanging pedestal nder WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Deli Pric	vered	Counte balanc Weigh add to price	e t
55.0#	\$	666	\$	166
93.0#		739		N/A
55.0#		700		142
90.0#		767		N/A
75.0#		746		82
95.0#		809		N/A

57.0)#	\$ 700	\$ 166
93.0)#	805	N/A
60.0)#	739	142
95.0)#	848	N/A
80.0)#	834	82
100.0)#	882	N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBER	R			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
_	Pedestal - BBBB	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBBB				
	Four 6" box drawers Counterbalance weights included in	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBBB				
	 Counterbalance weight: included in mobile unit; recommended when free- 	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBBB				
	standing unit is not under worksurface	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBBB				
	Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBBB				
	desks • A freestanding pedestal will have a mini-	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBBB				
Œ	mal gap between the top of the pedestal							
7PDU	and the underside of the worksurface or							
	desk it may be placed under							
	Pedestal - PBBB • One 3" pencil drawer; three 6" box draw-	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBBB				
	ers	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBBB				
	 Counterbalance weight: included in 	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBBB				
	mobile unit; recommended when free- standing unit is not under worksurface	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBBB				
	Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBBB				
7PDU	desks	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBBB				
7900	 A freestanding pedestal will have a mini- mal gap between the top of the pedestal 							
	and the underside of the worksurface or							
	desk it may be placed under							
				A	$oldsymbol{oldsymbol{G}}$	•	O	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER NLC - No lock core A Select basic model. BSelect pull option. - Aluminum Bow Tie - Aluminum Metric ALBT ALMT ARCN - Arc Nickel CLSC - Classic (inset pull) - Nickel Bow Tie RETN - Retro Nickel Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select counterbalance weight. CBW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike

- Key standard

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
VorkZone or VorkZone with evel 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
VorkZone with evels 2-5 'owerUp	N/A	N/A	17 ⁵ /8"	N/A						
'00 Series with romments	N/A	17 ⁵ /8"	215/8"	215/8"						
'00 Series v/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
rue	N/A	17 ⁵ /8"	215/8"	N/A						
	k = 1 · · · · le · =									

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZonesk with modesty panel, the pedestal will stick at 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Deli Pric	vered ing	b W a	ounte alance leight dd to rice	e t
59.0#	\$	755		\$	166
95.0#		921			N/A
66.0#		798			142
105.0#		893			N/A
78.0#		871			82
96.0#		921			N/A

62.0#	\$ 809	\$	166
91.0#	971		N/A
62.0#	854		142
102.0#	950		N/A
73.0#	871		82
91.0#	921		N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Hanging

				MODEL NUMB	ER			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBF				62.0#
	 One 6" box drawer One 12" file drawer with hanging folder 	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBF				80.0#
	partition							
•								
S7PDU								
	Pedestal - BBB Three 6" box drawers	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBBB				45.0#
	- Tillee O DOX diawers	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBBB				50.0#
C7DDU								
S7PDU	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7P/1520HPBF				62.0#
	One 3" pencil drawer	Hanging Hanging	15 x 17-5/6 x 22-1/6 15 x 21-5/8 x 22-1/8"	S7P/1520HPBF				80.0#
	One 6" box drawer	Hallyllig	13 X Z 1-3/0 X ZZ-1/0	37171324111 01				00.0#
	 One 12" file drawer with hanging folder partition 							
	partition							
S7PDU								
				A	3	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum Bow Tie

ALMT - Aluminum Metric

ARCN - Arc Nickel

CLSC - Classic (inset pull)

NKBT - Nickel Bow Tie

RETN - Retro Nickel

Select unit and drawer color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

DSelect key option.

KA - Key alike
KS - Key standard
NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Depth Desking Series 20" 24" 30" 36" NorkZone or NorkZone with evel 1 PowerUp 215/8" 275/8" N/A N/A NorkZone with evels 2-5 ⊃owerUp N/A N/A 17⁵/8" N/A 700 Series with gromments N/A 17⁵/8" 215/8" 215/8" 700 Series v/o gromments 17⁵/8" 215/8" 275/8" 275/8" N/A 17 5/8" 215/8" N/A Γrue hoose a pedestal whose depth is no longer

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZon esk with modesty panel, the pedestal will stick ut 1" from the front edge of the worksurface. Io not specify larger sized hanging pedestal

nan the dimension shown.

nder WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Deliv	ivered	
Prici		
\$	613	
	637	
	001	
•		
	624	
	630	
\$	720	
	754	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

				MODEL NUMBER	{		I	
				Basic	Pull	Unit	Kev	Approx. Packaged
	MODEL	Features	WxDxH	Model	Option	Color	Option	Weight
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WFF				59.0#
	 Two 12" file drawers with hanging folder partitions 	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WFF				82.0#
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WFF				95.0#
S7PDU			45 47 5/0 07 7/0"	07045004005				04.0 %
	Pedestal - BBF Two 6" box drawers	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBF				61.0#
	One 12' file drawer with hanging folder partition Includes four leveling glides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBF				80.0#
		Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF				93.0#
S7PDU								
	Pedestal - BBBB	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB				70.0#
3	Four 6" box drawersIncludes four leveling glides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB				70.0#
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB				81.0#
-								
S7PDU								
				A	$oldsymbol{\Theta}$	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select pull option.

 ALBT Aluminum Bow Tie
 ALMT Aluminum Metric
 ARCN Arc Nickel
 CLSC Classic (inset pull)
 NKBT Nickel Bow Tie
 RETN Retro Nickel
- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select key option.

 KS Key st

KS	 Key standard
NLC	- No lock core
KA	- Key alike

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
VorkZone or VorkZone with evel 1 PowerUp	N/A	21 ⁵ / ₈ "	27 ⁵ /8"	N/A						
VorkZone with evels 2-5 'owerUp	N/A	N/A	17 ⁵ /8"	N/A						
'00 Series with romments	N/A	17 ⁵ /8"	215/8"	21 ⁵ /8"						
'00 Series v/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	27 ⁵ /8"						
rue	N/A	17 ⁵ /8"	215/8"	N/A						

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZon sk with modesty panel, the pedestal will stick at 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.

OPTIONS

Pedestal and Storage Option

Please contact KI Customer Service for other pedestal and storage option. Reference "How to Specify Pedestals" section to determine appropriate height and depth requirements.



700 Series® Pedestals Worksurface Supporting

D !:	
Deliveror Pricing	red
	30
	37
/6	66
	98
	06
85	50
\$ 79	98
	115
	94

INFORMATION

Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Lock

All units include a lock. Keying is random unless otherwise specified.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
	Glide Kit Adds 1/4" to 1" to pedestal height 4 per kit		S7P/GK	1.0#	
PDACU	For replacement only For worksurface supporting pedestals				
	Pencil Tray • For 3" pencil and 6" box drawers • Black finish only	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	Priced each				
PDACU					
	6" Partition	12-1/8 x 4-5/8"	S7P/D6	1.0#	
P	For 6" box drawersBlack enamel finish only				
	Priced each				
PDACU					
	Hanging Folder Partition	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	For 12" file drawersBlack enamel finish only				
	Priced each				
PDACU					
			A		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Delive	red
Pricing	
\$	9
\$	8
\$	5
\$	8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

			MODEL NUMBE	ER					
	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	
	Mobile	15 x 17-5/8 x 21-3/4"	S7CP1520MBF						Τ
	Mobile	15 x 21-5/8 x 21-3/4"	S7CP1524MBF						
	Mobile	15 x 27-5/8 x 21-3/4"	S7CP1530MBF						
°CP									
destal - BF									
One 6" box drawer									
One 12" file drawer with hanging									
folder partition Mobile units include 5th wheel in lieu									
of counterbalance weight									
	Mobile	15 x 17-5/8 x 24-11/16"	S7CP1520MPBF						
	Freestanding	15 x 21-5/8 x 22-3/8"	S7CP1524FPBF						
	Mobile	15 x 21-5/8 x 24-11/16"	S7CP1524MPBF						
	Freestanding	15 x 27-5/8 x 22-3/8"	S7CP1530FPBF						
	Mobile	15 x 27-5/8 x 24-11/16"	S7CP1530MPBF						
)P									
lestal - PBF									
One 3" pencil drawer									
One 6" box drawer									
One 12" file drawer with hanging folder partition									
Mobile units include 5th wheel in lieu									
of counterbalance weight									
Counterbalance weight recommended when freestanding unit is not under									
worksurface									
A freestanding pedestal will have a									
minimal gap between the top of the pedestal and the underside of the									
worksurface or desk it may be placed									
under									
									-
			A	$oldsymbol{eta}$	Θ	•	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

D - Dimpled F - Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select drawer pull color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

 KA Key alike

KS - Key standard

NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth								
Series	20"	24"	30"	36"					
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A					
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A					
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"					
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"					
True	N/A	17 ⁵ /8"	215/8"	N/A					

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 777	\$ 1	14 N/A
890		15 N/A
890		15 N/A

\$ 977	\$ 16	N/A
860	15	142
929	16	N/A
919	16	82
986	16	N/A

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #70.

Mobile and Freestanding

			MODEL NUMBE	R					
	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MFF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FFF						55.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MFF						90.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FFF						75.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MFF						95.0#
O B									
S7CP									
Pedestal - FF									
Two 12" file drawers with hanging									
folder partitions									
 Counterbalance weight: included in mobile unit; recommended when 									
freestanding unit is not under work-									
surface									
A freestanding pedestal will have a									
minimal gap between the top of the pedestal and the underside of the									
worksurface or desk it may be placed									
under									
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MBBF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FBBF						60.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MBBF						95.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FBBF						80.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MBBF						100.0#
0									
S7CP									
Pedestal - BBF									
 Two 6" box drawers; one 12" file 									
drawer with hanging partition									
 Mobile units include 5th wheel in lieu of counterbalance weight 									
Counterbalance weight recommended									
when freestanding unit is not under									
worksurface									
 A freestanding pedestal will have a minimal gap between the top of the 									
pedestal and the underside of the									
worksurface or desk it may be placed									
under									
			A	3	•	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

D - Dimpled
F - Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- OSelect drawer pull color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

 KA Key alike

KS - Key standard

NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 826	\$ 14	N/A
783	14	142
858	15	N/A
833	15	82
906	15	N/A

\$ 900	\$ 15	N/A
826	14	142
949	16	N/A
934	16	82
987	16	N/A

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #70.

Hanging

				MODEL NUMBE	R				
	MODEL	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Key Option	
	Pedestal - BBB	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBBB					
	Three 6" box drawers	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBBB					
S7CP									
	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBF					
	 One 6" box drawer One 12" file drawer with hanging folder 	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBF					
	partition								
0700									
S7CP	Pedestal - PBF	Hanning	15 × 17 5/0 × 00 4/0"	0700450011005					
	One 3" pencil drawer	Hanging	15 x 17-5/8 x 22-1/8"	S7CP1520HPBF S7CP1524HPBF					
	One 6" box drawer	Hanging	15 x 21-5/8 x 22-1/8"	576P1524HPBF					
	One 12" file drawer with hanging folder								
	partition								
S7CP									
						•	•		1
				A	B	0	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

 D Dimpled

 F Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option.

KA	- Key alike
KS	 Key standard
NLC	- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Wo	Workstation Depth								
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Approx. Packagec Weight	d De	elivered ricing	Dimple Front add to I price	ist
45.0#	\$	696	\$	12
50.0#		706		12
62.0#	\$		\$	12
80.0#		713		12
62.0#	\$	808	\$	14
80.0#		845		15

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

				MODEL NUMBE					
				MIODEL NOMBE	in	Ι			
	MODEL	F4	W D II	Basic	D	Unit	Pull	Key	
	MODEL	Features	WxDxH	Model	Dimpled	Color	Color	Option	
^	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WFF					
	 Two 12" file drawers with hanging folder partitions 	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WFF					
	Includes four leveling glides								
S7CP									
	Pedestal - BBF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WBBF					
	Two 6" box drawers	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WBBF					
	 One 12" file drawer with hanging folder partition 								
	Includes four leveling glides								
S7CP									
				A	B	Θ	0	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select flat or dimpled front.

 D Dimpled

 F Flat

 See upcharge column for D option.
- Select unit and drawer color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Oselect drawer pull color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

- No lock core

Select key option.

KA - Key alike

KS - Key standard

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Curve Pedestals Worksurface Supporting

Approx. Packaged Weight	Prid	ivered cing	Dimple Front add to I price	
59.0#	\$	706	\$	12
82.0#		825		14
61.0#	\$	782	\$	14
80.0#		903		15

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Credenza

Credenza Files

	MODEL NUMBER							
	MODEL	W x D	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27-7/8" Credenza File - FF	30 x 18-7/8 x 27-7/8"	S7L/30240FF					120.0#
	Height to match worksurface supporting	36 x 18-7/8 x 27-7/8"	S7L/36240FF					130.0#
	pedestal, drawer fronts compatible with pedestals	42 x 18-7/8 x 27-7/8"	S7L/42240FF					145.0#
	Two 12" file drawers with FBA bars for							
	side-to-side filing							
S7LTU	 Counterbalance weight is recommended for freestanding units 							
	for freestanding units							
	27-7/8" Credenza File - BBF Height to match worksurface supporting pedestal, drawer fronts compatible with pedestals Two 6" box drawers, one 12" file drawer with FBA bars for side-to-side filing Counterbalance weight is recommended for freestanding units	30 x 18-7/8 x 27-7/8"	S7L/30240BBF					135.0#
		36 x 18-7/8 x 27-7/8"	S7L/36240BBF					145.0#
		42 x 18-7/8 x 27-7/8"	S7L/42240BBF					160.0#
S7LTU								
	Tot moodanding unito							
and the same	Counterbalance		S7L/CBW60					60.0#
	 For 2-high lateral file units or credenza file, 30", 36" or 42" 							
	Recommended when unit is not under							
	workstation							
	 Factory installed, if specified 							
LTACU								
			A	B	0	O	3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT ALMT - Aluminum Bow Tie - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) - Nickel Bow Tie - Retro Nickel RETN

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option.

- Key alike - Key standard NLC - No lock core



700 Series® Credenza Credenza Files

Delivered Pricing	t V	Counter balance Weight add to li price	st
\$ 1060			201
1135			201
1210			201
-			
\$ 1244		\$	201
1320			201
1401			201
\$ 201			N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

Model No.	Description	Page
7D/18CD	Accessories: Center Drawer	40
7D/B2036	Bridges: Bridges	20
7D/CS2062	Credenzas: Credenza Shell	22
7D/CT2060	Credenzas: Credenza Top	22
7D/CTB3619	Tackboards/Screens: Corner-Tackboards/Screens	38
7D/CTU60/34S	Countertop: Countertop with Tackboard (34S) Edge	32
7D/CTU60/74P	Countertop: Countertop with Tackboard (74P) Edge	32
7D/CTU60/SE	Countertop: Countertop with Tackboard (SE) Edge	32
7D/CU2436	Corner: Corner	18
7D/D2448	Desk: Desk	10
7D/DD3060	P-Shape and D-Shape Desk: D-Shape Desk	12
7D/DR2436	P-Shape and D-Shape Returns: D-Shape Return	16
7D/OSD30/F	Overhead Storage: Closed Overhead (one door) - Fabric	36
7D/0SD30/S	Overhead Storage: Closed Overhead (one door) - Steel	34
7D/0SD66/F	Overhead Storage: Closed Overhead (two doors) - Fabric	36
7D/0SD66/S	Overhead Storage: Closed Overhead (two doors) - Steel	34
7D/OSPD	Accessories: Plate Dividers	40
7D/0SS30	Overhead Storage: Open Overhead - Steel	34
7D/PD3060	P-Shape and D-Shape Desk: P-Shape and D-Shape Desk	12
7D/PR2454	P-Shape and D-Shape Returns: P-Shape and D-Shape Desk	16
7D/R2424	Returns: Desk	14
7D/TB3019	Tackboards/Screens: Tackboards/Screens	38
7DD/B2036	Bridges with PowerUp®: Bridges	30
7DD/CU2436	Corner with PowerUp®: Corner	28
7DD/D2448	Desk with PowerUp®: Desk	24
7DD/R2424	Returns with PowerUp®: Desk	26
S7CP1520HBBB	Hanging: Pedestal - BBB	60
S7CP1520HBF	Hanging: Pedestal - BF	60
S7CP1520HPBF	Hanging: Pedestal - PBF	60
S7CP1520MBBF	Mobile and Freestanding: Pedestal - BBF	58
S7CP1520MBF S7CP1520MFF	Mobile and Freestanding: Pedestal - BF Mobile and Freestanding: Pedestal - FF	56 58
S7CP1520MPBF	Mobile and Freestanding: Pedestal - PBF	56
S7CP1520WBBF	Worksurface Supporting: Pedestal - BBF	62
S7CP1520WFF	Worksurface Supporting: Pedestal - FF	62
S7L/30240BBF	Credenza Files: 27-7/8" Credenza File - BBF	64
S7L/30240FF	Credenza Files: 27-7/8" Credenza File - FF	64
S7L/CBW60	Credenza Files: Counterbalance	64
S7P/1520FBBBB	Mobile and Freestanding: Pedestal - BBBB	48
S7P/1520FBBF	Mobile and Freestanding: Pedestal - BBF	46
S7P/1520FFF	Mobile and Freestanding: Pedestal - FF	46
S7P/1520FPBBB	Mobile and Freestanding: Pedestal - PBBB	48
S7P/1520FPBF	Mobile and Freestanding: Pedestal - PBF	44
S7P/1520HBBB	Hanging: Pedestal - BBB	50
S7P/1520HBF	Hanging: Pedestal - BF	50
S7P/1520HPBF	Hanging: Pedestal - PBF	50
S7P/1520MBBB	Mobile and Freestanding: Pedestal - BBB	44
S7P/1520MBF	Mobile and Freestanding: Pedestal - BF	44
S7P/1520WBBBB	Worksurface Supporting: Pedestal - BBBB	52
S7P/1520WBBF	Worksurface Supporting: Pedestal - BBF	52
S7P/1520WFF	Worksurface Supporting: Pedestal - FF	52
S7P/1524MBFTP	Mobile and Freestanding: Pedestal - BFTP	44
S7P/D12	Accessories: Hanging Folder Partition	54
S7P/D6	Accessories: 6" Partition	54
S7P/GK	Accessories: Glide Kit	54
S7P/PENTRAY	Accessories: Pencil Tray	54
TLT5.24	Accessories: Task Light	42





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11489R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.