
February 13, 2013 Updated January 12, 2017 800-424-2432







Ordering C.O.M	., C.O.L., and C.O.V. High Point	2
Affina®	Guest Chair General Information	4
	Guest Chairs	6
	Multiple Seating General Information	8
	Multiple Seating	10
	Connecting Tables	18
	Lobby and Lounge Seating General Information	20
	Lobby and Lounge Seating	26
	Tables	38
	Healthcare General Information	44
Affina®	Healthcare 1.5, II General Information	46
Affina®	Healthcare Seating	50
Affina® 1.5	Recliner	76
Affina® II	Recliner	86
	Bariatric Recliner	96

Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR	COMPANY NAME		
PHON	E	FAX	
Materia	al Name	Number	
	al Color		
	Repeat		
	Content		
COMT	TO BE USED ON THE FOLLOWING:		
QTY	PRODUCT NAME/NUMBER		



Guest Chair General Information



31-1/2"





31-1/2"

	Open Arm Guest Chair (1901)	Closed Arm Guest Chair (1911)	Armless Guest Chair (1901A)
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	19"	19"	19"
Arm width	2-1/4"	2-1/4"	
Arm height (mid point)	27"	27"	
Overall Dimensions			
Width	24"	24"	23-1/2"
Depth	23-1/2"	23-1/2"	23-1/2"

31-1/2"

UPHOLSTERY INFORMATION

C.O.M. Fabric

Height

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Affina® Guest Chair General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com



				MODEL N	UMBER						
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Arm Cap	Moisture Barrier	
	Open Arm Guest Chair	Non-contrast	1.5 yds	1901/NC							
	• 1 = Back (Fabric Contrast 1) C.O.M. = .75 yd	Contrast		1901/FC							
2	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1										
	yd										
V											
AFGS											
	Closed Arm Guest Chair	Non-contrast	2 yds	1911/NC							
1)	• 1 = Back (Fabric Contrast 1) C.O.M. =	Contrast	•	1911/FC							
2	1.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1										
	yd										
.											
AFCC											
AFGS	Armless Guest Chair	Non-contrast	1.5 yds	1901A/NC							
	1 = Back (Fabric Contrast 1) C.O.M. =	Contrast	1.0 yus	1901A/FC							
	.75 yd	Oominaor		10017410							
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd										
	•										
V											
AFGS											
				A	3	•	O	3	(3	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

NG	- Nylon glides
PG	- Polycarbonate glides
RG	- Rubber glides
FG	- Felt alides

Select armcaps.

WAC - Wood armcaps

PAC - Black poly (pair); add \$171

GSelect moisture barrier.

- Moisture barrier

- No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight		ade O.M.	Gra C	ade	Gra D	ade	Gra E & C.(k	Gra F	ade	Gra G	ade	Gra H	ıde	Gra I	ade	Gra J	ade	Gra K	ade	ade .eather	Gra M I	de Leather	Moist Barrie add to price	r
42.0#	\$	1191	\$	1244	\$	1259	\$	1276	\$	1288	\$	1310	\$	1333	\$	1362	\$	1419	\$	1476	\$ 1534	\$	1648	\$	118
42.0#		1243		1297		1311		1329		1340		1363		1385		1414		1472		1529	1586		1701		118
45.0#	\$		\$	1365	\$	1384	\$	1407	\$		\$	1452	\$	1483	\$		\$	1598	\$		\$ 1750	\$	1902	\$	118
45.0#		1345		1417		1437		1460		1475		1505		1536		1574		1650		1726	1803		1955		118
10.0"	_	1101		1170		1100		1010		1000		1011		1007		1000		1050		1110	 1100		1500		110
40.0#	\$	1124	\$	1178	\$	1193	\$	1210	\$	1222	\$	1244	\$	1267	\$	1296	\$	1353	\$	1410	\$ 1468	\$	1582	\$	118
40.0#		1176		1231		1245		1263		1274		1297		1319		1348		1406		1463	1520		1635		118

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model 1901/NC 1901/FC \$46 \$46 1911/NC \$46 1911/FC \$46 1901A/NC \$46 1901A/FC \$46

UPHOLSTERY INFORMATION

C.O.M. Requirements C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, 4.75 x 18 = 85.5 sq. ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Multiple Seating General Information













	One Seat - Open Arm (AAOC)	Two Seat - Open Arm (AAOCC)	Three Seat - Open Arm (AAOCCC)	One Seat - Closed Arm (AAPC)	Two Seat - Closed Arm (AAPCC)	Three Seat - Closed Arm (AAPCCC)
General Dimensions						
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	19-1/2"	19-1/2"	19-1/2"	19-1/2"	19-1/2"	19-1/2"
Seat height	19"	19"	19"	19"	19"	19"
Arm width	2-1/4"	2-1/4"	2-1/4"	2-1/4"	2-1/4"	2-1/4"
Arm height	27"	27"	27"	27"	27"	27"
Overall Dimensions						
Width	24-3/4"	46-3/4"	69"	24-3/4"	46-3/4"	69"
Depth	23-1/2"	23-1/2"	23-1/2"	23-1/2"	23-1/2"	23-1/2"
Height	31-1/2"	31-1/2"	31-1/2"	31-1/2"	31-1/2"	31-1/2"

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders















	Loveseat - Open Arm (AO33)	Loveseat - Closed Arm (AP33)	Center Table (AC)	End Table (ACE)	90 Degree Connecting Table (AC90)
General Dimensions					
Seat width	38"	38"			
Seat depth	19-1/2"	19-1/2"			
Seat height	19"	19"			
Arm width	2-1/4"	2-1/4"			
Arm height	27"	27"			
Overall Dimensions					
Width	42"	42"	20"	20"	33"
Depth	23-1/2"	23-1/2"	20"	20"	19"
Height	31-1/2"	31-1/2"	17"	17"	17"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com



												_
			MODEL N	UMBER								
	Features	СОМ	Basic Model	Table Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Arm Cap	Glide Option	Moisture Barrier	Approx. Packaged Weight	
	Non-contrast	1.5 yd	AAOC/NC								45.0#	
	Contrast		AAOC/FC								45.0#	
AFMS												
One Seat (Open Arm)												
1 = Back (Fabric Contrast 1) C.O.M. = 1 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd												
	Non-contrast	2.25 yd	AAPC/NC								52.0#	_
	Contrast		AAPC/FC								52.0#	
1 2												
u u												
AFMS												
One Seat (Closed Arm)												
Olle Seat (Gloseu Allii)												
• 1 = Back and arms (Fabric Contrast												
1) C.O.M. = 1.75 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =												
1 yd												
			A	B	•	O	(3	(3	(0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect table connection.

NT	 No connecting table
LT	 Left connecting table
RT	- Right connecting table
LTRT	- Left and Right connecting
table	

Left connector = right side when seated. Right connector = left side when seated.

- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select armcaps.

WAC - Wood armcaps
PAC - Black poly (pair)

- Black poly (pair); add \$171

Select glide option.

NG - Nylon glides
PG - Polycarbonate glides
RG - Rubber glides - Felt glides FG

Select moisture barrier. - Moisture barrier

- No moisture barrier

See pricing column for moisture barrier





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1176	\$ 1222	\$ 1234	\$ 1247	\$ 1258	\$ 1276	\$ 1296	\$ 1319	\$ 1367	\$ 1415	\$ 1463	\$ 1557	\$ 124
1229	1274	1286	1300	1310	1329	1348	1372	1419	1468	1515	1610	124

\$ 1343	\$ 1398	\$ 1412	\$ 1430	\$ 1441	\$ 1464	\$ 1486	\$ 1515	\$ 1573	\$ 1629	\$ 1687	\$ 1801	\$ 124
1396	1450	1465	1482	1494	1516	1539	1568	1625	1682	1740	1854	124

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model AAOC/NC \$46 AAOC/FC \$46 AAOCC/NC \$85 AAOCC/FC \$85 AAOCCC/NC \$114 AAOCCC/FC \$114 AAPC/NC \$46 AAPC/FC \$46 AAPCC/NC \$85 AAPCC/FC \$85 AAPCCC/NC \$114 AACCC/FC \$114 A033/NC \$67 A033/FC \$67

INFORMATION

C.O.M. and C.O.L. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

_

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



			MODEL NU	IMBER							
	Features	СОМ	Basic Model	Table Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Arm Cap	Glide Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	2.5 yd	AAOCC/NC								80.0#
	Contrast		AAOCC/FC								80.0#
1 2											
2											
AFMS											
Two Seat (Open Arm)											
• 1 = Back (Fabric Contrast 1) C.O.M. =											
1.75 yd											
 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd 											
	Non contract	0.75	A A DOC /NO								05.04
	Non-contrast Contrast	3.75 yd	AAPCC/NC AAPCC/FC								85.0# 85.0#
	Contrast		AAI 00/I 0								03.0 #
2											
1											
w w											
4 F140											
AFMS Two Seat (Closed Arm)											
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.75 yd 											
 2 = Seat (Fabric Contrast 2) C.O.M. = 											
1.25 yd											
			A	B	Θ	•	(3	(3	œ	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect table connection.

NT	- No connecting table
LT	 Left connecting table
RT	- Right connecting table
LTRT	- Left and Right connecting
tahla	

Left connector = right side when seated. Right connector = left side when seated.

- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **B**Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select armcaps.

WAC - Wood armcaps
PAC - Black poly; add - Black poly; add \$256 Upcharge for three armcaps.

GSelect glide option.

NG - Nylon glides PG - Polycarbonate glides - Rubber glides RG FG - Felt glides

Select moisture barrier.

- Moisture barrier NMB - No moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1880	\$ 1970	\$ 1994	\$ 2022	\$ 2041	\$ 2080	\$ 2118	\$ 2165	\$ 2261	\$ 2357	\$ 2451	\$ 2642	\$ 134
1947	2037	2061	2089	2108	2147	2185	2232	2328	2424	2518	2709	134

\$ 2058	\$ 2166	\$ 2195	\$ 2229	\$ 2253	\$ 2298	\$ 2343	\$ 2401	\$ 2515	\$ 2630	\$ 2744	\$ 2974	\$ 134
2125	2233	2262	2296	2320	2365	2410	2468	2582	2697	2811	3041	134

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model AAOC/NC \$46 AAOC/FC \$46 AAOCC/NC \$85 AAOCC/FC \$85 AAOCCC/NC \$114 AAOCCC/FC \$114 AAPC/NC \$46 AAPC/FC \$46 AAPCC/NC \$85 AAPCC/FC \$85 AAPCCC/NC \$114 AACCC/FC \$114 A033/NC \$67 A033/FC \$67

INFORMATION

C.O.M. and C.O.L. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

n N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



			MODEL NUM	ADED							
			MODEL NUI	WIBEK							
	Features	СОМ	Basic Model	Table Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Arm Cap	Glide Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	3.75 yd	AAOCCC/NC								105.0#
	Contrast		AAOCCC/FC								105.0#
U											
AFMS											
Three Seat (Open Arm)											
 1 = Back (Fabric Contrast 1) C.O.M. = 2.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd 											
	Non-contrast	5.5 yd	AAPCCC/NC								110.0#
	Contrast		AAPCCC/FC								110.0#
1 2 2											
U											
AFMS											
Three Seat (Closed Arm)											
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4 yd 											
• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd											
			A	B	0	0	(3	•	O	0	_

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect table connection.

NT	- No connecting table
LT	 Left connecting table
RT	- Right connecting table
LTRT	- Left and Right connecting
table	

Left connector = right side when seated. Right connector = left side when seated.

- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select armcaps.

WAC - Wood armcaps
PAC - Black poly; add - Black poly; add \$342 Upcharge for four armcaps.

GSelect glide option.

NG - Nylon glides PG - Polycarbonate glides - Rubber glides RG FG - Felt glides

Select moisture barrier.

- Moisture barrier NMB - No moisture barrier See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2604	\$ 2740	\$ 2776	\$ 2818	\$ 2847	\$ 2905	\$ 2961	\$ 3033	\$ 3177	\$ 3319	\$ 3462	\$ 3748	\$ 144
2705	2841	2877	2919	2948	3006	3062	3134	3277	3420	3563	3849	144

\$ 2943	\$ 3096	\$ 3137	\$ 3186	\$ 3218	\$ 3283	\$ 3348	\$ 3429	\$ 3591	\$ 3753	\$ 3915	\$ 4239	\$ 144
3044	3197	3238	3287	3319	3384	3448	3530	3692	3854	4016	4340	144

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model AAOC/NC \$46 AAOC/FC \$46 AAOCC/NC \$85 AAOCC/FC \$85 AAOCCC/NC \$114 AAOCCC/FC \$114 AAPC/NC \$46 AAPC/FC \$46 AAPCC/NC \$85 AAPCC/FC \$85 AAPCCC/NC \$114 AACCC/FC \$114 A033/NC \$67 A033/FC \$67

INFORMATION

C.O.M. and C.O.L. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

rmation N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



			MODEL N	UMBER							
	Features	СОМ	Basic Model	Table Connect	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Arm Cap	Glide Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	2.5 yd	A033/NC								70.0#
1 2	Contrast		AO33/FC								70.0#
AFMS											
Loveseat (Open Arm)											
 1 = Back (Fabric Contrast 1) C.O.M. = 1.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 											
1 yd											
	Non-contrast	3.5 yd	AP33/NC								75.0#
	Contrast		AP33/FC								75.0#
1											
2											
₩ AFMS											
Loveseat (Closed Arm)											
,											
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 2.25 yd 											
• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd											
			A	B	•	· O	3	•	G	0	
			w	U	G	U	G	U	U	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect table connection.

NT	 No connecting table
LT	 Left connecting table
RT	- Right connecting table
LTRT	- Left and Right connecting
table	

Left connector = right side when seated. Right connector = left side when seated.

- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select armcaps.

WAC - Wood armcaps
PAC - Black poly (pair)

- Black poly (pair); add \$171

Select glide option.

NG - Nylon glides
PG - Polycarbonate glides
RG - Rubber glides - Felt glides FG

Select moisture barrier.

- Moisture barrier - No moisture barrier

See pricing column for moisture barrier





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1437	\$ 1527	\$ 1551	\$ 1580	\$ 1599	\$ 1637	\$ 1675	\$ 1722	\$ 1818	\$ 1914	\$ 2009	\$ 2199	\$ 118
1504	1594	1618	1647	1666	1704	1742	1789	1885	1981	2075	2266	118

\$ 1560	\$ 1687	\$ 1721	\$ 1761	\$ 1788	\$ 1841	\$ 1894	\$ 1961	\$ 2095	\$ 2228	\$ 2362	\$ 2629	\$ 118
1627	1754	1788	1828	1855	1908	1961	2028	2162	2295	2429	2696	118

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model AAOC/NC \$46 AAOC/FC \$46 AAOCC/NC \$85 AAOCC/FC \$85 AAOCCC/NC \$114 AAOCCC/FC \$114 AAPC/NC \$46 AAPC/FC \$46 AAPCC/NC \$85 AAPCC/FC \$85 AAPCCC/NC \$114 AACCC/FC \$114 A033/NC \$67 A033/FC \$67

INFORMATION

C.O.M. and C.O.L. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

rked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina® **Connecting Tables**

				MODEL N	IUMBER			
	MODEL	Features	W x D	Basic Model	Wood Finish	Laminate Color	Approx. Packaged Weight	
— 20"———— Top 1"	Center Connection Table	Laminate Top	20 x 20"	AC.L			0.0#	
20"	• 17" height	Veneer Top	20 x 20"	AC.V			0.0#	
AFCT								
├── 20"──	End Table-Left	Laminate Top	20 x 20"	ACE.L.L			0.0#	
20"	• 17" height	Veneer Top	20 x 20"	ACE.L.V			0.0#	
AFCT								
	End Table-Right	Laminate Top	20 x 20"	ACE.R.L			0.0#	
20"	• 17" height	Veneer Top	20 x 20"	ACE.R.V			0.0#	
AFCT								
33-5/16"	90 Degree Connector Table-Inside	Laminate Top		AC90.I.L			0.0#	
	• 17" height	Veneer Top		AC90.I.V			0.0#	
19-3/8"								
Top 1"								
AFCT								
	90 Degree Connector Table-Outside	Laminate Top		AC90.0.L			0.0#	
19-3/8" -	• 17" height	Veneer Top		AC90.0.V			0.0#	
33-5/16*								
Top 1"								
AFCT								
				A	3	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model

AC.L \$38 AC.V \$38 ACE.L.L \$55 ACE.L.V \$55 ACE.R.V ACE.R.V AC90.I.L \$55 \$55 \$65 AC90.I.V \$65 AC90.0.L \$65 AC90.0.V \$65

Construction

Constructed of kiln-dried hardwood and veneers.





Deliv	vered ing
PHU	335
ф	330
	711
\$	386
	836
\$	386
	836
\$	294
	896
\$	294
	896

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped assembled freight prepaid f.o.b. **High Point, North Carolina 27263** factory.
Freight class #175.

Lobby and Lounge Seating General Information













	Low Back Armless Lounge (3323A)	Low Back Armless Loveseat (3333A)	Low Back Armless Sofa (3343A)	Low Back Open Arm Lounge (3323)	Low Back Open Arm Loveseat (3333)	Low Back Open Arm Sofa (3343)
General Dimensions						
Seat width	27-1/2"	52"	75"	27-1/2"	52"	75"
Seat depth	20-1/2"	19"	19"	20-1/2"	19"	19"
Seat height	18"	18"	18"	18"	18"	18"
Arm width				3"	3"	3"
Arm height				28"	28"	28"
Overall Dimensions						
Width	27-1/2"	52"	75"	32"	56"	79"
Depth	27"	27"	27"	29"	29"	29"
Height	33"	33"	33"	33"	33"	33"

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders











	Low Back Closed Arm Lounge (3123)	Low Back Closed Arm Loveseat (3133)	Low Back Closed Arm Sofa (3143)
General Dimensions			
Seat width	23-1/2"	48"	70"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Arm width	4"	4"	4"
Arm height	26-1/2"	26-1/2"	26-1/2"
Overall Dimensions			
Width	31-1/2"	54"	79"
Depth	28-1/2"	27"	27"
Height	31-1/2"	31-1/2"	31-1/2"

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Lobby and Lounge Seating General Information













	High Back Armless Lounge (3023A)	High Back Armless Loveseat (3033A)	High Back Armless Sofa (3043A)	High Back Open Arm Lounge (3023)	High Back Open Arm Loveseat (3033)	High Back Open Arm Sofa (3043)
General Dimensions						
Seat width	27-1/2"	52"	75"	27"	52"	75"
Seat depth	20-1/2"	19"	19"	20-1/2"	19"	19"
Seat height	18"	18"	18"	18"	18"	18"
Arm width				3"	3"	3"
Arm height				28"	28"	28"
Overall Dimensions						
Width	27-1/2"	52"	75"	32"	57"	80"
Depth	32"	31"	31"	32"	31"	31"
Height	43"	43"	43"	43"	43"	43"







High Back Armless Lounge with Wings (3023A/WWB)

High Back Armless Loveseat with Wings (3033A/WWB)

High Back Armless Sofa with Wings (3043A/WWB)

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the Client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders











	High Back Closed Arm Lounge (3223)	High Back Closed Arm Loveseat (3233)	High Back Closed Arm Sofa (3243)
General Dimensions			
Seat width	23-1/2"	48"	70"
Seat depth	19"	19"	19"
Seat height	18"	18"	18"
Arm width	4"	4"	4"
Arm height	26-1/2"	26-1/2"	26-1/2"
Overall Dimensions			
Width	31-1/2"	54"	79"
Depth	31"	30"	30"
Height	43"	43"	43"







High Back Closed Arm Lounge with Wings (3223/WWB)

High Back Closed Arm Loveseat with Wings (3233/WWB)

High Back Closed Arm Sofa with Wings (3243/WWB)

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Lobby and Lounge Seating General Information









	Rectangle End Table - 16" High (9704/9708)	Rectangle End Table - 22" High (9701/9705)	Square Lamp Table (9702/9706)	Rectangular Coffee Table (9703/9707)
Overall Dimensions				
Width	20"	20"	24"	42°
Depth	24"	24"	24"	24"
Height	16"	22"	22"	16"

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Lobby and Lounge Seating

	MODEL	NUMBER	1			1	T	
Features CO		Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Wallsaver Feet	Moisture Barrier	Approx. Packaged Weight
Non-contrast 3.5	yds 3323/NC							75.0#
Contrast	3323/FC							75.0#
AFLS								
Low Back Lounge Chair (Open Arm)								
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 1.75 yd								
• 2 = Seat (Fabric Contrast 2) C.O.M. =								
1.5 yd								
Non-contrast 5.29	5 yds 3333/NC 3333/FC							105.0# 105.0#
1 Outrast	3333/10							103.0#
1 2								
AFLS								
Low Back Loveseat (Open Arm)								
• 1 = Back and side panels (Fabric								
Contrast 1) C.O.M. = 2.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =								
2.5 yd								
// ~	5 yds 3343/NC							140.0#
Contrast	3343/FC							140.0#
1								
AFLS								
Low Back Sofa (Open Arm)								
• 1 = Back and side panels (Fabric								
Contrast 1) C.O.M. = 3.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =								
3.5 yd								
	A	•	•	•	3	•	· · · · · ·	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

0.001	gnas spasin
NG	- Nylon glides
PG	- Polycarbonate glides
RG	- Rubber glides
FG	- Felt glides

Select wallsaver feet.

NWF - No wallsaver feet

wwF - Wallsaver feet; add \$26

GSelect moisture barrier.

- Moisture barrier

- No moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2129	\$ 2310	\$ 2359	\$ 2415	\$ 2453	\$ 2530	\$ 2606	\$ 2702	\$ 2892	\$ 3083	\$ 3273	\$ 3655	\$ 149
2182	2363	2411	2468	2506	2582	2658	2754	2945	3135	3326	3708	149
Φ 0440	Φ 0700	Φ 0000	Φ 0007	Φ 0050	Φ 0004	Φ 0000	Φ 0050	Φ 0004	Φ 0000	Φ 4070	Φ 4004	Φ 400
\$ 2440 2520	\$ 2730 2810	\$ 2806 2886	\$ 2897 2978	\$ 2958 3039	\$ 3081 3161	\$ 3202 3283	\$ 3356 3436	\$ 3661 3741	\$ 3966 4046	\$ 4270 4351	\$ 4881 4962	\$ 180 180
2320	2010	2000	2310	3033	3101	3203	3430	3741	4040	4001	4302	100
\$ 2913	\$ 3275	\$ 3370	\$ 3486	\$ 3562	\$ 3714	\$ 3867	\$ 4057	\$ 4439	\$ 4820	\$ 5202	\$ 5965	\$ 196
3014	3376	3471	3586	3663	3815	3968	4158	4540	4921	5302	6066	196

	on Maple re	PLE UPCHA equires extende	
Model			
3323A	\$16	3023A	\$16
3333A	\$16	3033A	\$16
3343A	\$16	3043A	\$16
3323	\$82	3023	\$82
3333	\$82	3033	\$82
3343	\$82	3043	\$82
3123	\$37	3223	\$37
3133	\$37	3233	\$37

3243

\$37

3143

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Lobby and Lounge Seating

			MODEL	NUMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Arm Cap	Wood Finish	Glide Option	Wallsaver Feet	Leg Option	Moisture Barrier	
	Non-contrast	4.5 yd	3123/NC									
1 2	Contrast		3123/FC									
AFLS Low Back Lounge Chair (Closed Arm)												
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 4 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd												
	Non-contrast	6.5 yd	3133/NC									
	Contrast		3133/FC									
AFLS												
Low Back Loveseat (Closed Arm)												
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 2.25 yd												
	Non-contrast	8.25 yd	3143/NC									
1 2	Contrast		3143/FC									
AFLS												
Low Back Sofa (Closed Arm)												
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 5 yd 2 = Seat (Fabric Contrast 2) C.O.M. =												
3.25 yd												
			A	B	•	0	3	(3	œ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood armcaps.

NAC - No armcap

- Wood armcaps; add \$206

Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

NG - Nylon glides PG - Polycarbonate glides RG - Rubber glides

FG - Felt glides

GSelect wallsaver feet.

NWF - No wallsaver feet

- Wallsaver feet; add \$26

Select bariatric leg option.

BRL - Bariatric leg; add \$77

- No Bariatric leg NBRL

Select moisture barrier.

- Moisture barrier

- No moisture barrier See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
90.0#	\$ 1711	\$ 1874	\$ 1917	\$ 1968	\$ 2002	\$ 2071	\$ 2140	\$ 2226	\$ 2398	\$ 2569	\$ 2741	\$ 3084	\$ 149
90.0#	1763	1926	1969	2021	2055	2124	2193	2278	2450	2621	2793	3136	149

125.0# \$ 2045	\$ 2335	\$ 2411	\$ 2503	\$ 2564	\$ 2685	\$ 2808	\$ 2960	\$ 3265	\$ 3571	\$ 3876	\$ 4487	\$ 180
125.0# 2125	2415	2492	2583	2644	2766	2888	3041	3345	3651	3956	4567	180

165.0# 2811 3173 3269 3384 3460 3612 3765 3955 4337 4718 5100 5863 196	165.0#	\$ 2710	\$ 3072	\$ 3168	\$ 3283	\$ 3359	\$ 3511	\$ 3664	\$ 3854	\$ 4236	\$ 4617	\$ 4999	\$ 5762	\$ 196
	165.0#		3173		3384	3460	3612	3765	3955	4337	4718	5100	5863	196

KENSINGTON MAPLE UPCHARGE Kensington Maple requires extended

leadtimes. Model 3023A 3033A 3043A 3323A \$16 \$16 3333A \$16 \$16 3343A \$16 \$16 3323 \$82 3023 \$82 \$82 3033 \$82 3333 3343 \$82 3043 \$82 3223 3233 3123 \$37 \$37 3133 \$37 \$37 3143 3243 \$37 \$37

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Lobby and Lounge Seating

			MODEL N	IIMRFR							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Wallsaver Feet	Leg Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	3 yd	3323A/NC								70.0#
	Contrast		3323A/FC								70.0#
AFLS Low Back Lounge Chair (Armless)											
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 1.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd											
	Non-contrast	5.25 yd	3333A/NC								100.0#
	Contrast		3333A/FC								100.0#
AFLS											
Low Back Loveseat (Armless)											
• 1 = Back and side panels (Fabric											
Contrast 1) C.O.M. = 2.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =											
2.5 yd											
	Non-contrast	7.25 yd	3343A/NC								120.0#
	Contrast	,	3343A/FC								120.0#
1											
2											
4											
AFLS											
Low Back Sofa (Armless)											
• 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 3.5 yd											
• 2 = Seat (Fabric Contrast 2) C.O.M. =											
3.5 yd											
			A	B	œ	0	3	G	Ф	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

	giido optioni.
NG	- Nylon glides
PG	 Polycarbonate glides
RG	- Rubber glides
FG	- Felt alides

• Select wallsaver feet. NWF - No wallsaver feet wwF - Wallsaver feet; add \$26

GSelect bariatric leg option.

BRL - Bariatric leg; add \$77
NBRL - No Bariatric leg - No Bariatric leg

Select moisture barrier.

- Moisture barrier

- No moisture barrier See pricing column for moisture barrier upcharge.





Gra C.O		Gra C		Gra D	de	Gra E & C.(Ĺ	Gra F	ade	Gra G	ade	Gr H	rade		Gra I		J	ade	Gra K	ade	LI	ade Leather		ade Leather	Mois Barri add t	er o list
					1923	\$	1980	\$	2018	\$	2094	\$	21				\$	2457	\$	2647	\$	2839	\$	3220	\$	149
	1747		1927		1976		2032		2070		2147		22	24		2319		2509		2700		2891		3272		149
					2367	\$	2425	\$	2463	\$	2539	\$	26				\$	2902	\$	3092	\$	3283	\$	3664	\$	
	2219		2400		2447		2505		2543		2619		26	96		2790		2982		3172		3363		3744		180
_		•		_	0.100	_	2251	_	2000	•	0.170	•			^	2000	•	1001	_	1500	_	1000	_		•	100
	2678 : 2779		3041 3142		3136 3237	\$	3251 3352	\$	3327 3428	\$	3479 3580	\$	36			3822 3923	\$	4204 4305	\$	4586 4687	\$	4968 5069	\$	5730 5831	\$	196 196
														•												

	on Maple re	PLE UPCHA equires extende	
3323A	\$16	3023A	\$16
3333A	\$16	3033A	\$16
3343A	\$16	3043A	\$16
3323	\$82	3023	\$82
3333	\$82	3033	\$82
3343	\$82	3043	\$82
3123	\$37	3223	\$37
3133	\$37	3233	\$37
3143	\$37	3243	\$37

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Lobby and Lounge Seating

							_				
				MODEL I	NUMBER						
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Wallsaver Feet	Moisture Barrier	
	High Back Lounge Chair (Open Arm)	Non-contrast	3.5 yd	3023/NC							
1	• 1 = Back and side panels (Fabric Con-	Contrast		3023/FC							
1 2	trast 1) C.O.M. = 2.25 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5										
	yd										
W											
AFLS											
	High Back Loveseat (Open Arm)	Non-contrast	6 yd	3033/NC							
	 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 3.5 yd 	Contrast		3033/FC							
	• 2 = Seat (Fabric Contrast 2) C.O.M. =										
	2.75 yd										
AFLS											
	High Back Sofa (Open Arm)	Non-contrast	8 yd	3043/NC							
	 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 5 yd 	Contrast		3043/FC							
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 3.5										
	yd										
V											
AFLS											
				A	B	•	0	(3	(3)	G	
				_		_	_	_		_	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

	nao option.	
NG	- Nylon glides	
PG	- Polycarbonate glides	
RG	- Rubber glides	
FG	- Felt alides	

Select wallsaver feet. NWF - No wallsaver feet wwF - Wallsaver feet; add \$26

GSelect moisture barrier.

- Moisture barrier

- No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
80.0#	\$ 2382	\$ 256	4 \$ 261	\$ 2669	\$ 2707	\$ 2783	\$ 2859	\$ 2955	\$ 3146	\$ 3336	\$ 3527	\$ 3909	\$ 149
80.0#	2435	261	6 2664	2721	2759	2836	2912	3008	3198	3389	3579	3961	149
110.0#	\$ 2696	\$ 298	6 \$ 3062	\$ 3154	\$ 3215	\$ 3336	\$ 3459	\$ 3611	\$ 3916	\$ 4222	\$ 4527	\$ 5138	\$ 180
110.0#	2776	306	6 3143	3234	3295	3417	3539	3692	3996	4302	4607	5218	180
165.0#	\$ 3228	\$ 359			\$ 3877	\$ 4029	\$ 4182	\$ 4372	\$ 4754	\$ 5136	\$ 5518	\$ 6280	\$ 196
165.0#	3329	369	2 3787	3902	3978	4130	4283	4473	4855	5237	5619	6381	196

Kensingto	n Maple	requires extende	ed
leadtimes.			
Model			
3323A	\$16	3023A	\$16
3333A	\$16	3033A	\$16
3343A	\$16	3043A	\$16
3323	\$82	3023	\$82
3333	\$82	3033	\$82
3343	\$82	3043	\$82
3123	\$37	3223	\$37
3133	\$37	3233	\$37
21.42	0.07	2042	607

3243

\$37

\$37

3143

KENSINGTON MAPLE UPCHARGE

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Lobby and Lounge Seating

			MODEL NUMBER										
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Arm Cap	Wood Finish	Glide Option	Wallsaver Feet	Wing back	Leg Option	Moisture Barrier	
	Non-contrast	4.75 yd	3223/NC										
1 2	Contrast		3223/FC										
AFLS													
High Back Lounge Chair (Closed Arm) 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd													
Optional wings (Fabric Contrast 1) C.O.M. = 2 yd													
Dashed line represents Wingback option.													
1 2	Non-contrast Contrast	7.5 yd	3233/NC 3233/FC	0000									
AFLS													
High Back Loveseat (Closed Arm) 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 5.25 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 2.5 yd													
Optional wings (Fabric Contrast 1) C.O.M. = 2 yd													
Dashed line represents Wingback option.			a	•	•	0	3	G	О	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect wood armcaps.

NAC - No armcap

WAC - Wood armcaps (pair); add \$206

BSelect wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

- Nylon glides NG - Polycarbonate glides

- Rubber glides FG - Felt glides

GSelect wallsaver feet.

- No wallsaver feet

- Wallsaver feet; add \$26

Select wingback option.

NWB - No wingback

- With wingback (requires extra WWB fabric); add \$695

Wingback fabric will match back fabric selection.

Select bariatric leg option.

- Bariatric leg; add \$77 - No Bariatric leg NBRL

Select moisture barrier.

- Moisture barrier

- No moisture barrier See pricing column for moisture barrier upcharge.





P	pprox. ackaged /eight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	105.0#	\$ 2115	\$ 2314	\$ 2367	\$ 2430	\$ 2472	\$ 2555	\$ 2640	\$ 2745	\$ 2954	\$ 3164	\$ 3374	\$ 3793	\$ 149
	105.0#	2167	2367	2419	2482	2525	2608	2692	2797	3007	3217	3427	3846	149

150.0#	\$ 2588	\$ 2914	\$ 3000	\$ 3103	\$ 3171	\$ 3309	\$ 3446	\$ 3618	\$ 3961	\$ 4304	\$ 4648	\$ 5334	\$ 180
150.0#	2669	2994	3081	3184	3252	3390	3527	3699	4042	4385	4729	5415	180

KENSINGTON MAPLE UPCHARGE Kensington Maple requires extended leadtimes. Model 3023A 3033A 3043A 3323A \$16 \$16 3333A \$16 \$16 3343A \$16 \$16 3323 \$82 3023 \$82 \$82 3033 \$82 3333 3343 \$82 3043 \$82 3223 3233 3123 \$37 \$37 \$37

3243

\$37

\$37

\$37

3133

3143

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina®

Lobby and Lounge Seating

	MODEL N	IUMBER										
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Arm Cap	Wood Finish	Glide Option	Wallsaver Feet	Wing back	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	9.5 yd	3243/NC									190.0#
	Contrast		3243/FC									190.0#
2												
1												
AFLS												
High Back Sofa (Closed Arm)												
• 1 = Back and side panels (Fabric												
Contrast 1) C.O.M. = 8.5 yd												
• 2 = Seat (Fabric Contrast 2) C.O.M. = 3.25 yd												
 Optional wings (Fabric Contrast 1) C.O.M. = 2 yd 												
6.0.ivi. = 2 yu												
Dashed line represents Wingback												
option.												
			A	B	$oldsymbol{\Theta}$	0	(3	(3)	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect wood armcaps.

NAC - No armcap

WAC - Wood armcaps (pair); add \$206

Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

- Nylon glides NG - Polycarbonate glides

- Rubber glides FG - Felt glides

GSelect wallsaver feet.

- No wallsaver feet - Wallsaver feet; add \$26

Select wingback option.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select moisture barrier.

- Moisture barrier

NMB - No moisture barrier See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 3104	\$ 3503	\$ 3608	\$ 3734	\$ 3818	\$ 3986	\$ 4154	\$ 4363	\$ 4783	\$ 5203	\$ 5623	\$ 6461	\$ 196
3205	3604	3709	3835	3919	4087	4255	4464	4884	5303	5724	6562	196

Kensingto	ın Maple re	quires extend	led
leadtimes			
Model			
3323A	\$16	3023A	\$16

KENSINGTON MAPLE UPCHARGE

Model			
3323A	\$16	3023A	\$16
3333A	\$16	3033A	\$16
3343A	\$16	3043A	\$16
3323	\$82	3023	\$82
3333	\$82	3033	\$82
3343	\$82	3043	\$82
3123	\$37	3223	\$37
3133	\$37	3233	\$37
3143	\$37	3243	\$37

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina®

Lobby and Lounge Seating

			MODEL N								
	Features	сом	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Wallsaver Feet	Wing back	Leg Option	Moisture Barrier
	Non-contrast	3.5 yd	3023A/NC								
	Contrast		3023A/FC								
AFLS											
High Back Lounge Chair (Armless)											
1 = Back and side panels (Fabric Contrast 1) C.O.M. = 2.25 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd											
Optional wings (Fabric Contrast 1) C.O.M. = 2.5 yd											
Dashed line represents Wingback option.											
	Non-contrast	6 yd	3033A/NC								
1 2	Contrast		3033A/FC								
AFLS											
High Back Loveseat (Armless)											
 1 = Back and side panels (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 2.75 yd 											
• Optional wings (Fabric Contrast 1) C.O.M. = 2.5 yd											
Dashed line represents Wingback option.											
			A	B	•	0	(3	(3	œ	•	0

HOW TO ORDER

Indicate the following information on order form:

- $1. \ \ Quantity \ of \ each \ item.$
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color.

 Refer to color addendum at ki.com or Kl
 Fabrics & Finishes binder.

 For Kensington Maple add upcharge.
- Select glide option.

,01001	giido optioni.
NG	- Nylon glides
PG	- Polycarbonate glides
RG	- Rubber glides
FG	- Felt glides

Select wallsaver feet.

NWF - No wallsaver feet

WWF - Wallsaver feet; add \$26

GSelect wingback option.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select bariatric leg option.

BRL - Bariatric leg; add \$77

NBRL - No Bariatric leg

Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier
upcharge.



Affina[®]
Lobby and Lounge Seating

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
85.0#	\$ 1827	\$ 2009	\$ 2056	\$ 2113	\$ 2151	\$ 2228	\$ 2304	\$ 2399	\$ 2589	\$ 2781	\$ 2972	\$ 3353	\$ 149
85.0#	1880	2061	2108	2165	2203	2280	2357	2451	2642	2834	3024	3405	149

115.0# \$ 20	066 \$ 2247	\$ 2295	\$ 2351	\$ 2390	\$ 2467	\$ 2543	\$ 2638	\$ 2828	\$ 3020	\$ 3211	\$ 3592	\$ 18
115.0# 21	147 2328	2375	2432	2470	2547	2623	2718	2909	3100	3291	3672	18

KENSINGTON MAPLE UPCHARGE Kensington Maple requires extended leadtimes. Model

3023A 3033A 3043A 3323A \$16 \$16 \$16 \$16 3333A \$16 3343A \$16 3323 \$82 3023 \$82 \$82 3033 \$82 3333 3343 \$82 3043 \$82 3223 3233 3123 \$37 \$37 3133 \$37 \$37 3143 3243 \$37 \$37

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge. $\label{eq:model} % \begin{subarray}{ll} \end{subarray} % \begin{su$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina®

Lobby and Lounge Seating

			MODEL N	UMBER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Glide Option	Wallsaver Feet	Wing back	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	8 yd	3043A/NC								160.0#
	Contrast		3043A/FC								160.0#
\sim											
2											
Ψ											
AFLS											
High Back Sofa (Armless)											
• 1 = Back and side panels (Fabric											
Contrast 1) C.O.M. = 5.75 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =											
3.5 yd											
Optional wings (Fabric Contrast 1)											
C.O.M. = 2.5 yd											
Dashed line represents Wingback											
option.											
			A	3	Θ	0	(3	(3	O	0	
			-	-	-	_	_	-	_	-	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

	giido optioiii
NG	- Nylon glides
PG	- Polycarbonate glides
RG	- Rubber glides
FG	- Felt glides

Select wallsaver feet. **NWF** - No wallsaver feet wwF - Wallsaver feet; add \$26

G Select wingback option.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select moisture barrier.

upcharge.

- Moisture barrier

- No moisture barrier See pricing column for moisture barrier





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2724	\$ 3087	\$ 3182	\$ 3296	\$ 3372	\$ 3526	\$ 3678	\$ 3869	\$ 4250	\$ 4632	\$ 5013	\$ 5776	\$ 196
2825	3188	3283	3397	3473	3627	3779	3970	4351	4733	5114	5877	196

KENSINGTON MAPLE UPCHARGE
Kensington Maple requires extended
leadtimes.
Model

leadlimes			
Model			
3323A	\$16	3023A	\$16
3333A	\$16	3033A	\$16
3343A	\$16	3043A	\$16
3323	\$82	3023	\$82
3333	\$82	3033	\$82
3343	\$82	3043	\$82
3123	\$37	3223	\$37
3133	\$37	3233	\$37
3143	\$37	3243	\$37

MOISTURE BARRIER UPCHARGE

To order with moisture barrier add /MB to the model number and add upcharge.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



				MODE	L NUMBI	ER		
					Wood		Annrov	
				Basic	Leg	Laminate	Approx. Packaged	
	MODEL	Features	DxWxH	Model	Finish	Color	Weight	
	Rectangular End Table - 16" High	Laminate Top	20 x 24 x 16"	9708			40.0#	
		Veneer Top	20 x 24 x 16"	9704			40.0#	
₩ W								
AFFS			00 04 00	0705			45.0 "	
	Rectangular End Table - 22" High	Laminate Top	20 x 24 x 22"	9705			45.0#	
		Veneer Top	20 x 24 x 22"	9701			40.0#	
w W								
W								
AFFS								
^	Square Lamp Table	Laminate Top	24 x 24 x 22"	9706			40.0#	
		Veneer Top	24 x 24 x 22"	9702			40.0#	
AFFS								
	Rectangular Coffee Table	Laminate Top	24 x 42 x 16"	9707			65.0#	
		Veneer Top	24 x 42 x 16"	9703			60.0#	
AFFS								
AFFO				L				
				A	B	•		

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select wood leg finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

\$126

Model 9708 \$88 9704 \$93 9705 \$93 9701 \$104 9706 \$93 \$104 9702 9707 \$114

9703





Delivered Pricing	ed
\$ 809	0
865	
000	
\$ 901	
888	8
\$ 877	7
938	
\$ 1120	
1211	1
1611	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina®

Healthcare General Information













	Lounge Sleeper (ALS)	Loveseat Double Sleeper (ALSS)	Recliner (AR)	Wallsaver Recliner (ARW)	Patient Chair (AAPP)	Motion Paitent Chair (AAPX)
General Dimensions						
Seat width	27-1/4"	57"	23-3/4"	22-1/2"	19-3/4"	22-1/2"
Seat depth	20"	20"	20-1/2"	20-1/2"	20"	19"
Seat height	17-3/4"	17-3/4"	19-1/2"	19-1/2"	18-3/4"	18-1/2"
Arm width	4"	4"	3"	3"	3"	3"
Arm height	26-3/4"	26-3/4"	25-1/4"	24"	27-1/4"	27-1/2"
Arm height from seat center	9-3/4"	9-3/4"	5-3/4"	5"	8"	8-1/2"
Back height from seat	17-3/4"	17-3/4"	30"	29-1/4"	26-1/4"	28-1/2"
Sleep surface depth	76-1/2"	76-1/2"				
Overall Dimensions						
Width	35-1/2"	64-3/4"	30"	30-1/2"	26-1/2"	28-1/2"
Depth	35-1/2"	35-1/2"	35-1/2"	34"	31-3/4"	28-3/4"
Height	34-1/2"	34-1/2"	47"	45-1/2"	43-1/2"	44-3/4"
Depth (opened)	81"	81"	64-1/2"	65"		

Tablet Arm Options



Top-Mounted Articulating Revolving Tablet



Side-Mounted Articulating Fold-Down Tablet

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders

Healthcare General Information













	Glider (AAPG)	Hip Chair - Open Arm (AOHC)	Hip Chair - Closed Arm (APHC)	Bariatric Chair - Open Arm (AOCL)	Bariatric Chair - Closed Arm (APCL)			
General Dimensions								
Seat width	19-3/4"	20-1/2"	20-1/2"	30"	30"			
Seat depth	20"	19-1/2"	19-1/2"	19"	19"			
Seat height	19-1/2"	26"	26"	19"	19"			
Arm width	3"	2-3/4"	2-3/4"	2"	2"			
Arm height	27-1/4"	33-1/2"	33-1/2"	27"	27"			
Arm height from seat center	8"							
Back height from seat	26-1/4"							
Sleep surface depth								
Overall Dimensions								
Width	26-1/2"	24-3/4"	24-3/4"	34"	34"			
Depth	31-1/4"	25-1/2"	25-1/2"	23-3/4"	23-3/4"			
Height	43-1/2"	38"	38"	31-1/2"	31-1/2"			

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com


Affina® 1.5 General Information




Recliner (ARII15)

General Dimensions	
Seat width	23-1/2"
Seat depth	21-1/2"
Seat height	19-1/2"
Arm width	4"
Arm height	25"
Overall Dimensions	
Width	33"
Depth	36-1/2"
Height	44"

Tablet Arm Options



Top-Mounted Articulating Revolving Tablet



Side-Mounted Articulating Fold-Down Tablet

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirement. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Affina® 1.5
General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Affina® II General Information




Recliner (ARII)




Bariatric (ARIIBAR)

General Dimensions		
Seat width	23-1/2"	28-1/2"
Seat depth	21-1/2"	21-1/2"
Seat height	21-1/2"	21-1/2"
Arm width	4"	4"
Arm height	27"	27"
Overall Dimensions		
Width	33"	38"
Depth	36-1/2"	36-1/2"
Height	46"	46"

Tablet Arm Options



Top-Mounted Articulating Revolving Tablet



Side-Mounted Articulating Fold-Down Tablet



Recliner with Wings (ARII/WWB)



Bariatric Recliner with Wings (ARIIBAR/WWB)

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirement. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.


Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



WarrantyRefer to KI Terms & Conditions document or visit ki.com





Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect pull handle color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select armcap option.

NAC - No armcap WAC - Wood armcaps (pair); add \$150 SAC - Solid surface armcaps; add

\$670

Solid surface armcap color is always Corian™ glacier white.

Select wood finish color.

Pick only if product has wood armcaps or "no casters" is selected.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

For Kensington Maple add upcharge.

GSelect casters.

NCST - No casters (standard)
FRCST - Locking casters-fixed front/ rear swivel; add \$175

Select moisture barrier.

- Moisture barrier

NMB - No moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 3175	\$ 3230	\$ 3245	\$ 3261	\$ 3272	\$ 3296	\$ 3319	\$ 3348	\$ 3404	\$ 3462	\$ 3518	\$ 3633	\$ 180
3260	3315	3329	3345	3357	3380	3403	3432	3489	3546	3603	3717	180

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

Model

ALS \$31 ALSS/LFS \$31 ALSS/RFS \$31 ALSS/DS \$31

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #125.



				MODEL NUM	IBER						
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Pull Color	Arm Cap	Wood Finish	Moisture Barrier	
	Loveseat Sleeper (Closed Arm) - LFS	Non-contrast	14 yd	ALSS/LFS/NC							Π
1	(Open, Left Side Facing)	Contrast		ALSS/LFS/FC							
	• 1 = Seat and back/sleep surface (Fabric Contrast 1) C.O.M. = 7.5 yd										
	• 2 = Arms and frame (Fabric Contrast 2)										
2	C.O.M. = 7.5 yd										
AFLSS											
	Loveseat Sleeper (Closed Arm) - RFS	Non-contrast	14 yd	ALSS/RFS/NC	0000						
	(Open, Right Side Facing)	Contrast		ALSS/RFS/FC							
1	 1 = Seat and back/sleep surface (Fabric Contrast 1) C.O.M. = 7.5 yd 										
	• 2 = Arms and frame (Fabric Contrast 2)										
2 1	C.O.M. = 7.5 yd										
*E											
AFLSS											l
				A	$oldsymbol{\Theta}$	•	O	(3	(3)	G	

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select pull handle color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select armcap option.

NAC - No armcap

WAC - Wood armcaps (pair); add \$150

SAC - Solid surface armcaps; add \$670

Solid surface armcap color is always Corian™ glacier white.

- Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.
- GSelect moisture barrier.

- Moisture barrier - No moisture barrier See pricing column for moisture barrier





Appro Packa Weigh	ged Grade	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
225	0# \$ 4307	\$ 4362	\$ 4376	\$ 4393	\$ 4404	\$ 4428	\$ 4451	\$ 4479	\$ 4536	\$ 4594	\$ 4650	\$ 4765	\$ 232
225	0# 4392	4447	4461	4477	4489	4512	4535	4564	4621	4678	4735	4849	232

225.0#	\$ 4307	\$ 4362	\$ 4376	\$ 4393	\$ 4404	\$ 4428	\$ 4451	\$ 4479	\$ 4536	\$ 4594	\$ 4650	\$ 4765	\$ 232
225.0#	4392	4447	4461	4477	4489	4512	4535	4564	4621	4678	4735	4849	232

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

 Model

 ALS
 \$31

 ALSS/LFS
 \$31

 ALSS/RFS
 \$31

 ALSS/DS
 \$31

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #125.

N/C





Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect pull handle color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Select armcap option.

NAC - No armcap
WAC - Wood armcaps (pair); add
\$150

- Solid surface armcaps; add

SAC \$670

Solid surface armcap color is always Corian™ glacier white.

- Select wood finish color.

 Refer to color addendum at ki.com or Kl
 Fabrics & Finishes binder.

 For Kensington Maple add upcharge.
- **G**Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier
upcharge.





Approx. Package Weight	d Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
400.0#	\$ 5644	\$ 5699	\$ 5713	\$ 5730	\$ 5741	\$ 5746	\$ 5788	\$ 5816	\$ 5873	\$ 5931	\$ 5987	\$ 6102	\$ 232
400.0#	5729	5783	5798	5814	5826	5849	5872	5901	5958	6015	6072	6186	232

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

Model

ALS \$31 ALSS/LFS \$31 ALSS/RFS \$31 ALSS/DS \$31

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #125.



MODEL MODEL Features COM Non-Contrast Fabric Gontrast 1 2 Contrast 2 Contrast 1) C. O. M. = 3 yd 2 = Seat (Fabric Contrast 1) C. O. M. = 3.5 yd 1 = Back and arms (Fabric Contrast 1) C. O. M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C. O. M. = 1 Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C. O. M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C. O. M. = 1 AFMC Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C. O. M. = 3.5 yd Contrast APP/FC APP/FC												
MODEL Features COM Model Contrast 1 Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) 2 = Seat (Fabric Contrast 2) C.O.M. = 1 Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3,5 yd 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3,5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3,5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 AFMC					MODEL N	IUMBER						
The state of		MODEL	Features	СОМ		or Fabric	Contrast					
AFPC Motion Patient Chair (Closed Arm) • 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast 4 yd Contrast AAPX/RC AAPX/FC AAPX/FC AAPX/FC			Non-contrast	3.75 yd	AAPP/NC							
Ontrast Ontrast Ontrast Ontrast Ontrast Ontrast Ontrast Ontrast Ontrast Ontrast AAPX/FC AAPX/FC AAPX/FC AAPX/FC AAPX/FC			Contrast		AAPP/FC							
AFPC Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast AAPX/FC AAPX/FC	1											
Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast 4 yd Contrast AAPX/FC AAPX/FC												
Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast 4 yd AAPX/NC AAPX/FC AAPX/FC AAPX/FC AAPX/FC AAPX/FC	1											
Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast 4 yd AAPX/NC AAPX/FC AAPX/FC AAPX/FC AAPX/FC AAPX/FC												
Motion Patient Chair (Closed Arm) 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd Non-contrast 4 yd AAPX/NC AAPX/FC AAPX/FC AAPX/FC AAPX/FC AAPX/FC	Ψ											
• 1 = Back and arms (Fabric Contrast 1) C.O.M. = 3.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd AAPX/FC AAPX/FC AAPX/FC AAPX/FC AAPX/FC	AFPC											
C.O.M. = 3.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd			Non-contrast	4 yd	AAPX/NC							
• 2 = Seat (Fabric Contrast 2) C.O.M. = 1 yd			Contrast		AAPX/FC							
AFMC yd	1											
	2											
	1											
	Ψ											
	AFMC											
					A	B	Θ	0	(3	(3)	(

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect arm option.

WAC - Wood armcaps
PAC - Black poly; add \$150

Select wood finish color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

NG - Nylon glides PG - Polycarbonate glides RG - Rubber glides

FG - Felt glides

GSelect moisture barrier.

- Moisture barrier

- No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.N		Gra C	ıde		Gra D	ade	E 8	ade & D.L.	Gr F	ade	Gı G	ade	Gr H	ade	Gr I	rade	Gr J	ade	Gr K	ade	ade Leather	Gra M I	ade Leather	Moist Barrie add te price	er
59.0#	\$ 1	711	\$	176	65	\$	1780	\$	1796	\$	1809	\$	1831	\$	1854	\$	1883	\$	1939	\$	1997	\$ 2054	\$	2169	\$	140
59.0#	1	766		182	21		1835		1852		1864		1887		1910		1938		1995		2053	2109		2225		140

77.0#	\$ 2444	\$ 2499	\$ 2513	\$ 2530	\$ 2541	\$ 2565	\$ 2587	\$ 2616	\$ 2673	\$ 2731	\$ 2787	\$ 2902	\$ 140
77.0#	2500	2554	2569	2585	2597	2620	2643	2672	2728	2786	2843	2957	140

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

Model

AAPP \$67 AAPX \$67 AOHC \$62 APHC \$62

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

ion N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.





Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- DSelect arm option.

WAC - Wood armcaps
PAC - Black poly; add \$150

Select wood finish color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
For Kensington Maple add upcharge.

Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier

upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
96.0#	\$ 2209	\$ 2263	\$ 2277	\$ 2295	\$ 2306	\$ 2329	\$ 2353	\$ 2380	\$ 2438	\$ 2495	\$ 2552	\$ 2667	\$ 142
96.0#	2292	2345	2360	2377	2389	2411	2435	2463	2520	2577	2635	2749	142

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
AAPG \$48

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.





Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect arm option.

- Wood armcaps WAC - Black poly; add \$150

Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

NG - Nylon glides PG - Polycarbonate glides RG - Rubber glides

FG - Felt glides

GSelect moisture barrier.

- Moisture barrier

NMB - No moisture barrier See pricing column for moisture barrier

upcharge.





Approx. Packaged Weight	Grade C.O.M.	Gra	de	Gra D	ade	Εð	ade & O.L.	Gr F	ade	Gr G	ade	Gra H	ade	Gr.	ade	Gra J	ade	Gr K	ade	ade Leather	ade Leather	Mois Barri add t price	er o list
65.0#	\$ 1336	\$	1381	\$	1394	\$	1408	\$	1417	\$	1436	\$	1455	\$	1479	\$	1526	\$	1575	\$ 1622	\$ 1718	\$	115
65.0#	1388		1434		1446		1461		1470		1488		1508		1532		1579		1627	1675	1771		115

65.0#	\$	1512	\$ 1557	\$ 1570	\$ 1584	\$ 1593	\$ 1613	\$ 1632	\$ 1655	\$ 1704	\$ 1751	\$ 1798	\$ 1894	\$ 11	15
65.0#	!	1565	1610	1622	1637	1646	1666	1684	1708	1756	1804	1851	1947	11	15

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

Model

AAPP \$67 AAPX \$67 AOHC \$62 APHC \$62

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.



				MODEL N	IUMBER						
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Arm Cap	Wood Finish	Glide Option	Moisture Barrier	
	Bariatric Chair (Open Arm)	Non-contrast	2.5 yd	AOCL/NC							
	• 1 = Back (Fabric Contrast 1) C.O.M. = 1.75 yd	Contrast		AOCL/FC							
	 2 = Seat (Fabric Contrast 2) C.O.M. = 1 										
2	yd										
V											
AFBS											
	Bariatric Chair (Closed Arm)	Non-contrast	2.75 yd	APCL/NC							
	• 1 = Back and Arms (Fabric Contrast 1)	Contrast		APCL/FC							
	C.O.M. = 2.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1										
2	yd										
\mathbb{V}											
AFBS											
AFDO											
				A	$oldsymbol{\Theta}$	Θ	0	(3	(3)	(

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select arm option.

WAC - Wood armcaps - Black poly; add \$166

Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select glide option.

NG - Nylon glides PG - Polycarbonate glides RG - Rubber glides

FG - Felt glides

GSelect moisture barrier.

- Moisture barrier

- No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
65.0#	\$ 1661	\$ 1752	\$ 1776	\$ 1805	\$ 1823	\$ 1861	\$ 1899	\$ 1948	\$ 2042	\$ 2138	\$ 2234	\$ 2425	\$ 127
65.0#	1718	1809	1832	1861	1880	1918	1956	2004	2099	2195	2291	2481	127

70.0# \$	1756	\$ 1856	\$ 1882	\$ 1914	\$ 1934	\$ 1977	\$ 2019	\$ 2071	\$ 2175	\$ 2280	\$ 2385	\$ 2596	\$ 129
70.0#	1813	1913	1938	1970	1991	2033	2075	2128	2232	2337	2442	2652	129

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model

AOCL \$52 APCL \$52

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Affina® Healthcare Seating

			MODE	L NUMBER									
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wood Finish	Moist. Barrier	Approx. Packaged Weight
	Non-contrast	5.5 yd	AR/NC										109.0#
	Contrast		AR/FC										109.0#
1													
2													
AFRL													
Recliner (Closed Arm)													
• 1 = Back and arms (Fabric Contrast													
1) C.O.M. = 4.75 yd													
 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 													
 Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd 													
•									_	_	_	_	
			A	3	Θ	0	(3	(3)	œ	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select I.V. pole. (specified facing chair)

NS - No pole

LFFIV - Left facing front; add \$289

LRFIV - Left facing rear; add \$289

RFFIV - Right facing front; add \$289

RRFIV - Right facing rear; add \$289

Select catheter bag attachment. (specified facing chair)

NCA - No catheter attachment

LFCA - Left facing front; add \$46

LRCA - Left facing rear; add \$46

RFCA - Right facing front; add \$46
RRCA - Right facing rear; add \$46
If optional I.V. pole is specified, catheter
attachment can not be specified in the
same location.

Select magazine pouch. (specified facing chair)

NMR - No magazine pouch
LFP - Left side pouch (requires
add'l fabric; matches arm); add \$193
RFP - Right side pouch (requires
add'l fabric; matches arm); add \$193
If optional I.V. pole is specified, magazine
pouch cannot be specified on the same

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$160

Select armcap option.

WAC - Wood armcaps
PAC - Black poly; add \$150

SAC - Solid surface armcaps; add \$670 Solid surface armcap color is always Corian™ glacier white.

Select wood finish color.
 Pick only if product has wood armcaps.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 For Kensington Maple add upcharge.

OSelect moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2628	\$ 2681	\$ 2694	\$ 2711	\$ 2722	\$ 2744	\$ 2767	\$ 2794	\$ 2850	\$ 2906	\$ 2961	\$ 3072	\$ 154
2710	2763	2776	2793	2804	2826	2849	2876	2932	2988	3043	3154	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

leaulilles.		
Model		
AR	\$20	
AR/LFT/LT	\$20	
AR/RFT/LT	\$20	
AR/LFRT/LT	\$20	
AR/RFRT/LT	\$20	
AR/LFT/VT	\$20	
AR/RFT/VT	\$20	
AR/LFRT/VT	\$20	
AR/RFRT/VT	\$20	

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as I.V. pole.

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.



			MODEL NUM	BER									
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pch.	Mech Type	Arm Cap	Wood Finish	Lam. Color	Moist. Barrier
	Non-contrast	5.5 yd	AR/NC/LFT/LT										
	Contrast	0.0 yu	AR/FC/LFT/LT										
AFRL													
Recliner w/ Left Facing Laminate Side Articulating Tablet													
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 													
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd													
	Non-contrast	5.5 yd	AR/NC/RFT/LT										
	Contrast		AR/FC/RFT/LT										
AFRL													
Recliner w/ Right Facing Laminate Side Articulating Tablet													
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 													
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd													
			a	3	Θ	0	(3	•	Ф	0	0	0	0

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect I.V. pole.

(specified facing chair)

N2	- No pole
LFFIV	- Left facing front; add \$289
LRFIV	- Left facing rear; add \$289
RFFIV	- Right facing front; add \$289
RRFIV	- Right facing rear; add \$289
If tablet is	specified, tablet, I.V. pole and/
or cathete	r bag attachment must all be

specified in unique locations. ESelect catheter bag attachment. (specified facing chair)

NCA	 No catheter attachment 								
LFCA	- Left facing front; add \$46								
LRCA	- Left facing rear; add \$46								
RFCA - Right facing front; add \$46									
RRCA	- Right facing rear; add \$46								
If tablet is	specified, tablet, I.V. pole and/								
or cathete	r bag attachment must all be								

specified in unique locations.

Select magazine pouch. (specified facing chair)

NMR - No magazine pouch LFP - Left side pouch (requires add'l fabric; matches arm); add \$193 - Right side pouch (requires

add'I fabric; matches arm); add \$193 If optional I.V. pole is specified, magazine pouch cannot be specified on the same

GSelect mechanism type.

SM	 Standard mechanism
TM	- Trendelenburg mechanism;
add \$1	60

• Select armcap option.

WAC PAC - Wood armcaps - Black poly; add \$150 SAC - Solid surface armcaps; add \$670 Solid surface armcap color is always Corian™ glacier white.

Select wood finish color. Pick only if product has wood armcaps.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select moisture barrier.

- Moisture barrier NMB - No moisture barrier See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

114.0# \$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0# 2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

leautillies.		
Model		
AR	\$20	
AR/LFT/LT	\$20	
AR/RFT/LT	\$20	
AR/LFRT/LT	\$20	
AR/RFRT/LT	\$20	
AR/LFT/VT	\$20	
AR/RFT/VT	\$20	
AR/LFRT/VT	\$20	
AR/RFRT/VT	\$20	

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as I.V. pole.

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

N/C



MODEL NUMBER														
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pch.	Mech Type	Arm Cap	Wood Finish	Lam. Color	Moist. Barrier	
	Non-contrast	5.5 yd	AR/NC/LFRT/LT											
	Contrast		AR/FC/LFRT/LT											
AFRL														
Recliner w/ Left Facing Laminate Top Articulating Tablet														
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 														
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd														
AFRL AFRL	Non-contrast Contrast	5.5 yd	AR/NC/RFRT/LT AR/FC/RFRT/LT											
Recliner w/ Right Facing Laminate Top Articulating Tablet														
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 														
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd														
			A	B	•	0	•	G	Э	0	0	0	0	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select I.V. pole.
 (specified facing chair)

NS - No pole

LFFIV - Left facing front; add \$289

LRFIV - Left facing rear; add \$289

RFFIV - Right facing front; add \$289 RRFIV - Right facing rear; add \$289 If tablet is specified, tablet, I.V. pole and/ or catheter bag attachment must all be specified in unique locations.

Select catheter bag attachment. (specified facing chair)

NCA - No catheter attachment
LFCA - Left facing front; add \$46
LRCA - Left facing rear; add \$46
RFCA - Right facing front; add \$46
RRCA - Right facing front; add \$46
If tablet is specified, tablet, I.V. pole and/
or catheter bag attachment must all be
specified in unique locations.

Select magazine pouch. (specified facing chair)

NMR - No magazine pouch
LFP - Left side pouch (requires
add'l fabric; matches arm); add \$193
RFP - Right side pouch (requires

add'l fabric; matches arm); add \$193 If optional I.V. pole is specified, magazine pouch cannot be specified on the same side.

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$160

Select armcap option.

WAC - Wood armcaps
PAC - Black poly; add \$150
SAC - Solid surface armcaps;
add \$670

Solid surface armcap color is always Corian $^{\mathsf{TM}}$ glacier white.

Select wood finish color.
Pick only if product has wood armcaps.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select laminate color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select moisture barrier.

MB - Moisture barrier

NMB - No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

Model AR \$20 AR/LFT/LT \$20 AR/RFT/LT \$20 AR/LFRT/LT \$20 AR/RFRT/LT \$20 AR/LFT/VT \$20 AR/RFT/VT \$20 AR/LFRT/VT \$20 AR/RFRT/VT \$20

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as $I.V.\ pole.$

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the

foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® Healthcare Seating

	MODEL NUMBER												
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pch.	Mech Type	Arm Cap	Wood Finish	Ven. Color	Moist. Barrier
	Non-contrast	5.5 yd	AR/NC/LFT/VT										
	Contrast	0.0 yu	AR/FC/LFT/VT										
AFRL													
Recliner w/ Left Facing Veneer Side Articulating Tablet													
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 													
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd													
	Non-contrast	5.5 yd	AR/NC/RFT/VT										
1 2	Contrast		AR/FC/RFT/VT										
AFRL													
Recliner w/ Right Facing Veneer Side Articulating Tablet													
 1 = Back and arms (Fabric Contrast 1) C.O.M. = 4.75 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd 													
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd													
			a	3	•	0	3	•	О	0	0	•	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select I.V. pole. (specified facing chair)

NS - No pole

LFFIV - Left facing front; add \$289

LFFIV - Left facing rear; add \$289

RFFIV - Right facing front; add \$289

RRFIV - Right facing rear; add \$289 If tablet is specified, tablet, I.V. pole and/or catheter bag attachment must all be specified in unique locations.

Select catheter bag attachment. (specified facing chair)

NCA - No catheter attachment
LFCA - Left facing front; add \$46
LRCA - Left facing rear; add \$46

RFCA - Right facing front; add \$46
RRCA - Right facing rear; add \$46

If tablet is specified, tablet, I.V. pole and/ or catheter bag attachment must all be specified in unique locations.

Select magazine pouch. (specified facing chair)

NMR - No magazine pouch
LFP - Left side pouch (requires
add'l fabric; matches arm); add \$193
RFP - Right side pouch (requires

add'l fabric; matches arm); add \$193 If optional I.V. pole is specified, magazine pouch cannot be specified on the same side.

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$160

Select armcap option.

WAC - Wood armcaps
PAC - Black poly; add \$150
SAC - Solid surface armcaps;
add \$670

Solid surface armcap color is always Corian™ glacier white.

Select wood finish color.
Pick only if product has wood armcaps.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select veneer color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

114.0# \$ 287	\$ \$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0# 296	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

leautilles.		
Model		
AR	\$20	
AR/LFT/LT	\$20	
AR/RFT/LT	\$20	
AR/LFRT/LT	\$20	
AR/RFRT/LT	\$20	
AR/LFT/VT	\$20	
AR/RFT/VT	\$20	
AR/LFRT/VT	\$20	
AR/RFRT/VT	\$20	

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as I.V. pole.

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.



			MODEL NUMBI	ER										
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pch.	Mech Type	Arm Cap	Wood Finish	Ven. Color	Moist. Barrier	
	Non-contrast	5.5 yd	AR/NC/LFRT/VT											
	Contrast		AR/FC/LFRT/VT											
1														
2														
1														
AFRL														
Recliner w/ Left Facing Veneer Top														
Articulating Tablet														
• 1 = Back and arms (Fabric Contrast														
1) C.O.M. = 4.75 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd														
 Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd 														
GOITTAST 1) G.O.IVI. = .5 yu			10.010.0000000											
	Non-contrast	5.5 yd	AR/NC/RFRT/VT											
	Contrast		AR/FC/RFRT/VT											
1														
2														
1														
₩ AFRL														
Recliner w/ Right Facing Veneer Top														
Articulating Tablet														
1 = Back and arms (Fabric Contrast														
1) C.O.M. = 4.75 yd														
• 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.5 yd														
Optional magazine pouch (Fabric														
Contrast 1) C.O.M. = .5 yd														
			A	B	G	0	3	G	О	0	0	•	0	
			•	9	•	9	3	•	•	•	•	9	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select I.V. pole. (specified facing chair)

NS - No pole

LFFIV - Left facing front; add \$289

LFFIV - Left facing rear; add \$289

RFFIV - Right facing front; add \$289

RRFIV - Right facing rear; add \$289 If tablet is specified, tablet, I.V. pole and/or catheter bag attachment must all be specified in unique locations.

Select catheter bag attachment. (specified facing chair)

NCA - No catheter attachment
LFCA - Left facing front; add \$46
LRCA - Left facing rear; add \$46
RFCA - Right facing front; add \$46
RRCA - Right facing rear; add \$46
If tablet is specified, tablet, I.V. pole and/

If tablet is specified, tablet, I.V. pole and or catheter bag attachment must all be specified in unique locations.

Select magazine pouch. (specified facing chair)

NMR - No magazine pouch
LFP - Left side pouch (requires
add'l fabric; matches arm); add \$193
RFP - Right side pouch (requires

add'l fabric; matches arm); add \$193 If optional I.V. pole is specified, magazine pouch cannot be specified on the same side.

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$160

Select armcap option.

WAC - Wood armcaps
PAC - Black poly; add \$150
SAC - Solid surface armcaps;
add \$670

Solid surface armcap color is always Corian™ glacier white.

Select wood finish color.
Pick only if product has wood armcaps.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

- Select veneer color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

114.0#	\$ 2878	\$ 2931	\$ 2944	\$ 2961	\$ 2972	\$ 2994	\$ 3017	\$ 3044	\$ 3100	\$ 3156	\$ 3211	\$ 3322	\$ 154
114.0#	2960	3013	3026	3043	3054	3076	3099	3126	3182	3238	3293	3404	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

leautilles.		
Model		
AR	\$20	
AR/LFT/LT	\$20	
AR/RFT/LT	\$20	
AR/LFRT/LT	\$20	
AR/RFRT/LT	\$20	
AR/LFT/VT	\$20	
AR/RFT/VT	\$20	
AR/LFRT/VT	\$20	
AR/RFRT/VT	\$20	

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as I.V. pole.

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.



MODEL NUMBER Non-Contrast Non-Contrast Fabric Fabric Fabric Contrast Arm Wood Moist. MODEL **Features** Contrast 1 Contrast 1 Cap Finish Barrier Wallsaver Recliner ARW/NC Non-contrast 6 yd • 1 = Back, arms and footrest (Fabric ARW/FC Contrast Contrast 1) C.O.M. = 5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd AFRL 4 **(3 B** Θ 0 **3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- BSelect basic model.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select armcap option.

WAC - Wood armcaps PAC - Black poly; add \$150 SAC - Solid surface armcaps; add \$670

Solid surface armcap color is always Corian™ glacier white.

Select wood finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For Kensington Maple add upcharge.

Select moisture barrier.

- Moisture barrier

- No moisture barrier See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
115.0#	\$ 2173	\$ 2226	\$ 2240	\$ 2257	\$ 2268	\$ 2290	\$ 2312	\$ 2340	\$ 2395	\$ 2451	\$ 2507	\$ 2618	\$ 154
115.0#	2248	2301	2315	2332	2343	2365	2387	2415	2470	2526	2582	2693	154

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.

ieadiinies.		
Model		
AR	\$20	
AR/LFT/LT	\$20	
AR/RFT/LT	\$20	
AR/LFRT/LT	\$20	
AR/RFRT/LT	\$20	
AR/LFT/VT	\$20	
AR/RFT/VT	\$20	
AR/LFRT/VT	\$20	
AR/RFRT/VT	\$20	

Placement Rules

-Magazine pouch cannot be on same side as I.V. pole.

-Catheter hooks cannot be on same side as I.V. pole.

C.O.M. Requirements

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Moisture Barrier

Moisture barrier is applied underneath the

fabric cover as a means of protecting the foam.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

n N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

			MODEL N	UMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Magazine Pouch	Mech Type	Arm Cap	Wing	Wood Finish
_	Non-contrast	5.5 yd	ARII15/NC									
	Contrast		ARII15/FC									
1 1												
2												
1												
FRL2												
ecliner (Closed Arm)												
1 = Back, arms and footrest (Fabric												
Contrast 1) C.O.M. = 4.5 yd												
2 = Seat (Fabric Contrast 2) C.O.M. =												
1.25 yd												
Optional wings (Fabric Contrast 1)												
C.O.M. = 1.5 yd												
 Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd 												
55												
			A	B	$oldsymbol{\Theta}$	0	(3	(3	(0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect I.V. pole (facing).

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

- Standard mechanism SM TM - Trendelenburg mechanism; add \$312

Select arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.



Recliner

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
175.0#	\$ 3478	\$ 3692	\$ 3756	\$ 3827	\$ 3873	\$ 3968	\$ 4061	\$ 4177	\$ 4412	\$ 4645	\$ 4878	\$ 5347	\$ 134
175.0#	3556	3770	3834	3905	3951	4046	4139	4255	4490	4723	4956	5425	134

INFORMATION

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

			MODEL NUMBER											
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing	Wood Finish	Lam. Color	
	Non-contrast	5.5 yd	ARII15/NC/RFT/LT											
	Contrast		ARII15/FC/RFT/LT											
1 1														
2														
1														
AFRL2														
Recliner w/ Right Facing Laminate Side Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd														
 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd 														
 Optional magazine pouch (Fabric 														
Contrast 1) C.O.M. = .5 yd														
			Δ	ß	Θ	0	(3	(3	O	0	0	•	(3)	
			-	-	_		-	-	-	-	_	_	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect I.V. pole (facing).

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290 RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

 Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism TM Trendelenburg mechanism; add \$312

Select arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

- No wingback WWB - With wingback (requires add'l fabric); add \$695 Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 3875	\$ 4090	\$ 4155	\$ 4226	\$ 4272	\$ 4366	\$ 4460	\$ 4576	\$ 4811	\$ 5044	\$ 5267	\$ 5745	\$ 134
200.0#	3955	4170	4236	4252	4354	4447	4540	4665	4892	5125	5358	5827	134

INFORMATION

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Recline

			MODEL NUMBER											
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing back	Wood Finish	Lam. Color	
	Non-contrast	5.5 yd	ARII15/NC/LFRT/LT											
1 2	Contrast		ARII15/FC/LFRT/LT											
AFRL2														
Recliner w/ Left Facing Laminate Top Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd														
Optional wings (Fabric Contrast 1)														
C.O.M. = 1.5 yd • Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd														
Oomrast 17 G.S.W. = .5 yu	Non-contrast	5.5 yd	ARII15/NC/RFRT/LT											
	Contrast		ARII15/FC/RFRT/LT											
1														
AFRL2														
Recliner w/ Right Facing Laminate Top)													
Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd `														
Optional wings (Fabric Contrast 1)														
C.O.M. = 1.5 yd														
 Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd 														
, ,			· A	3	0	0	3	•	О	0	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

DSelect I.V. pole (facing).

NS - No pole

LRFIV - Left facing rear; add \$290

RFFIV - Right facing front; add \$290

RRFIV - Right facing rear; add \$290

If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

NCA - No catheter attachment

NCA - No catheter attachment
LRCA - Left facing rear; add \$48

RFCA - Right facing front; add \$48
RRCA - Right facing rear

If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch
RFP - Right side pouch (requires
add'l fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$312

Select arm option.

WAC - Wood armcaps (pair)
PAC - Black poly (pair); add \$166
SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian[™] glacier white.

Select wingback.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

 Select wood finish color. Pick only if product has wood armcaps.
 Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select laminate color.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.



Recliner

Р	Approx. Packaged Weight	Grad		Grad C	e	Grad D)	Grad E & C.O.		Gra F	ıde	Gra G	ade	Gra H	ade	Gra I	ade	Gr. J	ade	Gra K	de	Gra L L	de eather	Gra M I	ide Leather	Moist Barrie add to price	er
	200.0#	\$;	3875	\$ 4	1090	\$ 4	155	\$	4226	\$	4272	\$	4366	\$	4460	\$	4576	\$	4811	\$	5044	\$	5267	\$	5745	\$	134
	200.0#	;	3955	4	1170	4	236		4252		4354		4447		4540		4665		4892		5125		5358		5827		134

200.0# \$ 3875	\$ 4090 \$ 4	55 \$ 4226	\$ 4272	\$ 4366	\$ 4460	\$ 4576	\$ 4811	\$ 5044	\$ 5267	\$ 5745	\$ 134
200.0# 3955	4170 42	36 4252	4354	4447	4540	4665	4892	5125	5358	5827	134

INFORMATION

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Recline

			MODEL NUMBER											
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing	Wood Finish	Ven. Color	
	Non-contrast	5.5 yd	ARII15/NC/RFT/VT											
	Contrast		ARII15/FC/RFT/VT											
1 1														
2														
1														
AFRL2														
Recliner w/ Right Facing Veneer Side Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd														
 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd 														
 Optional magazine pouch (Fabric 														
Contrast 1) C.O.M. = .5 yd														
			A	B	•	0	(3	(3	(0	0	0	(3)	
			•	-	_	_	_	_	-	_	_	•	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

NS	- No pole
LRFIV	- Left facing rear; add \$290
RFFIV	- Right facing front; add \$290
RRFIV	- Right facing rear; add \$290

If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

NCA - No catheter attachment

NCA - No catheter attachment
LRCA - Left facing rear

RFCA - Right facing front
RRCA - Right facing rear

If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch
RFP - Right side pouch (requires
add'l fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$312

Select arm option.

WAC - Wood armcaps (pair)
PAC - Black poly (pair); add \$166
SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback
WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color.
Pick only if product has wood
armcaps.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 3875	\$ 4090	\$ 4155	\$ 4226	\$ 4272	\$ 4366	\$ 4460	\$ 4576	\$ 4811	\$ 5044	\$ 5267	\$ 5745	\$ 134
200.0#	3955	4170	4236	4252	4354	4447	4540	4665	4892	5125	5358	5827	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Non-contrast S.5 yd Contrast Non-contrast S.5 yd Contrast Non-contrast S.5 yd ARII15/NC/RFRT/VT ARII15/FC/RFRT/VT Contrast ARII15/FC/RFRT/VT ARII15/FC/RFRT/VT Contrast Optional wings (Fabric Contrast 2) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd														
Features COM Basic Contrast Fabric Fabric Fabric Contrast L.V. Catheter Mag Mech Mype Basic Contrast Contrast L.V. Catheter Mag Mech Mype Basic Fabric Contrast				MODEL NUMBER										
AFRL2 AFRIL2 AFRIL2 AFRIL3 AFRIL3 AFRIL4 AFRIL5		Features	СОМ		Contrast or Fabric	Contrast		Attach-						
AFRL2 Recliner Left Facing w/ Veneer Top Articulating Tablet - 1 - Back, arms and tootrest (Fabric Contrast 1) C.O.M. = 4.5 yd - 1 - Spot (Contrast 2) C.O.M. = 1.5 yd - Optional wings (Fabric Contrast 1) - Ontrast		Non-contrast	5.5 yd	ARII15/NC/LFRT/VT										
Recliner Left Facing w/ Veneer Top Articulating Tablet - Quitonal wings (Fabric Contrast 1) C.O.M. = 4.5 yd - Optional magazine pouch (Fabric Contrast 1) C.O.M. = 1.5 yd Non-contrast 1) C.O.M. = 5.5 yd ARII15/FC/RFRT/VT ARII15/FC/RFRT/V		Contrast		ARII15/FC/LFRT/VT										
Afficulating Tablet 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 3) C.O.M. = 1.5 yd Non-contrast AFRL2 Recliner w/ Right Facing Veneer Top Afficulating Tablet 1 = Back, arms and footrest (Fabric Contrast 3) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 3) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 4.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) Co.O.M. = 1.5 yd	AFRL2													
Contrast 1) C.O.M. = 4.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Non-contrast AFRL2 Recliner w/ Right Facing Veneer Top Articulating Tablet 1 = Back, arms and footrest (Fabric Contrast 2) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 2) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 3) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 2) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd														
Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Non-contrast Non-contrast S.5 yd ARII15/NC/RFRT/VT Contrast Non-contrast ARII15/NC/RFRT/VT Contrast ARII15/NC/RFRT/VT ARII15/NC/RFRT/VT Contrast Contrast ARII15/NC/RFRT/VT Contrast Contrast ARII15/NC/RFRT/VT Contrast	Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd													
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd Non-contrast 5.5 yd ARII15/NC/RFRT/VT	Optional wings (Fabric Contrast 1)													
AFRL2 Recliner w/ Right Facing Veneer Top Articulating Tablet 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd	Optional magazine pouch (Fabric													
AFRL2 Recliner w/ Right Facing Veneer Top Articulating Tablet 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) C.O.M. = 5 yd		Non-contrast	5.5 yd	ARII15/NC/RFRT/VT										
Recliner w/ Right Facing Veneer Top Articulating Tablet 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) C.O.M. = 1.5 yd		Contrast		ARII15/FC/RFRT/VT										
Articulating Tablet 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd	AFRL2													
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd • Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd • Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd														
1.25 yd Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) (C.O.M. = .5 yd)	• 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd													
C.O.M. = 1.5 yd Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd	1.25 yd `													
	 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd Optional magazine pouch (Fabric 													
				a	•	•	0	•	•	G	0	0	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

(NS) can be specified.

- No pole - Left facing rear; add \$290 - Right facing front; add \$290 RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole

Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear

- Right facing front - Right facing rear RRCA If optional I.V. pole is specified, catheter attachment can not be specified in the

Select magazine pouch.

same location.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism TM - Trendelenburg mechanism; add \$312

Select arm option.

- Wood armcaps (pair)
- Black poly (pair); add \$166 WAC PAC - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Recliner

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 3875	\$ 4090	\$ 4155	\$ 4226	\$ 4272	\$ 4366	\$ 4460	\$ 4576	\$ 4811	\$ 5044	\$ 5267	\$ 5745	\$ 134
200.0#	3955	4170	4236	4252	4354	4447	4540	4665	4892	5125	5358	5827	134

200.0# \$ 3875 \$ 409	0 \$ 4155 \$ 4226	\$ 4272 \$ 4366	\$ 4460 \$ 4576	\$ 4811 \$ 5044	\$ 5267 \$ 5745	\$ 134
200.0# 3955 417		4354 4447	4540 4665	4892 5125	5358 5827	134

INFORMATION

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
Affina II Recliner \$22

Allilla II Hoolilloi 422

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

			MODEL	NUMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Magazine Pouch	Mech Type	Arm Cap	Wing back	Wood Finish
	Non-Contrast	5.5 yd	ARII/NC									
	Contrast		ARII/FC									
1 1												
2												
FRL2												
ecliner (Closed Arm)												
1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd												
2 = Seat (Fabric Contrast 2) C.O.M. =												
1.25 yd												
Optional wings (Fabric Contrast 1)												
C.O.M. = 1.5 yd												
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd												
Contrast 1) C.O.M. = .5 yu					_	_			_	_	_	
			A	$oldsymbol{eta}$	Θ	0	ⅎ	•	G	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect I.V. pole (facing).

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

- Standard mechanism SM TM - Trendelenburg mechanism; add \$312

Select arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback WWB - With wingback (requires

add'l fabric); add \$695 Wingback fabric will match back fabric

selection. Select wood finish color.

Pick only if product has wood armcaps. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 4349	\$ 4557	\$ 4620	\$ 4689	\$ 4733	\$ 4825	\$ 4914	\$ 5029	\$ 5257	\$ 5483	\$ 5709	\$ 6163	\$ 134
200.0#	4427	4635	4698	4767	4811	4903	4992	5107	5335	5561	5787	6241	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

			MODEL NUMB	ER										
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing back	Wood Finish	Lam. Color	
	Non-Contrast	5.5 yd	ARII/NC/RFT/LT											
	Contrast		ARII/FC/RFT/LT											
2														
AFRL2														
Recliner w/ Right Facing Laminate Side Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd														
 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd 														
Optional magazine pouch (Fabric)														
Contrast 1) C.O.M. = .5 yd														
			A	$oldsymbol{eta}$	•	0	(3	(3	œ	0	0	•	(3)	
			-	-	-	-	-	-	_	-	_	-	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect I.V. pole (facing).

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear

- Right facing front - Right facing rear RRCA If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

- Standard mechanism SM TM - Trendelenburg mechanism; add \$312

Select arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 4735	\$ 4945	\$ 5007	\$ 5076	\$ 5120	\$ 5213	\$ 5303	\$ 5417	\$ 5643	\$ 5870	\$ 6097	\$ 6551	\$ 134
200.0#	4813	5023	5085	5154	5198	5291	5381	5495	5721	5948	6175	6629	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

											_		
			MODEL NUMBE	R									
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing back	Wood Finish	Lam. Color
	Non-Contrast	5.5 yd	ARII/NC/LFRT/LT										
	Contrast		ARII/FC/LFRT/LT										
1 1													
2													
* >													
AFRL2													
Recliner w/ Left Facing Laminate Top													
Articulating Tablet													
• 1 = Back, arms and footrest (Fabric													
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =													
1.25 yd													
0.00 1.00 (5.10.00 1.11)													
 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 vd 													
Optional magazine pouch (Fabric													
Contrast 1) C.O.M. = .5 yd													
	Non-Contrast	5.5 yd	ARII/NC/RFRT/LT										
	Contrast		ARII/FC/RFRT/LT										
2													
AFRL2													
Recliner w/ Right Facing Laminate Top													
Articulating Tablet													
• 1 = Back, arms and footrest (Fabric													
Contrast 1) C.O.M. = 4.5 yd													
• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd													
Optional wings (Fabric Contrast 1)													
C.O.M. = 1.5 yd • Optional magazine pouch (Fabric													
Contrast 1) C.O.M. = .5 yd													
,			A	B	•	0	•	•	О	0	0	0	•
			***	U	J	U	J	U	U	Ψ	J	•	W

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect I.V. pole (facing).

(NS) can be specified.

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290
- Right facing rear; add \$290 - Right facing front; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole

Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism TM - Trendelenburg mechanism; add \$312

Select arm option.

- Wood armcaps (pair)
- Black poly (pair); add \$166 WAC PAC - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Pac	prox. ckaged ight	Grade C.O.M		Grad C	de	Grad D	de	Grad E & C.O.		Gra F	ade	Gra G	ade	Gra H	ade	Gra I	nde	Gra J	ade	Gra K	de	Gra L L	de eather	Gra M I	ade Leather	Moist Barrie add to price	er
2	00.0#	\$ 47	5	\$	4945	\$	5007	\$	5076	\$	5120	\$	5213	\$	5303	\$	5417	\$	5643	\$	5870	\$	6097	\$	6551	\$	134
2	00.0#	48	3		5023		5085		5154		5198		5291		5381		5495		5721		5948		6175		6629		134

200.0# \$	4735	\$ 4945	\$ 5007	\$ 5076	\$ 5120	\$ 5213	\$ 5303	\$ 5417	\$ 5643	\$ 5870	\$ 6097	\$ 6551	\$ 134
200.0#	4813	5023	5085	5154	5198	5291	5381	5495	5721	5948	6175	6629	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

			MODEL NUMBI	ER										
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing	Wood Finish	Veneer Color	
	Non-Contrast	5.5 yd	ARII/NC/RFT/VT											
	Contrast		ARII/FC/RFT/VT											
1 1														
2														
1														
0 2														
AFRL2														
Recliner w/ Right Facing Veneer Side Articulating Tablet														
• 1 = Back, arms and footrest (Fabric														
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =														
1.25 yd														
 Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd 														
Optional magazine pouch (Fabric)														
Contrast 1) C.O.M. = .5 yd														
			A	ß	œ	0	(3	(3	G	(0	0	(3)	
			•	•	•		•			•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect I.V. pole (facing).

(NS) can be specified.

- No pole - Left facing rear; add \$290 - Right facing front; add \$290 RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole

 Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'l fabric; matches arm); add \$184

GSelect mechanism type.

- Standard mechanism SM TM - Trendelenburg mechanism; add \$312

Select arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback WWB - With wingback (requires

add'l fabric); add \$695 Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder. Select veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 4735	\$ 4945	\$ 5007	\$ 5076	\$ 5120	\$ 5213	\$ 5303	\$ 5417	\$ 5643	\$ 5870	\$ 6097	\$ 6551	\$ 134
200.0#	4813	5023	5085	5154	5198	5291	5381	5495	5721	5948	6175	6629	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

Recline

			MODEL NUMBER	R									
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Mech Type	Arm Cap	Wing	Wood Finish	Veneer Color
	Non-Contrast	5.5 yd	ARII/NC/LFRT/VT										
	Contrast		ARII/FC/LFRT/VT										
AFRL2													
Recliner w/ Left Facing Veneer Top Articulating Tablet													
1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 4.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd													
Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd													
 Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 vd 													
001111131 17 0.0.1W. = 1.0 yu	Non-Contrast	5.5 yd	ARII/NC/RFRT/VT										
1 2	Contrast		ARII/FC/RFRT/VT										
AFRL2													
Recliner w/ Right Facing Veneer Top Articulating Tablet													
• 1 = Back, arms and footrest (Fabric													
Contrast 1) C.O.M. = 4.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd													
Optional wings (Fabric Contrast 1)													
C.O.M. = 1.5 yd • Optional magazine pouch (Fabric													
Contrast 1) C.O.M. = .5 yd			A	B	•	•	3	3	О	•	•	0	0
			W	U	G	U	G	U	U	Ψ	U	U	W

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

NS - No pole

LRFIV - Left facing rear; add \$290

RFFIV - Right facing front; add \$290

RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

NCA - No catheter attachment

NCA - No catheter attachment
LRCA - Left facing rear; add \$48

RFCA - Right facing front; add \$48
RRCA - Right facing rear; add \$48
If optional I.V. pole is specified, catheter
attachment can not be specified in the
same location.

Select magazine pouch.

NMR - No magazine pouch
RFP - Right side pouch (requires
add'l fabric; matches arm); add \$184

GSelect mechanism type.

SM - Standard mechanism
TM - Trendelenburg mechanism;
add \$312

Select arm option.

WAC - Wood armcaps (pair)
PAC - Black poly (pair); add \$166
SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

IWB - No wingback

WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color.
 Pick only if product has wood armcaps.
 Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	d Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
200.0#	\$ 4735	\$ 4945	\$ 5007	\$ 5076	\$ 5120	\$ 5213	\$ 5303	\$ 5417	\$ 5643	\$ 5870	\$ 6097	\$ 6551	\$ 134
200.0#	4813	5023	5085	5154	5198	5291	5381	5495	5721	5948	6175	6629	134

200.0# \$	4735	\$ 4945	\$ 5007	\$ 5076	\$ 5120	\$ 5213	\$ 5303	\$ 5417	\$ 5643	\$ 5870	\$ 6097	\$ 6551	\$ 134
200.0#	4813	5023	5085	5154	5198	5291	5381	5495	5721	5948	6175	6629	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II Bariatric Recliner

MODEL NUMBER Non-Contrast Fabric Catheter Fabric Contrast I.V. Attach-Wing Wood Basic Magazine Arm **Features** Model Contrast 1 Pole ment Pouch Cap back Finish Non-contrast 6.5 yd ARIIBAR/NC ПП ARIIBAR/FC Contrast AFRL2 Recliner (Closed Arm) • 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 5.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd • Optional wings (Fabric Contrast 1) C.O.M. = 1.5 ydOptional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd **(A)** 0 0 0 **3 3 (** 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

NS - No pole

LRFIV - Lott - Left facing rear; add \$290 RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

 Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing rear; add \$48 RFCA - Right facing front; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect arm option.

- Wood armcaps (pair) WAC PAC - Black poly (pair); add \$166 SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

selection.

NWB - No wingback WWB - With wingback (requires add'l fabric); add \$695 Wingback fabric will match back fabric

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
210.0#	\$ 4999	\$ 5207	\$ 5270	\$ 5339	\$ 5383	\$ 5475	\$ 5564	\$ 5679	\$ 5907	\$ 6133	\$ 6359	\$ 6813	\$ 134
210.0#	5077	5285	5348	5417	5461	5553	5642	5757	5985	6211	6437	6891	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II Bariatric Recliner

MODEL NUMBER Non-Contrast Fabric Catheter Fabric Contrast Attach-Wing Wood Lam. Basic Mag Arm **Features** Model Contrast 1 Pole ment Pouch Cap back Finish Color ARIIBAR/NC/RFT/LT Non-contrast 6.5 yd ПП ARIIBAR/FC/RFT/LT Contrast AFRL2 Recliner w/ Right Facing Laminate **Side Articulating Tablet** • 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 5.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd • Optional wings (Fabric Contrast 1) C.O.M. = 1.5 ydOptional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd 0 0 Θ 0 **3 3 (** 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect I.V. pole (facing).

NS - No pole

LRFIV - Left facil - Left facing rear; add \$290 RFFIV - Right facing front; add \$290 RRFIV - Right facing rear; add \$290

If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

 Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect arm option.

WAC - Wood armcaps (pair) PAC - Black poly (pair); add \$166 - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

selection.

NWB - No wingback WWB - With wingback (requires add'l fabric): add \$695

Wingback fabric will match back fabric

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
210.0#	\$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0#	5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model
Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.



			MODEL NUMBER									
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pouch	Arm Cap	Wing	Wood Finish	Lam. Color
	Non-contrast	6.5 yd	ARIIBAR/NC/LFRT/LT									
	Contrast		ARIIBAR/FC/LFRT/LT									
AFRL2												
Recliner w/ Left Facing Laminate Top Articulating Tablet												
• 1 = Back, arms and footrest (Fabric												
Contrast 1) C.O.M. = 5.5 yd • 2 = Seat (Fabric Contrast 2) C.O.M. =												
1.25 yd												
• Optional wings (Fabric Contrast 1) C.O.M. = 1.5 yd												
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd												
	Non-contrast	6.5 yd	ARIIBAR/NC/RFRT/LT									
	Contrast		ARIIBAR/FC/RFRT/LT									
1 1												
2												
AFRL2												
Recliner w/ Right Facing Laminate Top Articulating Tablet												
 1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 5.5 yd 												
2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd												
Optional wings (Fabric Contrast 1)												
C.O.M. = 1.5 yd												
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd												
,			A	B	•	0	•	•	Э	0	0	0
			•	9	•	9	3	•	•	•	•	9

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

(NS) can be specified.

- No pole - Left facing rear; add \$290 RFFIV - Right facing front; add \$290 RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole

 Select catheter bag attachment hook (facing).

- No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA - Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC - Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

selection.

- No wingback WWB - With wingback (requires add'l fabric); add \$695 Wingback fabric will match back fabric

- Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
210.0#	\$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0#	5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

210.0# \$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0# 5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II Bariatric Recliner



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- DSelect I.V. pole (facing).

NS - No pole
LRFIV - Left facing rear; add \$290
RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290

If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook (facing).

NCA - No catheter attachment

NCA - No catheter attachment
LRCA - Left facing rear; add \$48

RFCA - Right facing front; add \$48
RRCA - Right facing rear; add \$48
If optional I.V. pole is specified, catheter
attachment can not be specified in the
same location.

Select magazine pouch.

NMR - No magazine pouch
RFP - Right side pouch (requires
add'l fabric; matches arm); add \$184

GSelect arm option.

WAC - Wood armcaps (pair)
PAC - Black poly (pair); add \$166
SAC - Solid surface armcaps; add

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

NWB - No wingback
WWB - With wingback (requires add'I fabric); add \$695

Wingback fabric will match back fabric selection.

 Select wood finish color. Pick only if product has wood armcaps.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select veneer color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
210.0#	\$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0#	5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the foam.

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes.
Model

Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

Affina® II

Bariatric Recliner

			MODEL NUMBER									
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	I.V. Pole	Catheter Attach- ment	Mag Pch.	Arm Cap	Wing	Wood Finish	Ven. Color
	Non-contrast	6.5 yd	ARIIBAR/NC/LFRT/VT									
	Contrast		ARIIBAR/FC/LFRT/VT									
$\binom{1}{1}$												
6												
FRL2												
decliner w/ Left Facing Veneer Top												
rticulating Tablet												
1 = Back, arms and footrest (Fabric Contrast 1) C.O.M. = 5.5 yd												
2 = Seat (Fabric Contrast 2) C.O.M. =												
1.25 yd												
Optional wings (Fabric Contrast 1)												
C.O.M. = 1.5 yd												
Optional magazine pouch (Fabric Contrast 1) C.O.M. = .5 yd												
Contrast 1) C.C.IVI. = .5 yu	Non-contrast	6.5 yd	ARIIBAR/NC/RFRT/VT									
	Contrast	,	ARIIBAR/FC/RFRT/VT									
2												
6												
FRL2												
Recliner w/ Right Facing Veneer Top Articulating Tablet												
1 = Back, arms and footrest (Fabric												
Contrast 1) C.O.M. = 5.5 yd												
2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd												
1.20 yu												
Optional wings (Fabric Contrast 1)												
C.O.M. = 1.5 yd Optional magazine pouch (Fabric												
Contrast 1) C.O.M. = .5 yd												
			A	B	G	0	(3	(3	Э	0	0	0
			•	9	-	_	•	•	-	•	•	9

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect I.V. pole (facing).

- No pole - Left facing rear; add \$290

RFFIV - Right facing front; add \$290
RRFIV - Right facing rear; add \$290 If optional magazine pouch is specified, only Left-facing-rear (LRFIV) or No pole (NS) can be specified.

Select catheter bag attachment hook

(facing). - No catheter attachment LRCA - Left facing rear; add \$48

- Right facing front; add \$48 RRCA

- Right facing rear; add \$48 If optional I.V. pole is specified, catheter attachment can not be specified in the same location.

Select magazine pouch.

NMR - No magazine pouch - Right side pouch (requires add'I fabric; matches arm); add \$184

GSelect arm option.

WAC - Wood armcaps (pair) - Black poly (pair); add \$166 PAC

- Solid surface armcaps; add SAC

Solid surface armcap color is always Corian™ glacier white.

Select wingback.

- No wingback WWB - With wingback (requires add'l fabric); add \$695

Wingback fabric will match back fabric selection.

Select wood finish color. Pick only if product has wood armcaps. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select veneer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
210.0#	\$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0#	5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

210.0# \$ 5385	\$ 5595	\$ 5657	\$ 5726	\$ 5770	\$ 5863	\$ 5953	\$ 6067	\$ 6293	\$ 6520	\$ 6747	\$ 7201	\$ 134
210.0# 5463	5673	5735	5804	5848	5941	6031	6145	6371	6598	6825	7279	134

Moisture Barrier

Moisture barrier is applied underneath the fabric cover as a means of protecting the

Kensington Maple Upcharge

Kensington Maple requires extended leadtimes. Model Affina II Recliner \$22

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for addtional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #250.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 KI All Rights Reserved. Litho in USA. Code KI-11591/KI/PDF/213