January 3, 2011 Updated January 2, 2017 800-424-2432







Contents
Refer to KI Terms & Conditions document or visit ki.com.

Genesis® Desking	Olinfoti	0	
	General information	2	
Genesis® Specificat	ions	4	
Genesis® Worksurfa	ices		
	Basic Rectangular	6	
	Tripod Corner Fixed Height	18	
	Tripod Corner Pin and Crank Height Adjustable	20	
	Tripod Corner Electric Height Adjustable	24	
	Reduction Tripod Corner Fixed Height	28	
	Reduction Tripod Corner Fixed Height Dual	32	
	Reduction Tripod Corner Pin Height Adjustable	36	
	Reduction Tripod Corner Crank Height Adjustable	38	
	Reduction Tripod Corner Crank Height Dual	40	
	Reduction Tripod Corner Electric Height Adjustable	44	
	Reduction Tripod Corner Electric Height Adjustable Dual	48	
	Square Shoe Fixed Height	52	
	Square Shoe Fixed Height Dual	56	
	Square Shoe Pin Height Adjustable	60	
	Square Shoe Crank Height Adjustable	62	
	Square Shoe Crank Height Dual	64	
	Square Shoe Electric Height Adjustable	68	
	Square Shoe Electric Height Adjustable Dual	72	
	Reduction Square Shoe Fixed Height Reduction Square Shoe Fixed Height Dual	76 80	
		84	
	Reduction Square Shoe Pin Height Adjustable Reduction Square Shoe Crank Height Adjustable	86	
	Reduction Square Shoe Crank Height Dual	88	
	Reduction Square Shoe Electric Height Adjustable	92	
	Reduction Square Shoe Electric Height Adjustable Dual	96	
	"P" Shaped Peninsula	100	
	Arcade Peninsula	104	
	Two-Legged Croner	108	
Balance® Storage A	ccessories		
	Overhead Storage	114	
Balance® Storage a	nd Accessories		
· ·	Balance® Task Lights	116	
Universal Storage A	ccessories		
	Overhead Storage	118	
Universal Storage a			
	Universal Task Lights	120	
	Overhead Shelf/Tool Rail Kits	122	
Storage Accessorie			
	Paper Management	124	
Accessories		400	
	Privacy Screens	128	
	Electrical	138 144	
		144	
Accessories Worksu	ırfaces	146	
Index		152	

Genesis® Desking



Freestanding Design

Features		
Rectangular worksurface	•	
Corner worksurface	•	
Peninsula worksurface	•	
Fixed-height base	•	
Pin-adjustable base	•	
Crank-adjustable base	•	
Electric-adjustable base	•	
Wire management	•	

Modesty panel





Genesis® Desking
General information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

ANSI RequirementsAll fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance.

ADA Requirements

The tables meet the ADA specification for wheelchair access and height of surfaces.

Genesis® Specifications

Genesis® tables are available in fixed height as well as adjustable. All fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance. The tables meet the ADA specifications for wheelchair access and height of surfaces. The metal components of Genesis® tables are powder coated for appearance and durability. All plastic components are color matched in accordance with the KI color program.

TABLE BASE SPECIFICATIONS

Fixed-Height Tables

Each leg assembly is comprised of a 2" \times 3" \times 14-gauge steel tube that is welded to a steel foot, and on the other end, to worksurface support. The 14-gauge, drawformed foot provides strength and room for carpet levelers in a low profile, sculpted component. The worksurface support is an 11-gauge steel, draw-formed component that provides high strength to support large, cantilevered loads. Extruded aluminum covers are attached to the front and back of the upright tubing. Leg assemblies are modified in the factory so that finished heights with glides is 29".

Pin-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth, telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads, Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. A spring steel button, protruding through holes in both tubes, allows for adjustment in one-inch increments from 24" to 31".

Crank-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth. telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads on the worksurface. Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. The table is manually adjustable from 22" to 33" or 27" to 43" by turning a crank. The crank raises or lowers the table at a rate of 1 inch per 10 revolutions. A lifting mechanism inside of each leg provides a uniform lifting force to

the worksurface, regardless of the loading condition. Each mechanism is comprised of a steel acme-threaded rod turning through a delrin lead nut. The delrin nut provides a silent operation, low friction, and excellent wear characteristics. The acme rods deliver a lifting force to the underside of the surface supports. Precision needle roller bearings provide a smooth, quiet interface between the rotating acme rods and the surface supports. The lifting mechanisms are synchronized via a 1/4" pitch roller chain that spans the distance between the table legs. The chain engages each acme-threaded rod through a delrin sprocket that is attached to the rod.

Electric-Adjustable Tables

Each leg assembly is comprised of a triple telescoping steel tube with an overall dimension of 4.3" x 2.28" Extruded aluminum covers are attached to the back of the upright tubing for visual appeal. The table is electrically adjustable from 24" to 51" by pressing a button. Motors raise or lower the table at a rate of 1.7 inches per second. The motors drive a lifting mechanism inside of each leg to provide a uniform lifting force to the worksurface, regardless of the loading condition. The parallel connectors synchronize the motors electronically. The controller keeps track of each motor revolution, and ensures that the motors remain in perfect synchronization. The user interface occurs at the switch. The basic controller includes up/down buttons and three memory presets. The deluxe also includes a digital display indicating the height of the worksurface. A keyboard mechanism is available on most electrically adjustable tables. The mechanism allows the keyboard surface to be easily adjusted 5" above or below the primary worksurface. The mechanism also provides +/- 15° of tilt.

WORKSURFACE SPECIFICATIONS

74P, EP and KN Worksurfaces

74P, elliptical-postform (EP) and Knife-edge (KN) worksurfaces are constructed of 1-1/8" thick, 45-pound density particleboard. A .030" minimum thickness laminate provides a durable writing surface. The backer is a .030" minimum thickness melamine sheet. This provides a balanced construction that gives greater strength and prevents warping. All mounting holes are pre-drilled for easier table assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". The 74P and KN surfaces are available in curvilinear or traditional shapes. The elliptical-postform surfaces are available in traditional shapes.

MP Worksurfaces

Membrane pressed worksurfaces are constructed of 1-1/8" thick, high-density fiberboard. A .021" thick vinyl foil sheet is applied to the core under heat and pressure. The vinyl foil includes a .005" thick urethane topcoat for surface protection. All mounting holes are pre-drilled for easier table

assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". Membrane pressed worksurfaces are available in curvilinear or transitional shapes. Peninsula and square shoe shapes are not available.

Powder-Coated Finish

Epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and mar-resistant.

Wire Management Trough

Troughs are formed from 16-gauge CRS and powder coated to match the table base. Trough is 5" tall; width on the bottom of the trough is 3.9" and opens up to 6.4" at the top. On fixed-height tables, the wire management trough is attached to the back of the legs with 4 thread-forming screws.

Modesty Panel

Modesty panels are constructed of textured CRS, 18-gauge to 16-gauge in thickness. The 8" modesty panels are suspended from the worksurface via 11-gauge steel brackets. There is a 1" gap between the panels and the worksurface in order to pass wires, and the panels are inset from the back edge by 1". Modesty panels can be used on all types of Genesis® Desking, regardless of adjustability. However, the modesty panel will conflict with a wire trough on adjustable tables and the two accessories should not be specified together. All corner tables and square shoes use two modesty panels along the back edges. Peninsula tables use one panel along the 48" back edge only so as not to interfere with conferencing capabilities.

Universal and Balance® Overhead-Note different stanchion for overhead support

The overhead storage unit shall have door(s)

Balance® Overhead Storage

that are mechanically assisted in such a way as to keep the door(s) balanced throughout its operation such that the action of both opening and closing is automatically controlled such that the door doesn't spring open or slam closed. The overhead storage unit structure and mechanical assist mechanism shall have a Lifetime warranty. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.2.5 and 4.2.6 whereby a user shall not reach higher than 48" from the floor to the front of the unit or no higher than 54" to the side. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.27.4 whereby the door shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to operate the door (open and close) shall be no greater than five foot pounds. The door of the overhead storage unit shall open to the outside of the cabinet to help prevent the storage of unsightly papers on the top of the cabinet, yet there shall be a narrow space at the rear of the cabinet to allow plants or other small items to be displayed. The overhead storage unit shall accommodate standard American size three ring binders as well as A4 and Folscap sized binders, up to 13-3/4* high. The overhead storage unit shall be available with an upper door that can be upholstered in fabric as well as offered in solid colored, translucent, and high-pressure laminate.

Universal Overhead Cabinet

The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 16-1/2" high and 14-1/2" deep. The shelf depth shall be 13-1/4". Each cabinet shall include separate brackets, which allow for either on or off-module mounting. Off-module cabinet shall mount into slots in vertical nosts. Cabinet must be same width as the panel to which it is mounted. Off-module cabinet shall mount into the integral track in the horizontal rail, allowing cabinet to slide along track. Door fronts shall be offered in steel, fabric, and laminate versions with a dual-durometer extruded handle. The door front will operate on a rack and pinion gear system and will utilize a center lock mechanism. The door front will store recessed inside the cabinet with the handle exposed. The steel door front shall be of honevcomb core constructions with a powder coat finish. The construction of the fabric door front shall be identical to the steel door front except that the outer surface of the door front is covered with fabric. The laminate door front shall be high-pressure laminate covering a particleboard core. The overhead stanchions mount to the under surface of any fixed desk with overhead grommets.

Shelf Dividers

Shelf dividers shall be offered in the same color trim as the panels. The shelf dividers shall be powder coated steel. Installation and removal shall be accomplished without the use of tools or fasteners.

Accessories

Task lights shall be available which suspend from the shelf and overhead cabinet. The task light shall mount flush with the underside of the shelf and overhead cabinet. Task lights shall be offered in standard panel trim colors. The task light shall have a 9' cord. Task lights will be available in three versions: standard high-power factor ballast, variable (high/low) high-power factor ballast and electronic ballast. All three options include a cool white lamp. Cords can be concealed by tucking between the reveal along tiles.

Privacy Screens

Privacy screens shall be available to provide sit down privacy or standup privacy within Genesis® workstations. Screens shall be 3/4" thick, 18" through 38" high and available to fit all worksurfaces. Screens shall attach to the back of the legs providing a stationary height for the screen even when attached to an adjustable height desk. Screens are mounted 1" to 1-1/2" from the worksurface

Genesis® Specifications



edge. Privacy screens shall be designed for straight-line applications. They shall include mounting brackets for attachment. Screens shall be available for straight applications in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths. The 66" and 72" widths shall consist of a pair of screens (1) 30" screen plus (1) 36" screen for the 66" application and (2) 36" screens with splice for 72" applications. Screens may be used to serve two worksurfaces placed back-to-back. Privacy screens shall be useable on worksurfaces with overhead storage units to close the opening between the worksurface and the bottom shelf. Privacy screens will consist of two different aluminum extrusion profiles, each with die-cast corner connectors to create a rectangular frame. The frames will be either upholstered or painted, depending on the options. Between the two assembled frames, different core materials can be inserted. The screen material shall be made of 1/2" or 3/4" thick tackable core light or a 10 mm thick non-tackable translucent plastic. The extruded aluminum frame shall be .060" thick. The attachment bracket shall be made of 7 gauge steel. End-of-run privacy screens shall be available in 24" and 30" widths to match the depth of the fixed height worksurface that it will be used on. End-of-run privacy screens attach to the underside of the worksurface. End-of-run privacy screens shall have the same height and finishes as the regular privacy screens.

10-Wire Electrical Distribution System

The 10-wire system is available in two configurations (6-2-2 and 4-4-2). The UL label is green for 6-2-2 and blue for 4-4-2 applications. These numbers refer to the quantity of hot, neutral and ground wires configured in each system. Both 6-2-2 and 4-4-2 systems may be brought into the system from the ceiling, the wall or the floor, through the use of top feeds and base feeds. Genesis® 10-wire electrical will be able to integrate with KI's WireWorks® panel system with the addition of the appropriate connectors. The 10-wire electrical distribution system will consist of a 10-wire harness. table-to-table connectors and a 10-wire infeed kit. The 2.16" wide double-sided rigid 10-wire harness shall mount inside the wire management trough and shall be available in widths to span the worksurface. The 30" to 66" wide worksurface harness kit shall accommodate (2) 15 amp duplex receptacles and the 72" wide worksurface harness kit shall accommodate up to (4) 15 amp duplex receptacles. Receptacles shall be available to access the up to 6 circuits within the harness and must be ordered separately. Both 10-wire circuits are rated at 120 VAC@ 20 amps. All receptacles are rated at 15 amps. The specifics of each wiring configuration are detailed below.

Note: The two 10-wire systems (4-4-2 and 6-2-2) cannot be mixed together. The wiring systems must be separate. There are different receptacles for each system, and different connectors specific to each

system. Keyed connectors will not allow the 2 systems to be mixed.

6-2-2 Configuration

The 6-2-2 configuration of the 10-wire system will have three "convenience" circuits (1. 2 and 3) which will each have their own hot wire, will share an oversized neutral wire and will share the building ground wire. Circuits 4, 5 and 6 are "isolated ground" circuits that will each have their own hot wire, will share an oversized neutral wire, and will share an isolated ground wire. The advantage of this system is that it will be able to have 6 circuits coming in via one top feed or base feed. This will cut down on the number of feed points on an installation. The number 4, 5 and 6 receptacles will be colored orange to designate that they are on the isolated ground while the number 1, 2 and 3 receptacles come in standard trim colors

4-4-2 Configuration

The 4-4-2 configuration of the 10-wire system will have two "convenience" circuits (1 and 2), which will each have their own hot wire, their own neutral wire and will share the building ground wire. Circuits 3 and 4 receptacles are the "isolated ground" which will each have their own hot wire their own neutral wire, and will share an isolated ground wire. The advantage of this system is that all of the circuits will have their own neutral wires and it has two circuits (3 and 4) that use an isolated ground. The number 3 and 4 receptacles will be colored orange to designate that they are on the isolated ground, while the number 1 and 2 receptacles come in standard trim colors.

10-Wire Power Infeed Kit

The 10-wire power infeed kit shall provide power from fixed floor or wall sources to the 10-wire harness. It shall include 6' of plastic covered flexible conduit. To connect the hardwire end of a 10-wire top feed or base feed to your building, use a 3/4" Romex connector on the conduit.

10-Wire Power Table-to-Table Connector

10-wire table-to-table connector shall consist of a sleeved flexible harness, which provides power connections from adjoining desks. The jumper shall have a length of 27".

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Basic Rectangular

												1
		MODEL NUMI	BER									
												A
		Basic	Edge	Module	Modestv	Wire	Overhead	Trans.	Base	Edge	Surface	Approx. Packaged
	D x W	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish	Weight
	24 x 30"	GSTR2430S/F										64.0#
	24 x 36"	GSTR2436S/F										70.0#
	24 x 42"	GSTR2442S/F										75.0#
	24 x 48"	GSTR2448S/F										81.0#
	24 x 54"	GSTR2454S/F										88.0#
	24 x 60"	GSTR2460S/F										94.0#
GSTR	24 x 66"	GSTR2466S/F										100.0#
Fixed Height	24 x 72"	GSTR2472S/F										110.0#
Rectangular surface with straight	30 x 30"	GSTR3030S/F										73.0#
front	30 x 36"	GSTR3036S/F										80.0#
Fixed height at 29" Additional to the self-decay.	30 x 42"	GSTR3042S/F										87.0#
Adjustable glides	30 x 48"	GSTR3048S/F										94.0#
	30 x 54"	GSTR3054S/F										103.0#
	30 x 60"	GSTR3060S/F										110.0#
	30 x 66"	GSTR3066S/F										117.0#
	30 x 72"	GSTR3072S/F										129.0#
^	24 x 42"	GSTR2442D/F						TS				96.0#
	24 x 48"	GSTR2448D/F						TS				102.0#
	30 x 42"	GSTR3042D/F										107.0#
	30 x 48"	GSTR3048D/F										115.0#
GSTR												
Fixed Height Dual												
Rectangular surface with straight												
front												
Fixed height at 29"												
 Keyboard surface adjusts 5" above/ below primary surface. 												
Adjustable glides												
Keyboard surface tilts +/-15°												
		A	3	$oldsymbol{\Theta}$	O	(3	(3	G	0	0	•	
		_	_	-	_	_	-	-	-	-	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
EP - Elliptical postformed edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add

the appropriate upcharge to the base price.

PUN - No data

PUL - Left module; add \$108

PUR - Right module; add \$108

PUC - Center module; add \$108

PUB - Both left and right modules; add \$218

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only. PUC and OGY may not both be selected for 66" and 72" wide. Only PUN or PUC may be selected for 24" deep dual surface rectangular tables.

• Select modesty panel option.

NM - No modesty panel
WM - With modesty panel
Add upcharge to unit price for "WM"
option.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough
Add upcharge to unit price for "WW" option.

Select overhead grommet.

OGN - Overhead grommets no
OGY - Overhead grommets yes
OGY not available for 24" deep dual
rectangles wider then 60".

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

- TR, TL and TB not allowed on 24" deep dual surfaces.
- Select base finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge/PowerUp module color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Basic Rectangular

74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	Modesty Panel add to list price	Wire Trough add to list price
\$ 884	\$ 918	\$ 935	\$ 935	\$ 117	\$ 364
911	940	980	980	123	401
951	983	995	995	132	416
957	986	999	999	141	473
999	1030	1157	1157	147	491
1008	1035	1171	1171	174	505
1051	1077	1261	1261	179	679
1059	1084	1262	1262	199	700
887	927	939	939	117	364
912	955	983	983	123	401
956	979	998	998	132	416
959	986	1002	1002	141	473
1002	1050	1136	1136	147	491
1012	1060	1141	1141	174	505
1056	1104	1261	1261	179	679
1061	1107	1262	1262	199	700
\$ 1858	\$ 1893	\$ 1901	\$ 1901	\$ 132	\$ 416
1865	1896	1904	1904	141	473
1864	1880	1903	1903	132	416
1868	1893	1907	1907	141	473

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

MODEL NUMBER Module Basic Edge Modesty Wire Base Edge Surface MODEL D x W Model Style Location Panel Trough Finish Color Finish Pin Height Adjustable 24 x 30" GSTR2430S/P $\Box\Box$ $\Box\Box$ Rectangular surface with straight front GSTR2436S/P 24 x 36" $\Box\Box$ Height adjusts from 24"-31" in 1" incre- $\Box\Box$ $\Box\Box$ $\Box\Box$ 24 x 42" GSTR2442S/P ments 24 x 48" GSTR2448S/P Adjustable glides Wire trough and modesty panel should GSTR2454S/P 24 x 54" not be ordered together on adjustable **GSTR** 24 x 60" GSTR2460S/P 24 x 66" GSTR2466S/P 24 x 72" GSTR2472S/P 30 x 30" GSTR3030S/P 30 x 36" GSTR3036S/P 30 x 42" GSTR3042S/P $\Box\Box$ ПП ПП 30 x 48" GSTR3048S/P 30 x 54" GSTR3054S/P $\Box\Box$ $\Box\Box$ 30 x 60" GSTR3060S/P 30 x 66" GSTR3066S/P 30 x 72" GSTR3072S/P **(1)** 0 0 0 **(3**) 0 Θ 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P	- 74P edge
EP	 Elliptical postformed edge
KN	- Knife edge
MP	- Membrane edge

Select PowerUp module location.
Select only one from the following and add

	one from the following and add
the approp	riate upcharge to the base price.
PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	- Both left and right modules;
add \$218	3

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

• Select modesty panel option.

NM - No modesty panel
WM - With modesty panel
Add upcharge to unit price for "WM"

Select wire trough and power option.

NW - No wire trough

option.

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp module color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Basic Rectangular

					Modesty	Wire
Approx. Packaged	74P Edge	Elliptical Postformed Edge	Knife Edge	Membrane Edge	Panel add to list	Trough add to list
Weight	(74P)	(EP)	(KN)	(MP)	price	price
66.0#	\$ 1006	\$ 1037	\$ 1060	\$ 1060	\$ 117	\$ 364
72.0#	1031	1062	1101	1101	123	401
78.0#	1072	1104	1115	1115	132	416
84.0#	1075	1107	1121	1121	141	473
92.0#	1136	1166	1294	1294	147	491
98.0#	1144	1174	1306	1306	174	505
104.0#	1189	1217	1401	1401	179	679
115.0#	1193	1224	1403	1403	199	700
75.0#	1009	1050	1061	1061	117	364
82.0#	1032	1073	1104	1104	123	401
90.0#	1074	1096	1120	1120	132	416
97.0#	1080	1121	1123	1123	141	473
106.0#	1138	1187	1274	1274	147	491
114.0#	1148	1195	1280	1280	174	505
122.0#	1191	1241	1403	1403	179	679
134.0#	1196	1246	1404	1404	199	700

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

			I							
			MODEL NUMB	ER						
			Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface
	MODEL	D x W	Model	Style	Location	Panel	Trough	Finish	Color	Finish
\sim	Crank Height Adjustable	24 x 30"	GSTR2430S/CR							
	 Rectangular surface with straight front Height adjusts from 22"-33" 	24 x 36"	GSTR2436S/CR							
	Adjustable glides	24 x 42"	GSTR2442S/CR							
	Worksurfaces are undersized by 1/4"	24 x 48"	GSTR2448S/CR							
		24 x 54"	GSTR2454S/CR							
STR	front from the stated dimensions • Wire trough and modesty panel should	24 x 60"	GSTR2460S/CR							
	not be ordered together on adjustable	24 x 66"	GSTR2466S/CR							
	tables	24 x 72"	GSTR2472S/CR							
		30 x 30"	GSTR3030S/CR							
		30 x 36"	GSTR3036S/CR							
		30 x 42"	GSTR3042S/CR							
		30 x 48"	GSTR3048S/CR							
		30 x 54"	GSTR3054S/CR							
		30 x 60"	GSTR3060S/CR							
		30 x 66"	GSTR3066S/CR							
		30 x 72"	GSTR3072S/CR							
\wedge	Crank Height Dual	30 x 42"	GSTR3042D/CR							
	 Rectangular surface with straight front Height adjusts from 22"-33" 	30 x 48"	GSTR3048D/CR							
	Adjustable glides									
	Keyboard surface adjusts 5" above/below									
	primary surface. • Keyboard surface tilts +/-15°									
STR	Worksurfaces are undersized by 1/4"									
	from side-to-side and 1/4" from back-to-									
	front from the stated dimensions									
	 Wire trough and modesty panel should not be ordered together on adjustable 									
	tables									
			A	B	•	O	(3	(3)	G	0
			•	_	•	•	_	•	_	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
EP - Elliptical postformed edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location. Select only one from the following and add

PUN - No data

PUL - Left module; add \$108

PUR - Right module; add \$108 PUC - Center module; add \$108 PUB - Both left and right modules; add \$218

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72"

• Select modesty panel option.

wide only.

NM - No modesty panel

WM - With modesty panel Add upcharge to unit price for "WM" option.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge/Powerlin module color

Select edge/PowerUp module color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

14

Genesis® Worksurfaces

Basic Rectangular

Appro Packa Weigl	ged	74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	Modesty Panel add to list price	Wire Trough add to list price
69.)#	\$ 1249	\$ 1284	\$ 1301	\$ 1301	\$ 117	\$ 364
76.)#	1275	1305	1344	1344	123	401
82.)#	1317	1347	1360	1360	132	416
89.)#	1320	1353	1366	1366	141	473
96.)#	1366	1396	1523	1523	147	491
103.)#	1373	1405	1534	1534	174	505
109.)#	1415	1446	1627	1627	179	679
121.)#	1420	1449	1628	1628	199	700
78.)#	1251	1293	1303	1303	117	364
86.)#	1277	1318	1347	1347	123	401
94.)#	1319	1338	1365	1365	132	416
102.)#	1327	1350	1368	1368	141	473
111.)#	1368	1414	1501	1501	147	491
119.)#	1376	1422	1508	1508	174	505
127.)#	1417	1470	1628	1628	179	679
140.)#	1423	1473	1630	1630	199	700
114.)#	\$ 2229	\$ 2257	\$ 2272	\$ 2272	\$ 132	\$ 416
122.)#	2232	2266	2276	2276	141	473

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

MODEL NUMBER Basic Edge Module Modesty Wire Base Edge Surface MODEL D x W Model Style Location Panel Trough Finish Color Finish Crank Sit/Stand Height Adjustable 24 x 30" GSTR2430SS/CR aaal aaa Rectangular surface with straight front 24 x 36" GSTR2436SS/CR $\Box\Box$ Height adjusts from 27"-43" 24 x 42" GSTR2442SS/CR $\Box\Box$ ПП ПП Adjustable glides 24 x 48" GSTR2448SS/CR | □□□ | □□□ Worksurfaces are undersized by 1/4" from side-to-side 24 x 54" GSTR2454SS/CR Wire trough and modesty panel should 24 x 60" GSTR2460SS/CR not be ordered together on adjustable **GSTR** 24 x 66" GSTR2466SS/CR tables 24 x 72" GSTR2472SS/CR 30 x 30" GSTR3030SS/CR 30 x 36" GSTR3036SS/CR 30 x 42" GSTR3042SS/CR 30 x 48" GSTR3048SS/CR 30 x 54" GSTR3054SS/CR $\Box\Box$ ПП 30 x 60" GSTR3060SS/CR 30 x 66" GSTR3066SS/CR 30 x 72" GSTR3072SS/CR **(1)** 0 Θ 0 **9** 0 Θ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P	- 74P edge
EP	- Elliptical postformed edge
KN	- Knife edge
MP	- Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	- Both left and right modules;
244 621	0

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

DSelect modesty panel option.

- No modesty panel WM - With modesty panel Add upcharge to unit price for "WM" option.

Select wire trough and power option.

- No wire trough - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge/PowerUp module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Surface finish offerings are based on edge

Fabrics & Finishes binder

Edge color offerings are based on edge style selections.

style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Basic Rectangular

					Modesty	Wire
Approx. Packaged	74P Edge	Elliptical Postformed Edge	Knife Edge	Membrane Edge	Panel add to list	Trough add to list
Weight	(74P)	(EP)	(KN)	(MP)	price	price
74.0#	\$ 1408	\$ 1440	\$ 1458	\$ 1458	\$ 117	\$ 364
81.0#	1429	1462	1501	1501	123	401
87.0#	1473	1505	1517	1517	132	416
94.0#	1478	1509	1522	1522	141	473
101.0#	1522	1552	1679	1679	147	491
108.0#	1531	1559	1690	1690	174	505
114.0#	1572	1600	1782	1782	179	679
126.0#	1580	1604	1783	1783	199	700
83.0#	1410	1449	1460	1460	117	364
91.0#	1431	1474	1505	1505	123	401
99.0#	1475	1498	1520	1520	132	416
107.0#	1480	1513	1524	1524	141	473
116.0#	1524	1570	1657	1657	147	491
124.0#	1533	1582	1664	1664	174	505
132.0#	1576	1626	1783	1783	179	679
144.0#	1583	1630	1787	1787	199	700

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Basic Rectangular

MODEL NUMBER Wire Surface Basic Edge Electrical Module Modesty Base Edge Style D x W Model Control Location Panel Trough Finish Color Finish **Electric Height Adjustable Single** 24 x 36" GSRE2436S Rectangular surface with straight front 24 x 42" GSRE2442S П $\Box\Box$ $\Box\Box$ Height adjusts from 24"-51" GSRE2448S 24 x 48" Standard or deluxe up/down switch 24 x 54" GSRE2454S Adjustable glides Worksurfaces are undersized by 1-1/4" 24 x 60" GSRE2460S from side-to-side and 1/2" from back-30 x 36" GSRE3036S tofront from the stated dimensions **GSRE** 30 x 42" GSRE3042S Wire trough and modesty panel should not be ordered together on adjustable 30 x 48" GSRE3048S 30 x 54" GSRE3054S GSRE3060S 30 x 60" **3** 0 0 **(** 0 Θ 0 • 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style

74P - 74P edge
EP - Elliptical postformed edge
KN - Knife edge
MP - Membrane edge

Select control style

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUC - Center module; add \$108
PUB - Both left and right modules; add \$218

PUL and PUR option only available on

worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

ESelect modesty panel option.

NM - No modesty panel
WM - With modesty panel
Add upcharge to unit price for "WM"
option.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough
Add upcharge to unit price for "WW" option.

Select base finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp module color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces.

The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Basic Rectangular

Approx. Packaged Weight	74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	Modesty Panel add to list price	Wire Trough add to list price
97.0#	\$ 2397	\$ 2430	\$ 2470	\$ 2470	\$ 123	\$ 401
104.0#	2456	2485	2499	2499	132	416
110.0#	2476	2511	2518	2518	141	473
117.0#	2544	2576	2688	2688	147	491
123.0#	2560	2588	2693	2693	174	505
108.0#	2399	2442	2472	2472	123	401
116.0#	2460	2486	2503	2503	132	416
123.0#	2480	2516	2520	2520	141	473
132.0#	2546	2597	2700	2700	147	491
140.0#	2562	2608	2719	2719	174	505

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Basic Rectangular

MODEL NUMBER Electrical Module Modesty Wire Surface Basic Edge Base Edge D x W Model Style Control Location Panel Trough Finish Color Finish Electric Height Adjustable Dual 30 x 48" GSRE3048D Rectangular surface with straight front . Height adjusts from 24"-51" Keyboard surface adjusts 5" above/below primary surface. Keyboard surface tilts +/-15° Standard or deluxe up/down switch Adjustable glides **GSRE** Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" from back-tofront from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables **(A) 3** 0 0 **(3**) **(3**) **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P	- 74P edge
EP	- Elliptical postformed edge
KN	- Knife edge
MP	- Membrane edge

Select control style

S	- Standard up/down switch
D	- Deluxe up/down switch; add
\$112	

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

F	
PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	 Both left and right modules;

add \$218

PUL and PUR option only available on

worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

Select modesty panel option.

NM	- No modesty panel
WM	- With modesty panel
dd upch	narge to unit price for "WM"
ption.	

Select wire trough and power option.

NW - No wire trough
WW - Wire trough
Add upcharge to unit price for "WW"
option.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp module color.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

Edge color offerings are based on edge
style selections.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces.

The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Basic Rectangular



Approx. Packaged Weight

74P Edge

Knife Edge (KN)

Membrane Edge

Modesty Panel add to list Wire Trough add to list price

144.0#

\$ 3390

\$ 3407

Elliptical Postformed Edge

\$ 3430

3430

price \$

\$ 473

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Fixed Height

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxWxWxD	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 36 x 36 x 24"	GCCT24363624S/F									
	24 x 42 x 42 x 24"	GCCT24424224S/F									
, v	24 x 48 x 48 x 24"	GCCT24484824S/F									
	24 x 54 x 54 x 24"	GCCT24545424S/F									
	30 x 42 x 42 x 30"	GCCT30424230S/F									
	30 x 48 x 48 x 30"	GCCT30484830S/F									
GCCT	30 x 54 x 54 x 30"	GCCT30545430S/F									
Tripod Corner Fixed Height											
Corner surface with cockpit front											
Three-legged table base											
Fixed height at 29"											
Adjustable glides											
	24 x 48 x 48 x 24"	GCCT24484824D/F						TS			
	24 x 54 x 54 x 24"	GCCT24545424D/F						TS			
	30 x 48 x 48 x 30"	GCCT30484830D/F									
U	30 x 54 x 54 x 30"	GCCT30545430D/F									
GCCT											
Tripod Corner Fixed Height Dual											
Corner surface with cockpit front Three-legged table base											
Fixed height at 29"											
Keyboard surface adjusts 5" above/											
below primary surface.											
Keyboard surface tilts +/- 15° Adjustable glides											
		A	B	•	•	(3	(3	О	0	0	0
		•	U	G	U	G	U	U	Ψ	U	U

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

ספופטנ וווטנ	lesty parier option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

Select overhead grommet.

and "WW" options.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Tripod Corner Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price	
88.0#	\$ 1274	\$ 1375	\$ 1375	\$ 172	\$ 172	\$ 344	\$ 397	\$ 397	\$ 796	
103.0#	1338	1443	1443	178	178	358	430	430	860	
119.0#	1406	1508	1508	185	185	374	483	483	964	
136.0#	1553	1643	N/A	197	197	392	500	500	1002	
109.0#	1338	1491	1491	178	178	358	430	430	860	
127.0#	1406	1556	1556	185	185	374	483	483	964	
145.0#	1553	1669	N/A	197	197	392	500	500	1002	

139.0# \$ 2311	\$ 2415	\$ 2415	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
156.0# 2461	2549	2549	197	197	392	500	500	1002
147.0# 2311	2466	2466	185	185	374	483	483	964
165.0# 2461	2575	2575	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Pin and Crank Height Adjustable

 Height adjusts from 24"-31" in 1" increments Adjustable glides Wire trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 42 x 24" GCCT24424224S/CR GCCT24484824S/CR GCCT244544242/CR GCCT24545424S/CR GCCT2454544SS/CR GCCT24545454S/CR GCCT2454545A/CR GCCT24545A/CR GCCT2454545A/CR GCCT24545A/CR GCCT2454545A/CR GCCT24545A/CR GCCT2											
Sasic Edge Models Style Location Panel Trough Finish Color Finish Weight			MODEL NUMBER								
Seasion Seas											
Basic Body											Approx
Dx W x W x D Model Style Location Panel Trough Finish Color Finish Weight			Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	
24 x 48 x 48 x 24" 24 x 54 x 54 x 24" 24 x 54 x 54 x 24" 30 x 42 x 24 z 30" 30 x 48 x 48 x 30" 30 x 48 x 48 x 30" 30 x 48 x 48 x 30" 30 x 54 x 54 x 30" 30 x 54 x 54 x 30" 30 x 54 x 54 x 30" Tripod Corner Pin Height Adjustable Corner surface with cockpit front Three-legged table base - Wire trough and modesty panel should not be ordered together on adjustable tables - 24 x 42 x 42 x 24" 24 x 54 x 54 x 24" 30 x 42 x 42 x 30" 30 x 48 x 48 x 30" 30 x 54 x 54 x 5		D x W x W x D	111								•
24 x 54 x 54 x 24* 30 x 42 x 42 x 30* 30 x 48 x 48 x 30* 30 x 48 x 48 x 30* 30 x 54 x 54 x 30* 4 CCCT 30 x 54 x 54 x 30* 5	$\overline{}$	24 x 42 x 42 x 24"	GCCT24424224S/P								108.0#
30 x 42 x 42 x 30" 30 x 48 x 80" 30 x 48 x 80" 30 x 54 x 54 x 30" GCCT30484830S/P GCCT30484830S/P GCCT30484830S/P GCCT30484830S/P GCCT30545430S/P GCCT30545430S/CR GCCT30545454245/CR GCCT305455454245/CR GCCT30545454245/CR GCCT3054545445/CR GCCT3054545445/CR GCCT30545454547/CR GCCT30545454547/CR GCCT30545454547/CR GCCT30545454547/CR GCCT305454547/CR GCCT305454547/CR GCCT305454547/CR GCCT3054545		24 x 48 x 48 x 24"	GCCT24484824S/P								125.0#
30 x 48 x 48 x 30' 30 x 50 x 54 x 54 x 30' 30 x 54 x 54 x 50' 30 x 54		24 x 54 x 54 x 24"	GCCT24545424S/P								143.0#
## CCTT ## STATE OF COMMENT From Height Adjustable **Comer surface with cockpit front **Three-legged table base **Height Adjustable glides **Wire trough and modesty panel should not be ordered together on adjustable tables ### Adjustable glides ** ## 24 x 42 x 42 x 24 x 24 x 24 x 24 x 24		30 x 42 x 42 x 30"	GCCT30424230S/P								114.0#
Tripod Corner Crank Height Adjustable Corner surface with cockpit front Three-legged table base Height adjusts from 24"-31" in 1" increments Adjustable glides Wire trough and modesty panel adjustable tables 24 x 42 x 24 x 24 24 x 48 x 48 x 24* 24 x 54 x 54 x 24* 30 x 42 x 42 x 30" 30 x 48 x 48 x 30" GCCT344544824S/CR 30 x 42 x 42 x 30" 30 x 48 x 48 x 30" GCCT344545430S/CR 30 x 48 x 48 x 30" GCCT345545430S/CR 30 x 54 x 54 x 30" GCCT36545430S/CR 30 x 64 x 54 x 30" GCCT36545430S/CR 30 x 54 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 54 x 30" GCCT36545430S/CR 30 x 64 x 64 x 54 x 54 x 54 x 54 x 54 x 54		30 x 48 x 48 x 30"	GCCT30484830S/P								133.0#
Corner surface with cockpit front Three-legged table base Height adjustable gildes Work trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 42 x 24* 24 x 48 x 48 x 24* 24 x 48 x 48 x 24* 30 x 42 x 42 x 30* 30 x 48 x 48 x 30* GCCT3044848245/CR 30 x 42 x 42 x 30* GCCT3044848245/CR 30 x 42 x 42 x 30* GCCT30448305/CR 30 x 48 x 48 x 30* GCCT304848305/CR 30 x 54 x 54 x 30* GCCT3045454305/CR 30 x 54 x 54 x 30* GCCT3054554305/CR 30 x 54 x 54 x 30* GCCT3045454205/CR 30 x 54 x 54 x 54 x 30* GCCT3045454205/CR 30 x 54 x 54 x 54 x 30* GCCT30454	GCCT	30 x 54 x 54 x 30"	GCCT30545430S/P								152.0#
 Three-legged table base Height adjusts from 24*31" in 1" increments Adjustable glides Wire trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 42 x 24" GCCT24424224S/CR 24 x 54 x 54 x 24" GCCT24484824S/CR 30 x 42 x 42 x 30" GCCT244545424S/CR 30 x 42 x 42 x 30" GCCT30424230S/CR 30 x 48 x 48 x 30" GCCT30484830S/CR 30 x 54 x 54 x 30" GCCT30484830S/CR 40 cCT30484830S/CR 40 cCT3048483	Tripod Corner Pin Height Adjustable										
 Three-legged table base Height adjusts from 24*31" in 1" increments Adjustable glides Wire trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 42 x 24" GCCT24424224S/CR 24 x 54 x 54 x 24" GCCT24484824S/CR 30 x 42 x 42 x 30" GCCT244545424S/CR 30 x 42 x 42 x 30" GCCT30424230S/CR 30 x 48 x 48 x 30" GCCT30484830S/CR 30 x 54 x 54 x 30" GCCT30484830S/CR 40 cCT30484830S/CR 40 cCT3048483	Corner surface with cocknit front										
increments - Adjustable glides - Wire trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 24 x 24 x 24 x 24 x 24 x 24	Three-legged table base										
Adjustable glides Wire trough and modesty panel should not be ordered together on adjustable tables 24 x 42 x 42 x 24* GCCT24424224S/CR	Height adjusts from 24"-31" in 1"										
• Wire trough and modesty panel should not be ordered together on adjustable tables 24 × 42 × 42 × 24* 24 × 48 × 48 × 24* 24 × 54 × 54 × 24* 30 × 42 × 42 × 30* 30 × 48 × 48 × 30* 30 × 54 × 54 × 30* Tripod Corner Crank Height Adjustable • Corner surface with cockpit front • Three-legged table base • Height adjusts from 22*-33* • Adjustable glides • Worksurfaces are undersized by 1/4* from side-to-side and 1/4* from back-to-front from the stated dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables											
Should not be ordered together on adjustable tables 24 x 42 x 42 x 24* 24 x 48 x 48 x 24* 24 x 48 x 48 x 24* 30 x 42 x 42 x 30* 30 x 48 x 48 x 30* 30 x 54 x 54 x 30* CCCT30484830S/CR 30 x 54 x 54 x 30* CCCT30484830S/CR 30 x 54 x 54 x 30* CCCT30484830S/CR 30 x 54 x 54 x 30* CCCT30545430S/CR 30 x 64 x 64 x 64 x 30* CCCT30545430S/CR 30 x 64 x 6											
24 x 42 x 24 x 24 x 24 x 24 x 24 x 24 x											
24 x 48 x 48 x 24" GCCT24484824S/CR	adjustable tables										
24 x 54 x 54 x 24* 30* 42 x 42 x 30* 30 x 42 x 42 x 30* GCCT30424230S/CR	$\overline{}$	24 x 42 x 42 x 24"	GCCT24424224S/CR								115.0#
30 x 42 x 42 x 30" 30 x 48 x 48 x 30" 30 x 48 x 48 x 30" GCCT30484830S/CR GCCT30484830S/CR GCCT30484830S/CR GCCT30484830S/CR GCCT30545430S/CR GCCT30546430S/CR GCCT30546430S/CR GCCT30546430S/CR GCCT30546430S/CR GCCT305464430S/CR GCCT305464444		24 x 48 x 48 x 24"	GCCT24484824S/CR								132.0#
30 x 48 x 48 x 30" GCCT30484830S/CR		24 x 54 x 54 x 24"	GCCT24545424S/CR								150.0#
GCCT 30 x 54 x 54 x 30" GCCT30545430S/CR		30 x 42 x 42 x 30"	GCCT30424230S/CR								121.0#
GCCT 30 x 54 x 54 x 30" GCCT30545430S/CR		30 x 48 x 48 x 30"	GCCT30484830S/CR								140.0#
Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables	GCCT	30 x 54 x 54 x 30"	GCCT30545430S/CR								160.0#
Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables	Triangle Comment Comme										
 Three-legged table base Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables 	iripod Corner Crank Height Adjustable										
 Three-legged table base Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables 											
 Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables 											
Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables	Height adjusts from 22"-33"										
from side-to-side and 1/4" from back- to-front from the stated dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables	Adjustable glides										
to-front from the stated dimensions • Wire trough and modesty panel should not be ordered together on adjustable tables											
Wire trough and modesty panel should not be ordered together on adjustable tables											
should not be ordered together on adjustable tables											
	should not be ordered together on										
	adjustable tables										
							_	_	_		1
			A	ß	Θ	O	Œ	ø	G	W	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style

001001 00	igo stylo.	
74P	- 74P edge	
KN	- Knife edge	
MP	- Membrane edge	

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
add \$218	}

Select modesty panel option

OUICUL III	odosty parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option

	trough and power option.
NW	- No wire trough
WL	- Wire trough LH only
WR	- Wire trough RH only
WW	- Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Tripod Corner Pin and Crank Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 1536	\$ 1640	\$ 1640	\$ 178	\$ 178	\$ 358	\$ 430	\$ 430	\$ 860
1602	1706	1706	185	185	374	483	483	964
1753	1843	N/A	197	197	392	500	500	1002
1536	1689	1689	178	178	358	430	430	860
1602	1755	1755	185	185	374	483	483	964
1753	1894	N/A	197	197	392	500	500	1002

\$ 1	908 \$	2014 \$	2014	\$ 178 \$	\$ 1	178 \$	358	\$ 430	\$ 430	\$ 860
1	979	2080	2080	185	1	185	374	483	483	964
2	2127	2216	N/A	197	1	197	392	500	500	1002
1	908	2063	2063	178	1	178	358	430	430	860
1	979	2129	2129	185	1	185	374	483	483	964
2	2127	2263	N/A	197	1	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Pin and Crank Height Adjustable

			_				_			
MODEL NUMBER										
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 48 x 48 x 24"	GCCT24484824D/CR								152.0#
	24 x 54 x 54 x 24"	GCCT24545424D/CR								170.0#
	30 x 48 x 48 x 30"	GCCT30484830D/CR								160.0#
	30 x 54 x 54 x 30"	GCCT30545430D/CR								180.0#
GCCT										
Tripod Corner Crank Height Dual										
Corner surface with cockpit front										
 Three-legged table base Height adjusts from 22"-33" 										
Keyboard surface adjusts 5" above/										
below primary surface.										
Keyboard surface tilts +/- 15° Adjustable slides										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
•										
		A	B	0	O	3	(3	Ѳ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

Select	modesty panel option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
dd unabare to unit pic for "MAP" "MAP"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Tripod Corner Pin and Crank Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2883	\$ 2989	\$ 2989	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
3034	3123	3123	197	197	392	500	500	1002
2883	3036	3036	185	185	374	483	483	964
3034	3173	3173	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Electric Height Adjustable

		MODEL NUMBER									
	D x W x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 42 x 42 x 24"	GCTE24424224S									136.0#
	24 x 48 x 48 x 24"	GCTE24484824S									153.0#
	24 x 54 x 54 x 24"	GCTE24545424S									171.0#
U	30 x 42 x 42 x 30"	GCTE30424230S									143.0#
	30 x 48 x 48 x 30"	GCTE30484830S									161.0#
	30 x 54 x 54 x 30"	GCTE30545430S									180.0#
GCTE											
Tripod Corner Electric Height Adjust- able Single											
· ·											
 Corner surface with cockpit front Three-legged table base 											
Height adjusts from 24"-51"											
 Standard or deluxe up/down switch 											
Adjustable glidesWorksurfaces are undersized by											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated											
dimensionsWire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		Ø	3	0	0	(3	•	0	0	0	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge MP - Membrane edge

Select electric control style.

- Standard up/down switch n - Deluxe up/down switch; add \$112

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; **PUB** add \$218

Select modesty panel option.

- No modesty panel

LM - LH modesty only - RH modesty only RM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Tripod Corner Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 3822	\$ 3891	\$ 3891	\$ 178	\$ 178	\$ 358	\$ 430	\$ 430	\$ 860
3854	3957	3957	185	185	374	483	483	964
3777	3980	N/A	197	197	392	500	500	1002
3757	3942	3942	178	178	358	430	430	860
3789	4008	4008	185	185	374	483	483	964
3820	4021	N/A	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Tripod Corner Electric Height Adjustable

D x W x W x D Basic Model Style Control Location Panel Trough Finish Color Finish	
D x W x W x D Model Style Control Location Panel Trough Finish Color Finish 24 x 48 x 48 x 24" GCTE24484824D □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
D x W x W x D Model Style Control Location Panel Trough Finish Color Finish 24 x 48 x 48 x 24" GCTE24484824D □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
D x W x W x D Model Style Control Location Panel Trough Finish Color Finish 24 x 48 x 48 x 24" GCTE24484824D □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	Approx.
24 x 48 x 48 x 24" GCTE24484824D	Packaged
24 x 54 x 24" GCTE24545424D	Weight
30 x 48 x 48 x 30" GCTE30484830D	173.0#
	191.0#
30 x 54 x 54 x 30° GCTE30545430D	181.0#
	200.0#
GCTE	
Tripod Corner electric Height Adjust-	
able Dual	
Corner surface with cockpit front	
Three-legged table base	
Height adjusts from 24"-51"	
Keyboard surface adjusts 5" above/ below primary surface.	
Keyboard surface tilts +/- 15°	
Standard or deluxe up/down switch	
Adjustable glides	
Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2"	
from back-to-front from the stated	
dimensions	
Wire trough and modesty panel	
should not be ordered together on	
adjustable tables	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge MP - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add D \$112

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data PUL - Left module; add \$108 - Right module; add \$108 PUB - Both left and right modules; add \$218

 Select modesty panel option. - No modesty panel

- LH modesty only

- RH modesty only

Add upcharge to unit price for "LM", "RM"

- Both modesty panels

LM

RM

and "WM" options.

membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select wire trough and power option.	on edge style selections. Laminate
NW - No wire trough	finishes are only available on (74P)
WL - Wire trough LH only	74P edge and (KN) knife edge
WR - Wire trough RH only	worksurfaces. The membrane color
WW - Wire trough Both	selections are only available on the
Add upcharge to unit price for "WL", "WR" and "WW" options.	(MP) membrane edge worksurfaces.
GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.	
Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the	



Tripod Corner Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4763	\$ 4868	\$ 4868	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
4886	4943	4943	197	197	392	500	500	1002
4810	4916	4916	185	185	374	483	483	964
4837	4943	4943	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Fixed Height

		MODEL NUMBER									
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Edge Color	Surface Finish
	24 x 42 x 42 x 30"	GCCT24424230S/F									
	24 x 48 x 48 x 30"	GCCT24484830S/F									
	24 x 54 x 54 x 30"	GCCT24545430S/F									
GCCT											
Reduction Tripod Corner Fixed											
Height-Left											
Corner surface with cockpit front Three-legged table base											
Fixed height at 29"											
Adjustable glides											
OCR OCL											
OCR-OCL											
OCR = Overhead right											
OCL = Overhead left											
		•	0	<u> </u>	•	•	•			•	•
		Ø	$oldsymbol{eta}$	•	0	(3	•	0	0	U	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

© Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

001001 11	loadoty parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	 Both modesty panels 	

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	embrane Edge MP)	LH Modes Panel add to price		RH Modes Panel add to price		Both Modes Panels add to price	S	Left Wire Trough add to price		Right Wire Trough add to price		Both Wire Trough add to price	
106.0#	\$ 1338	\$ 1491	\$ 1491	\$	178	\$	178	\$	358	\$	430	\$	430	\$	860
123.0#	1406	1556	1556		185		185		374		483		483		964
141.0#	1553	1669	N/A		197		197		392		500		500		1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Fixed Height

		MODEL NUMBER									
D x N	WxWxD	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Edge Color	Surface Finish
30 x 4	42 x 42 x 24"	GCCT30424224S/F									
30 x 4	48 x 48 x 24"	GCCT30484824S/F									
30 x 5	54 x 54 x 24"	GCCT30545424S/F									
To the second se											
GCCT											
Reduction Tripod Corner Fixed Height- Right											
Corner surface with cockpit front											
Three-legged table base											
Fixed height at 29" Adjustable glides											
OCR OCL											
OCR-OCL											
OCR = Overhead rightOCL = Overhead left											
		A	B	Θ	O	(3	G	Ф	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

001001 11	iodooty parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	 Both modesty panels 	

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modes Panel add to price		RH Modes Panel add to price		Both Modes Panels add to price		Left Wire Trough add to price		Right Wire Trough add to price		Both Wire Trougl add to price	
106.0#	\$ 1338	\$ 1491	\$ 1491	\$	178	\$	178	\$	358	\$	430	\$	430	\$	860
123.0#	1406	1556	1556		185		185		374		483		483		964
141.0#	1553	1669	N/A		197		197		392		500		500		1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Fixed Height Dual

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxWxWxD	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 48 x 48 x 30"	GCCT24484830D/F									
	24 x 54 x 54 x 30"	GCCT24545430D/F									
GCCT											
Reduction Tripod Corner Fixed Height											
Dual-Left											
Corner surface with cockpit front											
 Three-legged table base Fixed height at 29" 											
Keyboard surface adjusts 5" above/											
below primary surface. Keyboard surface tilts +/- 15°											
Adjustable glides											
OCR OCL											
ICR-OCL											
OCR = Overhead right											
OCL = Overhead left											
		A	B	Θ	0	3	(3	О	0	0	0
		•	9	9	9	9	•	9	Ψ	•	9

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

© Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

001001 11	loadoty parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	 Both modesty panels 	

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
dd uncharge to unit price for "WI " "WR"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TR - Right transition foot
TR, TL and TB not allowed on 24" deep
dual surfaces.

- Select base finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select edge/PowerUp/crank grommet

color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Fixed Height Dual

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modes Panel add to price		RH Modesty Panel add to list price	Both Mod Pane add price	esty els to list	Left Wire Troug add to price		Right Wire Trough add to price		Both Wire Troug add to price	
143.0#	\$ 2311	\$ 2466	\$ 2466	\$	185	\$ 185	\$	374	\$	483	\$	483	\$	964
161.0#	2461	2575	2575		197	197		392		500		500		1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Fixed Height Dual

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	D x W x W x D	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	30 x 48 x 48 x 24"	GCCT30484824D/F									
	30 x 54 x 54 x 24"	GCCT30545424D/F									
CCT											
eduction Tripod Corner Fixed Height											
ual-Right											
Corner surface with cockpit front											
Three-legged table base											
Fixed height at 29"											
eyboard surface adjusts 5" above/ elow primary surface.											
eyboard surface tilts +/- 15°											
Adjustable glides											
OCR OCL											
R-OCL											
OCR = Overhead right											
OCL = Overhead left											
		A	•	O	0	•	•	Э	•	0	•
		•	U	G	U	G	U	U	Ψ	U	U

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

Delect IIII	Juesty parier option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR, TL and TB not allowed on 24" deep
dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp/crank grommet

color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Fixed Height Dual

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
143.0#	\$ 2311	\$ 2466	\$ 2466	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
161.0#	2461	2575	2575	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Pin Height Adjustable

		MODEL NUMBER								
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 42 x 42 x 30"	GCCT24424230S/P	_							112.0#
	24 x 48 x 48 x 30"	GCCT24484830S/P								129.0#
	24 x 54 x 54 x 30"	GCCT24545430S/P								148.0#
GCCT										
Reduction Tripod Corner Pin Height Adjustable-Left										
Corner surface with cockpit front										
 Three-legged table base Height adjusts from 24"-31" in 1" 										
increments • Adjustable glides										
 Wire trough and modesty panel 										
should not be ordered together on adjustable tables										
aujustable tables										
	30 x 42 x 42 x 24"	GCCT30424224S/P								112.0#
	30 x 48 x 48 x 24"	GCCT30484824S/P								129.0#
	30 x 54 x 54 x 24"	GCCT30545424S/P								148.0#
GCCT										
Reduction Tripod Corner Pin Height										
Adjustable-Right										
Corner surface with cockpit front										
Three-legged table base										
 Height adjusts from 24"-31" in 1" increments 										
Adjustable glides Wire trough and modesty panel.										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
			_	•				•	•	
		A	B	Θ	O	ⅎ	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

Select modesty panel option

select n	lodesty panel option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Pin Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 1536	\$ 1689	\$ 1689	\$ 178	\$ 178	\$ 358	\$ 430	\$ 430	\$ 860
1602	1755	1755	185	185	374	483	483	964
1753	1894	N/A	197	197	392	500	500	1002

\$ 1536	\$ 1689	\$ 1689	\$ 178	\$ 178	\$ 358	\$ 430	\$ 430	\$ 860
1602	1755	1755	185	185	374	483	483	964
1753	1894	N/A	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Adjustable

		MODEL NUMBER								
										Approx.
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Packaged Weight
	24 x 48 x 48 x 30"	GCCT24484830S/CR								136.0#
	24 x 54 x 54 x 30"	GCCT24545430S/CR								155.0#
GCCT										
Reduction Tripod Corner Crank Height Adjustable-Left										
Corner surface with cockpit front										
Three-legged table baseHeight adjusts from 22"-33"										
 Adjustable glides 										
 Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- 										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
	30 x 48 x 48 x 24"	GCCT30484824S/CR								136.0#
SN	30 x 54 x 54 x 24"	GCCT30545424S/CR								155.0#
GCCT										
Reduction Tripod Corner Crank Height										
Adjustable-Right										
Corner surface with cockpit front There is a real table have a										
Three-legged table baseHeight adjusts from 22"-33"										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions • Wire trough and modesty panel										
should not be ordered together on										
adjustable tables										
		A	B	O	0	(3	•	Э	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

DUIGUL II	nodesty paner option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Refer to color addendum at ki.com or KI

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Crank Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Mode: Panel add to price		Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 1979	\$ 2129	\$ 2129	\$ 185	\$	185	\$ 374	\$ 483	\$ 483	\$ 964
2127	2263	N/A	197		197	392	500	500	1002

\$ 1979	\$ 2129	\$ 2129	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
2127	2263	N/A	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Dual

		MODEL NUMBER								
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 48 x 48 x 30"	GCCT24484830D/CR								156.0#
(a) (b)	24 x 54 x 54 x 30"	GCCT24545430D/CR								175.0#
GCCT										
Reduction Tripod Corner Crank Height Dual-Left										
 Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" 										
 Keyboard surface adjusts 5" above/ 										
below primary surface.Keyboard surface tilts +/- 15°										
 Adjustable glides 										
 Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back- 										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
		A	B	Θ	O	•	•	G	(1)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

001001 11	iodooty parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	 Both modesty panels 	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
dd unabare to unit price for "MV" " "MP"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Selece surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Crank Height Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2883	\$ 3036	\$ 3036	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
3034	3173	3173	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Crank Height Dual

		MODEL NUMBER								
	D x W x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
\sim	30 x 48 x 48 x 24"	GCCT30484824D/CR								156.0#
(6)	30 x 54 x 54 x 24"	GCCT30545424D/CR								175.0#
GCCT										
Reduction Tripod Corner Crank Height Dual-Right										
 Corner surface with cockpit front Three-legged table base Height adjusts from 22"-33" Keyboard surface adjusts 5" above/ 										
below primary surface.Keyboard surface tilts +/- 15°										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back- to-front from the stated dimensions										
 Wire trough and modesty panel 										
should not be ordered together on adjustable tables										
asjastasio tasioo										
		A	B	•	O	(3	•	Ф	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

Select	modesty panel option.	
NM	- No modesty panel	
LM	- LH modesty only	Ī
RM	- RH modesty only	
WM	- Both modesty panels	Т

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
dd unabare to unit price for "MVI" "MP"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

GSelect edge/PowerUp/crank grommet color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Selece surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Crank Height Dual

			LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
74P Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list	add to list	add to list
(74P)	(KN)	(MP)	price	price	price	price	price	price
\$ 2883	\$ 3036	\$ 3036	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
3034	3173	3173	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable

		MODEL NUMBE	R								
	D x W x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 42 x 42 x 30"	GCTE24424230S									140.0#
	24 x 48 x 48 x 30"	GCTE24484830S									157.0#
	24 x 54 x 54 x 30"	GCTE24545430S									176.0#
U											
GCTE											
Reduction Tripod Corner Electric											
Height Adjustable Single-Left											
 Corner surface with cockpit front 											
Three-legged table base Height adjusts from 24" 51"											
Height adjusts from 24"-51"Standard or deluxe up/down switch											
 Adjustable glides 											
 Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" 											
from back-to-front from the stated											
dimensions											
 Wire trough and modesty panel should not be ordered together on 											
adjustable tables											
•									•		
		A	B	Θ	0	(3	•	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P	- 74P edge
KN	- Knife edge
MP	- Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$112

DSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
add \$218	

• Select modesty panel option.

- No modesty panel

- LH modesty only - RH modesty only LM RM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

- GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the

membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Tripod Corner Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modest Panel add to I price		RH Modes Panel add to price		Both Modes Panels add to price	3	Left Wire Trough add to price		Right Wire Trougl add to price		Both Wire Trough add to price	
· /		· /	price				price		price		price		price	
\$ 3822	\$ 3942	\$ 3942	\$	178	\$	178	\$	358	\$	430	\$	430	\$	860
3854	4008	4008		185		185		374		483		483		964
3884	4021	N/A		197		197		392		500		500		1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable

		MODEL NUMBE	R								
	D x W x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
$\overline{}$	30 x 42 x 42 x 24"	GCTE30424224S									140.0#
	30 x 48 x 48 x 24"	GCTE30484824S									157.0#
U	30 x 54 x 54 x 24"	GCTE30545424S									176.0#
GCTE											
Reduction Tripod Corner Electric Height Adjustable Single-Right											
Corner surface with cockpit frontThree-legged table base											
 Height adjusts from 24"-51" 											
Standard or deluxe up/down switchAdjustable glides											
 Worksurfaces are undersized by 											
1-1/4" from side-to-side and 1/2" from back-to-front from the stated											
dimensions											
 Wire trough and modesty panel should not be ordered together on 											
adjustable tables											
		Ø	3	O	O	(3	•	Ө	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

	ougo oty to:
74P	- 74P edge
KN	- Knife edge
MP	- Membrane edge

Select electric control style.

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

BSelect modesty panel option.

NM - No modesty panel

LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

- GSelect base finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Belect edge/PowerUp color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge
 style selections. The color selection will
 apply to the trim, edge and PowerUp
 module. Trim color doesn't apply to the

membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Tripod Corner Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modes Panel add to price		RH Modes Panel add to price		Both Modes Panels add to price	3	Left Wire Trough add to		Right Wire Trough add to price		Both Wire Trough add to price	
· /		()	price		price		price		price		price		price	
\$ 3822	\$ 3942	\$ 3942	\$	178	\$	178	\$	358	\$	430	\$	430	\$	860
3854	4008	4008		185		185		374		483		483		964
3884	4021	N/A		197		197		392		500		500		1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable Dual

D x W x W x D Basic Model Edge Style Electrical Control Module Location Wire Panel Base Trough Edge Finish Surface Color Finish Approx. Packaged Weight 24 x 48 x 48 x 30" 24 x 54 x 54 x 30" GCTE24484830D GCTE24545430D Image: GCTE24545430D GCTE24545430D Image: GCTE24545430D GCTE24545430D Image: GCTE24545430D GCTE24545430D Image: GCTE2454545430D GCTE2454545430D Image: GCTE2454545430D GCTE2454545430D Image: GCTE2454545430D GCTE2454545430D Image: GCTE24545454545ACT Image: GCTE245454545ACT Image: GCTE245454545ACT Image: GCTE245454545ACT Image: GCTE245454545ACT Image: GCTE2454545ACT Image: GCTE2454545ACT Image: GCTE24545ACT Image: GCTE24545ACT Image: GCTE24545ACT Image: GCTE24545ACT Image: GCTE24545ACT Image: GCTE24545ACT Image: GCTE245ACT Image: GCTE245AC	
24 x 54 x 54 x 30" GCTE24545430D	
GCTE	
Reduction Tripod Corner Electric	
Height Adjustable Dual-Left	
Corner surface with cockpit front Three-legged table base Height adjusts from 24"-51" Keyboard surface adjusts 5" above/below primary surface Keyboard surface tilts +/- 15° Standard or deluxe up/down switch Adjustable glides Worksurfaces are undersized by 1- 1/4" from side-to-side and 1/2" from back-to-front from the stated dimensions Wire trough and modesty panel should not be ordered together on adjustable tables	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select electric control style.

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option.

NM - No modesty panel

LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

- GSelect base finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the

membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Electric Height Adjustable Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4516	\$ 4676	\$ 4676	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964
4687	4886	4886	197	197	392	500	500	1002

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Tripod Corner Electric Height Adjustable Dual

		MODEL NUMBER	R								
		Basic	Edge	Electrical	Module	Modesty	Wire	Base	Edge	Surface	Approx. Packaged
	D x W x W x D	Model	Style	Control	Location	Panel	Trough	Finish	Color	Finish	Weight
	30 x 48 x 48 x 24"	GCTE30484824D									177.0#
100	30 x 54 x 54 x 24"	GCTE30545424D									196.0#
GCTE											
Reduction Tripod Corner Electric Height Adjustable Dual-Right											
 Corner surface with cockpit front Three-legged table base Height adjusts from 24"-51" 											
 Keyboard surface adjusts 5" above/ below primary surface 											
 Keyboard surface tilts +/- 15° Standard or deluxe up/down switch 											
Adjustable glidesWorksurfaces are undersized by											
1- 1/4" from side-to-side and 1/2" from back-to-front from the stated											
dimensions											
 Wire trough and modesty panel should not be ordered together on adjustable tables 											
ผนานอเผมเซ เผมเซอ											
		A	B	•	0	•	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P	- 74P	edge e	
KN	- Knif	fe edge	
MP	- Mer	mbrane edge	9
test for k	cen		

©Select electric control style.

S	 Standard up/down switch
D	- Deluxe up/down switch; add
\$112	

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

	nate upcharge to the base pric
PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
add \$218	

Select modesty panel option.

NM - No modesty panel
LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

UIUUL	WIIIO	tiougi	i unu pe	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	optioi	١.
NW		- No w	ire trou	gh		
WL		- Wire	trough	LH o	nly	
WR		- Wire	trough	RH c	nly	
WW		- Wire	trough	Both		
			44 4		113 A 41 II	III A COL

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim color doesn't apply to the membrane edge selection.

Oselect surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Tripod Corner Electric Height Adjustable Dual

			LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs	
74P Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list	add to list	add to list	
(74P)	(KN)	(MP)	price	price	price	price	price	price	
\$ 4516	\$ 4676	\$ 4676	\$ 185	\$ 185	\$ 374	\$ 483	\$ 483	\$ 964	
4687	4934	4934	197	197	392	500	500	1002	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Fixed Height



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Sobh left and right modules;
add \$218

Select modesty panel option

Delect IIII	desty panei option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

elect wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

dd uncharge to unit price for "WI" "WR"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right
OGL not available on 84" worksurfaces.

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
125.0#	\$ 1471	\$ 1518	\$ 1518	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
132.0#	1474	1520	1520	205	185	392	517	483	998
138.0#	1509	1543	1543	213	185	399	637	483	1119
145.0#	1552	1594	1594	220	185	409	710	483	1191
158.0#	1622	1625	1625	249	185	435	715	483	1196
134.0#	1471	1518	1518	198	185	385	500	483	983
142.0#	1474	1520	1520	205	185	392	517	483	998
150.0#	1509	1543	1543	213	185	399	637	483	1119
158.0#	1552	1594	1594	220	185	409	710	483	1191
173.0#	1622	1625	1625	249	185	435	715	483	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Fixed Height

		MODEL NUMBER										
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface	
	D x L x W x D	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish	
_	24 x 48 x 54 x 24"	GSSH24485424S/F										
	24 x 48 x 60 x 24"	GSSH24486024S/F										
	24 x 48 x 66 x 24"	GSSH24486624S/F										
	24 x 48 x 72 x 24"	GSSH24487224S/F										
	24 x 48 x 84 x 24"	GSSH24488424S/F										
	30 x 48 x 54 x 30"	GSSH30485430S/F										
GSSH	30 x 48 x 60 x 30"	GSSH30486030S/F										
Basic Square Shoe Fixed Height-Right	30 x 48 x 66 x 30"	GSSH30486630S/F										
Extended corner surface	30 x 48 x 72 x 30"	GSSH30487230S/F										
Three-legged table base	30 x 48 x 84 x 30"	GSSH30488430S/F										
Fixed height at 29" Additional blood of the state o												
Adjustable glides												
OCR X OCL												
OCR-OCL												
OCR = Overhead right												
• OCL = Overhead left												
		A	ß	•	0	(3	(3	G	()	0	•	
		•	•	•	•	•	•	_	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUB - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right
OGR not available on 84" worksurfaces.

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the

(MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
125.0#	\$ 1471	\$ 1518	\$ 1518	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
132.0#	1474	1520	1520	185	205	392	483	517	998
138.0#	1509	1543	1543	185	213	399	483	637	1119
145.0#	1552	1594	1594	185	220	409	483	710	1191
158.0#	1622	1625	1625	185	249	435	483	715	1196
134.0#	1471	1518	1518	185	198	385	483	500	983
142.0#	1474	1520	1520	185	205	392	483	517	998
150.0#	1509	1543	1543	185	213	399	483	637	1119
158.0#	1552	1594	1594	185	220	409	483	710	1191
173.0#	1622	1625	1625	185	249	435	483	715	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Fixed Height Dual

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	D x L x W x D	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 54 x 48 x 24"	GSSH24544824D/F									
	24 x 60 x 48 x 24"	GSSH24604824D/F									
	24 x 66 x 48 x 24	GSSH24664824D/F									
	24 x 72 x 48 x 24"	GSSH24724824D/F									
GSSH	24 x 84 x 48 x 24"	GSSH24844824D/F									
	30 x 54 x 48 x 30"	GSSH30544830D/F									
	30 x 60 x 48 x 30"	GSSH30604830D/F									
Basic Square Shoe Fixed Height	30 x 66 x 48 x 30"	GSSH30664830D/F									
Dual-Left	30 x 72 x 48 x 30"	GSSH30724830D/F									
	30 x 84 x 48 x 30"	GSSH30844830D/F									
 Extended corner surface Three-legged table base 											
Fixed height at 29"											
Adjustable glides											
Keyboard surface adjusts 5" above/below primary surface.											
Keyboard surface tilts +/-15°											
OCR / OCL /											
OCR-OCL											
OCR = Overhead rightOCL = Overhead left											
		A	B	Θ	0	•	•	О	•	0	0
		•	•	•	•	•	•	•	•	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option.

NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	 Both modesty panels 	

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right
OGL not available on 72" & 84" worksurfaces.

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet
TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Oselect surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Fixed Height Dual

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	 	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
145.0#	\$ 2380	\$ 2426	\$ 2426	\$ 19	98	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
152.0#	2384	2429	2429	20)5	185	392	517	483	998
158.0#	2405	2450	2450	21	3	185	399	637	483	1119
165.0#	2460	2504	2504	22	20	185	409	710	483	1191
178.0#	2530	2534	2534	24	19	185	435	715	483	1196
154.0#	2380	2426	2426	19	98	185	385	500	483	983
162.0#	2384	2429	2429	20)5	185	392	517	483	998
170.0#	2405	2450	2450	21	3	185	399	637	483	1119
178.0#	2460	2504	2504	22	20	185	409	710	483	1191
193.0#	2530	2534	2534	24	19	185	435	715	483	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Fixed Height Dual



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

• Select modesty panel option.

NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels
Add unch	narge to unit price for "I M" "RM

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

Select overhead grommet.

and "WW" options.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right
OGR not available on 72" & 84" worksurfaces.

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet
TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.
- Oselect surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Fixed Height Dual

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to lis price		RH Modesty Panel add to list price	Both Modes Panels add to price		Left Wire Trough add to price		Right Wire Trough add to price		Both Wire Trough add to price	
145.0#	\$ 2380	\$ 2426	\$ 2426	\$ 1	185	\$ 198	\$	385	\$	483	\$	500	\$	983
152.0#	2384	2429	2429	1	185	205		392		483		517		998
158.0#	2405	2450	2450	1	185	213		399		483		637		1119
165.0#	2460	2504	2504	1	185	220		409		483		710		1191
178.0#	2530	2534	2534	1	185	249		435		483		715		1196
154.0#	2380	2426	2426	1	185	198		385		483		500		983
162.0#	2384	2429	2429	1	185	205		392		483		517		998
170.0#	2405	2450	2450	1	185	213		399		483		637		1119
178.0#	2460	2504	2504	1	185	220		409		483		710		1191
193.0#	2530	2534	2534	1	185	249		435		483		715		1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Pin Height Adjustable

		MODEL NUMBER								
										Approx.
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	DxLxWxD	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 24"	GSSH24544824S/P								132.0#
	24 x 60 x 48 x 24"	GSSH24604824S/P								139.0#
	24 x 66 x 48 x 24	GSSH24664824S/P								146.0#
U	24 x 72 x 48 x 24"	GSSH24724824S/P								152.0#
	24 x 84 x 48 x 24"	GSSH24844824S/P								166.0#
	30 x 54 x 48 x 30"	GSSH30544830S/P								141.0#
GSSH	30 x 60 x 48 x 30"	GSSH30604830S/P								149.0#
Basic Square Shoe Pin Height	30 x 66 x 48 x 30"	GSSH30664830S/P								157.0#
Adjustable-Left	30 x 72 x 48 x 30"	GSSH30724830S/P								165.0#
Extended corner surface	30 x 84 x 48 x 30"	GSSH30844830S/P								182.0#
Three-legged table base										
Height adjusts from 24"-31" in 1"										
increments • Adjustable alides										
Wire trough and modesty panel										
should not be ordered together on										
adjustable tables										
	24 x 48 x 54 x 24"	GSSH24485424S/P								132.0#
	24 x 48 x 60 x 24"	GSSH24486024S/P								139.0#
	24 x 48 x 66 x 24"	GSSH24486624S/P								146.0#
U	24 x 48 x 72 x 24"	GSSH24487224S/P								152.0#
	24 x 48 x 84 x 24"	GSSH24488424S/P								166.0#
	30 x 48 x 54 x 30"	GSSH30485430S/P								141.0#
GSSH	30 x 48 x 60 x 30"	GSSH30486030S/P								149.0#
Basic Square Shoe Pin Height	30 x 48 x 66 x 30"	GSSH30486630S/P								157.0#
Adjustable-Right	30 x 48 x 72 x 30"	GSSH30487230S/P								165.0#
Extended corner surface	30 x 48 x 84 x 30"	GSSH30488430S/P								182.0#
Three-legged table base										
 Height adjusts from 24"-31" in 1" increments 										
• Adjustable glides										
• Wire trough and modesty panel										
should not be ordered together on										
adjustable tables										
		A	3	Θ	O	(3	(3	G	0	
		-	-	-	-	-	-	-	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge MP - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- No data - Left module; add \$108 PUL - Right module; add \$108

• Select modesty panel option.

- No modesty panel NM LM - LH modesty only - RH modesty only - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

- No wire trough - Wire trough LH only

- Wire trough RH only WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

WL

WR

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are

only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Pin Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 1677	\$ 1723	\$ 1723	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
1681	1725	1725	205	185	392	517	483	998
1703	1749	1749	213	185	399	637	483	1119
1775	1818	1818	220	185	409	710	483	1191
1800	1846	1846	249	185	435	715	483	1196
1677	1723	1723	198	185	385	500	483	983
1681	1725	1725	205	185	392	517	483	998
1703	1749	1749	213	185	399	637	483	1119
1775	1818	1818	220	185	409	710	483	1191
1800	1846	1846	249	185	435	715	483	1196

\$	1677	\$ 1723	\$ 1723	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
	1681	1725	1725	185	205	392	483	517	998
	1703	1749	1749	185	213	399	483	637	1119
	1775	1818	1818	185	220	409	483	710	1191
	1800	1846	1846	185	249	435	483	715	1196
	1677	1723	1723	185	198	385	483	500	983
	1681	1725	1725	185	205	392	483	517	998
	1703	1749	1749	185	213	399	483	637	1119
	1775	1818	1818	185	220	409	483	710	1191
	1800	1846	1846	185	249	435	483	715	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Crank Height Adjustable

										Approx.
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	DxLxWxD	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 24"	GSSH24544824S/CR								139.0#
	24 x 60 x 48 x 24"	GSSH24604824S/CR								146.0#
	24 x 66 x 48 x 24	GSSH24664824S/CR								153.0#
	24 x 72 x 48 x 24"	GSSH24724824S/CR								161.0#
	24 x 84 x 48 x 24"	GSSH24844824S/CR								175.0#
GSSH	30 x 54 x 48 x 30"	GSSH30544830S/CR								148.0#
Basic Square Shoe Crank Height	30 x 60 x 48 x 30"	GSSH30604830S/CR								157.0#
Adjustable-Left	30 x 66 x 48 x 30"	GSSH30664830S/CR								165.0#
Extended corner surface	30 x 72 x 48 x 30"	GSSH30724830S/CR								173.0#
 Three-legged table base 	30 x 84 x 48 x 30"	GSSH30844830S/CR								190.0#
Height adjusts from 22"-33"										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
	24 x 48 x 54 x 24"	GSSH24485424S/CR								139.0#
	24 x 48 x 60 x 24"	GSSH24486024S/CR								146.0#
	24 x 48 x 66 x 24"	GSSH24486624S/CR								153.0#
	24 x 48 x 72 x 24"	GSSH24487224S/CR								161.0#
	24 x 48 x 84 x 24"	GSSH24488424S/CR								175.0#
GSSH	30 x 48 x 54 x 30"	GSSH30485430S/CR								148.0#
Basic Square Shoe Crank Height	30 x 48 x 60 x 30"	GSSH30486030S/CR								157.0#
Adjustable-Right	30 x 48 x 66 x 30"	GSSH30486630S/CR								165.0#
Extended corner surface	30 x 48 x 72 x 30"	GSSH30487230S/CR								173.0#
 Three-legged table base 	30 x 48 x 84 x 30"	GSSH30488430S/CR								190.0#
Height adjusts from 22"-33"Adjustable glides										
 Worksurfaces are undersized by 1/4" 										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
-										
		A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	O	(3	•	0	(1)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

and "WM" options.

	modeoty paner option
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels
Add ur	ocharge to unit price for "LM". "RM"

Select wire trough and power option.

NW - No wire trough WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Square Shoe Crank Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2046	\$ 2087	\$ 2087	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
2049	2090	2090	205	185	392	517	483	998
2078	2114	2114	213	185	399	637	483	1119
2124	2167	2167	220	185	409	710	483	1191
2154	2199	2199	249	185	435	715	483	1196
2046	2087	2087	198	185	385	500	483	983
2049	2090	2090	205	185	392	517	483	998
2078	2114	2114	213	185	399	637	483	1119
2124	2167	2167	220	185	409	710	483	1191
2154	2199	2199	249	185	435	715	483	1196

\$	2046	\$	2087	\$ 2087	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
	2049		2090	2090	185	205	392	483	517	998
	2078		2114	2114	185	213	399	483	637	1119
	2124		2167	2167	185	220	409	483	710	1191
	2154		2199	2199	185	249	435	483	715	1196
	2046		2087	2087	185	198	385	483	500	983
	2049		2090	2090	185	205	392	483	517	998
	2078		2114	2114	185	213	399	483	637	1119
	2124		2167	2167	185	220	409	483	710	1191
	2154		2199	2199	185	249	435	483	715	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Crank Height Dual

		MODEL NUMBER								
	D x L x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
$\overline{}$	24 x 54 x 48 x 24"	GSSH24544824D/CR								159.0#
	24 x 60 x 48 x 24"	GSSH24604824D/CR								166.0#
	24 x 66 x 48 x 24	GSSH24664824D/CR								173.0#
	24 x 72 x 48 x 24"	GSSH24724824D/CR								181.0#
	24 x 84 x 48 x 24"	GSSH24844824D/CR								195.0#
	30 x 54 x 48 x 30"	GSSH30544830D/CR								166.0#
GSSH	30 x 60 x 48 x 30"	GSSH30604830D/CR								177.0#
Basic Square Shoe Crank Height	30 x 66 x 48 x 30"	GSSH30664830D/CR								185.0#
Dual-Left	30 x 72 x 48 x 30"	GSSH30724830D/CR								193.0#
	30 x 84 x 48 x 30"	GSSH30844830D/CR								210.0#
Extended corner surface										
 Three-legged table base Height adjusts from 22"-33" 										
Adjustable glides										
 Keyboard surface adjusts 5" above/ 										
below primary surfaceKeyboard surface tilts +/-15°										
Worksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
		A	3	•	0	(3	•	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

	Hou	esty paner option.
NM		- No modesty panel
LM		- LH modesty only
RM		- RH modesty only
WM		- Both modesty panels

Add upcharge to unit price for "LM", "RM' and "WM" options.

Select wire trough and power option.

elect wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Crank Height Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2954	\$ 2997	\$ 2997	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
2958	2999	2999	205	185	392	517	483	998
2979	3021	3021	213	185	399	637	483	1119
3032	3077	3077	220	185	409	710	483	1191
3061	3106	3106	249	185	435	715	483	1196
2954	2997	2997	198	185	385	500	483	983
2958	2999	2999	205	185	392	517	483	998
2979	3021	3021	213	185	399	637	483	1119
3032	3077	3077	220	185	409	710	483	1191
3061	3106	3106	249	185	435	715	483	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Crank Height Dual

		MODEL NUMBER								
	D x L x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
$\overline{}$	24 x 48 x 54 x 24"	GSSH24485424D/CR								159.0#
	24 x 48 x 60 x 24"	GSSH24486024D/CR								166.0#
	24 x 48 x 66 x 24"	GSSH24486624D/CR								173.0#
	24 x 48 x 72 x 24"	GSSH24487224D/CR								181.0#
	24 x 48 x 84 x 24"	GSSH24488424D/CR								195.0#
	30 x 48 x 54 x 30"	GSSH30485430D/CR								168.0#
GSSH	30 x 48 x 60 x 30"	GSSH30486030D/CR								177.0#
Basic Square Shoe Crank Height	30 x 48 x 66 x 30"	GSSH30486630D/CR								185.0#
Dual-Right	30 x 48 x 72 x 30"	GSSH30487230D/CR								193.0#
	30 x 48 x 84 x 30"	GSSH30488430D/CR								210.0#
Extended corner surface										
 Three-legged table base Height adjusts from 22"-33" 										
Adjustable glides										
 Keyboard surface adjusts 5" above/ 										
below primary surfaceKeyboard surface tilts +/-15°										
Worksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
		A	3	•	0	(3	•	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

OSelect modesty panel option

Select III	odesty paner option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

elect wire trougn and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Crank Height Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list price		Modesty Panel add to list		Modesty Panel add to list price Panel add to list price		Both Modesty Panels add to list price		list	Right Wire Trough add to list price	re oughs d to list						
\$ 2954	\$ 2997	\$ 2997	\$	185	\$ 198	\$	385	\$	483	\$ 500	\$ 983																						
2958	2999	2999		185	205		392		483	517	998																						
2979	3021	3021		185	213		399		483	637	1119																						
3032	3077	3077		185	220		409		483	710	1191																						
3061	3106	3106		185	249		435		483	715	1196																						
2954	2997	2997		185	198		385		483	500	983																						
2958	2999	2999		185	205		392		483	517	998																						
2979	3021	3021		185	213		399		483	637	1119																						
3032	3077	3077		185	220		409		483	710	1191																						
3061	3106	3106		185	249		435		483	715	1196																						

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable

MODEL NUMBER											
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 54 x 48 x 24"	GSHE24544824S									160.0#
	24 x 60 x 48 x 24"	GSHE24604824S									167.0#
	24 x 66 x 48 x 24"	GSHE24664824S									174.0#
	24 x 72 x 48 x 24"	GSHE24724824S									181.0#
	24 x 84 x 48 x 24"	GSHE24844824S									195.0#
	30 x 54 x 48 x 30"	GSHE30544830S									169.0#
GSHE	30 x 60 x 48 x 30"	GSHE30604830S									177.0#
Basic Square Shoe Electric Height	30 x 66 x 48 x 30"	GSHE30664830S									186.0#
Adjustable Single-Left	30 x 72 x 48 x 30"	GSHE30724830S									194.0#
Extended corner surface	30 x 84 x 48 x 30"	GSHE30844830S									210.0#
Three-legged table base											
Height adjusts from 24"-51"											
Standard or deluxe up/down switchAdjustable glides											
Worksurfaces are undersized by											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		Ø	B	0	Ð	3	•	Ө	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$112

DSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PIIN - No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; add \$218

Select modesty panel option. - No modesty panel LM - LH modesty only - RH modesty only RM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 3953	\$ 3999	\$ 3999	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
3956	4002	4002	205	185	392	517	483	998
4009	4056	4056	213	185	399	637	483	1119
4065	4108	4108	220	185	409	710	483	1191
4121	4165	4165	249	185	435	715	483	1196
3953	3999	3999	198	185	385	500	483	983
3956	4002	4002	205	185	392	517	483	998
4009	4056	4056	213	185	399	637	483	1119
4065	4108	4108	220	185	409	710	483	1191
4121	4165	4165	249	185	435	715	483	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable

MODEL NUMBER											
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 48 x 54 x 24"	GSHE24485424S									160.0#
	24 x 48 x 60 x 24"	GSHE24486024S									167.0#
	24 x 48 x 66 x 24"	GSHE24486624S									174.0#
U	24 x 48 x 72 x 24"	GSHE24487224S									181.0#
	24 x 48 x 84 x 24"	GSHE24488424S									195.0#
	30 x 48 x 54 x 30"	GSHE30485430S									169.0#
GSHE	30 x 48 x 60 x 30"	GSHE30486030S									177.0#
Basic Square Shoe Electric Height	30 x 48 x 66 x 30"	GSHE30486630S									186.0#
Adjustable Single-Right	30 x 48 x 72 x 30"	GSHE30487230S									194.0#
Extended corner surface	30 x 48 x 84 x 30"	GSHE30488430S									210.0#
 Three-legged table base 											
Height adjusts from 24"-51"											
Standard or deluxe up/down switchAdjustable glides											
 Worksurfaces are undersized by 											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		Ø	B	•	0	•	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$112

DSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PIIN - No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; add \$218

Select modesty panel option. - No modesty panel LM - LH modesty only - RH modesty only RM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

- GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 3953	\$ 3999	\$ 3999	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
3956	4002	4002	185	205	392	483	517	998
4009	4056	4056	185	213	399	483	637	1119
4065	4108	4108	185	220	409	483	710	1191
4121	4165	4165	185	249	435	483	715	1196
3953	3999	3999	185	198	385	483	500	983
3956	4002	4002	185	205	392	483	517	998
4009	4056	4056	185	213	399	483	637	1119
4065	4108	4108	185	220	409	483	710	1191
4121	4165	4165	185	249	435	483	715	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable Dual

									_		
		MODEL NUMBER	R								
											Approv
		Basic	Edge	Electrical	Module	Modestv	Wire	Base	Edge	Surface	Approx. Packaged
	DxLxWxD	Model	Style	Control	Location	Panel	Trough	Finish	Color	Finish	Weight
$\overline{}$	24 x 54 x 48 x 24"	GSHE24544824D									180.0#
	24 x 60 x 48 x 24"	GSHE24604824D									187.0#
	24 x 66 x 48 x 24"	GSHE24664824D									194.0#
	24 x 72 x 48 x 24"	GSHE24724824D									201.0#
	24 x 84 x 48 x 24"	GSHE24844824D									215.0#
	30 x 54 x 48 x 30"	GSHE30544830D									189.0#
GSHE	30 x 60 x 48 x 30"	GSHE30604830D									197.0#
Basic Square Shoe Electric Height	30 x 66 x 48 x 30"	GSHE30664830D									206.0#
Adjustable Dual-Left	30 x 72 x 48 x 30"	GSHE30724830D									214.0#
- · · · · ·	30 x 84 x 48 x 30"	GSHE30844830D									230.0#
Extended corner surfaceThree-legged table base											
Height adjusts from 24"-51"											
 Standard or deluxe up/down switch 											
Keyboard surface adjusts 5" above/ helevy primary surface.											
 below primary surface Keyboard surface tilts +/-15° 											
Adjustable glides											
Worksurfaces are undersized by											
1-1/4" from side-to-side and 1/2" from back-to-front from the stated											
dimensions											
 Wire trough and modesty panel 											
should not be ordered together on											
adjustable tables											
		A	B		0	A	a	e	O	0	ı
		4	U	Θ	U	(3	U	U	W	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select electric control style.

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

Select modesty panel option.

NM - No modesty panel

LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

- Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge
 style selections. The color selection will
 apply to the trim, edge, PowerUp module
 and crank grommet. Trim color doesn't

apply to the membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Electric Height Adjustable Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4862	\$ 4906	\$ 4906	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
4867	4908	4908	205	185	392	517	483	998
4920	4963	4963	213	185	399	637	483	1119
4974	5017	5017	220	185	409	710	483	1191
5060	5076	5076	249	185	435	715	483	1196
4862	4906	4906	198	185	385	500	483	983
4867	4908	4908	205	185	392	517	483	998
4920	4963	4963	213	185	399	637	483	1119
4974	5017	5017	220	185	409	710	483	1191
5060	5076	5076	249	185	435	715	483	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Square Shoe Electric Height Adjustable Dual

		MODEL NUMBER	3								
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 48 x 54 x 24"	GSHE24485424D									180.0#
	24 x 48 x 60 x 24"	GSHE24486024D									187.0#
	24 x 48 x 66 x 24"	GSHE24486624D									194.0#
	24 x 48 x 72 x 24"	GSHE24487224D									201.0#
	24 x 48 x 84 x 24"	GSHE24488424D									215.0#
	30 x 48 x 54 x 30"	GSHE30485430D									189.0#
GSHE	30 x 48 x 60 x 30"	GSHE30486030D									197.0#
Basic Square Shoe Electric Height	30 x 48 x 66 x 30"	GSHE30486630D									206.0#
Adjustable Dual-Right	30 x 48 x 72 x 30"	GSHE30487230D									214.0#
Extended corner surface	30 x 48 x 84 x 30"	GSHE30488430D									230.0#
Three-legged table base											
Height adjusts from 24"-51"											
Standard or deluxe up/down switch											
 Keyboard surface adjusts 5" above/ below primary surface 											
Keyboard surface tilts +/-15°											
 Adjustable glides 											
 Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" 											
from back-to-front from the stated											
dimensions											
Wire trough and modesty panel should not be ordered together on											
should not be ordered together on adjustable tables											
		Ø	B	•	0	(3	(3	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge MP - Membrane edge

Select electric control style.

- Standard up/down switch n - Deluxe up/down switch; add \$112

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; **PUB** add \$218

Select modesty panel option. - No modesty panel

LM - LH modesty only - RH modesty only RM - Both modesty panels Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

- Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Square Shoe Electric Height Adjustable Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4862	\$ 4906	\$ 4906	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
4867	4908	4908	185	205	392	483	517	998
4920	4963	4963	185	213	399	483	637	1119
4974	5017	5017	185	220	409	483	710	1191
5060	5076	5076	185	249	435	483	715	1196
4862	4906	4906	185	198	385	483	500	983
4867	5016	5016	185	205	392	483	517	998
4920	4963	4963	185	213	399	483	637	1119
4974	5017	5017	185	220	409	483	710	1191
5060	5076	5076	185	249	435	483	715	1196

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Fixed Height

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxLxWxD	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 54 x 48 x 30"	GSSH24544830S/F									
	24 x 60 x 48 x 30"	GSSH24604830S/F									
	24 x 66 x 48 x 30"	GSSH24664830S/F									
	24 x 72 x 48 x 30"	GSSH24724830S/F									
	24 x 84 x 48 x 30"	GSSH24844830S/F									
	30 x 54 x 48 x 24"	GSSH30544824S/F									
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/F									
Reduction Basic Square Shoe Fixed	30 x 66 x 48 x 24"	GSSH30664824S/F									
Height-Left	30 x 72 x 48 x 24"	GSSH30724824S/F									
Extended corner surface Three larged table base	30 x 84 x 48 x 24"	GSSH30844824S/F									
Three-legged table baseFixed height at 29"											
Adjustable glides											
OCR X OCL											
OCR-OCL											
OCR = Overhead right Och Overhead left											
 OCL = Overhead left 											
		A	B	Θ	O	(3	(3	Θ	0	0	•
		-	•	-	-	-	-		-		•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

00100111	louddly parior option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

• Select wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Square Shoe Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
130.0#	\$ 1471	\$ 1518	\$ 1518	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
136.0#	1474	1520	1520	205	185	392	517	483	998
143.0#	1509	1543	1543	213	185	399	637	483	1119
149.0#	1552	1594	1594	220	185	409	710	483	1191
162.0#	1622	1625	1625	249	185	435	715	483	1196
131.0#	1471	1518	1518	198	185	385	500	483	983
139.0#	1474	1520	1520	205	185	392	517	483	998
146.0#	1509	1543	1543	213	185	399	637	483	1119
154.0#	1552	1594	1594	220	185	409	710	483	1191
170.0#	1622	1625	1625	249	185	435	715	483	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



Basic Model: GSSH**30604824**S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Fixed Height

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxLxWxD	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 48 x 54 x 30"	GSSH24485430S/F									
	24 x 48 x 60 x 30"	GSSH24486030S/F									
	24 x 48 x 66 x 30"	GSSH24486630S/F									
	24 x 48 x 72 x 30"	GSSH24487230S/F									
	24 x 48 x 84 x 30"	GSSH24488430S/F									
	30 x 48 x 54 x 24"	GSSH30485424S/F									
GSSH	30 x 48 x 60 x 24"	GSSH30486024S/F									
Reduction Basic Square Shoe Fixed	30 x 48 x 66 x 24"	GSSH30486624S/F									
Height-Right	30 x 48 x 72 x 24"	GSSH30487224S/F									
 Extended corner surface Three-legged table base 	30 x 48 x 84 x 24"	GSSH30488424S/F									
Fixed height at 29"											
Adjustable glides											
OCR X OCL											
OCR-OCL											
 OCR = Overhead right 											
 OCL = Overhead left 											
		A	B	Θ	O	(3	(3)	G	(0	•
		\mathbf{w}	•	•	•	•	•	U	Ψ	U	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

Select	modesty panel option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty nanels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both
Add upcharge to unit price for "WL", "WR"

and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Fixed Height

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
131.0#	\$ 1471	\$ 1518	\$ 1518	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
139.0#	1474	1520	1520	185	205	392	483	517	998
146.0#	1509	1543	1543	185	213	399	483	637	1119
154.0#	1552	1594	1594	185	220	409	483	710	1191
170.0#	1622	1625	1625	185	249	435	483	715	1196
130.0#	1471	1518	1518	185	198	385	483	500	983
136.0#	1474	1520	1520	185	205	392	483	517	998
143.0#	1509	1543	1543	185	213	399	483	637	1119
149.0#	1552	1594	1594	185	220	409	483	710	1191
162.0#	1622	1625	1625	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Fixed Height Dual

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxLxWxD	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 54 x 48 x 30"	GSSH24544830D/F									
	24 x 60 x 48 x 30"	GSSH24604830D/F									
	24 x 66 x 48 x 30"	GSSH24664830D/F									
	24 x 72 x 48 x 30"	GSSH24724830D/F									
	24 x 84 x 48 x 30"	GSSH24844830D/F									
	30 x 54 x 48 x 24"	GSSH30544824D/F									
GSSH	30 x 60 x 48 x 24"	GSSH30604824D/F									
Reduction Basic Square Shoe Fixed	30 x 66 x 48 x 24"	GSSH30664824D/F									
Height Dual-Left	30 x 72 x 48 x 24"	GSSH30724824D/F									
- · · · · · · · · · · · · · · · · · · ·	30 x 84 x 48 x 24"	GSSH30844824D/F									
Extended corner surfaceThree-legged table base											
• Fixed height at 29"											
 Adjustable glides 											
Keyboard surface adjusts 5" above/											
 below primary surface Keyboard surface tilts +/-15° 											
								·			
OCR X OCL											
OCR-OCL											
• OCR = Overhead right											
OCL = Overhead left											
		A	B	•	0	(3	(3	G	0	0	0
		•	9	9	9	9	•	9	T)	3	9

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

© Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

	nodosty panoi option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough Both

Add uncharge to unit price for "WI " "WR"

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Oselect edge/PowerUp color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Fixed Height Dual

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
150.0#	\$ 2380	\$ 2426	\$ 2426	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
156.0#	2384	2429	2429	205	185	392	517	483	998
163.0#	2405	2450	2450	213	185	399	637	483	1119
169.0#	2460	2504	2504	220	185	409	710	483	1191
182.0#	2530	2534	2534	249	185	435	715	483	1196
151.0#	2380	2426	2426	198	185	385	500	483	983
159.0#	2384	2429	2429	205	185	392	517	483	998
166.0#	2405	2450	2450	213	185	399	637	483	1119
174.0#	2460	2504	2504	220	185	409	710	483	1191
190.0#	2530	2534	2534	249	185	435	715	483	1196


FINISH INFORMATION


Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Fixed Height Dual

		MODEL NUMBER									
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	D x L x W x D	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	24 x 48 x 54 x 30"	GSSH24485430D/F									
	24 x 48 x 60 x 30"	GSSH24486030D/F									
	24 x 48 x 66 x 30"	GSSH24486630D/F									
	24 x 48 x 72 x 30"	GSSH24487230D/F									
	24 x 48 x 84 x 30"	GSSH24488430D/F									
	30 x 48 x 54 x 24"	GSSH30485424D/F									
GSSH	30 x 48 x 60 x 24"	GSSH30486024D/F									
Reduction Basic Square Shoe Fixed	30 x 48 x 66 x 24"	GSSH30486624D/F									
Height Dual-Right	30 x 48 x 72 x 24"	GSSH30487224D/F									
	30 x 48 x 84 x 24"	GSSH30488424D/F									
 Extended corner surface Three-legged table base 											
Fixed height at 29"											
Adjustable glides											
Keyboard surface adjusts 5" above/ below primary surface											
Keyboard surface tilts +/-15°											
OCR X OCL											
OCR-OCL											
 OCR = Overhead right OCL = Overhead left 											
								_		_	
		A	$oldsymbol{\Theta}$	Θ	O	(3	•	G	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

ספופטנ וווטנ	lesty parier option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR"

and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Oselect edge/PowerUp color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Fixed Height Dual

	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
·	151.0#	\$ 2380	\$ 2426	\$ 2426	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
	159.0#	2384	2429	2429	185	205	392	483	517	998
	166.0#	2405	2450	2450	185	213	399	483	637	1119
	174.0#	2460	2504	2504	185	220	409	483	710	1191
	190.0#	2530	2534	2534	185	249	435	483	715	1196
	150.0#	2380	2426	2426	185	198	385	483	500	983
	156.0#	2384	2429	2429	185	205	392	483	517	998
	163.0#	2405	2450	2450	185	213	399	483	637	1119
	169.0#	2460	2504	2504	185	220	409	483	710	1191
	182.0#	2530	2534	2534	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Pin Height Adjustable

		MODEL NUMBER								
		MODEL NUMBER								
										Approx.
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	DxLxWxD	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 30"	GSSH24544830S/P								136.0#
	24 x 60 x 48 x 30"	GSSH24604830S/P								143.0#
	24 x 66 x 48 x 30"	GSSH24664830S/P								150.0#
	24 x 72 x 48 x 30"	GSSH24724830S/P								157.0#
	24 x 84 x 48 x 30"	GSSH24844830S/P								170.0#
	30 x 54 x 48 x 24"	GSSH30544824S/P								137.0#
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/P								145.0#
Reduction Square Shoe Pin Height	30 x 66 x 48 x 24"	GSSH30664824S/P								153.0#
Adjustable-Left	30 x 72 x 48 x 24"	GSSH30724824S/P								162.0#
Extended corner surface	30 x 84 x 48 x 24"	GSSH30844824S/P								178.0#
Three-legged table base										
 Height adjusts from 24"-31" in 1" increments 										
Adjustable glides										
Wire trough and modesty panel										
should not be ordered together on										
adjustable tables										
	24 x 48 x 54 x 30"	GSSH24485430S/P								137.0#
	24 x 48 x 60 x 30"	GSSH24486030S/P								145.0#
	24 x 48 x 66 x 30"	GSSH24486630S/P								153.0#
	24 x 48 x 72 x 30"	GSSH24487230S/P								162.0#
	24 x 48 x 84 x 30"	GSSH24488430S/P								178.0#
	30 x 48 x 54 x 24"	GSSH30485424S/P								136.0#
GSSH	30 x 48 x 60 x 24"	GSSH30486024S/P								143.0#
Reduction Square Shoe Pin Height	30 x 48 x 66 x 24"	GSSH30486624S/P								150.0#
Adjustable-Right	30 x 48 x 72 x 24"	GSSH30487224S/P								157.0#
Extended corner surface	30 x 48 x 84 x 24"	GSSH30488424S/P								170.0#
Three-legged table base										
Height adjusts from 24"-31" in 1"										
incrementsAdjustable glides										
Mujustable glides Wire trough and modesty panel										
should not be ordered together on										
adjustable tables										
		A	B	O	0	•	•	О	0	1
		w	U	G	U	G	U	U	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

Select modesty panel option

OCICUL III	ouesty parier option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Pin Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 1677	\$ 1723	\$ 1723	\$ 19	8 \$ 185	\$ 385	\$ 500	\$ 483	\$ 983
1681	1725	1725	20	5 185	392	517	483	998
1703	1749	1749	21	3 185	399	637	483	1119
1775	1818	1818	22	0 185	409	710	483	1191
1800	1846	1846	24	9 185	435	715	483	1196
1677	1723	1723	19	8 185	385	500	483	983
1681	1725	1725	20	5 185	392	517	483	998
1703	1749	1749	21	3 185	399	637	483	1119
1775	1818	1818	22	0 185	409	710	483	1191
1800	1846	1846	24	9 185	435	715	483	1196

, i	\$ 1677	\$ 1723	\$ 1723	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
	1681	1725	1725	185	205	392	483	517	998
	1703	1749	1749	185	213	399	483	637	1119
	1775	1818	1818	185	220	409	483	710	1191
	1800	1846	1846	185	249	435	483	715	1196
	1677	1723	1723	185	198	385	483	500	983
	1681	1725	1725	185	205	392	483	517	998
	1703	1749	1749	185	213	399	483	637	1119
	1775	1818	1818	185	220	409	483	710	1191
	1800	1846	1846	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



GSSH24486030S/F



Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Crank Height Adjustable

		MODEL NUMBER								
										Approx
		Basic	Edge	Module	Modestv	Wire	Base	Edge	Surface	Approx. Packaged
	D x L x W x D	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 30"	GSSH24544830S/CR								143.0#
	24 x 60 x 48 x 30"	GSSH24604830S/CR								150.0#
•	24 x 66 x 48 x 30"	GSSH24664830S/CR								157.0#
	24 x 72 x 48 x 30"	GSSH24724830S/CR								165.0#
	24 x 84 x 48 x 30"	GSSH24844830S/CR								179.0#
	30 x 54 x 48 x 24"	GSSH30544824S/CR								146.0#
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/CR								155.0#
Reduction Basic Square Shoe Crank	30 x 66 x 48 x 24"	GSSH30664824S/CR								163.0#
Height Adjustable-Left	30 x 72 x 48 x 24"	GSSH30724824S/CR								172.0#
Extended corner surface	30 x 84 x 48 x 24"	GSSH30844824S/CR								189.0#
Three-legged table base										
 Height adjusts from 22"-33" 										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
Wire trough and modesty panel										
should not be ordered together on adjustable tables										
	24 x 48 x 54 x 30"	GSSH24485430S/CR								144.0#
	24 x 48 x 60 x 30"	GSSH24486030S/CR								153.0#
	24 x 48 x 66 x 30"	GSSH24486630S/CR								161.0#
	24 x 48 x 72 x 30"	GSSH24487230S/CR								170.0#
	24 x 48 x 84 x 30"	GSSH24488430S/CR								187.0#
	30 x 48 x 54 x 24"	GSSH30485424S/CR								145.0#
GSSH	30 x 48 x 60 x 24"	GSSH30486024S/CR								152.0#
Reduction Basic Square Shoe Crank	30 x 48 x 66 x 24"	GSSH30486624S/CR								159.0#
Height Adjustable-Right	30 x 48 x 72 x 24"	GSSH30487224S/CR								167.0#
Extended corner surface	30 x 48 x 84 x 24"	GSSH30488424S/CR								181.0#
Three-legged table base										
Height adjusts from 22"-33"										
Adjustable glidesWorksurfaces are undersized by 1/4"										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
,										
		A	B	•	O	(3	G	Θ	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

Select modesty panel option

Select n	nodesty panel option.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WIVI	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Square Shoe Crank Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2046	\$ 2087	\$ 2087	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
2049	2090	2090	205	185	392	517	483	998
2078	2114	2114	213	185	399	637	483	1119
2124	2167	2167	220	185	409	710	483	1191
2154	2199	2199	249	185	435	715	483	1196
2046	2087	2087	198	185	385	500	483	983
2049	2090	2090	205	185	392	517	483	998
2078	2114	2114	213	185	399	637	483	1119
2124	2167	2167	220	185	409	710	483	1191
2154	2199	2199	249	185	435	715	483	1196

\$ 2046 \$	2087 \$	2087	\$ 185 \$	198	\$ 385	\$ 4	183 \$	500	\$ 983
2049	2090	2090	185	205	392	4	183	517	998
2078	2114	2114	185	213	399	4	183	637	1119
2124	2167	2167	185	220	409	4	183	710	1191
2154	2199	2199	185	249	435	4	183	715	1196
2046	2087	2087	185	198	385	4	183	500	983
2049	2090	2090	185	205	392	4	183	517	998
2078	2114	2114	185	213	399	4	183	637	1119
2124	2167	2167	185	220	409	4	183	710	1191
2154	2199	2199	185	249	435	4	183	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



Basic Model: GSSH**30604824**S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Crank Height Dual

MODEL NUMBER										
										Approx.
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	D x L x W x D	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 30"	GSSH24544830D/CR								163.0#
	24 x 60 x 48 x 30"	GSSH24604830D/CR								170.0#
*	24 x 66 x 48 x 30"	GSSH24664830D/CR								177.0#
	24 x 72 x 48 x 30"	GSSH24724830D/CR								185.0#
	24 x 84 x 48 x 30"	GSSH24844830D/CR								199.0#
	30 x 54 x 48 x 24"	GSSH30544824D/CR								166.0#
GSSH	30 x 60 x 48 x 24"	GSSH30604824D/CR								175.0#
Reduction Basic Square Shoe Crank	30 x 66 x 48 x 24"	GSSH30664824D/CR								183.0#
Height Dual-Left	30 x 72 x 48 x 24"	GSSH30724824D/CR								192.0#
	30 x 84 x 48 x 24"	GSSH30844824D/CR								209.0#
Extended corner surface										
 Three-legged table base Height adjusts from 22"-33" 										
Adjustable glides										
 Keyboard surface adjusts 5" above/ 										
below primary surface										
 Keyboard surface tilts +/-15° Worksurfaces are undersized by 1/4" 										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
,										
		A	B	•	0	•	a	(A)	0	
		•	9	9	9	3	•	9	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P	- 74P edge
KN	- Knife edge
MP	- Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
21C2 hhc	

DSelect modesty panel option

	t modesty paner opiiom
N	- No modesty panel
Ī	- LH modesty only
F	- RH modesty only
V	 Both modesty panels
Ad	upcharge to unit price for "LM". "RM"

Add upcharge to unit price for "LM", "RM" and "WM" options.

Relact wire trough and nower ontions

	e trough and power options.
NW	- No wire trough
WL	- Wire trough LH only
WR	- Wire trough RH only
WW	- Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" option.

- Select base finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Crank Height Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2954	\$ 2997	\$ 2997	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
2958	2999	2999	205	185	392	517	483	998
2979	3021	3021	213	185	399	637	483	1119
3032	3077	3077	220	185	409	710	483	1191
3061	3106	3106	249	185	435	715	483	1196
2954	2997	2997	198	185	385	500	483	983
2958	2999	2999	205	185	392	517	483	998
2979	3021	3021	213	185	399	637	483	1119
3032	3077	3077	220	185	409	710	483	1191
3061	3106	3106	249	185	435	715	483	1196


FINISH INFORMATION


Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.





Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Crank Height Dual

										Approx.
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	DxLxWxD	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 48 x 54 x 30"	GSSH24485430D/CR								164.0#
	24 x 48 x 60 x 30"	GSSH24486030D/CR								173.0#
90	24 x 48 x 66 x 30"	GSSH24486630D/CR								181.0#
	24 x 48 x 72 x 30"	GSSH24487230D/CR								190.0#
	24 x 48 x 84 x 30"	GSSH24488430D/CR								207.0#
	30 x 48 x 54 x 24"	GSSH30485424D/CR								165.0#
GSSH	30 x 48 x 60 x 24"	GSSH30486024D/CR								172.0#
Reduction Basic Square Shoe Crank	30 x 48 x 66 x 24"	GSSH30486624D/CR								179.0#
Height Dual-Right	30 x 48 x 72 x 24"	GSSH30487224D/CR								187.0#
	30 x 48 x 84 x 24"	GSSH30488424D/CR								201.0#
Extended corner surface										
 Three-legged table base Height adjusts from 22"-33" 										
Adjustable glides										
 Keyboard surface adjusts 5" above/ 										
below primary surface										
 Keyboard surface tilts +/-15° Worksurfaces are undersized by 1/4" 										
from side-to-side and 1/4" from back-										
to-front from the stated dimensions										
 Wire trough and modesty panel should not be ordered together on 										
adjustable tables										
aajastasts tastist										
		A	B	0	0	a	(a)	(A)	0	
		w	U	G	U	G	U	U	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel option

	esty panei option.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power options.

elect wire trough and power options.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" option.

Select base finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge/PowerUp color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge, PowerUp module
and crank grommet. Trim color doesn't
apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Crank Height Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 2954	\$ 2997	\$ 2997	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
2958	2999	2999	185	205	392	483	517	998
2979	3021	3021	185	213	399	483	637	1119
3032	3077	3077	185	220	409	483	710	1191
3061	3106	3106	185	249	435	483	715	1196
2954	2997	2997	185	198	385	483	500	983
2958	2999	2999	185	205	392	483	517	998
2979	3021	3021	185	213	399	483	637	1119
3032	3077	3077	185	220	409	483	710	1191
3061	3106	3106	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Reduction Square Shoe Electric Height Adjustable

MODEL NUMBER											
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 54 x 48 x 30"	GSHE24544830S									164.0#
	24 x 60 x 48 x 30"	GSHE24604830S									171.0#
	24 x 66 x 48 x 30"	GSHE24664830S									178.0#
	24 x 72 x 48 x 30"	GSHE24724830S									185.0#
	24 x 84 x 48 x 30"	GSHE24844830S									199.0#
	30 x 54 x 48 x 24"	GSHE30544824S									166.0#
GSHE	30 x 60 x 48 x 24"	GSHE30604824S									174.0#
Reduction Basic Square Shoe Electric	30 x 66 x 48 x 24"	GSHE30664824S									182.0#
Height Adjustable Single-Left	30 x 72 x 48 x 24"	GSHE30724824S									190.0#
Extended corner surface	30 x 84 x 48 x 24"	GSHE30844824S									206.0#
 Three-legged table base 											
Height adjusts from 24"-51" Other dead and allowed and (decomposition).											
Standard or deluxe up/down switchAdjustable glides											
Worksurfaces are undersized by											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		•	B	0	0	3	G	Ф	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select e	uge style.	
74P	- 74P edge	
KN	- Knife edge	
MP	- Membrane edge	

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$112

DSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
add \$218	}

• Select modesty panel option. - No modesty panel

LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough

- Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Square Shoe Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to lis price		RH Modesty Panel add to list price	Both Modest Panels add to l price	,	Left Wire Trough add to price		Right Wire Trough add to list price		Both Wire Trough add to price	
\$ 3953	\$ 3999	\$ 3999	\$ 1	98	\$ 185	\$	385	\$	500	\$ 48	3	\$	983
3956	4002	4002	2	205	185		392		517	48	3		998
4009	4056	4056	2	13	185		399		637	48	3		1119
4065	4108	4108	2	20	185		409		710	48	3		1191
4121	4165	4165	2	49	185		435		715	48	3		1196
3953	3999	3999	1	98	185		385		500	48	3		983
3956	4002	4002	2	205	185		392		517	48	3		998
4009	4056	4056	2	13	185		399		637	48	3		1119
4065	4108	4108	2	20	185		409		710	48	3		1191
4121	4165	4165	2	49	185		435		715	48	3		1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



Basic Model: GSSH**30604824**S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Electric Height Adjustable

		MODEL NUMBE	R								
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	24 x 48 x 54 x 30"	GSHE24485430S									166.0#
	24 x 48 x 60 x 30"	GSHE24486030S									174.0#
	24 x 48 x 66 x 30"	GSHE24486630S									182.0#
	24 x 48 x 72 x 30"	GSHE24487230S									190.0#
	24 x 48 x 84 x 30"	GSHE24488430S									206.0#
	30 x 48 x 54 x 24"	GSHE30485424S									164.0#
GSHE	30 x 48 x 60 x 24"	GSHE30486024S									171.0#
Reduction Basic Square Shoe Electric	30 x 48 x 66 x 24"	GSHE30486624S									178.0#
Height Adjustable Single-Right	30 x 48 x 72 x 24"	GSHE30487224S									185.0#
Extended corner surface	30 x 48 x 84 x 24"	GSHE30488424S									199.0#
 Three-legged table base 											
Height adjusts from 24"-51"											
Standard or deluxe up/down switchAdjustable glides											
Worksurfaces are undersized by											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		A	B	•	0	(3	(3	О	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select electric control style.

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

Select modesty panel option.

NM - No modesty panel

LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels

Add upcharge to unit price for "LM", "RM"

and "WM" options.

Select wire trough and power option.

NW - No wire trough

NW - No wire trough
WL - Wire trough LH only
WR - Wire trough RH only
WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge
 style selections. The color selection will
 apply to the trim, edge, PowerUp module
 and crank grommet. Trim color doesn't

apply to the membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Reduction Square Shoe Electric Height Adjustable

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 3953	\$ 3999	\$ 3999	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
3956	4002	4002	185	205	392	483	517	998
4009	4056	4056	185	213	399	483	637	1119
4065	4108	4108	185	220	409	483	710	1191
4121	4165	4165	185	249	435	483	715	1196
3953	3999	3999	185	198	385	483	500	983
3956	4002	4002	185	205	392	483	517	998
4009	4056	4056	185	213	399	483	637	1119
4065	4108	4108	185	220	409	483	710	1191
4121	4165	4165	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH**24486030**S/F



Basic Model: GSSH**30604824**S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Electric Height Adjustable Dual

		_									
		MODEL NUMBER	}								
											Approx.
		Basic	Edge	Electrical	Module	Modesty	Wire	Base	Edge	Surface	Packaged
	DxLxWxD	Model	Style	Control	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 54 x 48 x 30"	GSHE24544830D									184.0#
	24 x 60 x 48 x 30"	GSHE24604830D									191.0#
	24 x 66 x 48 x 30"	GSHE24664830D									198.0#
U	24 x 72 x 48 x 30"	GSHE24724830D									205.0#
	24 x 84 x 48 x 30"	GSHE24844830D									219.0#
	30 x 54 x 48 x 24"	GSHE30544824D									186.0#
GSHE	30 x 60 x 48 x 24"	GSHE30604824D									194.0#
Reduction Basic Square Shoe Electric Height Adjustable Dual-Left	30 x 66 x 48 x 24"	GSHE30664824D									202.0#
	30 x 72 x 48 x 24"	GSHE30724824D									210.0#
5	30 x 84 x 48 x 24"	GSHE30844824D									226.0#
Extended corner surfaceThree-legged table base											
Height adjusts from 24"-51"											
 Standard or deluxe up/down switch 											
Keyboard surface adjusts 5" above/											
 below primary surface Keyboard surface tilts +/-15° 											
Adjustable glides											
 Worksurfaces are undersized by 											
1-1/4" from side-to-side and 1/2"											
from back-to-front from the stated dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
			_							_	
		A	B	Θ	O	(3	(3)	Θ	(1)	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$112

DSelect PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PIIN - No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; add \$218

Select modesty panel option. - No modesty panel LM - LH modesty only - RH modesty only RM - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only WI WR - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

GSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge/PowerUp color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Electric Height Adjustable Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4862	\$ 4906	\$ 4906	\$ 198	\$ 185	\$ 385	\$ 500	\$ 483	\$ 983
4867	4908	4908	205	185	392	517	483	998
4920	4963	4963	213	185	399	637	483	1119
4974	5017	5017	220	185	409	710	483	1191
5060	5076	5076	249	185	435	715	483	1196
4862	4906	4906	198	185	385	500	483	983
4867	4908	4908	205	185	392	517	483	998
4920	4963	4963	213	185	399	637	483	1119
4974	5017	5017	220	185	409	710	483	1191
5060	5076	5076	249	185	435	715	483	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Reduction Square Shoe Electric Height Adjustable Dual

		MODEL MUMBER									
		MODEL NUMBER	1		I	I		ı			
											Approx.
	DxLxWxD	Basic	Edge	Electrical	Module	Modesty	Wire	Base	Edge	Surface	Packaged
		Model	Style	Control	Location	Panel	Trough	Finish	Color	Finish	Weight
	24 x 48 x 54 x 30"	GSHE24485430D									186.0#
	24 x 48 x 60 x 30"	GSHE24486030D									194.0#
	24 x 48 x 66 x 30"	GSHE24486630D									202.0#
	24 x 48 x 72 x 30"	GSHE24487230D									210.0#
	24 x 48 x 84 x 30"	GSHE24488430D									226.0#
	30 x 48 x 54 x 24"	GSHE30485424D									184.0#
GSHE	30 x 48 x 60 x 24"	GSHE30486024D									191.0#
Reduction Basic Square Shoe Electric Height Adjustable Dual-Right	30 x 48 x 66 x 24"	GSHE30486624D									198.0#
	30 x 48 x 72 x 24"	GSHE30487224D									205.0#
Extended corner surface	30 x 48 x 84 x 24"	GSHE30488424D									219.0#
Three-legged table base											
Height adjusts from 24"-51"											
 Standard or deluxe up/down switch 											
 Keyboard surface adjusts 5" above/ 											
below primary surfaceKeyboard surface tilts +/-15°											
Adjustable glides											
 Worksurfaces are undersized by 											
1-1/4" from side-to-side and 1/2" from back-to-front from the stated											
dimensions											
Wire trough and modesty panel											
should not be ordered together on											
adjustable tables											
		•	•	•	•	-	-	•	Φ	•	
		A	$oldsymbol{\Theta}$	•	0	(3	•	Ѳ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Colort adap atula

Select 6	uge style.	
74P	- 74P edge	
KN	- Knife edge	
MP	- Membrane edge	

Select electric control style.

S	- Standard up/down switch
D	- Deluxe up/down switch; add
\$112	

• Select PowerUp module location.

Select only one from the following and add the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUB	- Both left and right modules;
add \$218	

Select modesty panel option.

NM - No modesty panel

LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels
Add upch	narge to unit price for "LM", "RM"

and "WM" options.

Select wire trough and power option.

NW - No wire trough

WL - Wire trough LH only

WR - Wire trough RH only

WW - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" option.

- Gelect base finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select edge/PowerUp color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't

apply to the membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.



Genesis® Worksurfaces Reduction Square Shoe Electric Height Adjustable Dual

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Left Wire Trough add to list price	Right Wire Trough add to list price	Both Wire Troughs add to list price
\$ 4862	\$ 4906	\$ 4906	\$ 185	\$ 198	\$ 385	\$ 483	\$ 500	\$ 983
4867	4908	4908	185	205	392	483	517	998
4920	4963	4963	185	213	399	483	637	1119
4974	5017	5017	185	220	409	483	710	1191
5060	5076	5076	185	249	435	483	715	1196
4862	4906	4906	185	198	385	483	500	983
4867	5016	5016	185	205	392	483	517	998
4920	4963	4963	185	213	399	483	637	1119
4974	5017	5017	185	220	409	483	710	1191
5060	5076	5076	185	249	435	483	715	1196


FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Basic Model: GSSH24486030S/F



Basic Model: GSSH30604824S/F

INFORMATION

Options are always specified left to right from the seated position

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

"P" Shaped Peninsula

		MODEL NUMBE	R								
		Basic	Edge	Module	Modesty	Wire	Overhead	Trans.	Base	Edge	Surface
	DxWxL	Model	Style	Location	Panel	Trough	Grommet	Legs	Finish	Color	Finish
	60 x 48 x 24"	GSTP604824S/F									
	66 x 48 x 24"	GSTP664824S/F									
	72 x 48 x 24"	GSTP724824S/F									
	84 x 48 x 24"	GSTP844824S/F									
	60 x 48 x 30"	GSTP604830S/F									
GSTP	66 x 48 x 30"	GSTP664830S/F									
Fixed Height-Left	72 x 48 x 30"	GSTP724830S/F									
Tixou Horgin Lott	84 x 48 x 30"	GSTP844830S/F									
Corner surface with conferencing end		4011 0440000/1									
Fixed height at 29"											
Adjustable glides											
	24 x 48 x 60"	GSTP244860S/F									
	24 x 48 x 66"	GSTP244866S/F									
	24 x 48 x 72"	GSTP244872S/F									
	24 x 48 x 84"	GSTP244884S/F									
	30 x 48 x 60"	GSTP304860S/F									
GSTP	30 x 48 x 66"	GSTP304866S/F									
Fixed Height-Right	30 x 48 x 72"	GSTP304872S/F									
i ivon iigidiii-iiidiii	30 x 48 x 84"	GSTP3048723/F									
Corner surface with conferencing end		4011 0040040/1									
Fixed height at 29"											
 Adjustable glides 											
							_				
		A	₿	$oldsymbol{\Theta}$	O	(3)	(3)	O	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge 74P - Knife edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

> - No data **PUL** Left module; add \$108 PUR - Right module; add \$108 - Both left and right modules; add \$218

• Select modesty panel options.

NM - No modesty panel LM - LH modesty only RM - RH modesty only - Both modesty panels

Add upcharge to unit price for "LM", "RM" and "WM" option.

Select wire trough and power option.

- No wire trough - Wire trough

Add upcharge to unit price for "WW" option.

Select overhead grommet.

- Overhead grommets no OGY - Overhead grommets yes OGY not available for 24" deep dual rectangles wider then 60".

GSelect transition legs.

- No transition foot TS TL Left transition foot Right transition foot - Both transition feet

TR, TL and TB not allowed on 24" deep dual surfaces.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.



Genesis® Worksurfaces "P" Shaped Peninsula

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	LH Modesty Panel add to list price	RH Modesty Panel add to list price	Both Modesty Panels add to list price	Wire Trough add to list price
131.0#	\$ 1749	\$ 1891	\$ 190	\$ 141	\$ 330	\$ 473
139.0#	1816	1984	198	141	340	473
147.0#	1824	2017	205	141	346	473
155.0#	1895	2040	213	141	353	473
139.0#	1749	1891	190	141	330	473
147.0#	1816	1984	198	141	340	473
155.0#	1824	2017	205	141	346	473
162.0#	1895	2040	213	141	353	473
131.0#	\$ 1749	\$ 1891	\$ 141	\$ 190	\$ 330	\$ 473
139.0#	1816	1984	141		340	473
147.0#	1824	2017	141	205	346	473
155.0#	1895	2040	141	213	353	473
139.0#	1749	1891	141	190	330	473
147.0#	1816	1984	141	198	340	473
155.0#	1824	2017	141	205	346	473
162.0#	1895	2040	141	213	353	473

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

"P" Shaped Peninsula

			MODEL NUMBE	R						
	MODEL	D x W x L	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish
	Pin Height Adjustable-Left	60 x 48 x 24"	GSTP604824S/P							
•	 Corner surface with conferencing end Height adjusts from 24"-31" in 1" incre- 	66 x 48 x 24"	GSTP664824S/P							
	ments	72 x 48 x 24"	GSTP724824S/P							
	 Adjustable glides 	84 x 48 x 24"	GSTP844824S/P							
ų /	 Wire trough and modesty panel should not be ordered together on adjustable tables 	60 x 48 x 30"	GSTP604830S/P							
GSTP		66 x 48 x 30"	GSTP664830S/P							
		72 x 48 x 30"	GSTP724830S/P							
		84 x 48 x 30"	GSTP844830S/P							
	Pin Height Adjustable-Right	24 x 48 x 60"	GSTP244860S/P							
<i>(a)</i>	Corner surface with conferencing end Height adjusts from 24" 24" in 1" incre	24 x 48 x 66"	GSTP244866S/P							
	 Height adjusts from 24"-31" in 1" increments 	24 x 48 x 72"	GSTP244872S/P							
	 Adjustable glides 	24 x 48 x 84"	GSTP244884S/P							
» U	Wire trough and modesty panel should	30 x 48 x 60"	GSTP304860S/P							
GSTP	not be ordered together on adjustable tables	30 x 48 x 66"	GSTP304866S/P							
	tabics	30 x 48 x 72"	GSTP304872S/P							
		30 x 48 x 84"	GSTP304884S/P							
			A	ß	©	O	3	•	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge

© Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel

JOICOL III	odosty parior.	
NM	- No modesty panel	
LM	- LH modesty only	
RM	- RH modesty only	
WM	- Both modesty panels	

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough
WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.



Genesis® Worksurfaces "P" Shaped Peninsula

Approx. Packaged	74P Edge	Knife Edge	LH Modesty Panel add to list	RH Modesty Panel add to list	Both Modesty Panels add to list	Wire Trough add to list
Weight	(74P)	(KN)	price	price	price	price
135.0#	\$ 1970	\$ 2112	\$ 190	\$ 141	\$ 330	\$ 473
143.0#	2039	2203	198	3 141	340	473
151.0#	2045	2237	209	5 141	346	473
159.0#	2115	2260	21:	3 141	353	473
143.0#	1970	2112	190	141	330	473
151.0#	2039	2203	198	3 141	340	473
159.0#	2045	2237	209	5 141	346	473
166.0#	2115	2260	21:	3 141	353	473
135.0#	\$ 1970	\$ 2112	\$ 14	l \$ 190	\$ 330	\$ 473
143.0#	2039	2203	14	198	340	473
151.0#	2045	2237	14	205	346	473
159.0#	2115	2260	14	213	353	473
143.0#	1970	2112	14	190	330	473
151.0#	2039	2203	14	198	340	473
159.0#	2045	2237	14	205	346	473
166.0#	2115	2260	14	213	353	473

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

N/C

Arcade Peninsula

		MODEL NUMBE	R								
	DxWxL	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Edge Color	Surface Finish
^	60 x 48 x 24"	GSAP604824S/F									
	66 x 48 x 24"	GSAP664824S/F									
	72 x 48 x 24"	GSAP724824S/F									
	84 x 48 x 24"	GSAP844824S/F									
U /	60 x 48 x 30"	GSAP604830S/F									
GSAP	66 x 48 x 30"	GSAP664830S/F									
Fixed Height-Left	72 x 48 x 30"	GSAP724830S/F									
	84 x 48 x 30"	GSAP844830S/F									
 Corner surface with conferencing end Fixed height at 29" Adjustable glides 											
	24 x 48 x 60"	GSAP244860S/F									
	24 x 48 x 66"	GSAP244866S/F									
	24 x 48 x 72"	GSAP244872S/F									
	24 x 48 x 84"	GSAP244884S/F									
	30 x 48 x 60"	GSAP304860S/F									
GSAP	30 x 48 x 66"	GSAP304866S/F									
Fixed Height-Right	30 x 48 x 72"	GSAP304872S/F									
	30 x 48 x 84"	GSAP304884S/F									
 Corner surface with conferencing end Fixed height at 29" Adjustable glides 											
		Ø	B	0	0	(3	•	G	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

• Select modesty panel.

NM - No modesty panel
LM - LH modesty only
RM - RH modesty only
WM - Both modesty panels
Add upcharge to unit price for "LM", "RM"
and "WM" options.

• Select wire trough and power option.

NW - No wire trough
WW - Wire trough

Add upcharge to unit price for "WW" option.

Select overhead grommet.

OGN - Overhead grommets no
OGY - Overhead grommets yes

GSelect transition legs.

TS - No transition foot
TL - Left transition foot
TR - Right transition foot
TB - Both transition feet

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge

style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.



Arcade Peninsula

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	J	LH Modes Panel add to price	list	RH Modes Panel add to price	list	Both Modest Panels add to l price	list	Wire Trough add to price	list
127.0#	\$ 1618	\$ 1691	\$ 1691		\$	205	\$	185	\$	392	\$	473
135.0#	1684	1782	1782			213		185		399		473
143.0#	1691	1818	1818			220		185		409		473
151.0#	1763	1842	1842			249		185		435		473
135.0#	1618	1691	1691			205		185		392		473
143.0#	1684	1782	1782			213		185		399		473
151.0#	1691	1818	1818			220		185		409		473
158.0#	1763	1842	1842			249		185		435		473
127.0#	\$ 1618	\$ 1691	\$ 1691		\$	185	\$	205	\$	392	\$	473
135.0#	1684	1782	1782		Ψ	185	Ψ	213	Ψ	399	Ψ	473
143.0#	1691	1818	1818			185		220		409		473
151.0#	1763	1842	1842			141		213		353		473
135.0#	1618	1691	1691			185		205		392		473
143.0#	1684	1782	1782			185		213		399		473
151.0#	1691	1818	1818			185		220		409		473
151.0#	1763	1842	1842			185		249		435		473
100.0#	1703	1042	1042			100		249		400		413

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Arcade Peninsula

			MODEL NUMBE	R							
			Basic	Edge	Module	Modestv	Wire	Base	Edge	Surface	
	MODEL	DxWxL	Model	Style	Location	Panel	Trough	Finish	Color	Finish	
	Pin Height Adjustable-Left	60 x 48 x 24"	GSAP604824S/P								
•	Corner surface with conferencing end	66 x 48 x 24"	GSAP664824S/P								
	 Height adjusts from 24"-31" in 1" increments 	72 x 48 x 24"	GSAP724824S/P								
	Adjustable glides	84 x 48 x 24"	GSAP844824S/P								
	Wire trough and modesty panel should	60 x 48 x 30"	GSAP604830S/P								
GSAP	not be ordered together on adjustable tables	66 x 48 x 30"	GSAP664830S/P								
	tautes	72 x 48 x 30"	GSAP724830S/P								
		84 x 48 x 30"	GSAP844830S/P								
	Pin Height Adjustable-Right	24 x 48 x 60"	GSAP244860S/P								
A	 Corner surface with conferencing end 	24 x 48 x 66"	GSAP244866S/P								
	 Height adjusts from 24"-31" in 1" increments 	24 x 48 x 72"	GSAP244872S/P								
I.	Adjustable glides	24 x 48 x 84"	GSAP244884S/P								
	 Wire trough and modesty panel should 	30 x 48 x 60"	GSAP304860S/P								
GSAP	not be ordered together on adjustable tables	30 x 48 x 66"	GSAP304866S/P								
	เฉมเธอ	30 x 48 x 72"	GSAP304872S/P								
		30 x 48 x 84"	GSAP304884S/P								
				B	O	0	B	a	G	0	
			•	U	G	U	J	J	G	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge MP - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- No data - Left module; add \$108 PUL - Right module; add \$108 - Both left and right modules; add \$218

DSelect modesty panel.

NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels
Add unch	arge to unit price for "I M" "RM"

and "WM" options.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.



Genesis® Worksurfaces

Arcade Peninsula

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	LH Modesty Panel add to list price	RH Modest Panel add to l price	-	Both Modesty Panels add to list price	Wire Trough add to lis	st
131.0#	\$ 1839	\$ 1910	\$ 1910	\$ 205	•	185	\$ 392	•	173
139.0#	1904	2005	2005	213		185	399		173
147.0#	1909	2040	2040	220		185	409	4	173
155.0#	1984	2060	2060	249		185	435	2	173
139.0#	1839	1910	1910	205		185	392	4	173
147.0#	1904	2005	2005	213		185	399	4	173
155.0#	1909	2040	2040	220		185	409	4	173
162.0#	1984	2060	2060	249		185	435	4	173
131.0#	\$ 1839	\$ 1910	\$ 1910	\$ 185	\$	205	\$ 392	\$ 4	173
139.0#	1904	2005	2005	185		213	399	4	173
147.0#	1909	2040	2040	185		220	409	4	173
155.0#	1984	2060	2060	185		249	435	4	173
139.0#	1839	1910	1910	185		205	392	4	173
147.0#	1904	2005	2005	185		213	399	2	173
155.0#	1909	2040	2040	185		220	409	4	173
162.0#	1984	2060	2060	185		249	435	4	173

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Genesis® Worksurfaces

Two-Legged Corner

			MODEL NUMI	BER						
	MODEL	WxH	Basic Model	Edge Style	Module Location	Modesty Panel	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	Fixed Height	24 x 42"	GC2C2442S/F							278.0#
	Corner surface Fixed beight at 20"	24 x 48"	GC2C2448S/F							290.0#
	Fixed height at 29"Adjustable glides	24 x 54"	GC2C2454S/F							304.0#
	For cross-brace specify GXBRxx (for rectangles)	30 x 42"	GC2C3042S/F							278.0#
		30 x 48"	GC2C3048S/F							290.0#
C2C		30 x 54"	GC2C3054S/F							304.0#
	Fixed Height Dual	30 x 48"	GC2C3048D/F		PUN					290.0#
	Corner surfaceFixed height at 29"	30 x 54"	GC2C3054D/F		PUN					304.0#
	Adjustable glides									
	 Keyboard surface adjusts 5" above/below 									
	primary surface.									
2C	 Keyboard surface tilts +/- 15° For cross-brace specify GXBRxx (for 									
	rectangles)									
	- ,									
			A	B	0	O	3	(3	Ө	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add
the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

• Select modesty panel.

NM - No modesty panel
WM - With modesty panel
Add upcharge to unit price for "WM"
option.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Genesis® Worksurfaces Two-Legged Corner

74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Modesty Panel add to list price
\$ 1035	\$ 1160	\$ 1160	\$ 353
1102	1229	1229	369
1250	1343	1343	387
1077	1210	1210	353
1148	1278	1278	369
1290	1343	1343	387
\$ 2011	\$ 2185	\$ 2185	\$ 369
2162	2253	2253	387

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.

Genesis® Worksurfaces

Two-Legged Corner

			MODEL NUMBI	ER						
	MODEL	WxH	Basic Model	Edge Style	Module Location	Modesty Panel	Base Finish	Edge Color	Surface Finish	Approx. Packaged Weight
	Pin Height Adjustable	24 x 42"	GC2C2442S/P							76.0#
	 Corner surface with conferencing end 	24 x 48"	GC2C2448S/P							97.0#
	Height adjusts from 24"-31" in 1" incre-	24 x 54"	GC2C2454S/P							120.0#
	ments • Adjustable glides	30 x 42"	GC2C3042S/P							81.0#
	 Wire trough and modesty panel should 	30 x 48"	GC2C3048S/P							102.0#
GC2C	not be ordered together on adjustable	30 x 54"	GC2C3054S/P							125.0#
	tables								_	
	Crank Height Adjustable	24 x 42"	GC2C2442S/CR							80.0#
*	Corner surface with conferencing end	24 x 48"	GC2C2448S/CR							101.0#
(-	 Height adjusts from 22"-33" Adjustable glides 	24 x 54"	GC2C2454S/CR							124.0#
	Worksurfaces are undersized by 1/4"	30 x 42"	GC2C3042S/CR							85.0#
	from side-to-side and 1/4" from back-to-	30 x 48"	GC2C3048S/CR							106.0#
GC2C	front from the stated dimensions • Wire trough and modesty panel should	30 x 54"	GC2C3054S/CR							129.0#
	not be ordered together on adjustable									
	tables									
	Crank Height Dual	30 x 48"	GC2C3048D/CR		PUN					126.0#
	 Corner surface with conferencing end Height adjusts from 22"-33" 	30 x 54"	GC2C3054D/CR		PUN					149.0#
	Adiustable glides									
	 Keyboard surface adjusts 5" above/below 									
	primary surface. • Keyboard surface tilts +/- 15°									
GC2C	Worksurfaces are undersized by 1/4"									
	from side-to-side and 1/4" from back-to-									
	front from the stated dimensions									
	Wire trough and modesty panel should not be ordered together on adjustable									
	tables									
			A	B	•	O	(3	G	(
			•	•	•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules;
add \$218

DSelect modesty panel.

NM - No modesty panel
WM - With modesty panel
Add upcharge to unit price "WM" option.

Select base finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on edge
style selections. The color selection will
apply to the trim, edge and PowerUp
module.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Genesis® Worksurfaces Two-Legged Corner

74P Edge	Knife Edge	Membrane Edge	Modesty Panel add to list
(74P)	(KN)	(MP)	price
\$ 1158	\$ 1282	\$ 1282	\$ 353
1226	1349	1349	369
1373	1465	1465	387
1203	1335	1335	353
1272	1403	1403	369
1377	1469	1469	387
\$ 1405	\$ 1529	\$ 1529	\$ 353
1469	1593	1593	369
1618	1707	1707	387
1448	1580	1580	353
1516	1645	1645	369
1622	1712	1712	387
\$ 2377	\$ 2551	\$ 2551	\$ 369
2527	2619	2619	387

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.

Genesis® Worksurfaces

Two-Legged Corner

			MODEL NUI	MBER						
	MODEL	M/ 11	Basic	Edge	Electrical	Module	Modesty	Base	Edge	Surface
	MODEL	WxH	Model	Style	Control	Location	Panel	Finish	Color	Finish
	Electric Height Adjustable Single	24 x 42"	GC2E2442S							
	 Corner surface with conferencing end Height adjusts from 24"-51" 	24 x 48"	GC2E2448S							
	Standard or deluxe up/down switch	24 x 54"	GC2E2454S							
	Adjustable glides	30 x 48"	GC2E3048S							
	Worksurfaces are undersized by 1-1/4"	30 x 54"	GC2E3054S							
GC2E	from side-to-side and 1/2" from back-to- front from the stated dimensions									
	Wire trough and modesty panel should									
	not be ordered together on adjustable									
	tables									
	Electric Height Adjustable Dual	30 x 48"	GC2E3048D			PUN				
	 Corner surface with conferencing end Height adjusts from 24"-51" 	30 x 54"	GC2E3054D			PUN				
	Standard or deluxe up/down switch									
	 Keyboard surface adjusts 5" above/below 									
	primary surface.									
GC2E	 Keyboard surface tilts +/- 15° Adjustable glides 									
	Worksurfaces are undersized by 1-1/4"									
	from side-to-side and 1/2" from back-to-									
	front from the stated dimensions									
	 Wire trough and modesty panel should not be ordered together on adjustable 									
	tables									
			A	B	Θ	O	(3	(3	О	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select electric control style.

S - Standard up/down switch
D - Deluxe up/down switch; add
\$112

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$108
PUR - Right module; add \$108
PUB - Both left and right modules; add \$218

Select modesty panel option.

NM - No modesty panel

WM - With modesty panel Add upcharge to unit price for "WM" option.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Genesis® Worksurfaces Two-Legged Corner

•					
Approx.				Modes Panel	ity
Packaged	74P Edge	Knife Edge	Membrane Edge	add to	list
Weight	(74P)	(KN)	(MP)	price	
102.0#	\$ 2555	\$ 2675	\$ 2675	\$	353
123.0#	2621	2744	2744		369
146.0#	2653	2748	2748		387
123.0#	2621	2791	2791		369
146.0#	2789	2795	2795		387
143.0#	\$ 3529	\$ 3699	\$ 3699	\$	369
166.0#	3537	3703	3703		387

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.

Balance® Storage Accessories Overhead Storage

			MODEL NUM	IBER					
				Cabinet		Upper	Upper	Laminate	
			Basic	Paint	Fabric	Door	Door	Door	Lock
	MODEL	W	Model	Color	Color	Solid Color	Laminate	Edge Color	Option
	Balance® Overhead Cabinet-Fabric Upper	30"	BLCF30/GB0						
	Door	36"	BLCF36/GB0						
	Fabric covered upper door	42"	BLCF42/GBO						
	 Painted cabinet and lower door Shelf dividers available separately 	48"	BLCF48/GB0						
	Cabinet is fully assembled	54"	BLCF54/GBO						
	 Door stores above top of cabinet 	60"	BLCF60/GB0						
4									
80H									
\sim	Balance® Overhead Cabinet-Solid Color	30"	BLCS30/GB0						
	Upper Door	36"	BLCS36/GBO						
	Colored or translucent extruded polypro- nulses deep	42"	BLCS42/GBO						
	pylene doorPainted cabinet and lower door	48"	BLCS48/GBO						
	Shelf dividers available separately	54"	BLCS54/GBO						
	Cabinet is fully assembled	60"	BLCS60/GBO						
	Door stores above top of cabinet								
4									
OH									
\sim	Balance® Overhead Cabinet Laminate	30"	BLCL30/GBO						
	Upper Door	36"	BLCL36/GBO						
	 Laminate covered upper door Painted cabinet and lower door 	42"	BLCL42/GBO						
	Shelf dividers available separately	48"	BLCL48/GBO						
	Cabinet is fully assembled	54"	BLCL54/GBO						
	Door stores above top of cabinet	60"	BLCL60/GBO						
7									
ВОН									
			A	B	œ	0	(3	(3)	G
			•	•	•	0	•	•	•

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMB

A Select basic model.

BSelect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select upper door fabric. Refer to Vertical Fabric Pricing Addendum.

• Select upper door solid color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

ESelect upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect lock option. - Key alike

RΕ	R		

- No Lock Core

- Key standard



Balance® Storage Accessories Overhead Storage

Approx. Packaged Weight	<attrib <br="" a="167" ="10">0='685181" p="875884" s="94" status="1"/></attrib>	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
50.0#	N/A	\$ 1324	\$ 1334	\$ 1350	\$ 1372	\$ 1391
56.0#	N/A	1350	1359	1381	1402	1420
62.0#	N/A	1380	1388	1411	1430	1452
68.0#	N/A	1443	1454	1474	1498	1519
74.0#	N/A	1543	1553	1579	1600	1626
80.0#	N/A	1560	1570	1594	1621	1645
50.0#	\$ 1234					
56.0#	1261					
62.0#	1289					
68.0#	1351					
74.0#	1435					
80.0#	1454					
50.0#	\$ 1463					
56.0#	1516					
62.0#	1572					
68.0#	1646					
74.0#	1781					
80.0#	1809					

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

Balance® Storage and Accessories Balance® Task Lights

			MODEL NUMBER		
	MODEL	W	Basic Model	Approx. Packaged Weight	
		24"	BTLT5.24	3.9#	
	Electronic ballast	36"	BTLT5.36	5.3#	
		48"	BTLT5.48	6.7#	
•					
HRDPT					
			•		



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 30" 36" 24" 24" 36" 42" 48" 36" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



Balance® Storage and Accessories Balance® Task Lights

Delivered Pricing

102

112

117

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #100.

Universal Storage Accessories Overhead Storage

			MODEL	NUMBER						
	MODEL	W	Basic Model	Assembly	Paint Color	Fabric Color	Laminate Color	Lock Option	Approx. Packaged Weight	
	Universal - Fabric Door Overhead Cabinet	30"	GU0F30						39.0#	
		36"	GU0F36						45.0#	
	Steel end panels, bottom and top shelf	42"	GU0F42						51.0#	
	with powder-coated finish • Fabric-covered door	48"	GU0F48						57.0#	
	- Tablic covered door	54"	GU0F54						63.0#	
		60"	GUOF60						69.0#	
GUOF										
	Universal - Steel Door Overhead Cabinet	30"	GUOS30						39.0#	
	 Steel end panels, bottom, top shelf, and door with powder-coated finish 	36"	GUOS36						45.0#	
	·	42"	GUOS42						51.0#	
		48"	GUOS48						57.0#	
		54"	GUOS54						63.0#	
		60"	GUOS60						69.0#	
4										
GUOS										
	Universal - Laminate Door Overhead	30"	GUOL30						39.0#	
	Cabinet	36"	GUOL36						45.0#	
	 Steel end panels, bottom and top shelf with powder-coated finish 	42"	GUOL42						51.0#	
	High-pressure laminate on particleboard	48"	GUOL48						57.0#	
	door	54"	GUOL54						63.0#	
		60"	GUOL60						69.0#	
9										
GUOL										
			A	B	•	0	(3	G		
			•	_	•	•	•	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect assembly.

- Fully Assembled; add - Unassembled

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- OSelect fabric color. Refer to Vertical Fabric Pricing Ad-
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock option.

е



Universal Storage Accessories Overhead Storage

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
N/A	\$ 889	\$ 897	\$ 919	\$ 934	\$ 953
N/A	918	925	942	961	981
N/A	935	946	964	983	1003
N/A	961	971	989	1010	1028
N/A	1074	1088	1106	1129	1152
N/A	1124	1133	1157	1179	1201
\$ 828					
848					
874					
935					
992					
1040					
\$ 882					
921					
957					
991					
1091					
1141					

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Universal Storage and Accessories Universal Task Lights

			MODEL NUMBER		
	MODEL	w	Basic Model	Approx. Packaged Weight	
	Universal Task Lights • Electronic ballast	24"	TLT5.24	3.9#	
	Electronic ballast	36"	TLT5.36	5.3#	
		48"	TLT5.48	6.7#	
.					
HRDPT					
			A		



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Universal Storage and Accessories Universal Task Lights

Deli Pric	vered ing
\$	76
	83

91

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

Universal Storage and Accessories Overhead Shelf/Tool Rail Kits

			MODEL NUI	MRFR			
			WODEL NO				
					Approx.		
	MODEL	WxH	Basic Model	Paint Color	Packaged Weight		
	Shelf Kits	30"	GUSS30		23.0#		
√.	 Powder-coated steel end panels and 	36"	GUSS36		29.0#		
	bottom shelfAccepts shelf dividers	42"	GUSS42		35.0#		
	Field installable to compatible Genesis®	48"	GUSS48		41.0#		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	surfaces	54"	GUSS54		47.0#		
		60"	GUSS60		53.0#		
4							
GUSS							
	Tool Rail Kits	30"	GTBS30		3.0#		
	Accommodates paper management	36"	GTBS36		4.0#		
	components • Attaches between overhead uprights	42"	GTBS42		4.0#		
	Field installable	48"	GTBS48		5.0#		
GTBS		54"	GTBS54		6.0#		
		60"	GTBS60		6.0#		
	Shelf Divider	7-1/4 x 11-1/2"	NSD		1.0#		
()	 Steel shelf dividers with powder-coated finish 						
\ \	Fits shelves and overheads						
No.							
HRDPT							
			A	ß			
			•	-			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Universal Storage and Accessories Overhead Shelf/Tool Rail Kits

De Pri	
\$	
Φ.	
\$	
\$	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NU	MBER			
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight		
	Paper Tray	2 x 9-1/2 x 14"	PLL		1.0#		
	Plastic constructionStores letter or legal size documents						
	Suspends from tool rail						
	 Suitable for free-standing worksurface or 						
	overhead location						
HRDPT							
	Diagonal Storage • Plastic construction	2-1/2 x 7 x 12-1/2"	PDS		4.0#		
	Suspends only from tool rail Suitable for free-standing Worksurface or overhead location Three slanted partitions per unit Dividers in black only						
W. W. W.							
LIDDDT							
HRDPT	Vertical Storage	9 x 5 x 10-1/2"	PVS		1.0#		
	Injection molded plastic construction	9 X 3 X 10-1/2	PVS		1.0#		
M M	 Suspends only from tool rail 						
	 Suitable for free-standing worksurface or overhead location 						
	Stores binder, phone books or periodi-						
	cals						
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv Pricii	ered ng
\$	38
\$	38
\$	36
Ψ	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUM	/IBER		
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	
	Telephone Caddy Plastic construction	2 x 8-1/2 x 9-1/2"	PTC		1.0#	
	 Holds telephone up to 8-1/2" wide and 					
	9-1/2" deep • Suspends from tool rail					
HRDPT						
	Accessory Tray Injection molded plastic	2 x 9-1/2 x 10"	PAT		6.0#	
FIN	 Stores stamps, tape dispenser, post-it 					
	pads and paper clipsSuspends from tool rail					
HRDPT	ouspoilus iroin toorruii					
	Pencil Cup	4 x 4 x 3-1/2"	PPC		1.0#	
	Injection molded plasticSuspends from tool rail					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



De Pr	elivered ricing
\$	
Ф.	32
Ф	32
\$	32

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

				MODEL NUM	BER				
	MODEL	Overall Height	WxH	Basic Model	Usage	Paint Color	Upholstery Color	Approx. Packaged Weight	
	Exposed Frame Fabric Screen	42	24 x 25.3"	GSCR2442/EF	END			7.0#	
	 Upholstered screen with painted frame Screens attach to frame so height 	48	24 x 31.3"	GSCR2448/EF	END			9.0#	
	remains constant	51	24 x 34.1"	GSCR2451/EF	END			10.0#	
	 Overall height is from the floor 	54	24 x 37.3"	GSCR2454/EF	END			11.0#	
	Fabric within screens larger than 60" will	42	30 x 25.3"	GSCR3042/EF				9.0#	
	be two pieces with a metal trim piece separating the two parts and trim will	48	30 x 31.3"	GSCR3048/EF				11.0#	
	match frame	51	30 x 34.1"	GSCR3051/EF				12.0#	
GSCR	CLH used for screens mounted on the	54	30 x 37.3	GSCR3054/EF				14.0#	
	left side of a corner or square shoe when sitting at the desk CRH used for screens mounted on the	42	36 x 25.3"	GSCR3642/EF				11.0#	
		48	36 x 31.3"	GSCR3648/EF				14.0#	
	right side of a corner or square shoe	51	36 x 34.1"	GSCR3651/EF				15.0#	
	when sitting at the desk	54	36 x 37.3"	GSCR3654/EF				16.0#	
	 24 and 30" wide 'End of Run' screens are surface mounted and not frame 	42	42 x 25.3"	GSCR4242/EF				13.0#	
	mounted and are to be used on fixed	48	42 x 31.3"	GSCR4248/EF				16.0#	
	'non-adjustable' only	51	42 x 34.1"	GSCR4251/EF				17.0#	
		54	42 x 37.3"	GSCR4254/EF				19.0#	
		42	48 x 25.3"	GSCR4842/EF				15.0#	
		48	48 x 31.3"	GSCR4848/EF				18.0#	
		51	48 x 34.1"	GSCR4851/EF				20.0#	
		54	48 x 37.3"	GSCR4854/EF				22.0#	
		42	54 x 25.3"	GSCR5442/EF				17.0#	
		48	54 x 31.3"	GSCR5448/EF				21.0#	
		51	54 x 34.1"	GSCR5451/EF				22.0#	
		54	54 x 37.3"	GSCR5454/EF				25.0#	
				Ø	ß	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select usage for screens.

CLH CRH - Corner or shoe (left handed)
- Corner or shoe (right handed)

END - End of run

STR - Rectangle or peninsula 'End of Run Screens' only available in 24" and 30" widths.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select upholstery color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 369	\$ 386	\$ 400	\$ 426	\$ 441	
434	452	469	495	519	
464	483	497	531	552	
495	519	538	573	593	
437	455	472	501	522	
519	538	559	592	615	
555	576	599	636	661	
597	621	645	686	712	
506	524	544	580	603	
602	624	648	692	715	
645	668	697	742	767	
697	721	752	800	829	
573	593	617	657	682	
683	711	741	786	814	
737	763	796	844	877	
796	826	858	916	948	
639	664	693	734	762	
766	798	828	881	916	
825	857	890	948	983	
893	928	967	1027	1065	
708	737	763	812	843	
849	883	920	976	1014	
917	952	987	1051	1092	
992	1032	1072	1140	1183	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingDelivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUM	BER				
		Overall		Basic		Paint	Upholstery	Approx. Packaged	
	MODEL	Height	WxH	Model	Usage	Color	Color	Weight	
	Exposed Frame Fabric Screen	42	60 x 25.3"	GSCR6042/EF				18.0#	
	 Upholstered screen with painted frame Screens attach to frame so height 	48	60 x 31.3"	GSCR6048/EF				23.0#	
	remains constant	51	60 x 34.1"	GSCR6051/EF				25.0#	
	Overall height is from the floor Fabric within screens larger than 60" will be two pieces with a metal trim piece separating the two parts and trim will match frame CLH used for screens mounted on the	54	60 x 37.3"	GSCR6054/EF				27.0#	
		42	66 x 25.3"	GSCR6642/EF				20.0#	
		48	66 x 31.3"	GSCR6648/EF				25.0#	
		51	66 x 34.1"	GSCR6651/EF				27.0#	
GSCR		54	66 x 37.3"	GSCR6654/EF				30.0#	
	left side of a corner or square shoe when	42	72 x 25.3"	GSCR7242/EF				22.0#	
	sitting at the desk CRH used for screens mounted on the	48	72 x 31.3"	GSCR7248/EF				27.0#	
	right side of a corner or square shoe	51	72 x 34.1"	GSCR7251/EF				30.0#	
	when sitting at the desk	54	72 x 37.3"	GSCR7254/EF				33.0#	
	24 and 30" wide 'End of Run' screens are surface mounted and not frame	42	84 x 25.3"	GSCR8442/EF				26.0#	
	mounted and are to be used on fixed	48	84 x 31.3"	GSCR8448/EF				32.0#	
	'non-adjustable' only	51	84 x 34.1"	GSCR8451/EF				35.0#	
		54	84 x 37.3"	GSCR8454/EF				38.0#	
				A	B	Θ	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select usage for screens.

CLH - Corner or shoe (left handed)
CRH - Corner or shoe (right handed)
STR - Rectangle or peninsula

'End of Run Screens' only available in 24" and 30" widths.

- Select paint color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color.

 Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 773	\$ 803	\$ 835	\$ 888	\$ 923	
930	969	1008	1070	1111	
1005	1045	1088	1156	1199	
1092	1134	1180	1252	1301	
840	874	907	965	1003	
1016	1058	1098	1166	1210	
1096	1138	1186	1259	1306	
1190	1237	1286	1368	1417	
906	943	981	1044	1083	
1098	1141	1188	1262	1310	
1186	1234	1282	1364	1413	
1288	1340	1394	1481	1537	
1042	1083	1127	1196	1241	
1263	1314	1367	1454	1508	
1366	1418	1475	1570	1628	
1488	1547	1608	1711	1773	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingDelivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

Privacy Screens

MODEL NUMBER Approx. Overall Upholstery Packaged Basic Paint MODEL WxH Height Model Usage Color Weight **Fully Upholstered Fabric Screen** 42 24 x 25.3" GSCR2442/UF END 9.0# Fully upholstered screen 48 24 x 31.3" GSCR2448/UF **END** 10.0# Screens attach to frame so height $\Box\Box$ 51 24 x 34.1" GSCR2451/UF FND 11.0# remains constant 54 24 x 37.3" GSCR2454/UF END 13.0# Overall height is from the floor CLH used for screens mounted on the 42 30 x 25.3" GSCR3042/UF 11.0# left side of a corner or square shoe when 48 30 x 31.3" GSCR3048/UF 13.0# sitting at the desk 30 x 34.1" GSCR3051/UF 14.0# CRH used for screens mounted on the **GSCRU** right side of a corner or square shoe 54 30 x 37.3 GSCR3054/UF 16.0# when sitting at the desk 42 36 x 25.3" GSCR3642/UF 13.0# 24 and 30" wide 'End of Run' screens 48 36 x 31.3" GSCR3648/UF 16.0# are surface mounted and not frame 51 36 x 34.1" GSCR3651/UF 17.0# mounted and are to be used on fixed 'non-adjustable' only 54 36 x 37.3" GSCR3654/UF 19.0# 42 42 x 25.3" GSCR4242/UF 15.0# 48 42 x 31.3" GSCR4248/UF 18.0# 51 42 x 34.1" GSCR4251/UF $\Box\Box$ 20.0# 54 42 x 37.3" GSCR4254/UF 22.0# 42 48 x 25.3" GSCR4842/UF 17.0# 48 48 x 31.3" GSCR4848/UF 21.0# 51 48 x 34.1" GSCR4851/UF 23.0# 54 48 x 37.3" GSCR4854/UF 25.0# GSCR5442/UF 42 54 x 25.3" 19.0# 48 54 x 31.3" GSCR5448/UF 24.0# 51 54 x 34 1' GSCR5451/UF 26.0# 54 54 x 37.3" GSCR5454/UF 28.0# 42 60 x 25.3" GSCR6042/UF 21.0# 48 60 x 31.3" GSCR6048/UF 26.0# 51 60 x 34.1' GSCR6051/UF 28.0# 60 x 37.3" 54 GSCR6054/UF 31.0# A 0 0 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select usage for screens.

CRH - Corner or shoe (left handed)
CRH - Corner or shoe (right handed)

END - End of run
STR - Rectangle or peninsula

'End of Run Screens' only available in 24" and 30" widths.

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Oselect upholstery color.
Refer to color addendum at ki.com or in KI
Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 369	\$ 386	\$ 400	\$ 426	\$ 441	
434	452	469	495	519	
464	483	497	531	552	
495	519	538	573	593	
437	455	472	501	522	
519	538	559	592	615	
555	576	599	637	661	
597	621	645	686	712	
506	525	544	580	588	
602	625	648	692	715	
645	668	697	742	767	
697	722	752	800	829	
573	593	617	657	682	
683	710	741	785	814	
737	763	796	844	877	
796	826	858	915	948	
639	664	693	734	762	
766	798	828	881	916	
825	857	890	948	983	
893	928	967	1027	1065	
708	737	763	812	843	
849	883	920	977	1014	
917	952	987	1051	1092	
992	1032	1072	1140	1186	
773	803	835	888	923	
930	969	1008	1070	1111	
1005	1045	1088	1156	1198	
1092	1134	1180	1252	1301	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingDelivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUM	BER			
	MODEL	Overall Height	WxH	Basic Model	Usage	Paint Color	Approx. Packaged Weight	
	Clear Fluted Plastic Core Screen	42	24 x 25.3"	GSCR2442/TF	END		6.0#	
	 Painted metal frame with a fluted plastic 	48	24 x 31.3"	GSCR2448/TF	END		8.0#	
	coreScreens attach to frame so height	51	24 x 34.1"	GSCR2451/TF	END		9.0#	
	remains constant	54	24 x 37.3"	GSCR2454/TF	END		10.0#	
V	Overall height is from the floor	42	30 x 25.3"	GSCR3042/TF			8.0#	
	 CLH used for screens mounted on the left side of a corner or square shoe when 	48	30 x 31.3"	GSCR3048/TF			10.0#	
	sitting at the desk	51	30 x 34.1"	GSCR3051/TF			11.0#	
GSCR	CRH used for screens mounted on the	54	30 x 37.3	GSCR3054/TF			12.0#	
	right side of a corner or square shoe when sitting at the desk 24 and 30" wide 'End of Run' screens are surface mounted and not frame mounted and are to be used on fixed	42	36 x 25.3"	GSCR3642/TF			10.0#	
		48	36 x 31.3"	GSCR3648/TF			12.0#	
		51	36 x 34.1"	GSCR3651/TF			13.0#	
		54	36 x 37.3"	GSCR3654/TF			14.0#	
	'non-adjustable' only	42	42 x 25.3"	GSCR4242/TF			11.0#	
		48	42 x 31.3"	GSCR4248/TF			14.0#	
		51	42 x 34.1"	GSCR4251/TF			15.0#	
		54	42 x 37.3"	GSCR4254/TF			16.0#	
		42	48 x 25.3"	GSCR4842/TF			13.0#	
		48	48 x 31.3"	GSCR4848/TF			16.0#	
		51	48 x 34.1"	GSCR4851/TF			17.0#	
		54	48 x 37.3"	GSCR4854/TF			19.0#	
		42	54 x 25.3"	GSCR5442/TF			14.0#	
		48	54 x 31.3"	GSCR5448/TF			18.0#	
		51	54 x 34.1"	GSCR5451/TF			19.0#	
		54	54 x 37.3"	GSCR5454/TF			21.0#	
				A	B	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select usage for screens.

CLH CRH - Corner or shoe (left handed)
- Corner or shoe (right handed)

END - End of run

STR - Rectangle or peninsula 'End of Run Screens' only available in 24" and 30" widths.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered	d
Pricing	
\$ 369	
434	
464	
495	
437	
519	
555	
597	
506	
602	
645	
697	
573	
683	
737	
796	
639	
766	
825 893	
708	
849	
917	
992	
992	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUMI	BER				
	MODEL	Overall Height	WxH	Basic Model	Usage	Paint Color	Approx. Packaged Weight	
	Clear Fluted Plastic Core Screen • Painted metal frame with a fluted plastic	42	60 x 25.3"	GSCR6042/TF			16.0#	
		48	60 x 31.3"	GSCR6048/TF			20.0#	
	 Screens attach to frame so height 	51	60 x 34.1"	GSCR6051/TF			21.0#	
	remains constant	54	60 x 37.3"	GSCR6054/TF			23.0#	
	Overall height is from the floor	42	66 x 25.3"	GSCR6642/TF			17.0#	
	 CLH used for screens mounted on the left side of a corner or square shoe when 	48	66 x 31.3"	GSCR6648/TF			22.0#	
	sitting at the desk	51	66 x 34.1"	GSCR6651/TF			23.0#	
GSCR	CRH used for screens mounted on the right side of a corner or square shoe when sitting at the desk 24 and 30" wide 'End of Run' screens are surface mounted and not frame	54	66 x 37.3"	GSCR6654/TF			26.0#	
		42	72 x 25.3"	GSCR7242/TF			19.0#	
		48	72 x 31.3"	GSCR7248/TF			24.0#	
		51	72 x 34.1"	GSCR7251/TF			26.0#	
	mounted and are to be used on fixed	54	72 x 37.3"	GSCR7254/TF			28.0#	
	'non-adjustable' only	42	84 x 25.3"	GSCR8442/TF			22.0#	
		48	84 x 31.3"	GSCR8448/TF			27.0#	
		51	84 x 34.1"	GSCR8451/TF			30.0#	
		54	84 x 37.3"	GSCR8454/TF			33.0#	
	Table Mounted Plastic Dividers	With overhead	24"	GDVD24/0			3.0#	
	 Plastic dividers to divide a shared work- surface 	Without overhead	24"	GDVD24/S			3.0#	
	• 16" high	With overhead	30"	GDVD30/0			3.0#	
	3	Without overhead	30"	GDVD30/S			3.0#	
GDVD								
				A	3	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select usage for screens.

CLH - Corner or shoe (left handed)
CRH - Corner or shoe (right handed)
STR - Rectangle or peninsula

'End of Run Screens' only available in 24" and 30" widths.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered	
Pricing	
\$ 773	
930	
1005	
1092	
840	
1016	
1096	
1190	
906	
1098	
1186	
1288	
1042	
1263	
1366	
1488	
\$ 201	
201	
227	
227	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingDelivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories Electrical

			MODEL N	IMDED			
			MODEL N	JIVIDEN			
						Approx.	
	MODEL	L	Basic Model	Base Finish	Door Color	Packaged Weight	
	Straight Wire Trough	30"	GWTR30			10.0#	
	 To be used to house ridged wireway 	36"	GWTR36			13.0#	
	Cannot be use with modesty panel on	42"	GWTR42			15.0#	
	adjustable height surfaces	48"	GWTR48			18.0#	
		54"	GWTR54			21.0#	
		60"	GWTR60			23.0#	
GWTR		66"	GWTR66			26.0#	
		72"	GWTR72			29.0#	
	Corner Wire Trough - Right	36"	GWTC36R			12.0#	
4	To be used to house ridged wirewayTo be mounted on the right side of the	42"	GWTC42R			15.0#	
	corner/square shoe unit when sitting at	48"	GWTC48R			18.0#	
	the desk	54"	GWTC54R			21.0#	
		60"	GWTC60R			23.0#	
GWTC		66"	GWTC66R			26.0#	
		72"	GWTC72R			29.0#	
		84"	GWTC84R			34.0#	
2	Corner Wire Trough - Left To be used to house ridged wireway	36"	GWTC36L			12.0#	
	To be used to nouse naged wheway To be mounted on the left side of the	42"	GWTC42L			15.0#	
	corner/square shoe unit when sitting at	48"	GWTC48L			18.0#	
	the desk	54"	GWTC54L			21.0#	
		60"	GWTC60L			23.0#	
014/70		66"	GWTC66L			26.0#	
GWTC		72"	GWTC72L			29.0#	
		84"	GWTC84L			34.0#	
			A	3	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accessories Electrical

De	elivered
Pr	ricing
\$	
	417
	433
	491
	512
	525
	705
Φ.	727
\$	
	448 501
	521
	537
	662
	740
	745
\$	
Ψ	448
	501
	521
	537
	662
	740
	745

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Accessories Electrical

				MODEL NU	MBER		
	MODEL	Features	L	Basic Model	Base Finish	Approx. Packaged Weight	
	Wire Trough End Cap	LH end cap for corner condition		GWTECLH		1.0#	
		RH end cap for corner condition		GWTECRH		1.0#	
ि द्वर भी		LH end cap for table end		GWTELH		0.6#	
		RH end cap for table end		GWTERH		0.6#	
HRDPT							
	Wire Trough Data Face Plate • Data tree is included			GWTD		0.2#	
100	• Data tree is included						
\sim							
HRDPT							
62	Rigid Wireway • For use with 6-2-2 power		30"	G6DS30		4.0#	
	Tot doo with o 2 2 power		36"	G6DS36		5.0#	
			42"	G6DS42		5.0#	
			48"	G6DS48		8.0#	
HRDPT			54" 60"	G6DS54 G6DS60		8.0# 11.0#	
пкирт			66"			11.0#	
			72"	G6DS66 G6DS72		12.0#	
			84"	G6DS72		13.0#	
	Rigid Wireway		30"	G4DS30		4.0#	
. 9.8 m	• For use with 4-2-2 power		36"	G4DS36		4.0# 5.0#	
	·		42"	G4DS42		5.0#	
			48"	G4DS42 G4DS48		8.0#	
			54"	G4DS40		8.0#	
HRDPT			60"	G4DS60		11.0#	
			66"	G4DS66		11.0#	
			72"	G4DS72		12.0#	
			84"	G4DS84		13.0#	
			٠,			. 5.5"	
				A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accessories Electrical

	Delivered		
	Pricing 59		
Φ	59		
	57		
	57		
	31		
\$	\$ 34		
Ψ	, 0.		
\$	129		
	133		
	137		
	143		
	147		
	165		
	176		
	184		
	202		
\$			
	133		
	137		
	143		
	147		
	165		
	176		
	184		
	202		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Accessories

					/IBER			
				MODEL NON	IDLII			
	MODEL	Features	L	Basic Model	Base Finish	Door Color	Receptacle Color	Approx. Packaged Weight
NO.	Jumpers	No power	18"	GCJ.18				4.0#
	Fills gap at trough21" use when screen is present	No power	21"	GCJ.21				4.0#
	18" for adjacent table	4-4-2	18"	GCJ.418				5.0#
		4-4-2	21"	GCJ.421				5.0#
		6-2-2	18"	GCJ.618				5.0#
		6-2-2	21"	GCJ.621				5.0#
GCJ								
	Infeeds	4-4-2	72"	GEIFF442				4.0#
	Base infeedSpecify 4-4-2 or 6-2-2 power	6-2-2	72"	GEIFF622				4.0#
•	Specify 4-4-2 of 0-2-2 power							
HRDPT								
<i>4</i>	Receptacles - Shared Ground 6-2-2	Circuit 1		GE.RECP6.1				0.2#
	 Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway 	Circuit 2		GE.RECP6.2				0.2#
	Available in two 10-wire styles. Note:	Circuit 3		GE.RECP6.3				0.2#
	10-wire styles must match on all electri-	Circuit 4		GE.RECP6.4I				0.2#
	cal parts	Circuit 5		GE.RECP6.51				0.2#
HRDPT		Circuit 6		GE.RECP6.6I				0.2#
<i>6</i> X	Receptacles - Shared Ground 4-4-2	Circuit 1		GE.RECP4.1				0.2#
	 Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway 	Circuit 2		GE.RECP4.2				0.2#
100	Available in two 10-wire styles. Note:	Circuit 3		GE.RECP4.3				0.2#
De la	10-wire styles must match all electrical	Circuit 3		GE.RECP4.3I				0.2#
	parts	Circuit 4		GE.RECP4.4I				0.2#
HRDPT								
				A	B	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select receptacle color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accessories Electrical

С	Delivered	
P	Pricing	
\$		
	139	
	247	
	255	
	247	
	255	
\$		
	209	
\$		
	35	
	35	
	35	
	35	
	35	
\$		
	35	
	35	
	35	
	35	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

Accessories

			MODEL N	UMBER	R		
						Approx.	
			Basic	Paint	Base	Packaged	
	MODEL	W	Model	Color	Finish	Weight	
	Cross-Braces for Rectangles	30"	GXBR30			2.0#	
	Included on adjustableOnly necessary when using mini cable	36"	GXBR36			2.0#	
	tray	42"	GXBR42			3.0#	
	Cross-brace is non-directional	48"	GXBR48			3.0#	
GXBR		54"	GXBR54			4.0#	
	Cross-brace is non-directional Cross-brace for fixed height two legged corners Cross-Braces for Corners/Shoes (for one side only) Included on adjustable Only necessary when using mini cable tray Cross-brace is non-directional	60"	GXBR60			4.0#	
		66"	GXBR66			5.0#	
		72"	GXBR72			5.0#	
_		36"	GXBR36C			2.0#	
		42"	GXBR42C			3.0#	
	Cross-brace for fixed height two legged corners Cross-Braces for Corners/Shoes (for one side only) Included on adjustable Only necessary when using mini cable tray	48"	GXBR48C			3.0#	
		54"	GXBR54C			3.0#	
	 Cross-brace is non-directional 	60"	GXBR60C			4.0#	
GXBR		66"	GXBR66C			4.0#	
		72"	GXBR72C			5.0#	
		84"	GXBR84C			6.0#	
	Mini Cable Tray (requires Cross-Brace)	24"	GXBT.24			5.0#	
		48"	GXBT.48			9.0#	
	· When cable trays are specified on COR-						
•							
HRDPT							
	days will itt under lengths of 00 - 04						
	Fixed Height Ganging Kit		GANG.24			1.0#	
\			GANG.30			2.0#	
F							
HRDPT							
			A	B	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accessories

Deliv	uarad
Pricir	ing
\$	36
	41
	42
	44
	52
	59
	60
	61
\$	64
	67
	68
	69 83
	84
	85
	103
\$	85
	116
\$	5
	11

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Manito-woc, Wisconsin 54220 factory. Freight class #100.

			MODEL N	UMBER			
							Approx.
	MODEL		Basic Model	Edge Style	Edge Color	Surface Finish	Packaged Weight
	Quarter Round Transitional Surface	24"	GTQR24				19.0#
	Two splice plates provided for 24" Francisco plates provided for 20"	30"	GTQR30				29.0#
	only						
	Modesty panel not required						
GTQR	Quarter Round Transitional Surface Two splice plates provided for 24" Four splice plates provided for 30" For use with fixed height workstations only For use as conferencing corner Wireway option not available Modesty panel not required 24" surface has radius of 26-2/3" and 30 surface has a radius of 35" Only one privacy screen can be used with this surface Quarter Round Transitional Surface Two splice plates provided for 24" Four splice plates provided for 30" For use with fixed height workstations only For use as conferencing corner Wireway option not available Modesty panel not required						
	Quarter Round Transitional Surface	24"	GTQR24P				21.0#
	The suffer of the constitution of the CAIL		GTQR30P				31.0#
	 Four splice plates provided for 30" 		a.a				C 110#
	For use as conferencing corner						
	 24" surface has radius of 26-2/3" and 30" 						
GTQR	surface has a radius of 35"						
			A	B	•	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



•					
74P Edge (74P)	Knife Edge (KN)	Mei (MF	mbrane Edge P)		
\$ 316	\$ 341	\$	341		
358	402		402		
\$ 350	\$ 373	 \$	373		
392	435		435		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.

			MODEL N	UMBER			
							Annual
			Basic	Edge	Edge	Surface	Approx. Packaged
	MODEL	W	Model	Style	Color	Finish	Weight
	Square Transitional Surface	24"	GTSQ24				25.0#
\sim	For use with fixed height workstations	30"	GTSQ30				39.0#
	only • For use as conferencing corner						
	Wireway option not available						
	 Modesty panel not required 						
GTSQ	Only one privacy screen can be used						
	with this surface						
	Square Transitional Surface	24"	GTSQ24P				27.0#
	 For use with fixed height workstations 	30"	GTSQ30P				41.0#
	only • For use as conferencing corner						
	Wireway option not available						
	Modesty panel not required						
GTSQ							
			A	ß	0	O	-
			w	U	G	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge
MP - Membrane edge

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Dselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



74P Edge (Knife Edge (KN) (MP) \$ 316 \$ 341 \$ 341 \$ 341 \$ 358 \$ 402	•		
(74P) (KN) (MP) \$ 316 \$ 341 \$ 341 358 402 402 \$ 350 \$ 373 \$ 373			
358 402 402 \$ 350 \$ 373 \$ 373	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)
\$ 350 \$ 373 \$ 373	\$ 316	\$ 341	\$ 341
	358	402	402
	¢ 250	¢ 272	¢ 272
392 435 435			
	392	435	435

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
EP - Elliptical postformed edge
KN - Knife edge
MP - Membrane edge

CSelect base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



*				
74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	
\$ 306	\$ 318	\$ 342	\$ 342	
329	345	369	369	
355	370	399	399	
380	399	427	427	
404	426	455	455	
431	452	484	484	
522	546	586	586	
561	588	631	631	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory.
Freight class #100.

Index

Model No.	Description	Page	Model No.	Description	Page
BLCF30/GB0	Overhead Storage: Balance® Overhead Cabinet-Fabric		GCTE2442422	4STripod Corner Electric Height Adjustable: Tripod Corner	0.4
DI 01 00/0 D0	Upper Door	114	00750440400	Electric Height Adjustable Single	24
BLCL30/GBO	Overhead Storage: Balance® Overhead Cabinet Lami-	444	GC1E2442423	OSReduction Tripod Corner Electric Height Adjustable:	1 -4-44
DI 0000/000	nate Upper Door	114	00750440400	Reduction Tripod Corner Electric Height Adjustable Single	-Leπ 44
BLCS30/GB0	Overhead Storage: Balance® Overhead Cabinet-Solid	444	GCTE2448482		
DTLTE 04	Color Upper Door	114		Tripod Corner Electric Height Adjustable: Tripod Corner	00
BTLT5.24	Balance® Task Lights: Balance® Task Lights	116	00750440400	electric Height Adjustable Dual	26
G4DS30	Electrical: Rigid Wireway	140	GCTE2448483		
G6DS30	Electrical: Rigid Wireway	140		Reduction Tripod Corner Electric Height Adjustable	
GANG.24	Fixed Height Ganging Kit	144		Dual: Reduction Tripod Corner Electric Height Adjust-	40
	Two-Legged Corner: Crank Height Adjustable	110	00750040400	able Dual-Left	48
GC2C2442S/F	Two-Legged Corner: Fixed Height	108	GUTE3042422	4SReduction Tripod Corner Electric Height Adjustable:	
GC2C2442S/P	Two-Legged Corner: Pin Height Adjustable	110		Reduction Tripod Corner Electric Height Adjustable	40
	Two-Legged Corner: Crank Height Dual	110	00750040400	Single-Right	46
GC2C3048D/F	Two-Legged Corner: Fixed Height Dual	108	GCTE3048482		
GC2E2442S	Two-Legged Corner: Electric Height Adjustable Single	112		Reduction Tripod Corner Electric Height Adjustable	
GC2E3048D	Two-Legged Corner: Electric Height Adjustable Dual	112		Dual: Reduction Tripod Corner Electric Height Adjust-	
GCCT24363624				able Dual-Right	50
	Tripod Corner Fixed Height: Tripod Corner Fixed Height	18	GDVD24/0	Privacy Screens: Table Mounted Plastic Dividers	136
GCCT24424224			GE.RECP4.1	Electrical: Receptacles - Shared Ground 4-4-2	142
	Tripod Corner Pin and Crank Height Adjustable: Tripod		GE.RECP6.1	Electrical: Receptacles - Shared Ground 6-2-2	142
	Corner Crank Height Adjustable	20	GEIFF442	Electrical: Infeeds	142
GCCT24424224			GSAP244860S	S/F Arcade Peninsula: Fixed Height-Right	104
	Tripod Corner Pin and Crank Height Adjustable: Tripod		GSAP244860S	S/PArcade Peninsula: Pin Height Adjustable-Right	106
	Corner Pin Height Adjustable	20	GSAP604824S	S/F Arcade Peninsula: Fixed Height-Left	104
GCCT24424230	S/F		GSAP604824S	S/PArcade Peninsula: Pin Height Adjustable-Left	106
	Reduction Tripod Corner Fixed Height: Reduction		GSCR2442/EF	Privacy Screens: Exposed Frame Fabric Screen	128
	Tripod Corner Fixed Height-Left	28	GSCR2442/TF	Privacy Screens: Clear Fluted Plastic Core Screen	134
GCCT24424230	S/P		GSCR2442/UF	Privacy Screens: Fully Upholstered Fabric Screen	132
	Reduction Tripod Corner Pin Height Adjustable:		GSCR6042/EF	Privacy Screens: Exposed Frame Fabric Screen	130
	Reduction Tripod Corner Pin Height Adjustable-Left	36	GSCR6042/TF	Privacy Screens: Clear Fluted Plastic Core Screen	136
GCCT24484824	D/CR		GSHE2448542	4D	
	Tripod Corner Pin and Crank Height Adjustable: Tripod			Square Shoe Electric Height Adjustable Dual: Basic	
	Corner Crank Height Dual	22		Square Shoe Electric Height Adjustable Dual-Right	74
GCCT24484824	D/F		GSHE2448542	4\$	
	Tripod Corner Fixed Height: Tripod Corner Fixed Height Dual	18		Square Shoe Electric Height Adjustable: Basic Square	
GCCT24484830	D/CR			Shoe Electric Height Adjustable Single-Right	70
	Reduction Tripod Corner Crank Height Dual: Reduction		GSHE2448543	30D	
	Tripod Corner Crank Height Dual-Left	40		Reduction Square Shoe Electric Height Adjustable	
GCCT24484830	D/F			Dual: Reduction Basic Square Shoe Electric Height	
	Reduction Tripod Corner Fixed Height Dual: Reduction			Adjustable Dual-Right	98
	Tripod Corner Fixed Height Dual-Left	32	GSHE2448543	10S	
GCCT24484830	S/CR			Reduction Square Shoe Electric Height Adjustable: Re-	
	Reduction Tripod Corner Crank Height Adjustable:			duction Basic Square Shoe Electric Height Adjustable	
	Reduction Tripod Corner Crank Height Adjustable-Left	38		Single-Right	94
GCCT30424224	S/F		GSHE2454482	4D	
	Reduction Tripod Corner Fixed Height: Reduction			Square Shoe Electric Height Adjustable Dual: Basic	
	Tripod Corner Fixed Height-Right	30		Square Shoe Electric Height Adjustable Dual-Left	72
GCCT30424224			GSHE2454482		
	Reduction Tripod Corner Pin Height Adjustable:			Square Shoe Electric Height Adjustable: Basic Square	
	Reduction Tripod Corner Pin Height Adjustable-Right	36		Shoe Electric Height Adjustable Single-Left	68
GCCT30484824			GSHE2454483	, ,	
	Reduction Tripod Corner Crank Height Dual: Reduction			Reduction Square Shoe Electric Height Adjustable	
	Tripod Corner Crank Height Dual-Right	42		Dual: Reduction Basic Square Shoe Electric Height	
GCCT30484824				Adjustable Dual-Left	96
	Reduction Tripod Corner Fixed Height Dual: Reduction		GSHE2454483		
	Tripod Corner Fixed Height Dual-Right	34	33.1LL 10 1 100	Reduction Square Shoe Electric Height Adjustable: Re-	
GCCT30484824		51		duction Basic Square Shoe Electric Height Adjustable	
300100104024	Reduction Tripod Corner Crank Height Adjustable:			Single-Left	92
	Reduction Tripod Corner Crank Height Adjustable-Right	38	GSRE2436S	Basic Rectangular: Electric Height Adjustable Single	14
GCJ.18	Electrical: Jumpers	142	GSRE3048D	Basic Rectangular: Electric Height Adjustable Single	16
300.10	Lissanoui. Guimporo	174	GO: 1200-10D	Sasio Hostangalar. Electric Height Aujustable Duai	10



Index

Model No.	Description	Page	Model No.	Description	Page
GSSH24485424	D/CR		GSTP244860S/F	P"P" Shaped Peninsula: Pin Height Adjustable-Right	102
	Square Shoe Crank Height Dual: Basic Square Shoe			"P" Shaped Peninsula: Fixed Height-Left	100
	Crank Height Dual-Right	66	GSTP604824S/F	P"P" Shaped Peninsula: Pin Height Adjustable-Left	102
GSSH24485424	D/F		GSTR2430S/CR	Basic Rectangular: Crank Height Adjustable	10
	Square Shoe Fixed Height Dual: Basic Square Shoe		GSTR2430S/F	Basic Rectangular: Fixed Height	6
	Fixed Height Dual-Right	58	GSTR2430S/P	Basic Rectangular: Pin Height Adjustable	8
GSSH24485424			GSTR2430SS/CI	R	
	Square Shoe Crank Height Adjustable: Basic Square			Basic Rectangular: Crank Sit/Stand Height Adjustable	12
0001104405404	Shoe Crank Height Adjustable-Right	62	GSTR2442D/F	Basic Rectangular: Fixed Height Dual	6
GSSH24485424				Basic Rectangular: Crank Height Dual	10
	Square Shoe Fixed Height: Basic Square Shoe Fixed Height-Right	54	GTBS30 GTQR24	Overhead Shelf/Tool Rail Kits: Tool Rail Kits Quarter Round Transitional Surface	122 146
GSSH24485424		J 4	GTQR24P	Quarter Round Transitional Surface	146
4001121100121	Square Shoe Pin Height Adjustable: Basic Square Shoe		GTRA30	Rectangle Transitional Top	150
	Pin Height Adjustable-Right	60	GTSQ24	Square Transitional Surface	148
GSSH24485430			GTSQ24P	Square Transitional Surface	148
	Reduction Square Shoe Crank Height Dual: Reduction		GUOF30	Overhead Storage: Universal - Fabric Door Overhead Cabinet	118
	Basic Square Shoe Crank Height Dual-Right	90	GUOL30	Overhead Storage: Universal - Laminate Door Over-	
GSSH24485430	D/F			head Cabinet	118
	Reduction Square Shoe Fixed Height Dual: Reduction		GUOS30	Overhead Storage: Universal - Steel Door Overhead Cabinet	118
	Basic Square Shoe Fixed Height Dual-Right	82	GUSS30	Overhead Shelf/Tool Rail Kits: Shelf Kits	122
GSSH24485430			GWTC36L	Electrical: Corner Wire Trough - Left	138
	Reduction Square Shoe Crank Height Adjustable:	. 00	GWTC36R	Electrical: Corner Wire Trough - Right	138
CCCU0440E420	Reduction Basic Square Shoe Crank Height Adjustable-Right	86	GWTD	Electrical: Wire Trough Data Face Plate	140
GSSH24485430	S/F Reduction Square Shoe Fixed Height: Reduction Basic		GWTECLH GWTR30	Electrical: Wire Trough End Cap Electrical: Straight Wire Trough	140 138
	Square Shoe Fixed Height-Right	78	GXBR30	Cross-Braces for Rectangles	144
GSSH24485430		70	GXBR36C	Cross-Braces for Corners/Shoes (for one side only)	144
4001121100100	Reduction Square Shoe Pin Height Adjustable: Reduc-		GXBT.24	Mini Cable Tray (requires Cross-Brace)	144
	tion Square Shoe Pin Height Adjustable-Right	84	NSD	Overhead Shelf/Tool Rail Kits: Shelf Divider	122
GSSH24544824			PAT	Paper Management: Accessory Tray	126
	Square Shoe Crank Height Dual: Basic Square Shoe		PDS	Paper Management: Diagonal Storage	124
	Crank Height Dual-Left	64	PLL	Paper Management: Paper Tray	124
GSSH24544824			PPC	Paper Management: Pencil Cup	126
	Square Shoe Fixed Height Dual: Basic Square Shoe		PTC	Paper Management: Telephone Caddy	126
0001104544004	Fixed Height Dual-Left	56	PVS	Paper Management: Vertical Storage	124
GSSH24544824			TLT5.24	Universal Task Lights: Universal Task Lights	120
	Square Shoe Crank Height Adjustable: Basic Square Shoe Crank Height Adjustable-Left	62			
GSSH24544824		02			
0001121011021	Square Shoe Fixed Height: Basic Square Shoe Fixed				
	Height-Left	52			
GSSH24544824	•				
	Square Shoe Pin Height Adjustable: Basic Square Shoe				
	Pin Height Adjustable-Left	60			
GSSH24544830					
	Reduction Square Shoe Crank Height Dual: Reduction				
0001104544000	Basic Square Shoe Crank Height Dual-Left	88			
GSSH24544830					
	Reduction Square Shoe Fixed Height Dual: Reduction Basic Square Shoe Fixed Height Dual-Left	80			
GSSH24544830		00			
0001124044000	Reduction Square Shoe Crank Height Adjustable:				
	Reduction Basic Square Shoe Crank Height Adjustable-Left	86			
GSSH24544830					
	Reduction Square Shoe Fixed Height: Reduction Basic				
	Square Shoe Fixed Height-Left	76			
GSSH24544830	S/P				
	Reduction Square Shoe Pin Height Adjustable: Reduc-				
	tion Square Shoe Pin Height Adjustable-Left	84			
GSTP244860S/F	F"P" Shaped Peninsula: Fixed Height-Right	100			

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11382R5/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.