December 11, 2013 Updated January 12, 2017 800-424-2432



Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)




YOUR COMPANY NAME		
PHONE	FAX	
Material Name	Number	
	Width	
	Horizontal Repeat	
Fiber Content		
	d	
COM TO BE USED ON THE FOL		
QTT TRODUCT NAME/NOME	DLIV	



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Unite	MN
Residence Hall Furniture	
RoomScape Furniture	MN
Screens	
True/Volition	KP
Genesis	KP
Seating	
100 Series Folding Chairs	
300 Series Folding Chairs	
600 Series Stools	
700 Series Folding Chairs	
1000 Series	
Aerdyn Guest Seating	
Affina Collection	
Arissa Lounge	
Altus Task Chairs	
Apply Stack Chairs	
Auditorium Folding Chairs	
Avail Task Chairs	
Bantam Guest Seating	
Boss Design Chairs	
Cinturon Lounge & Profession	
Cody Lounge Seating	
Connection Zone Privacy Boo	
Doni Collection	
Dorsal Stack & Tandem Seating	
Engage Task Chairs & Stools	
Front Row Seats (Silk Screening	
GateOne Public Seating	
Grazie Seating	
Hub Modular Lounge Seating.	
Impress Task Chairs	
Impress Ultra Task Chairs	
Jessa Lounge Seating	
Jubi Guest Chair	GB

Wireworks......MN

Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	HN
_aResta Day Beds	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Veena Benches	
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
Sway	BW
Tea Cup Lounge Seating	HN
Torsion-on-the-Go! Nesting Chairs	
Torsion Air Stack and Task Seating	
Torsion Stack and Task Seating	
Versa Stack Chairs & Stools	

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at I-800-424-2432 GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI-HN
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 KI Crossroads
Attn: Brianne Linn
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

OM KI-Impress Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



General Information



	Armless Sled Chair (MYNN)	No Arm/Low Arm Sled Chair (MYNL or MYLN)	No Arm/High Arm Sled Chair (MYNH or MYHN)	No Arm/Work Arm Sled Chair (MYNW or MYWN)	Low Arm Sled Chair (MYLL)	Low Arm/High Arm Sled Chair (MYLH or MYHL)
General Dimensions						
Seat width	32-3/4"	26"	26"	26"	20"	20"
Seat depth	20"	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"	21" Low Arm/ 29-1/2" High Arm
Overall Dimensions						
Width	33"	33"	36"	36"	33"	36"
Depth	32"	33"	34-1/2"	33-1/2"	33"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"		
Tablet depth				13-3/8"		

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



MyWay[™] Lobby and Lounge Seating General Information











	Low Arm/Work Arm Sled Chair (MYLW or MYWL)	High Arm Sled Chair (MYHH)	High Arm/Work Arm Sled Chair (MYHW or MYWH)	Small End Table (MYTB9012)	End Table (MYTB9013)	Coffee Table (MYTB9014)
General Dimensions						
Seat width	20"	20"	20"			
Seat depth	20"	20"	20"			
Seat height	18"	18"	18"			
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm			
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"			
Overall Dimensions						
Width	36"	40"	40"	24"	24"	42"
Depth	33-1/2"	34-1/2"	34-1/2"	24"	24"	24"
Height	29-1/2"	29-1/2"	29-1/2"	16"	22"	16"
Tablet width	9-1/2"		9-1/2"			
Tablet depth	13-3/8"		13-3/8"			

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com.

MyWay™ Lobby and Lounge Seating

General Information



	Armless 4-Leg Chair (MYNN4L)	No Arm/Low Arm 4-Leg Chair (MYNL4L or MYLN4L)	No Arm/High Arm 4-Leg Chair (MYNH4L or MYHN4L)	No Arm/Work Arm 4-Leg Chair (MYNW4L or MYWN4L)	Low Arm 4-Leg Chair (MYLL4L)	Low Arm/High Arm 4-Leg Chair (MYLH4L or MYHL4L)
General Dimensions						
Seat width	32-3/4"	26"	26"	26"	20"	20"
Seat depth	20"	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"	21" Low Arm/ 29-1/2" High Arm
Overall Dimensions						
Width	33"	33"	36"	36"	33"	36"
Depth	32"	33"	34-1/2"	33-1/2"	33"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"		
Tablet depth				13-3/8"		

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders




MyWay[™] Lobby and Lounge Seating General Information



	Low Arm/Work Arm 4-Leg Chair (MYLW4L or MYWL4L)	High Arm 4-Leg Chair (MYHH4L)	High Arm/Work Arm 4-Leg Chair (MYHW4L or MYWH4L)
General Dimensions			
Seat width	20"	20"	20"
Seat depth	20"	20"	20"
Seat height	18"	18"	18"
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"
Overall Dimensions			
Width	36"	40"	40"
Depth	33-1/2"	34-1/2"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"
Tablet width	9-1/2"		9-1/2"
Tablet depth	13-3/8"		13-3/8"


INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com.





Model MYHL







Model MYWN





Two Seat - Low Arm/High Arm Configuration







Two Seat - No Arm/High Arm Configuration









Three Seat - Low Arm/No Arm Configuration



Three Seat - Work Arm/No Arm Configuration








Two Seat - No Arm/High Arm Configuration




MyWay's Optional Power Locations









^{*}Power can be specified on either the left-facing side, or the right-facing side of MyWay Lounge chairs. (Left-facing side power shown in images above)

				MODEL NUM	1BER					
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Base Finish	Ganging Option	Glide Option	Moisture Barrier	
	No Arm Sled Base Lounge	Non-contrast	4 yd	MYNN/NC						
MYN1										
IVITIVI	No Arm 4-Leg Lounge	Non-contrast	4 yd	MYNN4L/NC						
4										
MYN1										
				A	B	•	0	(3	(3)	
				•	U	9	•	G	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$50 Two ganging assemblies shipped per unit.

add \$5

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Gra C.C	ade D.M.	Gr C	ade	Gr D	ade	Εá	ade & O.L.	Gra F	ade	Gra G	ade	Gr H	ade	Gr I	rade	Gra J	ade	Gr K	ade	ade Leather	Gra M	ade Leather	Mois Barri add t price	er
80.0#	\$	1435	\$	1565	\$	1599	\$	1640	\$	1668	\$	1723	\$	1778	\$	1847	\$	1984	\$	2122	\$ 2260	\$	2535	\$	140
80.0#	\$	1668	\$	1798	\$	1832	\$	1874	\$	1901	\$	1956	\$	2012	\$	2081	\$	2218	\$	2356	\$ 2494	\$	2768	\$	140

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of

fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model

MYNN \$197 MYNN4L \$197

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL N	UMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	4.75 yd	MYNL/NC							RFP		
2 2 1	Contrast		MYNL/FC							RFP		
MYL2												
Left Facing No Arm/ Right Facing Low Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
1.5 yd `												
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
	Non-contrast	4.75 yd	MYLN/NC							LFP		
2	Contrast		MYLN/FC							LFP		
2												
MYL2												
Left Facing Low Arm/ Right Facing No												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd												
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
			A	B	О	0	Э	G	Ф	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

 MNCH No cup holder

- Left facing cup holder; add MWLC

MWRC - Right facing cup holder; add Cup holder is available on Low Arm only.

Select glide option.

NGL - No glides - Nylon glides (cream color); GNY add \$5

GSelect power option.

- No power MPB - Black power module; add \$239 MPS - Silver power module; add \$239 MPW - White power module; add

\$239

Select location of power.

- Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

- No gangers - Ganging; add \$50 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture bar-





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
90.0#	\$ 1572	\$ 1722	\$ 1761	\$ 1809	\$ 1840	\$ 1902	\$ 1966	\$ 2045	\$ 2201	\$ 2359	\$ 2515	\$ 2830	\$ 145
90.0#	1630	1780	1819	1867	1898	1960	2024	2102	2260	2416	2574	2889	145

90.0#	\$ 1572	\$ 1722	\$ 1761	\$ 1809	\$ 1840	\$ 1902	\$ 1966	\$ 2045	\$ 2201	\$ 2359	\$ 2515	\$ 2830	\$ 145
90.0#	1630	1780	1819	1867	1898	1960	2024	2102	2260	2416	2574	2889	145

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54* wide. If less than 54* wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNL	\$212
MYLN	\$212
MYNL4L	\$212
MYLN4L	\$212

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

C.O.L. Requirements

			MODEL NUI	MBER						
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier
^	Non-contrast	4.75 yd	MYNL4L/NC					RFP		
	Contrast		MYNL4L/FC					RFP		
2										
MYL2										
Left Facing No Arm/ Right Facing Low										
Arm 4-Leg Lounge										
 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 vd 										
 2 = Seat and back (Fabric Contrast 2) 										
C.O.M. = 3.25 yd								. ==		
	Non-contrast	4.75 yd	MYLN4L/NC	0000				LFP LFP		
2	Contrast		MYLN4L/FC					LFP		
2										
1										
\bigvee										
MYL2										
Left Facing Low Arm/ Right Facing No										
Arm 4-Leg Lounge1 = Arm (Fabric Contrast 1) C.O.M. =										
1.5 yd										
 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd 										
•			A	B	O	0	(3	3	О	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select cup holder option.

MNCH - No cup holder

MWLC - Left facing cup holder; add \$160

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select power option.

MPS

- No power MPB - Black power module; add \$239

- Silver power module; add

\$239

MPW - White power module; add \$239

Select location of power.

- Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

- Ganging; add \$50

Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
90.0#	\$ 1806	\$ 1955	\$ 1994	\$ 2042	\$ 2073	\$ 2135	\$ 2199	\$ 2277	\$ 2435	\$ 2591	\$ 2749	\$ 3064	\$ 145
90.0#	1864	2014	2053	2100	2131	2194	2258	2336	2494	2650	2807	3122	145

90.0# 1864 2014 2053 2100 2131 2194 2258	2336 2494 2650 2807 3122	145

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Vlodel	
MYNL	\$212
MYLN	\$212
MYNL4L	\$212
MYLN4L	\$212

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

N/C

			MODEL N	JMBER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
	Non-contrast	5.25 yd	MYNH/NC						RFP		
2 1	Contrast		MYNH/FC						RFP		
MYN2											
Left Facing No Arm/ Right Facing High Arm Sled Base Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
2.5 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
-	Non-contrast	5.25 yd	MYHN/NC						LFP		
2 2	Contrast		MYHN/FC						LFP		
MYN2											
Left Facing High Arm/ Right Facing No											
Arm Sled Base Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 yd											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
			A	B	•	0	•	(3	©	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

Select power option.

NP - No pow

- No power MPB - Black power module; add \$239

MPS - Silver power module; add \$239

MPW - White power module; add \$239

GSelect location of power.

LFP - Left facing power - Right facing power No location selection is needed if No

Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$50 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier MB - Moisture barrier

See pricing column for moisture barrier





Approx Packaç Weight		Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
105.0	\$ 1724	\$ 1891	\$ 1936	\$ 1989	\$ 2024	\$ 2095	\$ 2165	\$ 2255	\$ 2431	\$ 2608	\$ 2785	\$ 3138	\$ 148
105.0	# 1782	1950	1994	2048	2083	2154	2224	2312	2488	2666	2843	3196	148

105.0#	\$ 1724	\$ 1891	\$ 1936	\$ 1989	\$ 2024	\$ 2095	\$ 2165	\$ 2255	\$ 2431	\$ 2608	\$ 2785	\$ 3138	\$ 1	148
105.0#	1782	1950	1994	2048	2083	2154	2224	2312	2488	2666	2843	3196	1	148

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$217
MYHN	\$217
MYNH4L	\$217
MYHN4L	\$217

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUN	IBER						
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5.25 yd	MYNH4L/NC				RFP			105.0#
	Contrast		MYNH4L/FC				RFP			105.0#
2 1										
MYN2										
Left Facing No Arm/ Right Facing High										
Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 yd										
 2 = Seat and back (Fabric Contrast 2) 										
C.O.M. = 3 yd										
	Non-contrast	5.25 yd	MYHN4L/NC				LFP			105.0#
2	Contrast		MYHN4L/FC				LFP			105.0#
2										
1										
MYN2										
Left Facing High Arm/ Right Facing No										
Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. =										
2.5 yd										
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd										
			A	ß	$oldsymbol{\Theta}$	O	(3	(3)	(

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect power option.

Select how	rei option.
NP	- No power
MPB	- Black power module; add
\$239	
MPS	- Silver power module; add
\$239	
MPW	- White power module; add
\$239	

Select location of power.

LFP	 Left facing power 	
RFP	- Right facing power	
No location	n selection is needed if	No

Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$50

Two ganging assemblies shipped per unit.

GSelect moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1957	\$ 2125	\$ 2169	\$ 2223	\$ 2258	\$ 2329	\$ 2399	\$ 2487	\$ 2664	\$ 2841	\$ 3018	\$ 3371	\$ 148
2016	2184	2228	2281	2315	2388	2457	2546	2722	2899	3077	3430	148

2016 2184 2228 2281 2315 2388 2457 2546 2722 2899 3077		
2010 2104 2220 2201 2010 2000 2401 2040 2122 2000 0011	2281 2315 2388 2457 2546 2722 2899 3077 3430	148

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$217
MYHN	\$217
MYNH4L	\$217
MYHN4L	\$217

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NU	MBER								
Fea	atures	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Clr	Power Option	Power Location	Ganging Option	Moisture Barrier
Non-	n-contrast	5 yd	MYNW/NC							RFP		
Cont	ntrast		MYNW/FC							RFP		
MYN3												
Left Facing No Arm/ Right Facing Work												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
2 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
Non-	n-contrast	5 yd	MYWN/NC							LFP		
Cont	ntrast		MYWN/FC							LFP		
MYN3												
Left Facing Work Arm/ Right Facing No												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
2 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd												
			A	3	•	0	(3	(3	(0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on

beech.

GSelect power option.

NP - No power MPB - Black power module; add \$239 MPS - Silver power module; add \$239

MPW - White power module; add \$239

Select location of power.

RFP - Right facing power

LFP - Left facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

- Ganging; add \$50 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
110.0#	\$ 1701	\$ 1878	\$ 1924	\$ 1980	\$ 2018	\$ 2092	\$ 2167	\$ 2261	\$ 2447	\$ 2633	\$ 2820	\$ 3193	\$ 153
110.0#	1759	1936	1983	2038	2076	2151	2226	2320	2506	2691	2878	3252	153

110.0#	\$ 1701	\$ 1878	\$ 1924	\$ 1980	\$ 2018	\$ 2092	\$ 2167	\$ 2261	\$ 2447	\$ 2633	\$ 2820	\$ 3193	\$ 153
110.0#	1759	1936	1983	2038	2076	2151	2226	2320	2506	2691	2878	3252	153

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$228
MYWN	\$228
MYNW4L	\$228
MYWN4L	\$228
MYLL	\$228
MYLL4L	\$228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUM	BER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lam Clr	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight
_	Non-contrast	5 yd	MYNW4L/NC					RFP			110.0#
2 2	Contrast		MYNW4L/FC					RFP			110.0#
MYN3											
Left Facing No Arm/ Right Facing Work Arm 4-Leg Lounge											
 1 = Arm (Fabric Contrast 1) C.O.M. = 2 yd 											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd											
	Non-contrast	5 yd	MYWN4L/NC					LFP			110.0#
2	Contrast		MYWN4L/FC					LFP			110.0#
2											
MYN3											
Left Facing Work Arm/ Right Facing No Arm 4-Leg Lounge											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
2 yd											
 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd 											
			A	B	G	0	3	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

Select power option.

NP - No pow - No power MPB - Black power module; add \$239 MPS - Silver power module; add \$239 MPW - White power module; add

\$239

Select location of power.

RFP - Right facing power - Left facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

- Ganging; add \$50

Two ganging assemblies shipped per unit.

Select moisture barrier.

- No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1934	\$ 2112	\$ 2158	\$ 2213	\$ 2252	\$ 2326	\$ 2401	\$ 2495	\$ 2681	\$ 2866	\$ 3053	\$ 3427	\$ 153
1992	2169	2217	2271	2309	2383	2460	2552	2739	2925	3112	3486	153

\$ 1934 \$ 2	2112 \$ 2158	\$ 2213	\$ 2252	\$ 2326	\$ 2401	\$ 2495	\$ 2681	\$ 2866	\$ 3053	\$ 3427	\$ 153
	2169 2217	2271	2309	2383	2460	2552	2739	2925	3112	3486	153

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$228
MYWN	\$228
MYNW4L	\$228
MYWN4L	\$228
MYLL	\$228
MYLL4L	\$228

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

N/C

			MODEL NU	MBER									
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier	
<u>^</u>	Non-contrast	5.25 yd	MYLL/NC										
	Contrast		MYLL/FC										
2													
2 1													
•													
MYL1													
Low Arm Sled Base Lounge													
• 1 = Arms (Fabric Contrast 1) C.O.M. = 2.5 yd													
• 2 = Seat and back (Fabric Contrast 2)													
C.O.M. = 3 yd													
	Non-contrast	5.25 yd	MYLL4L/NC										
	Contrast		MYLL4L/FC										
2													
2 1													
MYL1													
Low Arm 4-Leg Lounge													
• 1 = Arms (Fabric Contrast 1) C.O.M. = 2.5 yd													
• 2 = Seat and back (Fabric Contrast 2)													
C.O.M. = 3 yd													
			A	B	G	0	(3	G	Э	0	0	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

MNCH - No cup holder
MWLC - Left facing cup holder; add
\$160

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select glide option.

NGL	- No glides
GNY	- Nylon glides (cream color);
add \$5	

GSelect power option.

NP - No power
MPB - Black power module; add
\$239
MPS - Silver power module; add
\$239
MPW - White power module; add
\$239

Select location of power.

FFP - Left facing power

RFP - Right facing power

No location selection is needed if No

Power (NP) is selected.

Select ganging option.

HNG - No gangers
HWG - Ganging; add \$50
Two ganging assemblies shipped per unit.

Select moisture barrier.

IMB - No moisture barrier

- Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
100.0#	\$ 1589	\$ 1766	\$ 1813	\$ 1869	\$ 1907	\$ 1982	\$ 2056	\$ 2150	\$ 2336	\$ 2522	\$ 2710	\$ 3083	\$ 153
100.0#	1648	1825	1872	1928	1965	2040	2115	2207	2395	2581	2768	3142	153

100.0#	\$ 1823	\$ 2000	\$ 2047	\$ 2102	\$ 2140	\$ 2216	\$ 2290	\$ 2382	\$ 2570	\$ 2756	\$ 2943	\$ 3317	\$ 153
100.0#	1881	2058	2105	2161	2198	2273	2347	2441	2628	2815	3001	3374	153

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

$\hbox{C.O.M. Requirements}$

C.O.M. yardage requirements listed above are based on plain goods 54* wide. If less than 54* wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of

fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$228
MYWN	\$228
MYNW4L	\$228
MYWN4L	\$228
MYLL	\$228
MYLL4L	\$228

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

MyWay™ Lobby and Lounge Seating

			MODEL N	UMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
_	Non-contrast	5.75 yd	MYLH/NC									
	Contrast		MYLH/FC									
2 1												
MYL3												
Left Facing Low Arm/ Right Facing												
High Arm Sled Base Lounge												
1 = Arms (Fabric Contrast 1) C.O.M. = 3 yd												
2 = Seat and back (Fabric Contrast 2)												
C.O.M. = 3 yd		:										
	Non-contrast	5.75 yd	MYHL/NC	0000								
2	Contrast		MYHL/FC									
1 2 1												
MYL3												
Left Facing High Arm/ Right Facing												
Low Arm Sled Base Lounge												
1 = Arms (Fabric Contrast 1) C.O.M. = 3 vd												
 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 												
			A	B	œ	0	(3	(3	О	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

 MNCH No cup holder

- Left facing cup holder; add MWLC

MWRC - Right facing cup holder; add Cup holder is available on Low Arm only.

Select glide option.

NGL - No glides GNY - Nylon glides (cream color); add \$5

GSelect power option.

- No power MPB - Black power module; add \$239 MPS - Silver power module; add \$239 MPW - White power module; add

\$239

Select location of power. - Left facing power - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers - Ganging; add \$50

Two ganging assemblies shipped per unit.

Select moisture barrier.

- No moisture barrier MB - Moisture barrier

See pricing column for moisture barrier upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
110.0#	\$ 1783	\$ 1979	\$ 2030	\$ 2092	\$ 2133	\$ 2217	\$ 2299	\$ 2402	\$ 2608	\$ 2815	\$ 3020	\$ 3433	\$ 160
110.0#	1842	2037	2089	2151	2192	2274	2358	2461	2666	2873	3079	3492	160

110.0#	\$ 1783	\$ 1979	\$ 2030	\$ 2092	\$ 2133	\$ 2217	\$ 2299	\$ 2402	\$ 2608	\$ 2815	\$ 3020	\$ 3433	\$ 160
110.0#	1842	2037	2089	2151	2192	2274	2358	2461	2666	2873	3079	3492	160

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$239
MYHL	\$239
MYLH4L	\$239
MYHL4L	\$239
MYHH	\$239
MYHH4L	\$239

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

iti specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUI	VIBER						
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier
^	Non-contrast	5.75 yd	MYLH4L/NC							
2 1 2 1	Contrast		MYLH4L/FC							
MYL3										
Left Facing Low Arm/ Right Facing High Arm 4-Leg Lounge										
• 1 = Arms (Fabric Contrast 1) C.O.M.										
= 3 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd										
	Non-contrast	5.75 yd	MYHL4L/NC							
	Contrast		MYHL4L/FC							
2										
1 2 1										
MYL3										
Left Facing High Arm/ Right Facing Low Arm 4-Leg Lounge										
• 1 = Arms (Fabric Contrast 1) C.O.M.										
= 3 yd2 = Seat and back (Fabric Contrast 2)										
C.O.M. = 3 yd										
			A	•	•	0	(3	(3	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option.

 MNCH No cup holder

MWLC - Left facing cup holder; add

MWRC - Right facing cup holder; add

Cup holder is available on Low Arm only.

Select power option.

- No power - Black power module; add MPB \$239 MPS - Silver power module; add \$239

MPW - White power module; add \$239

Select location of power.

LFP - Left facing power

- Right facing power No location selection is needed if No Power (NP) is selected.

GSelect ganging option.

HNG - No gangers

- Ganging; add \$50

Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moistu Barrier add to price	
110.0#	\$ 2017	\$ 2212	\$ 2264	\$ 2326	\$ 2367	\$ 2449	\$ 2533	\$ 2636	\$ 2841	\$ 3048	\$ 3254	\$ 3667	\$	160
110.0#	2075	2270	2323	2383	2426	2508	2590	2693	2899	3106	3312	3724		160

110.0#	\$ 2017	\$ 2212	\$ 2264	\$ 2326	\$ 2367	\$ 2449	\$ 2533	\$ 2636	\$ 2841	\$ 3048	\$ 3254	\$ 3667	\$ 160
110.0#	2075	2270	2323	2383	2426	2508	2590	2693	2899	3106	3312	3724	160

NOTE

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.0.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$239
MYHL	\$239
MYLH4L	\$239
MYHL4L	\$239
MYHH	\$239
MYHH4L	\$239

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped assembled freight prepaid f.o.b.
High Point, North Carolina 27263 factory.
Freight class #175.

N/C

			MODEL NUMBER											
			Basic	Non- Contrast or Fabric	Fabric Contrast	Base	Cup	Glide	Lam	Power	Power	Ganging	Moist.	
	Features	COM	Model	Contrast 1	2	Finish	Holder	Option	Clr	Option	Location	Option	Barrier	
	Non-contrast	5.5 yd	MYLW/NC											
2 2 1	Contrast		MYLW/FC											
MYL4														
=														
Left Facing Low Arm/ Right Facing Work Arm Sled Base Lounge														
• 1 = Arms (Fabric Contrast 1) C.O.M.														
= 2.75 yd2 = Seat and back (Fabric Contrast 2)														
C.O.M. = 3 vd														
	Non-contrast	5.5 yd	MYWL/NC											
	Contrast		MYWL/FC											
2														
2 1														
MYL4														
Left Facing Work Arm/ Right Facing														
Low Arm Sled Base Lounge														
• 1 = Arms (Fabric Contrast 1) C.O.M.														
= 2.75 yd2 = Seat and back (Fabric Contrast 2)														
C.O.M. = 3 yd														
			A	•	•	0	•	(3	0	•	0	•	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select base finish color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select cup holder option.

MNCH - No cup holder
MWLC - Left facing cup holder; add
\$160

MWRC - Right facing cup holder; add \$160 Cup holder is available on Low Arm only.

Select glide option.

- NGL No glides
 GNY Nylon glides (cream color);
 add \$5
- Select laminate color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Tablet edge finish is always Natural on beech.
- ①Select power option.

NP - No power
MPB - Black power module; add
\$239
MPS - Silver power module; add
\$239
MPW - White power module; add
\$239

Select location of power.

FP - Left facing power

RFP - Right facing power

No location selection is needed if No

Power (NP) is selected.

Select ganging option.

HNG - No gangers
HWG - Ganging; add \$50
Two ganging assemblies shipped
per unit.

Select moisture barrier.

NMB - No moisture barrier
MB - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Gra C.O	.M.	Grad C		Gra D		Gra E & C.C).L.	F	ade	Gra G		Gra H		1	ade	Gra J		K	ade	Ll		M	ade Leather	Moisto Barrie add to price	list
115.0#		1764	\$ -			2023	\$	2089	\$	2131		2219		2304	\$	2412	\$	2629	\$	2845	\$	3061	\$	3494	\$	160
115.0#		1823	2	2028		2082		2148		2190		2276		2363		2471		2687		2904		3119		3551		160
115.0#	\$	1764	\$ -	1970	\$	2023	\$	2089	\$	2131	\$	2219	\$	2304	\$	2412	\$	2629	\$	2845	\$	3061	\$	3494	\$	160
115.0#		1823	2	2028		2082		2148		2190		2276		2363		2471		2687		2904		3119		3551		160

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLW	\$244
MYWL	\$244
MYLW4L	\$244
MYWL4L	\$244

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

MyWay[™]
Lobby and Lounge Seating

			MODEL NUM	IBER							
	Features	СОМ	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Lam Clr	Power Option	Power Location	Ganging Option	Moist. Barrier
	Non-contrast	5.5 yd	MYLW4L/NC								
	Contrast		MYLW4L/FC								
2 2											
1											
MYL4											
Left Facing Low Arm/ Right Facing Work Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.75 yd											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 vd											
0.0.W. = 0 ya	Non-contrast	5.5 yd	MYWL4L/NC								
	Contrast		MYWL4L/FC								
2											
1 2 1											
\bigvee											
MYL4											
Left Facing Work Arm/ Right Facing Low Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.75 yd											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
			A	3	•	0	(3	•	œ	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select cup holder option.

 MNCH No cup holder

MWLC - Left facing cup holder; add

MWRC - Right facing cup holder; add \$160

Cup holder is available on Low Arm only.

Select laminate color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Tablet edge finish is always Natural on beech. Select power option.

NP - No power
MPB - Black power module; add
\$239

MPS - Silver power module; add \$239

MPW - White power module; add \$239

GSelect location of power.

FFP - Left facing power

FFP - Right facing power

No location selection is needed if No

Power (NP) is selected.

(B) Select ganging option.

HNG - No gangers

HWG - Ganging; add \$50
Two ganging assemblies shipped per unit.

See pricing column for moisture barrier

Select moisture barrier.

NMB - No moisture barrier
MB - Moisture barrier

upcharge.





Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
115.0#	\$ 1997	\$ 2203	\$ 2257	\$ 2323	\$ 2365	\$ 2451	\$ 2538	\$ 2646	\$ 2862	\$ 3079	\$ 3294	\$ 3727	\$ 160
115.0#	2056	2262	2314	2380	2424	2510	2596	2704	2921	3137	3353	3785	160

115.0# \$ 1997 \$ 2203 \$ 2257 \$ 2323 \$ 2365 \$ 2451 \$	\$ 2538 \$ 2646 \$ 2862 \$ 3079 \$ 3294 \$ 3727 \$ 160
115.0# 2056 2262 2314 2380 2424 2510	2596 2704 2921 3137 3353 3785 160

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

$\hbox{C.0.L. Requirements}$

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Vlodel	
MYLW	\$244
MYWL	\$244
MYLW4L	\$244
MYWL4L	\$244

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

N/C

MyWay[™] Lobby and Lounge Seating

Features COM Basic Model Non-contrast 6.75 yd MYHH/NC Contrast MYHH/FC		Fabric Contrast 2	Base Finish	Glide Option	Power Option	Power Location	Moisture Barrier	Approx. Packaged Weight 115.0#
Non-contrast 6.75 yd MYHH/NC	or Fabric Contrast 1	Contrast 2	Finish	Option	Option	Location	Barrier	Packaged Weight
Contrast MYHH/FC								115.0#
2 1								
								115.0#
ANVIIA								
MYH1								
High Arm Sled Base Lounge								
• 1 = Arms (Fabric Contrast 1) C.O.M. = 4 yd								
2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd								
Non-contrast 6.75 yd MYHH4L/	NC DDDD							115.0#
Contrast MYHH4L/	FC 🗆 🗆 🗆							115.0#
2 1								
1 2								
\forall								
MYH1								
High Arm 4-Leg Lounge								
• 1 = Arms (Fabric Contrast 1) C.O.M. = 4 yd								
2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd								
a	•	0	0	•	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5
- Select power option. NP - No power MPB - Black power module; add \$239

MPS - Silver power module; add \$239 MPW - White power module; add \$239

GSelect location of power.

LFP - Left facing power
RFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to li price	
\$ 1805	\$ 2038	\$ 2099	\$ 2172	\$ 2223	\$ 2321	\$ 2418	\$ 2542	\$ 2787	\$ 3033	\$ 3278	\$ 3770	\$	170
1863	2096	2158	2231	2281	2378	2477	2601	2845	3091	3336	3827		170

\$ 2038	\$ 2271	\$ 2333	\$ 2406	\$ 2456	\$ 2553	\$ 2652	\$ 2775	\$ 3020	\$ 3266	\$ 3511	\$ 4003	\$ 170
2096	2330	2392	2465	2514	2612	2711	2834	3079	3325	3570	4061	170

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$239
MYHL	\$239
MYLH4L	\$239
MYHL4L	\$239
MYHH	\$239
MYHH4L	\$239

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

MyWay[™] Lobby and Lounge Seating

			MODEL NU	IMBER							
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Clr	Power Option	Power Location	Moisture Barrier
^	Non-contrast	6 yd	MYHW/NC								
	Contrast		MYHW/FC								
2 2 1											
MYH2											
Left Facing High Arm/ Right Facing											
Work Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 3.25 yd2 = Seat and back (Fabric Contrast 2)C.O.M. = 3 yd											
0.0.ivi. – 0 yu	Non-contrast	6 yd	MYWH/NC								
	Contrast		MYWH/FC								
2 1											
2											
MYH2											
Left Facing Work Arm/ Right Facing											
High Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 3.25 yd • 2 = Seat and back (Fabric Contrast 2)											
C.O.M. = 3 yd											
			A	•	•	0	(3	(3	œ	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select base finish color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select glide option.

 NGL No glide

NGL - No glides
GNY - Nylon glides (cream color);
add \$5

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Tablet edge finish is always Natural on

beech.

GSelect power option.

NP - No power
MPB - Black power module; add
\$239

MPS - Silver power module; add
\$239

MPW - White power module; add
\$239

Select location of power.

LFP - Left facing power

RFP - Right facing power
No location selection is needed if No
Power (NP) is selected.

Select moisture barrier.

NMB - No moisture barrier
MB - Moisture barrier
See pricing column for moisture barrier
upcharge.





Approx. Packaged Grade Gr Weight C.O.M. C		Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moistur Barrier add to l price	
120.0# \$ 1954 \$	2188 \$ 225	\$ 2324	\$ 2372	\$ 2470	\$ 2569	\$ 2691	\$ 2937	\$ 3183	\$ 3428	\$ 3919	\$	170
120.0# 2013	2246 230	7 2381	2431	2528	2627	2750	2995	3241	3487	3977		170

120.0#	\$ 1954	\$ 2188	\$ 2250	\$ 2324	\$ 2372	\$ 2470	\$ 2569	\$ 2691	\$ 2937	\$ 3183	\$ 3428	\$ 3919	\$ 17
120.0#	2013	2246	2307	2381	2431	2528	2627	2750	2995	3241	3487	3977	17

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$266
MYWH	\$266
MYHW4L	\$266
MYWH4L	\$266

SPECIAL SERVICES

Special Carton Marking

With specially marked information $\,$ N/C $\,$

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #175.

MyWayTM Lobby and Lounge Seating

			MODEL NUM	BER						
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lam Clr	Power Option	Power Location	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	6 yd	MYHW4L/NC							120.0#
	Contrast		MYHW4L/FC							120.0#
2										
1										
\forall										
MYH2										
Left Facing High Arm/ Right Facing Work Arm 4-Leg Lounge										
• 1 = Arms (Fabric Contrast 1) C.O.M.										
= 3.25 yd										
2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 vd										
0.0.IVI. = 0 yd	Non-contrast	6 yd	MYWH4L/NC							120.0#
	Contrast	,	MYWH4L/FC							120.0#
2 1										
1 2										
\forall										
WYH2										
eft Facing Work Arm/ Right Facing										
High Arm 4-Leg Lounge										
1 = Arms (Fabric Contrast 1) C.O.M.										
= 3.25 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd										
-			A	ß	Θ	0	(3	(a)	О	
			•	9	O O	•	G	•	U	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

B Select po	wer option.
NP	- No power
MPB	- Black power module; add
\$239	
MPS	- Silver power module; add
\$239	
MPW	- White power module: add

\$239

Select location of power.

LFP - Left facing power

RFP - Right facing power
No location selection is needed if No Power (NP) is selected.

GSelect moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 2188	\$ 2421	\$ 2482	\$ 2556	\$ 2606	\$ 2703	\$ 2802	\$ 2925	\$ 3170	\$ 3417	\$ 3662	\$ 4152	\$ 170
2246	2479	2541	2615	2664	2761	2860	2983	3228	3474	3719	4211	170

2246 2479 2541 2615 2664 2761 2860 2983 32	3228 3474	3719	4211	170

Base Finish

4-leg lounge base finish is polished aluminum.

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$266
MYWH	\$266
MYHW4L	\$266
MYWH4L	\$266

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.



	MODEL N	JMBER					
MODEL	Basic Model	Base Finish	Glide Option	Laminate Color	Edge Color	Power Option	Approx. Packaged Weight
Small Laminate En	d Table MYTB9012						45.0#
МУТВ							
Laminate End Table	e MYTB9013						50.0#
MYTB							
Laminate Coffee Ta	MYTB9014						75.0#
MYTB							
	A	B	0	D	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

NGL - No glides
GNY - Nylon glides (cream color); add \$5

- DSelect laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select primary edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select power option.

NP - No power

MTPB - Black table power module; add \$308

MTPS - Silver table power module;

add \$308

MTPW - White table power module; add \$308





Delivered
Pricing
\$ 732
ф 132
\$ 743
·
\$ 945

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 Krueger International, Inc. All Rights Reserved. Code KI-11604/KI/PDF/1213