February 22, 2017 800-424-2432







Ordering C.O.M., C.	O.L., and C.O.V.		
	Bonduel, Green Bay,	Ontario, and Tupelo and Shipping Location	2
General Information	Ruckus™ Options Use	er Guide	4
	Ruckus™ Seating		6
	Ruckus™ Desking		10
	Ruckus™ Storage		12
Ruckus™ Seating (Fr	eight Excluded Pricing	1)	
	Four-Leg Chair		14
	Stack Chair with Glide	es	18
	Stack Chair with Cast	ers	22
	Stools		26
	Task Chair		30
Ruckus™ Desking (Fi	reight Excluded Pricin	g)	
	Desk		32
Ruckus™ Storage (Fr	eight Excluded Pricing	g)	
	Lockers		36
	Bookcase		40
	Cubbies		42
	Storage Accessories		46
Ruckus™ Seating (De	elivered Pricing)		
	Four-Leg Chair		48
	Stack Chair with Glide		52
	Stack Chair with Cast	ers	56
	Stools		60
	Task Chair		64
Ruckus™ Desking (D	elivered Pricing)		
	Desk		66
Ruckus™ Storage (De	elivered Pricing)		
	Lockers		70
	Bookcase		74
	Cubbies		76
	Storage Accessories		80
Index			82


Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo and Shipping Location

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors. By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months. the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt. KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in vardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

> Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

materials for

testing, and

with the order.

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a backrest sketch noting requirements, as in Diagram Center B, along with

Diagram B

left to

right & top to bottom on seat

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out ■ Submitted for testing. Test approved. Submitted for production. Purchase Order Number completely, and, if your order has been KI Acknowledgement Number acknowledged, provide the acknowledgement number. Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B Selvage Side and Side Selvage Top and Bottom Address City Project Name Type of seating and number of units of each type



Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo and Shipping Location

C.O.M. SHIPPING LOCATION



Darnte Benches AG Darwin Tackboards MN Aristotle Tackboards MN RoomScape Furniture Classroom Furniture Screens Screens Jura Longe Seating HN Dorsal 1090 Chairs GB Dorsal 1090 Chairs GB Connection Zone BW All Terrain. KP Learn2. GB Intellect Wave Chairs GB Genesis. KP Medical & Laboratory Stools OM MyWay Seating HN Noseries Poelsking MN Tou Series Folding Chairs BW Genesis Desking MN True Desking. KP True Desking. KP Genesis Poelsking MN True Desking. KP True Desking. KP Genesis Poelsking MN True Desking. KP True Desking. KP Genesis Poelsking MN True Desking. KP Genesis Poelsking MN True Desking. KP True Desking. KP True Desking. KP True Desking. KP Genesis Poelsking MN True Desking. KP True De	Architectural Walls		System 3000	MN	Hub Modular Lounge Seating	HN
Casegoods	Genius Walls	MN	Universal Overheads	MN	Impress Task Chairs	OM
Dante Benches			Wireworks	MN	Impress Ultra Task Chairs	OM
Darwin Tackboards	Casegoods		Unite	MN	Jessa Lounge Seating	HN
Aristotle Tackboards MN RoomScape Furniture MIN LaResta Day Beds HN All Terrain Glassroom Furniture BW All Terrain GB Connection Zone BW Matrix Stack Chairs GB Intellect Wave Chairs. GB True/Volition GB True/Volition GB True/Volition KP Medical & Laboratory Stools OM Method Laboratory Stools OM Medical & Laboratory Stoo	Dante Benches	AG			Jubi Guest Chair	GB
Classroom Furniture Screens All Terrain	Darwin Tackboards	MN	Residence Hall Furniture		Kismet Task/Guest Chairs & Stools	OM
Classroom Furniture 360° Classroom Furniture BW All Terrain	Aristotle Tackboards	MN	RoomScape Furniture	MN	Kurv Benches	HN
All Terrain			·		LaResta Day Beds	HN
Dorsal 1090 Chairs GB Connection Zone BW Matrix Stack Chairs GB Intellect Wave Chairs GB True/Voltion KP Medical & Laboratory Stools. OM Meland Learn GB GB Genesis KP Medical & Laboratory Stools. OM Mesa Lounge & Task Seating HN MyWay Seating Seating HN Neena Benches HN Nee	Classroom Furniture		Screens		Lyra Lounge Seating	HN
Intellect Wave Chairs	360° Classroom Furniture	BW	All Terrain	KP	Maestro Stack Chairs	GB
Learn2	Dorsal 1090 Chairs	GB	Connection Zone	BW	Matrix Stack Chairs	GB
Learn2	Intellect Wave Chairs	GB	True/Volition	KP	Medical & Laboratory Stools	OM
DeskingSeatingNeena BenchesHN700 Series DeskingKP100 Series Folding ChairsBWOpt4GBBalance OverheadsMN300 Series Folding ChairsBWPerry Stack ChairsGBGenesis DeskingMN600 Series StoolsBWPerth Multiple & Healthcare SeatingHNTrue DeskingKP700 Series Folding ChairsBWPerth III Healthcare SeatingHNUniversal OverheadsMN1000 Series Folding ChairsBWPerth III Healthcare SeatingHNWorkZone DeskingMN1100 Series Folding ChairsBWPirot Task ChairsOMWorkZone DeskingMN1100 Series Folding ChairsBWPirot Task ChairsGBAerdyn Guest SeatingHNPromenade Seating SystemBWFiles & StorageAffina CollectionHNRapture Stack Chairs & StoolsGB700 Series Pedestal CushionGBArissa LoungeHNRapture Stack Chairs & StoolsGBConcerto Auditorium GeatsBWAltus Task ChairsTMRose HealthcareBWU-Series Pedestal CushionGBApply Stack ChairsBWSilhouette Stack Chairs & StoolsBWFixed SeatingAvail Task ChairsMSoltice Metal CollectionHNFixed SeatingBWBantam Guest SeatingHNSoltice Metal CollectionHNSingle Pedestal SeatingBWBantam Guest SeatingHNSoltice Metal CollectionHNJury Base SeatingGBGBGo	Learn2	GB	Genesis	KP		
700 Series Desking KP 100 Series Folding Chairs BW Opt4					MyWay Seating	HN
Balance Overheads MN 300 Series Folding Chairs BW Perry Stack Chairs GB Genesis Desking	Desking		Seating		Neena Benches	HN
Balance Overheads MN 300 Series Folding Chairs BW Perry Stack Chairs GB Genesis Desking	700 Series Desking	KP	100 Series Folding Chairs	BW	Opt4	GB
True Desking	<u> </u>		300 Series Folding Chairs	BW	Perry Stack Chairs	GB
Universal Overheads	Genesis Desking	MN	600 Series Stools	BW	Perth Multiple & Healthcare Seating	HN
Universal Overheads	True Desking	KP	700 Series Folding Chairs	BW	Perth II Healthcare Seating	HN
Files & Storage Affina Collection	Universal Overheads	MN				
Files & Storage Affina Collection	WorkZone Desking	MN	I 100 Series Folding Chairs	BW	Piretti Stack Chairs	GB
700 Series Pedestal Cushion GB Arissa Lounge HN Ruckus GB Connection Zone Pads BW Altus Task Chairs TM Rose Healthcare. BW U-Series Pedestal Cushion GB Apply Stack Chairs GB Sela Lounge Seating. HN Auditorium Folding Chairs BW Sift Task Chairs TM Auditorium Seating BW Bantam Guest Seating HN Soltice Metal Collection. HN Single Pedestal Seating. GB Conturon Lounge & Professional Seating. HN Soltice Multiple, Healthcare & Guest. HN Jury Base Seating. GB Cody Lounge Seating. HN Strive Multiple, Stack & Task. GB Lancaster Auditorium Seating. BW Connection Zone Privacy Booths HN Sway. BW Sequence Seating. GB Dorisal Stack & Tandem Seating. GB Torsion-on-the-Go! Nesting Chairs GB Engage Task Chairs & Stools. GB Arissa Lounge Seating. HN Rose Healthcare. BW Sift Task Chairs. TM Rose Healthcare. BW Sift Task Chairs. TM Soltice Multiple Stack Chairs & Stools. BW Soltice Multiple, Healthcare & Guest. HN Soltice II Healthcare Seating. HN Strive Multiple, Stack & Task. GB Lancaster Auditorium Seating. BW Connection Zone Privacy Booths. HN Sway. BW Sequence Seating. GB Dorisal Stack & Tandem Seating. GB Torsion-on-the-Go! Nesting Chairs. GB Engage Task Chairs & Stools. GB Torsion Air Stack and Task Seating. GB All Terrain. KP GateOne Public Seating. BW Versa Stack Chairs & Stools. GB	<u> </u>				Promenade Seating System	BW
Connection Zone Pads	Files & Storage		Affina Collection	HN	Rapture Stack Chairs & Stools	GB
U-Series Pedestal Cushion	700 Series Pedestal Cushion	GB	Arissa Lounge	HN	Ruckus	GB
Fixed Seating Avail Task Chairs Avail Task Chair	Connection Zone Pads	BW	Altus Task Chairs	TM	Rose Healthcare	BW
Fixed Seating Avail Task Chairs OM Silhouette Stack Chairs & Stools BW Concerto Auditorium Seating GB Boss Design Chairs Jury Base Seating GB Cinturon Lounge & Professional Seating HN Soltice Metal Collection HN Soltice Multiple, Healthcare & Guest HN Soltice II Healthcare Seating HN Strive Multiple, Stack & Task GB Lancaster Auditorium Seating BW Connection Zone Privacy Booths HN Sway BW Sequence Seating GB Doni Collection GB Tea Cup Lounge Seating HN University Seating GB Dorsal Stack & Tandem Seating GB Torsion-on-the-Go! Nesting Chairs GB Front Row Seats (Silk Screening) BW Versa Stack Chairs & Stools GB Versa Stack Chairs & Stools GB Versa Stack Chairs & Stools GB	U-Series Pedestal Cushion	GB	Apply Stack Chairs	GB	Sela Lounge Seating	HN
Concerto Auditorium Seating BW Bantam Guest Seating HN Soltice Metal Collection HN Single Pedestal Seating GB Boss Design Chairs HN Soltice Multiple, Healthcare & Guest HN Jury Base Seating GB Cinturon Lounge & Professional Seating HN Soltice II Healthcare Seating HN Strive Multiple, Stack & Task GB Lancaster Auditorium Seating BW Connection Zone Privacy Booths HN Sway BW Sequence Seating GB Doni Collection GB Tea Cup Lounge Seating HN University Seating GB Dorsal Stack & Tandem Seating GB Torsion-on-the-Go! Nesting Chairs GB Engage Task Chairs & Stools GB Torsion Stack and Task Seating GB All Terrain KP GateOne Public Seating BW Versa Stack Chairs & Stools GB			Auditorium Folding Chairs	BW	Sift Task Chairs	TM
Single Pedestal Seating	Fixed Seating		Avail Task Chairs	OM	Silhouette Stack Chairs & Stools	BW
Jury Base Seating GB Cinturon Lounge & Professional Seating HN Soltice II Healthcare Seating HN Hi5 GB Cody Lounge Seating HN Strive Multiple, Stack & Task GB Lancaster Auditorium Seating BW Connection Zone Privacy Booths HN Sway BW Sequence Seating GB Doni Collection GB Tea Cup Lounge Seating HN University Seating GB Dorsal Stack & Tandem Seating GB Torsion-on-the-Go! Nesting Chairs GB Engage Task Chairs & Stools GB Torsion Air Stack and Task Seating GB All Terrain KP GateOne Public Seating BW Versa Stack Chairs & Stools GB	Concerto Auditorium Seating	BW	Bantam Guest Seating	HN	Soltice Metal Collection	HN
Hi5	Single Pedestal Seating	GB	Boss Design Chairs	HN	Soltice Multiple, Healthcare & Guest	HN
Hi5	Jury Base Seating	GB	Cinturon Lounge & Professional	Seating HN	Soltice II Healthcare Seating	HN
Sequence Seating GB Doni Collection GB Tea Cup Lounge Seating HN University Seating GB Dorsal Stack & Tandem Seating GB Torsion-on-the-Go! Nesting Chairs GB Engage Task Chairs & Stools GB Torsion Air Stack and Task Seating GB Panel Systems Front Row Seats (Silk Screening) BW Torsion Stack and Task Seating GB All Terrain KP GateOne Public Seating BW Versa Stack Chairs & Stools GB	Hi5	GB	Cody Lounge Seating	HN	Strive Multiple, Stack & Task	GB
University Seating	Lancaster Auditorium Seating	BW	Connection Zone Privacy Booth	ns HN	Sway	BW
Panel Systems Engage Task Chairs & Stools	Sequence Seating	GB	Doni Collection	GB	Tea Cup Lounge Seating	HN
Panel Systems Front Row Seats (Silk Screening) BW Torsion Stack and Task Seating GB All Terrain KP GateOne Public Seating BW Versa Stack Chairs & Stools GB	University Seating	GB	Dorsal Stack & Tandem Seating.	GB	Torsion-on-the-Go! Nesting Chairs	GB
All Terrain			Engage Task Chairs & Stools	GB	Torsion Air Stack and Task Seating	GB
0	Panel Systems		Front Row Seats (Silk Screening)) BW	Torsion Stack and Task Seating	GB
Balance Overheads	All Terrain	KP	GateOne Public Seating	BW	Versa Stack Chairs & Stools	GB
	Balance Overheads	MN	Grazie Seating	GB		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at 1-800-424-2432 KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220


 $\underline{\mathsf{BW}}$ KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 <u>HN</u> KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

<u>OM</u> ΚI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

 $\underline{\mathsf{TM}}$ KI Tupelo 2112 South Green St. Tupelo, MS 38804

General Information

Ruckus™ Options User Guide



Examples:

RK1100H15NB/NFR/PZL/SX/GPL

Ruckus, 4 leg on glides, no UPH solid color poly, armless, 15", no bookrack, non FR, Zesty Lime poly, Starlight Silver frame, plastic glides

RKV200H18BR/NFR/PCG/GR/BRCH/CCC/1ZJE

Ruckus, stack on casters, UPH Ssat only solid color poly, armless, 18", bookrack, non FR, Cool Grey poly, Grey frame, Chrome bookrack, carpet casters, fabric Zone Jade


RK5100/FR/PSA/BL/CHC

Ruckus, simple function task, no UPH solid color poly, armless, FR, Sand poly, Black frame, hard floor casters

Guideline only. Subject to change.



General Information Ruckus™ Options User Guide



Examples:

RU4201/NFR/BH/GPL/LBA/EBL/CH

Ruckus desk, single post cantilever, laminate rectangular curved front, fixed 29" height, non FR, book bag hook, plastic glide, laminate Beige Nebula, edge black, chrome frame


RU5207/NFR/NB/RFT/LGN/EWG/RK

Ruckus desk, single post rolling cantilever, laminate rectangular curved front, fixed 26" height, non FR, no book storage, rolling front/rear felt glide, laminate Graphite Nebula, edge warm grey, rubber ducky frame

Guideline only. Subject to change.

General Information

Ruckus[™] Seating



RUCKUS SEATING

Description

Ruckus promotes student movement through its unique design. Its generously sized seating encourages an "as you like it" sitting experience. The chair back shape includes integral armrests, which are also engineered to function as a support surface.

Seat and Backrest

Both the seat and backrest shell shall be made of static-free high-impact 7% fiberglass reinforced polypropylene. Colorfastness is ensured through complete color impregnation throughout the molded part. Textured on both sides with a contrasting texture pattern on the seat. Ergonomic handle molded into the chair backrest for ease of mobility. Seat and backrest fasten to the frame with six 1/4-20 x 3/4" Hi-Lo screws.

Optional Upholstered Seat

Upholstered seats have partially exposed

polypropylene surfaces. Molded Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process and fastened to an inner shell with screws. Seat foam is molded nominal 1" thickness.

Frames

Four Leg, Stack, Stool and Task frames are constructed with 1" outside diameter 13-gauge steel tubing, welded to 13-gauge steel plates and 1/4" wire. Frame shall be nickel-chrome plated or finished in powder-coat paint after all welding processes are complete.

Glides

Stack, Stool & Four Leg Chairs - Swivel-type polished zinc-plated steel, nylon plastic, or felt glides. KI recommends consulting with the floor manufacturer for specific glide recommendations.

Note: Felt glides add 1/4" to the overall height range.

Task Chair - Optional Bell glides (2" high) made of high impact plastic also available. Black only.

Note: Bell glides add 1/4" to the overall height range.

Casters

Carpet Casters Option - 50mm double wheels of high-impact thermoplastic. High-impact plastic frame. Black finish only.

Hard Floor Casters Option - 50mm double wheels of soft plastic. High-impact plastic frame. Black finish only.

NOTE: Casters not available on stool models.

Task Chair

Pneumatic Height Adjustment Lever-activated pneumatic cylinder enables seat-height adjustment from 16-1/2" to 21-1/4".

Five Blade Base 28" injection molded, 30% fiberglass reinforced nylon 5-blade base. Available in Black

or Warm Gray.

Bookrack

Stack Chair Frame - Optional bookrack is a welded framework of 1/4" diameter solid wire welded to eight 1/8" thick plates. Fastened to stackable chair frame with eight #10 screws. Bookrack will be nickel-chrome plated or finished in powdercoat paint after all welding processes are complete

Testing

Ruckus chair components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities. Ruckus chairs are designed and manufactured to meet or exceed required ANSI/BIFMA X6.1-2012 Education Seating and ANSI/BIFMA X5.1-2011 General Purpose Office Chairs.



General Information Ruckus™ Seating

General Guideline for Glide Selection

The following information is based on a combination of testing and experience. Due to factors beyond our control, KI is presenting this information strictly as a general guideline to assist our customers in selecting the best glide for their situation. It is up to the customer to determine which glide will perform best for their application based upon their site conditions, requirements, and the direction of the flooring manufacturer. Sample glides are available upon request to aid the customer in their selection (contact Customer Service).

Price list glide choice of: Nylon, Steel or Felt







Felt - Solo Glide®

PERFORMANCE GUIDE (clean and properly finished floors)

	CARPET	RESILIEN	T FLOORIN	G	HARD FLOORING						
GLIDE Material		Vinyl Sheet	VCT	Rubber	Ceramic Tile	Hardwood					
Nylon	**	**	**	**	**	**	NR				
Steel	**	*	*	*	NR	NR	NR				
Felt	NR	*	NR	NR	NR	**					

* * = Best Performance

★ = Acceptable Performance

NR = Not Recommended

Steel glides are not recommended for light colored floors.

The following factors affect the performance of any glide:

- Floor Quality Materials and manufacturing processes for a specific floor type can vary considerably depending upon the manufacturer and product grade. Floor grades with higher stain and abrasion resistance will typically perform better.
- Floor Preparation The quality and frequency of application of the floor finish will significantly affect the amount of wear. A high quality finish will act as a lubricant between the chair and floor to minimize wear.
- Floor Maintenance Any glide material will leave marks if the floor is not properly cleaned. The use of walk-off rugs near entrances, along with frequent cleaning of the floors, will significantly reduce damage to floors. Steel glides should not be exposed to wet or damp floors.
- Damaged Glides Periodic inspection of glides is critical to preventing floor damage. Glides that are damaged, worn or have embedded debris should be replaced immediately. Felt caps wear faster and should be replaced frequently.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information Ruckus™ Seating

Quantity/Height










3 poly/3 uph


	Four-Leg Chair	Stack Chair	Task Chair	Stool
Features				
Stacking		•		•
Bookrack		•		•
Poly, or upholstered seat	•	•	•	•
General Dimensions				
Seat Width x depth	See chart	See chart	See chart	See chart
Seat Height	See chart	See chart	See chart	See chart
Overall Dimensions				
Width x depth	See chart	See chart	See chart	See chart
Height	See chart	See chart	See chart	See chart
Stacking on Floor-18" Frames				
Overall Width	n/a		n/a	
Overall Depth	n/a		n/a	
Quantity/Height	n/a	4 poly/3 uph	n/a	
Stacking on Floor-15" Frames				
Overall Width	n/a		n/a	
Overall Depth	n/a		n/a	
Quantity/Height	n/a	3 poly/2 uph	n/a	
Stacking on Floor-30" Frames				
Overall Width				
Overall Depth				
Quantity/Height				3 poly/3 uph
Stacking on Floor-24" Frames				
Overall Width				
Overall Depth				

Recommended Chair and Desk Heights											
CHAIRS measured to top of seat	10"	12"	13"	14"	15"	16"	18"				
DESKS without book box		22"		24"	25-26"	27"	29-30"				
GRADE LEVEL											
Pre-K											
K											
I											
2											
3											
4											
5 and up											


General Information Ruckus™ Seating





Dimensions are consistent for both 4-Leg & Stack Chair options



Coot Hoight	D	E	F	G	Н	1	J
Seat Height	Width 1	Width 2	Depth 1	Depth 2	Height	Seat Height	Backrest Height
15"	22.8"	28"	22.8"	29"	25.5"	15"	10.4"
15" (upholstered seat)	22.8"	28"	22.8"	29"	25.5"	16.3"	10.4"
18"	22.8"	28"	22.8"	29"	29.5"	18"	11.4"
18" (upholstered seat)	22.8"	28"	22.8"	29"	29.5"	19.3"	11.4"
24" Stool	22.8"	28"	22.8"	29"	35.5"	24"	11.4"
24" Stool (upholstered Seat)	22.8"	28"	22.8"	29"	35.5"	25.3"	11.4"
30" Stool	22.8"	28"	22.8"	29"	41.5"	30"	11.4"
30" Stool (upholstered Seat)	22.8"	28"	22.8"	29"	41.5"	31.3"	11.4"
Task Chair	22.8"	28.25"	22.8"	27.67"	28"-32.75"	16.5"-21.25"	11.4"
Task Chair (upholstered Seat)	22.8"	28.25"	22.8"	27.67"	28"-32.75"	17.7"-22.4"	11.4"











General Information

Ruckus™ Desking









RUCKUS DESKING

Fixed-Height Desk – Single-Post Cantilever

Frames are constructed with 2" and 1-1/4" by 14-gauge steel tubing welded to a 7-gauge steel plate. Frame shall be nickel-chrome plated or finished in powder-coat paint after all welding processes are complete.

Rolling Base Model (wheelbarrow)

Rolling base model includes two rollers located on the non-user side of the frame with two swivel glides located on the user side for ease or mobility. Roller will be constructed of two piece molded polycarbonate housing with steel axle supporting a 1-1/4" diameter wheel constructed of high impact styrene and secured to base frame with a 1/4-20 x 5/8" screw . Cantilever frame shall include cutouts to encapsulate roller assembly.

Swivel-type polished zinc-plated steel,

nylon plastic, or felt glides. KI recommends consulting with the floor manufacturer for specific glide recommendations.

specific glide recommendations.

Note: Felt glides increase product height by 1/4".

Top

Top consists of high-density particleboard core covered with .030" high-pressure laminate top and a 0.02" phenolic backing sheet and 73P polypropylene edge with a finished top thickness of 3/4". Worksurface includes a curved front comfort curve on user side and 2-3/8" radius corners. Worksurface measures 20" x 30".

Glides

Swivel-type polished zinc-plated steel, nylon plastic, or felt glides. KI recommends consulting with the floor manufacturer for specific glide recommendations.

Note: Felt glides increase product height by 1/4". (See Seating General Information for General Guideline for Glide Selection.)

Book Bag Hook


Optional book bag hook is formed from 1/4" solid wire rod. Chrome finish provides long lasting wear resistance. Hook fastens to underside of laminate top with two #12 x 3/4" Phillips pan-head screws.

Testing

Ruckus desking components originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities. Ruckus desking is designed and manufactured to meet or exceed required ANSI/BIFMA X5.5-2014 Desking.

General Information Ruckus™ Desking

Ruckus Desking



INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

General Information

Ruckus™ Storage

RUCKUS STORAGE

Assembly

All units are shipped fully assembled with the exception of casters or glides. Casters or glides are shipped loose and are assembled in the field. Units are shipped upside down for ease of end user to install casters or glides.

Shell Unit

The shell is made up of one common laminate top, mounted to the underside are vertical steel panels consisting of two outer end panels and one or two center panel(s). One center divider is screw mounted in each section to separate the front and back sides. All panel bottoms are mounted on one common steel base.

Overall size with casters or glides included: Nominal vs. Actual

36w x 24d x 36h units:

36-1/8" wide x 24-3/8" deep x 36" high 36w x 24d x 42h units:

36-1/8" wide x 24-3/8" deep x 42" high 54w x 24d x 36h units:

53-5/8" wide x 24-3/8" deep x 36" high 54w x 24d x 42h units:

53-5/8" wide x 24-3/8" deep x 42" high

Laminate Worksurfaces

The laminate worksurfaces shall be 1-1/4" thick and shall consist of a particleboard core with a HPL surface. 74P (2mm PVC-free) banding is applied to the edges. All tops are pre-drilled for mounting of end panels, center panel(s) & center dividers and assembled in the factory.

Panels

Each 1" thick panel shall feature a doublewall steel construction. The outer panel shall be 20-gauge material with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The vertical edges of the outer panel shall have an 18-gauge reinforcing member welded in place to provide structural integrity. The inner panel shall be 18-gauge with double flanges formed on the vertical edges and single flanges formed on the top and bottom edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the laminate top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the threaded inserts that accept the mounting bolt for the base. Bonded to both surfaces within the panel shall be a lightweight honeycomb core material to improve panel rigidity. All panels shall feature pre-punched holes for connecting the center dividers, shelves, coat hook, hinge mounts and slot for lock engagement.

Center Divider

One center divider is screw mounted in each section to separate the front and back sides. This is constructed of 20-gauge material with 3/4" side flanges for mounting. The divider is designed to not allow removal

unless access is available on both sides. This acts as a security feature when locker doors are used.

Bases

The 1 1/8" thick base ties together the panels creating the bottom and complete structure. Bases are 18-gauge steel. Each base consist of an 18-gauge reinforcement strip on the front and back side of the base bottom. Each reinforcement strip is spot welded in place. Each strip consists of two 1/2" weld nuts on each end to except the caster or glide stem.

Casters or Glides

The unit can be specified with casters or glides. Casters or glides do not extend out from below the unit shell. Both caster and glides have 1/2" diameter threaded stud to mount to the bottom of the base and are interchangeable.

Casters:

All caster bodies are twin wheel hooded design with 2-3/4" diameter wheels. Two casters will have a lock and two will freely swivel. Casters will be black.

Glides

All glides are 2-3/4" telescoping adjustable glides. Glides shall be made of two-piece construction. Both pieces shall be made of durable nylon. Each glide has a white base with a black body.

Hooks

Utility hooks are made of metal with a grey finish. Each hook is attached to the interior sides of the opening using two #10 tapping screws.

Doors

The doors are single wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110-degree opening, provide 3-way adjustment of door to ensure consistent gapping and operation. The steel door is standard with a lock and is specified with one of the lock options (see lock section below). If left or right designation is noted left or right specifies which side it is hinged on. All doors are inset.

Door Pulls

A door pull is only available when the **standard key lock** is chosen. One pull type is available.

Beveled pull: made from cast zinc. It mounts by use of 2 machine screws to a steel door. It is available in a brushed zinc or painted black finish.

Shelves

All fixed shelves are 3/4" thick with flanges, front and back, constructed of 22-gauge material. Each shelf is screw mounted in four places with # 10 screws into the outer panel and center panel to create separation between modules.

Locker - Open Units

Each open locker unit includes two hooks per opening.

Interior clearance:

36" high unit:

16-1/2"wide x 11-3/4"deep x 30-1/2"high 42" high unit:

16-1/2"wide x 11-3/4"deep x 36-1/2"high

Locker - With Doors

Each locker with door unit includes one locking door and 2 hooks in each section.

Interior clearance:

36" high unit:

16-1/2" wide x 10-7/8"deep x 30-1/2"high 42" high unit:

16-1/2" wide x 10-7/8"deep x 36-1/2"high

Cubbies

Each cubby unit includes two fixed shelves per section.

Interior clearance:

36" high unit:

16-1/2" wide x 10-7/8"deep x 9-5/8"high 42" high unit:

16-1/2" wide x 10-7/8"deep x 11-5/8"high

Cubbies - With Doors

Each cubby with door includes one locking door and two fixed shelves per section.

Interior clearance:

36" high unit:

16-1/2" wide x 10-7/8"deep x 9-5/8"high 42" high unit:

16-1/2" wide x 10-7/8"deep x 11-5/8"high

Bookshelves

Each bookshelf unit features two fixed shelves per section.

Interior clearance:

36" high unit:

34" wide x 10-7/8"deep x 9-5/8"high

42" high unit:

34" wide x 10-7/8"deep x 11-5/8"high

Locks

Locks are available anywhere a door is used, with four locking options for Ruckus Storage:

1. Standard key lock (comes with pull option only) - The standard lock is a high-security double-bit lock. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations are available at no additional charge (this information must be included with order). Locks can be master keyed.

Please see the Accessories section of this price list for order information on master keys, extractor (core removal) keys, key blanks, cut keys, core sets and key sets. All standard locks have removable and interchangeable plugs. This feature allows

for onsite custom keying. Units can be supplied with lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core removal) key and can be found in the Accessories section. Contact KI Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific keynumber locks.

Example: 30 plugs 3 keyed alike 10 keyed alike 17 keyed alike

- Padlock Robust zinc housing allows the end user to apply their own combination lock. Lock is backed with a stainless steel escutcheon plate to protect the paint finish.
- 3. Combination lock A 4-dial combination lock that allows user to access locker without the need of a key. All locks are shipped with a factory set code 3333, combination is set by the end user or facility manager. In the case of lost or forgotten codes, a master key override will unlock the unit and allow the lock to be recoded. Combination lock features solid zinc construction. And a four digit combination allows up to 10,000 unique codes.
- 4. Digital lock Stand-alone battery operated lock allows user immediate and simple keypad access without the need of a key. All locks are shipped with a factory set code 2244, the new access code is set by the end user or facility manager. Users have the flexibility to set and change a personal entry code, while a preset master code ensures that supervisor access is always available, or in an emergency, the key code can be overridden.

Features:


- •Up to 80,000 operating cycle's battery life
- Low battery warning
- Battery failure key override
- •8-digit master code and 6-digit sub-master codes
- •4-digit user code (10,000 unique codes)
- •6-digit technician code
- •Code changeable
- •Not suitable for chlorinated environments
- •Can be programed for single use set at time of use or fixed combination mode

Finish

Units are offered in numerous powdercoat colors. Powder-coat application is a hybrid epoxy. Paint is baked on to provide a scratch and stain resistant finish. Shells and doors may be specified in separate colors for no upcharge. Mechanical components are plated or finished with other protective coatings.




General Information Ruckus™ Storage




General Dimension											
A (Height) B (Width) C (Depth) D (Door Pull to Door Pull)											
36"	36-1/8" - 54-5/8"	24-3/8"	24.66"								
42"	36-1/8" - 54-5/8"	24-3/8"	24.66"								


Top View (54" Cubbie with Doors shown)



Front View (54" Open Cubbie shown)



In	Interior Clearance per Storage Compartment											
Storage Height	E (Width)	F (Depth)	G (Height)									
36" Open Locker	16-1/2"	11-3/4"	30-1/2"									
42" Open Locker	16-1/2"	11-3/4"	36-1/2"									
36" Locker w/Door	16-1/2"	10-7/8"	30-1/2"									
42" Locker w/Door	16-1/2"	10-7/8"	36-1/2"									
36" Open Cubbie	16-1/2"	10-7/8"	9-5/8"									
42" Open Cubbie	16-1/2"	10-7/8"	11-5/8"									
36" Cubbie w/Door	16-1/2"	10-7/8"	9-5/8"									
42" Cubbie w/Door	16-1/2"	10-7/8"	11-5/8"									
36" Bookshelf	34"	10-7/8"	9-5/8"									
42" Bookshelf	34"	10-7/8"	11-5/8"									



Ruckus™ Seating (Freight Excluded Pricing)

Four-Leg Chair

				MODEL NUMB	ER					
				Basic	Fire	Poly	Frame	Glide	Upholstery	
	MODEL	Features	Н	Model	Code	Color	Color	Option	Color	
	Four-Leg Chair with Glides	Polypropylene	15"	RK1100H15NB						
\leq \sim	Model does not stack China fully approach to design.	Polypropylene	18"	RK1100H18NB						
100	 Ships fully assembled, packaged 1 chair per carton 									
	por ourton									
/ 1 \										
<u>[</u>										
•										
RK11										
	Four-Leg Chair with Glides	Upholstered Seat	15"	RK1200H15NB						
500	Model does not stack China fully appearable does not stack	Upholstered Seat	18"	RK1200H18NB						
	 Ships fully assembled, packaged 1 chair per carton 									
	por ourton									
∭ \\										
Ŭ Ŭ										
RK12										
				A	B	Θ	0	3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select fire retardant.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides
GPL - Nylon plas

GPL - Nylon plastic glides
GSL - Steel glides

Select upholstery grade/color.
Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.



Ruckus[™] Seating (Freight Excluded Pricing) Four-Leg Chair

	Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	uded	Freig Exclu Pricii Fabri 2	uded	Pric Fab	luded sing ric Grade 3 roup 2V	Freig Excl Pric C.O.	luded ing	Pric Palla	luded	Pric Palla	uded	Freig Exclu Pricir Pallas Grou	ded ng s Fabric	Freigh Exclui Pricin Pallas Group	ded g Fabric	Freig Exclu Pricin Palla Grou	ided ng s Fabric
·	29.0#	\$ 159					·												
	30.0#	161																	
	31.5#	N/A	\$ 251	\$	259	\$	274	\$	251	\$	282	\$	328	\$	342	\$ 3	360	\$	386
	32 5#	N/A	253		261		276		253		284		330		344	3	362		388

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Ruckus™ Seating (Freight Excluded Pricing)

Four-Leg Chair

				MODEL NUMB	ER					
					F.		_			
	MODEL	Features	н	Basic Model	Fire Code	Poly Color	Frame Color	Caster Type	Upholstery Color	
	Four-Leg Chair with Casters	Polypropylene	15"	RK2100H15NB					00.01	
\leq	 Model does not stack 	Polypropylene	18"	RK2100H18NB						
hu	Snips fully assembled, packaged i chair	Тотургоругоно		THE TOOTTOILE						
	per carton									
/s \\										
Ju.										
RK21										
111/21	Four-Leg Chair with Casters	Upholstered Seat	15"	RK2200H15NB						
$\leq a - 1$	 Model does not stack 	Upholstered Seat	18"	RK2200H18NB						
he he	Ships fully assembled, packaged 1 chair	Ophiolotorea esa:	10	THEE						
	per carton									
/8 W										
RK22										
TINZZ								_		
				A	₿	Θ	O	(3)	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

- Compliance to TB 117-2013 FR

- Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CCC - Carpet casters - Hard floor casters

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Four-Leg Chair

Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Fabric Grade 2	Excluded Pricing Fabric Grade 3 & Group 2V Vinyl	Freight Excluded Pricing C.O.V.	Freight Excluded Pricing Pallas Fabric Group P0	Freight Excluded Pricing Pallas Fabric Group P1	Freight Excluded Pricing Pallas Fabric Group P2	Freight Excluded Pricing Pallas Fabric Group P3	Freight Excluded Pricing Pallas Fabric Group P4
29.5#	\$ 170									
30.5#	172									

Freight

33.0# N/A 264 272 287 264 295 341 355 373 39	32.0#	N/A	\$ 262	\$ 270	\$ 285	\$ 262	\$ 293	\$ 339	\$ 353	\$ 371	\$ 397
	33.0#	N/A	264		287	264	295	341	355	373	399

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=none
Added List Price=\$19
Model=Upholstered Seat Only
Added Lead Time=none
Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack Chair with Glides

				MODEL NUMB	FR					
				WODEL NOME	LIL					
	MODEL	Features	н	Basic	Fire Code		Frame	Glide	Upholstery	
	-			Model			Color	Option	Color	
	Stack Chair with Glides • Ships fully assembled, packaged 2	Polypropylene	15"	RKU100H15NB						
Shar-	chairs per carton	Polypropylene	18"	RKU100H18NB						
	15" chair stacks 3 high									
	18" chair stacks 4 high									
-										
RKU1										
	Stack Chair with Glides	Upholstered Seat	15"	RKU200H15NB						
Sport	Ships fully assembled, packaged 1 chair par parts.	Upholstered Seat	18"	RKU200H18NB						
	per carton • 15" chair stacks 2 high									
	18" chair stacks 3 high									
(A n)										
RKU2										
				A	В	Θ	0	3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides

- Nylon plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



37.5#

N/A

310

318

Ruckus[™] Seating (Freight Excluded Pricing) Stack Chair with Glides

445

Approx. Packaged Weight	Freight Excluded Pricing Unuphol		Exc Prio Fab	ght luded cing ric Grade C.O.M.	Ex Pri	eight cluded icing bric Grade	F F	reight xcluded ricing abric Gr Group inyl	ade 3	Freigh Exclud Pricin C.O.V.	ded ig	Freight Excluded Pricing Pallas Fa Group P(bric	Prici Palla	uded	 C	Freight Exclude Pricing Pallas F Group F	abric	Pric Pall	luded		uded
34.0#	\$ 215																					
35.0#	218																					
36.5#	N/A	1	\$	307	\$	315	\$	330		\$ 3	307	\$ 338		\$	384	;	\$ 39	8	\$	416	\$	442

310

341

387

401

419

333

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack Chair with Glides

				MODEL NUMB	ER					
				Basic	Fire	Poly	Frame	Bookrack	Glide	Upholstery
	MODEL	Features	Н	Model	Code	Color	Color	Color	Option	Color
	Stack Chair with Glides and Bookrack	Polypropylene	15"	RKU100H15BR						
Smar	 Ships fully assembled, packaged 2 chairs per carton 	Polypropylene	18"	RKU100H18BR						
	15" chair stacks 3 high									
	 18" chair stacks 4 high 									
RKU1										
	Stack Chair with Glides and Bookrack	Upholstered Seat	15"	RKU200H15BR						
\leq	 Ships fully assembled, packaged 1 chair per carton 	Upholstered Seat	18"	RKU200H18BR						
	15" chair stacks 2 high									
	18" chair stacks 3 high									
RKU2										
				A	ß	(0	(3	(3)	Ф

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select fire retardant.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides
GPL - Nylon plastic glides
GSL - Steel glides

Select upholstery grade/color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



40.5#

N/A

357

365

Ruckus[™] Seating (Freight Excluded Pricing) Stack Chair with Glides

492

Approx. Packaged Weight	Freight Excluded Pricing Unupholstere	Ex Pr Fa	eight cluded icing bric Grade & C.O.M.	Exi Pri	eight Cluded cing oric Grade	Exc Pri Fat	olght cluded cing oric Grade 3 Group 2V syl	Freigl Exclu Pricir C.O.V	ıded ng	Exc Pri Pal	ight cluded cing las Fabric oup P0	Prio Pall	luded	Prio Pall	uded	Prici Palla	uded	Prici Palla	uded
37.0#	\$ 262																		
38.0#	265																		
39.5#	N/A	\$	354	\$	362	\$	377	\$	354	\$	385	\$	431	\$	445	\$	463	\$	489

357

388

434

448

466

380

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Ruckus[™] Seating (Freight Excluded Pricing) Stack Chair with Casters

			MODEL NUMB	ER					
			Ragin	Fire	Poly	Frame	Caster	Unholstery	
MODEL	Features	Н	Model	Code	Color	Color	Туре	Color	
Stack Chair with Casters	Polypropylene	15"	RKV100H15NB						
	Polypropylene	18"	RKV100H18NB						
18" chair stacks 4 high									
Stack Chair with Casters	Upholstered Seat	15"	RKV200H15NB						
Ships fully assembled, packaged 1 chair	Upholstered Seat	18"	RKV200H18NB						
18" chair stacks 3 high									
-									
			A	B	•	0	3	G	
	Stack Chair with Casters Ships fully assembled, packaged 2 chairs per carton 15" chair stacks 3 high 18" chair stacks 4 high Stack Chair with Casters Ships fully assembled, packaged 1 chair per carton 15" chair stacks 2 high	Stack Chair with Casters • Ships fully assembled, packaged 2 chairs per carton • 15" chair stacks 3 high • 18" chair stacks 4 high Stack Chair with Casters • Ships fully assembled, packaged 1 chair per carton • 15" chair stacks 2 high	Stack Chair with Casters • Ships fully assembled, packaged 2 chairs per carton • 15" chair stacks 3 high • 18" chair stacks 4 high Stack Chair with Casters • Ships fully assembled, packaged 1 chair per carton • 15" chair stacks 2 high	MODEL Stack Chair with Casters Ships fully assembled, packaged 2 chairs per carton 15" chair stacks 3 high Table 18" chair stacks 4 high Stack Chair with Casters Ships fully assembled, packaged 1 chair per carton 15" chair stacks 2 high 18" chair stacks 3 high	Stack Chair with Casters Ships fully assembled, packaged 2 chairs per carton 18" chair stacks 4 high Stack Chair with Casters Ships fully assembled, packaged 2 chair stacks 4 high Upholstered Seat Ships fully assembled, packaged 1 chair per carton 15" chair stacks 2 high 18" Chair stacks 2 high 18" Chair stacks 3 high	MODEL Stack Chair with Casters Ships fully assembled, packaged 2 chairs stacks 3 high Stack Chair with Casters Stack Chair with Casters Stack Chair with Casters Stack Chair stacks 3 high Upholstered Seat Ships fully assembled, packaged 1 chair per carton Stack Chair stacks 2 high Stack Chair stacks 3 high	MODEL Stack Chair with Casters Ships fully assembled, packaged 2 chair stacks 4 high Stack Chair with Casters Upholstered Seat Ships fully assembled, packaged 1 chair per carton 18" chair stacks 2 high 18" Chair stacks 2 high 18" Chair stacks 3 high	MODEL Features H Model Code Color Type Stack Chair with Casters Ships fully assembled, packaged 2 chairs stacks 3 high 18" chair stacks 4 high Stack Chair with Casters Ships fully assembled, packaged 1 chair per carton 15" chair stacks 2 high 18" RKV200H15NB RKV200H15NB RKV200H18NB RKV200H18NB RKV200H18NB	MODEL Features Polypropylene Stack Chair with Casters Ships fully assembled, packaged 2 chair stacks 3 high 18" chair stacks 4 high Stack Chair with Casters Upholstered Seat Upholstered Seat Upholstered Seat 15" RKV200H15NB RKV200H15NB RKV200H18NB RKV200H18NB RKV200H18NB RKV200H18NB RKV200H18NB RKV200H18NB RKV200H18NB

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CHC - Hard floor casters

- CCC - Carpet casters
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Ruckus[™] Seating (Freight Excluded Pricing) Stack Chair with Casters

Approx. Packaged Weight	Pric	luded	Exc Prio Fab	ight cluded cing oric Grade c C.O.M.	Pric	luded	Prio Fab	luded cing ric Grade 3 Group 2V	luded cing	E: P P	reight xcluded ricing allas Fabric roup PO	Exc Prio Pal	ight Iuded sing las Fabric up P1	Pric Palla	uded	Pric Palla	uded	Prici Palla	uded
34.5#	\$	226							·				·						
35.5#		229																	
37.0#		N/A	\$	318	\$	326	\$	341	\$ 318	\$	349	\$	395	\$	409	\$	427	\$	453
38.0#		N/A		321		329		344	321		352		398		412		430		456

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering ${\hbox{\rm C.O.M.}}$ see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Stack Chair with Casters

MODEL Features H Model Code Color Color Type Color Ships fully assembled, packaged 2 chairs per carton 15" chair stacks 3 high 18" chair stacks 4 high	
MODEL Features H Model Code Color Color Type Color Stack Chair with Casters and Bookrack Ships fully assembled, packaged 2 chairs per carton 15" chair stacks 3 high 18" chair stacks 4 high	
MODEL Features H Model Code Color Color Type Color Stack Chair with Casters and Bookrack Ships fully assembled, packaged 2 chairs per carton 15" chair stacks 3 high 18" chair stacks 4 high	
MODEL Features H Model Code Color Color Type Color Stack Chair with Casters and Bookrack • Ships fully assembled, packaged 2 chairs per carton • 15" chair stacks 3 high • 18" chair stacks 4 high	Jpholstery
Ships fully assembled, packaged 2 chairs per carton 15' chair stacks 3 high 18" chair stacks 4 high Polypropylene 18" RKV100H18BR	Color
chairs per carton • 15" chair stacks 3 high • 18" chair stacks 4 high	
15" chair stacks 3 high 18" chair stacks 4 high	
• 18" chair stacks 4 high	
RKV1	
BKV1	
RKV1	
RKV1	
Ships fully assembled, packaged 1 chair Upholstered Seat 18" RKV200H18BR	
per carton • 15" chair stacks 2 high	
18" chair stacks 3 high	
RKV2	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CHC - Hard floor casters - Carpet casters

GSelect upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



40.0#

41.0#

N/A

N/A

365

368

373

376

Ruckus[™] Seating (Freight Excluded Pricing) Stack Chair with Casters

500

503

Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Fabric Grade 2	Excluded Pricing Fabric Grade 3 & Group 2V Vinyl	Freight Excluded Pricing C.O.V.	Freight Excluded Pricing Pallas Fabric Group P0	Freight Excluded Pricing Pallas Fabric Group P1	Freight Excluded Pricing Pallas Fabric Group P2	Freight Excluded Pricing Pallas Fabric Group P3	Freight Excluded Pricing Pallas Fabric Group P4
37.5#	\$ 273									
38.5#	276									

388

391

365

368

396

399

442

445

456

459

474

477

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

				MODEL NUMB	ER					
	MODEL	Features	н	Basic Model	Fire Code	Poly Color	Frame Color	Glide Option	Upholstery Color	
	Stool No Bookrack	Polypropylene	24"	RK4100H24NB						
$\leq a \rightarrow 1$	 Casters not available on stool models 	Polypropylene	30"	RK4100H30NB						
40	 Ships fully assembled, packaged 1 chair per carton 	- 51155								
	Stacks 3 high									
//	Ü									
e U										
RK41										
	Stool No Bookrack	Upholstered Seat	24"	RK4200H24NB						
Sac	Casters not available on stool modelsShips fully assembled, packaged 1 chair	Upholstered Seat	30"	RK4200H30NB						
	per carton									
	Stacks 3 high									
RK42										
				A	$oldsymbol{\Theta}$	Θ	0	3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides

- Nylon plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Freight Excluded Freight Freight Freight Freight Freight Freight Freight Excluded Excluded Excluded Excluded Excluded Excluded Excluded Freight Pricing Freight Fabric Grade 3 Approx. Excluded Pricing Pricing Excluded Pricing Pricing Pricing Pricing Pricing Packaged Fabric Grade Fabric Grade & Group 2V Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pricing Pricing Unupholstered 1 & C.O.M. C.O.V. Group P0 Group P1 Group P2 Group P3 Group P4 Weight Vinyl

42.0# \$ 256 43.0# 265

44.5# N/A 348 356 371 348 379 425 439 457 483 45.5# N/A 357 365 380 357 388 435 448 466 492

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=none
Added List Price=\$19
Model=Upholstered Seat Only
Added Lead Time=none
Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

				MODEL NUME	BER					
	MODEL	Features	Н	Basic Model	Fire Code	Poly Color	Frame Color	Bookrack Color	Glide Option	Upholstery Color
	Stool with Bookrack	Polypropylene	24"	RK4100H24BR						
\leq	Casters not available on stool models Ships fully assembled, paskaged 1 shair.	Polypropylene	30"	RK4100H30BR						
	 Ships fully assembled, packaged 1 chair per carton 									
	Stacks 3 high									
//										
(4777)										
a f										
RK41										
	Stool with Bookrack	Upholstered Seat	24"	RK4200H24BR						
\leq_{n}	Casters not available on stool modelsShips fully assembled, packaged 1 chair	Upholstered Seat	30'	RK4200H30BR						
	per carton									
	Stacks 3 high									
//										
4223										
e U										
RK42										
				A	(3)	•	0	(3	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

- Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides - Nylon plastic glides - Steel glides GPL GSL

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	ıded	Freig Exclu Pricir Fabri 2	ıded	Pric Fabr	uded ing ric Grade 3 roup 2V	Freig Excl Pric C.O.	uded ing	Pric Palla	uded	Prici Palla	uded	uded	Prici Palla	uded	Freig Exclu Prici Palla Grou	uded ng s Fabric
45.0#	\$ 303																
46.0#	312																
47.5#	N/A	\$ 395	\$	403	\$	418	\$	395	\$	426	\$	472	\$ 486	\$	504	\$	530
48.5#	N/A	404		412		427		404		435		481	495		513		539

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=none
Added List Price=\$19
Model=Upholstered Seat Only
Added Lead Time=none
Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

			MODEL	NUMBER	3				
			Basic	Fire	Poly	Frame	Caster	Upholstery	Approx. Packaged
	MODEL	Features	Model	Code	Color	Color	Туре	Color	Weight
	Task Chair	Polypropylene	RK5100						36.0#
	 Ships KD, packaged 1 chair per carton Utilizes 28" 5-blade base 								
	• Othizes 20 3-blade base								
3									
RK51									
	Task Chair	Upholstered Seat	RK5200						38.5#
	 Ships KD, packaged 1 chair per carton Utilizes 28" 5-blade base 								
	Still 200 20 O Blade Bass								
<i>a b c c c c c c c c c c</i>									
•									
RK52									
			A	B	•	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- **D**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster or glide type.

CHC - Hard floor casters - Carpet casters - Bell glide

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Ruckus™ Seating (Freight Excluded Pricing)

Freight Excluded Pricing Unupholstered Freight Excluded Pricing Fabric Grade 1 & C.O.M.

Freight Excluded Pricing Fabric Grade Freight Excluded Pricing Fabric Grade 3 & Group 2V Vinyl

Freight Excluded Freight Excluded Pricing Pricing Pallas Fabric C.O.V. Group P0

Freight Excluded Pricing Pallas Fabric Group P1

Freight Excluded Pricing Pallas Fabric Group P2

Freight Excluded Pricing Pallas Fabric Group P3

Freight Excluded Pricing Pallas Fabric Group P4

274

N/A \$ 500 \$ 574 \$ 505 \$ 500 \$ 551 \$ 445 \$ 457 \$ 475 \$	N/A	\$ 366	\$ 374	\$ 389	\$ 366	\$ 397	\$ 443	\$ 457	\$ 475	\$ 5
--	-----	--------	--------	--------	--------	--------	--------	--------	--------	------

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Des



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect strorage/accessories.

BH - Book bag hook; add \$8

NB - No book storage

Select base option.

GFT - Felt glides
GPL - Nylon plastic glides
GSL - Steel glides

- Select top laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select base color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Freight Excluded Pricing

\$ 374

378

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Des



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect strorage/accessories.

BH - Book bag hook; add \$8 NB - No book storage

Select base option.

RSL - Wheelbarrow (rolling front, steel glides back)

RPL - Wheelbarrow (roller front, plastic glides back)

RFT - Wheelbarrow (rolling front, felt solo glides back)

- Select top laminate surface.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Ruckus[™] Desking (Freight Excluded Pricing)

Freight Excluded Pricing

\$ 404

408

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Ruckus™ Storage (Freight Excluded Pricing)

Inckers

			MODEL NUMB	ER					
	110051	W - B - II	Basic				Shell	Approx. Packaged	
	MODEL	WxDxH	Model	Base	Top Color	Color	Color	Weight	
	Locker-Two Open Units Laminate top (1-1/4" with 74P edge)	36x24x36	RKL3624360P					165.3#	
	Dual sided storage (4 compartments)	36x24x42	RKL3624420P					178.5#	
	total)								
	2 hooks per opening								
	 Unit ships assembled; glides/casters are field installed 								
*	neiu installeu								
RCKL									
	Locker-Three Open Units	54x24x36	RKL5424360P					211.0#	
	Laminate top (1-1/4" with 74P edge) Dual sided stars as (6 as magnificants).	54x24x42	RKL5424420P					229.0#	
	 Dual sided storage (6 compartments total) 								
	2 hooks per opening								
	 Unit ships assembled; glides/casters are 								
	field installed								
*									
RCKL									
					•	-	•	ı	
			A	$oldsymbol{\Theta}$	Θ	O	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Ruckus[™] Storage (Freight Excluded Pricing)

Freight Excluded Pricing

\$ 921

955

\$ 1192

1237

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled f.o.b. Pembroke, Ontario K8A 0E1** factory. Freight class #100.

Ruckus™ Storage (Freight Excluded Pricing)

l neker

		MODEL NUMBER	ED								
		MODEL NUME	SEK	1					1	T	
	WxDxH	Basic Model	Door Lock Option	Pull Option	Base	Top Color	Edge Color	Shell Color	Door Color	Lock Option	Approx. Packaged Weight
	36x24x36	RKL362436DR									192.1#
Hinged right	36x24x42	RKL362442DR									209.9#
shown											
RCKL Locker-Two Door Units											
 Laminate top (1-1/4" with 74P edge) 											
• Dual sided storage (4 compartments											
total)											
Secure locking doors4 locking options offered											
 Unit ships assembled; glides/casters 											
are field installed											
	54x24x36	RKL542436DR									251.2#
	54x24x42	RKL542442DR									276.2#
Hinged right											
shown											
Locker-Three Door Units											
Laminate top (1-1/4" with 74P edge)											
 Dual sided storage (6 compartments total) 											
 Secure locking doors 											
4 locking options offeredUnit ships assembled; glides/casters											
are field installed											
		A	3	•	• O	(3	•	· · ·	0	0	
		w	U	G	U	G		U	W	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select door lock option.

SLCKL - Standard lock hinged left
SLCKR - Standard lock hinged right
PLCKL - Padlock hinged left
PLCKR - Padlock hinged right
CLCKL - Combination lock hinged left
CLCKR - Combination lock hinged right

DLCKL - Digital lock hinged left
DLCKR - Digital lock hinged right

Select pull option.

S6 - Beveled pull Black
S5 - Beveled pull Satin Chrome
Pull selection only when SLCKR or SLCKL
key lock is selected.

• Select base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select front door color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Available ONLY when the standard lock is selected.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Ruckus[™] Storage (Freight Excluded Pricing)

Freight		Freight	Freight	
Excluded	Freight	Excluded	Excluded	
Pricing	Excluded	Pricing	Pricing	
Standard	Pricing	Combination	Digital	
Lock	Padlock	Lock	Lock	
\$ 1216	\$ 1250	\$ 1504	\$ 2002	
1264	1299	1552	2050	

\$ 1611	\$ 1662	\$ 2042	\$ 2789	
1667	1719	2099	2845	

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped assembled f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Ruckus™ Storage (Freight Excluded Pricing)

Rookease



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Ruckus[™] Storage (Freight Excluded Pricing)

Freight Excluded Pricing

\$ 907

953

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Ruckus™ Storage (Freight Excluded Pricing)

Cuhhie

			MODEL NUMBI	ER				
								A
			Basic			Edge	Shell	Approx. Packaged
	MODEL	WxDxH	Model	Base	Top Color	Color	Color	Weight
	Cubbies 2x3-Open Units	36x24x36	RKC3624360P					181.4#
	 Laminate top (1-1/4" with 74P edge) 	36x24x42	RKC3624420P					194.6#
	 Dual sided storage (12 total compart- ments) 							
	 Unit ships assembled; glides/casters are 							
	field installed							
•								
RCKC								
	Cubbies 3x3-Open Units	54x24x36	RKC5424360P					235.2#
	Laminate top (1-1/4" with 74P edge) Dual sided starses (19 total seminate	54x24x42	RKC5424420P					253.1#
	 Dual sided storage (18 total compart- ments) 							
	 Unit ships assembled; glides/casters are 							
	field installed							
ü								
RCKC								
			A	ß	O	0	3	
			•	0		0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Ruckus[™] Storage (Freight Excluded Pricing)

Freight Excluded

Pricing \$ 963

997

\$ 1254

1299

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Ruckus™ Storage (Freight Excluded Pricing)

Cuhhie

		MODEL NUMB	ED								
		MODEL MOMB	En								
	WxDxH	Basic Model	Door Lock Option	Pull Option	Base	Top Color	Edge Color	Shell Color	Door Color	Lock Option	Approx. Packaged Weight
	36x24x36	RKC362436DR									208.2#
	36x24x42	RKC362442DR									226.0#
Hinged right shown											
RCKC											
Cubbies 2x3-With Doors											
 Laminate top (1-1/4" with 74P edge) Dual sided storage (12 total compart- 											
ments)											
Secure locking doors4 Locking options offered											
 Unit ships assembled; glides/casters are field installed 											
	54x24x36	RKC542436DR									275.4#
	54x24x42	RKC542442DR									300.3#
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \											
Hinged right shown											
RCKC											
Cubbies 3x3-With Doors											
• Laminate top (1-1/4" with 74P edge)											
Dual sided storage (18 total compart-											
ments) • Secure locking doors											
4 Locking options offeredUnit ships assembled; glides/casters											
are field installed											
		A	•	•	0	(3	•	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select door lock option.

SLCKL - Standard lock hinged left
SLCKR - Standard lock hinged right
PLCKL - Padlock hinged left
PLCKR - Padlock hinged right
CLCKL - Combination lock hinged left
CLCKR - Combination lock hinged right

DLCKL - Digital lock hinged left
DLCKR - Digital lock hinged right

Select pull option.

S6 - Beveled pull Black
S5 - Beveled pull Satin Chrome
Pull selection only when SLCKR or SLCKL
key lock is selected.

• Select base option.

4CW - 4 black casters 4GB - 4 black glides Select top laminate surface.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select shell color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select front door color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Available ONLY when the standard lock is selected.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Ruckus[™] Storage (Freight Excluded Pricing)

Freight Excluded Pricing Standard Lock	Freight Excluded Pricing Padlock	Freight Excluded Pricing Combination Lock	Freight Excluded Pricing Digital Lock	
\$ 1257	\$ 1292	\$ 1545	\$ 2043	
1299	1333	1587	2084	

\$ 1673	\$ 1724	\$ 2104	\$ 2851	
1729	1781	2161	2907	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Ruckus[™] Storage (Freight Excluded Pricing) Storage Accessories

			MODEL NUMBER			
	MODEL	Features	Basic Model	Approx. Packaged Weight		
	Double Bit Keys	Master Key	2.KP20550	0.2#		
HRDPT		Extractor Key	2.KP20551	0.2#		
		Key Blank	2.KP20552	0.2#		
		Cut Key	2.KP20557	0.2#		
HRDPT	Locker Master Key for CLCK Lock Master key for CLCK combination locks used on Ruckus storage lockers and cubbies ONLY Not for use with any other locks except Ruckus combination locks		2.KP61614	0.2#		
HRDPT	Locker Master Key for DLCK Lock Master key for DLCK digital locks used on Ruckus storage lockers and cubbies ONLY Not for use with any other locks except Ruckus digital locks		2.KP61616	0.2#		



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Ruckus[™] Storage (Freight Excluded Pricing) Storage Accessories

Freig Exclu Prici	
\$	
\$	
\$,

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMB	ER					
				Basic	Fire	Poly	Frame	Glide	Upholstery	
	MODEL	Features	Н	Model	Code	Color	Color	Option	Color	
	Four-Leg Chair with Glides	Polypropylene	15"	RK1100H15NB						
\leq \sim	Model does not stack Shipe fully assembled, packaged 1 chair.	Polypropylene	18"	RK1100H18NB						
	 Ships fully assembled, packaged 1 chair per carton 									
	por ourton									
/ U										
l l										
RK11										
	Four-Leg Chair with Glides	Upholstered Seat	15"	RK1200H15NB						
Shar	Model does not stackShips fully assembled, packaged 1 chair	Upholstered Seat	18"	RK1200H18NB						
	per carton									
	F									
(
<u>U</u>										
RK12										
				A	B	Θ	0	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt gli - Felt glides

- Nylon plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Ruckus[™] Seating (Delivered Pricing) Four-Leg Chair

Approx. Packaged Weight	Delivered Pricing Unupholstered	Prio Fab	ivered cing oric Grade & C.O.M.	Prid	ivered sing ric Grade	Prio Fab	ivered cing oric Grade 3 Group 2V yl	livered cing).V.	Prici Palla	vered ing as Fabric up P0	Pr Pa	elivered icing ullas Fabric oup P1	P P	elivered ricing allas Fabric roup P2	Pr Pa	livered icing Ilas Fabric oup P3	Prio Pal	ivered sing as Fabric up P4
29.0#	\$ 175																	
30.0#	177																	
31.5#	N/A	\$	276	\$	284	\$	299	\$ 276	\$	307	\$	353	\$	367	\$	385	\$	411
32.5#	N/A		279		287		302	279		310		356		370		388		414

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Ruckus™ Seating (Delivered Pricing)

Four-Leg Chair

				MODEL NUMB	ER					
				Davis .	Fire	Date	F	0	Habalatan.	
	MODEL	Features	н	Basic Model	Fire Code	Poly Color	Frame Color	Caster Type	Upholstery Color	
	Four-Leg Chair with Casters	Polypropylene	15"	RK2100H15NB					00101	
	Model does not stack									
The state of the s	Ships fully assembled, packaged 1 chair	Polypropylene	18"	RK2100H18NB						
	per carton									
//w //										
<i>8</i> 0										
RK21										
	Four-Leg Chair with Casters	Upholstered Seat	15"	RK2200H15NB						
\leq	 Model does not stack 	Upholstered Seat	18"	RK2200H18NB						
	Ships fully assembled, packaged 1 chair per certain.									
	per carton									
//sb 4/4										
l l										
DV00										
RK22										
				A	B	•	0	(3	(3)	
				_	-	-	-	-	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

- Compliance to TB 117-2013 FR - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select frame finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CCC - Carpet casters

- Hard floor casters

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Ruckus[™] Seating (Delivered Pricing) Four-Leg Chair

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
29.5#	\$ 187									
30.5#	190									
32.0#	N/A	\$ 288	\$ 296	\$ 311	\$ 288	\$ 319	\$ 365	\$ 379	\$ 397	\$ 423
33.0#	N/A	291	299	314	291	322	368	382	400	426

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

				MODEL NUMB	EK	1			
				Basic	Fire	Poly	Frame	Glide	Upholstery
	MODEL	Features	Н	Model	Code	Color	Color	Option	Color
	Stack Chair with Glides	Polypropylene	15"	RKU100H15NB					
500	Ships fully assembled, packaged 2	Polypropylene	18"	RKU100H18NB					
	chairs per carton • 15" chair stacks 3 high								
	18" chair stacks 4 high								
TU1									
	Stack Chair with Glides	Upholstered Seat	15"	RKU200H15NB					
500	Ships fully assembled, packaged 1 chair	Upholstered Seat	18"	RKU200H18NB					
	per carton • 15" chair stacks 2 high								
	18" chair stacks 3 high								
	-								
KU2									
				A	ß	Θ	0	(3	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides

- Nylon plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Pac	ckaged Pr	elivered icing nupholstered	Delivered Pricing Fabric Grad 1 & C.O.M.	Pric	vered ing ic Grade	Pric Fabr	ric Grade 3 roup 2V	Delive Pricir C.O.V	ıg	Pric Pall	vered ing as Fabric up P0	Prici Palla	vered ing as Fabric up P1	Prici Palla	vered ng is Fabric ip P2	Deliv Pricir Pallas Grou	ng s Fabric	Deliv Prici Palla Grou	ng s Fabric
	34.0# \$	237																	
	35.0#	240																	
	36.5#	N/A	\$ 338	\$	346	\$	361	\$;	338	\$	369	\$	415	\$	429	\$	447	\$	473
	37.5#	N/A	341	•	349		364		341	,	372		418		432		450		476

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Stack Chair with Glides

				MODEL NUMB	ED						
				MODEL NOME	EN						
	MODEL	Fastures		Basic	Fire	Poly	Frame	Bookrack	Glide	Upholstery	
	MODEL	Features	Н	Model	Code	Color	Color	Color	Option	Color	
	Stack Chair with Glides and Bookrack	Polypropylene	15"	RKU100H15BR							
\leq	Ships fully assembled, packaged 2	Polypropylene	18"	RKU100H18BR							
	chairs per carton • 15" chair stacks 3 high										
	18" chair stacks 4 high										
y											
DIZUA											
RKU1											
	Stack Chair with Glides and Bookrack	Upholstered Seat	15"	RKU200H15BR							
Show	 Ships fully assembled, packaged 1 chair per carton 	Upholstered Seat	18"	RKU200H18BR							
	15" chair stacks 2 high										
	18" chair stacks 3 high										
	Ů										
8											
RKU2											
						_	_				J
				A	$oldsymbol{\mathbf{G}}$	$\mathbf{\Theta}$	0	(3	(3)	G	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides - Nylon plastic glides GPL GSL - Steel glides

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
37.0#	\$ 288									
38.0#	292									
39.5#	N/A	\$ 390	\$ 398	\$ 413	\$ 390	\$ 421	\$ 467	\$ 481	\$ 499	\$ 525
40.5#	N/A	405	413	428	405	436	482	496	514	540

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

				MODEL NUMB	ER					
				Basic	Fire	Poly	Frame	Caster	Upholstery	
	MODEL	Features	Н	Model	Code	Color	Color	Туре	Color	
	Stack Chair with Casters	Polypropylene	15"	RKV100H15NB						
Show	Ships fully assembled, packaged 2	Polypropylene	18"	RKV100H18NB						
	chairs per carton15" chair stacks 3 high									
	18" chair stacks 4 high									
(A)	-									
5										
RKV1										
	Stack Chair with Casters	Upholstered Seat	15"	RKV200H15NB						
\leq_{n}	Ships fully assembled, packaged 1 chair	Upholstered Seat	18"	RKV200H18NB						
	per carton • 15" chair stacks 2 high									
	18" chair stacks 3 high									
(A)	The street of th									
~										
RKV2										
					•	_	-	•	A	
				A	B	Θ	O	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CHC - Hard floor casters

- CCC - Carpet casters
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unupholster	F F	Delivered Pricing Fabric Grade & C.O.M.	Pri	ivered cing oric Grade	Pi Fa	elivered icing bric Grade 3 Group 2V nyl	Pri	livered cing).V.	Pric Palla	vered ing as Fabric up P0	F F	Delivered Pricing Pallas Fabric Group P1	:	Delivered Pricing Pallas Fabric Group P2	P P	elivered ricing allas Fabric roup P3	Pri Pa	livered cing Ilas Fabric oup P4
 34.5#	\$ 249																		
35.5#	252																		
37.0#	N/A	\$	350	\$	358	\$	373	\$	350	\$	381	\$	427		\$ 441	\$	459	\$	485
38.0#	N/A		353		361		376		353		384		430		444		462		488

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

				T						
				MODEL NUME	BER					
				Basic	Fire	Poly	Frame	Bookrack	Caster	Upholstery
	MODEL	Features	Н	Model	Code	Color	Color	Color	Type	Color
	Stack Chair with Casters and Bookrack	Polypropylene	15"	RKV100H15BR						
5,0	Ships fully assembled, packaged 2	Polypropylene	18"	RKV100H18BR						
	chairs per carton • 15" chair stacks 3 high									
	18" chair stacks 4 high									
3										
RKV1										
	Stack Chair with Casters and Bookrack	Upholstered Seat	15"	RKV200H15BR						
Show	 Ships fully assembled, packaged 1 chair per carton 	Upholstered Seat	18"	RKV200H18BR						
	15" chair stacks 2 high									
	18" chair stacks 3 high									
5										
RKV2										
				A	B	•	0	3	(3)	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster type.

CHC - Hard floor casters - Carpet casters

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
37.5#	\$ 300									
38.5#	304									
40.0#	N/A	\$ 402	\$ 410	\$ 425	\$ 402	\$ 433	\$ 479	\$ 493	\$ 511	\$ 537
41.0#	N/A	405	413	428	405	436	482	496	514	540

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

										I
				MODEL NUMB	ER					
				Basic	Fire	Poly	Frame	Glide	Upholstery	
	MODEL	Features	Н	Model	Code	Color	Color	Option	Color	
	Stool No Bookrack	Polypropylene	24"	RK4100H24NB						
Show	Casters not available on stool modelsShips fully assembled, packaged 1 chair	Polypropylene	30"	RK4100H30NB						
	per carton									
	Stacks 3 high									
RK41			0.411	B.// 6000 / 10 / 10 / 10 / 10 / 10 / 10 /						
	Stool No Bookrack • Casters not available on stool models	Upholstered Seat	24"	RK4200H24NB						
Show I	Ships fully assembled, packaged 1 chair	Upholstered Seat	30"	RK4200H30NB						
	per carton									
	Stacks 3 high									
RK42										
						_				
				A	$oldsymbol{\Theta}$	Θ	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides

- Nylon plastic glides - Steel glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.



43.0#

292

Ruckus[™] Seating (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
42.0#	\$ 282									

44.5#	N/A	\$ 383	\$ 391	\$ 406	\$ 383	\$ 414	\$ 460	\$ 474	\$ 492	\$ 518	
45.5#	N/A	393	401	416	393	424	470	484	502	528	

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Polypropylene
Added Lead Time=none
Added List Price=\$19
Model=Upholstered Seat Only
Added Lead Time=none
Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

			MODEL NUMBER									
				Basic	Fire	Poly	Frame	Bookrack	Glide	Upholstery		
	MODEL	Features	Н	Model	Code	Color	Color	Color	Option	Color		
	Stool with Bookrack	Polypropylene	24"	RK4100H24BR								
\leq \sim	Casters not available on stool models China fully apparabled, paskered 1 about	Polypropylene	30"	RK4100H30BR								
	 Ships fully assembled, packaged 1 chair per carton 											
	Stacks 3 high											
//												
(1)												
e U												
RK41												
	Stool with Bookrack	Upholstered Seat	24"	RK4200H24BR								
\leq	Casters not available on stool modelsShips fully assembled, packaged 1 chair	Upholstered Seat	30'	RK4200H30BR								
	per carton											
	Stacks 3 high											
y y												
RK42												
				A	B	G	0	(3	(3)	G		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect frame finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select bookrack color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide option.

GFT - Felt glides - Nylon plastic glides GPL GSL - Steel glides

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
·	45.0#	\$ 333		·			·				
	46.0#	343									
	47.5#	N/A	\$ 435	\$ 443	\$ 458	\$ 435	\$ 466	\$ 512	\$ 526	\$ 544	\$ 570
	48.5#	N/A	444	452	467	444	475	521	535	553	579

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering ${\hbox{\rm C.O.M.}}$ see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

			MODEL	NUMBER	3				
			Basic	Fire	Poly	Frame	Caster	Upholstery	Approx. Packaged
	MODEL	Features	Model	Code	Color	Color	Type	Color	Weight
	Task Chair	Polypropylene	RK5100						36.0#
کی اور کی	 Ships KD, packaged 1 chair per carton Utilizes 28" 5-blade base 								
	• Offizes 20 3-blade base								
<i>a b c</i>									
•									
RK51									
	Task Chair	Upholstered Seat	RK5200						38.5#
\leq	Ships KD, packaged 1 chair per carton								
	Utilizes 28" 5-blade base								
$\sim H_{\sim}$									
82 N 92									
On									
RK52									
			A	•	Θ	0	3	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire retardant.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select poly color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- **D**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster or glide type.

CHC - Hard floor casters - Carpet casters - Bell glide

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Ruckus™ Seating (Delivered Pricing)

Delivered Pricing Delivered Pricing Fabric Grade Unupholstered 1 & C.O.M.

Delivered Pricing Fabric Grade Delivered Pricing Fabric Grade 3 & Group 2V Vinyl

Delivered Delivered Pricing Pricing Pallas Fabric C.O.V. Group P0

Delivered Pricing Pallas Fabric Group P1

Delivered Pricing Pallas Fabric Group P2

Delivered Pricing Pallas Fabric Group P3

Delivered Pricing Pallas Fabric Group P4

302

403 411 426 403 434 480 494 512 538

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number. Model=Polypropylene Added Lead Time=none Added List Price=\$19 Model=Upholstered Seat Only Added Lead Time=none Added List Price=\$30

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped k.d. f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Desi



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect strorage/accessories.

BH - Book bag hook; add \$8

NB - No book storage

Select base option.

GFT - Felt glides
GPL - Nylon plastic glides
GSL - Steel glides

- Select top laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select base color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing

\$ 445

450

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect strorage/accessories.

- Book bag hook; add \$8 - No book storage

CSelect base option.

RPL - Wheelbarrow (roller front, plastic glides back)
RFT - Wheelbarrow (rolling front,

felt solo glides back)

- Wheelbarrow (rolling front, steel glides back)

- Select top laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing

\$ 475

480

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

l neker

			MODEL NUMB	ER				
								Approx.
	MODEL	WxDxH	Basic Model	Base	Top Color	Edge Color	Shell Color	Packaged Weight
	Locker-Two Open Units	36x24x36	RKL3624360P		· ·			165.3#
TITT	• Laminate top (1-1/4" with 74P edge)	36x24x42	RKL3624420P					178.5#
	 Dual sided storage (4 compartments total) 							
	 2 hooks per opening 							
	 Unit ships assembled; glides/casters are field installed 							
*	neid installed							
RCKL								
	Locker-Three Open Units	54x24x36	RKL5424360P					211.0#
TITITI	 Laminate top (1-1/4" with 74P edge) Dual sided storage (6 compartments 	54x24x42	RKL5424420P					229.0#
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	total)							
	2 hooks per opening Unit ships assembled; glides/sectors are							
	 Unit ships assembled; glides/casters are field installed 							
DOM								
RCKL								
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	O	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing

\$ 1012

1050

\$ 1310

1360

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Locker

		MODEL NUMB	ER								
	WxDxH	Basic Model	Door Lock Option	Pull Option	Base	Top Color	Edge Color	Shell Color	Door Color	Lock Option	Approx. Packaged Weight
	36x24x36	RKL362436DR									192.1#
Hinged right shown	36x24x42	RKL362442DR									209.9#
RCKL											
Locker-Two Door Units											
• Laminate top (1-1/4" with 74P edge)											
 Dual sided storage (4 compartments 											
total) • Secure locking doors											
 4 locking options offered 											
 Unit ships assembled; glides/casters are field installed 											
are neid instaned	F4 04 00	DI/I 5 40 400DD									054.0 //
	54x24x36 54x24x42	RKL542436DR RKL542442DR									251.2# 276.2#
	34X24X42	RKL342442DR									270.2#
library sinks											
Hinged right shown											
RCKL											
Locker-Three Door Units											
• Laminate top (1-1/4" with 74P edge)											
Dual sided storage (6 compartments											
total) • Secure locking doors											
 4 locking options offered 											
 Unit ships assembled; glides/casters are field installed 											
ai e iieiu iiistaiieu											
		A	$oldsymbol{eta}$	•	0	(3	(3	œ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect door lock option.

SLCKL - Standard lock hinged left
SLCKR - Standard lock hinged right
PLCKL - Padlock hinged left
PLCKR - Padlock hinged right
CLCKL - Combination lock hinged left

CLCKR - Combination lock hinged right

DLCKL - Digital lock hinged left

DLCKR - Digital lock hinged right

Select pull option.

S6 - Beveled pull Black
S5 - Beveled pull Satin Chrome
Pull selection only when SLCKR or SLCKL
key lock is selected.

• Select base option.

4CW - 4 black casters 4GB - 4 black glides Select top laminate surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select shell color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select front door color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Available ONLY when the standard lock is selected.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing Standard Lock	Delivered Pricing Padlock	Delivered Pricing Combination Lock	Delivered Pricing Digital Lock	
\$ 1336	\$ 1374	\$ 1653	\$ 2200	
1389	1427	1706	2253	

\$ 1770	\$ 1827	\$ 2244	\$ 3064
1832	1889	2306	3127

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Rookcasi



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing

\$ 997

1047

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Cuhhie

			MODEL NUMB	ER				
	MODEL	WxDxH	Basic Model	Base	Top Color	Edge Color	Shell Color	Approx. Packaged Weight
	Cubbies 2x3-Open Units	36x24x36	RKC3624360P					181.4#
	 Laminate top (1-1/4" with 74P edge) Dual sided storage (12 total compart- 	36x24x42	RKC3624420P					194.6#
	ments)							
	 Unit ships assembled; glides/casters are field installed 							
•								
RCKC								
	Cubbies 3x3-Open Units	54x24x36	RKC5424360P					235.2#
	 Laminate top (1-1/4" with 74P edge) Dual sided storage (18 total compart- 	54x24x42	RKC5424420P					253.1#
	ments)							
	 Unit ships assembled; glides/casters are field installed 							
	nord instance							
RCKC								
			A	B	•	0	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Delivered Pricing

\$ 1058

1095

\$ 1378

1428

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Cuhhia

MODEL NUMBER											
	WxDxH	Basic Model	Door Lock Option	Pull Option	Base	Top Color	Edge Color	Shell Color	Door Color	Lock Option	Approx. Packaged Weight
	36x24x36	RKC362436DR									208.2#
	36x24x42	RKC362442DR									226.0#
Hinged right shown											
RCKC											
Cubbies 2x3-With Doors											
 Laminate top (1-1/4" with 74P edge) Dual sided storage (12 total compartments) 											
 Secure locking doors 											
4 Locking options offeredUnit ships assembled; glides/casters											
are field installed											
	54x24x36	RKC542436DR									275.4#
	54x24x42	RKC542442DR									300.3#
\ \											
Hinged right shown											
RCKC											
Cubbies 3x3-With Doors											
• Laminate top (1-1/4" with 74P edge)											
Dual sided storage (18 total compart-											
ments) • Secure locking doors											
4 Locking options offeredUnit ships assembled; glides/casters											
are field installed											
		A	3	•	0	(3	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect door lock option.

SLCKL - Standard lock hinged left
SLCKR - Standard lock hinged right
PLCKL - Padlock hinged left
PLCKR - Padlock hinged right
CLCKR - Combination lock hinged left
CLCKR - Combination lock hinged right

DLCKL - Digital lock hinged left
DLCKR - Digital lock hinged right

Select pull option.

S6 - Beveled pull Black
S5 - Beveled pull Satin Chrome
Pull selection only when SLCKR or SLCKL
key lock is selected.

• Select base option.

4CW - 4 black casters 4GB - 4 black glides

- Select top laminate surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select shell color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select front door color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Available ONLY when the standard lock is selected.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



		Ū	'/
\cap	ıh	hi	۵٥

Delivered Pricing Standard Lock	Delivered Pricing Padlock	Delivered Pricing Combination Lock	Delivered Pricing Digital Lock
\$ 1382	\$ 1419	\$ 1698	\$ 2245
1428	1465	1744	2291
\$ 1838	\$ 1895	\$ 2312	\$ 3133
1900	1957	2375	3195

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Ruckus[™] Storage (Delivered Pricing) Storage Accessories

			MODEL NUMBER		
	MODEL	Features	Basic Model	Approx. Packaged Weight	
	Double Bit Keys	Master Key	2.KP20550	0.2#	
HRDPT		Extractor Key	2.KP20551	0.2#	
		Key Blank	2.KP20552	0.2#	
		Cut Key	2.KP20557	0.2#	
HRDPT	Locker Master Key for CLCK Lock Master key for CLCK combination locks used on Ruckus storage lockers and cubbies ONLY Not for use with any other locks except Ruckus combination locks		2.KP61614	0.2#	
HRDPT	Locker Master Key for DLCK Lock Master key for DLCK digital locks used on Ruckus storage lockers and cubbies ONLY Not for use with any other locks except Ruckus digital locks		2.KP61616	0.2#	



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Ruckus[™] Storage (Delivered Pricing) Storage Accessories

Delivered Pricing	
\$ 9	
9	
3	
4	
\$ 21	
\$ 7	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description P	age
2.KP20550	Storage Accessories: Double Bit Keys	46
2.KP61614	Storage Accessories: Locker Master Key for CLCK Lock	46
2.KP61616	Storage Accessories: Locker Master Key for CLCK Lock	46
RK1100H15NB	Four-Leg Chair: Four-Leg Chair with Glides	14
RK1200H15NB	Four-Leg Chair: Four-Leg Chair with Glides	14
RK2100H15NB	Four-Leg Chair: Four-Leg Chair with Casters	16
RK2200H15NB	Four-Leg Chair: Four-Leg Chair with Casters	16
RK4100H24BR	Stools: Stool with Bookrack	28
RK4100H24NB	Stools: Stool No Bookrack	26
RK4200H24BR	Stools: Stool with Bookrack	28
RK4200H24NB	Stools: Stool No Bookrack	26
RK5100	Task Chair: Task Chair	30
RK5200	Task Chair: Task Chair	30
RKB/362436	Bookcase: Bookcase Unit with Shelves	40
RKC/362436DR	Cubbies: Cubbies 2x3-With Doors	44
RKC/3624360P	Cubbies: Cubbies 2x3-Open Units	42
RKC/542436DR	Cubbies: Cubbies 3x3-With Doors	44
RKC/5424360P	Cubbies: Cubbies 3x3-Open Units	42
RKL/362436DR	Lockers: Locker-Two Door Units	38
RKL/3624360P	Lockers: Locker-Two Open Units	36
RKL/542436DR	Lockers: Locker-Three Door Units	38
RKL/5424360P	Lockers: Locker-Three Open Units	36
RKU100H15BR	Stack Chair with Glides: Stack Chair with Glides and Bookrack	20
RKU100H15NB	Stack Chair with Glides: Stack Chair with Glides	18
RKU200H15BR	Stack Chair with Glides: Stack Chair with Glides and Bookrack	20
RKU200H15NB	Stack Chair with Glides: Stack Chair with Glides	18
RKV100H15BR	Stack Chair with Casters: Stack Chair with Casters and	
	Bookrack	24
RKV100H15NB	Stack Chair with Casters: Stack Chair with Casters	22
RKV200H15BR	Stack Chair with Casters: Stack Chair with Casters and	
	Bookrack	24
RKV200H15NB	Stack Chair with Casters: Stack Chair with Casters	22
RU4207	Desk: Fixed Height - Glide Base	32
RU5207	Desk: Fixed Height - Rolling Base	34

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2017 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000010/KI/PDF/0217