
January 3, 2011 Updated January 12, 2017 800-424-2432









Ordering C.O.M., C.O.L., and C.O.V.	Bonduel, Green Bay, Ontario, and Tupelo	2
ordering o.o.m., o.o.e., and o.o.v.	High Point	4
	Shipping Location	6
& LA a TM	Conoral Information	
Altus™	General Information Task Chair	8 10
	Altus Slip Covers	12
	<u> </u>	
Apply™	General Information	14
	Task Chair Task Stool	16 18
	Task Stool	10
Avail®	General Information	20
	Task Chair	22
	Task Chair	24
Cinturon™	General Information	26
	Task Chairs	28
	Task Chairs	30
Engage®	General Information	32
	Task Chairs and Stools Task Chairs and Stools	34 36
	Task Chairs and Stools	38
	Task Chairs and Stools	40
Grazie®	General Information	42
	Task Chairs and Stools	44
	Task Chairs and Stools	46
Impress®	General Information	48
·	Task Chairs and Stools	50
I	Conoral Information	
Impress® Ultra	General Information Task Chairs and Stools	52 54
	lask chairs and Stools	J 4
Kismet®	General Information	56
	Task, Stool, Guest Chairs	58
	Task, Stool, Guest Chairs	60
	Task, Stool, Guest Chairs Task, Stool, Guest Chairs	62 64
	rask, otool, duest onairs	04
Mesa™	General Information	66
	Task Chairs	68
Pilot®	General Information	70
	Task Chairs	72
Sift™	General Information	74
	Task and Guest Chairs Task and Guest Chairs	76 78
	Task and Guest Chairs	80
	Taok and Gassi Shans	
Strive®	General Information	82
	Task Chairs and Stools	84
	Task Chairs and Stools	86
	Task Chairs and Stools Task Chairs and Stools	88 90
	raon Silano ana Otobio	30
Torsion®	General Information	92
	Task Chairs	94
	Task Chairs and Stools	96
Torsion Air™	General Information	98
	Task Chairs and Stools	100
	Task Chairs and Stools	102
Index		404
Index		104

Bonduel, Green Bay, Ontario, and Tupelo


How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret febrio.

Textile designs often have intricate pattern Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order ProcessingFor products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107


For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests,

provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customers responsibility to arrange for return of this material

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

Purchasing Agent (Dealer or buying organization)

Attention

Address

City State Zip

Type of seating and number of units of each type

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

Test approved. Submitted for production.

KI Acknowledgement Number

In all instances, send this form to the ${\sf C.O.M.}$ Specialist.





B^{Selvage Side} and Side



Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo



Customer's Own Material ■



Specifications Form January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)




YOUR COMPANY NAME_		
PHONE	FAX	
Material Name	Number	
	Horizontal Repeat	
	applied	
COM TO BE USED ON TH		
QTY PRODUCT NAME/	NOMBER	



Shipping Location

C.O.M. SHIPPING LOCATION



Office	I*IIN
esidence Hall Furniture	
RoomScape Furniture	MNI
100mscape rumiture	I II N
creens	
True/Volition	ΚÞ
Genesis	
GCI ICSIS	
eating	
100 Series Folding Chairs	BW
300 Series Folding Chairs	
600 Series Stools	
700 Series Folding Chairs	
1000 Series	
Aerdyn Guest Seating	
Affina Collection	HN
Arissa Lounge	HN
Altus Task Chairs	TM
Apply Stack Chairs	GB
Auditorium Folding Chairs	BW
Avail Task Chairs	OM
Bantam Guest Seating	HN
Boss Design Chairs	HN
Cinturon Lounge & Professional Seati	ing HN
Cody Lounge Seating	HN
Connection Zone Privacy Booths	HN
Doni Collection	
Dorsal Stack & Tandem Seating	GB
Engage Task Chairs & Stools	
Front Row Seats (Silk Screening)	
GateOne Public Seating	
Grazie Seating	
Hub Modular Lounge Seating	
Impress Task Chairs	
Impress Ultra Task Chairs	
Jessa Lounge Seating	
Jubi Guest Chair	GB

Wireworks......MN

	-
Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	HN
LaResta Day Beds	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Neena Benches	HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	HN
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	
Sway	BW
Tea Cup Lounge Seating	HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Torsion Stack and Task Seating	GB
Versa Stack Chairs & Stools	GB

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432

GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

HIN KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263 KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

BW/ KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 KI Crossroads Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 OM KI-Impress Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 TM KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



Altus™ General Information



Conference Loop Armchair (ALTCLA)



Fabric Task Armless Chair (ALTUNA)



Fabric Task Headrest Adjustable Armchair (ALTUAA)

Factures			
Features			
Back flex		•	•
Swivel and tilt	•		
Glides option	•		
General Dimensions			
Seat width	18-1/2"	18"	18"
Seat depth	17-1/4"	15-1/2 - 18"	15-1/2 - 18"
Seat height	16-1/4 - 19-1/2"	16-1/4 - 20-3/4"	16-1/4 - 20-3/4"
Arm height	8-3/4"		6-1/4 - 9-1/4"
Inside distance between arms	19-3/4"		19 ^u
Overall Dimensions			
Width	24"	26"	26"
Depth	24"	26"	26"
Height	35-1/4 - 38-1/2"	39-1/2 - 44"	39-1/2 - 44"
Base diameter	24"	26"	26"

SPECIFICATIONS

Mechanism (Fabric and Mesh Task Chair)

Reinforced plastic base on cast aluminum housing with three control levers. One lever activates the pneumatic cylinder for a range in seat height. The second lever controls the back tilt angle, which has four settings. The third lever adjusts the tilt force and is located at the side of the chair for ease of use.

Mechanism (Conference Chair)

Swivel tilt mechanism is a stamped steel dual housing which includes swivel and tilt tension. Steel handle with molded urethane paddle controls seat height adjustments along with single lock-out or free-float action. Standard seat height range adjusts from 16-1/4" to 19-1/2". An auto height/auto return pneumatic cylinder option is available which returns the chair to its original frontfacing and highest position.

Backrest (Conference and Mesh Task Chair)

A black reinforced plastic frame with mesh insert.

Backrest (Fabric Task Chair)

Flannel plastic back liner with polyurethane foam and a replaceable fabric slip cover attached to a black reinforced plastic frame. A plastic strip sewn to the edge of the fabric slip cover slides into a channel in the back liner.

Seat (Fabric and Mesh Task Chair)

Plastic seat liner and polyurethane foam covered with a replaceable fabric slip cover. The fabric slip cover is attached to the seat with Velcro.

Seat (Conference Chair)

Seat foam, upholstery, and underseat plastic liner are one unit which is field-replaceable.

Seat Slide (Fabric and Mesh Task Chair)

Seat depth is adjustable to one of five settings.

Adjustable Lumbar (Mesh Task Chair)

Optional clear adjustable lumbar has two control levers. One adjusts the lumbar height and the other adjusts the lumbar depth. Levers telescope and retract for ease of use.

Adjustable Arm (Fabric Task Chair)

Black molded arm cap is mounted to a reinforced black plastic arm post. The arm cap is made of TPU (thermal polyurethane), a non-irritating, recyclable material which is soft to the touch. It has 2" of depth adjustment and 3" of height adjustment. The arm caps pivot to provide a 4" range between the arm caps from 17 - 21".

Adjustable Arm (Mesh Task Chair)

Black molded polyurethane arm cap is mounted to a reinforced black plastic arm

post. It has 2" of depth adjustment and 2" of height adjustment. The arm caps pivot to provide a 5-3/4" range between the arm caps from 16-3/4 - 22-1/2".

Fixed T-Arm and Loop Arm

Black reinforced plastic arm.

Base

Two 26" five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Casters

Double wheel black carpet or hard surface casters are molded of reinforced plastic. A reinforced plastic glide option is available on the Conference Chair.

Headrest

Upholstered in black faux leather. The headrest pad rotates forward or backward (Mesh Task Chair) or adjusts vertically and forward or backward (Fabric Task Chair). The Fabric Task Chair headrest automatically maintains



Mesh Task Armless Chair (ALTMNA)



Mesh Task Headrest Adjustable Armchair (ALTMAA)



Mesh Task Fixed T-Armchair (ALTMFA)

Features			
Back flex	•	•	•
Swivel only			
Glides			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"
Seat height	17 - 21-3/4"	17 - 21-3/4"	17 - 21-3/4"
Arm height		7-1/4 - 9-1/4"	7-1/4"
Inside distance between arms		20°	20"
Overall Dimensions			
Width	26"	27"	27"
Depth	26"	26"	26"
Height	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"
Base diameter	26"	26"	26"

a supportive position as the user tilts back. Headrests are field-installed.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

ΚI

Attn: C.O.M. Specialist 2112 South Green Street Tupelo, MS 38801

C.O.M. Availabilty

C.O.M. is only offered on the Mesh Task Chair.

Fabric Disclaimer

Fabric will be applied as swatched by the

fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

24/7

Altus Fabric Task and Mesh Task chairs can be used in 24/7 applications.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Task Chair

MODEL NUMBER										
	MODEL	Features	Basic Model	Base Finish	Cylinder Type	Base	Head- rest	Lumbar	Upholstery Color	Approx. Packaged Weight
	Altus® Conference Chair Optional auto-return cylinder 6 mesh backrest colors Seat height adjustment Swivel and tilt	Loop Arm	ALTCLA							42.0#
ALTC										
	Altus® Fabric Task Chair • Flex back • Automatic lumbar support	No Arm Adjustable Arm	ALTUNA ALTUAA							64.0# 64.0#
ALTU										
	Altus® Mesh Task Chair 6 mesh backrest colors Flex back Mesh pocket for lumbar support Lumbar support is not available with FR	No Arm Adjustable Arm Fixed T-Arm	ALTMNA ALTMAA ALTMFA							54.0# 54.0# 54.0#
ALTM			A	B	•	0	9	•	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish.

- Plastic base - Aluminum base; add \$176

Select cylinder type.

STD - Standard cylinder - Auto return cylinder; add \$112

• Select base option.

- Glides (conference only); add \$31 - Carpet casters - Hard floor casters; add \$47

Glides are only used on the Conference Chair.

Select headrest.

NHR - No headrest HR - Headrest; add \$106

Select lumbar support.

NLS - No lumbar support - Lumbar support; add \$95 Lumbar support is not available with

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select mesh color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge. Model=Conference Added Lead Time=1 week Added List Price=\$76 Model=Mesh Task Added Lead Time=1 week Added List Price=\$76

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.





Pric	vered ing ric Grade	Prio Gra	ivered cing de Leather	Prio Fab	ivered cing ric Grade C.O.M.	Pric	vered ing ric Grade	Pric	vered ing ric Grade	Pric	vered ing /I Group	Prio Pall	ivered cing las Fabric oup P0	Pric Pall	vered ing as Fabric up P1	Pric Palla	vered ing as Fabric up P2	Pric Pall	vered ing as Fabric up P3	Prici Palla	vered ing as Fabric up P4
\$	582	\$	706	\$	597	\$	605	\$	608	\$	608	\$	615	\$	642	\$	652	\$	666	\$	679
\$	924	\$	1225																		
	934		1236																		

\$ 988	\$ 1112	\$ 1045	\$ 1058	\$ 1063	\$ 1063	\$ 1075	\$ 1124	\$ 1141	\$ 1166	\$ 1188
1001	1124	1058	1068	1073	1073	1088	1135	1154	1178	1199
993	1119	1051	1063	1068	1068	1082	1129	1147	1172	1193

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Mesh Task Chair) C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Tupelo, Mississippi 38804 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Altus Slip Covers

		MODEL NU	JMBER						
	MODEL	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade A1		Pr Gr	livered cing ade Leather	
ALTSC	Conference Chair - Entire Seat • With foam and upholstery	ALTC.SC.S		0.9#	\$	47	\$	171	
ALTSC	Fabric Task Chair - Back Slip Cover • With foam	ALTU.SC.B		0.9#	\$	47	\$	171	
ALTSC	Fabric Task Chair - Seat Slip Cover • With foam	ALTU.SC.S		1.0#	\$	47	\$	171	
ALTSC	Mesh Task Chair - Seat Slip Cover • With foam	ALTM.SC.S		0.9#	\$	47	\$	171	





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 FR

- Compliance to TB 133

INFORMATION

Californina TB133 Fire Safety Code For California Technical Bulletin 133 compli-

ant models, add the following upcharge. Model=Conference Added Lead Time=1 week Added List Price=\$76 Model=Mesh Task Added Lead Time=1 week Added List Price=\$76

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Mesh Task Chair)

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Altus™ Altus Slip Covers

Delivered Pricing Fabric Grade 1 & C.O.M.		cing Pricing Pricing Fabric 6 C.O.M. 2		Delivered Pricing Fabric Grade 3		Delivered Pricing Vinyl Group 2V \$ 195		Delivered Pricing Pallas Fabric Group P0 \$ 231		Pric Pall	ivered sing as Fabric up P1	Delivered Pricing Pallas Fabric Group P2		Delivered Pricing Pallas Fabric Group P3 \$ 271		Prici Palla	vered ing as Fabric up P4
\$	178	\$	182	\$	195	\$	195	\$	231	\$	241	\$	254	\$	271	\$	296
\$	59	\$	70	\$	82	\$	82	\$	94	\$	141	\$	152	\$	166	\$	176

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Tupelo, Mississippi 38804 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Apply[™] General Information







Task Stool (APSNAP)

Features		
Molded plywood, optional upholstered seat pad	•	•
300 lb tested	•	•
General Dimensions		
Seat width	17-1/2"	17-1/2"
Seat depth	17-3/8"	17-3/8"
Seat height (upholstered add 1/2")	17-1/2" - 22-1/2"	20-1/2" - 28"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	35-1/2" - 43"

SPECIFICATIONS

Shell

One-piece contoured wood shell is constructed of formed plywood, .460"-.480" thick, 7-ply maple and poplar construction. The mold-formed seat and back provide for comfort and strength. Top/ bottom and front/back surfaces are vertical grade postforming, product type 335, high-pressure laminate thickness of .028", standard finish is #38 or #60 with a sanded edge with tung oil finish. The wood shell is supported by four plywood circular disks and 1/4 -20 T-nuts bonded with construction grade adhesive and fastened to a variety of base structures with four 1/4 -20x1/2" thread-locking screws. The chair perimeter is designed such that it provides a feature to support backpacks or courier bags. Shells are available in wood grain laminates or solid laminates.

Upholstered Seat

As an option, shells may be equipped with

an upholstered seat pad. Urethane foam is attached to a formed plywood upholstery liner, then upholstered using a drawstring process. The foam is a nominal ½" thickness. The pad assembly is attached to the shell using 10-24 screws, engaging T-nuts in the liner.

Underseat Structure

The shell is attached to an 11-gauge steel seat spider and cast aluminum height-adjust control. A single paddle under the seat operates the height adjusting pneumatic cylinder.

Base

Two five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Stools are equipped with an 18" diameter, adjustable-height footring made of die-cast aluminum with a chrome plated tubular steel ring and black "spokes."

Casters

Casters are double-wheel, high-impact thermoplastic, available with hard or soft wheel surface. Casters, base, and cylinder are available in black.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must

be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.


Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.






INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish.

BL - Black
PA - Polish

- Polished aluminum; add \$84

Select laminate shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select caster option.

- Carpet casters

C - Hard floor casters; add \$46





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 522										
N/A	649	653	674	649	674	671	686	736	755	783

OPTIONS

California TB133 Fire Safety Code
For California TB1chnical Bulletin 133 compliant models, add the following upcharge: Model=Upholstered Seat Added List Price=\$42

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.





HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish.

BL - Black
PA - Polish

- Polished aluminum; add \$84

Select laminate shell color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster option.

- Carpet casters

C - Hard floor casters; add \$46





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 631										
N/A	758	763	786	758	786	780	796	846	864	892

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Upholstered Seat Added List Price=\$42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Avail® General Information



No-Arm Task Chair (KIUV72/NA)

360° Pivot Arm Task Chair (KIUV72/JR30)



Adjustable T-Arm Task Chair (KIUV72/JR39)

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms		•	•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

SPECIFICATIONS

Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There is only one control lever which actuates the pneumatic cylinder with infinite selection within the range and locks the chair in an upright position. The synchrotilt mechanism adjusts the back and seat in a 2:1 free-floating mode.

Backrest

Nylon with fiberglass reinforced frame.

Back Height

Fixed height.

Seat

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick molded, high-resilient foam and upholstered with fabric, vinyl, or leather. Back mesh material is PE elastomeric with polyester. The entire seat assembly is mounted to the mechanism by 4 screws.

Adjustable 360° Pivot Arm (JR30)

Black molded urethane armcap pivots 360 degrees and locks in place. 3" of height adjustment and 3" of total width adjustment.

Adjustable T-Arm (JR39)

Two-way adjustable width/héight. Black molded urethane armcap. Adjustable height range of 4.25°. Adjustable width range of 1.75° each side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Fixed Loop Arm (KR48)

Black plastic arm.

Adjustable Loop Arm (KR72)

Black molded urethane armcap. 2.5" of height adjustment.

Adjustable K-Arm (KR200)

Two-way adjustable width/height. Black molded urethane armcap. Natural grip control. Adjustable height range of 2.75". Adjustable width range of 1" each side.

Base

 $25\mbox{\ensuremath{"}}$ diameter, five-blade reinforced nylon base. Black only.

Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Carpet or hard floor casters are available.

INFORMATION

Shipment

Ships partially assembled.

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Avail Attn: C.O.M. Department 1110 S. Mildred Ave. Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required





	Fixed	Loop Arm
Task	Chair	(KIUV72/KR48)

Adjustable Loop Arm Task Chair (KIUV72/KR72)

Adjustable K-Arm Task Chair (KIUV72/KR200)

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms			•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com



		MODEL NUM	IRFR			
	MODEL	Basic Model	Back Panel	Upholstery Color	Base	Delivered Approx. Pricing Delivered Pricing Packaged Fabric Grade Fabric Grade e Weight Soft Knit™ 1 & C.O.M.
AVAIL	No-Arm Chair Free-floating back Back lock Back is black mesh Upholstered seat	KIUV72/NA	BL			43.0# \$ 469 \$ 420
AVAIL	360° Pivot Arm • Free-floating back • Back lock • Back is black mesh • Upholstered seat • Height and width adjustable arms	KIUV72/JR30	BL			51.0# \$ 691 \$ 641
	Adjustable T-Arm Free-floating back Back lock Back is black mesh Upholstered seat Height and width adjustable arms	KIUV72/JR39	BL			51.0# \$ 624 \$ 575
AVAIL		A	•	•	0)

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect back panel.

BL - Black

Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

C - Carpet

- Hard fl

- Carpet casters

- Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.





Deliver Pricing Fabric	Grade	Delive Pricir Fabri 3	ng c Grade	Prici	ered ng I Group	Prici Palla		Prici Palla	ng Is Fabric	Prici Palla	ing as Fabric	Prici Palla	ng is Fabric	Prici Palla	vered ng is Fabric ip P4	Deliv Prici Leatl	
\$ 46	68	\$	474	\$	474	\$	447	\$	505	\$	528	\$	552	\$	579	\$	633
\$ 69	90	\$	696	\$	696	\$	667	\$	726	\$	750	\$	775	\$	802	\$	856
\$ 62	23	\$	629	\$	629	\$	602	\$	660	\$	683	\$	709	\$	734	\$	788

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory. Freight class

Specifications and prices are subject to change without prior notice.



		MODEL NUME	BER			
	MODEL	Basic Model	Back Panel	Upholstery Color	Base	Delivered Approx. Pricing Packaged Fabric Grade ⊌ Weight Soft Knit™
AVAIL	Fixed Loop Arm • Free-floating back • Back lock • Back is black mesh	KIUV72/KR48	BL			51.0# \$ 612
	Upholstered seat					
AVAIL	Adjustable Loop Arm Free-floating back Back lock Back is black mesh Upholstered seat	KIUV72/KR72	BL			51.0# \$ 624
	Height adjustable arms					
	Adjustable K-Arm Free-floating back Back lock Back is black mesh Upholstered seat Height and width adjustable arms	KIUV72/KR200	BL			51.0# \$ 588
a A a						
AVAIL						
		A	₿	•	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect back panel.

BL - Black

Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

C - Carpet

- Hard fl

- Carpet casters

- Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.





Fabr	vered Pricing ric Grade C.O.M.	Pric	vered ing ric Grade	Pric	vered ing ic Grade	Pric	vered ing I Group	Pric Pall	vered ing as Fabric up PO	Pric Pall	vered ing as Fabric up P1	Pric Pall	vered ing as Fabric up P2	Pric Palla	vered ng as Fabric up P3	Pric Palla	vered ing as Fabric up P4	Deli Pric Lea	
\$	565	\$	611	\$	618	\$	618	\$	593	\$	651	\$	672	\$	698	\$	723	\$	779
\$	575	\$	623	\$	629	\$	629	\$	602	\$	660	\$	683	\$	709	\$	734	\$	788
\$	540	\$	587	\$	594	\$	594	\$	568	\$	626	\$	648	\$	672	\$	698	\$	753
φ	J40	φ	J01	φ	JJ4	φ	JJ 4	φ	J00	φ	020	φ	040	φ	012	φ	030	φ	100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Ontario,
California 91761 factory. Freight class

Specifications and prices are subject to change without prior notice.

Cinturon™ General Information



Cinturon™ (Transitional)

Dimensions		
Overall width	26"	
Overall depth	25"	
Overall height	38-3/4" - 46 "	



2 Base - Polished aluminum with black hooded casters.



4 Base - Matte black understructure, bullnose edge wood caps with black hooded casters.



8 Base - Matte black understructure, grooved edge wood caps with black hooded casters.



9 Base - Matte black with black hooded casters.

SPECIFICATIONS

Complimentary Furniture

The following lounge collections offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

CINTURON - Cinturon™ Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to

one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Cinturon™

		MODEL NUMBER								
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Wood Base Finish	Fire Code	Approx. Packaged Weight	Grade C.O.M.	
	Mid Back - Upholstered Arm	2 Base	2.75 yd	1025/2				75.0#	\$ 1605	
		4 Base	2.75 yd	1025/4				75.0#	1605	
		8 Base	2.75 yd	1025/8				75.0#	1605	
		9 Base	2.75 yd	1025/9				75.0#	1448	
6 8 8 8 8										
CINT										
	High Back - Upholstered Arm	2 Base	3.25 yd	1026/2				80.0#	\$ 1761	
H		4 Base	3.25 yd	1026/4				80.0#	1761	
		8 Base	3.25 yd	1026/8				80.0#	1761	
		9 Base	3.25 yd	1026/9				80.0#	1605	
5 8 8 8 8										
CINT										
				A	ß	0	0			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See pricing column for TB133 upcharge.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model \$62 \$62 1025/4 1025/8 1026/4 \$62 1026/8 \$62





Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1642	\$ 1684	\$ 1731	\$ 1761	\$ 1827	\$ 1887	\$ 1966	\$ 2122	\$ 2279	\$ 2436	\$ 2753	\$ 316
1642	1684	1731	1761	1827	1887	1966	2122	2279	2436	2753	316
1642	1684	1731	1761	1827	1887	1966	2122	2279	2436	2753	316
1502	1541	1589	1616	1684	1743	1824	1980	2138	2295	2607	316
\$ 1813	\$ 1854	\$ 1915	\$ 1953	\$ 2023	\$ 2099	\$ 2193	\$ 2380	\$ 2567	\$ 2752	\$ 3123	\$ 343
1813	1854	1915	1953	2023	2099	2193	2380	2567	2752	3123	343
1813	1854	1915	1953	2023	2099	2193	2380	2567	2752	3123	343
1672	1720	1776	1814	1888	1961	2055	2241	2426	2613	2987	343

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less thean 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of compound curved laminate wood veneer. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock, knee-tilt control is standard. Attached cushions.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Cinturon™

			MODEL NUMBER					
MODEL	Featur	es COM	Basic Model	Non-Contrast or Fabric Contrast 1	Wood Arm Finish	Fire Code	Wood Base Finish	Approx. Packaged Weight
Mid Back - 1	Wood Arm 2 Base	2.5 yd	1125/2					75.0#
	4 Base	2.5 yd	1125/4					75.0#
	8 Base	2.5 yd	1125/8					75.0#
	9 Base	2.5 yd	1125/9					75.0#
5 8 8 8								
CINT								
High Back -	Wood Arm 2 Base	2.75 yd	1126/2					80.0#
H	4 Base	2.75 yd	1126/4					80.0#
d H h	8 Base	2.75 yd	1126/8					80.0#
	9 Base	2.75 yd	1126/9					80.0#
5 8 8 8 8								
CINT								
			A	B	•	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood arm finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 NFR - Compliance to TB 133 See pricing column for TB133 upcharge.

BSelect wood base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model 1125/2 - Arms \$37 1125/4 - Arms \$37 1125/4 - Base 1125/4 - Arms and Base \$62 1125/8 - Arms \$37 1125/8 - Base \$62 11/25/8 - Arms and Base \$62 1125/9 - Arms \$37 1126/2 - Arms 1126/4 - Arms \$37 1126/4 - Base \$62 1126/4 - Arms and Base \$62 1126/8 - Arms \$37 1126/8 - Base 1126/8 - Arms and Base \$62 1126/9 - Arms





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1541	\$ 1582	\$ 1614	\$ 1659	\$ 1688	\$ 1746	\$ 1804	\$ 1875	\$ 2015	\$ 2162	\$ 2301	\$ 2588	\$ 316
1541	1582	1614	1659	1688	1746	1804	1875	2015	2162	2301	2588	316
1541	1582	1614	1659	1688	1746	1804	1875	2015	2162	2301	2588	316
1392	1448	1480	1524	1556	1612	1671	1739	1886	2031	2170	2460	316
\$ 1657	\$ 1700	\$ 1741	\$ 1788	\$ 1818	\$ 1884	\$ 1943	\$ 2020	\$ 2176	\$ 2333	\$ 2486	\$ 2797	\$ 343
1657	1700	1741	1788	1818	1884	1943	2020	2176	2333	2486	2797	343
1657	1700	1741	1788	1818	1884	1943	2020	2176	2333	2486	2797	343
1522	1583	1622	1670	1697	1764	1835	1903	2060	2218	2374	2690	343

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less thean 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, $4.75 \times 18 = 85.5$ sq. ft).

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of compound curved laminate wood veneer. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock, knee-tilt control is standard. Attached cushions.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Engage® General Information



Upholstered Back Adjustable Arm Chair (ENGU/BL/AA)



Poly Back Armless Chair (ENGP/BL/NA)

Features		
Back flex	•	•
Seat depth adjustment	•	•
Forward seat tilt	•	•
Variable position back lock	•	•
Back height adjustment	•	•
Arms	•	
General Dimensions		
Seat width	18-3/4"	18-3/4"
Seat depth	16" - 19"	16" - 19"
Seat height	16" - 20-3/4"	16 - 20-3/4"
Back width (at lumbar)	18"	18"
Back height (above seat)	16-3/8" - 20-3/8"	16-3/8" - 20-3/8"
Overall Dimensions		
Width	28"	26"
Depth	22-1/2" - 25-1/2"	22-1/2" - 25-1/2"
Height	36-3/8" - 41-1/8"	36-3/8" - 41-1/8"
Top of arm from seat with adjustable arms	6" - 10"	
Armcap width (inside dimension) with adjustable arms	18-1/2"	

SPECIFICATIONS

Seat

Seat is constructed of a molded polypropylene seatboard with foam molded directly onto it. The foam-covered board is upholstered with fabric. An integral "seat slide button" is attached to the underside of the board, which allows the seat depth to be adjusted from 16" to 19" for the chairs and 16" to 17-3/4" for the stool. A textured polypropylene seat shroud attaches to the bottom of the seat and permits access to the seat slide button. The entire assembly is mounted through slots in the mechanism that allow the seat to slide in and out.

Backrest

The backrest has the same basic construction as the seat except the textured polypropylene shroud is also available in an upholstered version. The back also includes an adjustment lever that allows the back to be raised or lowered 4" vertically along the J-har

Synchronized Knee Tilt Mechanism

A stamped and welded steel housing contains a set of torsion bars that supply the force to the mechanism. Controls include a back angle lock, tilt tension control and pneumatic seat height lever for both the chairs and the stool, but also a forward tilt lockout for the chairs. The seat is in a 2° reclined position. When the forward tilt lock is disengaged, the seat tilts to a 2° forward position. The back angle can be locked at three positions. The tension can be increased or decreased by turning the tension dial to set the desired amount of preset on the torsion springs. The seat height can be pneumatically adjusted from 16" - 20-3/4" on the chairs and 22" to 32-1/4" on the stools with infinite selection within the range. The plastic mechanism shroud and control handles match the color of the chair.

Adjustable Armrests with Pivoting Armcaps (AA)

A curved and angled-forward arm support that is molded from reinforced nylon sup-

ports a height adjustable nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest that pivots 360° from a point near the back of the armrest. The armrest has 4 detents that allow the armrest to snap into position, one straightforward, one each at 20° inward and 20° outward, and one at 180° reversed back position. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" holts and are field-installable

Adjustable Armrests with Width Adjustable Armcaps (BA)

A tubular steel frame supports self-skinning urethane armrests, height-adjustable armrests (2-1/2" travel) and width adjustable armrests (1" of horizontal travel per arm). The support is welded to the seat underside and powdercoated to match other hard

surface elements.

Adjustable Armrests with Fixed Armcaps (HA)

A curved and angled-forward arm support that is molded from reinforced nylon, supports a height-adjustable reinforced nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" bolts and are filed-installable.

Base

The 24" diameter (on chairs) and the 26" diameter (on stools), five-blade base is molded from reinforced nylon. A telescoping cylinder shroud conceals the pneumatic cylinder. All finishes match the chair color.





Poly Back Stool with Adjustable Arms (ENGSP/BL/AA)

Features

Back Flex	•
Seat depth adjustment	•
Variable position back lock	•
Back height adjustment	•
Arms	•
General Dimensions	
Seat width	18-3/4"
Seat depth	16" - 19"
Seat Height	22" - 32-1/4"
Back width (at lumbar)	18"
Back height (above seat)	16-3/8" - 20-3/8"
Overall Dimensions	
Width	28"
Depth	26"
Height	47-7/8" - 52-5/8"
Top of arm from seat with adjustable arms (AA/HA)	6"- 10"
Top of arm from seat with adjustable arm (BA)	6-1/2" - 9"
Armcap width (inside dimension) with adjustable arm (BA)	20-1/2"
Armcap width (inside dimension) with pivoting arm (AA)	18-1/2"
Armcap width (inside dimension) with adjustable arm (HA)	18-1/2"

Carpet Casters

60mm diameter double wheels are molded of high-impact thermoplastic. High-impact plastic frame. Finish matches chair color.

Hard Floor Casters

60mm diameter double wheels are molded of soft plastic. High-impact plastic frame. Black finish only.

Universal Casters

Average performance for use on both soft and hard surfaces.

Footring (on Stools)

Chrome footring is standard.

Engage® 24/7

J-Bar is constructed of GR50 steel.

INFORMATION

C.O.M. Testing and Production

Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Engage[®]
Task Chairs and Stools

		MODEL NUMBER					
	MODEL	Features	Basic Model	Base	Frame Color	Upholstery Color	Approx. Packaged Weight
	Armless Chair Back flex Seat depth adjustment	Poly Back	ENGP/NA				53.0#
		Uph Back	ENGU/NA				53.0#
	Forward seat tilt	Poly Back, Memory Foam Seat	ENGMP/NA				53.0#
	 Variable position back lock 	Uph Back, Memory Foam Seat	ENGMU/NA				53.0#
	Back height adjustment						
ENGP							
ENGU							
ENGMP							
ENGMU		Dala Bask	ENGP/AA				00.0#
	Armchair with Height Adjustable Arm, Pivoting Armcap	Poly Back	ENGP/AA ENGU/AA				60.0# 60.0#
	Back flex	Uph Back Poly Back, Memory Foam Seat	ENGU/AA ENGMP/AA				60.0#
6 /P	Seat depth adjustment	Uph Back, Memory Foam Seat	ENGMU/AA				60.0#
	Forward seat tiltVariable position back lock	Opii back, Memory Foam Seat	EINGINIO/AA				00.0#
	Back height adjustment						
OB OB							
ENGP							
ENGU							
ENGMP							
ENGMU							
			A	B	O	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. **B**Select base option. - Carpet casters - Hard floor casters - Universal casters Select frame color. BL - Black CHBL - Polished aluminum base; add \$77 Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133 FR

Select upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide nondirectional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 874	\$ 887	\$ 896	\$ 874	\$ 896	\$ 930	\$ 979	\$ 1004	\$ 1036	\$ 1073	\$ 1522
962	988	1011			1107	1166	1217	1275	1275	1713
932	948	956	932	956	989	1036	1063	1096	1132	1583
1025	1049	1071			1170	1229	1279	1336	1336	1775

\$ 1156	\$ 1171	\$ 1177	\$ 1156	\$ 1177	\$ 1210	\$ 1259	\$ 1286	\$ 1318	\$ 1355	\$ 1807
1245	1272	1295			1348	1407	1449	1499	1557	1996
1213	1232	1236	1213	1236	1269	1316	1347	1378	1414	1867
1305	1331	1351			1405	1463	1507	1559	1618	2055

OPTIONS

Engage 24/7To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$67. No additional leadtime.

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Poly Back Added Lead Time=1 week Added List Price=\$125 Model=Fully Upholstery Back Added Lead Time=1 week Added List Price=\$158

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Engage[®] Task Chairs and Stools

			MODEL NUMB	BER			
	MODEL Armchair with Height Adjustable Arms,	Features Poly Back	Basic Model ENGP/HA	Base	Frame Color	Upholstery Color	Approx. Packaged Weight 60.0#
	Fixed Armcap	Uph Back	ENGU/HA				60.0#
	Back flex	Poly Back, Memory Foam Seat	ENGMP/HA				60.0#
	 Seat depth adjustment Forward seat tilt Variable position back lock Back height adjustment 	Uph Back, Memory Foam Seat	ENGMU/HA				60.0#
ENGP							
ENGU							
ENGMP							
ENGMU							
	Armchair with Height Adjustable Arm,	Poly Back	ENGP/BA				62.0#
	Width Adj Armcap	Uph Back	ENGU/BA				62.0#
	Back flexSeat depth adjustment	Poly Back, Memory Foam Seat	ENGMP/BA				62.0#
	Forward seat tilt	Uph Back, Memory Foam Seat	ENGMU/BA				62.0#
	Variable position back lockBack height adjustment						
	- back neight adjustment						
ENGP							
ENGU							
ENGMP							
ENGMU				_			
	Armchair with Height Adjustable Arm,	Poly Back	ENGP/CHBA				62.0#
	Width Adj. Armcap, Chrome Arm Sup- ports	Uph Back Poly Back, Memory Foam Seat	ENGU/CHBA ENGMP/CHBA				62.0# 62.0#
6 P	Back flex	Uph Back, Memory Foam Seat	ENGMU/CHBA				62.0#
	Seat depth adjustment	Opii Dack, Memory Foam Seat	LIVGIVIO/GITDA				02.0#
	Forward seat tiltVariable position back lock						
	Back height adjustment						
~ 04 m	Chrome arm supports						
ENGP							
ENGU							
ENGMP							
ENGMU							
			A	B	•	O	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base option.

U	our por oustors
S	 Hard floor casters
U	 Universal casters

Select frame color.

- Black CHBL - Polished aluminum base; add

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 FR

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide nondirectional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1140	\$ 1153	\$ 1161	\$ 1140	\$ 1161	\$ 1194	\$ 1241	\$ 1270	\$ 1302	\$ 1338	\$ 1785
1231	1250	1276			1332	1389	1431	1482	1539	1982
1199	1211	1218	1199	1218	1254	1302	1331	1360	1396	1847
1288	1311	1336			1392	1450	1492	1545	1599	2041

\$ 1156	\$ 1171	\$ 1177	\$ 1156	\$ 1177	\$ 1210	\$ 1259	\$ 1286	\$ 1318	\$ 1355	\$ 1807
1245	1272	1295			1348	1407	1449	1499	1557	1996
1213	1232	1236	1213	1236	1269	1316	1347	1378	1414	1867
1305	1331	1351			1405	1463	1507	1559	1618	2055

\$ 1156	\$ 1171	\$ 1177	\$ 1156	\$ 1177	\$ 1210	\$ 1259	\$ 1286	\$ 1318	\$ 1355	\$ 1807
1245	1272	1295			1348	1407	1449	1499	1557	1996
1213	1232	1236	1213	1236	1269	1316	1347	1378	1414	1867
1305	1331	1351			1405	1463	1507	1559	1618	2055

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$67. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Poly Back
Added Lead Time=1 week
Added List Price=\$125
Model=Fully Upholstery Back
Added Lead Time=1 week
Added List Price=\$158

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Engage[®]
Task Chairs and Stools

			MODEL NUM	RFR				
			MODEL NOM	LII		I		
	MODEL	Features	Basic Model	Base	Frame Color	Fire Code	Uph. Color	Approx. Packaged Weight
	Armless Stool	Poly Back	ENGSP/NA		BL			59.0#
	Back flexSeat depth adjustment	Uph Back	ENGSU/NA		BL			59.0#
	Variable position back lock	Poly Back, Memory Foam Seat	ENGSMP/NA		BL	NFR		59.0#
	Back height adjustment	Uph Back, Memory Foam Seat	ENGSMU/NA		BL	NFR		59.0#
ON J								
ENGSP								
ENGSU								
EGSMP								
EGSMU								
	Arm Stool with Height Adjustable Arm,	Poly Back	ENGSP/AA		BL			68.0#
	Pivoting Armcap Back flex	Uph Back	ENGSU/AA		BL			68.0#
\$ LP	Seat depth adjustment	Poly Back, Memory Foam Seat	ENGSMP/AA		BL	NFR		68.0#
	Variable position back lock	Uph Back, Memory Foam Seat	ENGSMU/AA		BL	NFR		68.0#
	 Back height adjustment 							
ENGSP								
ENGSU								
EGSMP								
EGSMU								
			A	B	œ	0	3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect base option. - Carpet casters - Hard floor casters - Universal casters Select frame color. BL - Black Refer to color addendum at ki.com or KI Fabrics & Finishes binder. DSelect fire code. - Compliance to TB 117-2013 - Compliance to TB 133 ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide nondirectional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1032	\$ 1042	\$ 1056	\$ 1032	\$ 1056	\$ 1087	\$ 1134	\$ 1162	\$ 1193	\$ 1232	\$ 1679
1122	1143	1167			1264	1321	1374	1431	1431	1872
1093	1102	1115	1093	1115	1144	1193	1222	1251	1290	1739
1180	1204	1229			1323	1381	1436	1492	1492	1933

Ç	\$ 1311	\$ 1328	\$ 1333	\$ 1311	\$ 1333	\$ 1366	\$ 1413	\$ 1445	\$ 1476	\$ 1512	\$ 1959
	1406	1426	1451			1504	1561	1604	1657	1716	2156
	1371	1387	1392	1371	1392	1424	1473	1502	1535	1570	2021
	1462	1489	1511			1565	1623	1666	1718	1775	2217

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$67. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Poly Back
Added Lead Time=1 week
Added List Price=\$125
Model=Fully Upholstery Back
Added Lead Time=1 week
Added List Price=\$158

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Engage[®]
Task Chairs and Stools

			MODEL NUM	1BER				
								Approx.
	MODEL	Features	Basic Model	Base	Frame Color	Fire Code	Uph. Color	Packaged Weight
	Arm Stool with Height Adjustable Arm, Fixed Armcaps Back flex Seat depth adjustment Variable position back lock	Poly Back Uph Back Poly Back, Memory Foam Seat Uph Back, Memory Foam Seat	ENGSP/HA ENGSU/HA ENGSMP/HA ENGSMU/HA		BL BL BL	NFR NFR		68.0# 68.0# 68.0# 68.0#
	Back height adjustment							
ENGSP ENGSU								
EGSMP EGSMU								
	Arm Stool with Height Adjustable Arm, Width Adjustable Armcaps Back flex Seat depth adjustment Variable position back lock Back height adjustment	Poly Back Uph Back Poly Back, Memory Foam Seat Uph Back, Memory Foam Seat	ENGSP/BA ENGSU/BA ENGSMP/BA ENGSMU/BA		BL BL BL	NFR NFR		70.0# 70.0# 70.0# 70.0#
ENGSP ENGSU EGSMP EGSMU								
			A	3	Θ	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. **B**Select base option. - Carpet casters - Hard floor casters - Universal casters Select frame color. BL - Black Refer to color addendum at ki.com or KI Fabrics & Finishes binder. • Select fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133 ESelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide nondirectional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





F F	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
5	\$ 1298	\$ 1309	\$ 1316	\$ 1298	\$ 1316	\$ 1353	\$ 1402	\$ 1426	\$ 1458	\$ 1496	\$ 1945
	1387	1410	1433			1488	1547	1588	1640	1696	2135
	1357	1369	1375	1357	1375	1411	1458	1489	1518	1555	2003
	1448	1469	1494			1547	1605	1648	1700	1759	2197

\$ 1311	\$ 1328	\$ 1333	\$ 1311	\$ 1333	\$ 1366	\$ 1413	\$ 1445	\$ 1476	\$ 1512	\$ 1959
1406	1426	1451			1504	1561	1604	1657	1716	2156
1371	1387	1392	1371	1392	1424	1473	1502	1535	1570	2021
1462	1489	1511			1565	1623	1666	1718	1775	2217

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$67. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Poly Back
Added Lead Time=1 week
Added List Price=\$125
Model=Fully Upholstery Back
Added Lead Time=1 week
Added List Price=\$158

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Grazie® General Information





Armless Task Chair (GPDNAP)

Task Cantilever Armchair (GPDCAU)

Armless Task Stool

Task Cantilever Arm Stool

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered - add 1") (stools with polished aluminum base - subtract 1-5/8")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/4" - 32-3/4"	22-1/4" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	32-1/2" - 37-1/2"	35-1/4" - 42-3/4"	35-1/4" - 42-3/4"
Arms to floor		26" - 31"		28-3/4" - 36-1/4"

SPECIFICATIONS

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Fixed backrest mechanism structures are made from 1/2" diamter steel wire and attached by welding. Structure is finished with baked-on, electrostaticallyapplied, 30-degree gloss epoxy powder coating.

Arms

Optional cantilever arms are available. When equipped with arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glass-reinforced nylon. Steel support tube and armcap color matches poly color. Diamond translucent poly has light tone arms; Pewter translucent has flannel arms; Bronze translucent has chocolate arms.

Backrest, Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Base

Injection-molded, glass-reinforced, nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Chair base and cylinder available in black, grey or polished aluminum (upcharge for polished aluminum). Stool base is available in black or grey. An optional polished die-cast aluminum base is available on both chairs and stools.

Base color selection for black includes; black base, black cylinder and black carpet casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet casters.

Casters

Casters are double-wheel, high-impact thermoplastic available with hard (warm grey or black) or soft (black only) wheel surface.

INFORMATION


C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302





Fabric Disclaimer

Fabric Dischainer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Grazie®

Task Chairs and Stools

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Base Color	Poly Seat & Back Color	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight
	Task Armless Chair	Polypropylene	GPDNAP						33.0#
	Ergonomic articulation (Perfect Pivot) Height adjusting appropriate adjusting and appropriate adjusting adjusti	Upholstered Seat	GPDNAU						36.0#
	 Height-adjusting pneumatic cylinder Base available in black, grey or polished 	Upholstered Seat/Back	GPDNAUB						38.0#
	aluminum								
678									
90									
GPDP									
GPDU									
GPDUB									
	Task Cantilever Armchair	Polypropylene	GPDCAP						36.0#
	Ergonomic articulation (Perfect Pivot)Height-adjusting pneumatic cylinder	Upholstered Seat	GPDCAU						39.0#
	Base available in black, grey or polished	Upholstered Seat/Back	GPDCAUB						41.0#
	aluminum								
o ()									
GPDP									
GPDU									
GPDUB									
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select base color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 - *Add \$84 for polished aluminum base.
- Select poly seat and back color.
 Refer to color addendum at ki.com or Kl
 Fabrics & Finishes binder.

• Select caster option.

C - Carpet casters
S - Hard floor casters

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$65
Model=Upholstered Seat and Back
Added List Price=\$93



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 467										
N/A	575	585	603	575	603	607	644	659	677	703
N/A	602	610	629	602	629	632	670	684	702	729
\$ 572										
N/A	680	690	708	680	708	711	748	764	781	808
N/A	707	715	734	707	734	739	776	790	809	835

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Grazie®

Task Chairs and Stools

			MODEL N	IIMRED					
			MODEL IV	UNIDEN			I		
	MODEL	Features	Basic Model	Base Color	Poly Seat & Back Color	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight
	Task Armless Stool	Polypropylene	GPSNAP						38.0#
	Ergonomic articulation (Perfect Pivot)	Upholstered Seat	GPSNAU						41.0#
	 Height-adjusting pneumatic cylinder Base available in black, grey or polished 	Upholstered Seat/Back	GPSNAUB						43.0#
	aluminum								
g // 2									
GPSP									
GPSU									
GPSUB									
	Task Cantilever Arm Stool	Polypropylene	GPSCAP						41.0#
	 Ergonomic articulation (Perfect Pivot) Height-adjusting pneumatic cylinder 	Upholstered Seat	GPSCAU						44.0#
	Base available in black, grey or polished	Upholstered Seat/Back	GPSCAUB						46.0#
	aluminum								
o // >>									
GPSP									
GPSU									
GPSUB									
			A	3	•	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select base color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 - *Add \$84 for polished aluminum base.
- Select poly seat and back color.
 Refer to color addendum at ki.com or Kl
 Fabrics & Finishes binder.

• Select caster option.

C - Carpet casters
S - Hard floor casters

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$65 Model=Upholstered Seat and Back Added List Price=\$93



\$ N/A

N/A

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 539										
N/A	647	657	677	647	677	679	716	731	749	775
N/A	674	682	703	674	703	705	742	756	775	801

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Impress® General Information







Sled Base Chair (KI60S)



Stool (KI63)

Features			
Free-floating back	•		•
Seat slide	•		•
Back height adjustable	•		•
3 position back lock	•		•
2-1/2" thick foam cushioned seat	•	•	•
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18"	18"	18"
Seat height	17-3/4" - 22-1/4"	18"	22-1/4" - 30"
Back width	20"	20"	20"
Back height (above seat)	19-1/2" - 22-1/2"	21"	19-1/2" - 22-1/2"
Overall Dimensions			
Width	26"	24"	26"
Height	37" - 45""	38-1/2"	43-1/2" - 56-1/2"



Adjustable 360° Pivot Arm (JR30)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI62 and KI63)

A stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height with infinite selection within the range (Kl62). One lever locks the chair in several positions or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI62 and KI63)

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side. An easy-to-operate mechanism is installed on the back board for adjusting the back height (3").

Seat Slide (KI62 and KI63)

Double spring-loaded: side-mounted, easy-

to-use control. Adjustment range of 3.1" (18" - 21.1")

Seat (KI62 and KI63)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism by four screws.

Seat Height (KI62)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:

Low Height: 16-3/4" - 19-1/2"

Tall Height: 20-1/2" - 26-3/4"

To select these optional cylinders, please see the "Options" section on the following page.

Pedestal Base (KI62 and KI63)

The 26" diameter, five-blade base is made of reinforced nylon. Black only.

Carpet Casters (KI62 and KI63)

The double 55mm diameter black wheels are

molded of high-impact thermoplastic and are housed in a high impact frame. Hard floor casters are available.

Fixed Loop Arm (KR48)

Arm is black plastic.

Adjustable Loop Arm Option (KR72) Black molded urethane armcap. Height adjustment of 2-1/2".

Adjustable T-Arm Option (JR39)

Height adjustment of 4-1/4" and width adjustment of 1-1/2" per side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Adjustable 360° Pivot Arm (JR30)

Molded urethane armcap pivots 360° and locks in place. Armcap is black. 4" of height adjustment and 3" of total width adjustment.

Backrest (KI60S)

The injection molded plastic board has embedded inserts for mounting. The board

is covered with contour molded foam and upholstered with fabric. A textured black shroud covers the rear side.

Seat (KI60S)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" contour molded high-resilient foam, and covered with upholstered fabric.

Sled Base (KI60S)

The sled base is formed from 1-1/8" diameter, 13-gauge thickness steel tubing. Black only.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholster-



Impress®
General Information

ing this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Department 1110 S. Mildred Ave Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Impress®
Task Chairs and Stools

MODEL NUMBER Fire Basic Memory Seat Back Uph. **Features** Slide Model Foam Panel Code Color Base Impress® Task Chair - Free Float No Arm KI62/NA ПП SLD П 2-1/2" thick foam cushioned seat 360° Pivot Arm KI62/JR30 NFR SLD Synchronized free-floating back KI62/JR39 $\Box\Box$ SLD NFR П Adjustable T-Arm Back height adjustment Adjustable T-Arm, Fire Retardant KI62/FR39 SLD DUB2 FR Multiple-position back lock Pedestal base available in black only SLD NFR Fixed Loop Arm KI62/KR48 FR models (no arm and FR39 arm) SLD Adjustable Loop Arm KI62/KR72 NFR require the plastic back panel to be upholstered **IMPR** Impress® Guest Chair - Sled Base KI60S/NA No Arm 2-1/2" thick foam cushioned seat Fixed Loop Arm KI60S/KR48 NFR Cantilevered sled base Sled base available in black only FR models (no arm and FR39 arm) require the plastic back panel to be upholstered **IMPR** Impress® Stool No Arm KI63/NA SLD 2-1/2" thick foam cushioned seat KI63/JR30 360° Pivot Arm SLD NFR Synchronized free-floating back Adjustable T-Arm KI63/JR39 SLD NFR Back height adjustment Adjustable T-Arm, Fire Retardant KI63/FR39 SLD DUB2 FR Multiple-position back lock Pedestal base available in black only Fixed Loop Arm KI63/KR48 SLD NFR FR models (no arm and FR39 arm) Adjustable Loop Arm KI63/KR72 SLD NFR require the plastic back panel to be upholstered **IMPR**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect memory foam.

NF - No memory foam
NF - Memory foam (for seat only);
add \$105

Memory foam for seat only.

C Select seat option.

SLD - Sliding seat

• Select back panel.

POLY - Poly back (standard)
DUB2 - Upholstered back panel; add
\$76

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect base option.

C - Carpet casters
S - Hard floor casters

A

0

0

UPHOLSTERY INFORMATION

C.O.M. Upholstery

0

C.O.M. requirement for 10 chairs or less with poly back is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric; upholstered or FR back, 1-1/2" yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

(3)

(3)

0



Approx. Packaged Weight	Prio Fab	ric Grade t Knit™	Prio Fab	ivered cing ric Grade c.O.M.	Pri	ivered cing ric Grade	Pric	vered ing ric Grade	Pric	ivered cing yl Group	Prio Pal	ivered cing las Fabric oup P0	Pri Pal	livered cing llas Fabric oup P1	Prio Pall	vered ing as Fabric up P2	Prio Pal	ivered cing las Fabric oup P3	Pri Pa	livered cing llas Fabric oup P4	Prid C.O).L. Š	Pri Lea	livered cing ather
42.0#	\$	765	\$	632	\$	655	\$	675	\$	675	\$	701	\$	759	\$		\$		\$		\$	878	\$	945
42.0#		980		847		869		889		889		918		976		1020		1057		1094		1092		1160
51.0#		916		783		803		824		824		854		913		956		990		1028		1026		1096
51.0#		1238		1107		1126		1147		1147		1176		1235		1279		1314		1350		1348		1418
51.0#		913		779		801		821		821		850		908		951		987		1026		1023		1092
51.0#		916		783		803		824		824		854		913		956		990		1028		1026		1096
07.0//	Φ.	474	Φ.	0.40	Φ.	050	Φ.	000	Φ.	000	Φ.	400	Φ.	407	Φ.	F44	Φ.	F.40	Φ.	504	Φ.	504	Φ.	054
37.0#	\$	471	\$	340 486	\$	359	\$	380	\$	380	\$	409	\$	467	\$	511	\$	546	\$	584	\$	581	\$	651
46.0#		615		480		506		526		526		554		612		657		695		728		726		798
47.0#	\$	874	\$	743	\$	763	\$	783	\$	783	\$	811	\$	869	\$	915	\$	950	\$	986	\$	983	\$	1054
55.0#		1089		957		977		998		998		1027		1086		1128		1164		1202		1199		1269
56.0#		1023		890		914		931		931		960		1019		1064		1099		1137		1134		1203
56.0#		1346		1213		1236		1255		1255		1284		1343		1387		1421		1461		1458		1525
56.0#		1020		887		911		929		929		956		1015		1060		1097		1132		1129		1199
56.0#		1023		890		914		931		931		960		1019		1064		1099		1137		1134		1203

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=No Arm
Added List Price=\$129

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see "C.O.M. Upholstery"

OPTIONS

Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory. Freight class #125.

Impress® Ultra

General Information







Midback Adj Loop Arm Task Chair (KI74/KR72)



Guest Chair (KI71S)



Stool (KI75)

Features				
Free-floating back	•	•		•
Seat slide	•	•		•
Back height adjustable		•		•
3 position back lock	•	•		•
2-1/2" thick foam cushioned seat	•	•	•	•
General Dimensions				
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	18" - 19-1/2"	18" - 20-1/2"	19"	18" - 20-1/2
Seat height	17-3/4" - 23"	17-3/4" - 23"	18"	23-1/4" - 31"
Back width	20"	20"	20"	20"
Back height (above seat)	19"	17-1/2" - 20-1/2"	22" - 24"	17-1/2" - 20-1/2"
Overall Dimensions				
Width	26"	26"	24"	26"
Height	35" - 43"	36-1/2" - 41-1/2""	42"	43" - 57"



Adjustable 360° Pivot Arm (JR30)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI74, KI75 and KI78)

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder. One lever locks the chair at several positions or actuates the free-floating mode. The synchronized 2:1 free-floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI74, KI75, KI78 and KI71S)

Nylon with fiberglass reinforced frame. Back mesh material is polyethylene elastomeric with polyester.

Back Height (KI74 and KI75)

An easy-to-operate mechanism is installed on the back board for adjusting back height 3".

Seat Slide (KI74, KI75 and KI78)

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1").

Seat (KI74, KI75 KI78 and KI71S)

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick, molded, high-resilient foam and upholstered. The entire seat assembly is mounted to the mechanism by 4 screws.

Seat Height (KI74 and KI78)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:

Low Height: 16-3/4" - 19-1/2"

Tall Height: 20-1/2" - 26-3/4"

To select these optional cylinders, please see the "Options" section on the following page.

Base (KI74, KI75, and KI78)

26" diameter, five-blade reinforced nylon base. Black only.

Sled Base (KI71S)

Sled shape, 1-1/8" diameter steel tube of 13-gauge steel. Black only.

Carpet Casters (KI74, KI75 and KI78)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Hard floor casters are available.

Adjustable T-Arm (JR39)

Black molded urethane armcap. 4-1/4" of height adjustment and 3" of total width adjustment. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Adjustable Loop Arm (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

Adjustable 360° Pivot Arm (JR30)

Molded urethane armcap pivots 360° and locks in place. Armcap is black. 4" of height adjustment and 3" of total width adjustment.

Fixed Loop Arm (KR48)

Arm is black plastic.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

Headrest (High Back)

Headrest is black leather with adjustable height and angle.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.



Impress® Ultra General Information

Test sample must be sent to:

Impress®Ultra Attn: C.O.M. Department 1110 S. Mildred Ave Ontario, CA 91761

Fabric Disclaimer

Fabric Discialmer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Impress® Ultra Task Chairs and Stools

			MODEL NU	MDED						
			MODEL NO	NIDEN						
			Basic	Memory	Seat	Head-	Back	Uph.		
	MODEL	Features	Model	Foam	Slide	rest	Panel	Color	Base	
	Impress® Ultra Task Chair - Mid Back	No Arm	KI74/NA		SLD		BL			
	Back is black meshSeat slide	360° Pivot Arm	KI74/JR30		SLD		BL			
	Back height adjustment	Adjustable T-Arm	KI74/JR39		SLD		BL			
	• •	Fixed Loop Arm	KI74/KR48		SLD		BL			
		Adjustable Loop Arm	KI74/KR72		SLD		BL			
a fl										
IMPR										
	Impress® Ultra Task Chair - High Back	No Arm	KI78/NA		SLD		BL			
	Back is black meshSeat slide	360° Pivot Arm	KI78/JR30		SLD		BL			
	Without back height adjustment	Adjustable T-Arm	KI78/JR39		SLD		BL			
	Headrest is black leather and adjustable	Fixed Loop Arm	KI78/KR48		SLD		BL			
		Adjustable Loop Arm	KI78/KR72		SLD		BL			
æ										
IMPR										
	Impress® Ultra Task Chair - Guest	No Arm	KI71S/NA				BL			
	Back is black mesh	Fixed Loop Arm	KI71S/KR48				BL			
A A										
IMPR										
	Impress® Ultra Stool	No Arm	KI75/NA		SLD		BL			
	Back is black meshSeat slide	360° Pivot Arm	KI75/JR30		SLD		BL			
	Back height adjustment	Adjustable T-Arm	KI75/JR39		SLD		BL			
	Chrome plated 20" footring	Fixed Loop Arm	KI75/KR48		SLD		BL			
	, -	Adjustable Loop Arm	KI75/KR72		SLD		BL			
, A										
IMPR										
										ı
			A	B	G	0	(3	G	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect memory foam.

- No memory foam - Memory foam (for seat only); add \$106

Memory foam for seat only.

Select seat option.
SLD - Sliding seat

Select headrest.

NH - No headrest (standard) - Headrest; add \$157

Select back panel.

- Black

Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base option.

- Carpet casters

- Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for less than five chairs is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight	Prici Fabr	/ered ing ic Grade Knit™	Prio Fab	ivered cing oric Grade c C.O.M.	Pri	livered cing oric Grade	Pri	livered cing oric Grade	Pri	ivered cing yl Group	Pri Pal	livered cing las Fabric oup P0	Pri Pal	livered cing llas Fabric oup P1	Pri Pal	livered cing las Fabric oup P2	Pri Pa	livered cing llas Fabric oup P3	Pri Pal	livered cing las Fabric oup P4	Pri	livered cing ather
46.0#	\$	759	\$	759	\$	806	\$	813	\$	813	\$	796	\$	844	\$	867	\$	890	\$	918	\$	969
54.0#		979		979		1025		1032		1032		1015		1062		1085		1109		1136		1188
54.0#		914		914		958		964		964		946		993		1019		1042		1069		1121
54.0#		902		902		950		957		957		938		986		1010		1034		1061		1114
54.0#		914		914		958		964		964		946		993		1019		1042		1069		1121
54.0#	\$	759	\$	759	\$	806	\$	813	\$	813	\$	796	\$	844	\$	867	\$	890	\$	918	\$	969
62.0#		979		979		1025		1032		1032		1015		1062		1085		1109		1136		1188
62.0#		914		914		958		964		964		946		993		1019		1042		1069		1121
62.0#		902		902		950		957		957		938		986		1010		1034		1061		1114
62.0#		914		914		958		964		964		946		993		1019		1042		1069		1121
37.0#	\$	445	\$	445	\$	491	\$	497	\$	497	\$	480	\$	527	\$	552	\$	577	\$	604	\$	653
45.0#		588		588		636		642		642		622		670		696		719		748		798
58.0#		885	\$	885	\$	930	\$	935	\$	935	\$	920	\$	967	\$	990	\$	1016		1040	\$	1094
66.0#		1102		1102		1148		1157		1157		1138		1187		1209		1234		1260		1311
66.0#		1035		1035		1083		1090		1090		1071		1120		1143		1167		1194		1244
66.0# 66.0#		1027 1035		1027 1035		1073 1083		1079 1090		1079 1090		1062 1071		1109 1120		1134 1143		1159 1167		1186 1194		1236 1244

OPTIONS

Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory. Freight class #125.

Kismet[®] General Information







Midback Task Chair Advanced Function (KI44)



Highback Task Chair Simple Function (KI46)



Highback Task Chair Advanced Function (KI48)



Conference Chair with Fixed Loop Arms (KI56)

Features					
Seat depth adjustable	•		•		
Seat angle adjustable		•		•	
Back height adjustable	•	•	•	•	
Back angle adjustable		•		•	
Fixed or free-floating seat and back				•	•
General Dimensions					
Seat width	18"	18"	19"	19"	20"
Seat depth	18"	18"	19"	19"	20"
Seat height	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-/12" - 21"
Back width	17"	17"	19"	19"	19"
Back height	15"	15"	17-1/2"	17-1/2"	22"
Overall Dimensions					
Width	24"	24"	24"	24"	27"
Height	33" - 41"	33" - 41"	35" - 43"	35" - 43"	36-1/2" - 41"



BR2 Arm



BR5 Arm



BR56 Arm

SPECIFICATIONS

Seat (KI42, KI44)

The size of the seat is 18" wide by 18" deep. The seat is constructed of a 1/2" thick, formed plywood seat board with 2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 6 screws. A textured black plastic shroud attaches to the bottom of the seat. Model KI42 has an integral seat depth adjustment knob is attached to the underside of the mechanism, which allows the seat depth to be adjusted from 18" to 20". On model KI44, the seat depth cannot be adjusted.

Seat (KI46, KI47, KI48, KI48S)

The size of the seat is 19" wide by 19" deep. The seat is constructed of a 1/2" thick, formed plywood seat board with 2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 6 screws. A textured black plastic shroud attaches to the bottom of the seat. Models KI46, KI47 and KI48S, have an integral seat depth adjustment knob is attached to the underside of the mechanism, which allows

the seat depth to be adjusted from 19" to 21". On model KI48, the seat depth cannot be adjusted.

Seat (KI56)

The size of the seat is 20" wide by 20" deep. The seat is constructed of a 1/2" thick, 6-ply heavy-duty veneer board with 2-1/2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 4 screws.

Backrest (KI42 and KI44)

The size of the backrest is 17" wide by 15" high. The backrest has the same basic construction as the seat. In addition, the backrest is mounted onto a pivot joint at one end of the upright that provides the pivot function of the backrest. The height of the backrest can be adjusted in a 3" range by a height adjustment knob.

Backrest (KI46, KI47, KI48 and KI48S)

The size of the backrest is 19" wide by 17-1/2" high. The backrest has the same basic construction as the seat. The back also includes an adjustment knob that allows the backrest to be raised or lowered 3" vertically along the J-bar; KI48 has a 3-1/2" range. In addition, the backrest is mounted onto a

pivot joint providing pivot function of the backrest.

Backrest (KI56)

The size of the backrest is 19" wide by 22" high. The back is constructed of a 1/2" thick, 6-ply veneer board with 2-1/2" molded foam. The foam covered back baord is upholsteed with fabric.

T-Nut

All the T-nuts used in the plywood are rivet type to prevent their popping-off from the plywood.

Mechanism (KI42, KI46, and KI47)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range; KI47's range is 23" to 33".

Mechanism (KI44)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range. Another lever controls the tilting angles of both the

seat and the back. Two sets of brake plates independently hold the seat and back at desired angles when the lever is released. The seat has 10° of angle adjustment. The back has 20° of angle adjustment.

Mechanism (KI48)

A stamped and welded steel housing forms a sturdy cradle for the seat. There are three control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range. One lever adjusts the tilting angle of the seat, or sets the seat in free-floating mode. One lever adjusts the tilting angle of the back, or sets the back in free-floating mode. The seat has 10° of angle adjustment. The back has 20° of angle adjustment.

Mechanism (KI56)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21" with infinite selection within the range. That same lever can also lock the back in an upright position. There is a tension knob beneath the seat which adjusts the amount of tension in the





Highback Stool (KI47)



Highback Guest Chair (KI48S)



Width Adjustable Loop Arm (BR2 - Arms Only)



Height and Width Adjustable T-Arm (BR5 -Arms Only)

Features				
Seat depth adjustable	•	•		
Back height adjustable	•	•		
Width adjustable arms			•	
Height adjustable arms				•
General Dimensions				
Seat width	19"	19"		
Seat depth	19"	19"		
Seat height	23" - 33"	18"		
Back width	19"	19"		
Back height	17-1/2"	17-1/2"		
Overall Dimensions				
Width	25"	20"		
Height	42" - 55"	37" - 39"		

"rocking" seat. The seat and back articulate in a 1:1 ratio (no independent back flex).

Hardware

All the hardware is metric threaded. Screws and bolts are treated with self-locking material to prevent their backing-out.

Base (KI42, KI44, KI46 and KI48)

The 24" diameter, five-blade black base is molded from reinforced nylon. A telescoping cylinder shroud conceals pneumatic cylinder.

Base (KI47)

The 25" diameter, five-blade black base is made of steel tubing with decorative plastic cover on top. A telescoping cylinder shroud conceals the pneumatic cylinder.

Base (KI48S)

The sled base is formed from 1-1/8" diameter, 2.2mm thickness steel tubing with black powder coat finish. Long stem front glides are standard.

Base (KI56)

The 27" diameter, five-blade black base is made of reinforced nylon.

Footring

The 20" black, reinforced nylon footring can be set at proper height by tightening a knob. Chrome finish, steel tube footring optional.

Carpet Casters

The dual 50mm diameter (55mm for KI56) black wheels are molded of high-impact thermoplastic and are housed in a high-impact plastic frame. Carpet and hard floor casters are available.

Optional Arm Kits (Black Only)

An E-bracket mounted under the seat accepts both the left and right arms. The arm frame can slide in and out of the E-bracket for proper seating width adjustment.

Loop Arm (BR2)

1-1/4" each side width adjustable arms.

T-Arm (BR5)

1-1/4" each side width and 2-1/2" height adjustable T-arms.

Loop Arm (KI56)

Arms are black loop arms of molded urethane. The arms are structural elements linking the seat and back. Armless chairs are not available.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to: Kismet® Attn: C.O.M. Department 1110 S. Mildred Ave. Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



			MODEL N	UMBER				
	MODEL	Features	Basic Model	Upholstery Color	Base	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
	Midback Task Chair, Simple Function • Swivel seat	No Arm	KI42/NA			30.0#	\$ 320	
	Back height adjustment	Loop Arm	KI42/BR2			30.0#	386	
	Seat depth adjustment	T-Arm	KI42/BR5			30.0#	402	
	T-arm or loop arm optionPedestal base available in black only							
	r odostal succe availasie in slack omy							
KISM								
	Midback Task Chair, Advanced Function	No Arm	KI44/NA			34.0#	\$ 379	
$(\) ()$	Back angle adjustsSeat angle adjusts	Loop Arm	KI44/BR2			34.0#	444	
	Back height adjustment	T-Arm	KI44/BR5			34.0#	459	
	T-arm or loop arm optionPedestal base available in black only							
	1 odostal base available in black only							
KISM								
			A	3	Θ			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

- Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Pric	ivered cing ric Grade	Pric	vered ing ic Grade	Prici	ng I Group	Pric Palla	vered ing as Fabric up P0	Prici Palla	ing as Fabric	Pric Palla	ing as Fabric	Pric Pall	vered ing as Fabric up P3	Prici Palla	vered ing as Fabric up P4
\$	331	\$	339	\$	339	\$	379	\$	438	\$	461	\$	490	\$	518
	399		406		406		444		504		530		555		586
	410		420		420		458		517		540		570		600
\$	387	\$	402	\$	402	\$	436	\$	496	\$	520	\$	549	\$	580
	455		466		466		499		558		586		613		644
	467		480		480		516		575		600		626		654

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory.
Freight class #125.



			MODEL N	UMBER			
	MODEL	Features	Basic Model	Upholstery Color	Base	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Highback Task Chair, Simple Function • Swivel seat	No Arm	KI46/NA			35.0#	\$ 350
$\wedge \wedge$	Back height adjustment	Loop Arm	KI46/BR2			35.0#	417
	 Seat depth adjustment 	T-Arm	KI46/BR5			35.0#	428
	T-arm or loop arm optionPedestal base available in black only						
	Fedesial base available iii black offly						
•							
KISM							
KIOW	Highback Task Chair, Advanced Function	No Arm	KI48/NA			40.0#	\$ 469
\wedge	 Back angle adjusts 	Loop Arm	KI48/BR2			40.0#	536
	Seat angle adjustsBack height adjustment	T-Arm	KI48/BR5			40.0#	550
	T-arm or loop arm option						
	 Fixed or free-floating seat and back 						
	Pedestal base available in black only						
∞ B							
KISM							
			A	ß	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

- Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Pri	ivered cing ric Grade	Pric	ivered sing ric Grade	Pric	vered ing vI Group	Prio Pal	ivered cing as Fabric up P0	Pric Pall	vered ing as Fabric up P1	Pric Pall	vered ing as Fabric up P2	Pric Pall	vered ing as Fabric up P3	Pric Palla	vered ing as Fabric up P4
\$	360	\$	370	\$	370	\$	404	\$	464	\$	489	\$	518	\$	545
	427		437		437		474		533		554		586		611
	441		447		447		485		545		568		600		625
\$	482	\$	490	\$	490	\$	527	\$	586	\$	609	\$	641	\$	669
	548		554		554		591		651		676		707		732
	560		570		570		607		666		690		721		749

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory.
Freight class #125.

Kismet® Task, Stool, Guest Chairs

		MODELN	LIMPED				
		MODEL N	UMBEK				
MODEL	Features	Basic Model	Upholstery Color	Base	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
Conference Chair • Swivel/tilt	Loop Arm	KI56/BR6			50.0#	\$ 478	
Swiver/till							
0=3 de							
9 9							
KISM							
		A	B	•			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

- Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1-1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing
Fabric Grade	Fabric Grade	Vinyl Group	Pallas Fabric				
2	3	2V	Group P0	Group P1	Group P2	Group P3	Group P4
\$ 495	\$ 507	\$ 507	\$ 591	\$ 651	\$ 686	\$ 732	\$ 772

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Ontario,
California 91761 factory. Freight class #125.

Kismet®

Task, Stool, Guest Chairs

			MODEL NUM	IBER				
	MODEL	Features	Basic Model	Upholstery Color	Base	Approx. Packaged Weight	Delivered Pricing Unupholstered	
	Highback Stool	No Arm, Plastic Footring	KI47/NA/PL			39.0#	N/A	
$\wedge \wedge$	Swivel seatBack height adjustment	No Arm, Chrome Footring	KI47/NA/CH			39.0#	N/A	
	Seat depth adjustment	Loop Arm, Plastic Footring	KI47/BR2/PL			39.0#	N/A	
	 Seat height from 23"-33" 	Loop Arm, Chrome Footring	KI47/BR2/CH			39.0#	N/A	
	T-arm or loop arm optionPedestal base available in black only	T-Arm, Plastic Footring	KI47/BR5/PL			39.0#	N/A	
	• Pedestal base available iii black only	T-Arm, Chrome Footring	KI47/BR5/CH			39.0#	N/A	
KISM								
	Highback Guest Chair	No Arm	KI48S/NA			30.0#	N/A	
\bigcap	Back height adjustmentSeat depth adjustment	Loop Arm	KI48S/BR2			30.0#	N/A	
	Cantilevered sled base	T-Arm	KI48S/BR5			30.0#	N/A	
	Front glides standard							
	 T-arm or loop arm option Pedestal base available in black only 							
	1 odostal base available in black only							
W								
KISM								
	Loop Arms (Arms Only) • 2-1/2" width range		BR2			5.0#	\$ 69	
	Available on all chairs							
	Black only							
	Set of two							
HRDPT								
ואטרו	T-Arms (Arms Only)		BR5			5.0#	\$ 81	
N 12	• 2-1/2" height range		DNO			5.0#	\$ 01	
	 2-1/2" width range 							
	Available on all chairs Rheak anhy							
KIT)	Black onlySet of two							
П								
HRDPT								
MULI						I		
			A	B	Θ			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

- Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pr Fabric Grade 1 & C.O.M.	-	Delive Pricing Fabric 2		Pri	ivered cing cric Grade		Delivero Pricing Jinyl G		Pr Pa	elivered icing illas Fabrio oup P0	;	Pric Palla	vered ing as Fabric up P1	Pri Pa	livered cing Ilas Fabric oup P2	F	Delivered Pricing Pallas Fab Broup P3	ric	Delivered Pricing Pallas Fabr Group P4	ic
\$ 442		\$ 4	54	\$	462	;	3 46	52	\$	499		\$	558	\$	583	\$	611		\$ 641	
495		5	05		512		51	2		551			611		636		664		694	
506		5	18		530		53	80		566			625		648		677		707	
558		5	72		582		58	32		617			677		699		730		759	
521		5	34		542		54	2		581			641		660		694		721	
576		5	86		595		59	95		635			694		714		743		773	
\$ 314		\$ 3	323	\$	332	;	33	32	\$	369		\$	428	\$	454	9	483		\$ 509	
380		3	193		400		40	00		436			496		520		550		580	
395		4	104		412		41	2		447			507		534		561		590	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory.
Freight class #125.

Mesa[™] General Information



Mid Back Swivel Tilt

High Back Swivel Tilt

Overall Dimensions		
Width	26-1/2"	26-1/2"
Depth	25-1/2"	25-1/2"
Height	38"	45"



2 Base - Polished aluminum with black hooded casters.



4 Base - Matte black understructure, bullnose edge wood caps with black hooded casters.



8 Base - Matte black understructure, grooved edge wood caps with black hooded casters.



9 Base - Matte black with black hooded casters.

SPECIFICATIONS

Complimentary Furniture

The following lounge collections offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

MESA - Mesa™ Lounge Seating

QUATRO - Quatro™ Guest Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up

the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders




General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com





HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select non-contrast or fabric contrast 1.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select fabric contrast 2.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select lift option.

STD - Standard tilt/gas lift
KTGL - Knee tilt/gas lift; add \$124

Select button option.

NBT - No button
UB - Upholstered (standard)
WBT - Wood, finish to match legs

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

No button option for TB133.

Select wood finish color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model

7225/4 \$63 7225/4/FC \$63 7225/8 \$63 7225/8/FC \$63 7226/4 \$63 7226/4/FC \$63 7226/8 \$63 7226/8/FC \$63

Wood Button \$5





Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1411	\$ 1433	\$ 1475	\$ 1520	\$ 1553	\$ 1618	\$ 1685	\$ 1813	\$ 1976	\$ 2140	\$ 2302	\$ 2629	\$ 296
1467	1492	1533	1579	1613	1677	1743	1872	2034	2199	2360	2688	296
1411	1433	1475	1520	1553	1618	1685	1813	1976	2140	2302	2629	296
1467	1492	1533	1579	1613	1677	1743	1872	2034	2199	2360	2688	296
1411	1433	1475	1520	1553	1618	1685	1813	1976	2140	2302	2629	296
1467	1492	1533	1579	1613	1677	1743	1872	2034	2199	2360	2688	296
1260	1279	1319	1368	1402	1466	1534	1664	1824	1987	2150	2477	296
1317	1337	1377	1428	1458	1526	1591	1721	1883	2045	2208	2536	296

\$ 1488	\$ 1481	\$ 1523	\$ 1578	\$ 1610	\$ 1683	\$ 1754	\$ 1894	\$ 2065	\$ 2241	\$ 2414	\$ 2763	\$ 322
1546	1569	1613	1665	1701	1772	1845	1987	2162	2342	2520	2877	322
1488	1481	1523	1578	1610	1683	1754	1894	2065	2241	2414	2763	322
1546	1569	1613	1665	1701	1772	1845	1987	2162	2342	2520	2877	322
1488	1481	1523	1578	1610	1683	1754	1894	2065	2241	2414	2763	322
1546	1569	1613	1665	1701	1772	1845	1987	2162	2342	2520	2877	322
1329	1356	1395	1446	1486	1555	1625	1769	1943	2120	2297	2651	322
1387	1412	1453	1505	1542	1615	1684	1827	1999	2180	2356	2710	322

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less thean 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Contrasting Upholstery

Button covered in same upholstery is standard. Wood button available, no charge. Wood button will be finished to match legs.

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of laminated plywood kiln-fried hardwood. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock is standard.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory.
Freight class #150.

Pilot® General Information







Pilot Task Loop Arm Chair (KI88/KR48)



Pilot Task T-Arm Chair (KI88/KR300)

Features			
Adjustable back angle	•	•	•
Extra wide seat	•	•	•
Seat depth adjustment	•	•	•
Back height adjustment	•	•	•
Warranted to 400 lbs & 24/7 use	•	•	•
General Dimensions			
Seat width	24"	24"	24"
Seat depth	17" - 19-1/2"	17" - 19-1/2"	17" - 19-1/2"
Seat height	18" - 23"	18" - 23"	18" - 23"
Back width	23-1/2"	23-1/2"	23-1/2"
Back height from seat	25"	25"	25"
Overall Dimensions			
Width	27"	27"	31-1/2"
Depth	27"	27"	27"
Height	43" - 52"	43" - 52"	43" - 52"

SPECIFICATIONS

Seat

Seat is constructed of 5/8" thick, 10-ply plywood with one solid steel reinforcement plate that spans from seat edge to seat edge and 3.75" thick molded foam. The steel reinforcement plate has welded steel t-nuts for arms and mechanism. The contoured molded foam-covered board is upholstered with fabric. The front edge of the seat has a waterfall design. The seat is attached to a seat mechanism with four 5/16" screws into steel welded t-nuts.

An integral seat slide is attached to the under side of the seat board which allows the seat depth to be adjusted from 17" to 19-1/2". A black dust cover fabric shrouds the seat slide. The seat slide assembly is mounted to steel attachment brackets in the mechanism and seat plate that allow the seat to slide in and out.

Seat Mechanism

Chair features infinitely locking back angle, and tilt rocking.

Pneumatic Height Adjustment

Chair features pneumatic seat height adjustment from 18" to 23".

Backrest (vertically adjustable)

Backrest is constructed of 1/2" thick 9-ply plywood and 2-1/2" body-contoured molded foam. The outer back shell is upholstered plywood. The backrest is attached to a five-position ratcheting mechanism that provides 4" of vertical adjustment along a 1/4" thick x 4" wide high-strength steel J-bar. The J-bar is fastened directly to the seat mechanism with three 5/16" bolts.

Base

Extra-wide 27" five-blade base constructed of heavy-duty composite. The center of the base has a patented non-slip ring where the pneumatic cylinder is mounted. A telescoping cylinder shroud conceals the heavy-duty

pneumatic cylinder.

Casters

Heavy-duty 55mm diameter double wheels are molded of high-impact plastic with steel stud.

Loop Armrests

Main armrest support is made of 1/4" thick by 2-1/4" wide bent steel constructions. Armrests are attached to a solid steel reinforcement plate that spans from side to side and which is mounted to the seat board for increased arm strength. Armrest pads are self-skinning soft urethane material with steel inner structures. Loop arms are fixed height.

T-Arms

Adjustable, heavy-duty arms have 2-3/4" vertical travel (from approximately 10" - 12-3/4" above the seat). There is 1-1/4" of width adjustment per side or 2-1/2" width adjustment total.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2-1/2 yd x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

Pilot

Attn: C.O.M. Department 1110 S. Mildred Ave. Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.



General Information


The posted standard lead time will apply to the Special Cost Request.

AssemblyShip knocked-down (KD). Minimal assembly required.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base option.

C - Carpet casters - Glides - Hard floor casters

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 2-1/2 yards per chair of 54" wide nondirectional fabric; solid colors only. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1374	\$ 1336	\$ 1374	\$ 1434	\$ 1508	\$ 1560	\$ 1616	\$ 1682	\$ 2230
1517	1477	1517	1575	1649	1702	1760	1824	2372
1551	1512	1551	1610	1684	1737	1792	1858	2406

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Ontario, California 91761 factory.
Freight class #125.

Sift™ Task Chairs



Armless Task Chair (SIFTNA)



4D Adjustable T-Arm Task Chair (SIFTAA)



Armless Task Stool (SIFTNA)



4D Adjustable T-Arm Task Stool (SIFTAA)



Cantilever Arm Guest Chair (SIFTGCA)

Features					
Synchrotilt	•	•	•	•	
Seat slide	•	•			
Back lock	•	•	•	•	
Mesh seat and back	•	•	•	•	•
Upholstered Seat	•	•	•	•	•
Adjustable lumbar	•	•	•	•	•
4D adjustable T-arm		•		•	
Fixed cantilever arm					•
Black nylon or brushed aluminum base	•	•	•	•	
300 lb. tested	•	•	•	•	•
General Dimensions					
Seat width	19"	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"	19-1/2"
Back width	18"	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"		18-1/2" - 19-1/2"	19"
Arm height (from floor)					26-1/8"
Overall Dimensions					
Width	27"	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"	

SPECIFICATIONS

TASK CHAIR

Backrest and Mesh Seat

Reinforced nylon frame with mesh material. SoSoft mesh material is made from 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3" range.

Upholstered Seat

Nylon seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Mechanism

Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat. Seat height adjusts from 18-1/4" to 22-1/4". Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide

mechanism controls seat depth adjustment in five positions through a distance of 1-1/2" and is side mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on seat and 16 degrees on back.

Adjustable T-Arm

Black molded urethane armcap. Armcaps move forward/backward in five positions through 1-1/2". Armcap width adjusts in five positions through 1". Arm support width can be set between 18-1/2" - 19-1/2" at assembly. Armrest height adjusts to 11 positions through 2-3/4". Armcaps rotate in three positions (+/- 20 degrees).

Base

Standard 26" diameter, five-blade reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

Casters

Double 65mm diameter black wheels are molded of reinforced plastic. Hard floor or

carpet casters available.

Weight Capacity

Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.

TASK STOOL

In addition to the standard height unit described under the Task Chair, a stool height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from 21-1/2" - 29". The 18" diameter adjustable footring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are available with plastic or polished bases. Stools do NOT feature a seat slide.

GUEST CHAIR

Backrest and Mesh Seat

Reinforced nylon frame with mesh material.

SoSoft mesh material is made from 65% polyester and 35% nylon. Backrest and seat secured to frame with four bolts each.

Upholstered Seat

Plywood seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Frame

Tubular steel frame made with .08" thick x 1.32" x .88" oval steel tubing.

Arms

Arms are integral to the frame with a black molded reinforced nylon armcap.


Glides

Four nylon glides.


Weight Capacity

Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.





Task Chair



22-1/4" Overall width 18" Back width 21-1/4" Overall depth 19" Seat depth Back height 26-1/8" Arm height 19-1/2" Seat height

Guest Chair

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

			MODEL N	NUMBE	R			
	MODEL	Features	Basic Model	Base	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight
	Task Armless Chair	Mesh Seat and Back	SIFTNA					43.0#
	 "SoSoft" mesh back and mesh seat or uph seat 	Upholstered Seat	SIFTUNA					43.0#
	Adjustable lumbar							
	Tested to all 300 lb. BIFMA standardsShips fully assembled							
Mesh	omportany accompand							
Seat								
-								
SIFT								
SIFTU								
	Task 4D Adjustable T-Arm Chair • "SoSoft" mesh back and mesh seat or	Mesh Seat and Back	SIFTAA					49.0#
	uph seat	Upholstered Seat	SIFTUAA					49.0#
	 Adjustable lumbar Tested to all 300 lb. BIFMA standards 							
	Ships fully assembled							
Uph. Seat	•							
Sedi Sedi								
-								
SIFT								
SIFTU								
			A	B	$\mathbf{\Theta}$	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

BSelect base option.
P - Plastic base

- Aluminum base; add \$84

Select casters.

- Carpet casters - Hard floor casters; add \$46

• Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See FR upcharge under Options.

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 674										
N/A	606	617	623	606	623	649	686	708	729	752
\$ 805										
N/A	737	749	754	737	754	781	818	839	860	884

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Mesh Added Lead Time=1 week Added List Price=\$73

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$73

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Tupelo, Mississippi 38804 factory. Freight class #250.

			MODEL N	UMBEF	l			
	MODEL	Features	Basic Model	Base	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight
	Task Armless Stool	Mesh Seat and Back	SIFTSNA					43.0#
	 "SoSoft" mesh back and mesh seat or uph seat 	Upholstered Seat	SIFTSUNA					43.0#
	Adjustable lumbar							
	 Tested to all 300 lb. BIFMA standards 							
Mesh	 Ships fully assembled 							
Seat								
(s) (f)								
SIFTS SIFSU								
31530	Task 4D Adjustable T-Arm Stool	Mesh Seat and Back	SIFTSAA					49.0#
	"SoSoft" mesh back and mesh seat or	Upholstered Seat	SIFTSUAA					49.0#
	uph seat	Opiioistered Seat	SILISUAA					49.0#
	 Adjustable lumbar Tested to all 300 lb. BIFMA standards 							
	Ships fully assembled							
Uph.								
Seat								
SIFTS								
SIFSU								
			A	B	G	0	3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base option.

- Plastic base - Aluminum base; add \$84

Select casters.

- Carpet casters - Hard floor casters; add \$46

• Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See FR upcharge under Options.

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 780										
N/A	712	723	729	712	729	755	792	814	835	858
\$ 912										
N/A	844	855	860	844	860	887	924	946	966	990

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Mesh Added Lead Time=1 week Added List Price=\$73

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$73

			MODEL I	NUMBER				
	MODEL	Features	Basic Model	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	
_	Guest Cantilever Armchair	Mesh Seat and Back	SIFTGCA			38.0#	\$ 529	
	"Suffo" mesh back and mesh seat or uph	Upholstered Seat	SIFTUCA			38.0#	N/A	
	seatAdjustable lumbarTested to all 300 lb. BIFMA standardsShips fully assembled							
// Wesh								
Seat								
SIFTG								
SIFGU								
			A	B	0			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR FR - Compliance to TB 117-2013 - Compliance to TB 133

See FR upcharge under Options.

© Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
493	505	510	493	510	537	574	595	616	640

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Mesh Added Lead Time=1 week Added List Price=\$73

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$73

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Shipped assembled freight prepaid f.o.b. Tupelo, Mississippi 38804 factory. Freight class #250.

N/C







Armless Task Stool (SPSNAU)

Features		
Poly, upholstered seat, or upholstered seat/back	•	•
Flex back	•	•
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22" - 32-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-3/4" - 37-3/4"	35-1/2" - 43"
Arms to floor	26" - 31"	

SPECIFICATIONS

Underseat Structure

Support structure is die-formed, 13-gauge steel welded to a 1" o.d. x 14-gauge tubular steel crossmember.

Arms

When equipped with optional cantilevered arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel, welded directly to the seat support structure. The armcaps are injection molded nylon and are attached to the steel structure by means of screws. Both the steel tube arm support and the armcaps will match the color of the poly seat and back.

Seat

Injection molded polypropylene attached directly to the structure.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Rase

Injection-molded glass-reinforced nylon 5blade base (black or warm grey for task; black only for stool). Casters have high-impact thermoplastic double wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Frame Finishes

Baked-on, electrostactically-applied 45° gloss epoxy powder coating.

Task Stools

In addition to the standard height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height. The 18" diameter adjustable-height foot ring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are only available with black bases.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters offered. Hard floor casters are black only.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to accep-

tance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Task chairs and task stools ship knockdown. Minimal assembly is required.



Strive® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Strive®

Task Chairs and Stools

			1						
			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color	Approx. Packaged Weight
	Task Armless Chair	Polypropylene	SPDNAP						32.0#
	Flex back	Upholstered Seat	SPDNAU						35.0#
		Upholstered Seat/Back	SPDNAUB						35.0#
w									
SPDP									
SPDU									
SPDUB									
	Task Cantilever Armchair Flex back	Polypropylene	SPDCAP						35.0#
	FIEX DACK	Upholstered Seat	SPDCAU						38.0#
		Upholstered Seat/Back	SPDCAUB						38.0#
ODDD									
SPDP SPDU									
SPDU SPDUB									
טו טטט									
			A	$oldsymbol{\Theta}$	•	0	•	(3)	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Includes base, cylinder, and carpet casters

(hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Hard floor casters - Carpet casters

Select upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 3/4 yards per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Unupholstered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	324										
	N/A	387	415	428	387	428	426	464	485	506	524
	N/A	439	468	481	439	481	480	517	537	558	576

\$ 384										
N/A	446	473	487	446	487	486	523	543	564	582
N/A	497	525	539	497	539	538	575	595	615	634

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat
Added List Price=\$68
Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Strive®

Task Chairs and Stools

			MODEL NUM	/IRFR						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Top Stitch Color	Casters	Upholstery Color	
	Task Armless Chair with Top Stitch on	Upholstered Seat	SPDNATSU							
	Seat	Upholstered Seat/Back	SPDNATSUB							I
	Flex back									
00										
SPDTS										
SPDBT										
	Task Cantilever Armchair with Top Stitch	Upholstered Seat	SPDCATSU							
	on Seat	Upholstered Seat/Back	SPDCATSUB							
	Flex back									
SPDTS										
SPDBT										
			A	3	•	0	(3	(3)	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select caster option.

- Hard floor casters

- Carpet casters

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.





Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1			
35.0#	\$ 503			
35.0#	556			

38.0#	\$ 563
38.0#	614

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$10
Model=Upholstered Seat
Added List Price=\$68
Model=Upholstered Seat and Back
Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Strive®

Task Chairs and Stools

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color	Approx. Packaged Weight
	Task Armless Stool	Polypropylene	SPSNAP						37.0#
	Flex back	Upholstered Seat	SPSNAU						39.0#
		Upholstered Seat/Back	SPSNAUB						39.0#
a A B									
PSP									
PSU									
PSUB									
	Task Cantilever Arm Stool	Polypropylene	SPSCAP						39.0#
	Flex back	Upholstered Seat	SPSCAU						41.0#
		Upholstered Seat/Back	SPSCAUB						41.0#
PSP									
PSU									
PSUB									
			A	B	Θ	0	(3	(3	
			•	_	_	_	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

• Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Hard floor casters - Carpet casters

Select upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 415										
N/A	479	506	520	479	520	518	555	577	597	613
N/A	529	558	572	529	572	570	607	629	650	665

\$ 473										
N/A	537	564	578	537	578	575	612	634	655	672
N/A	588	615	630	588	630	627	664	686	706	723

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat
Added List Price=\$68
Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Strive®

Task Chairs and Stools

			MODEL NUI	MBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Top Stitch Color	Casters	Upholstery Color
	Task Armless Stool with Top Stitch on	Upholstered Seat	SPSNATSU						
	Seat	Upholstered Seat/Back	SPSNATSUB						
	Flex back								
a fi ja									
SPSTS									
SPSBT									
<u></u>	Task Cantilever Arm Stool with Top Stitch	Upholstered Seat	SPSCATSU						
	on Seat	Upholstered Seat/Back	SPSCATSUB						
	Flex back								
Ī									
SPSTS									
SPSBT									_
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3	(3)	@

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

 BLTS Black
 WHTS White

Select caster option.

- Hard floor casters

- Carpet casters

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.





Approx. Packaged Weight	Pri Pal	livered cing las Fabric oup P1								
39.0#	\$	595								
39.0#		647								

41.0#	\$ 653
41.0#	705

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat
Added List Price=\$68
Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

N/C

Torsion® General Information



Pedestal Base Armchair (TPCAU)

Features	
Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•
General Dimensions	
Seat width	18"
Seat depth	18"
Seat height	16" - 21"
Back width	17-7/8"
Back height	16"
Overall Dimensions	
Depth	24"
Height	31-3/4" - 36-3/4"
Width with arms	26-1/2"
Width with no arms	24"
Top of arm to floor	24-3/4" - 29-3/4"

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 15/16" on the seat for stack chairs. Fabric is upholstered over 1-1/2" foam on the seat for pedestal chairs.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by brass bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually increasing resistance

over the full 12° of back flex.

Armrests

A tubular steel frame supports self-skinning urethane armrests. The support is bolted to the seat underside and powder coated to match other hard surface elements. Arms are field-installable.

Pedestal Base

24" injection-molded glass-reinforced nylon, five-blade base for task. 26" for stool.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Finish matches chair color if it is black, warm grey, blue grey or sand. Otherwise, casters are black.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholster-

ing this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufac-

tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

Task chairs and task stools ship knockdown. Minimal assembly is required.







Adjustable Stool (TPSNAPSH)

Features	
Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•
General Dimensions	
Seat width	18"
Seat depth	18"
Seat height	19-3/4" - 30-1/4
Back width	17-7/8"
Back height	16"
Overall Dimensions	
Depth	25"
Height	36-1/2" - 47"
Width with arms	26-1/2"
Width with no arms	26"
Top of arm to floor	28-1/2" - 39-1/2"
Casters on center	26"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Task Chairs

			MODEL	. NUME	ER				
	MODEL	Features	Basic Model	Base	Frame Color	Fire Code	Poly Seat & Back Color	Upholstery Color	Approx. Packaged Weight
_	Pedestal Base Armless Chair	Polypropylene	TPNAP						33.0#
	Flex backNo arm	Upholstered	TPNAU						35.0#
	Pneumatic height adjustment Swivel seat								
	- OWIVE SCAL								
TPP									
TPU									
	Pedestal Base Armchair	Polypropylene	TPCAP						39.0#
	Flex backPneumatic height adjustment	Upholstered	TPCAU						41.0#
	Swivel seat								
Q2									
TPP									
TPU									
			A	$oldsymbol{\Theta}$	Θ	0	3	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base option.

- Carpet casters

- Hard floor casters

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
The metal back support and arm support

matches the frame color.

DSelect fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 NFR

Select seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.





Delivere Unupho		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 50	2									
N/A	Д	644	685	696	696	648	659	682	702	723
\$ 62	8									
N/A	Ą	767	811	818	818	771	782	805	827	850

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$74 Model=Upholstered Added Lead Time=1 week Added List Price=\$82

INFORMATION

Note:
Torsion® in Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Torsion®

Task Chairs and Stools



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base option.

C - Carpet casters

S - Hard floor casters

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

The metal back support and arm support matches the frame color.

DSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select seat and back color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select upholstery grade/color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
Delivered Pricing Unupholstered	Pricing Fabric Grade 1 & C.O.M.	Pricing Fabric Grade 2	Pricing Fabric Grade 3	Pricing Vinyl Group 2V	Pricing Pallas Fabric Group P0	Pricing Pallas Fabric Group P1	Pricing Pallas Fabric Group P2	Pricing Pallas Fabric Group P3	Pricing Pallas Fabric Group P4
\$ 597									
N/A	739	779	786	786	742	752	775	798	818
\$ 720									
N/A	859	886	914	914	864	876	898	921	942

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added Lead Time=1 week Added List Price=\$74 Model=Upholstered Added Lead Time=1 week Added List Price=\$82

INFORMATION

Note: Torsion® in Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Torsion Air®

General Information



SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholsted. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Arm caps are polypropylene and are field-replaceable.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel

bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Pedestal Base

26" injection-molded, glass-reinforced nylon 5-blade base. Base and cylinder are available in black. An optional polished die-cast aluminum base is available on both chairs and stools.

Pedestal Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame matches chair color.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is direc-

tional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Torsion Air®

Task Chairs and Stools

		MODEL N	IUMBEI	3						
	MODEL	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
	Task Armless Chair Back flex Mesh back	TAPDNA						24.0#	\$ 657	
	Base available in black or polished aluminum									
Op -										
TAPD										
\	Task Armchair Back flex	TAPDWA						26.0#	\$ 685	
	Mesh backBase available in black or polished									
	aluminum									
0) 0)										
TAPD										
		A	$oldsymbol{\Theta}$	Θ	0	•	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Base color selection includes seat plate/ mechanism and back/arm supports and are always black.

*Add \$84 for polished aluminum base.

Select base option.

- Carpet casters - Hard floor casters

Hard floor casters and glides are available only in black.

Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

See FR upcharge under Options.

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select back mesh color.

BLMH - Black GRMH - Grev

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Torsion Air® Task Chairs and Stools

Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 670	\$ 686	\$ 686	\$ 692	\$ 729	\$ 748	\$ 766	\$ 791
\$ 699	\$ 714	\$ 714	\$ 721	\$ 758	\$ 775	\$ 796	\$ 819

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Added Lead Time=1 week Added list price=\$47

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Torsion Air®

Task Chairs and Stools

		MODEL	NUMBE	R						
	MODEL	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
(Task Armless Stool Back flex	TASPNA						29.0#	\$ 752	
\	 Mesh back 									
	 Base available in black or polished aluminum 									
Ĭ										
03										
TASP										
	Task Stool with Arms • Back flex	TASPWA						31.0#	\$ 780	
\	 Mesh back 									
	 Base available in black or polished aluminum 									
et es										
TASP										
		A	B	•	0	(3	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Base color selection includes seat plate/ mechanism and back/arm supports and are always black.

*For polished aluminum selection add \$84

Select base option.

- Carpet casters

- Hard floor casters

Hard floor casters and glides are available only in black.

Select fire code.

- Compliance to TB 133

- Compliance to TB 117-2013

See FR upcharge under Options.

Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select back mesh color.

BLMH - Black

GRMH - Grev

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Torsion Air® Task Chairs and Stools

Prici	vered ng ic Grade	Prici	ing ic Grade	Prici	ng I Group	Prici Palla	ing as Fabric	Pric Pall	ing as Fabric	Pric Palla	ing as Fabric	Prici Palla	ing as Fabric	Prici Palla	vered ng is Fabric ip P4
\$	766	\$	781	\$	781	\$	789	\$	826	\$	843	\$	861	\$	887
\$	796	\$	810	\$	810	\$	818	\$	855	\$	871	\$	889	\$	917
,		,		,		•		•						•	-

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Added Lead Time=1 week Added list price=\$47

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Index

Model No.	Description	Page	Model No.	Description	Page
1025/2	Task Chairs: Mid Back - Upholstered Arm	28	KIUV72/KR72	Task Chair: Adjustable Loop Arm	24
1026/2	Task Chairs: High Back - Upholstered Arm	28	KIUV72/NA	Task Chair: No-Arm Chair	22
1125/2	Task Chairs: Mid Back - Wood Arm	30	SIFTAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Chair	74
1126/2	Task Chairs: High Back - Wood Arm	30	SIFTGCA	Task and Guest Chairs: Guest Cantilever Armchair	80
7225/2/NC	Task Chairs: Mid Back Swivel Tilt Chair	68	SIFTNA	Task and Guest Chairs: Task Armless Chair	74
7226/2/NC	Task Chairs: High Back Swivel Tilt Chair	68	SIFTSAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Stool	78
ALTC.SC.S	Altus Slip Covers: Conference Chair - Entire Seat	12	SIFTSNA	Task and Guest Chairs: Task Armless Stool	78
ALTCLA	Task Chair: Altus® Conference Chair	10	SPDCAP	Task Chairs and Stools: Task Cantilever Armchair	84
ALTM.SC.S	Altus Slip Covers: Mesh Task Chair - Seat Slip Cover	12	SPDCATSU	Task Chairs and Stools: Task Cantilever Armchair with	
ALTMNA	Task Chair: Altus® Mesh Task Chair	10		Top Stitch on Seat	86
ALTU.SC.B	Altus Slip Covers: Fabric Task Chair - Back Slip Cover	12	SPDNAP	Task Chairs and Stools: Task Armless Chair	84
ALTU.SC.S	Altus Slip Covers: Fabric Task Chair - Seat Slip Cover	12	SPDNATSU	Task Chairs and Stools: Task Armless Chair with Top	
ALTUNA	Task Chair: Altus® Fabric Task Chair	10		Stitch on Seat	86
APDNAP	Task Chair: Armless Chair	16	SPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	88
APSNAP	Task Stool: Armless Stool	18	SPSCATSU	Task Chairs and Stools: Task Cantilever Arm Stool with	
BR2	Task, Stool, Guest Chairs: Loop Arms (Arms Only)	64		Top Stitch on Seat	90
BR5	Task, Stool, Guest Chairs: T-Arms (Arms Only)	64	SPSNAP	Task Chairs and Stools: Task Armless Stool	88
ENGP/AA	Task Chairs and Stools: Armchair with Height Adjust-		SPSNATSU	Task Chairs and Stools: Task Armless Stool with Top	
	able Arm, Pivoting Armcap	34		Stitch on Seat	90
ENGP/BA	Task Chairs and Stools: Armchair with Height Adjust-		TAPDNA	Task Chairs and Stools: Task Armless Chair	100
	able Arm, Width Adj Armcap	36	TAPDWA	Task Chairs and Stools: Task Armchair	100
ENGP/CHBA	Task Chairs and Stools: Armchair with Height Adjust-		TASPNA	Task Chairs and Stools: Task Armless Stool	102
	able Arm, Width Adj. Armcap, Chrome Arm Supports	36	TASPWA	Task Chairs and Stools: Task Stool with Arms	102
ENGP/HA	Task Chairs and Stools: Armchair with Height Adjust-		TPCAP	Task Chairs: Pedestal Base Armchair	94
	able Arms, Fixed Armcap	36	TPNAP	Task Chairs: Pedestal Base Armless Chair	94
ENGP/NA	Task Chairs and Stools: Armless Chair	34	TPSCAP	Task Chairs and Stools: Task Stool with Arms	96
ENGSP/AA	Task Chairs and Stools: Arm Stool with Height Adjust-		TPSNAP	Task Chairs and Stools: Task Stool	96
	able Arm, Pivoting Armcap	38			
ENGSP/BA	Task Chairs and Stools: Arm Stool with Height Adjust-				
	able Arm, Width Adjustable Armcaps	40			
ENGSP/HA	Task Chairs and Stools: Arm Stool with Height Adjust-				
	able Arm, Fixed Armcaps	40			
ENGSP/NA	Task Chairs and Stools: Armless Stool	38			
GPDCAP	Task Chairs and Stools: Task Cantilever Armchair	44			
GPDNAP	Task Chairs and Stools: Task Armless Chair	44			
GPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	46			
GPSNAP	Task Chairs and Stools: Task Armless Stool	46			
KI42/NA	Task, Stool, Guest Chairs: Midback Task Chair, Simple				
	Function	58			
KI44/NA	Task, Stool, Guest Chairs: Midback Task Chair, Ad-				
	vanced Function	58			
KI46/NA	Task, Stool, Guest Chairs: Highback Task Chair, Simple				
	Function	60			
KI47/NA/PL	Task, Stool, Guest Chairs: Highback Stool	64			
KI48/NA	Task, Stool, Guest Chairs: Highback Task Chair, Ad-				
	vanced Function	60			
KI48S/NA	Task, Stool, Guest Chairs: Highback Guest Chair	64			
KI56/BR6	Task, Stool, Guest Chairs: Conference Chair	62			
KI60S/NA	Task Chairs and Stools: Impress® Guest Chair - Sled Base	50			
KI62/NA	Task Chairs and Stools: Impress® Task Chair - Free Float	50			
KI63/NA	Task Chairs and Stools: Impress® Stool	50			
KI71S/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Guest	54			
KI74/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Mid Back				
KI75/NA	Task Chairs and Stools: Impress® Ultra Stool	54			
KI78/NA	Task Chairs and Stools: Impress® Ultra Task Chair - High Bac				
KI88/NA	Task Chairs: Pilot Chair	72			
KIUV72/JR30	Task Chair: 360° Pivot Arm	22			
KIUV72/JR39	Task Chair: Adjustable T-Arm	22			
KIUV72/KR200	Task Chair: Adjustable K-Arm	24			
KIUV72/KR48	Task Chair: Fixed Loop Arm	24			

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11478R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.