
January 3, 2011 Updated January 2, 2017 800-424-2432





Contents
Refer to KI Terms & Conditions document or visit ki.com.

True® Desking Specifications		2	
True® Desking Typicals		4	
True® Desking System	Rectangular Desk	6	
	Bow Front Desk	10	
	Corner Desk	12	
	Square Shoe Desk	20	
	D-Shaped Desk	28	
	P-Shaped Desk	36	
	Piano Desk	44	
	Transitional Desk	52	
	Add-On Worksurfaces	56	
	Transaction Worksurfaces	58	
True® Desking System Components	Privacy Screens - Exposed Frame	62	
	Privacy Screens - Upholstered	66	
	Tool Rails	74	
	Paper Management	76	
	Balance® Overhead Storage	80	
	Balance® Task Lights	86	
	Universal Overhead Storage	88	
	Universal Overhead Shelves and Divider	96	
	Universal Overhead and Shelves Task Lights	98	
True® Desking System Accessories	Center Drawer	100	
	Grommets	102	
	Corner Power Infeed Leg	104	
	Modesty Panel Inserts	106	
	Worksurface Accessories	108	
True® Desking System Data/Comm.	Accessories	110	
True® Desking System Electrical	Electrical	112	
Index		122	

### True® Desking Specifications

#### Basic Worksurfaces

Worksurfaces shall define the shape of the workstation and provide support for over-head storage, hanging pedestals, electrical componentry, and privacy screens.

#### Rectangular Worksurfaces

Laminated worksurfaces shall be constructed from 1-1/8" medium density fiberboard with a .030 high-pressure laminate surface or veneer and a .030 phenolic backing sheet with a choice of three edge styles: 74P, 74P with knife edge along front, or 3/8" wood. polypropylene edge shall be available in multiple colors. The knife edge shall only be applied to the front edge of the worksurface and extend 2" beyond the desk frame. The wood edge shall be constructed from natural red oak and be available in a clear finish (standard) or in a maple wood band with additional stains. Worksurfaces shall be available in 24", 30", 36", 42", 48", 54", 60", 66", and 72" widths, 24" and 30" depths, and 29" height.

Rectangular worksurfaces up to 60" wide shall include two triangular worksurface grommets and covers, located in the back corners of each worksurface. 66" and 72" wide worksurfaces shall have an optional third triangular worksurface grommet and cover located near the back center of the desk. Grommets shall be molded from polycarbonate and available in colors or translucent. Worksurfaces that are 60", 66", and 72" wide shall have an integrated steel reinforcement to allow adequate support for load bearing. All worksurfaces shall have pre-drilled holes for attachment to the desk frame.

Two leg supports shall support the worksurface and be formed of 16-gauge steel, overall dimensions shall be 6.00 x 6.00 x 27.25, with 16-gauge internal reinforcements resistance welded for additional strength. The leg assemblies shall be attached to the underside of the worksurface from above by use of threaded inserts. A steel leg cover on inside of desk shall be standard and removable without tools. A glide shall be attached to the bottom of the leg for up to 1" of adjustability. Two 3.25" x 2.25" grommets and covers molded from polycarbonate shall be standard on the top of each leg side.

The modesty panel beam shall be formed of 18-gauge steel, overall dimensions are 3.00 x 9.00 x length determined by size of worksurface. The modesty panel beam shall be attached to leg supports and the underside of the worksurface, will provide support for the worksurface and allow electrical and data cable to be run along the width of the desk. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and modesty panel beam and snap into place for easier assembly.

An optional lower modesty panel shall be formed of 18-gauge steel, overall dimensions are  $1.00 \times 18.00 \times$  length determined by size of worksurface. The lower modesty panel shall be attached to the leg supports and

provide full enclosure of the desk back from floor to the modesty panel beam.

Two end panels shall support the worksurface and be formed of 18-gauge steel with an 18gauge steel reinforcement resistance welded for strength. The end panel shall have a honeycomb core for additional strength and noise reduction. Overall dimensions shall be 1.25 x 27.00 x depth determined by worksurface size or configuration. Standard depths shall be 9" for transitional depth, 18" for 24" worksurfaces and 24" for 30 worksurfaces. End panel assembly shall be attached to the underside of the worksurface and leg assembly. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and end panel and snap into place for easier assembly. A glide shall be attached to the bottom of the end panel for up to 1" of adjustability.

All steel desk components shall be powdercoated or otherwise finished.

#### **Rectangular Reduction Worksurface**

Rectangular reduction worksurfaces shall have the same basic construction as the rectangular worksurfaces. Worksurfaces shall have two curving arcs along the front edge that transition from a depth of 30" on one end and 24" on the opposite end.

#### **Bow Front Worksurface**

Bow front worksurfaces shall have the same basic construction as the rectangular worksurfaces. These worksurfaces shall have a depth of 30" or 36" with a radius edge that extends 6" from the desk support structure on the visitor side. Worksurfaces shall only be available in 60", 66", and 72" widths, without the center grommet and cover.

#### Corner Worksurface

Corner worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional leg support, modesty panel beam, and optional lower modesty panel. Depths of 24" and 30" and widths of 42" and 48" shall be standard. Worksurfaces shall have three grommets and covers, one per corner, located in the back corners of each worksurface as standard.

#### P-Shaped and Piano Shaped Worksurfaces

P-shaped and piano shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded front end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. The modesty panel shall be constructed from 18-gauge steel and extend 9" from the underside of the worksurface. Worksurfaces shall be available in 60", 66" and 72" depths and 48" widths.

#### **D-Shaped Worksurfaces**

D-shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg

shall be attached towards the rounded end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. Worksurfaces shall be available in 24", 30" or 36" widths and 48", 54", 60", 66" and 72" depths.

#### Round Add-On Worksurface

Round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 36" diameter with a 24" flat and 42" diameter with a 30" flat. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Two steel splice plates and hardware shall be included to attach the round add on worksurface to a rectangular worksurface.

#### Half Round and Quarter Round Add-On Worksurfaces

Half round and quarter round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 48" diameter and 60" diameter. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Four steel splice plates and hardware shall be included to attach the half round add on worksurface to two back to back rectangular worksurfaces. Four steel splice plates and hardware shall be included to attach the quarter round add on worksurface to two rectangular worksurfaces that are perpendicular to each other.

#### Transaction Worksurface

Transaction worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. Worksurfaces shall attach via two support stanchions to rectangular worksurfaces and three support stanchions to corner worksurfaces. The worksurfaces shall be available in 16" depth with a 4" overhang in overall sizes that match the base rectangular and corner workstations. Worksurfaces shall be available in 31" wheelchair accessible height or 42" stand-up height.

#### **Backpack Wire Trough Component Kit**

Backpack wire trough components shall allow for lay-in wiring along the back of workstation. The kit shall consist of a pair of trough mounting brackets attached to the leg supports and constructed from 16-gauge steel, three 1.25" x .92" wire troughs constructed from 18-gauge steel that span the width of a desk, and a cover constructed from 18-gauge steel capable of being opened without the use of any tools. Applicable end trim, corner, and splice components shall also be available for the cover.

#### Electrica

Power shall be supplied through a UL listed 10-wire system available in two different configurations that are not interchangeable: 6 hot wires, 2 neutral wires, and 2 ground wires or 4 hot wires, 4 neutral wires, and 2 ground wires. The system shall have a rated

capacity of 120 VAC@ 20 amps.

A rigid one-piece wireway shall be attached to the inside of the modesty panel beam by two 16-gauge steel brackets and hardware and be covered by an 18-gauge steel cover. The wireway design shall allow for easy connection of the wireway of one desk to another through the use of a jumper. All desks 30" and wider shall be ready to accept electrical components.

The receptacles for the system shall be snap fit into the wireways and be rated for 15 amps

The electrical system shall allow for a method of passing power from one powered desk through the modesty panel beam of a non-powered desk and connected to the wireway of a third desk. This power pass through shall attach with snap fit connections.

The electrical system shall allow power to infeed from the top of the desk through the triangular grommet in the worksurface. The top infeed kit shall include 12' of flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other, a 7' or 10' extruded aluminum power pole and cover, and ceiling trim. The interior of the power pole shall be divided into two cavities for power and communication cable management.

The electrical system shall allow for power to infeed from the base of the desk through the lower leg grommet or leg cover. The base infeed kit shall include 6' of plastic covered flexible conduit that transitions into flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other. A relocatable power tap (RPT) shall provide above worksurface power to the support stanchions from an installed 10-wire electrical system or use of the building outlets. Two RPT's, each containing two 15 amp outlets, shall be mountable per stanchion. Cord lengths shall be available in 36" or 96".

A steel bracket shall be available to attach to the underside of the modesty panel beam near the worksurface. It shall have a 1.38" x 2.70" opening to accept several different manufacturers data faceplates and the RPT.

#### **Pedestal Storage**

Pedestal storage for True® shall be provided by KI's 700 Series, 700 Series Curve, and U-Series® Pedestals. 3 pedestals shall be available in 2 depths, 17-5/8" that may be used with any depth worksurface, 21-5/8" for maximum storage under a 30" worksurface. Multiple drawer combinations shall be available

The 12" file drawer sizes shall have full extension slide arm suspensions for full access to storage space. The 3" pencil drawers and 6" box drawers shall have 3/4" extension, steel ball-bearing suspension.

Locks shall be included in each pedestal. Specific keying combinations shall be avail-

## N

### True® Desking Specifications

### able. See Key Options. **Center Drawer**

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary.

#### **Privacy Screens**

Privacy screens shall be available to provide sit down or stand up privacy within the True® workstation. Screens shall be 3/4" or 1" thick, 18-1/4", 21" or 38" high and available in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths to fit all worksurfaces. The 66" and 72" widths shall consist of a pair of screens (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications. The screens shall include mounting brackets for attachment to either the overhead supports, the underside of the worksurface, the top of the worksurface, or with a combination of attachment to an overhead support and a worksurface top.

Two privacy screen construction methods shall be available: two 1/2" industrial insulation boards, covered with fabric and glued together or an exposed, powder-coated aluminum frame. The exposed frame construction shall allow for different core materials to be inserted.

#### **Overhead Support Stanchions**

The overhead support stanchions shall be formed of 16-gauge steel, with overall dimensions of 6.00" x 6.00" x 19.50". A reinforcement plate constructed of 16-gauge steel shall be welded in place to provide additional strength and have 4 cutouts to accommodate either commercially available data plates or two RPT's. Support stanchions shall be designed to hinge open to allow access to the inside of the overhead support stanchions. A flexible rubber trim piece shall allow power or data cables to be run from the worksurface into the overhead support stanchions with the covers closed.

#### **Overhead Storage**

Overhead storage shall consist of the Balance® overhead and Universal overhead and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions. 24", 30", 36", 42", 48", 54", 60", 66" and 72" overheads shall incorporate a single shelf with two doors

Shelf dividers shall be power-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be

17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a polypropylene extrusion handle. Locks shall be randomly assigned or keyed per customer requests.

The end panels shall be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel. The front edge of the shelf shall be a polypropylene extrusion that also provides space for a concealed flush mount task light.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid polypropylene with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized between the upper and lower doors for security.

The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

#### Task Lights

Task lights shall be offered in one standard level of efficiency and cost. The standard light shall have a magnetic high power ballast with rapid start, cool white T-8 fluorescent lamp. Task lights shall attach to the underside of the shelf on overhead cabinets.

#### Paper Management System

The paper management system shall address the storage and movement of files, binders, and documents. Components shall be available with integrated hooks for attachment to the work bar.

#### **Key Options**

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

#### ANSI/BIFMA

True® desking shall meet or exceed the

required ANSI/BIFMA X5.5-2008 desk systems test.

#### Quality

All True® desking components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities.

#### **UL Listed**

True® desks shall be listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate True® desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials.

#### Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


## True<sup>®</sup> Desking Typicals



30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels

700 Series Freestanding Pedestal - Box/Box/File

Model No. TR3060/P-74P-S-NCG Price \$1389 S7P/1524FBBF \$739 \$2128 **Total Price** 




30" x 60" Rectangular Desk with Full Modesty Panel,

74P Edge, Standard End Panels
24" x 28" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

700 Series Freestanding Pedestal - Box/Box/File

Model No. Price TR3060/F-74P-S-NCG TR2448/F-74P-L \$1688 \$1463 \$739 S7P/1524FBBF **Total Price** \$3890




30" x 60" x 48" x 30" Square Shoe Desk with Full/Full Modesty Panel, 74P Edge, Right Transitional End Panel 30" x 48" x 66" Piano Shaped Desk with Full Modesty Panel and Guest Modesty Panel, 74P Edga Peth Transitional Fo

74P Edge, Both Transitional End Panels

700 Series Freestanding Pedestal - Box/Box/File

Model No. **Price** TS30604830/F/FS-74P-R-NCG \$2490 TI304866/F/G-74P-B \$2326 S7P/1524FBBF \$739 **Total Price** \$5555



30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels 24" x 42" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel


30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 42"W x 20"H Privacy Screen, Mounted Behind the

Worksurface, Upholstered 66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

700 Series Freestanding Pedestal - Box/Box/File

700 Series Freestanding Pedestal - Box/Box/File

Model No.	Price
TR3060/F-74P-S-NCG	\$1688
TR2442/F-74P-L	\$1401
TBW2030	\$236
TBW2042	\$344
TBW2066	\$528
S7P/1524FBBF	\$739
S7P/1520FBBF	\$700
Total Price	\$5636



30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Shelf

24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered

60"W Universal Overhead Regular Shelf Mounted on Stanchions


700 Series Freestanding Pedestal - Box/Box/File

700 Series Freestanding Pedestal - File/File

Model No.	Price
TR3060/P-74P-S-NCG	\$1389
TR2448/F-74P-L	\$1463
TBW2030	\$236
TBW2048	\$392
TBS60/U	\$464
URSR60/TR	\$663
S7P/1524FBBF	\$739
S7P/1520FFF	\$666
Total Price	\$6012


## True<sup>®</sup> Desking Typicals






- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
- 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
- 72"W Balance Solid Color Overhead Cabinet Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File
- · 700 Series Freestanding Pedestal File/File

Price
\$1849
\$569
\$2342
\$739
\$700
\$6199




- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel
- 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered 72"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR3072/F-74P-S-YCG	\$1849
TR2460/F-74P-L	\$1591
TBS72/U	\$569
BLCS72D/TR	\$2342
S7P/1524FBBF	\$739
Total Price	\$7090



- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel
- 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered 60"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR2460/F-74P-R	\$1591
TS24487224/F/FS-74P-L-NCG	\$2460
TBS60/U	\$464
BLCS60/TR	\$1454
S7P/1520FBBF	\$700
Total Price	\$6669



- 24" x 60" Rectangular Desk with Full Modesty Panel,
- 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel
- 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
- 48"W x 20"H Privacy Screen, Mounted Behind
- the Worksurface, Upholstered
  72"W x 20"H Privacy Screen, Mounted Behind
  the Worksurface, Upholstered
  60"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 72"W Universal Overhead Regular Shelf Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR2460/F-74P-R	\$1591
TS24487224/F/FS-74P-L-NCG	\$2460
TBS60/U	\$464
TBW2048	\$392
TBW2072	\$581
BLCS60/TR	\$1454
URSR72/TR	\$1010
S7P/1520FBBF	\$700
Total Price	\$8652

Rectangular Desk

		MODEL NUMBER									
			Basic	Edge	End	Center	Surface Grom.	Surface	Edge	Frame Grom.	Desk
	MODEL	D x W	Model	Style	Panel	Grom.	Color	Finish	Color	Color	Color
	Rectangular Desk with Full Modesty	24 x 24"	TR2424/F			NCG					
	Panel	24 x 30"	TR2430/F			NCG					
	Consists of top, two legs, modesty	24 x 36"	TR2436/F			NCG					
	panel, filler panel (full modesty panel), two end panels (optional transitional	24 x 42"	TR2442/F			NCG					
	size), ganging plates, and all required	24 x 48"	TR2448/F			NCG					
(B) Both transitional	assembly hardware	24 x 54"	TR2454/F			NCG					
	<ul> <li>Each leg has two cable access grommet locations</li> </ul>	24 x 60"	TR2460/F			NCG					
	Top has two cable access grommets	24 x 66"	TR2466/F								
	above the legs (66" and 72" wide have	24 x 72"	TR2472/F								
	optional third middle grommet used for mounting stanchions and not intended	30 x 24"	TR3024/F			NCG					
(L) Left transitional	for routing staticitions and not intended	30 x 30"	TR3030/F			NCG					
(=, ===================================	<ul> <li>Top grommets allow for attachment</li> </ul>	30 x 36"	TR3036/F			NCG					
	of overhead storage units or privacy	30 x 42"	TR3042/F			NCG					
	<ul><li>screens</li><li>Modesty panel allows for optional</li></ul>	30 x 48"	TR3048/F			NCG					
	10-wire electrical system (see Electrical	30 x 54"	TR3054/F			NCG					
	section)	30 x 60"	TR3060/F			NCG					
(2) 5: 111	Pricing is for two transitional end	30 x 66"	TR3066/F								
(R) Right transitional	panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	30 x 72"	TR3072/F								
	NOTE: Rectangular worksurfaces speci-										
	fied with a knife (KN) edge cannot be										
	ganged at 90 degree angles.										
(S) Two full end panels											
(3) INO IUII GIIU PAIIGIS											
TRUE											
			A	<b>3</b>	•	0	(3	(3	0	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style. KN is not recommended in L-Shaped configurations.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select end panel.

B - Two transitional end panels
L - Left transitional end panel;

add \$55

R - Right transitional end panel; add \$55

S - Two full end panels; add \$108

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select leg and surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
  Surface finish offerings are based on edge style selections.
- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Rectangular Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
57.0#	\$ 1224	\$ 1329	\$ 1518	\$ 1626	
84.0#	1241	1348	1543	1654	
93.0#	1276	1384	1583	1693	
100.0#	1346	1462	1667	1784	
108.0#	1408	1522	1733	1854	
115.0#	1464	1584	1799	1923	
128.0#	1536	1660	1882	2010	
136.0#	1607	1736	1966	2100	
144.0#	1700	1834	2076	2215	
89.0#	1255	1365	1561	1673	
97.0#	1275	1384	1584	1694	
107.0#	1316	1430	1636	1751	
116.0#	1376	1495	1706	1826	
125.0#	1450	1569	1787	1910	
133.0#	1506	1628	1853	1981	
142.0#	1580	1707	1939	2070	
152.0#	1636	1767	2005	2138	
160.0#	1741	1878	2128	2271	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Rectangular Desk

		MODEL N	10DEL NUMBER								
MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
Rectangular Desk with Partial Modesty	24 x 24"	TR2424/P			NCG						
Panel	24 x 30"	TR2430/P			NCG						
Consists of top, two legs, modesty	24 x 36"	TR2436/P			NCG						
panel, two end panels (optional tran- sitional size), ganging plates, and all	24 x 42"	TR2442/P			NCG						
required assembly hardware	24 x 48"	TR2448/P			NCG						
(B) Both transitional • Each leg has two upper cable access	24 x 54"	TR2454/P			NCG						
grommet locations  Top has two cable access grommets	24 x 60"	TR2460/P			NCG						
above the legs (66" and 72" wide have	24 x 66"	TR2466/P									
optional third middle grommet used for	24 x 72"	TR2472/P									
mounting stanchions and not intended	30 x 24"	TR3024/P			NCG						
for routing cables)  Top grommets allow for attachment of	30 x 30"	TR3030/P			NCG						
(L) Left transitional overhead storage units	30 x 36"	TR3036/P			NCG						
<ul> <li>Modesty panel allows for optional</li> </ul>	30 x 42"	TR3042/P			NCG						
10-wire electrical system (see Electrical section)	30 x 48"	TR3048/P			NCG						
Pricing is for two transitional end	30 x 54"	TR3054/P			NCG						
panels, see "HOW TO BUILD A MODEL	30 x 60"	TR3060/P			NCG						
NUMBER" below for more options	30 x 66"	TR3066/P									
(R) Right transitional     NOTE: Rectangular worksurfaces specified with a knife (KN) edge cannot be	30 x 72"	TR3072/P									
ganged at 90 degree angles.											
(S) Two full end panels											
TRUE											
		A	<b>B</b>	0	<b>O</b>	<b>3</b>	•	О	•	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

KN is not recommended in L-Shaped configurations.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select end panel.

B - Two transitional end panels
L - Left transitional end panel;

add \$55

R - Right transitional end panel; add \$55

S - Two full end panels; add \$108

OSelect desk center grommet option.

NCG - No center grommet
NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Rectangular Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
52.0#	\$ 1059	\$ 1162	\$ 1353	\$ 1463	
78.0#	1075	1186	1378	1489	
85.0#	1098	1206	1406	1517	
91.0#	1148	1260	1469	1586	
97.0#	1167	1284	1495	1614	
103.0#	1203	1324	1540	1662	
114.0#	1238	1364	1586	1712	
120.0#	1289	1416	1648	1781	
127.0#	1344	1477	1722	1861	
84.0#	1094	1200	1399	1509	
91.0#	1106	1218	1417	1531	
99.0#	1138	1251	1458	1573	
107.0#	1176	1296	1508	1628	
114.0#	1209	1333	1549	1672	
121.0#	1245	1368	1592	1721	
128.0#	1281	1410	1641	1772	
136.0#	1316	1447	1686	1822	
143.0#	1385	1522	1773	1916	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

## True<sup>®</sup> Desking System

Bow Front Desk

			MODEL	NUMBE	R						
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	Bow Front Desk with Full Modesty Panel	30 x 60"	TE3060			NCG					
	<ul> <li>Consists of top, two legs, modesty panel, filler panel (full modesty panel), and standard depth end panels</li> <li>Each leg has two cable access grommet locations</li> </ul>	30 x 66"	TE3066			NCG					
M F III I		30 x 72"	TE3072			NCG					
		36 x 60"	TE3660			NCG					
		36 x 66"	TE3666			NCG					
UE	<ul> <li>Top has two cable access grommets above the legs</li> </ul>	36 x 72"	TE3672			NCG					
	Modesty panel allows for optional										
	10-wire electrical system (see Electrical										
	section)										
	<ul> <li>"Guest" side of desk has a 6" deep bowed overhang worksurface edge</li> </ul>										
	Pedestals ordered with Bow Front Desks										
	are required to be undersized from the										
	desk's depth by 12"										
			A	<b>3</b>	0	0	<b>3</b>	<b>(3</b>	Ф	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk. KN is not recommended in L-Shaped configurations.

 74P
 - 74P edge

 KN
 - Knife edge

 34S
 - 3/8\* Wood band edge

 VN
 - Wood edge veneer

Select end panel.

S - Two full end panels only Price included in desk price.

- Select desk center grommet option.

  NCG No center grommet
- Select surface grommet color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

- Select frame grommet color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Bow Front Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
134.0#	\$ 1751	\$ 1926	\$ 2242	\$ 2421
143.0#	1809	1989	2312	2498
151.0#	1915	2105	2449	2645
153.0#	2009	2211	2572	2775
163.0#	2078	2286	2659	2874
172.0#	2173	2392	2782	3005

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMB	ER								
									_		
		Basic	Edgo	End	Center	Surface Grom.	Surface	Edgo	Frame Grom.	Desk	
	D x W-LEFT x W-RIGHT x D	Model	Edge Style	Panel	Grom.	Color	Finish	Edge Color	Color	Color	
	24 x 42 x 42 x 24"	TC24424224/FF			NCG						
TRUE	24 x 48 x 48 x 24"	TC24484824/FF			NCG						
Corner Desk with Full Modesty Panel/	30 x 48 x 48 x 30"	TC30484830/FF			NCG						
Full Modesty Panel											
Occionante halana											
<ul><li>See images below</li><li>Consists of top, three legs, two</li></ul>											
modesty panels, two filler panels											
(full modesty panel), two end panels											
(optional transitional size), ganging plates, and all required assembly											
hardware											
Each leg has two cable access grom-											
met locations  Top has three cable access grommets											
above the legs											
Top grommets allow for attachment											
of overhead storage units  • Modesty panel allows for optional 10-											
wire electrical system (see Electrical											
section)											
<ul> <li>Pricing is for two transitional end panels, see "HOW TO BUILD A</li> </ul>											
MODEL NUMBER" below for more											
options		A	ß	0	(D)	<b>(3</b>	G	A	(i)	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side.

	the user's side.	
74P	- 74P edge	Ī
KN	- Knife edge	Ī
348	- 3/8" Wood band edge	Ī
VN	- Wood edge veneer	

©Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$55

R - Right transitional end panel; add \$55

- Two full end panels; add \$108

- Select desk center grommet option.

  NCG No center grommet
- Select surface grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates.

With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx			3/8" Wood	
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
142.0#	\$ 1725	\$ 1858	\$ 2098	\$ 2231
156.0#	1932	2078	2339	2487
171.0#	1967	2119	2388	2538


#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMBE	R								
ı	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
2	24 x 42 x 42 x 24"	TC24424224/FP			NCG						
TRUE 2	24 x 48 x 48 x 24"	TC24484824/FP			NCG						
Corner Desk with Full Modesty Panel/ S Partial Modesty Panel	30 x 48 x 48 x 30"	TC30484830/FP			NCG						
See images below											
Consists of top, three legs, two											
modesty panels, one filler panel (full modesty panel), two end panels											
(optional transitional size), ganging											
plates, and all required assembly											
hardware  • Each leg has two cable access grom-											
met locations											
Top has three cable access grommets											
<ul><li>above the legs</li><li>Top grommets allow for attachment</li></ul>											
of overhead storage units											
Modesty panel allows for optional 10-											
wire electrical system (see Electrical section)											
Pricing is for two transitional end											
panels, see "HOW TO BUILD A											
MODEL NUMBER" below for more											
options		A	$oldsymbol{\Theta}$	0	0	<b>(3</b>	<b>(3</b> )	<b>(</b>	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side.

	the user's side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	<ul> <li>Wood edge veneer</li> </ul>

CSelect transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$55

**R** - Right transitional end panel; add \$55

- Two full end panels; add \$108

- Select desk center grommet option.

  NCG No center grommet
- Select surface grommet color.

  Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
133.0#	\$ 1526	\$ 1659	\$ 1899	\$ 2035
146.0#	1692	1838	2100	2252
161.0#	1729	1878	2145	2300

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMBI	ER							
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
			Style				-			
	24 x 42 x 42 x 24"	TC24424224/PF			NCG					
TRUE	24 x 48 x 48 x 24"	TC24484824/PF			NCG					
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PF			NCG					
Panel/Full Modesty Panel										
<ul> <li>See images below</li> </ul>										
Consists of top, three legs, two										
modesty panels, one filler panel (full modesty panel), two end panels										
(optional transitional size), ganging										
plates, and all required assembly										
hardware										
<ul> <li>Each leg has two cable access grommet locations</li> </ul>										
<ul> <li>Top has three cable access grommets</li> </ul>										
above the legs										
Top grommets allow for attachment										
of overhead storage units										
Modesty panel allows for optional 10-     wire electrical system (see Flectrical)										
wire electrical system (see Electrical section)										
Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options		A	<b>B</b>	0	0	<b>(3</b>	A	<u> </u>	<b>O</b>	0
		4	U	G	U	G	•	G	Ψ	U

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style. Knife edge (KN) adds 2" to the depth of the

desk on the user's side. 74P - 74P edge KN - Knife edge - 3/8" Wood band edge **34S** - Wood edge veneer

Select transition end panels.

- Two transitional end panels Left transitional end panel; add \$55 - Right transitional end panel; R

add \$55 - Two full end panels; add \$108

- DSelect desk center grommet option. NCG - No center grommet
- Select surface grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from

**G**Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife

colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
133.0#	\$ 1526	\$ 1659	\$ 1899	\$ 2035
146.0#	1692	1838	2100	2252
161.0#	1729	1878	2145	2300

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner Desk

Corner Desk with Partial Modesty Panel/Partial Modesty Panel  See images below Consists of top, three legs, two modesty panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options			MODEL NUMBI	R							
Basic Edge Style Panel Grom. Color Finish Color											
RUE 24 x 48 x 48 x 24" TC24484824/PP		D x W-LEFT x W-RIGHT x D					Grom.			Grom.	
Corner Desk with Partial Modesty Panel/Partial Modesty Panel  See images below Consists of top, three legs, two modesty panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options		24 x 42 x 42 x 24"	TC24424224/PP			NCG					
See images below Consists of top, three legs, two modesty panels, two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	TRUE	24 x 48 x 48 x 24"	TC24484824/PP			NCG					
See images below Consists of top, three legs, two modesty panels, two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PP			NCG					
Consists of top, three legs, two modesty panels, two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
esty panels, two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
all required assembly hardware Each leg has two cable access grommet locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	esty panels, two end panels (optional										
met locations Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	all required assembly hardware										
Top has three cable access grommets above the legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	<ul> <li>Top has three cable access grommets</li> </ul>	S									
of overhead storage units Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
Modesty panel allows for optional 10- wire electrical system (see Electrical section) Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
wire electrical system (see Electrical section)  Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options		_									
Pricing is for two transitional end panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
panels, see "HOW TO BUILD A MODEL NUMBER" below for more options											
MODEL NUMBER" below for more options											
A B A A B A A A	options										
			A	3	Θ	0	<b>(3</b>	<b>(3</b>	<b>(</b>	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style. Knife edge (KN) adds 2" to the depth of the

Select transition end panels.

B - Two transitional end panels

L - Left transitional end panel;
add \$55

R - Right transitional end panel;
add \$55

- Two full end panels; add \$108

- Select desk center grommet option.

  NCG No center grommet
- Select surface grommet color.

  Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates.

With wood edge veneer (VN), select from veneers

GSelect edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



I	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
	124.0#	\$ 1329	\$ 1462	\$ 1700	\$ 1835
	135.0#	1454	1598	1862	2010
	150.0#	1490	1640	1906	2057

#### FINISH INFORMATION

#### **Additional Laminate Offering**


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

1011

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

		MODEL NUMBER								
						Surface			Frame	
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Grom.	Surface Finish	Edge Color	Grom.	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/FS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/FS								
	24 x 48 x 72 x 24"	TS24487224/F/FS								
Square Shoe Desk with Full Modesty Panel/Full Modesty Panel	24 x 40 x 72 x 24 24 x 60 x 48 x 24"	TS24604824/F/FS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/F/FS								
Consists of top, three legs, two	24 x 72 x 48 x 24"	TS24724824/F/FS								
modesty panels, two filler panels	30 x 48 x 60 x 30"	TS30486030/F/FS			NCG					
(full modesty panel), two end panels	30 x 48 x 66 x 30"	TS30486630/F/FS								
(optional transitional size), ganging plates, and all required assembly	30 x 48 x 72 x 30"	TS30486630/F/FS								
hardware	30 x 60 x 48 x 30"	TS30604830/F/FS			NCG					
Each leg has two cable access grom-	30 x 66 x 48 x 30"	TS30604630/F/FS								
met locations  Top has three cable access grommets										
above the legs (66" and 72" wide have	30 X 72 X 48 X 30"	TS30724830/F/FS								
an optional fourth middle grommet										
used for mounting stanchions and										
<ul><li>not intended for routing cables)</li><li>Top grommets allow for attachment</li></ul>										
of overhead storage units										
Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
<ul><li>section)</li><li>Pricing is for two transitional end</li></ul>										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
		A	<b>3</b>	$\Theta$	0	<b>(3</b>	<b>(3</b> )	Œ	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
  L Left transitional end panel;
  add \$55
- R Right transitional end panel;

add \$55 S - Two full end panels; add \$108 OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Square Shoe Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
177.0#	\$ 2237	\$ 2409	\$ 2632	\$ 2715	
186.0#	2320	2496	2725	2814	
193.0#	2405	2588	2824	2914	
177.0#	2237	2409	2632	2715	
186.0#	2320	2496	2725	2814	
193.0#	2405	2588	2824	2914	
195.0#	2435	2624	2874	2966	
205.0#	2531	2723	2985	3079	
211.0#	2648	2854	3122	3224	
195.0#	2435	2624	2874	2966	
205.0#	2531	2723	2985	3079	
211.0#	2648	2854	3122	3224	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Square Shoe Desk

		MODEL NUMBER								
		INIODEL NOMBER								
						Surface			Frame	
	D x W-LEFT x W-RIGHT x D	Basic	Edge	End	Center	Grom.	Surface	Edge	Grom.	Desk
	- x 11 1 x 11 11 41 11 x 2	Model	Style	Panel	Grom.	Color	Finish	Color	Color	Color
	24 x 48 x 60 x 24"	TS24486024/F/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/PS								
Square Shoe Desk with Full Modesty	24 x 48 x 72 x 24"	TS24487224/F/PS								
Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/F/PS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/F/PS								
Full modesty panel attached on short	24 x 72 x 48 x 24"	TS24724824/F/PS								
<ul><li>(48") side</li><li>Consists of top, three legs, two</li></ul>	30 x 48 x 60 x 30"	TS30486030/F/PS			NCG					
modesty panels, one filler panel (full	30 x 48 x 66 x 30"	TS30486630/F/PS								
modesty panel), two end panels	30 x 48 x 72 x 30"	TS30487230/F/PS								
(optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/F/PS			NCG					
plates, and all required assembly hardware	30 x 66 x 48 x 30"	TS30664830/F/PS								
Each leg has two cable access grom-	30 x 72 x 48 x 30"	TS30724830/F/PS								
met locations										
<ul> <li>Top has three cable access grommets</li> </ul>										
above the legs (66" and 72" wide have an optional fourth middle grommet										
used for mounting stanchions and										
not intended for routing cables)										
Top grommets allow for attachment										
of overhead storage units  • Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
section)										
<ul> <li>Pricing is for two transitional end</li> </ul>										
panels, see "HOW TO BUILD A MODEL NUMBER" below for more										
options										
ορτιστίο										
		A	<b>3</b>	$oldsymbol{\Theta}$	0	ⅎ	<b>(3</b> )	O	<b>(1)</b>	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;

add \$55

R - Right transitional end panel;

add \$55 S - Two full end panels; add \$108 **O**Select desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Square Shoe Desk

Approx.			3/8" Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
163.0#	\$ 1942	\$ 2112	\$ 2334	\$ 2416	
170.0#	2001	2178	2409	2494	
176.0#	2051	2231	2470	2557	
163.0#	1942	2112	2334	2416	
170.0#	2001	2178	2409	2494	
176.0#	2051	2231	2470	2557	
181.0#	2135	2328	2575	2666	
189.0#	2211	2406	2665	2761	
194.0#	2292	2501	2767	2869	
181.0#	2135	2328	2575	2666	
189.0#	2211	2406	2665	2761	
194.0#	2292	2501	2767	2869	

#### **FINISH INFORMATION**

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Square Shoe Desk

		MODEL NUMBER								
						Surface			Гианаа	
		Basic	Edge	End	Center	Grom.	Surface	Edge	Frame Grom.	Desk
	D x W-LEFT x W-RIGHT x D	Model	Style	Panel	Grom.	Color	Finish	Color	Color	Color
	24 x 48 x 60 x 24"	TS24486024/P/FS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/FS								
Square Shoe Desk with Partial Mod-	24 x 48 x 72 x 24"	TS24487224/P/FS								
esty Panel/Full Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/FS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/P/FS								
<ul> <li>Full modesty panel attached on long</li> </ul>	24 x 72 x 48 x 24"	TS24724824/P/FS								
(60", 66", or 72") side	30 x 48 x 60 x 30"	TS30486030/P/FS			NCG					
<ul> <li>Consists of top, three legs, two modesty panels, one filler panel (full</li> </ul>	30 x 48 x 66 x 30"	TS30486630/P/FS								
modesty panel), two end panels	30 x 48 x 72 x 30"	TS30487230/P/FS								
(optional transitional size), ganging	30 x 60 x 48 x 30"	TS30604830/P/FS			NCG					
plates, and all required assembly hardware	30 x 66 x 48 x 30"	TS30664830/P/FS								
• Each leg has two cable access grom-	30 x 72 x 48 x 30"	TS30724830/P/FS								
met locations										
Top has three cable access grommets above the legs (66" and 72" wide have										
an optional fourth middle grommet										
used for mounting stanchions and										
not intended for routing cables)  Top grommets allow for attachment										
of overhead storage units										
<ul> <li>Modesty panel allows for optional 10-</li> </ul>										
wire electrical system (see Electrical										
section)  • Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
		A	<b>B</b>	0	•	<b>(3</b>	<b>(3</b> )	O	0	0
		•	_	_	•	_	_	_	•	_

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side.

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;

add \$55

R - Right transitional end panel;

add \$55

Two full end panels; add \$108

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Square Shoe Desk

Approx.			3/8" Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
166.0#	\$ 1997	\$ 2169	\$ 2393	\$ 2477	
175.0#	2080	2257	2486	2574	
182.0#	2167	2348	2586	2673	
166.0#	1997	2169	2393	2477	
175.0#	2080	2257	2486	2574	
182.0#	2167	2348	2586	2673	
184.0#	2195	2385	2633	2723	
194.0#	2289	2485	2747	2839	
200.0#	2409	2614	2884	2983	
184.0#	2195	2385	2633	2723	
194.0#	2289	2485	2747	2839	
200.0#	2409	2614	2884	2983	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/P/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/PS								
Causes Chan Dook with Doutin Mad	24 x 48 x 72 x 24"	TS24487224/P/PS								
Square Shoe Desk with Partial Mod- esty Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/PS			NCG					
esty ranen/raitial modesty ranei	24 x 66 x 48 x 24"	TS24664824/P/PS								
See images below	24 x 72 x 48 x 24"	TS24724824/P/PS								
· Consists of top, three legs, two mod-	30 x 48 x 60 x 30"	TS30486030/P/PS			NCG					
esty panels, two end panels (optional	30 x 48 x 66 x 30"	TS30486630/P/PS								
transitional size), ganging plates, and all required assembly hardware	30 x 48 x 72 x 30"	TS30487230/P/PS								
Each leg has two cable access grom-	30 x 60 x 48 x 30"	TS30604830/P/PS			NCG					
met locations	30 x 66 x 48 x 30"	TS30664830/P/PS								
<ul> <li>Top has three cable access grommets above the legs (66" and 72" wide have</li> </ul>		TS30724830/P/PS								
an optional fourth middle grommet										
used for mounting stanchions and										
not intended for routing cables)										
<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>										
<ul> <li>Modesty panel allows for optional 10-</li> </ul>										
wire electrical system (see Electrical										
section) • Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
		•	•	0	0	<b>(3</b>	()	Θ	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side.

JUSK UII	tile does o olde.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	- Wood edge veneer	

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
  L Left transitional end panel;
- add \$55

  R Right transitional end panel;
- add \$55 S - Two full end panels; add \$108

• Select desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections.
- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

## True® Desking System Square Shoe Desk

Approx.			3/8" Wood		
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
152.0#	\$ 1701	\$ 1873	\$ 2095	\$ 2178	
159.0#	1764	1939	2169	2256	
165.0#	1813	1993	2229	2318	
152.0#	1701	1873	2095	2178	
159.0#	1764	1939	2169	2256	
165.0#	1813	1993	2229	2318	
170.0#	1898	2087	2335	2429	
178.0#	1968	2168	2428	2521	
183.0#	2053	2260	2531	2630	
170.0#	1898	2087	2335	2429	
178.0#	1968	2168	2428	2521	
183.0#	2053	2260	2531	2630	

#### **FINISH INFORMATION**

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

D-Shaped Desk

			MODEL NUM	/IBER						
	MODEL	DxW	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
_	D-Shaped Desk with Full Modesty Panel/	24 x 48"	TD2448/F/G							92.0#
	end panels, ganging plates, one round leg, one 9" tall steel guest modesty panel along the long side, and all required assembly hardware	24 x 54"	TD2454/F/G							98.0#
		24 x 60"	TD2460/F/G							104.0#
		24 x 66"	TD2466/F/G							110.0#
Ш		24 x 72"	TD2472/F/G							116.0#
TRUE		30 x 48"	TD3048/F/G							103.0#
		30 x 54"	TD3054/F/G							110.0#
		30 x 60"	TD3060/F/G							117.0#
	locations	30 x 66"	TD3066/F/G							125.0#
	Top has two cable access grommets	30 x 72"	TD3072/F/G							132.0#
	<ul><li>above the corner legs</li><li>Top grommets allow for attachment of</li></ul>	36 x 48"	TD3648/F/G							115.0#
	overhead storage units	36 x 54"	TD3654/F/G							123.0#
	Modesty panel allows for optional	36 x 60"	TD3660/F/G							132.0#
	10-wire electrical system (see Electrical	36 x 66"	TD3666/F/G							140.0#
	section)	36 x 72"	TD3672/F/G							149.0#
			A	(3)	0	0	<b>(3</b>	G	(A)	-

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Oselect surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G** Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



# True® Desking System D-Shaped Desk

-				
74P Edge	3/8" Wood Band Edge	Wood Edge Veneer		
(74P)	(34S)	(VN)		
\$ 1654	\$ 1939	\$ 2072		
1690	1989	2123		
1726	2037	2173		
1765	2084	2226		
1798	2134	2279		
1790	1955	2092		
1826	2006	2142		
1864	2054	2195		
1900	2102	2246		
1938	2154	2300		
1926	1976	2110		
1963	2023	2163		
2000	2075	2216		
2038	2122	2266		
2075	2169	2315		

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

			MODEL NUM	/IBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Full Modesty Panel/	24 x 48"	TD2448/F/A							87.0#
	No Partial Guest Modesty Panel  Consists of top, two legs, modesty panel, filler panel (full modesty panel on the 24", 30" or 36" side), two transitional size end panels, ganging plates, one round leg, and all required assembly hardware  Each leg has two cable access grommet locations	24 x 54"	TD2454/F/A							92.0#
		24 x 60"	TD2460/F/A							97.0#
		24 x 66"	TD2466/F/A							102.0#
w .		24 x 72"	TD2472/F/A							107.0#
TRUE		30 x 48"	TD3048/F/A							98.0#
		30 x 54"	TD3054/F/A							104.0#
		30 x 60"	TD3060/F/A							110.0#
	<ul> <li>Top has two cable access grommets</li> </ul>	30 x 66"	TD3066/F/A							117.0#
	<ul><li>above the corner legs</li><li>Top grommets allow for attachment of</li></ul>	30 x 72"	TD3072/F/A							123.0#
	overhead storage units	36 x 48"	TD3648/F/A							110.0#
	Modesty panel allows for optional	36 x 54"	TD3654/F/A							117.0#
	10-wire electrical system (see Electrical	36 x 60"	TD3660/F/A							125.0#
	section)	36 x 66"	TD3666/F/A							132.0#
		36 x 72"	TD3672/F/A							140.0#
			A	<b>B</b>	O	0	<b>(3</b>	<b>(3</b>	Э	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

© Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Oselect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select frame grommet color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

**G** Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



# True® Desking System D-Shaped Desk

74P Edge	3/8" Wood Band Edge	Wood Edge Veneer
(74P)	(34S)	(VN)
\$ 1531	\$ 1816	\$ 1949
1557	1855	1991
1585	1895	2031
1612	1932	2074
1638	1971	2119
1667	1834	1966
1693	1874	2010
1722	1914	2052
1747	1951	2094
1775	1991	2135
1805	1853	1989
1830	1891	2030
1858	1932	2074
1884	1967	2113
1914	2007	2156
1914	2007	2100

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Partial Modesty	24 x 48"	TD2448/P/G							87.0#
	Panel/Partial Guest Modesty Panel Consists of top, two legs, modesty panel, two transitional size end panels, ganging plates, one round leg, one 9" tall steel guest modesty panel along the long side, and all required assembly hardware Each leg has two cable access grommet locations Top has two cable access grommets above the corner legs Top grommets allow for attachment of overhead storage units Modesty panel allows for optional 10-wire electrical system (see Electrical section)	24 x 54"	TD2454/P/G							93.0#
		24 x 60"	TD2460/P/G							99.0#
		24 x 66"	TD2466/P/G							105.0#
•		24 x 72"	TD2472/P/G							111.0#
TRUE		30 x 48"	TD3048/P/G							97.0#
		30 x 54"	TD3054/P/G							104.0#
		30 x 60"	TD3060/P/G							111.0#
		30 x 66"	TD3066/P/G							119.0#
		30 x 72"	TD3072/P/G							126.0#
		36 x 48"	TD3648/P/G							107.0#
		36 x 54"	TD3654/P/G							115.0#
		36 x 60"	TD3660/P/G							124.0#
		36 x 66"	TD3666/P/G							132.0#
		36 x 72"	TD3672/P/G							141.0#
			A	<b>B</b>	Θ	0	<b>(3</b>	<b>(3</b> )	O	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect edge style.

74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer

- Select surface grommet color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Oselect surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G** Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### **FINISH INFORMATION**

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.
Contact KI.



# True® Desking System D-Shaped Desk

74P Edge	3/8" Wood Band Edge	Wood Edge Veneer	
(74P)	(348)	(VN)	
\$ 1489	\$ 1773	\$ 1904	
1525	1823	1957	
1561	1872	2009	
1598	1921	2058	
1635	1968	2117	
1624	1791	1925	
1661	1840	1979	
1698	1890	2030	
1736	1939	2080	
1772	1989	2133	
1764	1811	1946	
1798	1861	1996	
1835	1909	2051	
1873	1955	2100	
1909	2005	2154	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## True<sup>®</sup> Desking System

D-Shaped Desk

#### **MODEL NUMBER** Surface Frame Approx. Surface Edge Basic Edge Grom. Grom. Packaged D x W Model Style Color Finish Color Color Color Weight 24 x 48" TD2448/P/A ПП 82.0# D-Shaped Desk w/Partial Modesty Panel/ $\Box\Box$ No Partial Guest Modesty Panel TD2454/P/A 87.0# 24 x 54" · Consists of top, two legs, modesty ПП $\Box\Box$ $\Box\Box$ ПП 24 x 60" TD2460/P/A 92.0# panel, two transitional size end panels. 24 x 66" TD2466/P/A 97.0# ganging plates, one round leg, and all required assembly hardware 24 x 72" TD2472/P/A 102.0# Each leg has two cable access grommet **TRUE** 30 x 48" TD3048/P/A 92.0# locations 30 x 54" TD3054/P/A 98.0# Top has two cable access grommets 30 x 60" TD3060/P/A 104.0# above the corner legs Top grommets allow for attachment of 30 x 66" TD3066/P/A 111.0# overhead storage units 30 x 72" TD3072/P/A 117.0# Modesty panel allows for optional 36 x 48" TD3648/P/A 102.0# 10-wire electrical system (see Electrical 36 x 54" TD3654/P/A 109.0# section) 36 x 60" TD3660/P/A $\Box\Box$ 117 0# 36 x 66" TD3666/P/A 124.0# 36 x 72" TD3672/P/A 132.0# **(A)** 0 0 0 **3 (3**) 0

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer

- Select surface grommet color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Oselect surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.
   Refer to color addendum at ki.com or
   KI Fabrics & Finishes binder.

#### **FINISH INFORMATION**

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



# True® Desking System D-Shaped Desk

74P Edge	3/8" Wood Band Edge	Wood Edge Veneer	
(74P)	(34S)	(VN)	
\$ 1366	\$ 1649	\$ 1783	
1391	1690	1825	
1418	1727	1867	
1446	1769	1907	
1471	1810	1953	
1505	1669	1801	
1529	1709	1844	
1556	1747	1887	
1584	1785	1928	
1610	1825	1970	
1640	1688	1823	
1666	1726	1865	
1692	1769	1907	
1721	1805	1949	
1747	1842	1991	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUMBER							
							Surface			Frame	
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color
	P-Shaped Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TP244860/F/G							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/G							
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TP244872/F/G							
	panel, filler panel (full modesty panel on the 48" side), two transitional size end	Right	30 x 48 x 66"	TP304866/F/G							
(B) Both transitional	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/G							
(Right)	one 9" tall steel guest modesty panel	Left	24 x 48 x 60"	TP604824/F/G							
	along the long side, and all required assembly hardware	Left	24 x 48 x 66"	TP664824/F/G							
	Each leg has two cable access grommet	Left	24 x 48 x 72"	TP724824/F/G							
	locations	Left	30 x 48 x 66"	TP664830/F/G							
(B) Both transitional	Top has two cable access grommets	Left	30 x 48 x 72"	TP724830/F/G							
(Left)	<ul><li>above the corner legs</li><li>Top grommets allow for attachment of</li></ul>										
W	overhead storage units										
	<ul> <li>Modesty panel allows for optional</li> </ul>										
<u> </u>	10-wire electrical system (see Electrical										
	section) • P-end is 18" radius										
(Left)											
.—W—₁											
11 11											
Ď											
(5:11)											
(Right)											
P-Shaped Desk top view											
TRUE											
					_	_	_	•		_	
				A	₿	•	0	•	•	G	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile user s side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
155.0#	\$ 2287	\$ 2478	\$ 2820	\$ 3017	
162.0#	2336	2533	2881	3081	
168.0#	2402	2602	2964	3169	
172.0#	2436	2641	3008	3218	
179.0#	2494	2706	3081	3295	
155.0#	2287	2478	2820	3017	
162.0#	2336	2533	2881	3081	
168.0#	2402	2602	2964	3169	
172.0#	2436	2641	3008	3218	
179.0#	2494	2706	3081	3295	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUME	BER							
				Basic	Edge	End	Surface Grom.	Surface	Edge	Frame Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	· chapta zeek min · an measely · anely	Right	24 x 48 x 60"	TP244860/F/A								
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/A								
	<ul> <li>Consists of top, two legs, modesty panel, filler panel (full modesty panel on the 48" side), two transitional size end</li> </ul>	Right	24 x 48 x 72"	TP244872/F/A								
		Right	30 x 48 x 66"	TP304866/F/A								
(B) Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/A								
(mynt)	and all required assembly hardware	Left	24 x 48 x 60"	TP604824/F/A								
	above the corner legs	Left	24 x 48 x 66"	TP664824/F/A								
1		Left	24 x 48 x 72"	TP724824/F/A								
		Left	30 x 48 x 66"	TP664830/F/A								
(B) Both transitional (Left)	Top grommets allow for attachment of	Left	30 x 48 x 72"	TP724830/F/A								
overhead storage units  Modesty panel allows for optional 10-wire electrical system (see Electrical section)  P-end is 18" radius												
(Left)												
(Right)												
P-Shaped Desk top view												
TRUE												I
				A	<b>B</b>	0	0	(3	•	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile user s side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
149.0#	\$ 2143	\$ 2334	\$ 2680	\$ 2874	
155.0#	2184	2378	2730	2929	
160.0#	2238	2440	2802	3005	
165.0#	2284	2486	2855	3065	
171.0#	2333	2542	2920	3133	
149.0#	2143	2334	2680	2874	
155.0#	2184	2378	2730	2929	
160.0#	2238	2440	2802	3005	
165.0#	2284	2486	2855	3065	
171.0#	2333	2542	2920	3133	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

			MODEL NUMBER									
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	P-Shaped Desk with Partial Modesty	Right	24 x 48 x 60"	TP244860/P/G								
	<ul> <li>Consists of top, two legs, modesty</li> </ul>	Right	24 x 48 x 66"	TP244866/P/G								
		Right	24 x 48 x 72"	TP244872/P/G								
	panel, two transitional size end panels, ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TP304866/P/G								
(B) Both transitional	steel guest modesty panel along the long	Right	30 x 48 x 72"	TP304872/P/G								
(Right)	side, and all required assembly hardware  Each leg has two cable access grommet locations	Left	24 x 48 x 60"	TP604824/P/G								
		Left	24 x 48 x 66"	TP664824/P/G								
		Left	24 x 48 x 72"	TP724824/P/G								
above the corner legs			30 x 48 x 66"	TP664830/P/G								
(B) Both transitional	Top grommets allow for attachment of	Left	30 x 48 x 72"	TP724830/P/G								
(Left)	overhead storage units  Modesty panel allows for optional owire electrical system (see Electrical											
D	section)											
L)	P-end is 18" radius											
(Left)												
W1												
Ď												
<del> </del>												
( )												
(Right)												
P-Shaped Desk top view												
1 -Shapen Desk toh Alem												
TRUE												
				A	•	•		<b>3</b>	<b>3</b>	(A)	0	
					<b>B</b>	G	0	G	U	U	Ψ	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile user s side.	
74P	- 74P edge	
KN	- Knife edge	
34S	- 3/8" Wood band edge	
VN	- Wood edge veneer	

- Select transition end panels.

  B Both
- Select surface grommet color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- GSelect frame grommet color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
144.0#	\$ 2048	\$ 2235	\$ 2580	\$ 2774	
151.0#	2098	2291	2643	2842	
157.0#	2163	2362	2721	2928	
161.0#	2197	2400	2767	2977	
168.0#	2256	2466	2842	3055	
144.0#	2048	2235	2580	2774	
151.0#	2098	2291	2643	2842	
157.0#	2163	2362	2721	2928	
161.0#	2197	2400	2767	2977	
168.0#	2256	2466	2842	3055	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUMB	BER							
	MODEL	Dir.	D x W x L	Basic Model	Edge	End	Surface Grom.	Surface	Edge	Frame Grom.	Desk Color	
		Right	24 x 48 x 60"	TP244860/P/A	Style	Panel	Color	Finish	Color	Color	COIOI	
	P-Shaped Desk w/Partial Modesty Panel/ No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/P/A								
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TP244872/P/A								
	panel, two transitional size end panels,	Right	30 x 48 x 66"	TP304866/P/A								
(B) Both transitional	ganging plates, one round leg, and all required assembly hardware	Right	30 x 48 x 72"	TP304872/P/A								
(Right)	Each leg has two cable access grommet	Left	24 x 48 x 60"	TP604824/P/A								
	locations  Top has two cable access grommets above the corner legs	Left	24 x 48 x 66"	TP664824/P/A								
		Left	24 x 48 x 72"	TP724824/P/A								
	Top grommets allow for attachment of	Left	30 x 48 x 66"	TP664830/P/A								
(B) Both transitional	overhead storage units	Left	30 x 48 x 72"	TP724830/P/A								
(Left)	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>											
W	section)											
	P-end is 18" radius											
(Left)												
W												
Ď												
T ( ļ												
(Right)												
P-Shaped Desk top view												
TRUE												
				A	<b>B</b>	$oldsymbol{\Theta}$	<b>O</b>	<b>(3</b>	<b>(3</b>	<b>G</b>	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the

	tile usel s side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System P-Shaped Desk

Approx.		_	3/8" Wood		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
138.0#	\$ 1903	\$ 2095	\$ 2439	\$ 2633	
144.0#	1946	2138	2488	2689	
149.0#	2000	2200	2563	2765	
154.0#	2046	2248	2616	2824	
160.0#	2094	2304	2681	2893	
138.0#	1903	2095	2439	2633	
144.0#	1946	2138	2488	2689	
149.0#	2000	2200	2563	2765	
154.0#	2046	2248	2616	2824	
160.0#	2094	2304	2681	2893	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

		MODEL NUM	BER									
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Piano Desk with Full Modesty Panel/	Right	24 x 48 x 60"	TI244860/F/G								
	Partial Guest Modesty Panel	Right		TI244866/F/G								
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TI244872/F/G								
	panel, filler panel (full modesty panel on the 48" side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/G								
<b>(B)</b> Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/G								
(nigili)	one 9" tall steel guest modesty panel	Left	24 x 48 x 60"	TI604824/F/G								
	along the long side, and all required assembly hardware	Left	24 x 48 x 66"	TI664824/F/G								
	Each leg has two cable access grommet	Left	24 x 48 x 72"	TI724824/F/G								
(2)	locations	Left	30 x 48 x 66"	TI664830/F/G								
<b>(B)</b> Both transitional (Left)	<ul> <li>Top has two cable access grommets above the corner legs</li> </ul>	Left	30 x 48 x 72"	TI724830/F/G								
D D	<ul> <li>Top grommets allow for attachment of overhead storage units</li> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical section)</li> <li>Piano end is 30" wide (15"radius)</li> </ul>											
(Left)												
D L												
(Right)												
Piano Desk top view												
TRUE												
				A	<b>3</b>	0	<b>O</b>	<b>3</b>	•	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the

desk on the user's side.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Piano Desk

Approx.	74D Edwa	Vaita Edua	3/8" Wood	Mood Edge Venegr	
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
165.0#	\$ 2143	\$ 2320	\$ 2637	\$ 2818	
173.0#	2229	2414	2747	2936	
180.0#	2291	2481	2822	3017	
183.0#	2326	2517	2864	3062	
190.0#	2378	2578	2933	3135	
165.0#	2143	2320	2637	2818	
173.0#	2229	2414	2747	2936	
180.0#	2291	2481	2822	3017	
183.0#	2326	2517	2864	3062	
190.0#	2378	2578	2933	3135	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

MODEL NUMBER												
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	Piano Desk with Full Modesty Panel/No	Right	24 x 48 x 60"	TI244860/F/A								
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/F/A								
	Consists of top, two legs, modesty panel, filler panel (full modesty panel on	Right	24 x 48 x 72"	TI244872/F/A								
(B) Both transitional	the 48" side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/A								
(Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/A								
	and all required assembly hardware	Left	24 x 48 x 60"	TI604824/F/A								
	Each leg has two cable access grommet locations	Left	24 x 48 x 66"	TI664824/F/A								
	Top has two cable access grommets	Left	24 x 48 x 72"	TI724824/F/A								
(D) Both transitional	above the legs	Left	30 x 48 x 66"	TI664830/F/A								
	Top grommets allow for attachment of overhead storage units.	Left	30 x 48 x 72"	TI724830/F/A								
(==)	<ul><li>overhead storage units</li><li>Modesty panel allows for optional</li></ul>											
<u> </u>	10-wire electrical system (see Electrical											
	section)											
	<ul> <li>Piano end is 30" wide (15"radius)</li> </ul>											
(Left)												
<u> </u>												
Ď												
H L												
(Right)												
Piano Desk top view												
ו ומווט הפפע נהף אופא												
TRUE												
INUE												
				A	<b>3</b>	$oldsymbol{\Theta}$	O	<b>(3</b>	<b>(3</b> )	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	- 74P edge	Ī
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	- Wood edge veneer	

- Select transition end panels.

  B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

  Surface finish offerings are based on edge
  style selections. With 74P edge (74P),
  knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Piano Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
158.0#	\$ 2001	\$ 2178	\$ 2494	\$ 2674
165.0#	2078	2262	2593	2782
172.0#	2130	2318	2659	2852
175.0#	2172	2364	2712	2910
182.0#	2220	2415	2770	2975
158.0#	2001	2178	2494	2674
165.0#	2078	2262	2593	2782
172.0#	2130	2318	2659	2852
175.0#	2172	2364	2712	2910
182.0#	2220	2415	2770	2975

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUMI	BER						
							Surface			Frame	
	MODEL	Dir.	D x W x L	Basic Model	Edge Style	End Panel	Grom. Color	Surface Finish	Edge Color	Grom. Color	Desk Color
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/G							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/P/G							
	<ul> <li>Consists of top, two legs, modesty panel, two transitional size end panels,</li> </ul>	Right	24 x 48 x 72"	TI244872/P/G							
(D) Doth transitional	ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TI304866/P/G							
<b>(B)</b> Both transitional (Right)	steel guest modesty panel along the long	Right	30 x 48 x 72"	TI304872/P/G							
(5)	side, and all required assembly hardware	Left	24 x 48 x 60"	TI604824/P/G							
	<ul> <li>Each leg has two cable access grommet locations</li> </ul>	Left	24 x 48 x 66"	TI664824/P/G							
	Top has two cable access grommets	Left	24 x 48 x 72"	TI724824/P/G							
(P) Both transitional		Left	30 x 48 x 66"	TI664830/P/G							
<b>(B)</b> Both transitional (Left)	<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>	Left	30 x 48 x 72"	TI724830/P/G							
· W	Modesty panel allows for optional										
- W -	10-wire electrical system (see Electrical										
	section)										
	• Piano end is 30" wide (15"radius)										
(Left)											
D											
(Right)											
Piano Desk top view											
TRUE											
				A	<b>B</b>	•	O	<b>(3</b>	<b>(3</b>	Э	0
				-	-	-	-	-	_	-	-

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  Knife edge (KN) adds 2" to the depth of the desk on the user's side.

162K OII	the user 5 side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

  Surface finish offerings are based on edge
  style selections. With 74P edge (74P),
  knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Piano Desk

Approx.	=.=.		3/8" Wood		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
154.0#	\$ 1903	\$ 2080	\$ 2398	\$ 2578	
162.0#	1991	2175	2507	2696	
169.0#	2052	2240	2582	2774	
172.0#	2084	2276	2624	2822	
179.0#	2138	2338	2693	2896	
154.0#	1903	2080	2398	2578	
162.0#	1991	2175	2507	2696	
169.0#	2052	2240	2582	2774	
172.0#	2084	2276	2624	2822	
179.0#	2138	2338	2693	2896	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUM	BER							
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/A								
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/P/A								
	<ul> <li>Consists of top, two legs, modesty panel, two transitional size end panels,</li> </ul>	Right	24 x 48 x 72"	TI244872/P/A								
(B) Both transitional	ganging plates, one round leg, and all	Right	30 x 48 x 66"	TI304866/P/A								
(Right)	required assembly hardware	Right	30 x 48 x 72"	TI304872/P/A								
	Each leg has two cable access grommet	Left	24 x 48 x 60"	TI604824/P/A								
	locations Top has two cable access grommets	Left	24 x 48 x 66"	TI664824/P/A								
	above the corner legs	Left	24 x 48 x 72"	TI724824/P/A								
(D) Dath transitional	Top grommets allow for attachment of	Left	30 x 48 x 66"	TI664830/P/A								
(B) Both transitional (Left)	overhead storage units	Left	30 x 48 x 72"	TI724830/P/A								
(==)	<ul> <li>Modesty panel allows for optional 10-wire electrical system (see Electrical</li> </ul>											
<u> </u>	section)											
	• Piano end is 30" wide (15"radius)											
i   (												
(Left)												
W												
Ď.												
1												
\												
(Diaht)												
(Right)												
Piano Desk top view												
TRUE												
				A	<b>3</b>	•	0	<b>(3</b>	<b>(3</b> )	<b>e</b>	0	
				-	•	•	-	-	•	_	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

  B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### FINISH INFORMATION

## **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Piano Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
147.0#	\$ 1764	\$ 1939	\$ 2256	\$ 2436	
154.0#	1838	2022	2356	2542	
161.0#	1890	2079	2419	2613	
164.0#	1932	2125	2473	2668	
171.0#	1979	2176	2533	2734	
147.0#	1764	1939	2256	2436	
154.0#	1838	2022	2356	2542	
161.0#	1890	2079	2419	2613	
164.0#	1932	2125	2473	2668	
171.0#	1979	2176	2533	2734	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transitional Desk

			MODEL NUM	BER							
МО	DEL	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
Tran	nsitional Desk with Full Modesty Panel	24 x 42 x 30"	TTR244230/F			NCG					
TRUE	•	24 x 48 x 30"	TTR244830/F			NCG					
	ee images below lesk reduces size from 30" on one end	24 x 54 x 30"	TTR245430/F			NCG					
	24" on opposite end	24 x 60 x 30"	TTR246030/F			NCG					
• C	onsists of top, two legs, modesty	24 x 66 x 30"	TTR246630/F								
		24 x 72 x 30"	TTR247230/F								
	two end panels (optional transitional size), ganging plates, and all required assembly hardware.  • Each leg has two cable access grommet	30 x 42 x 24"	TTR304224/F			NCG					
		30 x 48 x 24"	TTR304824/F			NCG					
		30 x 54 x 24"	TTR305424/F			NCG					
	ocations op has two cable access grommets	30 x 60 x 24"	TTR306024/F			NCG					
	bove the legs (66" and 72" wide have an	30 x 66 x 24"	TTR306624/F								
		30 x 72 x 24"	TTR307224/F								
	nounting stanchions and not intended										
	or routing cables) op grommets allow for attachment of										
	verhead storage units										
• N	Nodesty panel allows for optional										
	0-wire electrical system (see Electrical										
Se	ection)										
			A	<b>B</b>	O	<b>O</b>	<b>3</b>	•	Ю	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  KN is not recommended in L-Shaped configurations.

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
  L Left transitional end panel;
  add \$55
- R Right transitional end panel; add \$55
- S Two full end panels; add \$108

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet
YCG" option only available on 66" a

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# True® Desking System Transitional Desk

•					
Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
108.0#	\$ 1413	\$ 1534	\$ 1753	\$ 1877	
116.0#	1488	1613	1836	1964	
124.0#	1543	1672	1902	2035	
137.0#	1620	1751	1991	2125	
146.0#	1678	1814	2056	2198	
154.0#	1784	1926	2184	2332	
108.0#	1413	1534	1753	1877	
116.0#	1488	1613	1836	1964	
124.0#	1543	1672	1902	2035	
137.0#	1620	1751	1991	2125	
146.0#	1678	1814	2056	2198	
154.0#	1784	1926	2184	2332	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitiona



(R) Right transitional



(S) Two full end panels

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

# True<sup>®</sup> Desking System

Transitional Desk

			MODEL NUMBER										
	MODEL	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color		
	-	24 x 42 x 30"	TTR244230/P			NCG							
TRUE	Transitional Desk with Partial Modesty Panel	24 x 48 x 30"	TTR244830/P			NCG							
TRUE	See images below	24 x 54 x 30"	TTR245430/P			NCG							
	Desk reduces size from 30" on one end     All an appropriate and	24 x 60 x 30"	TTR246030/P			NCG							
	to 24" on opposite end • Consists of top, two legs, modesty	24 x 66 x 30"	TTR246630/P										
	panel, two end panels (optional tran-	24 x 72 x 30"	TTR247230/P										
	sitional size), ganging plates, and all	30 x 42 x 24"	TTR304224/P			NCG							
	required assembly hardware.  • Each leg has two cable access grommet	30 x 48 x 24"	TTR304824/P			NCG							
	locations	30 x 54 x 24"	TTR305424/P			NCG							
	Top has two cable access grommets	30 x 60 x 24"	TTR306024/P			NCG							
	above the legs (66" and 72" wide have an optional third middle grommet used for	30 x 66 x 24"	TTR306624/P										
	mounting stanchions and not intended	30 x 72 x 24"	TTR307224/P										
	for routing cables)												
	<ul> <li>Top grommets allow for attachment of overhead storage units</li> </ul>												
	Modesty panel allows for optional												
	10-wire electrical system (see Electrical section)												
	···· ,		A	B	<b>G</b>	· ·	<b>(3</b>	<b>G</b>	Ю	(I)	0		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  KN is not recommended in L-Shaped configurations.

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
  L Left transitional end panel;
- add \$55

  R Right transitional end panel;
  add \$55
- S Two full end panels; add \$108

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.

  Surface finish offerings are based on edge style selections.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.

- Select frame grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# True® Desking System Transitional Desk

Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Veight	(74P)	(KN)	(34S)	(VN)	
99.0#	\$ 1213	\$ 1337	\$ 1555	\$ 1681	
105.0#	1247	1374	1597	1725	
112.0#	1284	1412	1643	1775	
123.0#	1321	1455	1692	1828	
130.0#	1359	1495	1739	1878	
137.0#	1429	1570	1829	1978	
99.0#	1213	1337	1555	1681	
105.0#	1247	1374	1597	1725	
112.0#	1284	1412	1643	1775	
123.0#	1321	1455	1692	1828	
130.0#	1359	1495	1739	1878	
137.0#	1429	1570	1829	1978	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

n N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Add-On Worksurfaces

			MODEL N	IUMBER				
								Approx.
			Basic		Surface	Edge	Desk	Packaged
	MODEL	DIA x W	Model	Style	Finish	Color	Color	Weight
	Round Add-On Worksurface	36 x 24"	TAR24					45.0#
	<ul> <li>Consists of top, 36" or 42" diameter, leg, ganging plates for attaching to</li> </ul>	42 x 30"	TAR30					56.0#
	existing desks, and all required assembly							
	hardware							
	Knife edge (KN) on curve with 74P on							
TRUE	flat edge							
	Half Round Add-On Worksurface  Consists of top, 24" or 30" radius, leg,	48 x 24"	THR4824					46.0#
		60 x 30"	THR6030					64.0#
	ganging plates for attaching to existing desks, and all required assembly hard-							
	ware							
w	<ul> <li>Knife edge (KN) on curve with 74P on</li> </ul>							
TRUE	flat edge							
	Quarter Round Add-On Worksurface	24"	TQR24					29.0#
	Consists of top, 24" or 30" radius, leg,     anging plates for attaching to existing	30"	TQR30					38.0#
	ganging plates for attaching to existing desks, and all required assembly hard-							
	ware							
Ψ.	<ul> <li>Knife edge (KN) on curve with 74P on</li> </ul>							
RUE	flat edges	'			'			
			A	ß	A	0	<b>3</b>	
			W	Ð	9	U	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

Knife edge (KN) adds 2" to the depth of the worksurface

voinduii	auo.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/ knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Add-On Worksurfaces

	*			
	74P Edge	Knife Edge	3/8' Wood Band Edge	Wood Edge Veneer
	(74P)	(KN)	(34S)	(VN)
	\$ 999	N/A	\$ 1280	\$ 1383
	1173	N/A	1505	1622
	\$ 531	\$ 585	\$ 682	\$ 739
	625	686	800	862
•	\$ 345	\$ 381	\$ 441	\$ 480
	406	448	521	563
			-	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

			MODEL NUMBER							
			INIODE	L NOWID	LN					
	MODEL	W	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight	
	Standard Height Transaction Counter	24"	TSS24	-					25.0#	
	Straight	30"	TSS30						29.0#	
	Consists of top, two stanchions, steel	36"	TSS36						33.0#	
	privacy panel, and all required assembly	42"	TSS42						38.0#	
	hardware	48"	TSS48						42.0#	
TDUE	<ul> <li>Top of transaction surface is approxi- mately 42" from floor</li> </ul>									
TRUE	Space below transaction surface is 11-	54"	TSS54						46.0#	
	1/2"	60"	TSS60						50.0#	
	Worksurface is 16" deep and overhangs	66"	TSS66						54.0#	
	4" on guest side  • Can mount transaction surface task	72"	TSS72						59.0#	
	lights underneath the surface ("TLT5"									
	models)									
	Knife edge (KN) will have the knife edge									
	only on the user side, the approach side									
	will just have the standard 74P edge just like the approach side of the primary									
	desk surface									
	Low Height Transaction Counter Straight	24"	TLS24						18.0#	
	Consists of top, two stanchions, steel	30"	TLS30						22.0#	
	privacy panel, and all required assembly hardware	36"	TLS36						25.0#	
	Top of transaction surface is approxi-	42"	TLS42						29.0#	
TRUE	mately 34" from floor	48"	TLS48						33.0#	
	<ul> <li>Space below transaction surface is</li> </ul>	54"	TLS54						36.0#	
	3-3/4"	60"	TLS60						40.0#	
	<ul> <li>Worksurface is 16" deep and overhangs 4" on quest side</li> </ul>	66"	TLS66						43.0#	
	Cannot mount task lights underneath the		TLS72						47.0#	
	low transaction surface	12	11.072						47.0#	
	Knife edge (KN) will have the knife edge									
	only on the user side, the approach side will just have the standard 74P edge just									
	like the approach side of the primary									
	desk surface									
			A	B	<b>G</b>	0	<b>(3</b>	<b>(3</b> )		
			-	-	-	_	_	-		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select trim/extrusion color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

  Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

#### FINISH INFORMATION

## **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



# True® Desking System Transaction Worksurfaces

74F (74	P Edge P)	Knife Edge (KN)		Woo (VN	od Edge Veneer
\$		\$ 503			633
	471	519	605		651
	484	531	618		667
	490	540	627		677
	516	564	657		710
	520	572	664		716
	527	580	673		727
	541	593	695		749
	564	621	720		778

\$	549	\$ 617	\$ 749	\$ 661	
	560	637	788	621	
	576	663	834	662	
	593	691	953	698	
	605	686	956	733	
	633	727	996	775	
	640	749	998	813	
	665	785	1095	863	
	684	803	1096	898	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

			MODEL N	UMBEF	R				
			mobile :						
	MODEL	W-LEFT x W-RIGHT	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Desk Color	Approx. Packaged Weight
_	Standard Height Transaction Counter	42 x 42"	THC4242						66.0#
	Corner	48 x 48"	THC4848						74.0#
	<ul> <li>Consists of top, three stanchions, steel privacy panels, and all required assem-</li> </ul>	48 x 60"	THC4860						83.0#
	bly hardware	48 x 66"	THC4866						87.0#
	<ul> <li>Top of transaction surface is approxi-</li> </ul>	48 x 72"	THC4872						91.0#
TRUE	mately 42" from floor	60 x 48"	THC6048						83.0#
	Space below transaction surface is 11- 1/2"	66 x 48"	THC6648						87.0#
	Worksurface is 16" deep and overhangs 4" on guest side	72 x 48"	THC7248						91.0#
	Can mount transaction surface task								
	lights underneath the surface ("TLT5" models)								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side								
	will just have the standard 74P edge just like the approach side of the primary								
	desk surface								
	Low Height Transaction Counter Corner	42 x 42"	TLC4242	1					51.0#
	<ul> <li>Consists of top, three stanchions, steel privacy panels, and all required assem-</li> </ul>	48 x 48"	TLC4848	1					59.0#
	bly hardware	48 x 60"	TLC4860						66.0#
	Top of transaction surface is approxi-	48 x 66"	TLC4866						70.0#
TRUE	mately 34" from floor • Space below transaction surface is	48 x 72"	TLC4872						73.0#
	3-3/4"	60 x 48"	TLC6048						66.0#
	Worksurface is 16" deep and overhangs	66 x 48"	TLC6648						70.0#
	4" on guest side • Cannot mount task lights underneath the	72 x 48"	TLC7248						73.0#
	low transaction surface								
	Knife edge (KN) will have the knife edge								
	only on the user side, the approach side will just have the standard 74P edge just								
	like the approach side of the primary								
	desk surface								
			A	<b>B</b>	Θ	0	•	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

 74P
 - 74P edge

 KN
 - Knife edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

Select trim/extrusion color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

#### **FINISH INFORMATION**

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

# True® Desking System Transaction Worksurfaces

74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 803	\$ 884	\$ 1030	\$ 1109	
847	930	1083	1171	
879	967	1124	1212	
904	995	1159	1250	
949	1042	1212	1310	
879	967	1124	1212	
904	995	1159	1250	
949	1042	1212	1310	

\$	839	\$ 879	\$ 1211	\$ 1445	
	867	905	1299	1638	
	918	955	1408	1879	
	955	992	1506	2002	
	971	1010	1506	2114	
	918	955	1408	1879	
	955	992	1506	2002	
	971	1010	1506	2114	

## SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMBER					
	MODEL	Features	W	Basic Model	Dir.	Paint Color	Insert Finish	Approx. Packaged Weight	
	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/E				7.0#	
<u> </u>	end mount	Desk Width 30"	24"	TWSE30/E				8.0#	
	Exposed frame (core is translucent, frame painted)     Available in 18" height only	Desk Width 36"	30"	TWSE36/E				9.0#	
		Desk Width 42"	36"	TWSE42/E				11.0#	
F1====================================	Attached to the desk with one stanchion	Desk Width 48"	42"	TWSE48/E				12.0#	
TRSC	support and one single grommet	Desk Width 54"	48"	TWSE54/E				13.0#	
	mounted bracket  Includes screen and all required mount-	Desk Width 60"	54"	TWSE60/E				14.0#	
	ing hardware except stanchion	Desk Width 66"	60"	TWSE66/E				16.0#	
		Desk Width 72"	66"	TWSE72/E				17.0#	
	Single Desk Privacy Screen, end mount/	Desk Width 24"	24"	TWEE24/E				8.0#	
	end mount	Desk Width 30"	30"	TWEE30/E				9.0#	
	<ul> <li>Exposed frame (core is translucent, frame painted)</li> <li>Available in 18" height only</li> </ul>	Desk Width 36"	36"	TWEE36/E				10.0#	
**************************************		Desk Width 42"	42"	TWEE42/E				11.0#	
TRSC	<ul> <li>Attached to the desk with two single</li> </ul>	Desk Width 48"	48"	TWEE48/E				13.0#	
	grommet mounted brackets	Desk Width 54"	54"	TWEE54/E				14.0#	
	<ul> <li>Includes screen and all required mount- ing hardware</li> </ul>	Desk Width 60"	60"	TWEE60/E				15.0#	
	ing naraware	Desk Width 66"	66"	TWEE66/E				17.0#	
		Desk Width 72"	72"	TWEE72/E				18.0#	
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/E				5.0#	
	stanchions	Desk Width 30"	18"	TBS30/E				6.0#	
	<ul> <li>Exposed frame (core is translucent, frame painted)</li> </ul>	Desk Width 36"	24"	TBS36/E				7.0#	
	Available in 18" height only	Desk Width 42"	30"	TBS42/E				9.0#	
	<ul> <li>Attached between two stanchion sup-</li> </ul>	Desk Width 48"	36"	TBS48/E				10.0#	
	ports • Includes screen and all required mount-	Desk Width 54"	42"	TBS54/E				11.0#	
	ing hardware except stanchion	Desk Width 60"	48"	TBS60/E				13.0#	
TRSC	CANNOT be used simultaneously with	Desk Width 66"	54"	TBS66/E				14.0#	
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/E				15.0#	
				A	<b>(3</b> )	0	0		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect direction.

			-	-
			-	Left
ì			-	Riaht

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select insert finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



1	Delivered	d
	Pricing	
:	\$ 214	
	238	
	295	
	350	
	401	
	454	
	490	
	542	
	595	
;	\$ 221	
	248	
	303	
	358	
	408	
	461	
	496	
	547	
	605	
;	\$ 209	
	232	
	285	
	343	
	390	
	448	
	484	
	537	
	588	3

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL	NUMBEF	}		
	MODEL	Features	W	Basic Model	Paint Color	Insert Finish	Approx. Packaged Weight	
	Shared Privacy Screen, stanchion/end mount	Desk Width 24"	18"	TSE24/E			6.0#	
		Desk Width 30"	24"	TSE30/E			7.0#	
	<ul> <li>Exposed frame (core is translucent, frame painted)</li> </ul>	Desk Width 36"	30"	TSE36/E			8.0#	
	Available in 18" height only	Desk Width 42"	36"	TSE42/E			10.0#	
1 = = = = = = = = = = = = = = = = = = =	<ul> <li>Attached to the desk with one stanchion support and one double grommet</li> </ul>	Desk Width 48"	42"	TSE48/E			11.0#	
TRSC		Desk Width 54"	48"	TSE54/E			13.0#	
	mounted bracket  Includes screen and all required mount-	Desk Width 60"	54"	TSE60/E			14.0#	
	ing hardware except stanchion	Desk Width 66"	60"	TSE66/E			15.0#	
		Desk Width 72"	66"	TSE72/E			17.0#	
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/E			7.0#	
	mount	Desk Width 30"	30"	TEE30/E			9.0#	
	Exposed frame (core is translucent,     frame pointed)	Desk Width 36"	36"	TEE36/E			10.0#	
4 # \$ 4 # \$ .	frame painted)  • Available in 18" height only	Desk Width 42"	42"	TEE42/E			11.0#	
TRSC	Mounts to the desk with two double	Desk Width 48"	48"	TEE48/E			13.0#	
	grommet mounted brackets	Desk Width 54"	54"	TEE54/E			14.0#	
	<ul> <li>Includes screen and all required mount- ing hardware</li> </ul>	Desk Width 60"	60"	TEE60/E			15.0#	
	ing natuwate	Desk Width 66"	66"	TEE66/E			17.0#	
		Desk Width 72"	72"	TEE72/E			18.0#	
				A	<b>B</b>	•		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Dolivorod	
Delivered Pricing	
\$ 214	
238	
295	
350	
401	
454	
490	
542	
595	
\$ 221	
248	
303	
358	
408	
461	
496	
547	
605	

### **SPECIAL SERVICES**

### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NU	MBEF	}			
	MODEL	Features	W	Basic Model	Dir.	Paint Color	Fabric Color	Approx. Packaged Weight	
.20%	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/U				7.0#	
[5]	end mount	Desk Width 30"	24"	TWSE30/U				8.0#	
=======================================	<ul> <li>Upholstered (upholstered frame) fully tackable</li> <li>Available in 18" height only</li> <li>Attached to the desk with one stanchion support and one single grommet mounted bracket</li> <li>72" consists of two screens ganged together</li> <li>Includes screen and all required mount-</li> </ul>	Desk Width 36"	30"	TWSE36/U				9.0#	
		Desk Width 42"	36"	TWSE42/U				11.0#	
1=1====================================		Desk Width 48"	42"	TWSE48/U				12.0#	
TRSC		Desk Width 54"	48"	TWSE54/U				13.0#	
		Desk Width 60"	54"	TWSE60/U				15.0#	
		Desk Width 66"	60"	TWSE66/U				16.0#	
		Desk Width 72"	66"	TWSE72/U				18.0#	
	ing hardware except stanchion								
_	Single Desk Privacy Screen, end mount/	Desk Width 24"	24"	TWEE24/U				7.0#	
	end mount	Desk Width 30"	30"	TWEE30/U				9.0#	
	<ul> <li>Upholstered (upholstered frame) fully tackable</li> </ul>	Desk Width 36"	36"	TWEE36/U				10.0#	
4-	Available in 18" height only	Desk Width 42"	42"	TWEE42/U				11.0#	
TRSC	<ul> <li>Attached to the desk with two single</li> </ul>	Desk Width 48"	48"	TWEE48/U				13.0#	
	grommet mounted brackets  • 66" and 72" size consists of two screens	Desk Width 54"	54"	TWEE54/U				14.0#	
	ganged together	Desk Width 60"	60"	TWEE60/U				16.0#	
	<ul> <li>Includes screen and all required mount-</li> </ul>	Desk Width 66"	66"	TWEE66/U				18.0#	
	ing hardware	Desk Width 72"	72"	TWEE72/U				19.0#	
				A	<b>3</b>	•	O		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select direction.

	-	-	-	-	-
				-	Left
1				-	Right

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Pr Fa	ricing abric Grade	Delivered Pricing Fabric Grade 2	Fab	livered Pricing oric Grade & Pallas Vertical oric Grade	Pric Palla	as Vertical ric Grade	Pric Palla	as Vertical ric Grade
\$	208	\$ 214	\$	222	\$	235	\$	247
	231	238		251		266		277
	282	294		307		324		339
	339	350		365		388		403
	386	401		415		439		458
	436	454		472		497		521
	472	490		510		541		563
	522	542		564		597		623
	575	595		621		656		683
\$	213	\$ 220	\$	231	\$	241	\$	254
	236	247		256		272		282
	289	302		314		333		345
	344	358		370		394		410
	392	408		425		450		469
	445	461		481		510		527
	481	497		521		549		575
	528	549		575		607		631
	581	605		629		665		694

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL N	UMBER			
	MODEL	Features	w	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight
	Single Desk Privacy Screen, mounted behind worksurface  • Upholstered (upholstered frame) fully	Desk Width 24"	20"	TBW2024			9.0#
		Desk Width 30"	20"	TBW2030			11.0#
		Desk Width 36"	20"	TBW2036			12.0#
	tackable  • Available in two heights: 20" matches	Desk Width 42"	20"	TBW2042			14.0#
W = = = = = = = = = = = = = = = = = = =	the height of the stanchion mounted	Desk Width 48"	20"	TBW2048			15.0#
TRSC	screen; 38" matches the height of an	Desk Width 54"	20"	TBW2054			18.0#
	<ul><li>overhead storage unit</li><li>Mounts behind the back edge of the</li></ul>	Desk Width 60"	20"	TBW2060			20.0#
	worksurface on brackets that attach to	Desk Width 66"	20"	TBW2066			22.0#
	the underside of the worksurface	Desk Width 72"	20"	TBW2072			24.0#
	<ul> <li>Adds 1" to overall depth of work station</li> <li>66" and 72" size consists of two screens ganged together</li> <li>Includes screen and all required mounting hardware</li> </ul>	Desk Width 24"	38"	TBW3824			17.0#
		Desk Width 30"	38"	TBW3830			20.0#
		Desk Width 36"	38"	TBW3836			23.0#
		Desk Width 42"	38"	TBW3842			25.0#
		Desk Width 48"	38"	TBW3848			28.0#
		Desk Width 54"	38"	TBW3854			34.0#
		Desk Width 60"	38"	TBW3860			36.0#
		Desk Width 66"	38"	TBW3866			42.0#
		Desk Width 72"	38"	TBW3872			45.0#
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/U			5.0#
[]	stanchions	Desk Width 30"	18"	TBS30/U			6.0#
	<ul> <li>Upholstered (upholstered frame) fully tackable</li> </ul>	Desk Width 36"	24"	TBS36/U			8.0#
	Available in 18" height only	Desk Width 42"	30"	TBS42/U			9.0#
	<ul> <li>Attached between two stanchion sup-</li> </ul>	Desk Width 48"	36"	TBS48/U			11.0#
1 = = = = = = = = = = = = = = = = = = =	ports	Desk Width 54"	42"	TBS54/U			12.0#
TRSC	<ul> <li>Includes screen and all required mount- ing hardware except stanchion</li> </ul>	Desk Width 60"	48"	TBS60/U			13.0#
	<ul> <li>CANNOT be used simultaneously with</li> </ul>	Desk Width 66"	54"	TBS66/U			15.0#
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/U			16.0#
				A	<b>B</b>	•	

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Delivere Pricing Fabric G 1 & C.O	Pricing Grade Fabric G	d Fab 3 &	ric Grade Pallas Vertical ric Grade	Pricing Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 21	3 \$ 220	\$	231	\$ 241	\$ 254
23	6 247		256	272	282
289	9 302		314	333	345
34	4 358		370	394	410
399	2 408	<b>;</b>	425	450	469
44	5 461		481	510	527
48	1 497	,	521	549	575
52			575	607	631
58			629	665	694
37-			406	431	449
410			451	479	495
51:			553	587	611
60			655	695	721
69			747	791	821
78			844	893	929
84			914	968	1006
929	9 967	,	1006	1065	1106
102			1104	1171	1217
\$ 19					\$ 236
223			239	255	267
27			300	316	329
32			357	376	393
373			404	430	446
43			464	492	516
46			502	533	553
51			557	589	613
56	9 588	1	612	650	673

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUMBER				
	MODEL	H x W-LEFT x W- RIGHT	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight	
TRSC	Single Desk Corner Privacy Screen, mounted behind worksurface  Upholstered (upholstered frame) fully tackable  Available in two heights: 20" matches the height of the stanchion mounted screen; 38" matches the height of an overhead storage unit  Mounts behind the back edge of the worksurface on brackets that attach to the underside of the worksurface  Adds 1" to overall depth of workstation  66" and 72" size consists of two screens ganged together  Includes screen and all required mounting hardware	20 x 42 x 42"	BWSC204242			28.0#	
		20 x 48 x 48"	BWSC204848			30.0#	
		20 x 48 x 60"	BWSC204860			35.0#	
		20 x 48 x 66"	BWSC204866			37.0#	
		20 x 48 x 72"	BWSC204872			39.0#	
		20 x 60 x 48"	BWSC206048			35.0#	
		20 x 66 x 48"	BWSC206648			37.0#	
		20 x 72 x 48"	BWSC207248			39.0#	
		38 x 42 x 42"	BWSC384242			50.0#	
		38 x 48 x 48"	BWSC384848			56.0#	
		38 x 48 x 60"	BWSC384860			64.0#	
		38 x 48 x 66"	BWSC384866			70.0#	
		38 x 48 x 72"	BWSC384872			73.0#	
		38 x 60 x 48"	BWSC386048			64.0#	
		38 x 66 x 48"	BWSC386648			70.0#	
		38 x 72 x 48"	BWSC387248			73.0#	
			A	B	•		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 688	\$ 715	\$ 745	\$ 790	\$ 819	
785	815	849	899	935	
871	905	943	999	1039	
922	956	996	1058	1099	
974	1011	1052	1117	1160	
871	905	943	999	1039	
922	956	996	1058	1099	
974	1011	1052	1117	1160	
1209	1257	1306	1386	1444	
1378	1435	1491	1583	1643	
1532	1593	1657	1757	1826	
1620	1685	1749	1857	1929	
1711	1780	1851	1961	2041	
1532	1593	1657	1757	1826	
1620	1685	1749	1857	1929	
1711	1780	1851	1961	2041	

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

# True® Desking System Components Privacy Screens - Upholstered

				MODEL N	IIIMRFR			
				WIODEL	OWIDEN			
	MODEL	Features	W	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight	
	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/U			6.0#	
	mount	Desk Width 30"	24"	TSE30/U			7.0#	
	<ul> <li>Upholstered (upholstered frame) fully tackable</li> </ul>	Desk Width 36"	30"	TSE36/U			9.0#	
	Available in 18" height only	Desk Width 42"	36"	TSE42/U			10.0#	
1 ===== A	Attached to the desk with one stanchion	Desk Width 48"	42"	TSE48/U			11.0#	
TRSC	support and one double grommet mounted bracket	Desk Width 54"	48"	TSE54/U			13.0#	
	72" size consists of two screens ganged	Desk Width 60"	54"	TSE60/U			14.0#	
	together Includes screen and all required mount-	Desk Width 66"	60"	TSE66/U			16.0#	
		Desk Width 72"	66"	TSE72/U			18.0#	
	ing hardware except stanchion							
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/U			7.0#	
	<ul><li>mount</li><li>Upholstered (upholstered frame) fully</li></ul>	Desk Width 30"	30"	TEE30/U			8.0#	
18 = = = = = = = = = = = = = = = = = = =	tackable	Desk Width 36"	36"	TEE36/U			10.0#	
TRSC	<ul> <li>Available in 18" height only</li> </ul>	Desk Width 42"	42"	TEE42/U			11.0#	
	Mounts to the desk with two double	Desk Width 48"	48"	TEE48/U			13.0#	
	grommet mounted brackets  • 66" and 72" size consists of two screens	Desk Width 54"	54"	TEE54/U			14.0#	
	ganged together	Desk Width 60"	60"	TEE60/U			15.0#	
	Includes screen and all required mount-	Desk Width 66"	66"	TEE66/U			17.0#	
	ing hardware	Desk Width 72"	72"	TEE72/U			19.0#	
				A	<b>B</b>	•		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Prici	vered ing ic Grade	Fabr 3 &	vered Pricing ic Grade Pallas Vertical ic Grade	Prici Palla	as Vertical ic Grade	Pric Palla	as Vertical ric Grade
\$ 208	\$	214	\$	222	\$	235	\$	247
231		238		251		266		277
282		295		307		324		339
339		350		365		388		403
386		401		415		439		458
436		454		472		497		521
472		490		510		541		563
522		542		564		597		623
575		595		621		656		683
\$ 213	\$	220	\$	231	\$	241	\$	254
236		247		256		272		282
289		302		314		333		345
344		358		370		394		410
392		408		425		450		469
445		461		481		510		527
481		497		521		549		575
528		549		575		607		631
581		605		629		665		694

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information


N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

# True® Desking System Components

Tool Rails



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# True® Desking System Components Tool Rails

Deli Pric	red g
\$	21
	25
	31
	37
	45
	66
	83
	93
	04

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL	NUMBER			
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight		
	Paper Tray	2 x 9-1/2 x 14"	PPLL		1.0#		
	<ul><li>Plastic construction</li><li>Stores letter or legal size documents</li></ul>						
	Suspends from tool rail						
	<ul> <li>Suitable for free-standing worksurface or</li> </ul>						
	overhead location						
HRDPT	_						
	Diagonal Storage  Plastic construction	2-1/2 x 7 x 12-1/2"	PPDS		4.0#		
	<ul> <li>Suspends only from tool rail</li> </ul>						
	<ul> <li>Suitable for free-standing worksurface or</li> </ul>						
	overhead location  Three slanted partitions per unit  Dividers in black only						
HRDPT							
TINDIT	Vertical Storage	9 x 5 x 10-1/2"	PPVS		1.0#		
	<ul> <li>Injection molded plastic construction</li> </ul>	0 X 0 X 10 1/2	11.40		1.0#		
	<ul><li>Suspends only from tool rail</li><li>Suitable for free-standing worksurface or</li></ul>						
	overhead location						
	Stores binders, phone books or periodi-						
	cals						
HRDPT							
			A	3			

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Dalis	vered	
Prici	ng	
\$	38	
\$	38	
\$	36	

# SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL	NUMBER		
					Approx.	
	MODEL	H x W x D	Basic Model	Accessory Color	Packaged Weight	
	Telephone Caddy	2 x 8 1/2 x 9 1/2"	PPTC		0.8#	
	<ul><li>Plastic construction</li><li>Holds telephone up to 8-1/2" wide and</li></ul>					
	9-1/2" deep					
	Suspends from tool rail					
110001						
HRDPT						
	Accessory Tray	2 x 9 1/2 x 10"	PPAT		6.0#	
	<ul> <li>Injection molded plastic</li> <li>Stores stamps, tape dispenser, post-it pads and paper clips</li> </ul>					
	<ul> <li>Suspends from tool rail</li> </ul>					
HRDPT						
	Pencil Cup	4 x 4 x 3 1/2"	PPPC		0.3#	
	<ul><li>Injection molded plastic construction</li><li>Suspends from tool rail</li></ul>					
HRDPT						
			A	$oldsymbol{eta}$		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv Prici	ivered cing	
\$	46	
\$	32	
φ	52	
\$	32	


### **SPECIAL SERVICES**

### **Special Carton Marking**

With specially marked information

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door solid color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

Ī	KS	- Key standard
Ì	NLC	- No lock core
Ì	KA	- Key alike

#### BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"



Delivered Pricing		
Pricing		
\$ 1234		
1261		
1289		
1351		
1435		
1454		
2287		
2342		

# SPECIAL SERVICES


### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

### BLCS, BLCL, BLSF

-								
Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"



Delivered Pricing	
\$ 1463	
1516	
1572	
1646	
1781	
1809	
2765	
2879	

### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

			MODEL NUN	1BER					
	MODEL	W	Basic Model	Cabinet Paint Color	Fabric Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight	
	Fabric Upper Door		BLCF30/TR					46.0#	
	Stanchions and mounting brackets included     The KI Balance® Overhead allows users the option to interchange from a True® Desk mount solution to a KI office panel system     Fabric covered upper door     Painted cabinet and lower door	36"	BLCF36/TR					52.0#	
		42"	BLCF42/TR					58.0#	
		48"	BLCF48/TR					64.0#	
		54"	BLCF54/TR					70.0#	
		60"	BLCF60/TR					78.0#	
		66"	BLCF66D/TR					91.0#	
7		72"	BLCF72D/TR					104.0#	
ВОН	<ul> <li>Cabinet is fully assembled</li> </ul>								
			Ø	<b>B</b>	•	0	<b>(3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

KS	<ul> <li>Key standard</li> </ul>
NLC	- No lock core
KA	- Kev alike

#### BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1324	\$ 1334	\$ 1350	\$ 1372	\$ 1391	
1350	1359	1381	1402	1420	
1380	1388	1411	1430	1452	
1443	1454	1474	1498	1519	
1543	1553	1579	1600	1626	
1560	1570	1594	1621	1645	
2461	2480	2519	2561	2598	
2518	2539	2577	2619	2656	

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

# True® Desking System Components Balance® Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Balance® Task Lights • Electronic ballast	24"	BTLT5.24	3.9#		
	Electronic ballast	36"	BTLT5.36	5.3#		
		48"	BTLT5.48	6.7#		
d ·						
HRDPT						



### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 30" 36" 24" 24" 36" 42" 48" 36" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



# True® Desking System Components Balance® Task Lights

Delivered	
Pricing	

102

112

117

# SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information


N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

# True® Desking System Components

Universal Overhead Storage



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 3 Select cabinet paint color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select door handle trim color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select stanchion door color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing	
\$ 817	
828	
848	
874	
935	
957	
1033	
1467	
1561	

# **SPECIAL SERVICES**

#### **Special Carton Marking**


With specially marked information

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

# True® Desking System Components

Universal Overhead Storage



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- 3 Select cabinet paint color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric.

  Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select lock option.

	look option.
KS	<ul> <li>Key standard</li> </ul>
NLC	- No lock core
KA	- Key alike

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 862	\$ 868	\$ 881	\$ 889	\$ 899	
889	895	907	919	929	
918	922	933	946	957	
935	942	956	967	980	
961	968	981	991	1006	
1074	1083	1098	1112	1128	
1124	1130	1144	1162	1177	
1612	1624	1646	1670	1691	
1657	1671	1692	1718	1740	

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NU	MBER						
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Laminate Color	Lock Option	Approx. Packaged Weight	
	Laminate Overhead Cabinet	24"	PRDL24/TR						32.0#	
	Includes support stanchions  The KLUS is a second at the second at	30"	PRDL30/TR						36.0#	
	<ul> <li>The KI Universal Overhead allows users the option to interchange from a True<sup>®</sup></li> </ul>	36"	PRDL36/TR						40.0#	
	Desk mount solution to a KI office panel	42"	PRDL42/TR						44.0#	
	system • Steel end panels, bottom, top shelf, and	48"	PRDL48/TR						48.0#	
IJ		54"	PRDL54/TR						53.0#	
VUOL	door with powder-coated finish  • High-pressure laminate on particleboard	60"	PRDL60/TR						57.0#	
	door	66"	PRDL66/TR						61.0#	
	Double-bit lock is included with key alike	72"	PRDL72/TR						65.0#	
	option  • Door stores recessed with handle									
	exposed									
	Shelf depth is 13-1/4"									
	<ul> <li>Must order 66" and 72" worksurfaces</li> </ul>									
	with optional center grommet  • 66" overhead consists of 30" and 36"									
	cabinets supported at juncture of cabi-									
	nets by support stanchion									
	<ul> <li>72" overhead consist of two 36" cabinets</li> </ul>									
	supported at juncture of cabinets by									
	support stanchion  • Accepts shelf divider									
	,									
			_	_						
			A	ß	Θ	O	<b>(3</b>	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing  \$ 881      882     921     957     991     1091     1141								
882 921 957 991 1091 1141	Delivered Pricing	Delivered Pricing	Delivered Pricing	elivered ricing	d			
921 957 991 1091 1141	\$ 881	\$ 881	\$ 881	881				
957 991 1091 1141	882	882	882	882	2			
991 1091 1141	921	921	921	921				
1091 1141	957	957	957	957	7			
1141	991	991	991	991	l			
	1091	1091	1091	1091				
	1141	1141	1141	1141				
1607	1607	1607	1607	1607	7			
1683	1683	1683	1683	1683	3			

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information


N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

# True® Desking System Components

Universal Overhead Storage



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 3 Select cabinet paint color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect stanchion door color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select veneer surface color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

Select lock option.

00.001.0	on opnom
KS	- Key standard
NLC	- No lock core
KA	- Key alike

#### PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing	
\$ 1364	
1384	
1437	
1491	
1549	
1788	
1886	
2629	
2734	

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

# True® Desking System Components Universal Overhead Shelves and Divider

			MODEL NU	MBER			
	MODEL	WxH	Basic Model	Shelf Paint Color	Stanchion Door Color	Approx. Packaged Weight	
	Low Shelf	24"	ULSR24/TR			14.0#	
	<ul><li>Includes support stanchions</li><li>Accepts shelf dividers</li></ul>	30"	ULSR30/TR			16.0#	
	Includes full back	36"	ULSR36/TR			17.0#	
	66" shelf consists of one 36" and one	42"	ULSR42/TR			19.0#	
	30"; 72" shelf consists of two 36" shelves	48"	ULSR48/TR			20.0#	
U	<ul><li>supported by middle upright</li><li>Shelves are shipped unassembled</li></ul>	54"	ULSR54/TR			22.0#	
VULS	- Onewes are shipped unassembled	60"	ULSR60/TR			24.0#	
		66"	ULSR66/TR			29.0#	
		72"	ULSR72/TR			30.0#	
	Regular Shelf	24"	URSR24/TR			19.0#	
	<ul><li>Includes support stanchions</li><li>Accepts shelf dividers</li></ul>	30"	URSR30/TR			20.0#	
	Includes full back	36"	URSR36/TR			22.0#	
	66" shelf consists of one 36" and one	42"	URSR42/TR			23.0#	
	30"; 72" shelf consists of two 36" shelves	48"	URSR48/TR			25.0#	
IJ	<ul><li>supported by middle upright</li><li>Shelves are shipped unassembled</li></ul>	54"	URSR54/TR			27.0#	
	Onorves are simpled anassembled	60"	URSR60/TR			28.0#	
VURS		66"	URSR66/TR			29.0#	
		72"	URSR72/TR			30.0#	
	Shelf Divider     Steel shelf dividers with powder-coated finish	7-1/4 x 11-1/2"	NSD			1.0#	
	Fits shelves and overheads						
HRDPT							
			A	3	•		

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select shelf paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# True® Desking System Components Universal Overhead Shelves and Divider

Delive	ered
Delive Pricin	ng
\$ 5	559
	560
5	574
5	581
5	590
6	611
6	644
g	940
g	960
	582
	584
	595
	607
	617
	646
	663
g	985
	010
\$	26

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

# True® Desking System Components Universal Overhead and Shelves Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Universal Overhead and Shelves Task Lights • Electronic ballast	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
Å						
HRDPT						
			•			



### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

# INFORMATION

TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 24" 24" 36" 30" 36" 42" 36" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



# True® Desking System Components Universal Overhead and Shelves Task Lights

Deli Pric	vered ing
\$	76
	83

91

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

			MODEL NUMBER			
	MODEL	W x D x H	Basic Model	Paint Color	Approx. Packaged Weight	
	Center Drawer	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#	
	Steel painted tray	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#	
7DACU						
			A	<b>B</b>		

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select paint color.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

168

210

# SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL N	IUMBER	
	MODEL	Basic Model	Surface Grom. Color	Approx. Packaged Weight
	Standard Leg Grommet Frame	TSLG		0.2#
	Standard on desks     Use for replacement			
HRDPT				
	Upper Leg Grommet Cover  • Standard on desks	TULGC		0.2#
	Standard on desks     Use for replacement			
HRDPT				
TINDITI	Lower Lea Grommet Cover	TLLGC		0.2#
	Lower Leg Grommet Cover  • Standard on Corner Power Infeed Leg			0.2
HRDPT				
^	Worksurface Grommet • Standard on desks	TWSG		0.2#
	Use for replacement			
	·			
HRDPT				
TINDITI	Worksurface Grommet Cover	TWSGC		0.2#
	<ul><li>Standard on desks</li><li>Use for replacement</li></ul>			
HRDPT				
ППОГІ				
		A	$oldsymbol{eta}$	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delive	red
Pricing	
\$	3
\$	3
\$	3
Ф	
\$	3
\$	3
Ψ	

### **SPECIAL SERVICES**


#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Power Infeed Leg



#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# True® Desking System Accessories Corner Power Infeed Leg

Delivered Pricing

68

# SPECIAL SERVICES

#### **Special Carton Marking**


With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Modesty Panel Inserts



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Befer to color add

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### True® Desking System Accessories Modesty Panel Inserts

Delivered Pricing	
\$ 166	
166	
177	
198	
238	
259	
299	
317	
355	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

### True® Desking System Accessories Worksurface Accessories

			MODEL	. NUMB	ER	
	MODEL	w	Basic Model	Paint Color	Stanchion Door Color	n Approx. Packaged Weight
		19"	TST19			8.0#
	<ul> <li>19-1/2" tall (4 openings)</li> <li>Stanchion door and top cap included</li> </ul>					
	Used to provide worksurface power and data location					
	Included when ordering overheads with /					
	TR suffix					
TRAC						
TRAC	5 1 11 01 11 01 1	4.41	TOT44			F.O."
	<ul><li>Freestanding Stanchion Short</li><li>11-1/2" tall (2 openings)</li></ul>	11"	TST11			5.0#
	Stanchion door and top cap included					
	Used to provide worksurface power and data location					
TRAC						
			A	<b>B</b>	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### True® Desking System Accessories Worksurface Accessories

Delivered Pricing

\$ 402

\$ 281

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

### True® Desking System Data/Comm.

Accessories

			MODEL NU	MBER			
			Basic	Trim	Paint	Approx. Packaged	
	MODEL	W	Model	Color	Color	Weight	
m	<ul><li>Communication Pole</li><li>Used to route communication cables</li></ul>	10"	TCOMP10			9.0#	
	through top grommet in worksurface to	7"	TCOMP7			6.0#	
	<ul><li>ceiling</li><li>Includes pole, cover, and ceiling trim</li></ul>						
	Pole has two separated channels						
TRAC							
TRAC	Cable Sunnort		TCOMCS			0.1#	
	Cable Support TCOMCS=single		TCOMCSPK			1.0#	
	TCOMPK=8 pack						
HRDPT							
1111011	Face Plate Bracket		TCOMFP			0.2#	
TRAC							
			A	<b>B</b>	0		
			•	•	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## True® Desking System Data/Comm.

Delivered
Pricing
\$ 163
113
\$ 5
44
\$ 24
\$ 24

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

MODEL Features  Model Color Weight  Rigid Wireway 4-4-2 Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware  Approx. Packaged Weight  TRWW4R30	
MODEL Features Basic Model Color Weight  Rigid Wireway 4-4-2 Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware Available in two 10-wire styles. Note:  Basic Model Paint Color Weight  TRWW4R30  TRWW4R30  Desk width 36" Desk width 36" TRWW4R36  TRWW4R42  TRWW4R42  TRWW4R42  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  TRWW4R48  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48	
MODEL Features Basic Model Color Weight  Rigid Wireway 4-4-2 Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware Available in two 10-wire styles. Note:  Basic Model Paint Color Weight  TRWW4R30  TRWW4R30  Desk width 36" Desk width 36" TRWW4R36  TRWW4R42  TRWW4R42  TRWW4R42  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  TRWW4R48  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48  Rigid Wireway 4-4-2  Desk width 36" TRWW4R48	
MODEL Features Model Color Weight  Rigid Wireway 4-4-2 Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware Available in two 10-wire styles. Note:  Model Color Weight  Desk width 30" TRWW4R30 □ 4.0#  Desk width 36" TRWW4R36 □ 5.0#  TRWW4R42 □ 5.0#  TRWW4R42 □ 8.0#	
• Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware endiable in two 10-wire styles. Note:  ■ Includes rigid wireway electrical harness, steel wireway cover, and all required attachment hardware endiable in two 10-wire styles. Note:  ■ Desk width 42" TRWW4R42 □□ 5.0# TRWW4R48 □□ 8.0#	
steel wireway cover, and all required attachment hardware  • Available in two 10-wire styles. Note:    Available in two 10-wire styles   Desk width 48'   TRWW4R48   Desk	
attachment hardware Desk width 42" TRWW4R42 UL 5.0#  • Available in two 10-wire styles. Note: Desk width 48" TRWW4R48 UL 8.0#	
10-wire styles must match on all electri- Desk width 54"   TRWW4R54   □□   8.0#	
cal parts  • Allows two duplex receptacles (ordered Desk width 60" TRWW4R60	
TRAC separately) to be mounted below the Desk width 66" TRWW4R66	
desk worksurface Desk width 72" TRWW4R72 🗆 12.0#	
• Size must match the desk length. Note: the 72D (dual) provides four possible Desk width 72" TRWW4R72D	
receptacle locations	
Rigid Wireway 6-2-2 Desk width 30" TRWW6R30 □□ 4.0#	
• Includes rigid wireway electrical harness, Desk width 36" TRWW6R36	
attachment hardware Desk width 42" TRWW6R42	
Available in two 10-wire styles. Note: Desk width 48" TRWW6R48 □□ 8.0#	
10-wire styles must match on all electri- Desk width 54" TRWW6R54	
cal parts  • Allows two duplex receptacles (ordered Desk width 60" TRWW6R60	
TRAC separately) to be mounted below the Desk width 66" TRWW6R66 🗆 11.0#	
desk worksurface Desk width 72" TRWW6R72 🗆 12.0#	
• Size must match the desk length. Note: Desk width 72" TRWW6R72D	
receptacle locations	
<b>Q B</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Г	Delivered	
F	Pricing	
	121	
	134	
	150	
	170	
	233	
	299	
	363	
	420	
	420	
\$	\$ 121	
	134	
	150	
	170	
	233	
	299	
	363	
	420	
	420	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMBER	
	MODEL	Features	W	Basic Model	Approx. Packaged Weight
	Rigid Wireway Standard Desk Jumper		28"	TRDJ4ST	2.0#
HRDPT	Includes jumper harness to make the electrical connection between adjacent desks     Available in two 10-wire styles. Note:				
	10-wire styles must match on all electri- cal parts				
	Rigid Wireway Standard Desk Jumper 6-2-2		28"	TRDJ6ST	2.0#
	<ul> <li>Includes jumper harness to make the electrical connection between adjacent desks</li> </ul>				
HRDPT	<ul> <li>Available in two 10-wire styles. Note: 10-wire styles must match on all electri-</li> </ul>				
	cal parts				
	Digid Wireway Days Page Through 4.4.0	Desk width 24"		TRE4PP24	3.0#
	Rigid Wireway Power Pass Through 4-4-2	Desk width 30"		TRE4PP30	3.0#
	<ul> <li>Includes the power pass through harness that allows power to continue</li> </ul>	Desk width 36"		TRE4PP36	3.0#
	through one side of a desk between two	Desk width 42"		TRE4PP42	3.0#
HRDPT	rigid wireway equipped desks	Desk width 48"		TRE4PP48	3.0#
	Available in two 10-wire styles. Note:	Desk width 54"		TRE4PP54	3.0#
	10-wire styles must match on all electri- cal parts	Desk width 60"		TRE4PP60	3.0#
	<ul> <li>Order length according to the desk width</li> </ul>	Desk width 66"		TRE4PP66	3.0#
	it is passing through	Desk width 72"		TRE4PP72	4.0#
	Rigid Wireway Power Pass Through 6-2-2	Desk width 24"		TRE6PP24	3.0#
	, ,	Desk width 30"		TRE6PP30	3.0#
	Includes the power pass through	Desk width 36"		TRE6PP36	3.0#
	harness that allows power to continue through one side of a desk between two	Desk width 42"		TRE6PP42	3.0#
HRDPT	rigid wireway equipped desks	Desk width 48"		TRE6PP48	4.0#
	Available in two 10-wire styles. Note:	Desk width 54"		TRE6PP54	4.0#
	10-wire styles must match on all electri- cal parts	Desk width 60"		TRE6PP60	4.0#
	<ul> <li>Order length according to the desk width</li> </ul>	Desk width 66"		TRE6PP66	4.0#
	it is passing through	Desk width 72"		TRE6PP72	4.0#
				A	-



Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.





Deli	vered	
Pric	ing	
\$	109	
\$	109	
\$	111	
	114	
	117	
	121	
	126	
	131	
	136	
	143	
	148	
 \$	111	
	114	
	117	
	121	
	126	
	131	
	136	
	143	
	148	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUI	MBER				
			Basic	Paint	Approx. Packaged			
	MODEL	W	Model	Color	Weight			
	Rigid Wireway End Panel Trough/Desk	24"	TEPT424		4.0#			
	Jumper 4-4-2	30"	TEPT430		5.0#			
	<ul> <li>Includes jumper harness to make the electrical connection between adjacent desks</li> </ul>							
TRAC	See specifications for length that must							
	be specified							
	Available in two 10-wire styles. Note:							
	10-wire styles must match on all electri- cal parts							
	cai parts							
	Rigid Wireway End Panel Trough/ Desk	24"	TEPT624		4.0#			
	Jumper 6-2-2	30"	TEPT630		5.0#			
	<ul> <li>Includes jumper harness to make the electrical connection between adjacent</li> </ul>							
TRAC	desks							
ITAU	See specifications for length that must be specified							
	Available in two 10-wire styles. Note:							
	10-wire styles must match on all electri- cal parts							
			A	ß				

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

180

197

180

197

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	IMRED		
			Basic	Accessory	Approx. Packaged	
	MODEL	Features L	Model	Color	Weight	
	Rigid Wireway Receptacles 4-4-2		TRER4RC1		0.2#	
	<ul> <li>Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway</li> </ul>		TRER4RC2		0.2#	
	Available in two 10-wire styles. Note:		TRER4RC3I		0.2#	
DE LES	10-wire styles must match on all electri- cal parts		TRER4RC4I		0.2#	
HRDPT						
	Rigid Wireway Receptacles 6-2-2		TRER6RC1		0.2#	
	Includes the modular duplex 15 amp re-		TRER6RC2		0.2#	
	<ul> <li>ceptacle that snaps onto a rigid wireway</li> <li>Available in two 10-wire styles. Note:</li> </ul>		TRER6RC3		0.2#	
	10-wire styles must match on all electri-		TRER6RC4I		0.2#	
	cal parts		TRER6RC5I		0.2#	
HRDPT			TRER6RC6I		0.2#	
	Rigid Wireway Base Feed 4-4-2 • Includes base feed harness with 6' of	72"	TEBI4BF6		7.0#	
	colored liquidtite conduit covering; used					
	to feed power from a hard wired J-box					
	or floor monument to the rigid wireway on a desk					
	Available in two 10-wire styles. Note:     10-wire styles must match on all electri-					
HRDPT	<ul><li>cal parts</li><li>Building connection hardware must be</li></ul>					
	Sunding connection hardware must be supplied by customer					
	Rigid Wireway Base Feed 6-2-2	72"	TEBI6BF6		7.0#	
	<ul> <li>Includes base feed harness with 6' of</li> </ul>	12	TEDIODIO		1.0π	
	colored liquidtite conduit covering; used					
	to feed power from a hard wired J-box or floor monument to the rigid wireway					
HRDPT	on a desk					
	Available in two 10-wire styles. Note:					
	10-wire styles must match on all electri- cal parts					
	Building connection hardware must be					
	supplied by customer					
			A	B		
			•	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv	vered ng	
Prici	ng	
\$	36	
	36	
	36	
	36	
	30	
\$	36	
	36	
	36	
	36	
	36	
	36	
\$	232	
 Φ.	000	
\$	232	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL N	UMBER			
	MODEL	Н	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight	
	Rigid Wireway Top Feed 6-2-2	144"	TE6TF144			14.0#	
	<ul> <li>Includes electrical harness (144" or</li> </ul>	216"	TE6TF216			19.0#	
	216"), aluminum 2-channel power pole (7' or 10' respectively) and ceiling trim						
	Used to feed power from a hard wired						
TRAC	J-box above a false ceiling to the rigid						
	wireway or a desk						
	<ul> <li>Attaches to the desk at a corner grommet location</li> </ul>						
	Available in two 10-wire styles. Note:						
	10-wire styles must match on all electri-						
	<ul><li>cal parts</li><li>Building connection hardware must be</li></ul>						
	supplied by customer						
	Rigid Wireway Top Feed 4-4-2	144"	TE4TF144			13.0#	
Section 1 and 1 an	<ul> <li>Includes electrical harness (144" or 216"), aluminum 2-channel power pole</li> </ul>	216"	TE4TF216			19.0#	
	(7' or 10' respectively) and ceiling trim						
	Used to feed power from a hard wired						
TRAC	J-box above a false ceiling to the rigid wireway or a desk						
	Attaches to the desk at a corner grom-						
	met location						
	<ul> <li>Available in two 10-wire styles. Note:</li> <li>10-wire styles must match on all electri-</li> </ul>						
	cal parts						
	Building connection hardware must be						
	supplied by customer						
	Stanshian Daway Tan	26"	TRESR36			0.5#	
	Stanchion Power Tap • Provides a duplex 15 amp receptacle	36" 96"	TRESR36			0.5# 1.0#	
	that is located behind a desk stanchion	90	INEOUAD			1.U#	
//	door						
	<ul> <li>Circuit number will be determined by the receptacle it is plugged into</li> </ul>						
Q	Two cord lengths available: 36" and 96"						
HRDPT							
				_			
			A	$oldsymbol{\Theta}$	Θ		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

- A Select basic model.
- BSelect paint color.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



ivered cing
\$ 171
227

\$ 171 227

> 105 \$ 126

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

### Index

Model No.	Description	Page	Model No.	Description	Page
	·	-		·	raye
7D/18CD	Center Drawer: Center Drawer	100	THC4242	Transaction Worksurfaces: Standard Height Transac-	
BLCF30/TR	Balance® Overhead Storage: Fabric Upper Door	84		tion Counter Corner	60
BLCL30/TR	Balance® Overhead Storage: Laminate Upper Door	82	THR4824	Add-On Worksurfaces: Half Round Add-On Worksurface	56
BLCS30/TR	Balance® Overhead Storage: Solid Color Upper Door	80	TI244860/F/A	Piano Desk: Piano Desk with Full Modesty Panel/No	
BTLT5.24	Balance® Task Lights: Balance® Task Lights	86		Partial Guest Modesty Panel	46
BWSC204242	Privacy Screens - Upholstered: Single Desk Corner		TI244860/F/G	Piano Desk: Piano Desk with Full Modesty Panel/Par-	
	Privacy Screen, mounted behind worksurface	70		tial Guest Modesty Panel	44
NSD	Universal Overhead Shelves and Divider: Shelf Divider	96	TI244860/P/A	Piano Desk: Piano Desk with Partial Modesty Panel/No	
PPAT	Paper Management: Accessory Tray	78		Partial Guest Modesty Panel	50
PPDS	Paper Management: Diagonal Storage	76	TI244860/P/G	Piano Desk: Piano Desk with Partial Modesty Panel/	
PPLL	Paper Management: Paper Tray	76		Partial Guest Modesty Panel	48
PPPC	Paper Management: Pencil Cup	78	TLC4242	Transaction Worksurfaces: Low Height Transaction	
PPTC	Paper Management: Telephone Caddy	78		Counter Corner	60
PPVS	Paper Management: Vertical Storage	76	TLLGC	Grommets: Lower Leg Grommet Cover	102
PRDF24/TR	Universal Overhead Storage: Fabric Overhead Cabinet	90	TLS24	Transaction Worksurfaces: Low Height Transaction	
PRDL24/TR	Universal Overhead Storage: Laminate Overhead Cabinet	92		Counter Straight	58
PRDS24/TR	Universal Overhead Storage: Steel Overhead Cabinet	88	TLT5.24	Universal Overhead and Shelves Task Lights: Universal	
PRDV24/TR	Universal Overhead Storage: Veneer Overhead Cabinet	94		Overhead and Shelves Task Lights	98
TAFMP24	Modesty Panel Inserts: Full Modesty Panel Insert	106	TP244860/F/A	P-Shaped Desk: P-Shaped Desk with Full Modesty	
TAR24	Add-On Worksurfaces: Round Add-On Worksurface	56		Panel/No Partial Guest Modesty Panel	38
TATR24/SS	Tool Rails: Tool Rail, stanchion/stanchion mounted	74	TP244860/F/G	P-Shaped Desk: P-Shaped Desk with Full Modesty	
TBS24/E	Privacy Screens - Exposed Frame: Single Desk Privacy			Panel/Partial Guest Modesty Panel	36
	Screen, between stanchions	62	TP244860/P/A	P-Shaped Desk: P-Shaped Desk w/Partial Modesty	
TBS24/U	Privacy Screens - Upholstered: Single Desk Privacy			Panel/No Partial Guest Modesty Panel	42
	Screen, between stanchions	68	TP244860/P/G	P-Shaped Desk: P-Shaped Desk with Partial Modesty	
TBW2024	Privacy Screens - Upholstered: Single Desk Privacy			Panel/Partial Guest Modesty Panel	40
	Screen, mounted behind worksurface	68	TQR24	Add-On Worksurfaces: Quarter Round Add-On Worksurface	e 56
TC24424224/FF	Corner Desk: Corner Desk with Full Modesty Panel/Full		TR2424/F	Rectangular Desk: Rectangular Desk with Full Modesty Pan	el 6
	Modesty Panel	12	TR2424/P	Rectangular Desk: Rectangular Desk with Partial Modesty F	Panel 8
TC24424224/FP	Corner Desk: Corner Desk with Full Modesty Panel/		TRDJ4ST	Electrical: Rigid Wireway Standard Desk Jumper 4-4-2	114
	Partial Modesty Panel	14	TRDJ6ST	Electrical: Rigid Wireway Standard Desk Jumper 6-2-2	114
TC24424224/PF	Corner Desk: Corner Desk with Partial Modesty Panel/		TRE4PP24	Electrical: Rigid Wireway Power Pass Through 4-4-2	114
	Full Modesty Panel	16	TRE6PP24	Electrical: Rigid Wireway Power Pass Through 6-2-2	114
TC24424224/PF	Corner Desk: Corner Desk with Partial Modesty Panel/		TRER4RC1	Electrical: Rigid Wireway Receptacles 4-4-2	118
	Partial Modesty Panel	18	TRER6RC1	Electrical: Rigid Wireway Receptacles 6-2-2	118
TCLBG	Corner Power Infeed Leg: Corner Power Infeed Leg	104	TRESR36	Electrical: Stanchion Power Tap	120
TCOMCS	Accessories: Cable Support	110	TRWW4R30	Electrical: Rigid Wireway 4-4-2	112
TCOMFP	Accessories: Face Plate Bracket	110	TRWW6R30	Electrical: Rigid Wireway 6-2-2	112
TCOMP10	Accessories: Communication Pole	110	TS24486024/F/I	FS	
TD2448/F/A	D-Shaped Desk: D-Shaped Desk with Full Modesty			Square Shoe Desk: Square Shoe Desk with Full Mod-	
	Panel/No Partial Guest Modesty Panel	30		esty Panel/Full Modesty Panel	20
TD2448/F/G	D-Shaped Desk: D-Shaped Desk with Full Modesty		TS24486024/F/I	PS	
	Panel/Partial Guest Modesty Panel	28		Square Shoe Desk: Square Shoe Desk with Full Mod-	
TD2448/P/A	D-Shaped Desk: D-Shaped Desk w/Partial Modesty			esty Panel/Partial Modesty Panel	22
	Panel/No Partial Guest Modesty Panel	34	TS24486024/P/	FS	
TD2448/P/G	D-Shaped Desk: D-Shaped Desk with Partial Modesty			Square Shoe Desk: Square Shoe Desk with Partial	
	Panel/Partial Guest Modesty Panel	32		Modesty Panel/Full Modesty Panel	24
TE3060	Bow Front Desk: Bow Front Desk with Full Modesty Panel	10	TS24486024/P/		
TE4TF144	Electrical: Rigid Wireway Top Feed 4-4-2	120		Square Shoe Desk: Square Shoe Desk with Partial	
TE6TF144	Electrical: Rigid Wireway Top Feed 6-2-2	120		Modesty Panel/Partial Modesty Panel	26
TEBI4BF6	Electrical: Rigid Wireway Base Feed 4-4-2	118	TSE24/E	Privacy Screens - Exposed Frame: Shared Privacy	
TEBI6BF6	Electrical: Rigid Wireway Base Feed 6-2-2	118		Screen, stanchion/end mount	64
TEE24/E	Privacy Screens - Exposed Frame: Shared Privacy		TSE24/U	Privacy Screens - Upholstered: Shared Privacy Screen,	
	Screen, end mount/end mount	64		stanchion/end mount	72
TEE24/U	Privacy Screens - Upholstered: Shared Privacy Screen,		TSLG	Grommets: Standard Leg Grommet Frame	102
	end mount/end mount	72	TSS24	Transaction Worksurfaces: Standard Height Transac-	-
TEPT424	Electrical: Rigid Wireway End Panel Trough/Desk		<del>-</del> -	tion Counter Straight	58
· · · • •	Jumper 4-4-2	116	TST11	Worksurface Accessories: Freestanding Stanchion Short	108
TEPT624	Electrical: Rigid Wireway End Panel Trough/ Desk		TST19	Worksurface Accessories: Freestanding Stanchion Large	108
	Jumper 6-2-2	116	TTR244230/F	Transitional Desk: Transitional Desk with Full Modesty Pane	
	p // = =				<u>-</u>





Model No.	Description	Page
TTR244230/P	Transitional Desk: Transitional Desk with Partial Modesty	Panel54
TULGC	Grommets: Upper Leg Grommet Cover	102
TWEE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy	
	Screen, end mount/end mount	62
TWEE24/U	Privacy Screens - Upholstered: Single Desk Privacy	
	Screen, end mount/end mount	66
TWSE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy	
	Screen, stanchion/ end mount	62
TWSE24/U	Privacy Screens - Upholstered: Single Desk Privacy	
	Screen, stanchion/end mount	66
TWSG	Grommets: Worksurface Grommet	102
TWSGC	Grommets: Worksurface Grommet Cover	102
ULSR24/TR	Universal Overhead Shelves and Divider: Low Shelf	96
URSR24/TR	Universal Overhead Shelves and Divider: Regular Shelf	96

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11348R3/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.