January 3, 2011 Updated January 2, 2017 800-424-2432







U-Series®	General Information		2
U-Series® Lateral F	iles		
	Lateral Files		6
	Laminate Tops		8
	Lateral File Accessorie	es	10
U-Series® Pedesta	Is Mobile		12
	Freestanding		14
	Worksurface Support	ing	16
	Double Pedestals Wo	rksurface Supporting	18
	Pedestal Accessories		20
U-Series® Credenz	as Freestanding Credenz	as	30
	Laminate Tops		32
U-Series® Wardrob	e Towers		
	48" High Cabinet		34
	64" High Cabinet		36
	48" High Side Access	Bookcase	38
	64" High Side Access	Bookcase	40
U-Series® Overhea	ds		42
U-Series® Storage	and Accessories		
-	Overhead Accessories	3	44
U-Series® Underhe	ad Storage		50
Index			52

U-Series® General Information

GENERAL INFORMATION

U-Series® is an active and accessible storage collection designed to augment KI Systems offerings and provide more relevant and cost-effective workstations for applications within each of KI's vertical markets.

The U-Series® collection includes lateral files, freestanding, mobile and worksurface-supporting pedestals, double pedestals, credenzas, wardrobe tower cabinet units, wardrobe tower side-access bookcase units, overheads, and related accessories. Nominal and actual dimensions are listed with each item to the nearest 1/16 inch.

All U-Series storage models meet or exceed ANSI/BIFMA X5.9-2004 standards.

CONSTRUCTION AND STANDARD FEATURES

All U-Series® storage units are constructed of steel. Box and file drawers feature smooth riding, ball-bearing slides. Box drawers feature a three-quarter travel. File drawers feature a full extension. Units feature ADA-compliant nickel-plated loop pulls.

Glides

Freestanding pedestals feature non-adjustable glides which allow units to match the height of mobile units. Credenzas feature 1-1/2"glides with 1" adjustment range. Worksurface-supporting pedestals, double pedestals, and wardrobe towers feature 2-1/2" glides with a 1" adjustment range.

Locks

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations

are available at no additional charge. This information must be included with the order. Locks can be master keyed. Please see the accessories section of this price book for order information on master keys, extractor (core-removal) keys, key blanks, cut keys, and core and key sets.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs a unique key is required. This key is the extractor (core removal) key and can be found in the accessories section of this price book. Contact Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs: 3 keyed alike 10 keyed alike 17 keyed alike

Paint

All inside and outside shell and front surfaces are electrostatically powder coated. Colors are listed in the Color Addendum.

Lateral Files

Lateral files are offered with 12" drawers and receding doors, in three widths: 30", 36", and 42". Refer to pricelist for standard configurations. Uprights and top and bottom reinforcements are welded into rigid boxframe. Seamless back and top feature reinforced corners.

Optional laminate tops are available.

Pedestals

Mobile, freestanding and worksurface supporting units are offered in box/box/ file and file/file drawer configurations.

Model Numbering System

Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number **Example:** U-Series Pedestal

ULP	24	W	BBF
ULP 24 W BBF	Product na Cabinet de Pedestal ty Drawer typ	epth ype	U-Series Pedestal 24" deep Worksurface supporting Box/box/file

Mobile units are also available in a box/ file configuration. Pedestals are shipped for front-to-back letter-sized filing. Pencil tray, if desired, is specified separately. Worksurface-supporting pedestals are used to support worksurfaces in panel-wrapped applications. Cantilevers or other supports are not required at the end of a worksurface supported by a pedestal, but finishing brackets may be specified to fill the space between the back of the pedestal and a panel if desired.

A counterbalance weight is included in file/file mobile and freestanding units for stability. A counterbalance weight may be required in worksurface supporting file/file pedestals depending on the desk configuration

Optional laminate tops are available.

Double-Wide Pedestals

Worksurface-supporting double wide pedestals are used to support worksurfaces in panel-wrapped applications. Units feature two 12" drawers with side-to-side hanging folder bars. Double wide pedestals may be specified at return conditions but not be specified in place of panel returns.

Credenzas

Each freestanding credenza features a single sliding door with lock that spans approximately half of the width of the credenza. Bottom shelf is sufficiently sized to hold binders. Top shelf is non-adjustable. Bottom of unit features adjustable glides.

Wardrobe Towers

Wardrobe towers are stand-alone storage units. Wardrobe/cabinet units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and a storage cabinet with an adjustable shelf.

Wardrobe/side-access bookcase units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and an open bookcase with one adjustable shelf. Pedestal aesthetic matches wardrobe pedestal.

The handedness of a wardrobe tower is determined by the location of the wardrobe unit. A right unit features the wardrobe on the right side of the unit.

Sliding Door Overhead and Underhead Storage

Overhead and underhead units each feature a single sliding door with lock. Door spans approximately half the width of the unit. Slide mechanism uses four wheeled rollers. Units are sufficiently sized to house upright standard binders.





Lateral File Inside Drawer and Shelf Dimensions	30W x 18D Cabinet	36W x 18D Cabinet	42W x 18D Cabinet
	W D H	W D H	W D H
12" Lateral File Drawer	26 ³ / ₄ " 15 ⁷ / ₈ " 11 ¹ / ₂ "	323/4" 157/8" 111/2"	383/4" 157/8" 111/2"
12" Rec. Door / Roll-out Shelf	26 ³ / ₄ " 15 ⁷ / ₈ " 10 ⁹ / ₁₆ "	323/4" 157/8" 109/16"	383/4" 157/8" 109/16"

Lateral Fi Suspende	le d Filing Configurations		30W Cabinet		36W Cabinet		42W Cabinet
Letter	side-to-side	Standard		Standard		Standard	
	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK		42FBA w(3)334FBK	
Legal	side-to-side	Standard		Standard		Standard	
				36FBA w(2)334FBK		42FBA w(2)334FBK	

Pedestal Inside Dimensions of Drawers

	20"D Pedestal	24"D Pedestal	WARDROBE Pedestal	
	W D	H W D F	H W D H	
6" Box	121/8" 161/4" 51	1/8" 121/8" 191/4" 51	/ ₈ " 12 ¹ / ₈ " 16 ¹ / ₄ " 5 ¹ / ₈ "	
12" File	12 ¹ / ₈ " 16 ¹ / ₄ " 10	$0^{7}/8$ " $12^{1}/8$ " $19^{1}/4$ " $10^{1}/4$ " 10^{1	7/8" 121/8" 161/4" 107/8	1

Pedestal Heights and Depths

	Denths	Heights Including Glides	Heights Including Casters	
Freestanding	17 ⁵ /8", 21 ⁵ /8"	27 ⁵ /8"	y	
Mobile	175/8", 215/8"		213/4", 275/8"	
Worksurface Supporting	17 ⁵ / ₈ ", 21 ⁵ / ₈ "	277/8"		



Double-Wide Pedestal File Inside Drawer Dimensions	30" W	30" W x 22" D					
	W	D	Н				
Double-Wide Drawer	26-1/2"	15-1/2"	11"				

Credenza Inside Dimensions	36" W	x 15" D		42" W 2	42" W x 15" D			
	W	D	Н	W	D	Н		
Long Shelf	34"	14"	6"	40"	14"	6"		
Lower Storage Areas	16-1/2"	1//"	15-1//"	10_1/2"	1/1"	15-1//"		

Wardrobe/Towers	24" W	x 22" D	
	W	D	Н
48" High Wardrobe Door	7-3/8"	21"	42-7/8"
64" High Wardrobe Door	7-3/8"	21"	58-7/8"
48" Bookcase	20-3/8"	14-7/8"	17-7/8"
64" Bookcase	20-3/8"	14-7/8"	33-7/8"
48" Cabinet	13-3/8"	21"	18-1/8"
64" Cabinet	13-3/8"	21"	34-1/8"

Overhead/Underhead Outside Dimensions	36" W 42" W					48" W			54" W			60" W			
	W	D	Н	W	D	Н	W	D	Н	W	D	Н	W	D	Н
Overhead	35-3/ <i>4</i> "	14-3/8"	14-7/16"	41-3/4"	14-3/8"	14-7/16"	47-3/4"	14-3/8"	14-7/16"	53-3/4"	14-3/8"	14-7/16"	59-3/4"	14-3/8"	14-7/16"





Lateral Files

		MODEL NUMBER							
	MODEL	WxDxH	Basic Model	Unit Color	Optional Counter- balance Weight	Lock Option	Pull Style	Approx. Packaged Weight	
	27" File, 2 High	30 x 18 x 27"	UL302D					110.0#	
	 Two 12" drawers with side-to-side hang- ing folder bars 	36 x 18 x 27"	UL362D					120.0#	
	Counterbalance weights are recom-	42 x 18 x 27"	UL422D					130.0#	
	mended for freestanding units								
Ť									
USLT									
	39-1/4" File, 3 HighThree 12" drawers with side-to-side	30 x 18 x 39-1/4"	UL303D					140.0#	
	hanging folder bars	36 x 18 x 39-1/4"	UL363D					155.0#	
	 Counterbalance weights are recom- 	42 x 18 x 39-1/4"	UL423D					170.0#	
	mended for freestanding units								
LIOLT									
USLT	E4 4/00 File A High	20 v 10 v 51 1/0"	111.204D					100.0#	
	51-1/2" File, 4 HighFour 12" drawers with side-to-side hang-	30 x 18 x 51-1/2" 36 x 18 x 51-1/2"	UL304D UL364D					180.0# 200.0#	
	ing folder bars	30 X 10 X 31-1/2	UL424D					200.0#	
	Counterbalance weights are recom-	42 x 18 x 51-1/2"	UL424D					220.0#	
	mended for freestanding units								
USLT									
	63-3/4" File, 5 High	30 x 18 x 63-3/4"	UL305RD		00000			230.0#	
	 One 12" receding door with rollout shelf and 3 plate dividers 	36 x 18 x 63-3/4"	UL365RD					250.0#	
	Four 12" drawers with side-to-side hang-	42 x 18 x 63-3/4"	UL425RD					270.0#	
	ing folder bars								
	 Counterbalance weights are recommended for freestanding units 								
	mended for freestanding units								
HOLT									
USLT									
			A	B	Θ	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit and drawer color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

NOCBW - No Counterbalance
See pricing column for counterbalance
weight upcharge.

DSelect key option.

KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

Select pull style.

USP	 U-Series Pull (Standard
CZP	- Connection Zone Pull

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Lateral Files

•		
	Counter-	
	balance Weight	\A/b:too 0
Delivered	add to list	Whites & All Metallics
Pricing	price	Upcharge
¢ 700		
\$ 739		\$ 58
810	99	58
865	99	58
\$ 973	\$ 99	\$ 58
1095	99	58
1190	99	58
1100		00
\$ 1217	\$ 85	\$ 94
1381	85	94
1565	85	94
\$ 1452	\$ 85	\$ 94
1659	85	94
1873	85	94

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Laminate Tops

		MODEL NU	MBER				
							Approx.
			Basic	Edge	Surface	Edge	Packaged
	Features	WxDxH	Model	Style	Finish	Color	Weight
\sim	Fits one 30" wide lateral	30 X 18 X 1-1/4"	S7L/3018T				18.0#
	Fits one 36" wide lateral	36 X 18 X 1-1/4"	S7L/3618T				21.0#
	Fits one 42" wide lateral	42 X 18 X 1-1/4"	S7L/4218T				25.0#
	Fits two 30" wide laterals	60 X 18 X 1-1/4"	S7L/6018T				36.0#
	Fits one 30" & one 36" wide laterals	66 X 18 X 1-1/4"	S7L/6618T				39.0#
	Fits two 36" or one 30" & one 42" laterals	72 X 18 X 1-1/4"	S7L/7218T				43.0#
	Fits one 36" & one 42" wide laterals	78 X 18 X 1-1/4"	S7L/7818T				46.0#
	Fits two 42" wide laterals	84 X 18 X 1-1/4"	S7L/8418T				50.0#
	Fits three 30" wide laterals	90 X 18 X 1-1/4"	S7L/9018T				53.0#
S7TP	Fits two 30" & one 42" or one 30" & two 36"	102 X 18 X 1-1/4"	S7L/10218T				60.0#
Laminate Top for Side-by-Side Units	Fits three 36" or one 30" & one 36" & one 42"	108 X 18 X 1-1/4"	S7L/10818T				64.0#
Tops are manufactured to allow for	Fits four 30" or one 36" & two 42" laterals	120 X 18 X 1-1/4"	S7L/12018T				71.0#
1/16" overhang on all sides.							
 Do not specify individual tops when ganging multiple units due to the 							
1/16" overhang. Specify proper size							
top for correct configuration and							
alignment.							
	Fits two 30" wide laterals	30 X 36 X 1-1/4"	S7L/3036T				36.0#
	Fits two 36" wide laterals	36 X 36 X 1-1/4"	S7L/3636T				43.0#
	Fits two 42" wide laterals	42 X 36 X 1-1/4"	S7L/4236T				50.0#
	Fits four 30" wide laterals	60 X 36 X 1-1/4"	S7L/6036T				71.0#
	Fits four 36" wide laterals	72 X 36 X 1-1/4"	S7L/7236T				85.0#
	Fits four 42" wide laterals	84 X 36 X 1-1/4"	S7L/8436T				99.0#
	Fits six 30" wide laterals	90 X 36 X 1-1/4"	S7L/9036T				106.0#
	Fits six 36" wide laterals	108 X 36 X 1-1/4"	S7L/10836T				127.0#
S7TP							
Laminate Top for Back-to-Back Units							
Tops are manufactured to allow for							
1/16" overhang on all sides.							
 Do not specify individual tops when ganging multiple units due to the 							
1/16" overhang. Specify proper size							
top for correct configuration and							
alignment.							
			A	B	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SE 74P - Self edge - 74P edge

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

DSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Laminate Tops





Self (SE)	Edge	74P (74F	Edge P)
\$	258	\$	268
	290		306
	310		318
	368		386
	383		402
	402		417
	436		457
	482		501
	557		578
	673		709
	693		723
	708		743

\$	358	\$	381
	397		417
	436		457
	617		647
	670		705
	716		752
	767		804
	1118		1173

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

U-Series® Lateral Files Lateral File Accessories

				MODEL NUMBER		
				MODEL NOMBER		
	MODEL	Features	W	Basic Model	Approx. Packaged Weight	
	Plate Dividers Installs in any drawer		12"	S7L/33412DV	3.0#	
	Sold in package of three Black finish only					
LTACU						
	Type "K" Folder Bars • Converts side-to-side filing to front-to-back filing	Front-to-back		S7L/334FBK	5.0#	
	. One set (two bars) required per row of					
LTACU	filing • Priced per set of two					
LINGO	Legal or letter					
	P-Series Keys	Lock/Core Set		2.KP20522	0.4#	
HRDPT	Extractor key used for core removal	Master Key		2.KP20550	0.2#	
		Extractor Key		2.KP20551	0.2#	
		Key Blank		2.KP20552	0.2#	
		Cut Key		2.KP20557	0.2#	
	Counterbalance			UL/CBW35	35.0#	
	For lateral file unitsRecommended unless cabinets are			UL/CBW50	50.0#	
	ganged					
	Factory installed, if specified					

LTACU						
				A	1	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Coun	tork	ala	nco	· Wa	inht

Model #	U-Series Lateral File
UL/CBW35	30" Wide 4, 5 High
UL/CBW35	36" Wide 4, 5 High
UL/CBW35	42" Wide 4, 5 High
UL/CBW50	30" Wide 2, 3 High
UL/CBW50	36" Wide 2, 3 High
UL/CBW50	42" Wide 2, 3 High



U-Series® Lateral Files Lateral File Accessories

Deliv	ered
Prici	ng
\$	35
\$	15
\$	12
*	9
	9
	3
	4
\$	85
Ψ	99

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

		MODEL NUM	/IBER	1				
	MODEL	Features	WxDxH	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
^	Pedestal - MBF	Mobile	15 x 17-5/8" x 21-3/4"	ULP20MBF				38.0#
	One 6" box drawer	Mobile	15 x 21-5/8" x 21-3/4"	ULP24MBF				42.0#
	 One 12" file drawer 5th wheel eliminates need for counter- 							
	balance weight							
	 Optional dividers sold separately 							
4								
USLP								
	Pedestal - BBF	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MBBF				49.0#
	Two 6" box drawers	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MBBF				51.0#
	 One 12" file drawer 5th wheel eliminates need for counter- 							
	balance weight							
	 Optional dividers sold separately 							
USLP								
	Pedestal - FF	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MFF				79.0#
	Two 12" file drawersCounterbalance weight included	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MFF				71.0#
	Optional dividers sold separately							
USLP								
				A	B	Θ	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

- **B**Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option.

KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

• Select pull style.

USP	 U-Series Pull (Standard
CZP	- Connection Zone Pull

INFORMATION

HeightMobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



		Whites	&
Deliv Prici	vered ina	All Meta Upchar	allics ae
\$	316	\$	58
	334		58
¢	378	\$	58
	396	φ	58
¢	452	\$	58
	452 456	φ	58
	T-00		30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

Freestanding

				MODEL NU	MBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
^	Pedestal - BBF	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FBBF				49.0#
	 Features 2-5/8" non-adjustable glides Two 6" box drawers 	Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FBBF				51.0#
	One 12" file drawer							
	· Center caster eliminates need for coun-							
	terbalance weight • Optional dividers sold separately							
	• Optional dividers sold separately							
JSLP								
	Pedestal - FF • Features 2-5/8" non-adjustable glides • Two 12" file drawers	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FFF				79.0#
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FFF				71.0#
	Counterbalance is included							
	 Optional dividers sold separately 							
USLP								
				A	(3)	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

- Key standard - No lock core KA - Key alike

Select pull style.

USP - U-Series Pull (Standard) - Connection Zone Pull

INFORMATION

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



_						
⊢r	ee.	٩t	ar	hſ	ır	nn

Delivered Pricing	Whites & All Meta Upcharg	Illics
\$ 401	\$	58
427		58
\$ 472	\$	58
478		58

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

Worksurface Supporting

			MODEL NUI	MBER					
	Features	WxDxH	Basic Model	Unit Color	Bracket	Optional Counter- balance Weight	Key Option	Pull Style	Approx. Packaged Weight
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WBBF						47.0#
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WBBF						52.0#
USLP									
Pedestal - Box/Box/File									
Two 6" box drawers									
One 12" file drawer									
Includes four leveling glidesPedestal ships fully assembled									
Bracket, if ordered, ships with unit									
Optional dividers sold separately									10.0%
	Worksurface Supporting	15 x 17-5/8 x 27-7/8" 15 x 21-5/8 x 27-7/8"	ULP20WFF ULP24WFF						43.0# 48.0#
3	Worksurface Supporting	13 X 21-3/0 X 21-1/0	ULP24WFF						40.0#
USLP									
Pedestal - File/File									
Two 12" file drawers Includes four leveling plides									
Includes four leveling glidesPedestal ships fully assembled									
Bracket, if ordered, ships with unit									
Optional dividers sold separatelyCounter balance weight required in									
certain desk configurations									
			A	B	O	O	3	3	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select bracket.

NB	- No Bracket
3K24	- 24" Worksurface; add \$74
3K30	- 30" Worksurface; add \$74
SW24	- 24" Worksurface; add \$74
SW30	- 30" Worksurface; add \$74
UN22	- 22" Worksurface; add \$74
UN24	- 24" Worksurface; add \$74
UN24KN	- 24" Worksurface w/knife

UN30 - 30" Worksurface; add \$74 UN30KN - 30" Worksurface w/knife

edge; add \$74

WW24 - 24" Worksurface; add \$74 WW30 - 30" Worksurface; add \$74 When ordering:

3K for System 3000 **SW** for Studio Works

UN for Unite WW for WireWorks

If ped is not replacing return, no bracket is required.

OSelect counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance
See pricing column for counterbalance
weight upcharge.

Select key option.

KS - Key standard
NLC - No lock core
KA - Key alike

Select pull style.

USP - U-Series Pull (Standard)
CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Pedestals Worksurface Supporting

•				
Delivered	Counter balance Weight add to li		Whites	allics
Pricing	price		Upchar	ge
\$ 392		N/A	\$	58
415		N/A		58
\$ 351	\$	74	\$	58
367	Ψ	74	Ψ	58
507		77		30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Double Pedestals Worksurface Supporting

				UMBEF	l .				
	MODEL	WxDxH	Basic Model	Unit Color	Bracket	Key Option	Pull Style	Approx. Packaged Weight	
	30" Wide, 2 High Two 12" drawers with side-to-side hanging folder bars For use within panel systems' planning only, may not be planned free standing	30 x 22 x 27-3/4"	UDP302D					88.0#	
DUOD									
PUSP			A	3	•	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select brac	ket.	
NB	- No	Bracket
3K24		Worksurface; add \$74
3K30		Worksurface; add \$81
SW24		Worksurface; add \$96
SW30		Worksurface; add \$100
UN22		Worksurface; add \$74
UN24		Worksurface; add \$74
UN24KN	- 24"	Worksurface w/knife
edge; add	d \$74	
UN30	- 30"	Worksurface; add \$74
UN30KN	- 30"	Worksurface w/knife
edge; add		
WW24	- 24"	Worksurface; add \$69
WW30	- 30"	Worksurface; add \$73

When ordering: **3K** for System 3000 **SW** for Studio Works

UN for Unite

WW for WireWorks

If ped is not replacing return, no bracket is required.

Select key option.

	. 2 . 1	
KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	

Select pull style.

USP	 U-Series Pull (Standard)
CZP	- Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Folder Bars

Files are configured for side-to-side media



U-Series® Pedestals Double Pedestals Worksurface Supporting

Delivered Pricing Whites & All Metallics Upcharge

\$ 753

\$ 58

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL N	UMBER		
	MODEL	Features	W x D x H	Basic Model	Edge Style	Surface Finish	Edge Color
	Laminate Tops	Fits one 20" deep pedestal	15 x 17-3/4 x 1-1/4"	USP1715T			
	 High pressure laminate with particle- board core 	Fits one 24" deep pedestal	15 x 21-3/4 x 1-1/4"	USP2115T			
	 Self edge or polypropylene edge avail- 						
	able						
	 Other sizes available upon request 						
USPA							
				A	B	•	0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

Select surface finish. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

DSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



		\leq		(
Appr Pack		Self	f Edge	7.	4P Edge					
Weig	ht	(SE	:)	(7	4P Edge 74P)					
3	3.0#	\$	126	\$	128					
11	.0#		142		146					

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	JMBER	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight
	Pedestal Bracket	System 3000® 24" deep worksurface	3K24		6.0#
1	 Graphic represents bracket used with a 24" deep pedestal on a 24" deep 	System 3000® 30" deep worksurface	3K30		10.0#
88	worksurface	StudioWorks® 24" deep worksurface	SW24		6.0#
. †	Bracket is intended to fill the space	StudioWorks® 30" deep worksurface	SW30		10.0#
	between back of pedestal and panel	Unite® 22" deep worksurface	UN22		6.0#
0	 Bracket provides support for extended runs and screws with trim to outside 	Unite® 24" deep worksurface	UN24		6.0#
4	back of pedestal for added support on	Unite® 24" deep knife edge worksurface	UN24KN		10.0#
	extended panel runs	Unite® 30" deep worksurface	UN30		6.0#
	 Bracket depth varies by pedestal model 24" worksurface 	Unite® 30" deep knife edge worksurface	UN30KN		10.0#
USPA	- 20" pedestal = approx. 6-1/4"	WireWorks® 24" deep worksurface	WW24		6.0#
	- 24" pedestal = approx. 2-1/4"	WireWorks® 30" deep worksurface	WW30		10.0#
	001 1 1				
	30" worksurface - 20" pedestal = approx. 12-1/4"				
	- 24" pedestal = approx. 6-1/4"				
	, , , , , , , , , , , , , , , , , , , ,				
			A	B	-

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered	
Pricing \$ 74	
φ 74 74	
74	
74	
74	
74	
74	
74	
74	
74	
74	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL N	MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Pri	livered cing).M.	
	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17			5.0#	\$	151	
	• 17" deep, used with 17-5/8" deep mobile pedestal	15 x 20 x 1-7/8"	PDCU/20			6.0#		163	
PDCU	 20" deep, used with 21-5/8" deep mobile pedestal 								
	Fabric runs side to sideLip height is 3-1/4"								
			A	B	•				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 For a listing of available fabric finishes, please refer to the Color Addendum. For specific fabric availability on cushioned seats, please refer to



Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 151	\$ 172	\$ 181	\$ 190	\$ 201	\$ 212	\$ 236	\$ 242
163	180	193	200	210	221	247	253

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

				MODEL NUMBER	
				Basic	Approx.
	MODEL	Features	WxDxH	Model	Packaged Weight
	Counterbalance Weight	20"D Units	9-1/2 x 1/2 x 15-1/2"	USPCBW21	21.0#
	· Required on worksurface supporting file/				114.
	file units of certain desk configurations				
Od-					
USPA					
S	Counterbalance Weight	24"D Units	12-1/2 x 2 x 18"	USPCBW25	25.0#
	Required for conversion for 24" deep The second for a second for the se				
	mobile and freestanding to file/file units.				
بي.					
USPA					
	Counterbalance Weight	For 20" D Units	7-1/2 x 3/4 x 16"	USPCBW36	36.0#
	 Required for conversion for 20" deep mobile and freestanding to file/file units. 				
	Two required, sold in pairs				
USPA					
	P-Series KeysExtractor key used for core removal	Lock/Core Set		2.KP20522	0.4#
	Extractor key assa for core formovar	Master Key		2.KP20550	0.2#
		Extractor Key		2.KP20551	0.2#
LIDDDT		Key Blank		2.KP20552	0.2#
HRDPT	Caster Kit	Cut Key	2-5/8"	2.KP20557 USPCK	0.2# 1.0#
♡	Converts freestanding pedestals to		2-0/0	USPUN	1.0#
6	mobile units				
09 09 C	 Finished height consistent with free- standing pedestal 				
02	File/file units require counterbalance				
USPA	weights				
00171	 4 casters and a 5th wheel per kit 				
	Glide Kit		2-5/8"	USPGK	1.0#
8	· Converts mobile pedestal to freestanding			3	
8 9	File/file units require counterbalance weights				
<u>\$</u> &	weightsFinished height consistent with mobile				
₩	pedestal				
USPA	 4 glides and a center wheel per kit 				
				A	
				W	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Deliv	vered				
Prici	ng				
\$	74				
Φ.	0.4				
\$	84				
\$	166				
\$	12				
	9				
	9				
	4				
\$	65				
Ψ	00				
\$	65				

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUMBER			
				Approx.		
	MODEL	W v D v II	Basic	Packaged		
	MODEL	WxDxH	Model	Weight		
	Pencil Tray	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#		
	For 3" pencil and 6" box drawersBlack finish only					
	Priced each					
PDACU						
-	6" Partition	12-1/8 x 4-5/8"	S7P/D6	1.0#		
	For 6" box drawersBlack finish only					
	Priced each					
7						
PDACU						
	Hanging Folder Partition	12-1/8 x 9-5/8"	S7P/D12	1.0#		
	For 12" file drawersBlack finish only					
	Priced each					
_						
PDACU						
			A			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



D !!		
Delive Pricin	ivered sing	
\$	8	
\$	5	
\$	8	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

U-Series® Credenzas

Freestanding Credenzas

			MODE	L NUME	BER		
	MODEL	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	36" WideFeatures sliding door with lock	36 x 15 x 27-3/4"	UC36				45.0#
	Teatures sliding door with lock						
V							
PUSC							
FU30	42" Wide	42 x 15 x 27-3/4"	UC42				50.0#
	 Features sliding door with lock 						
PUSC							
			A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

• Select pull style.

USP	- U-Series Pull (Standard)
C7P	- Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Credenzas Freestanding Credenzas

Delivered Pricing	White All Me Upcha	etallics
\$ 919	\$	58
\$ 1060	\$	58

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series® Credenzas Laminate Tops

			MODEL NUMBER					
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight	
$\overline{}$	U-Series® Credenza-Laminate Tops • High pressure laminate with particle-board core • 74P edge only • Back-to-back credenzas should use	15-1/8 x 36-1/8"	UWCT1536	74P			16.0#	
		15-1/8 x 42-1/8"	UWCT1542	74P			19.0#	
		30-1/8 x 36-1/8"	UWCT3036	74P			34.0#	
		30-1/8 x 42-1/8"	UWCT3042	74P			40.0#	
UWCT	single piece tops of appropriate depth							
			A	B	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style. **74P** - 74P edge
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



U-Series® Credenzas Laminate Tops

74P Edge (74P)

\$ 198

235

252

293

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series® Wardrobe Towers

48" High Cabinet

				MODEL NUMBER					
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
	Wardrobe/Cabinet - File/File	Left	24 x 22 x 48"	UWFFC48L				122.0#	
	 Wardrobe and cabinet lock independently 	Right	24 x 22 x 48"	UWFFC48R				122.0#	
	Pedestal features two 12" drawers and								
	locks independently of wardrobe								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
left shown									
PUSW									
	₩ardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 48"	UWBBFC48L				127.0#	
	 Wardrobe and cabinet lock independently 	Right	24 x 22 x 48"	UWBBFC48R				127.0#	
	Pedestal features two 6" box drawers								
	and one 12" file drawer Includes four leveling glides Cabinet features adjustable shelf Units ship fully assembled								
left shown									
DHOW									
PUSW									
				A	$oldsymbol{\Theta}$	•	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

KS - Key standard

NLC - No lock core - Key alike

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Wardrobe Towers 48" High Cabinet

Delivered Pricing	Whites All Me Upcha	tallics
\$ 1402	\$	94
1402		94
\$ 1460	\$	94
1460		94

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

64" High Cabinet

				MODEL NUN	MODEL NUMBER				
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
^	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64"	UWFFC64L				152.0#	
	 Wardrobe and cabinet lock independently 	Right	24 x 22 x 64"	UWFFC64R				152.0#	
	Pedestal features two 12" drawers and								
35	locks independently of wardrobe								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
left shown									
JSW									
<u>.</u>	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 64"	UWBBFC64L				157.0#	Ī
	Wardrobe and cabinet lock indepen-	Right	24 x 22 x 64"	UWBBFC64R				157.0#	
	dently • Pedestal features two 6" box drawers								
	and one 12" file drawer								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
	, , ,								
left shown									
1014									
JSW									
				A	B	$oldsymbol{\Theta}$	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

- Key standard - No lock core - Key alike

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



D Pi	Delivered	Whites All Meta Upchar	allics
\$	S 1471	\$	
	1471		141
\$	S 1507		141
	1507		141

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

48" High Side Access Bookcase

				MODEL NUMBER					
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
	Wardrobe/Side Access Bookcase - File/	Left	24 x 22 x 48"	UWFFB48L				120.0#	
	File	Right	24 x 22 x 48"	UWFFB48R				120.0#	
	 Pedestal features two 12" drawers and locks independently of wardrobe 								
	 Includes four leveling glides 								
	Boockcase features adjustable shelfUnits ship fully assembled								
	- Office Strip fully assembled								
left shown									
PUSW									
	Wardrobe/Side Access Bookcase - Box/	Left	24 x 22 x 48"	UWBBFB48L				125.0#	
	Box/File	Right	24 x 22 x 48"	UWBBFB48R				125.0#	
	 Pedestal features two 6" box drawers and one 12" file drawer 								
	 Includes four leveling glides 								
	Bookcase features adjustable shelfUnits ship fully assembled								
	• Offits strip fully assembled								
left shown									
PUSW									
I UUVV									
				A	B	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

KS - Key standard

NLC - No lock core - Key alike

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Wardrobe Towers 48" High Side Access Bookcase

Delive Pricin	ered	Whites All Meta Upcharg	Illics
\$ 13	365	\$	94
13	365		94
\$ 13	383	\$	94
	383		94

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

64" High Side Access Bookcase

				MODEL NUN	/IBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	Wardrobe/Side Access Bookcase - File/ File	Left Right	24 x 22 x 64" 24 x 22 x 64"	UWFFB64L UWFFB64R				155.0# 155.0#
	 Pedestal features two 12" drawers and locks independently of wardrobe Includes four leveling glides 							
	Bookcase features adjustable shelf Units ship fully assembled							
9								
left shown								
^	Wardrobe/Side Access Bookcase - Box/	Left	24 x 22 x 64"	UWBBFB64L				160.0#
	Box/File • Pedestal features two 6" box drawers	Right	24 x 22 x 64"	UWBBFB64R				160.0#
	and one 12" file drawer							
	Includes four leveling glidesBookcase features adjustable shelf							
	Units ship fully assembled							
left shown								
						_		
				A	$\mathbf{\Theta}$	$oldsymbol{\Theta}$	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

	-
KS	- Key standard
NLC	- No lock core
KA	- Key alike

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Wardrobe Towers 64" High Side Access Bookcase

Delivered Pricing	White All M Upch	etallics
\$ 1507	\$	141
1507		141
\$ 1529	\$	
1529		141

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series® Overheads

MODEL NUMBER Approx. Basic Unit Packaged Key MODEL WxDxH Model Bracket Option Color Weight Sliding Door Overhead 35-3/4 x 14-3/8 x 14-7/16 USSDH36 38.0# Lockable sliding door extends slightly USSDH42 41-3/4 x 14-3/8 x 14-7/16 42.0# beyond the center of overhead USSDH48 47-3/4 x 14-3/8 x 14-7/16 47.0# · Overhead accommodates standard bind-53-3/4 x 14-3/8 x 14-7/16 USSDH54 52.0# 59-3/4 x 14-3/8 x 14-7/16 USSDH60 57.0# USSD0 A **3** Θ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect bracket type.

3K - System 3000 mounted
UN - Unite mounted
UN/UM - Unite upmount
WW/LB - WireWorks mounted on load
bar
WW/OM12 - WireWorks off
module mount w/12" high top tile
WW/OM18 - WireWorks off

module mount w/18" high top tile

WW/PM - WireWorks standard panel
mounted in full-post

WW/UM - WireWorks up-mount brackets

Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. • Select key option.

KS - Key standard
NLC - No lock core
KA - Key alike

INFORMATION

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



U-Series® Overheads

Delivered Pricing	Whites & All Metallics Upcharge
\$ 491	\$ 58
525	58
557	58
638	58
682	58

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

U-Series® Storage and Accessories

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	U-Series Overhead On-Module Mounting Bracket for System 3000	46.8177.SET	5.0#		
	Sold in pairs Mounts into slots in vertical frame posts				
	Black only				
	Allows for vertical adjustment in 1" increments				
HRDPT					
	U-Series Overhead On-Module Mounting Bracket for Unite	48.0222.SET	5.0#		
en o	Sold in pairs				
	Mounts into slots in vertical posts Black only				
4	Allows for vertical adjustment in 1" increments				
HRDPT					
	U-Series Overhead On-Module Mounting	46.8179.SET	5.0#		
	Bracket in Full Post for WireWorks				
	Sold in pairsMounts into slots in vertical posts				
	Black onlyAllows for vertical adjustment in 1" incre-				
]	ments				
HRDPT					
		A			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered
Pricing
\$ 152
\$ 152
\$ 152

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

U-Series® Storage and Accessories

		MODEL NUMBER		
MOD		Basic Model	Approx. Packaged Weight	
	inco overnicaa on module module	46.8181.SET	5.0#	
ing B	Bracket w/12" High Top Tile for			
	old in pairs			
	ack only			
• Atta	taches to horizontal rail between tiles top cap			
	top cap			
HRDPT				
	illos overnicaa on modale modile	46.8183.SET	5.0#	
ing B	Bracket w/18" High Top Tile for			
	old in pairs			
' 🔼 • Bla	ack only			
• Atta	taches to horizontal rail between tiles top cap			
ort	top cap			
4				
HRDPT				
		A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

152

\$ 152

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER			
	MODEL	L	Basic Model	Powdercoat Color	Approx. Packaged Weight	
∞	U-Series Overhead Upmount Brackets for		48.0236.12.S		7.0#	
	Unite or WireWorks Sold in pairs Mounts into slots in vertical posts					
	Uses 8" of slot space at top of panel					
	 Overhead extends 15" above top cap 					
	Fasteners and allen wrench included					
HRDPT						
F	U-Series Overhead Load Bar Brackets for		46.8186.SET		5.0#	
<u> </u>	Unite or Wireworks • Sold in pairs					
	Load Bar mounted overheads hang from an externally mounted load bar Load Bar purchased separately					
HRDPT						
חחטרו	Well Manual of Land Bandan Haita an	24"	SWLB.24		5.0#	
		30"	SWLB.24 SWLB.30		6.0#	
	Supports overhead storage on drywall or	36"	SWLB.36		7.0#	
	other non-panel application	42"	SWLB.42		8.0#	
	Requires Load Bar Brackets to support overhead- sold separate	48"	SWLB.48		10.0#	
HRDPT		60"	SWLB.60		12.0#	
111121 1		66"	SWLB.66		13.0#	
		72"	SWLB.72		14.0#	
		84"	SWLB.84		17.0#	
		96"	SWLB.96		19.0#	
					1	
			A	$oldsymbol{\mathbf{B}}$		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv	ivered
Prici	254
ф	204
\$	190
•	
	111
	119
	121
	133
	138
	164
	166
	173
	268
	280

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

U-Series® Underhead Storage

			MODE	NUMBER				
	MODEL	D x W x H	Basic Model	Direction	Unit Color	Key Option	Approx. Packaged Weight	
	Underhead Storage	35-3/4 x 14-3/8 x 14-7/8	UHS36				38.0#	
	Underhead storage units mount below worksurface	41-3/4 x 14-3/8 x 14-7/8	UHS42				42.0#	
	Underhead accommodates standard	47-3/4 x 14-3/8 x 14-7/8	UHS48				47.0#	
	binders • Storage units include holes in top and bottom for cord drop in conjuction with grommets	59-3/4 x 14-3/8 x 14-7/8	UHS60				52.0#	
•		71-3/4 x 14-3/8 x 14-7/8	UHS72				57.0#	
UHS								
	 Includes brackets for attachment; legs 							
	may be specified separately if desired • Lockable sliding door extends slightly beyond the center of storage unit							
*	Underhead Storage Support Leg	1-1/2 x 13-7/8 x 13-5/16"	UHSL				8.6#	
	 May be used in place of return Size noted does not reflect attachment 							
	brackets							
•								
UHSL								
			A	3	•	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect placement of leg.

L	- Left
R	- Right

Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
All white and metallic paints require an upcharge. Please see upcharge

DSelect key option.



U-Series® Underhead Storage

Delive Pricin	ered ng	Whites All Met Upchar	allics
	491	\$	58
5	525		58
5	557		58
6	638		58
6	682		58
\$ 1	123	\$	10

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Index

Model No.	Description	Page	Model No.	Description	Page
2.KP20522	Lateral File Accessories: P-Series Keys	10	UWFFC48L	48" High Cabinet: Wardrobe/Cabinet - File/File	34
3K24	Pedestal Accessories: Pedestal Bracket	22	UWFFC64L	64" High Cabinet: Wardrobe/Cabinet - File/File	36
46.8177.SET	Overhead Accessories: U-Series® Overhead On-Module		011110012	or riight dubinot. Wararobo, dubinot. Tho, riid	00
	Mounting Bracket for System 3000	44			
46.8179.SET	Overhead Accessories: U-Series® Overhead On-Module				
	Mounting Bracket in Full Post for WireWorks	44			
46.8181.SET	Overhead Accessories: U-Series® Overhead Off Module				
	Mounting Bracket w/12" High Top Tile for WireWorks	46			
46.8183.SET	Overhead Accessories: U-Series® Overhead Off Module				
	Mounting Bracket w/18" High Top Tile for WireWorks	46			
46.8186.SET	Overhead Accessories: U-Series® Overhead Load Bar				
	Brackets for Unite or Wireworks	48			
48.0222.SET	Overhead Accessories: U-Series® Overhead On-Module				
	Mounting Bracket for Unite	44			
48.0236.12.S	Overhead Accessories: U-Series® Overhead Upmount				
	Brackets for Unite or WireWorks	48			
PDCU/17	Pedestal Accessories: Cushioned Seat for Mobile Pedestal	24			
S7L/3018T	Laminate Tops: Laminate Top for Side-by-Side Units	8			
S7L/3036T	Laminate Tops: Laminate Top for Back-to-Back Units	8			
S7L/33412DV	Lateral File Accessories: Plate Dividers	10			
S7L/334FBK	Lateral File Accessories: Type "K" Folder Bars	10			
S7P/D12	Pedestal Accessories: Hanging Folder Partition	28			
S7P/D6	Pedestal Accessories: 6" Partition	28			
S7P/PENTRAY	Pedestal Accessories: Pencil Tray	28			
SWLB.24	Overhead Accessories: Wall Mounted Load Bar for				
11000	Unite or WireWorks	48			
UC36	Freestanding Credenzas: 36" Wide	30			
UC42	Freestanding Credenzas: 42" Wide	30			
UDP302D	Double Pedestals Worksurface Supporting: 30" Wide, 2 High				
UHS36	: Underhead Storage	50			
UHSL	: Underhead Storage Support Leg	50			
UL/302D	Lateral Files: 27" File, 2 High	6 6			
UL/303D UL/304D	Lateral Files: 39-1/4" File, 3 High Lateral Files: 51-1/2" File, 4 High	6			
UL/304D	Lateral Files: 63-3/4" File, 5 High	6			
UL/CBW35	Lateral File Accessories: Counterbalance	10			
ULP20FBBF	Freestanding: Pedestal - BBF	14			
ULP20FFF	Freestanding: Pedestal - FF	14			
ULP20MBBF	Mobile: Pedestal - BBF	12			
ULP20MBF	Mobile: Pedestal - MBF	12			
ULP20MFF	Mobile: Pedestal - FF	12			
ULP20WBBF	Worksurface Supporting: Pedestal - Box/Box/File	16			
ULP20WFF	Worksurface Supporting: Pedestal - File/File	16			
USP1715T	Pedestal Accessories: Laminate Tops	20			
USPCBW21	Pedestal Accessories: Counterbalance Weight	26			
USPCBW25	Pedestal Accessories: Counterbalance Weight	26			
USPCBW36	Pedestal Accessories: Counterbalance Weight	26			
USPCK	Pedestal Accessories: Caster Kit	26			
USPGK	Pedestal Accessories: Glide Kit	26			
USSDH36	: Sliding Door Overhead	42			
UWBBFB48L	48" High Side Access Bookcase: Wardrobe/Side Ac-				
	cess Bookcase - Box/Box/File	38			
UWBBFB64L	64" High Side Access Bookcase: Wardrobe/Side Ac-				
	cess Bookcase - Box/Box/File	40			
UWBBFC48L	48" High Cabinet: Wardrobe/Cabinet - Box/Box/File	34			
UWBBFC64L	64" High Cabinet: Wardrobe/Cabinet - Box/Box/File	36			
UWCT1536	Laminate Tops: U-Series® Credenza-Laminate Tops	32			
UWFFB48L	48" High Side Access Bookcase: Wardrobe/Side Ac-				
	cess Bookcase - File/File	38			
UWFFB64L	64" High Side Access Bookcase: Wardrobe/Side Ac-	4.0			
	cess Bookcase - File/File	40			





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11539R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.