
Uniframe
Folding Tables Price List ■

January 3, 2011 Updated January 2, 2017 800-424-2432







Index

Uniframe® Rect	angular Tables with Seating						
	General Information	2					
	Rectangular Table with Benches	4					
	Rectangular Table with Split Benches						
	Rectangular Table with Stool Seats	8					
Uniframe® Rour	nd Tables with Seating						
	General Information	12					
	Round Table with Split Benches	14					
	Round Table with Stool Seats	16					
Uniframe® Tablo	es without Seating						
	General Information	20					
	Rectangular Table	22					
	Round Table	24					
	Oval Table	26					
	Square Table	28					
	Hexagonal Table	30					
	Octagonal Table	32					
	Round Stand-up Height Table	34					
Uniframe® Whe	elchair Accessible Tables with Seating						
	General Information	36					
	Rectangular Table with Benches	38					
	Rectangular Table with Stool Seats	40					
Uniframe® Whe	elchair Accessible Tables without Seating						
	General Information	44					
	Rectangular Table	46					
	Round Table	48					
	Oval Table	50					
	Square Table	52 54					
	Hexagonal Table	54 56					
	Octagonal Table	50					
Uniframe® Conv							
	General Information	58					
	Uniframe® Convertible Bench	60					
Uniframe® Tablo							
	General Features and Benefits	62					

64

General Information







Rectangular Tables with Split Benches (UF12SB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

oouting duputity.											
Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity							
UF12BE	20	16	16	12							
UF10BE	16	12	12	8							
UF08BE	12	12	8	8							
UF12SB	16	16	16	8							
UF128	16	16	16	16							
UF126	12	12	12	12							
UF106	12	12	12	12							
UF084	8	8	8	8							

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 040 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to rein-

force points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed 'T' design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information



Rectangular Tables with Stool Seats (UF128)

Features

Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent

accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamperresistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and

requirements by Underwriters Laboratories,

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches

			MODEL	NUMBE	R						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color	
$\overline{}$	Rectangular Table with Benches	56-1/2 x 96"	UF08BE								
	 Pricing is "Delivered" Available in 8', 10' and 12' models 	56-1/2 x 120"	UF10BE								
	Unitized all-steel frames provide superior	56-1/2 x 139-1/2"	UF12BE								
	stability and durability										
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage system results in a controlled, effortless										
UFRCB	folding. Also holds tables in a teepee										
	position for easy cleaning										
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 										
	position and eliminates possibility of										
	tables folding unexpectedly										
	Listed to applicable UL standards and requirements by Underwriters Laborato-										
	ries, Inc										
	Dimensions include overall depth and										
	width of table and seating										
			A	B	Θ	0	(3	(3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high **29** - 29" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Rectangular Tables with Seating Rectangular Table with Benches

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrom Upcha add to price	rge
295.0#	\$ 2074	\$ 2178	\$ 2476	\$	166
341.0#	2145	2251	2721		169
371.0#	2298	2413	2815		165

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Split Benches

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB							
	Pricing is "Delivered" Available in 181 models									
	Available in 12' modelsUnitized all-steel frames provide superior									
	stability and durability									
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage system results in a controlled, effortless									
UFRCS	folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety Gravity lock stabilizes tables in the apparent.									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato- ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									
			A	3	•	0	3	(3)	œ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table
with codes for length of table, edge treat-

ment and frame finish.

Pricing is "Delivered".

BSelect edge style.

Select height.

style selections.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



385.0#

Uniframe® Rectangular Tables with Seating Rectangular Table with Split Benches

Chrome

Upcharge

183

Approx. Packaged Flat Vinyl T-Edge Weight

\$ 2521

3/4" 73P

Edge (73P)

\$ 2648

Perfect Edge (PR)

add to list price \$ 3214 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

				MODEL N	UMBER						
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							
	Polypropylene	12 Stools	60-1/2 x 120"	UF106/PY							
	Pricing is "Delivered" Available in 81, 101 and 101 models	12 Stools	60-1/2 x 139-1/2"	UF126/PY							
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	16 Stools	60-1/2 x 139-1/2"	UF128/PY							
	stability and durability										
	KI's exclusive combination pneumatic										
UFRCP	lift assist and torsional energy storage system results in a controlled, effortless										
	folding. Also holds tables in a teepee										
	position for easy cleaning										
	Storage lock standard for added safety										
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	 Listed to applicable UL standards and 										
	requirements by Underwriters Laborato-										
	ries, Inc • Dimensions include overall depth and										
	width of table and seating										
	matir or table and douting										

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Delivered".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 27" high - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

0

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

0



Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

Approx. Package Weight	d Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
299.0#	\$ 2380	\$ 2500	\$ 2633	\$ 160
353.0#	2513	2638	2771	174
377.0#	2634	2765	2908	190
385.0#	2733	2869	3010	183

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats

				MODEL NUMBER							
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
$\overline{}$	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX							
	set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX							
	Pricing is "Delivered" Available in 8' 10' and 10' models	12 Stools	60-1/2 x 139-1/2"	UF126/CX							
1901	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	16 Stools	60-1/2 x 139-1/2"	UF128/CX							
	stability and durability										
	KI's exclusive combination pneumatic										
UFRCT	lift assist and torsional energy storage system results in a controlled, effortless										
	folding. Also holds tables in a teepee										
	position for easy cleaning										
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 										
	position and eliminates possibility of										
	tables folding unexpectedly										
	Listed to applicable UL standards and requirements by Underwriters I shore to										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4* 73P edge
PR - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

0

0

0

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Rectangular Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
299.0#	\$ 2543	\$ 2669	\$ 2791	\$ 160
353.0#	2741	2878	3003	174
377.0#	2865	3008	3138	190
385.0#	3045	3196	3318	183

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information





Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UFRD5SB	12	8	8	4
HEDDEO	0	0	0	0

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius

Split Benches

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following: A. Poly: High-impact polypropylene stools

of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edaes

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:
A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.
B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Round Table with Split Benches

ox. aged ht
.0#
a t

0

0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish. Pricing is "Delivered".

BSelect edge style.

00.000 00	ago ory ioi	
BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect height.

style selections.

27	- 27" high	
29	- 29" high	

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select bench surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

(1)

0

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Round Tables with Seating Round Table with Split Benches



Flat Vinyl T-Edge (BN)

\$ 2424

3/4" 73P

Edge (73P)

\$ 2545



\$ 3088

Perfect Edge (PR)

Chrome Upcharge add to list price

> \$ 154

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Polypro-	86"	UFRD58/PY							331.0#
	pylene									
	Pricing is "Delivered"Unitized all-steel frames provide superior									
	stability and durability									
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
UFRDP	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	 Available in 8-stool model only 									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements by Underwriters Laborato-									
	ries, Inc • Dimensions include overall depth and									
	width of table and seating									
	Diameter of top is 60"									
										I

0

0

0

(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material. Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

0

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Round Table with Stool Seats



Flat Vinyl T-Edge (BN) \$ 2074



3/4" 73P Edge (73P) \$ 2178



Perfect Edge (PR)

\$ 2326

Chrome Upcharge add to list price

\$ 154

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

MODEL NUMBER										
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Thermoset	86"	UFRD58/CX							331.0#
	Hard Plastic									
	Pricing is "Delivered"									
	 Unitized all-steel frames provide superior stability and durability 									
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
UFRDT	system results in a controlled, effortless									
	folding. Also holds tables in a teepee position for easy cleaning									
	Available in 8-stool model only									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open position and eliminates possibility of									
	tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements by Underwriters Laborato-									
	ries, Inc • Dimensions include overall depth and									
	width of table and seating									
	Diameter of top is 60"									
		l								

0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ago ory ioi	
BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

Delect II	GIGIIL.	
27	- 27" high	
29	- 29" high	

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

0

3

(3)

0

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

154



Uniframe® Round Tables with Seating Round Table with Stool Seats



3/4" 73P



Chrome Upcharge add to list price

Flat Vinyl T-Edge (BN) \$ 2264

Edge (73P) \$ 2376 Perfect Edge (PR)

\$ 2518 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information







Round Table (UFRD5)



Oval Table (UFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1"7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.



General Information









Square Table (UFSQ4)

Hexagonal Table (UFHX4)

Octagonal Table (UFOC5)

Stand-Up Table (UFSU5)

Feature

reatures				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
42" height				•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

General

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables)

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table

	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
$\overline{}$	Rectangular Table - Without Seating	30 x 96"	UFRT08						179.0#	
	Pricing is "Delivered"Unitized all-steel frames provide superior	30 x 120"	UFRT10						200.0#	
	stability and durability	30 x 139-1/2"	UFRT12						225.0#	
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
	system results in a controlled, effortless folding. Also holds tables in a teepee									
UFRCN	position for easy cleaning									
	Available in 8', 10' and 12' models									
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedly									
	T-leg design furnishes maximum leg									
	room and seating capacity Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc.									
	Ideal for multi-purpose seating									
			A	B	Θ	0	(3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Uniframe® Tables without Seating Rectangular Table

Flat Vinyl T-I (BN)	3/4° 73P Edge Edge (73P)	Perfect Edge (PR)	Chrom Upchai add to price	rge
\$ 1256	\$ 1320	\$ 1503	\$	143
1378	1448	1581		80
1515	1591	1726		68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Table

			MODEL	NUMBI	ER				
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Round Table - Without Seating	48"	UFRD4						98.0#
	Pricing is "Delivered"Unitized all-steel frames provide superior	60"	UFRD5						132.0#
	stability and durability	72"	UFRD6						158.0#
	 KI's exclusive combination pneumatic 								
	lift assist and torsional energy storage								
UFRDN	system results in a controlled, effortless folding. Also holds tables in a teepee								
	position for easy cleaning								
	 Storage lock standard for added safety 								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement T-leg design furnishes maximum leg								
	room and seating capacity								
	 Dimensions include overall depth and 								
	width of table								
	 Ideal for multi-purpose seating 								
			Λ	B	<u> </u>	•	A	A	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish. Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

27 - 27" high **29** - 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upo	rome charge 1 to list ce
\$ 1056	\$ 1109	\$ 1240	(\$ 30
1116	1173	1300		31
1501	1578	1851		33

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Oval Table



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

Select height.

27 - 27" high 29 - 29" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Oval Table

	3/4" 73P		Chrome Upcharge
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price
\$ 1318	\$ 1383	\$ 1569	\$ 30
1369	1439	1654	33

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table

			MODEL	. NUMB	ER				
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFSQN	Square Table - Without Seating Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity	48 x 48"	UFSQ4						108.0#
	 Dimensions include overall depth and width of table Ideal for multi-purpose seating 								
			A	B	0	O	3	(1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	
29	- 29" high	

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column

for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Square Table

Chrome

Upcharge

add to list price

\$



Flat Vinyl T-Edge (BN)

\$ 1005

3/4" 73P

Edge (73P)

\$ 1056



Perfect Edge (PR) \$ 1190

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

					ER				
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFHXN	Hexagonal Table - Without Seating Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability Kl's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Dimensions include overall depth and width of table Ideal for multi-purpose seating	48"	UFHX4						101.0#
			A	B	•	D	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model include

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high
29	- 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code







Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) \$ 1116

3/4" 73P Edge (73P) \$ 1173

Perfect Edge (PR)

\$ 1300

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table

			MODEL	MODEL NUMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFOCN	Octagonal Table - Without Seating Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Dimensions include overall depth and width of table Ideal for multi-purpose seating	60"	UFOC5						134.0#
			A	ß	A		A	a	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish. Pricing is "Delivered".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high	_
29	- 29" high	

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

BSelect surface edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Octagonal Table





Chrome Upcharge add to list price

Flat Vinyl T-Edge (BN) \$ 1153

3/4" 73P Edge (73P) \$ 1209

Perfect Edge (PR)

\$ 1345 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Stand-up Height Table

MODEL NUMBER									
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFRDU	Seating 6	48"	UFSU4		42				109.0#
		60"	UFSU5		42				129.0#
	Pricing is "Delivered"Unitized all-steel frames provide superior								
	stability and durability Kl's exclusive combination pneumatic								
	lift assist and torsional energy storage								
	system results in a controlled, effortless folding. Also holds tables in a teepee								
	position for easy cleaning								
	 Storage lock standard for added safety 								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of tables folding unexpectedly								
	Safety lock engages in a semi-open								
	position to halt downward opening								
	movement T-leg design furnishes maximum leg room and seating capacity								
			A	B	Θ	O	3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish.
Pricing is "Delivered".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

42 - 42" high

style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Round Stand-up Height Table

Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharg add to li price	je
\$ 1173	\$ 1231	\$ 1350	\$	30
1234	1295	1408		28

SPECIAL SERVICES

Special Carton Marking


With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

General Information







Wheelchair Accessible Tables w/Stools (WAUF126)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•







73P Edge



Perfect Edge (Lifetime Top Warranty)

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edaes

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that

is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and

storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety

(Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches

			MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	
	Wheelchair Accessible Rectangular Table	56-1/2 x 139-1/2"	WAUF12BE		31						
	with Benches										
	 Pricing is "Delivered" Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Full bench 										
UWRCB	Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly										
	Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating										
			A	•	Θ	O	(3	3	О	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table
with codes for length of table, edge treat-

ment and frame finish.
Pricing is "Delivered".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select bench surface.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select bench edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Approx. Packaged Weight 309.0#

Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Benches

				Chrom	e
		3/4" 73P		Upcha	rge
b	Flat Vinyl T-Edge	Edge	Perfect Edge	add to	list
	(BN)	(73P)	(PR)	price	
	\$ 2190	\$ 2300	\$ 2679	\$	154

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
$\overline{}$	WA Rectangular Table with Stool Seats -	60-1/2 x 139-1/2"	WAUF126/PY		31					
		60-1/2 x 139-1/2"	WAUF128/PY		31					
99	Pricing is "Delivered"Height to top of surface is 31-3/4"									
	• 31" clearance from floor to underside of									
	table Polypropylene stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open									
•										
UWRCP										
	position and eliminates possibility of									
	tables folding unexpectedly Listed to applicable UL standards and									
	requirements Underwriters Laboratories,									
	Inc									
	 Dimensions include overall depth and width of table and seating 									
	width of table and seating									
			A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	O	•	(3)	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Delivered".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

PR

- 31" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Approx.		3/4*73P		Chrom Upcha		
Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to price		
312.0#	\$ 2513	\$ 2638	\$ 2766	\$	175	\$ 13
316.0#	2601	2731	2864		175	13

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31					
	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31					
UWRCT	 Pricing is "Delivered" Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 									
			A	3	•	O	(3	(3	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

31 - 31" high

 $\bullet \textbf{Select surface finish}.$

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX)

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Appro		3/4" 73P		Chrome Upcharge
Packa Weigh	ged Flat Vinyl T-Edge	Edge (73P)	Perfect Edge (PR)	add to list price
312.0	# \$ 2623	\$ 2754	\$ 2880	\$ 175 \$ 13
316.0	1# 2758	2898	3019	175 13

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information



WA Rectangular Table (WAUFRT12)



WA Round Table (WAUFRD5)



WA Oval Table (WAUFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge		•	
751 Luge		<u> </u>	<u> </u>
Perfect Edge	•	•	•
31-3/4" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.



General Information







WA Hexagonal Table (WAUFHX4)



WA Octagonal Table (WAUFOC5)

F	ea	tu	r	e	S

- Catalog			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.

Genera


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Flat Vinyl (BN)	3/4" 73P T-Edge Edge (73P)	Perfect Ed (PR)	Upc	ome charge to list	
\$ 1275	\$ 1338	\$ 1526	\$	3 14	10
1398	1466	1595		8	80
1535	1611	1736		6	63

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Table

			MODEL N	JMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Wheelchair Accessible Round Table -	48"	WAUFRD4		31				89.0#	
	Without Seating	60"	WAUFRD5		31				115.0#	
	Pricing is "Delivered" Storage leak standard for added sefety	72"	WAUFRD6		31				149.0#	
 Storage lock standard for added safety Gravity lock stabilizes tables in the open 										
	position and eliminates possibility of									
UWRDN	tables folding unexpectedly									
	Safety lock engages in a semi-open									
	position to halt downward opening movement									
	T-leg design furnishes maximum leg									
	room and seating capacity									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
	table									
	tablo									
			A	\mathbf{G}	$oldsymbol{\Theta}$	O	ⅎ	(3)		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

Pricing is "Delivered".

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Flat Vinyl T (BN)	3/4" 73P -Edge Edge (73P)	Perfect Edg (PR)	Chron Upch; e add te price	arge o list
\$ 1070	\$ 1123	\$ 1258	\$	33
1136	1194	1323		30
1523	1599	1871		28

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

MODEL NUMBER Approx. Packaged Basic Edge Surface Edge Frame Weight DxL Model Style Height Finish Color Color 60 x 66" WAUFOV66 31 132.0# Wheelchair Accessible Oval Table -Without Seating WAUF0V72 140.0# 60 x 72" 31 · Pricing is "Delivered" Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly **UWOVN** Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Height to top of surface is 31-3/4" 31" clearance from floor to underside of table A **3** 0 0 **3**

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



	3/4" 73P		Chrome Upcharge
Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
(BN)	(73P)	(PR)	price
\$ 1333	\$ 1400	\$ 1586	\$ 29
1388	1458	1671	28

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table

	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Square Table -	48 X 48"	WAUFSQ4		31				102.0#
	Without Seating								
	Pricing is "Delivered"Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open 								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	Height to top of surface is 31-3/4"								
	31" clearance from floor to underside of								
	table								
			A	ß	0	0	(3)	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge 73P - 3/4" 73P edge PR - Perfect edge

Select height.

31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.





Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) \$ 1021

3/4" 73P Edge (73P) \$ 1073

Perfect Edge (PR)

\$ 1205

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

				JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Hexagonal Table - 4 Without Seating	48"	WAUFHX4		31				94.0#
	Pricing is "Delivered"								
	Storage lock standard for added safetyGravity lock stabilizes tables in the open								
UWHXN	position and eliminates possibility of tables folding unexpectedly								
	Safety lock engages in a semi-open position to halt downward opening								
	movement								
	T-leg design furnishes maximum leg room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	•	Θ	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.







Chrome Upcharge add to list price

\$

Flat Vinyl T-Edge (BN) \$ 1136

3/4" 73P Edge (73P) \$ 1194

Perfect Edge (PR)

\$ 1323

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Delivered".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

OSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.





Chrome Upcharge add to list price

Flat Vinyl T-Edge (BN) \$ 1174

3/4" 73P Edge (73P) \$ 1233

Perfect Edge (PR)

\$ 1361 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Uniframe® Convertible Bench

General Information





Shown as Bench with Worksurface (UCB)

Shown as Bench with Back Support (UCB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Bench height 17"	•	•
Top height 27"	•	
Top height 29"	•	
Open depth 29-1/2"	•	•





Bullnose Edge

73P Edge

SPECIFICATIONS

Tops/Backs and Benches

Tops/backs and benches are of solid core 3/4" thick warp-resistant construction.
Center core is 45 PCF high-density particle-board. A .030 high-pressure laminate face is used for the top surface with a .030 high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 2-1/2" radius. Tops measure 14-3/4" wide by 3/4" thick by the length of the bench.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place

with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel tubing, using double tube construction for leg support vertical and leg support bottom cross tube. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base shall be welded to the leg assembly.

Frame Finish

Painted frame finish is non-chipping electrostatically applied and baked. Finish

is black only.

Ganging Mechanism

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanism is located on end of foot for ease of operation.

Bench Support Foot Caps

Bench support foot caps are non-marring rubber.

Casters

Large 4" diameter hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled). Benches are listed with Underwriters Laboratories in compliance with testing for public safety (Folding Rollaway Tables).



Uniframe® Convertible Bench





Shown as 2 Benches Ganged Together (UCB-two units)

Shown as 2 Benches Nested Together (UCB-two units)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Folded height 33-1/4"		•
Folded depth 22"		•
Bench height 17"	•	
Top height 27"	•	
Top height 29"	•	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Convertible Bench Uniframe® Convertible Bench

		MODEL NUMBER							
MODEL	SIZE	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Leg Finish	Approx. Packaged Weight
Convertible Bench	96"	UCB8					BL		135.0#
Pricing is "Delivered" Tops/backs and seat tops are con-									
structed of laminated surfaces with									
solid, high-density particleboard core									
Vinyl bullnose edge banding or 73P edge banding	je								
Unitized all-steel frames provide superi	or								
stability and durability Black frame finish and black or chrome									
legs									
Wide wheel base and large 4" swivel UCB Contain parmit any and of a management Output Description of the management Output D									
casters permit easy and safe maneuver ability	-								
Non-marring rubber surface glides									
Standard, built-in ganging mechanism Listed to a sufficient to the standard of the st									
 Listed to applicable UL standards and requirements Underwriters Laboratorie 	s								
Inc	-,								
 Assembly required 									
		A	B	0	•	(3	(a)	Э	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model. Basic model includes length of bench. Pricing is "Delivered".
- BSelect edge style.

- Flat vinyl T-edge 73P - 3/4" 73P edge

Height 27

- 27" high 29 - 29" high

- DSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Frame Color

BL - Black

GLeg Finish

- Black leg finish - Chrome leg finish; add

\$20



Uniframe® Convertible Bench Uniframe® Convertible Bench



Flat Vinyl T-Edge (BN)

\$ 884

3/4" 73P Edge (73P)

\$ 928

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping


Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Uniframe® Tables from KI


General Features and Benefits



Uniframe tables have ample doorway clearance and can be moved in the safe, closed and locked position through standard door openings.




For safety and convenience, the storage lock engages automatically when the table is folded and can't move out of correct alignment like competitor' tables can. The lock release is easily accessible from either side of the table without a long reach under the unit.



Textured polypropylene stool seats are standard or choose the Thermoset Hard Plastic option. Thermoset Hard Plastic provides the ultimate seat for lasting appearance and cleaning simplicity.



Uniframe rectangular tables provide sufficient clearance between top halves to prevent fingers from being caught or pinched. Pinch-free center hinges also assure safe operation.



Kl's unique design stores stool seats parallel to the tabletop, discouraging children from climbing and minimizing dust build-up during storage.



Split benches have a generous 4-1/2" clearance between seats for greater comfort and easy access.

Uniframe® Tables from KI General Features and Benefits





T-legs increase knee room and seating capacity around the table and eliminate the need to straddle table leg uprights.



KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding operation. So much so, these tables are the easiest to operate...bar none!



Uniframe rectangular tables automatically stay in a teepee (semi-folded) position for safe, fast and easy floor cleaning. Just lift slightly, clean and push back down.



For non-rectangular units the semi-open safety lock prevents injury from downward opening by keeping the table in a semi-open position until fingers are out of the way.



KI attaches stools to a heavy, 11-gauge, metal plate before shipping. This provides greater strength, durability and stability than the competitors' plastic sleeve and pin style stools that require field installation. With polypropylene stools, white marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool.



The exclusive caster support has a sleek tamperresistant cover that won't trap dust, dirt or food and won't scuff shoes.

Index

Model No.	Description	Page
UCB8	Uniframe® Convertible Bench: Convertible Bench	60
UF084/CX	Rectangular Table with Stool Seats: Rectangular Table	00
01004/07	with Stools - Thermoset Hard Plastic	10
UF084/PY	Rectangular Table with Stool Seats: Rectangular Table	10
0.00 1/	with Stool Seats - Polypropylene	8
UF08BE	Rectangular Table with Benches: Rectangular Table	O
0.0055	with Benches	4
UF12SB	Rectangular Table with Split Benches: Rectangular	
	Table with Split Benches	6
UFHX4	Hexagonal Table: Hexagonal Table - Without Seating	30
UFOC5	Octagonal Table: Octagonal Table - Without Seating	32
UFOV66	Oval Table: Oval Table - Without Seating	26
UFRD4	Round Table: Round Table - Without Seating	24
UFRD58/CX	Round Table with Stool Seats: Round Table with Stool	
	Seats - Thermoset Hard Plastic	18
UFRD58/PY	Round Table with Stool Seats: Round Table with Stool	
	Seats - Polypropylene	16
UFRD5SB	Round Table with Split Benches: Round Table with	
	Split Benches	14
UFRT08	Rectangular Table: Rectangular Table - Without Seating	22
UFSQ4	Square Table: Square Table - Without Seating	28
UFSU4	Round Stand-up Height Table: Round Stand-up Height	
	Table - Without Seating	34
WAUF126/CX	Rectangular Table with Stool Seats: WA Rectangular	
	Table w/Stools - Thermoset Hard Plastic	42
WAUF126/PY	Rectangular Table with Stool Seats: WA Rectangular	
	Table with Stool Seats - Polypropylene	40
WAUF12BE	Rectangular Table with Benches: Wheelchair Acces-	
	sible Rectangular Table with Benches	38
WAUFHX4	Hexagonal Table: Wheelchair Accessible Hexagonal	
	Table - Without Seating	54
WAUFOC5	Octagonal Table: Wheelchair Accessible Octagonal	
	Table - Without Seating	56
WAUFOV66	Oval Table: Wheelchair Accessible Oval Table - Without	
	Seating	50
WAUFRD4	Round Table: Wheelchair Accessible Round Table -	
	Without Seating	48
WAUFRT08	Rectangular Table: Wheelchair Accessible Rectangular	
	Table - Without Seating	46
WAUFSQ4	Square Table: Wheelchair Accessible Square Table -	
	Without Seating	52

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11487R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.