

WorkUp® Adjustable Tables Price List

March 14, 2012

Updated January 1, 2017

800-424-2432



Furnishing Knowledge®

WorkUp® Tables

General Information

WORKUP® MODEL CRANK TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11" and 44.83" from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A ¾" diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a ¼" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14 gauge steel tubing with a ¼" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed.

WORKUP® MODEL FIXED TABLE

General

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be ¼" thick steel. The column shall be 2-3/4" square 14-gauge steel tubing with ¼" steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws.

All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL ANSI HFES TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 22.35" and 48.33" from the floor by means of electric controls that can be located at either end of the table.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member, an intermediate member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a ¼" steel plate welded on the bottom end. The intermediate member shall be 2-1/2" square 14-gauge steel tubing. The inner member shall be 2-1/4" square 14-gauge steel tubing with a ¼" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL RATCHET TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top TECHNICAL SPECIFICATIONS (CONTINUED) of the worksurface shall adjust to thirteen positions between 27.11" and 36.56" from the floor by manually lifting the worksurface.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a ¼" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14-gauge steel tubing with a ¼" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.



WorkUp® Tables

Fixed Height

	MODEL	A x B x C	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	
WUFX	 Rectangular Tables - 22"D <ul style="list-style-type: none">• 29" height• Adjustable glides	21-1/2 x 34-1/2"	WU2236FX	<input type="checkbox"/>	69.0#				
		21-1/2 x 40-1/2"	WU2242FX	<input type="checkbox"/>	66.0#				
		21-1/2 x 46-1/2"	WU2248FX	<input type="checkbox"/>	70.0#				
		21-1/2 x 52-1/2"	WU2254FX	<input type="checkbox"/>	75.0#				
		21-1/2 x 58-1/2"	WU2260FX	<input type="checkbox"/>	79.0#				
		21-1/2 x 64-1/2"	WU2266FX	<input type="checkbox"/>	91.0#				
		21-1/2 x 70-1/2"	WU2272FX	<input type="checkbox"/>	95.0#				
WUFX	Rectangular Tables - 24"D <ul style="list-style-type: none">• 29" height• Adjustable glides	23-1/2 x 34-1/2"	WU2436FX	<input type="checkbox"/>	64.0#				
		23-1/2 x 40-1/2"	WU2442FX	<input type="checkbox"/>	69.0#				
		23-1/2 x 46-1/2"	WU2448FX	<input type="checkbox"/>	73.0#				
		23-1/2 x 52-1/2"	WU2454FX	<input type="checkbox"/>	78.0#				
		23-1/2 x 58-1/2"	WU2460FX	<input type="checkbox"/>	83.0#				
		23-1/2 x 64-1/2"	WU2466FX	<input type="checkbox"/>	95.0#				
		23-1/2 x 70-1/2"	WU2472FX	<input type="checkbox"/>	100.0#				
WUFX	Rectangular Tables - 30"D <ul style="list-style-type: none">• 29" height• Adjustable glides	29-1/2 x 34-1/2"	WU3036FX	<input type="checkbox"/>	75.0#				
		29-1/2 x 40-1/2"	WU3042FX	<input type="checkbox"/>	81.0#				
		29-1/2 x 46-1/2"	WU3048FX	<input type="checkbox"/>	87.0#				
		29-1/2 x 52-1/2"	WU3054FX	<input type="checkbox"/>	93.0#				
		29-1/2 x 58-1/2"	WU3060FX	<input type="checkbox"/>	99.0#				
		29-1/2 x 64-1/2"	WU3066FX	<input type="checkbox"/>	112.0#				
		29-1/2 x 70-1/2"	WU3072FX	<input type="checkbox"/>	118.0#				
WUFX	Rectangular Tables - 36"D <ul style="list-style-type: none">• 29" height• Adjustable glides	35-1/2 x 34-1/2"	WU3636FX	<input type="checkbox"/>	82.0#				
		35-1/2 x 40-1/2"	WU3642FX	<input type="checkbox"/>	89.0#				
		35-1/2 x 46-1/2"	WU3648FX	<input type="checkbox"/>	96.0#				
		35-1/2 x 52-1/2"	WU3654FX	<input type="checkbox"/>	103.0#				
		35-1/2 x 58-1/2"	WU3660FX	<input type="checkbox"/>	110.0#				
		35-1/2 x 64-1/2"	WU3666FX	<input type="checkbox"/>	125.0#				
		35-1/2 x 70-1/2"	WU3672FX	<input type="checkbox"/>	132.0#				
WUFX	 Rectangular 120° Corner Tables <ul style="list-style-type: none">• 29" height• 120° angle• Adjustable glides	23-1/2 x 34-1/2 x 37-5/8"	WUC2436FX	<input type="checkbox"/>	80.0#				
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048FX	<input type="checkbox"/>	123.0#				

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

F Select base finish.
 Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$42

D Select edge color.


Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.


Edge color offerings are based on edge style selections.

E Select surface finish.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.


 1-1/4" Vinyl
 Bullnose
 (54B)

 74P Edge
 (74P)

 Postformed Edge
 (PL)

 Knife Edge
 (KN)

\$ 523	\$ 594	\$ 617	\$ 640
547	631	657	678
553	639	663	683
580	676	703	737
582	678	706	740
617	728	757	819
621	731	759	822
\$ 523	\$ 594	\$ 617	\$ 641
547	631	657	678
554	638	663	684
580	677	703	737
582	679	706	740
617	729	757	819
621	731	761	822
\$ 549	\$ 626	\$ 650	\$ 705
580	671	697	728
615	706	731	734
680	782	813	857
681	784	816	860
719	836	869	949
722	840	873	953
\$ 598	\$ 679	\$ 707	\$ 757
638	734	764	825
643	740	769	830
710	820	853	999
713	823	856	935
758	847	881	1223
765	853	887	1229
\$ 708	\$ 815	N/A	\$ 927
816	924	N/A	1103

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b.
 Bonduel, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to
 change without prior notice.

WorkUp® Tables

Ratchet Adjustable Height

	MODEL	A x B x C	MODEL NUMBER						
			Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish
WURT	 Rectangular Tables - 22"D <ul style="list-style-type: none">• 27-36" adjustable heights• Adjustable glides	21-1/2 x 46-1/2"	WU2248RT	<input type="checkbox"/>					
		21-1/2 x 52-1/2"	WU2254RT	<input type="checkbox"/>					
		21-1/2 x 58-1/2"	WU2260RT	<input type="checkbox"/>					
		21-1/2 x 64-1/2"	WU2266RT	<input type="checkbox"/>					
		21-1/2 x 70-1/2"	WU2272RT	<input type="checkbox"/>					
WURT	Rectangular Tables - 24"D <ul style="list-style-type: none">• 27-36" adjustable heights• Adjustable glides	23-1/2 x 46-1/2"	WU2448RT	<input type="checkbox"/>					
		23-1/2 x 52-1/2"	WU2454RT	<input type="checkbox"/>					
		23-1/2 x 58-1/2"	WU2460RT	<input type="checkbox"/>					
		23-1/2 x 64-1/2"	WU2466RT	<input type="checkbox"/>					
		23-1/2 x 70-1/2"	WU2472RT	<input type="checkbox"/>					
WURT	Rectangular Tables - 30"D <ul style="list-style-type: none">• 27-36" adjustable heights• Adjustable glides	29-1/2 x 46-1/2"	WU3048RT	<input type="checkbox"/>					
		29-1/2 x 52-1/2"	WU3054RT	<input type="checkbox"/>					
		29-1/2 x 58-1/2"	WU3060RT	<input type="checkbox"/>					
		29-1/2 x 64-1/2"	WU3066RT	<input type="checkbox"/>					
		29-1/2 x 70-1/2"	WU3072RT	<input type="checkbox"/>					
WURT	Rectangular Tables - 36"D <ul style="list-style-type: none">• 27-36" adjustable heights• Adjustable glides	35-1/2 x 46-1/2"	WU3648RT	<input type="checkbox"/>					
		35-1/2 x 52-1/2"	WU3654RT	<input type="checkbox"/>					
		35-1/2 x 58-1/2"	WU3660RT	<input type="checkbox"/>					
		35-1/2 x 64-1/2"	WU3666RT	<input type="checkbox"/>					
		35-1/2 x 70-1/2"	WU3672RT	<input type="checkbox"/>					
WURT	 Rectangular 120° Corner Tables <ul style="list-style-type: none">• 27-36" adjustable heights• 120° angle• Adjustable glides	23-1/2 x 34-1/2 x 37-5/8"	WUC2436RT	<input type="checkbox"/>					
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048RT	<input type="checkbox"/>					

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

F Select base finish.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

G Select inner column finish.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$42

D Select edge color.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.



Edge color offerings are based on edge style selections.

E Select surface finish.

Refer to color addendum at [ki.com](#) or KI

Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.



Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
79.0#	\$ 905	\$ 989	\$ 1028	\$ 1035
84.0#	935	1031	1072	1093
90.0#	946	1040	1083	1101
95.0#	988	1098	1142	1190
100.0#	995	1106	1151	1197
82.0#	\$ 905	\$ 989	\$ 1029	\$ 1035
88.0#	936	1032	1073	1093
94.0#	946	1040	1084	1102
99.0#	988	1099	1142	1190
105.0#	1029	1139	1186	1231
97.0#	\$ 996	\$ 1087	\$ 1130	\$ 1143
104.0#	1065	1167	1213	1242
111.0#	1072	1176	1224	1251
118.0#	1118	1235	1283	1347
125.0#	1126	1243	1294	1355
107.0#	\$ 1024	\$ 1121	\$ 1166	\$ 1211
115.0#	1095	1205	1252	1384
123.0#	1104	1214	1264	1328
131.0#	1151	1238	1288	1615
140.0#	1160	1248	1299	1624
88.0#	\$ 1059	\$ 1166	N/A	\$ 1278
128.0#	1208	1315	N/A	1496

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

WorkUp® Tables

Crank Adjustable Height (Sit - Stand)

	MODEL	A x B x C	MODEL NUMBER							
			Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish	
WUCR	 Rectangular Tables - 22"D <ul style="list-style-type: none">• 27-44" adjustable heights• Adjustable glides• Adjusts at a rate of 6-1/3 turns per inch	21-1/2 x 46-1/2"	WU2248CR	<input type="checkbox"/>						
		21-1/2 x 52-1/2"	WU2254CR	<input type="checkbox"/>						
		21-1/2 x 58-1/2"	WU2260CR	<input type="checkbox"/>						
		21-1/2 x 64-1/2"	WU2266CR	<input type="checkbox"/>						
		21-1/2 x 70-1/2"	WU2272CR	<input type="checkbox"/>						
WUCR	Rectangular Tables - 24"D <ul style="list-style-type: none">• 27-44" adjustable heights• Adjustable glides• Adjusts at a rate of 6-1/3 turns per inch	23-1/2 x 46-1/2"	WU2448CR	<input type="checkbox"/>						
		23-1/2 x 52-1/2"	WU2454CR	<input type="checkbox"/>						
		23-1/2 x 58-1/2"	WU2460CR	<input type="checkbox"/>						
		23-1/2 x 64-1/2"	WU2466CR	<input type="checkbox"/>						
		23-1/2 x 70-1/2"	WU2472CR	<input type="checkbox"/>						
WUCR	Rectangular Tables - 30"D <ul style="list-style-type: none">• 27-44" adjustable heights• Adjustable glides• Adjusts at a rate of 6-1/3 turns per inch	29-1/2 x 46-1/2"	WU3048CR	<input type="checkbox"/>						
		29-1/2 x 52-1/2"	WU3054CR	<input type="checkbox"/>						
		29-1/2 x 58-1/2"	WU3060CR	<input type="checkbox"/>						
		29-1/2 x 64-1/2"	WU3066CR	<input type="checkbox"/>						
		29-1/2 x 70-1/2"	WU3072CR	<input type="checkbox"/>						
WUCR	 Rectangular 120° Corner Tables <ul style="list-style-type: none">• 27-44" adjustable heights• 120° angle• Adjustable glides• Adjusts at a rate of 6-1/3 turns per inch	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CR	<input type="checkbox"/>						
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048CR	<input type="checkbox"/>						

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

F Select base finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select inner column finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$42

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select surface finish.




Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.



WorkUp® Tables

Crank Adjustable Height (Sit - Stand)



Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
84.0#	\$ 1103	\$ 1188	\$ 1231	\$ 1234
90.0#	1134	1230	1279	1292
95.0#	1143	1239	1289	1301
101.0#	1187	1297	1348	1387
106.0#	1195	1305	1357	1396
87.0#	\$ 1103	\$ 1188	\$ 1231	\$ 1234
93.0#	1135	1231	1279	1293
99.0#	1143	1240	1289	1301
105.0#	1218	1331	1383	1388
111.0#	1228	1338	1392	1429
103.0#	\$ 1196	\$ 1284	\$ 1337	\$ 1343
110.0#	1264	1366	1419	1441
117.0#	1271	1375	1430	1450
124.0#	1316	1434	1490	1546
131.0#	1325	1443	1500	1555
112.0#	\$ 1223	\$ 1319	\$ 1372	\$ 1410
121.0#	1294	1404	1460	1583
129.0#	1303	1413	1471	1525
137.0#	1349	1438	1495	1813
146.0#	1359	1447	1505	1824
93.0#	\$ 1258	\$ 1366	N/A	\$ 1478
134.0#	1407	1515	N/A	1694

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

WorkUp® Tables

ANSI HFES Electric Adjustable Height

	A x B x C	MODEL NUMBER								Approx. Packaged Weight
		Basic Model	Edge Style	Base	Edge Color	Electrical Control	Surface Finish	Base Finish	Column Finish	
WUHF	21-1/2 x 46-1/2"	WU2248HF	<input type="checkbox"/>	95.0#						
	21-1/2 x 52-1/2"	WU2254HF	<input type="checkbox"/>	101.0#						
	21-1/2 x 58-1/2"	WU2260HF	<input type="checkbox"/>	106.0#						
	21-1/2 x 64-1/2"	WU2266HF	<input type="checkbox"/>	112.0#						
	21-1/2 x 70-1/2"	WU2272HF	<input type="checkbox"/>	117.0#						
Rectangular Tables - 22"D										
• 22-48" adjustable heights										
• Adjustable glides										
WUHF	23-1/2 x 46-1/2"	WU2448HF	<input type="checkbox"/>	99.0#						
	23-1/2 x 52-1/2"	WU2454HF	<input type="checkbox"/>	104.0#						
	23-1/2 x 58-1/2"	WU2460HF	<input type="checkbox"/>	110.0#						
	23-1/2 x 64-1/2"	WU2466HF	<input type="checkbox"/>	116.0#						
	23-1/2 x 70-1/2"	WU2472HF	<input type="checkbox"/>	122.0#						
WUHF	29-1/2 x 46-1/2"	WU3048HF	<input type="checkbox"/>	114.0#						
	29-1/2 x 52-1/2"	WU3054HF	<input type="checkbox"/>	121.0#						
	29-1/2 x 58-1/2"	WU3060HF	<input type="checkbox"/>	128.0#						
	29-1/2 x 64-1/2"	WU3066HF	<input type="checkbox"/>	135.0#						
	29-1/2 x 70-1/2"	WU3072HF	<input type="checkbox"/>	142.0#						
WUHF	35-1/2 x 46-1/2"	WU3648HF	<input type="checkbox"/>	123.0#						
	35-1/2 x 52-1/2"	WU3654HF	<input type="checkbox"/>	132.0#						
	35-1/2 x 58-1/2"	WU3660HF	<input type="checkbox"/>	140.0#						
	35-1/2 x 64-1/2"	WU3666HF	<input type="checkbox"/>	148.0#						
	35-1/2 x 70-1/2"	WU3672HF	<input type="checkbox"/>	156.0#						
WUHF	23-1/2 x 34-1/2 x 37-5/8"	WUC2436HF	<input type="checkbox"/>	105.0#						
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048HF	<input type="checkbox"/>	145.0#						
Rectangular 120° Corner Tables										
• 22-48" adjustable heights										
• 120° angle										
• Adjustable glides										

A B C D E F G H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

C Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$42

D Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select electric control.

S - Standard switch

D - Deluxe switch; add \$103

F Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

G Select base finish.


Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

H Select inner column finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.




1-1/4" Vinyl
Bullnose
(54B)



74P Edge
(74P)



Postformed Edge
(PL)



Knife Edge
(KN)

\$ 2165	\$ 2250	\$ 2296	\$ 2338
2196	2292	2354	2382
2205	2301	2362	2393
2248	2359	2449	2451
2256	2367	2457	2461
\$ 2165	\$ 2250	\$ 2296	\$ 2338
2196	2293	2354	2382
2205	2301	2363	2393
2248	2360	2449	2452
2257	2367	2459	2461
\$ 2257	\$ 2346	\$ 2404	\$ 2440
2326	2427	2503	2522
2333	2436	2512	2534
2377	2495	2594	2608
2385	2504	2604	2616
\$ 2285	\$ 2380	\$ 2472	\$ 2475
2356	2466	2563	2645
2365	2475	2573	2587
2410	2499	2598	2875
2419	2509	2608	2885
\$ 2320	\$ 2427	N/A	\$ 2539
2469	2576	N/A	2756

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

WorkUp® Tables

Counter Balance Adjustable Height

	MODEL	A x B x C	MODEL NUMBER							
			Basic Model	Edge Style	Base	Edge Color	Surface Finish	Foot Finish	Frame/Inner Column Finish	
WUCB	 Rectangular Tables - 22"D	21-1/2 x 46-1/2"	WU2248CB	<input type="checkbox"/>	<input type="checkbox"/>					
		21-1/2 x 52-1/2"	WU2254CB	<input type="checkbox"/>	<input type="checkbox"/>					
		21-1/2 x 58-1/2"	WU2260CB	<input type="checkbox"/>	<input type="checkbox"/>					
		21-1/2 x 64-1/2"	WU2266CB	<input type="checkbox"/>	<input type="checkbox"/>					
		21-1/2 x 70-1/2"	WU2272CB	<input type="checkbox"/>	<input type="checkbox"/>					
WUCB	Rectangular Tables - 24"D	23-1/2 x 46-1/2"	WU2448CB	<input type="checkbox"/>	<input type="checkbox"/>					
		23-1/2 x 52-1/2"	WU2454CB	<input type="checkbox"/>	<input type="checkbox"/>					
		23-1/2 x 58-1/2"	WU2460CB	<input type="checkbox"/>	<input type="checkbox"/>					
		23-1/2 x 64-1/2"	WU2466CB	<input type="checkbox"/>	<input type="checkbox"/>					
		23-1/2 x 70-1/2"	WU2472CB	<input type="checkbox"/>	<input type="checkbox"/>					
WUCB	Rectangular Tables - 30"D	29-1/2 x 46-1/2"	WU3048CB	<input type="checkbox"/>	<input type="checkbox"/>					
		29-1/2 x 52-1/2"	WU3054CB	<input type="checkbox"/>	<input type="checkbox"/>					
		29-1/2 x 58-1/2"	WU3060CB	<input type="checkbox"/>	<input type="checkbox"/>					
		29-1/2 x 64-1/2"	WU3066CB	<input type="checkbox"/>	<input type="checkbox"/>					
		29-1/2 x 70-1/2"	WU3072CB	<input type="checkbox"/>	<input type="checkbox"/>					
WUCB	Rectangular Tables - 36"D	35-1/2 x 46-1/2"	WU3648CB	<input type="checkbox"/>	<input type="checkbox"/>					
		35-1/2 x 52-1/2"	WU3654CB	<input type="checkbox"/>	<input type="checkbox"/>					
		35-1/2 x 58-1/2"	WU3660CB	<input type="checkbox"/>	<input type="checkbox"/>					
		35-1/2 x 64-1/2"	WU3666CB	<input type="checkbox"/>	<input type="checkbox"/>					
		35-1/2 x 70-1/2"	WU3672CB	<input type="checkbox"/>	<input type="checkbox"/>					
WUCB	 Rectangular 120° Corner Tables	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CB	<input type="checkbox"/>	<input type="checkbox"/>					
		29-1/2 x 46-1/2 x 48-7/8"	WUC3048CB	<input type="checkbox"/>	<input type="checkbox"/>					

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

PL - Postformed edge

KN - Knife edge

F Select foot finish.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

G Select frame/inner column finish.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

C Select base option.

G - Glides

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$42

D Select edge color.

Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

E Select surface finish.




Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.



WorkUp® Tables

Counter Balance Adjustable Height



Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
93.0#	\$ 2000	\$ 2084	\$ 2089	\$ 2130
98.0#	2040	2135	2153	2197
102.0#	2053	2149	2166	2208
107.0#	2091	2202	2209	2293
112.0#	2101	2213	2223	2303
96.0#	\$ 2000	\$ 2084	\$ 2088	\$ 2130
101.0#	2040	2135	2152	2197
106.0#	2053	2149	2165	2208
111.0#	2091	2202	2208	2293
116.0#	2101	2213	2222	2303
109.0#	\$ 2039	\$ 2129	\$ 2105	\$ 2187
115.0#	2085	2186	2138	2262
122.0#	2094	2198	2153	2273
128.0#	2128	2244	2198	2358
134.0#	2137	2256	2209	2368
119.0#	\$ 2079	\$ 2175	\$ 2182	\$ 2266
126.0#	2125	2235	2216	2414
134.0#	2137	2248	2228	2361
141.0#	2197	2286	2321	2662
149.0#	2207	2296	2331	2673
103.0#	\$ 2148	\$ 2255	N/A	\$ 2367
139.0#	2302	2410	N/A	2589

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2012 KI
All Rights Reserved.
Litho in USA.
Code KI-11585/KI/PDF/312