January 3, 2011 Updated January 2, 2017 800-424-2432





Activ8® System

NorkZone® General Information	
Basic Worksurfaces	2
WorkZone® with pow	er 4
WorkZone® Shared L	eg & Laptop Garage® 6
NorkZone® Worksurfaces	

WorkZone® Worksurfaces		
Basic Workstation Ty	pical	
Basic	-	1
Mobile	2	2
Transitional	2	2
Accessories and Wor	ksurface Connectors	4
WorkZone® Components		

WorkZone® Components	
General information	42
Universal Overhead Storag	je 44
Universal Tasklights	54
Balance® Overhead Storag	je 56
Balance® Task Lights	62
Privacy Screens	64

WorkZone® Accessories	
General information	66
Tool Rail	70
Paper Management	72
Center Drawer	76
WorkZone® with Power	78
Electrical	82

WorkZone® Shared Leg	88
WorkZone® Shared Leg with Laptop Garage®	92
Index	102

Basic Worksurfaces








Basic Worksurfaces (WBW)

Adjustable Keyboard Pad Worksurfaces (WAK)

Transitional Worksurfaces (WCT)

Features			
Solid core top	•	•	•
Plastic laminate surface	•	•	•
Flat vinyl T-edge	•	•	•
Postformed edge	•		•
74P edge	•	•	•
Elliptical postformed edge	•		•
Powder-coated legs	•	•	•
Seam-welded tubular steel frame	•	•	•
Chrome plated glides	•	•	•







Transitional leg bases are 6 inches shorter than standard leg bases for greater leg room and chair clearance when two surfaces are joined. When seated at the worksurface, "right" or "left" refers to the individual worksurface, not the assembled workstation. Cannot be ordered for an individual, free-standing worksurface.



Streamline Leg







Beam Frame

**Modesty Panel Frame** 

**Full Modesty Panel Frame** 

#### **SPECIFICATIONS**

#### **Worksurface Frames**

Heavy-gauge seam-welded tubular steel. Horizontal tabletop support tube, 16-ga., 1"x 1" steel. Floor support member, 16-ga., 1-1/8'x 1-3/4' belly rectangular steel tube. Top and floor support tubes are welded with 2 steel tube vertical leg members. The rear vertical support is 16-ga., 1"X2" steel tube. The front vertical support is 16-ga., 1"X2-1/8" bullet oval steel tube. Leg inserts enclose the space between the (2) vertical leg members and provide concealed management of wire from floor to worksurface. Leg inserts are extruded Polypropylene with sprayed clear acrylic scuff-resistant coating. Adjustable chromeplated glides. Powder-coat finish on legs. There are three frame style options. The receptacle clearance beam option (WB) is a 16-ga., 1/2"x 1-1/2" steel tube cross brace, welded to two 14-ga., L-brackets for support. The modesty panel (WM) is 19-ga. steel. It is located 1-1/2" from the rear of the worksurface. The modesty panel is 15.31" on the 29" tables and 13.31" on 27" tables. The full height modesty panel (WF) is 19-ga. steel It is located 1-1/2" from the rear of the worksurface. The full modesty panel spans the space between the underside of the worksurface and the floor. It is only available on 29" height desks.

#### Worksurface Top

1-1/4" thick top, .030" high-pressure laminate top surface with .028" phenolic backing sheet. Available with flat-vinyl T-edge, 74P edge or 180° postformed and elliptical postformed front edge with .030" high pressure laminate and .028 phenolic backing sheet. Side and rear edges of postformed tops are finished with either .024" Polypropylene or .030" high-pressure laminate.

#### **Surface Splice Plates**

Die-formed steel splice plates attach to underside of units with screws. Two splice plates are provided with all surfaces. Standard connector plate provided when surfaces are of common height. Worksurface height change connector provided for connecting 29" to 27" high surfaces. Specify worksurface height change connector for connecting non-transitional worksurfaces of two different heights except when using T6 option..

# Adjustable Keyboard Pad Worksurface

Die-formed L-brackets attach to table and keyboard pad with screws. Threaded hand knobs lock keyboard pad in position. Available with flat vinyl T-edge and 74P edge.

#### **Weight Capacity**

All WorkZone tables meet or exceed BIFMA 5.5 Standards. Please contact KI Customer Service for additional information.

#### **Horizontal Wire Management Trough**

Horizontal wire management trough (WW) connects below the worksurface top and is constructed of rigid Polypropylene with 1" deep by 1-1/2" high openings for cables.

#### Base Options

There are two options for the base, standard

chrome-plated adjustable glides (NC) or four swivel casters (WC). The caster option comes with two casters with locks and two non-locking and it raises worksurface height 2". Caster option not available on Workzone with Power, Shared leg, or Laptop Garage units. Overheads cannot be mounted on tables with caster option.

# **Guest Modesty Panel**

The Guest Modesty Panel for P Shaped, Piano, and Square Shoe, peninsula work-surfaces is constructed of 19-ga. steel. It is located 4.5" from the guest side of the peninsula worksurface and is attached using 6, #10-1" screws. It is 9" high and comes in lengths to fit 60" through 84" peninsula tops. Not for use with peninsula end and side mount worksurfaces.

#### Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.



# WorkZone® General Information Basic Worksurfaces

The posted standard lead time will apply to the Special Cost Request.

# INFORMATION

**Warranty**Refer to KI Terms & Conditions document or visit ki.com

WorkZone® with power

#### **SPECIFICATIONS**

#### PowerUp® Power/Data Module

The power/data module is inserted into a rectangular hole in the worksurface. The module has a flip-up cover and is 6-1/4" long x 3" wide x 2-1/2" high. It has one duplex receptacle (110 volts), dual data access and a power cord with a 3-prong plug. The cord is 108" long when used without 10-wire (NP) system and 22" long when used with 10-wire (T6) tables. Connections for phones, modems, printers and networks can be incorporated into the system, but must be ordered separately by the customer through a third party source. Communications wiring is completed in the field by the customer. Each unit ships with a data plate tree which provides holders for common jacks produced by AT&T. Panduit, and others. Contact KI Customer Service for more information. The single module is located at the rear right, rear left or center position of the worksurface widths 30" through 54" Two modules are available on 60", 66" and 72" wide rectangular surfaces and are located at the rear left and rear right position of the worksurface.

# Data Door

The data door (WT) is constructed of rigid Polypropylene .06 wall thickness with a radius of 2-1/2". The door is 8" deep and 4-1/2" high. It attaches to the underside of the table top. The hanging bracket uses the same hole as the modesty panel and can also be used with WB option. Power and data cables are separated from each other by a 24-gauge steel divider that is 2" high by 2-3/4" deep. There is also space allowed for cord management. Available in black only.

#### Table-To-Table Wireway

The table-to-table wireway trough is a 16-gauge steel trough that attaches to the underside of the adjoining worksurface. The wire-way is 3-3/4" deep by 4-1/4" wide. The wireway routes the 10-wire table-to-table connector and data wires between tables. The wire management trough also includes a splice plate that attaches the front of the adjoining tops together to prevent separation.

#### 10-Wire 6-Circuit Pre-Wired Harness

Single sided, rigid 10-wire harness that holds two duplex receptacles (60", 66" and 72" wide tables provide access for up to four duplex receptacles). Harness contains

6 hot wire, 2 neutral wires an 2 ground wires and is commonly referred to as (6-2-2). The harness has mounting brackets to attach to the underside of the worksurface top with screws. The harness is 2-1/2" wide and the length of the harness varies with the size of the top. Power is obtained by use of the 10-wire Power Infeed Kit. Duplex receptacles are located under the worksurface are specified separately.

#### 10-Wire Table-To-Table Connector

10-wire table-to-table connector consists of flexible mesh conduit which provides power connections from adjoining tables. The jumper is 17-3/4" long and is routed through the table-to-table wireway.

#### 10-Wire Power Infeed Kit

The 10-wire infeed kit provides power from fixed, floor, or wall sources to the 10-wire harness. It includes six feet of plastic covered flexible conduit, and 3/4" waterproof 90° connector. Also included are two steel covers which replace the existing plastic vertical wireway.

# **UL** Listed


The WorkZone® with PowerUp® System is listed to applicable UL standards and requirements by Underwriters Laboratories. Inc.

Two of the standards used to evaluate WorkZone® are UL/286 Office Furnishings and UL/723 Standard for Test for Surface Burning Characteristics of Building Materials.

The standard used to evaluate PowerUp® is UL 1363 Relocatable Power Taps.



WorkZone® with power



WorkZone® Shared Leg & Laptop Garage®



Starter Unit - Each shared leg workplace requires a starter unit to be placed at one end of the table string. The starter unit is comprised of a worksurface, modesty panel, standard leg and transitional leg. Only one starter unit is required in a single table string.


All three units are joined together by the transitional legs, which are centered between the two worksurfaces and attach accordingly. When specifying the shared leg option, it is possible to specify tables with the LapTop Garage® in the same table string as other tables without LapTop Garages.



Adder Unit - When three or more tables make up a table string, an adder unit is used to make up the middle portion of the table string. The adder unit is comprised of a worksurface, modesty panel and transitional leg.



**Finisher Unit** - The final table specified in a table string is the finisher unit. This unit is comprised of a worksurface, modesty panel and a standard leg.







#### **SPECIFICATIONS**

#### **LAPTOP GARAGE**

#### **Garage Construction**

The two-piece Laptop Garage enclosure and shelf shall be fabricated from 16-gauge steel and have a black powder-coated finish. The door shall be constructed from 5/8" thick MDF board and be covered with .040" thick high-pressure laminate on both sides. The edges shall be painted black. The door when opened by pressing a steel latch and catch assembly shall automatically rise by the force stored in two gas cylinders. These cylinders shall also provide the variable length linkage used to raise the pivot rod which shall activate dual scissors mechanisms hidden beneath a shelf. Each scissors mechanism shall be made from two 14-gauge x 5/8" wide straps, which are punched to accept plastic wear bushings. Upon reaching the maximum open position the cover shall automatically be fixed in that position by an 11-gauge steel gravity-activated lock

bracket. The unit shall allow access to the underside of the shelf if necessary due to the spillage of liquid or for cleaning or retrieval of a lost item in this position only. This shall be accomplished by lifting the shelf.

#### Garage Operation

The Laptop Garage unit shall be accessed by a simple push of a steel latch located on the front panel of the unit. Two gas cylinders shall raise the cover approximately 20 degrees. Manually lifting the cover to 14 degrees past vertical will automatically engage the gravity lock bar. This motion shall be assisted by (2) compression springs. Closing the unit shall be accomplished by pressing the gravity lever away from the user to release the cover, then pulling it down to the closed position. A rotary motion damper shall dampen the cover's movement. Final latching shall happen when the cover becomes flush with the primary worksurface.

#### Optional Lock Mechanism

Locking units shall be equipped with an

110/120v keyless operated solenoid. The solenoid shall allow the locking sequence to begin with the unit's cover in any position. Locks shall be programmable to lock and unlock all units within a room at the same time or individually. Keyless remotes ordered separately.



# WorkZone® General Information WorkZone® Shared Leg & Laptop Garage®

# INFORMATION

**Warranty** Refer to KI Terms & Conditions document or visit ki.com

Basic Workstation Typical

	MODEL NUI	MBER										
	Basic Model	WWay	Paint Color	Insert Color	Laminate Color	Edge Color	Fabric Color	Worksurface Grommet	Pack	Key Option	Grommet Color	Approx. Packaged Weight
	WKBS30481											170.0#
	WKBS30601											185.0#
	WKBS30721											200.0#
WKBS												
Basic Desk												
<ul> <li>29" high Basic Worksurface</li> <li>24" 700 Series Hanging Pedestal, box/file</li> </ul>												
Available in only Flat Vinyl T-Edge												
Packing option pertains to pedestal												
only												
	WKBS30482											290.0#
	WKBS30602											340.0#
	WKBS30722											365.0#
WKBS												
Basic Desk with Overhead												
29" high Basic Worksurface												
24" 700 Series Hanging Pedestal, box/file												
Painted steel overhead cabinet												
Task light												
Privacy screen (two screens included in 60" and 72" wide surfaces)												
Available in only Flat Vinyl T-Edge												
48" and 60" stations include one 36"												
light												
72" station includes 2-24" lights Packing option pertains to pedestal only												
Only												
	A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	•	<b>(3</b>	<b>(3</b> )	œ	0	0	•	0	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select horizontal wireway.

  Add upcharge to unit price for WW option.

NW - No horizontal wireway

**WW** - Wireway

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Paint color includes pedestal.

Oselect insert color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Insert color also includes horizontal

wireway (WW) if selected.

Select laminate surface.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select fabric for privacy screen. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface gromm

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select pack option.

BP - Blanket pack
CP - Commercial pack

- No lock core

Select key option.

KA - Key alike
KS - Key standard

The key option is for the overhead. The pedestal is keyed as standard.

Select grommet color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.



Basic Workstation Typical

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Pricing Pallas Vertical Fabric Grade PV1	Pricing Pallas Vertical Fabric Grade PV2	Wirew add to price	
\$ 1344						\$	49
1395							64
1440							68

N/A	\$ 2923	\$ 2938	\$ 2946	\$ 2972	\$ 2997	\$ 49
N/A	3788	3812	3824	3861	3898	64
N/A	3935	3956	3972	4009	4048	68

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasid

#### **MODEL NUMBER** Basic Edge Frame Trans. Worksurface Paint Insert Lam. Edge Grommet D x W Model Style Hgt WWay Style Legs Grommet Color Color Base Color Color Color 24 x 30' WBW2430 ПП ПП ПП $\Box$ ПП WBW2436 П $\Box\Box$ $\Box\Box$ $\Box\Box$ \_\_\_\_ 24 x 36' П $\Box\Box$ $\Box\Box$ $\Box\Box$ 24 x 42' WBW2442 WBW2448 24 x 48" 24 x 54" WBW2454 24 x 60" WBW2460 WBW 24 x 66" WBW2466 **Basic Worksurface** 24 x 72" WBW2472 30 x 30" WBW3030 $\Box\Box$ · Adjustable glides or casters 30 x 36" WBW3036 • 66" and 72" wide overhead are not available on WorkZone® frames with 30 x 42" WBW3042 ПП 30 x 48" WBW3048 $\Box\Box$ WBW3054 30 x 54" $\Box\Box$ 30 x 60" WBW3060 30 x 66" WBW3066 $\Box\Box$ WBW3072 30 x 72" **(** 0 0 0 **9 9** O 0 0 0 0 0 0

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select height.

7 - 27" high 9 - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"

high only)

Select location and type of leg.

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Gelect grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select base option.

NC - With glides (standard)
WC - With casters; add \$50

Select laminate surface.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

# 14

# WorkZone® Worksurfaces

3asic

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
69.0#	\$ 633	\$ 664	\$ 698	\$ 731	\$ 36	\$ 47
76.0#	657	691	723	757	38	57
83.0#	685	719	754	790	44	67
89.0#	706	745	778	818	49	77
96.0#	729	768	804	846	57	83
102.0#	756	796	833	877	64	94
110.0#	781	819	858	900	64	122
116.0#	803	845	883	927	68	131
76.0#	644	674	708	746	36	47
83.0#	672	723	742	777	38	57
92.0#	698	731	763	802	44	67
100.0#	719	754	790	830	49	77
106.0#	745	781	819	860	57	83
113.0#	770	809	846	888	64	94
120.0#	796	833	871	918	64	122
126.0#	816	858	898	946	68	131

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasin

		MODEL N	UMBER												
	D x W	Basic Model	Edge Style	Key- pad Loc.	Hgt.	WWay	Frame Style	Trans. Legs	Work- Surface Grom.	Paint Color	Insert Color	Base	Lam. Color	Edge Color	Grom. Color
	24 x 36"	WAK2436		С											
	24 x 42"	WAK2442		С											
	24 x 48"	WAK2448													
	24 x 54"	WAK2454													
	24 x 60"	WAK2460													
VAK	24 x 66"	WAK2466													
Adjustable Keyboard Pad Worksurface	24 x 72"	WAK2472													
	30 x 36"	WAK3036		-											
Adjustable keyboard pad right,	30 x 42"	WAK3042		C											
centered (shown) or left 10" x 24";	30 x 48"	WAK3048													
3" height adjustments: 1" forward	30 x 54"	WAK3054													
extension adjustment: 15° maximum downward tilt	30 x 60"	WAK3060													
Adjustable glides or casters	30 x 66"	WAK3066													
When adding a pedestal, pad must be		WAK3072													
RH or LH and worksurface must be at least 60" long															
Keyboard is located 5-3/4" from edge															
of worksurface on left and right loca-															
tions 66" and 72" wide overhead not avail-															
able on WorkZone frames with beams															
		A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	<b>(3</b> )	<b>(3</b> )	<b>(</b>	<b>(1)</b>	0	•	(3)	0	$\mathbf{Q}$	<b>(</b>

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select location of keypad.

C - Center
R - Right
L - Left

Note: On 36" and 42" wide worksurfaces, "C" is the only option available.

OSelect height.

7 - 27" high 9 - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style

Add upcharge to unit price for WF option.

WB - w/ Beam WM - w/ Modesty panel

WF - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)
TB - Transition leg (both)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead

OGN - No worksurface grommet
OGY - Yes worksurface grommet

Grommets can be used for wire pass-through.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- **®**Select base option.

NC - With glides (standard)
WC - With casters; add \$50

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
   Edge color offerings are based on edge style selections.



Rasin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list price	Full Modesty Panel add to list price
77.0#	\$ 773	\$ 814	\$ 38	\$ 57
84.0#	798	836	44	67
90.0#	823	862	49	77
96.0#	845	886	57	83
103.0#	870	915	64	94
114.0#	890	934	64	122
126.0#	915	958	68	131
84.0#	803	845	38	57
93.0#	832	873	44	67
101.0#	859	900	49	77
110.0#	881	931	57	83
114.0#	900	949	64	94
122.0#	925	973	64	122
130.0#	951	996	68	131

Select grommet color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Basid

		MODEL NUI	/IBER											
	D x W x D	Basic Model	Edge Style	Height	WWay	Frame Style	Trans. Legs	Wrksrf. Grom.	Paint Color	Insert Color	Base	Lam. Color	Edge Color	Grom. Color
	24 x 42 x 30"	WRC244230												
	24 x 48 x 30"	WRC244830												
	24 x 54 x 30"	WRC245430												
	24 x 60 x 30"	WRC246030												
	24 x 66 x 30"	WRC246630												
WRC	24 x 72 x 30"	WRC247230												
Curvilinear Worksurface	30 x 42 x 24"	WRC304224												
• Joins 24" deep worksurface to 30"	30 x 48 x 24"	WRC304824												
deep worksurface	30 x 54 x 24"	WRC305424												
Available in 27" and 29" height only	30 x 60 x 24"	WRC306024												
Adjustable glides or casters	30 x 66 x 24"	WRC306624												
	30 x 72 x 24"	WRC307224												
	30 x 36"	WSU3036		2			TS				NC			
WCS														
Stand-up Worksurface														
<ul> <li>Available in 42" height only</li> <li>Adjustable glides</li> <li>Overheads cannot be mounted on</li> </ul>														
any stand up worksurface														
		A	<b>3</b>	0	O	<b>3</b>	<b>3</b>	Ф	0	0	0	0	0	0

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select height.

00100	Lilloig	III.				
7		- 27" l	high			
9		- 29"	High			
2		- 42" l	high			

42" height only available on Stand-up worksurface.

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam

WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

Select location and type of leg

	location and type of leg.
TS	- Standard legs
TL	- Transition leg (left)
TR	- Transition leg (right)
TB	- Transition leg (both)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select base option.

NC - With glides (standard)
WC - With casters; add \$50

Select laminate surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select grommet color.

Refer to color addendum at ki.com or



Rasin

Appro Packaç Weigh	ed I	Flat Vinyl T-Edge (BN)	74P (74F	Edge	Elli <sub>k</sub> (EP		ormed Edge	Postfor (PF)	rmed Edge	Wirewa add to price		Full Modes Panel add to price	
84.0		\$ 672		723	(LI	N/A			//A	\$	44	\$	67
91.0		698	Ψ	729		N/A			I/A	Ψ	49	Ψ	77
98.0		753		789		N/A			I/A		57		83
103.0	)#	756		797		N/A		N.	I/A		64		94
110.0	)#	785		824		N/A		N.	I/A		64		122
117.0	)#	810		850		N/A		N.	I/A		68		131
84.0	)#	672		723		N/A		N.	I/A		44		67
91.0	)#	698		729		N/A		N.	I/A		49		77
98.0	)#	753		789		N/A		N.	I/A		57		83
103.0	)#	756		797		N/A		N.	I/A		64		94
110.0	)#	785		824		N/A		N.	I/A		64		122
117.0	)#	810		850		N/A		N.	I/A		68		131
94.0	)# (	\$ 711	\$	749	\$	783		\$ 82	23	\$	38		N/A

KI Fabrics & Finishes binder.

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

		MODEL NU	JMBER											
		Basic	Edge			Frame	Trans.	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.	
	D x W-LEFT x W-RIGHT x D	Model	Style	Hgt.	WWay	Style	Legs	Grom.	Color	Color	Color	Color	Color	
	24 x 36 x 36 x 24"	WCS2436												
	24 x 42 x 42 x 24"	WCS2442												
	24 x 48 x 48 x 24"	WCS2448												
	30 x 42 x 42 x 30"	WCS3042												
	30 x 48 x 48 x 30"	WCS3048												
WCS														
Stand Alone Corner Worksurface														
Adjustable glides														
• Corner support leg is 7/8" sq. tubular														
steel														
<ul> <li>Front edge dimension is 17" on 24x36" and 30x42"; 25-1/2" on 24x42'</li> </ul>														
and 30x48"; 34" on 24x48"														
Not available with both (TB) transi-														
tional legs														
	24 x 42 x 42 x 24"	WCSK2442												
	24 x 48 x 48 x 24"	WCSK2448												
	30 x 48 x 48 x 30"	WCSK3048												
WAK														
Stand Alone Corner Worksurface with														
Keyboard														
Adjustable glides														
Keyboard pad: 10" x 24"; 3" height														
adjustments: 1" forward extension adjustment: 15° maximum downward														
tilt														
• Corner support leg is 7/8" square														
tubular steel														
<ul> <li>Not available with both (TB) transitional legs</li> </ul>														
nona 1093			_	_	_		_	_	_	_		_	_	1
		A	$oldsymbol{\Theta}$	•	0	<b>(3</b>	•	<b>(</b>	0	0	•	(3)	•	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select height.
7 - 27" high - 29" High

DSelect horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

- w/ Beam - w/ Modesty panel

- w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

- Standard legs - Transition leg (left) TR - Transition leg (right)

**G**Select grommet option. Grommets are required for overhead

- No worksurface grommet - Yes worksurface grommet Grommets can be used for wire passthrough.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Basic

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
76.0#	\$ 949	\$ 991	\$ 1040	\$ 1093	\$ 74	\$ 114
96.0#	1006	1054	1104	1160	87	133
106.0#	1062	1115	1167	1228	100	153
108.0#	1122	1177	1232	1294	87	133
118.0#	1179	1236	1297	1360	104	153

99.0#	\$ 1103	\$ 1159	N/A	N/A	\$ 87	\$ 133
106.0#	1135	1191	N/A	N/A	100	153
118.0#	1314	1383	N/A	N/A	104	153

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasid

		MODEL NUI	/IBER										
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Ht	WWay	Frame Style	Trans. Legs	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr
	24 x 36 x 36 x 24"	WCC243624											
	24 x 42 x 42 x 24"	WCC244224											
	24 x 48 x 48 x 24"	WCC244824											
	30 x 42 x 42 x 30"	WCC304230											
	30 x 48 x 48 x 30"	WCC304830											
VCS													
tand Alone Corner Curvilinear Jorksurface													
Front edge is curved													
Adjustable glides													
<ul> <li>Corner support leg is 7/8" sq. tubular steel</li> </ul>													
Not available with both (TB) transitional legs													
		A	<b>B</b>	0	0	<b>3</b>	<b>3</b>	Ф	0	0	0	(3)	0

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

7 - 27" high 9 - 29" High

• Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

Select location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)

Select grommet option.
 Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

- Select paint color.

  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface.

  Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.
- Select grommet color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



Basic.

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list price	Full Modesty Panel add to list price
76.0#	\$ 949	\$ 991	\$ 74	\$ 114
96.0#	1006	1054	87	133
106.0#	1062	1115	100	153
108.0#	1122	1177	87	133
118.0#	1179	1236	104	153

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

# N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Basid

		MODEL NUM	BER											
		Basic	Edge				Frame	Trans.	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.
	DxWxL	Model	Style	Dir.	Hgt.	WWay	Style	Legs	Grom.	Color	Color	Color	Color	Color
	24 x 48 x 60"	WZPT244860			9									
	24 x 48 x 66"	WZPT244866			9									
	24 x 48 x 72"	WZPT244872			9									
	30 x 48 x 66"	WZPT304866			9									
₩ U	30 x 48 x 72"	WZPT304872			9									
WZW														
"P" Shaped Peninsula Worksurface														
(Right Shown)														
Long surface is supported by 3"														
diameter metal support leg with adjustable glide														
Connects to either 24" or 30" work-														
surface														
Adjustable glides     Available with 20" beight and														
Available with 29" height only														
	24 x 48 x 60"	WZPP244860			9									
	24 x 48 x 66"	WZPP244866			9									
	24 x 48 x 72"	WZPP244872			9									
	30 x 48 x 66"	WZPP304866			9									
<b>U</b>	30 x 48 x 72"	WZPP304872			9									
WZW														
Piano Peninsula Worksurface (Right														
Shown)														
<ul> <li>Long surface is supported by 3" diameter metal support leg with</li> </ul>														
adjustable glide														
Connects to either 24" or 30" work-														
surface														
<ul><li>Adjustable glides</li><li>Available with 29" height only</li></ul>														
				_										
		A	$oldsymbol{\Theta}$	0	0	<b>(3</b>	<b>(3</b> )	Œ	0	0	•	(3)	•	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

3N - Flat vinyl T-edge 74P - 74P edge

Select surface direction.

L - Left R - Right

Direction is determined by the side of the worksurface that has the 3" diameter leg. Calculate side based on user's normal seated position.

OSelect height.

- 29" high

**3** Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel

WF - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)
TR - Transition leg (right)

TB - Transition leg (both)
Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option.
Grommets are required for overhead cabinet

through.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire pass-

- Select paint color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Racin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list orice	Full Modesty Panel add to lis price	
134.0#	\$ 1413	\$ 1486	\$ 49	\$	77
140.0#	1417	1491	49		77
146.0#	1424	1497	49		77
150.0#	1426	1498	49		77
154.0#	1431	1504	49		77

132.0#	\$ 1339	\$ 1406	\$ 49	\$ 77
138.0#	1343	1409	49	77
144.0#	1347	1412	49	77
146.0#	1353	1418	49	77
148.0#	1357	1424	49	77

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUM	IBER											
	D x W x L	Basic Model	Edge Style	Dir.	Hgt.	WWay	Frame Style	Trans. Legs	Wrksrf. Grom.	Paint Color	Insert Color	Lam. Color	Edge Color	Grom. Color
	24 x 48 x 60"	WZSS244860			9									
	24 x 48 x 66"	WZSS244866			9									
	24 x 48 x 72"	WZSS244872			9									
	24 x 48 x 84"	WZSS244884			9									
WZW	30 x 48 x 66"	WZSS304866			9									
Square Shoe Worksurface (Right	30 x 48 x 72"	WZSS304872			9									
Shown)	30 x 48 x 84"	WZSS304884			9									
Long surface is supported by 3" diameter metal support leg with adjustable glide														
<ul> <li>Connects to either 24" or 30" work- surface</li> </ul>														
Adjustable glides														
<ul> <li>Available with 29" height only</li> </ul>														
		A	B	0	0	<b>(3</b>	<b>(3</b> )	Э	0	0	•	(3)	•	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

- Flat vinyl T-edge - 74P edge

Select surface direction.

- Right - Left

Direction is determined by the side of the worksurface that has the 3" diameter leg. Calculate side based on user's normal seated position.

Select height.

- 29" high

Select horizontal wireway.

Add upcharge to unit price for WW option. - No horizontal wireway ww - Wireway

Select frame style.

Add upcharge to unit price for WF option.

- w/ Beam - w/ Modesty panel WM WF

- w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

GSelect location and type of leg.

TS - Standard legs TL - Transition leg (left) - Transition leg (right) TR

- Transition leg (both) Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

Select grommet option. Grommets are required for overhead

through.

- No worksurface grommet - Yes worksurface grommet OGY Grommets can be used for wire pass-

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.
- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Racin

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wire add price	to list	Full Modes Panel add to price	
133.0#	\$ 1297	\$ 1360	\$	49	\$	77
139.0#	1336	1403		49		77
145.0#	1347	1412		49		77
157.0#	1403	1472		49		77
144.0#	1336	1403		49		77
150.0#	1347	1412		49		77
172.0#	1403	1472		49		77

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Rasi

# WPW

# MODEL Conference End Worksurface

- WCE36 has a 36" diameter and connects to 24" deep worksurface
- WCE42 has a 42" diameter and connects to 30" deep worksurface
- 3" diameter metal support leg with adjustable glide

	MODEL	NUMBE					
	Basic Model	Edge Style	Height	Paint Color	Laminate Color	Edge Color	Approx. Packaged Weight
	WCE36		9				75.0#
S	WCE42		9				85.0#
s							
_							
	A	<b>B</b>	•	O	<b>(3</b>	<b>(3</b>	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

Select paint color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

- Select laminate surface.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select edge color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
  Edge color offerings are based on
  edge style selections.

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.







Fla (Bl	t Vinyl T-Edge N)	74P E (74P)	-
\$	479	\$ :	500
	510	!	535

# SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Mobile

				MODEL NUI	MBER						
	MODEL	Features	D x DIA	Basic Model	Edge Style	Height	Paint Color	Base	Laminate Color	Edge Color	
	Mobile Teardrop Worksurface		24 x 40"	WMT2440		9					
	Base consists of 3" diameter metal sup-		30 x 50"	WMT3050		9					
	port leg with adjustable chrome-plated glide										
	3" casters are optional; two are locking										
	Connects to end of 24" or 30" worksur-										
Φ θ	face • Wireway option not available										
WMT	29" height only with or without casters										
	Mobile Semi-Circle Worksurface		24 x 48"	WMSC48		9					
	<ul> <li>Base consists of 3" diameter metal sup- port leg with adjustable chrome-plated</li> </ul>		30 x 60"	WMSC60		9					
a	alide										
	Aligns with end of 24" or 30" worksur-										
	face										
A 1	<ul> <li>Notched in center for wire management</li> <li>Wireway option not available</li> </ul>										
A A	<ul> <li>29" height only with or without casters</li> </ul>										
WMT	• 3" casters are optional; two are locking										
	Mobile Semi-Circle Worksurface w/notch	Std.	24 X 51-1/2"	WMSCPW52							
	Use with WireWorks panels	Std.	30 X 63-1/2"	WMSCPW64							
	Notch enables surface to wrap around	Flat	24 X 51-1/2"	WMSCFW52							
6	end cap of WireWorks panel	Flat	30 X 63-1/2"	WMSCFW64		9					
	51-1/2" diameter accomodates two										
	24" deep worksurfaces separated by a WireWorks panel										
	<ul> <li>63-1/2" diameter accomodates two</li> </ul>										
14/8 ST	30" deep worksurfaces separated by a										
WMT	WireWorks panel  Std. for use with radius WireWorks end										
	caps										
	Flat for use with WireWorks & Unite flat										
	metal trim										
				A	$oldsymbol{\Theta}$	$\Theta$	0	<b>(3</b>	(3	Œ	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

Calcat adap atula

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base option.

G - Glides (4 glides)
C - Casters; add \$40

Select laminate surface.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



# ® Ma

/VorkZone®	Worksurfaces
	Mohile

Approx. Packaged Rat Vinyl T-Edge (RN) (74P)  70 0 \$ 845 \$ 886  104.0# 847 889   68.0# \$ 883 \$ 928  86.0# 1015 1064   69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061  88.0# 1030 1083	•				
70.0# \$ 845 \$ 886 104.0# 847 889  66.0# \$ 883 \$ 928 86.0# 1015 1064  69.0# \$ 1011 \$ 1061 88.0# 1030 1083 69.0# 1011 1061					
70.0# \$ 845 \$ 886 104.0# 847 889  66.0# \$ 883 \$ 928 86.0# 1015 1064  69.0# \$ 1011 \$ 1061 88.0# 1030 1083 69.0# 1011 1061	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)		
104.0# 847 889  68.0# \$ 883 \$ 928  86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061	70.0#	\$ 845	\$ 886		
68.0# \$ 883					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061					
86.0# 1015 1064  69.0# \$ 1011 \$ 1061  88.0# 1030 1083  69.0# 1011 1061	68.0#	\$ 883	\$ 928		
88.0# 1030 1083 69.0# 1011 1061			1064		
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
88.0# 1030 1083 69.0# 1011 1061					
69.0# 1011 1061					
88.0# 1030 1083					
	88.0#	1030	1083		

# SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Transitional

		MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Frame Style	Paint Color	Laminate Color	Edge Color	Approx. Packaged Weight
	Peninsula End Worksurface	24 x 48"	WPW2448		9					44.0#
	<ul><li> 3" diameter metal support leg</li><li> Wireway option not available</li></ul>	24 x 60"	WPW2460		9					57.0#
	Available with 29" height only	24 x 72"	WPW2472		9					68.0#
		30 x 48"	WPW3048		9					48.0#
		30 x 60"	WPW3060		9					63.0#
		30 x 72"	WPW3072		9					75.0#
U										
WPW										
	Peninsula Side Mount Worksurface	24 x 48"	WPW2448S		9					51.0#
	<ul><li> 3" diameter metal support leg</li><li> When specifying peninsula side mount</li></ul>	24 x 60"	WPW2460S		9					64.0#
	worksurface a transitional leg must be	24 x 72"	WPW2472S		9					77.0#
	ordered on the basic surface to which it	30 x 48"	WPW3048S		9					59.0#
	will connect	30 x 60"	WPW3060S		9					71.0#
	<ul> <li>Wireway option not available</li> <li>Available with 29" height only</li> </ul>	30 x 72"	WPW3072S		9					83.0#
J	The selection of with Beam, modesty or									
WPW	full modesty is for the 24 or 30" depth									
	If a guest side modesty is desired that  would peed to be appointed appointed.									
	would need to be specified separately									
			A	<b>3</b>	0	O	<b>(3</b>	(3	0	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Coloct adap atula

BN - Flat vinyl T-edge 74P - 74P edge

Select height.

9 - 29" high

• Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam

WM - w/ Modesty panel
WF - w/ Full modesty panel

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

,	•				
Flat (BN	Vinyl T-Edge	74F (74	P Edge P)	Full Modes Panel add to price	
\$	572	\$	600		N/A
	607		638		N/A
	639		671		N/A
	580		609		N/A
	617		650		N/A
	655		686		N/A
\$	618	\$	651	\$	39
	662		696		39
	702		739		39
	633		664		47
	673		708		47
	717		753		47

# SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Transitional

			MODEL N	UMBER									
	MODEL	D x W	Basic Model	Edge Style	Trans. Dir.	Trans. Height	WWay	Frame Style	Paint Color	Insert Color	Laminate Color	Edge Color	
	Square Transitional Surface  • Full wrap modesty panel included	24 x 24"	WST2424										
	For use with fixed height workstations	30 x 30"	WST3030										
	only • Corner support leg is 7/8" square tubular steel												
WCT													
	Rectangle Transitional Surface	24 x 30"	WRT2430										
10	<ul> <li>Full wrap modesty panel included</li> <li>For use with fixed height workstations</li> </ul>	30 x 24"	WRT3024										
	only												
	Corner support leg is 7/8" square tubular steel												
WCT													
			A	<b>B</b>	•	0	<b>(3</b>	<b>(3</b>	<b>G</b>	0	0	0	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction.

X - None
L - Left
R - Right

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All square and rectangular transitional surfaces connected at the same height do not require Right (R) or Left (L) transition direction. Use "X" for transition direction. Transitional direction required for "97" transitional height.

Select transition height.

liansilion	neigni			
- 29"	to 27"	high		
- 29"	to 29"	high		
	- 27" - 29"	- 27" to 27" - 29" to 27"	- 27" to 27" high - 29" to 27" high - 29" to 29" high	- 27" to 27" high - 29" to 27" high

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway

**WW** - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WM - w/ Modesty panel

WF - w/ Full modesty panel

w/ Full modesty panel (available on 29"

high only)

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.



Trancitional

	•										
	Approx. Packaged Weight	Fla (Bľ	t Vinyl T-Edge		74P Edge 74P)			Full Modesty Panel add to li price		Wirewa add to price	
	34.0#	\$	349	;	369			\$	78	\$	68
	51.0#		438		462				94		71
•	38.0#	\$	431		3 437		•	\$	85	\$	68
	38.0#		431		437				85		68

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

#### Transitional

	MODEL NUMBER													
	D x W-LEFT x W-RIGHT x D	Basic	Edge	Trans.	Trans.	14/14/04	Frame	Cuana	Paint	Insrt	Lam	Edge	Grm	
		Model	Style	Dir.	Height	WWay	Style	Grom	Clr	Clr	Clr	Clr	Clr	
	24 X 24" Dia for Panel	WQRPW24												
	30 X 30" Dia for Panel	WQRPW30												
-														
WCT														
Quarter Round Transitional Surface														
Two splice plates provided														
For use with fixed height worksta-														
tions only														
Available with flat vinyl T-edge or 74P														
edge • For use as conferencing corner														
Wireway option not available														
<ul> <li>Modesty panel not required</li> </ul>														
• 24" surface has radius of 26 2/3" and 30" surface has a radius of 35"														
30 Surface flas a faulus of 33	24 x 36 x 36 x 24"	WCT2436												
6 8	24 x 42 x 42 x 24"	WCT2430 WCT2442												
	24 x 48 x 48 x 24"	WCT2442												
	30 x 42 x 42 x 30"	WCT3042												
	30 x 48 x 48 x 30"	WCT3048												
WCT	33 % 10 % 10 % 00	77010010												
Corner Transitional Surface														
<ul> <li>For use with fixed height workstations only</li> </ul>														
• Corner support leg is 7/8" sq. tubular														
steel														
<ul> <li>Front edge dimension is 17" on 24x36" and 30x42"; 25-1/2" on 24x42'</li> </ul>														
and 30x48"; 34" on 24x48"														
Overheads may not be specified														
			_	_		_		_		_	_		_	
		A	$\mathbf{G}$	$oldsymbol{\Theta}$	O	<b>(3</b> )	<b>(3</b> )	<b>(</b>	0	0	•	(3)	•	

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Poetformed edge

11 Tostionnica cago

Select transition direction.

L	- Left	
R	- Right	
X	- None	

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use "X" for transition direction. Transition height required for "97" transitional.

• Select transition height.

**77** - 27" to 27" high

97 - 29" to 27" high 99 - 29" to 29" high

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

**G**Select grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder

- Oselect insert color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
  Insert color also includes horizontal
  wireway (WW) if selected.
- Select laminate surface.
   Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.
- Select grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



Trancitional

Appro> Packaç Weight	jed Fla	t Vinyl T-Edge	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Full Modesty Panel add to list price	Wireway add to list price
34.0	0# \$	430	\$ 454	N/A	N/A	N/A	N/A
51.0	)#	446	470	N/A	N/A	N/A	N/A

72.0#	\$ 754	\$ 790	\$ 830	\$ 871	\$ 11	4 \$	74
80.0#	810	850	893	935	13	3	87
96.0#	865	911	953	999	15	3	100
98.0#	923	969	1015	1064	13	3	87
102.0#	980	1026	1076	1132	15	3	104

# FINISH INFORMATION

# **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information

N/C

# Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Transitional

		MODEL NUI	MDED.										
		MODEL NUI	MREK	1				1	1	1	T		
	D W. I FFT W DIGUT D	Basic	Edge	Trans.	Trans.		Frame		Paint	Insrt	Lam	Edge	Grm
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Height	WWay	Style	Grom	Clr	Clr	Clr	Clr	Clr
8	24 x 42 x 42 x 24"	WCTK2442											
	24 x 48 x 48 x 24"	WCTK2448											
	30 x 48 x 48 x 30"	WCTK3048											
1													
WCT													
Corner Transitional Surface with													
Keyboard Pad													
Keyboard pad: 10" x 24"; 3" height													
adjustments: 1" forward extension adjustment: 15° maximum downward													
tilt													
For use with fixed height worksta-													
tions only													
<ul> <li>Corner support leg is 7/8" sq. tubular steel</li> </ul>													
Overheads may not be specified													
	24 x 42 x 42 x 30"	WCT244230											
96	24 x 48 x 48 x 30"	WCT244830											
	30 x 42 x 42 x 24"	WCT304224											
	30 x 48 x 48 x 24"	WCT304824											
WCT													
Corner Transitional Reduction Surface													
For use with fixed height worksta-													
tions only													
• Corner support leg is 7/8" sq. tubular													
steel													
<ul> <li>Used to join 24" and 30"deep work- surfaces in corner</li> </ul>													
Overheads may not be specified													
5.5sado may not bo oposmou													
		A	ß	$oldsymbol{\Theta}$	0	ⅎ	<b>(3</b> )	G	0	0	•	<b>(3</b> )	•

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction.

L - Left
R - Right
X - None

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use "X" for transition direction. Transition height required for "97" transitional.

DSelect transition height.

Select	ransition height.	
77	- 27" to 27" high	
97	- 29" to 27" high	
99	- 29" to 29" high	

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
W/ - w/ Full modesty panel
W/ Full modesty panel (available on 29"
high only)

**G**Select grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Transitional

Appro Packi Weig	iged Fl	lat Vinyl T-Edge BN)	74P Ed (74P)	ge	Full Modest Panel add to price		Wirewa add to l price	
80	.0# \$	952	\$ 99	80	\$	133	\$	87
91	.0#	1036	108	38		153		100
102	.0#	1122	117	77		153		104

96.0#	\$ 1036	\$ 1088	\$ 133	\$ 87
102.0#	1122	1177	153	100
96.0#	1036	1088	133	87
102.0#	1122	1177	153	100

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Transitional

		MODEL NUM	BER										
		Basic	Edge	Trans.	Trans.		Frame		Paint	Insrt	Lam	Edge	Grm
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Height	WWay	Style	Grom	Color	Clr	Clr	Clr	Clr
	24 x 36 x 36 x 24"	WCCT2436											
	24 x 42 x 42 x 24"	WCCT2442											
	24 x 48 x 48 x 24"	WCCT2448											
	30 x 42 x 42 x 30"	WCCT3042											
	30 x 48 x 48 x 30"	WCCT3048											
WCT													
Corner Curvilinear Transitional													
Surface													
For use with fixed height worksta-													
tions only													
<ul> <li>Corner support leg is 7/8" sq. tubular steel</li> </ul>													
Curved front surface													
Overheads may not be specified													
	24 x 42 x 42 x 30"	WCCT244230											
30	24 x 48 x 48 x 30"	WCCT244830											
	30 x 42 x 42 x 24"	WCCT304224											
·    F	30 x 48 x 48 x 24"	WCCT304824											
WCT													
Corner Curvilinear Transitional Reduc-													
tion Surface													
For use with fixed height worksta-													
tions only													
• Corner support leg is 7/8" sq. tubular													
<ul><li>steel</li><li>Used to join 24" and 30" worksur-</li></ul>													
faces in corner													
Curved front surface													
Overheads may not be specified													
		•	-	•		•	•	•	Φ.	•		•	•
		A	$oldsymbol{oldsymbol{G}}$	$oldsymbol{\Theta}$	O	<b>(3</b> )	<b>(3</b> )	<b>G</b>	0	0	0	<b>(3)</b>	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style.

BN - Flat vinyl T-edge 74P - 74P edge

Select transition direction.

L - Left
R - Right
X - None

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. All corner transitional surfaces connected at the same height do not require right (R) or left (L) transition direction. Use "X" for transition direction. Transition height required for "97" transitional.

DSelect transition height.

Select	transition	he	ight		
77	- 27"	to	27"	high	
97	- 29"				
99	- 29"	to	29"	high	

Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29"
high only)

**G**Select grommet option.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Trancitional

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Full Modes Panel add to price		Wirewa add to price	
72.0#	\$ 754	\$ 790	\$	114	\$	74
80.0#	810	850		133		87
102.0#	865	911		153		100
90.0#	923	969		133		87
102.0#	980	1026		153		104

96.0#	\$ 1036	\$ 1088	\$ 133	\$ 87
102.0#	1122	1177	153	100
96.0#	1036	1088	133	87
102.0#	1122	1177	153	100

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

N/C

		T												
		MODEL NU	JMBER									1		
		Basic	Edge	Trans.			Frame	Wrksrf.	Paint	Insert	Lam.	Edge	Grom.	
	D x W-LEFT x W-RIGHT x D	Model	Style	Dir.	Hgt.	WWay	Style	Grom.	Color	Color	Color	Color	Color	
	24 x 36 x 36 x 24"	WER2436												
90	24 x 42 x 42 x 24"	WER2442												
	24 x 48 x 48 x 24"	WER2448												
	30 x 42 x 42 x 30"	WER3042												
	30 x 48 x 48 x 30"	WER3048												
WER														
End-of-Run Corner Surface														
For use with fixed height worksta-														
tions only														
Corner support leg is 7/8" square														
tubular steel • Corner Overheads (Universal or Bal-														
ance®) may only be specified on the														
full-leg side														
	24 x 36 x 36 x 24"	WCCE2436												
900	24 x 42 x 42 x 24"	WCCE2442												
	24 x 48 x 48 x 24"	WCCE2448												
	30 x 42 x 42 x 30"	WCCE3042												
	30 x 48 x 48 x 30"	WCCE3048												
WER														
End-of-Run Curvilinear Surface														
For use with fixed height worksta-														
tions only														
Corner support leg is 7/8" square														
tubular steel • Corner Overheads (Universal or Bal-														
ance®) may only be specified on the														
full-leg side														
		_	-	•	-	-	-	•	Φ.	_	•	•	-	
		A	ß	Θ	0	<b>(3</b>	<b>(3</b> )	Ю	0	0	•	<b>(3</b> )	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect edge style.

BN - Flat vinyl T-edge 74P - 74P edge - Elliptical postformed edge PF - Postformed edge

Select transition direction.

- Left

- Right

Transition direction is determined from the originating 24" or 30" basic or keyboard pad worksurface. When ordering an End-of-Run worksurface, the adjoining worksurface must have a transitional leg. Order a right or left transitional.

Select height. - 29" High

Select horizontal wireway.

Add upcharge to unit price for WW option.

- No horizontal wireway ww

- Wireway

Select frame style. Add upcharge to unit price for WF option.

- w/ Beam WM - w/ Modesty panel WF - w/ Full modesty panel w/ Full modesty panel (available on 29"

high only) GSelect grommet option.

Grommets are required for overhead cabinet. No worksurface grommet

- Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes horizontal wireway (WW) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Francitional

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Elliptical Postformed Edge (EP)	Postformed Edge (PF)	Wireway add to list price	Full Modesty Panel add to list price
74.0#	\$ 850	\$ 893	\$ 934	\$ 984	\$ 172	\$ 114
78.0#	911	955	999	1050	192	133
82.0#	965	1015	1063	1117	192	153
96.0#	1022	1074	1127	1182	192	133
100.0#	1292	1357	1422	1492	192	153

76.0#	\$ 850	\$ 893	N/A	N/A	\$ 172 \$	114
96.0#	911	955	N/A	N/A	192	133
106.0#	965	1128	N/A	N/A	192	153
108.0#	1022	1074	N/A	N/A	192	133
118.0#	1083	1135	N/A	N/A	192	153

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

### N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Accessories and Worksurface Connectors

				MODEL NUI	VIBER		
	MODEL	Size	D x W	Basic Model	Paint Color	Approx. Packaged Weight	
	Full Leg End Panel		24 x 29"	WBW24FEP		3.0#	
	<ul><li>Single end panel</li><li>Non-handed works as either left or right-</li></ul>		30 x 29"	WBW30FEP		4.0#	
	handed						
	Attaches over existing desk leg						
WFEP							
	Guest Modesty Panel	For 60"	9 x 50"	WZMP60		3.0#	
	<ul> <li>Can be used on any peninsula or square shoe other than WorkZone® Instruct</li> </ul>	66"	9 x 56"	WZMP66		3.5#	
	Desk	72"	9 x 62"	WZMP72		4.0#	
	Non-handed works as either left or right-	84"	9 x 74"	WZMP84		4.5#	
HRDPT	handed						
	Worksurface Height Change Connectors			87.4624		2.0#	
HRDPT	<ul> <li>Attaches 27" - 29" high worksurfaces</li> <li>Can't be used with "T6" option</li> </ul>						
				A	ß		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## WorkZone® Worksurfaces Accessories and Worksurface Connectors

elivered		
icing		
97		
103		
92		
105		
115		
118		
21		

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

### WorkZone® Components

General information







**Balance Overhead Cabinet (BLCS)** 



Privacy Screens (WZP)

Features			
Solid color/translucent door		•	
Fabric door	•	•	
Laminate door	•	•	
Steel Door	•		
Fully assembled		•	
Task light	•	•	
Hanging tackboard	•	•	
Hanging tool rail	•	•	
Fabric covered screen			•

#### **BLCS. BLCL. BLCF Models:**

Field installable

Overhead Width	Door Overhang In Open Position	No. Of Doors	Inside Width of Ovehead	Dimension Between Side Sets at Worksurface
30"	3"	1	273/4"	27"
36"	3"	1	333/4"	33"
42"	3"	1	393/4"	39"
48"	3"	1	453/4"	45"
54"	3"	1	513/4"	51"
60"	3"	1	573/4"	57"
66"	3"	2	2 x 27 <sup>3</sup> / <sub>4</sub> "	2 x 28"
72"	3"	2	2 x 33 <sup>3</sup> / <sub>4</sub> "	2 x 34"

Overall height from worksurface to top of overhead is 36".

Overhead top slants upward 1" from the back to the door.

Overhead allosw for 191/2" clearance from worksurface to underside of shelf.

#### WZUS, WZUF, WZUL Models:

Overhead Width	Door Overhang In Open Position	No. Of Doors	Inside Width of Overhead	Dimension Between Side Sets at Worksurface
30"	4"	1	291/2"	27"
36"	4"	1	351/2"	33"
42"	4"	1	411/2"	39"
48"	4"	1	471/2"	45"
54"	4"	1	531/2"	51"
60"	4"	1	591/2"	57"
66"	4"	2	1 x 29 <sup>1</sup> / <sub>2</sub> " 1 x 35 <sup>1</sup> / <sub>2</sub> "	1 x 28" 1 X 34"
72"	4"	2	2 x 35 <sup>1</sup> / <sub>2</sub> "	2 x 34"

Overall height from worksurface to top of overhead is 36".

Overhead allows for 191/2" clearance from worksurface to underside fo shelf.

#### **SPECIFICATIONS**

#### **Universal Overhead Cabinets**

Overhead storage shall consist of overhead cabinet(s) and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions for 30", 36", 42", 48", 54" and 60" sizes. Three overhead support stanchions for 66" and 72" sizes. 66"overheads shall consist of a 30" and 36" overhead combination. 72" overheads shall consist of a pair of 36" overheads.

Shelf dividers shall be powder-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be 17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a Polypropylene extrusion handle. Locks shall be randomly assigned or keyed per customer requests. The end panels shall

be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel.

#### **Balance® Overhead Cabinets**

Overhead storage shall consist of overhead cabinet. Overhead storage shall attach to worksurface with two overhead support stanchions for 30", 36", 42", 48", 54", 60", 66" and 72" sizes.

Shelf dividers shall be powder-coated steel with installation and removal accomplished without the use of tools or fasteners.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid Polypropylene with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized

between the upper and the lower doors for security. The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

#### Privacy Screens (WZPR)

Two or three 1/8" cold rolled steel brackets, sandwiched between two 1/2" Gypsum boards joined together with industrial adhesive. The screens attach to the back of the worksurface with fasteners. Steel splice plates are used to align adjoining screens. Privacy screen is 19-1/2" high above worksurface.

#### **Key Options**

There are various key options available depending on the component model. The key alike option (KA) allows multiple

components of a workstation to be keyed alike. The lock number can be specified. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The no lock core option (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

#### Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

WorkZone® Components
General information



			MODEL WHITE						
MODEL NUMBER									
									Approx.
			Basic		Overhead	Paint	Insert	Key	Packaged
	MODEL	WxHxD	Model	Assembly	Туре	Color	Color	Option	Weight
	Universal Overhead Cabinet with Steel	30 x 16-1/2 x 14-1/2"	WZUS30						72.0#
	Door	36 x 16-1/2 x 14-1/2"	WZUS36						81.0#
	<ul> <li>The KI Universal Overhead allows users the option to interchange from a Work-</li> </ul>	42 x 16-1/2 x 14-1/2"	WZUS42						88.0#
	Zone® desk mount solution to a KI office	48 x 16-1/2 x 14-1/2"	WZUS48						99.0#
	panel system	54 x 16-1/2 x 14-1/2"	WZUS54						106.0#
-\$N	<ul> <li>Steel end panels, bottom, top shelf, and</li> </ul>	60 x 16-1/2 x 14-1/2"	WZUS60						115.0#
WZUS	door with powder-coated finish	66 x 16-1/2 x 14-1/2"	WZUS66						135.0#
	<ul> <li>Double bit lock is included with key alike option</li> </ul>	72 x 16-1/2 x 14-1/2"	WZUS72						156.0#
	Door stores recessed with handle	12 1 10 1/2 11 1/2							10010#
	exposed								
	Shelf depth is 13-1/4"								
	<ul> <li>66" overhead has one 30" door and one 36" door with a support offset 6" from</li> </ul>								
	the center of the worksurface								
	<ul> <li>72" overhead has 36" doors and middle</li> </ul>								
	support upright								
	For use with fixed height worksurfaces								
	<ul> <li>Concealed vertical wire management</li> <li>Secured to steel legs by concealed</li> </ul>								
	mounting brackets								
	Accepts shelf divider								
	<ul> <li>Cannot be mounted on tables with cast-</li> </ul>								
	ers								
	<ul> <li>66" and 72" wide overhead are not avail- able on WorkZone® frames with beams</li> </ul>								
	able on workzone maines with beams								
	OCR-OCL								
	OCR = Overhead right OCL = Overhead  Infl  Infl								
	left								
	/								
OCR OCL									
			A	<b>B</b>	•	0	<b>3</b>	<b>(3</b>	•
				U	G	U	G	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect assembly option.

U - Unassembled

- Fully assembled; add \$129

Select overhead type.

OCL - Corner overhead left - Corner overhead right OS - Overhead standard

• Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

Grommets are required for overhead cabinet

- Key alike

- Key standard - No lock core



### WorkZone® Components

Univers		

Delivered	
Pricing	
\$ 819	
840	
862	
881	
992	
1040	
1486	
1508	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

WZUL	MODEL  Universal Overhead Cabinet with Laminate Door  • The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike option	W x H x D  30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2" 72 x 16-1/2 x 14-1/2"	Basic Model WZUL30 WZUL36 WZUL42 WZUL48 WZUL54 WZUL60 WZUL66	Assembly	Overhead Type	Paint Color	Insert Color	Laminate Color	Key Option	
WZUL	Universal Overhead Cabinet with Laminate Door  • The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	Model WZUL30 WZUL36 WZUL42 WZUL48 WZUL54 WZUL60		Type	Color	Color	Color	Option	
WZUL	Universal Overhead Cabinet with Laminate Door  • The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	Model WZUL30 WZUL36 WZUL42 WZUL48 WZUL54 WZUL60		Type	Color	Color	Color	Option	
WZUL	Universal Overhead Cabinet with Laminate Door  • The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	Model WZUL30 WZUL36 WZUL42 WZUL48 WZUL54 WZUL60		Type	Color	Color	Color	Option	
WZUL	Universal Overhead Cabinet with Laminate Door  • The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	30 x 16-1/2 x 14-1/2" 36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL30 WZUL36 WZUL42 WZUL48 WZUL54 WZUL60							
WZUL	nate Door  The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system  Steel end panels, bottom and top shelf with powder-coated finish  High-pressure laminate on particleboard door  Double bit lock is included with key alike	36 x 16-1/2 x 14-1/2" 42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL36 WZUL42 WZUL48 WZUL54 WZUL60							
WZUL	<ul> <li>The KI Universal Overhead allows users the option to interchange from a Work-Zone® desk mount solution to a KI office panel system</li> <li>Steel end panels, bottom and top shelf with powder-coated finish</li> <li>High-pressure laminate on particleboard door</li> <li>Double bit lock is included with key alike</li> </ul>	42 x 16-1/2 x 14-1/2" 48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL42 WZUL48 WZUL54 WZUL60							
WZUL	the option to interchange from a Work-Zone® desk mount solution to a KI office panel system • Steel end panels, bottom and top shelf with powder-coated finish • High-pressure laminate on particleboard door • Double bit lock is included with key alike	48 x 16-1/2 x 14-1/2" 54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL48 WZUL54 WZUL60							
WZUL	Zone® desk mount solution to a KI office panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	54 x 16-1/2 x 14-1/2" 60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL54 WZUL60							
WZUL	panel system  • Steel end panels, bottom and top shelf with powder-coated finish  • High-pressure laminate on particleboard door  • Double bit lock is included with key alike	60 x 16-1/2 x 14-1/2" 66 x 16-1/2 x 14-1/2"	WZUL60							
WZUL	with powder-coated finish  High-pressure laminate on particleboard door  Double bit lock is included with key alike	66 x 16-1/2 x 14-1/2"		1						
WZUL	High-pressure laminate on particleboard door     Double bit lock is included with key alike		WZUL66							
	door  Double bit lock is included with key alike									
	Double bit lock is included with key alike		WZUL72							
	<ul> <li>End panel bracket design prevents ac-</li> </ul>									
	cidental dislodging of components  • Shelf depth is 13-1/4"									
	Door stores recessed with handle									
	exposed									
	66" overhead has one 30" door and one									
	36" door with a support offset 6" from									
	the center of the worksurface  72" overhead has 36" doors and middle									
	support upright									
	<ul> <li>For use with fixed height worksurfaces</li> </ul>									
	<ul> <li>Concealed vertical wire management</li> </ul>									
	Secured to steel legs by concealed     mounting breakets									
	mounting brackets  • Cannot be mounted on tables with cast-									
	ers									
	66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	OCR-OCL									
	OCR = Overhead right OCL = Overhead									
	left									
	J									
OCR OCL										
				•	•	0		1		
			A	4.1			<b>(3</b> )	<b>(3</b> )	Θ	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect assembly option.
U - Unassembled - Fully assembled; add \$129

Select overhead type.

OCL - Corner overhead left - Corner overhead right - Overhead standard

• Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### GSelect key option.

KA	- Key alike
KS	- Key standard
NI C	- No lock core

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



## WorkZone® Components

Universal	Overhead Storage	

Approx. Packaged Weight	Delivered Pricing	
73.0#	\$ 882	
81.0#	921	
89.0#	957	
99.0#	991	
107.0#	1091	
116.0#	1141	
137.0#	1643	
157.0#	1683	

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER						
	MODEL	WxHxD	Basic Model	Assembly	Overhead Type	Paint Color	Insert Color	Fabric Color	Key Option
	Universal Overhead Cabinet with Fabric	30 x 16-1/2 x 14-1/2"	WZUF30						
	Door	36 x 16-1/2 x 14-1/2"	WZUF36						
	The KI Universal Overhead allows users	42 x 16-1/2 x 14-1/2"	WZUF42						
	the option to interchange from a Work- Zone® desk mount solution to a KI office	48 x 16-1/2 x 14-1/2"	WZUF48						
∭ -\$II	panel system	54 x 16-1/2 x 14-1/2"	WZUF54						
WZUF	<ul> <li>Steel end panels, bottom and top shelf</li> </ul>	60 x 16-1/2 x 14-1/2"	WZUF60						
	with powder-coated finish	66 x 16-1/2 x 14-1/2"	WZUF66						
	<ul><li>Fabric-covered door</li><li>Double bit lock is included with key alike</li></ul>	72 x 16-1/2 x 14-1/2"	WZUF72						
	option								
	End panel bracket design prevents ac-								
	cidental dislodging of components  • Shelf depth is 13-1/4"								
	Door stores recessed with handle								
	exposed								
	<ul> <li>66" overhead has one 30" door and one 36" door with a support offset 6" from</li> </ul>								
	the center of the worksurface								
	• 72" overhead has 36" doors and middle								
	support upright								
	<ul><li>For use with fixed height worksurfaces</li><li>Concealed vertical wire management</li></ul>								
	Secured to steel legs by concealed								
	mounting brackets								
	Accepts shelf divider     Connect be mounted on tables with each								
	<ul> <li>Cannot be mounted on tables with casters</li> </ul>								
	• 66" and 72" wide overhead are not avail-								
	able on WorkZone® frames with beams								
	OCR-OCL								
	<ul> <li>OCR = Overhead right OCL = Overhead left</li> </ul>								
	icit								
OCR OCL									
3311									
			A	$oldsymbol{\mathbf{G}}$	Θ	0	<b>3</b>	•	<b>(</b>

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select assembly option.

U - Unassembled
F - Fully assembled; add \$129

Select overhead type.

OCL - Corner overhead left - Corner overhead right - Overhead standard

• Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

GSelect key option.

- Key alike - Key standard - No lock core



Approx Packaç Weight	ed Fabric (	Pricing Grade Fabric G	d Fabri 3 & F	c Grade Prici Pallas Vertical Palla	ing Pr as Vertical Pa	elivered icing Illas Vertical bric Grade /2
73.0	)# \$ 88	89 \$ 89	\$	919 \$	934 \$	953
81.0	)# 91	18 92	i	942	961	981
89.0	)# 93	35 94	3	964	983	1003
99.0	)# 96	61 97		989	1010	1028
107.0	)# 107	74 108	3 1	106	1129	1152
116.0	)# 112	24 113	3 1	157	1179	1201
136.0	)# 163	32 164	7 1	682	1713	1746
157.0	)# 165	57 167	5 1	709	1740	1775

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL  W x H x D  Model Type Color C				MODEL	NUMBER				
WUSS  **The KI Universal Sheft allows users the option to interchange from a WorkZone desk mount solution to a KI office panel system  **Powder-coated steel end panels and bottom shelf  **Accepts shelf dividers  **End bracket design prevents accidental dislodging of components  **Shelf depth is 13-1/4**  **Concealed vertical wire management  **Secured to steel legs by concealed mounting brackets  **Field installable to compatible WorkZone surfaces  **Field installable to compatible workZone surfaces  **To?* shelf consists of two 36' shelves supported by middle upright  **Camnot be mounted on tables with casters  **To?* shelf consists of two 36' shelves supported by middle upright  **Ocan-occurrent of the worksurface he mounted on tables with casters  **To?* shelf consists of two 36' shelves supported by middle upright  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he mounted on tables with casters  **Ocan-occurrent of the worksurface he works		MODEL	WxHxD					Packaged	
wuss  wuss  wuss  wuss  else mount solution to a KI office panel system  Powder-coated steel end panels and bottom shelf  Accepts shelf dividers  End bracket design prevents accidental dislodging of components  Shelf depth is 13-1/4*  Concealed vertical wire management  Scured to steel legs by concealed mounting brackets  Field installable to compatible WorkZone surfaces  66' overhead has one 30' door and one 36' door with a support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves support offset 6' from the center of the worksurface  73' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  74' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  75' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  76' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  75' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  76' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  77' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  76' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface  77' Shelf consists of two 36' shelves support offset 6' from the center of the worksurface			30 x 16-1/2 x 13-1/4"	WUSS30				63.0#	
desk mount solution to a KI office panel system  Powder-coated steel end panels and bottom shelf  Accepts shelf dividers  End bracket design prevents accidental dislodging of components  Shelf depth is 13-14*  Concealed vertical wire management  Secured to steel legs by concealed mounting brackets  Field installable to compatible WorkZone surported by middle upright  Cannot be mounted on tables with casters  66' and 72' vide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left			36 x 16-1/2 x 13-1/4"	WUSS36				69.0#	
wuss 48 x16-1/2 x 13-1/4" bottom shelf  Powder-coated steel end panels and bottom shelf  Accepts shelf dividers  End bracket design prevents accidental dislodging of components  Shelf depth is 13-1/4"  Concealed vertical wire management  Secured to steel legs by concealed mounting brackets  Field installable to compatible WorkZone surfaces  66 or overhead has one 30" door and one 36" door with a support offset 6" from the center of the worksurface  72" shelf consists of two 36" shelves supported by middle upright  Cannot be mounted on tables with casters  66" and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left			42 x 16-1/2 x 13-1/4"	WUSS42				76.0#	
bottom shelf Accepts shelf dividers End bracket design prevents accidental dislodging of components Shelf depth is 13-1/4" Concealed vertical wire management Secured to steel legs by concealed mounting brackets Field installable to compatible WorkZone surfaces  66 overhead has one 30' door and one 36' door with a support offset 6' from the center of the worksurface 72' shelf consists of two 36' shelves supported by middle upright Cannot be mounted on tables with casters 66' and 72' wide overhead are not available on WorkZone® frames with beams  OCR-OCL OCR = Overhead right OCL = Overhead left		system	48 x 16-1/2 x 13-1/4"	WUSS48				85.0#	
Accepts shelf dividers  End bracket design prevents accidental dislodiging of components  Shelf depth is 13-1/4* Concealed vertical wire management  Secured to steel legs by concealed mounting brackets Field installable to compatible WorkZone surfaces  66° overhead has one 30° door and one 36° door with a support offset 6° from the center of the worksurface  72' shelf consists of two 36' shelves supported by middle upright Cannot be mounted on tables with casters  66' and 72' wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left			54 x 16-1/2 x 13-1/4"	WUSS54				90.0#	
WUSS  End bracket design prevents accidental dislodging of components Shelf depth is 13 -1/4" Concealed vertical wire management Secured to steel legs by concealed mounting brackets Field installable to compatible WorkZone surfaces 66" overhead has one 30" door and one 36" door with a support offset 6" from the center of the worksurface 72" shelf consists of two 36" shelves supported by middle upright Cannot be mounted on tables with casters 66" and 72" wide overhead are not available on WorkZone® frames with beams  CRR-OCL OCR = Overhead right OCL = Overhead left			60 x 16-1/2 x 13-1/4"	WUSS60				99.0#	
dislodging of components  • Shelf depth is 13-1/4*  • Concealed vertical wire management • Secured to steel legs by concealed mounting brackets  • Field installable to compatible WorkZone surfaces • 66' overhead has one 30' door and one 36' door with a support offset 6' from the center of the worksurface • 72' shelf consists of two 36' shelves supported by middle upright • Cannot be mounted on tables with casters • 66' and 72' wide overhead are not available on WorkZone® frames with beams  OCR-OCL • OCR = Overhead right OCL = Overhead left	WUSS		66 x 16-1/2 x 13-1/4"	WUSS66				116.0#	
Concealed vertical wire management Secured to steel legs by concealed mounting brackets Field installable to compatible WorkZone surfaces  6 overhead has one 30° door and one 36° door with a support offset 6° from the center of the worksurface 72° shelf consists of two 36° shelves supported by middle upright Cannot be mounted on tables with casters 8 66° and 72° wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left		dislodging of components	72 x 16-1/2 x 13-1/4"	WUSS72				133.0#	
Secured to steel legs by concealed mounting brackets Field installable to compatible WorkZone surfaces  66° overhead has one 30° door and one 36° door with a support offset 6° from the center of the worksurface 72° shelf consists of two 36° shelves supported by middle upright Cannot be mounted on tables with casters  66° and 72° wide overhead are not available on WorkZone® frames with beams  OCR-OCL OCR = Overhead right OCL = Overhead left									
mounting brackets  Field installable to compatible WorkZone surfaces  66° overhead has one 30° door and one 36° door with a support offset 6° from the center of the worksurface  72° shelf consists of two 36° shelves supported by middle upright  Cannot be mounted on tables with casters  66° and 72° wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left									
surfaces  • 66° overhead has one 30° door and one 36° door with a support offset 6° from the center of the worksurface  • 72° shelf consists of two 36° shelves supported by middle upright  • Cannot be mounted on tables with casters  • 66° and 72° wide overhead are not available on WorkZone® frames with beams   OCR-OCL  • OCR = Overhead right OCL = Overhead left		mounting brackets							
• 66" overhead has one 30" door and one 36" door with a support offset 6" from the center of the worksurface     • 72" shelf consists of two 36" shelves supported by middle upright     • Cannot be mounted on tables with casters     • 66" and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL     • OCR = Overhead right OCL = Overhead left									
36' door with a support offset 6' from the center of the worksurface  72' shelf consists of two 36' shelves supported by middle upright  Cannot be mounted on tables with casters  66' and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left									
the center of the worksurface  72" shelf consists of two 36" shelves supported by middle upright  Cannot be mounted on tables with casters ers  66" and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left									
supported by middle upright  Cannot be mounted on tables with casters  66° and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left		the center of the worksurface							
Cannot be mounted on tables with casters  66° and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left									
ers • 66° and 72" wide overhead are not available on WorkZone® frames with beams  OCR-OCL • OCR = Overhead right OCL = Overhead left									
able on WorkZone® frames with beams  OCR-OCL  OCR = Overhead right OCL = Overhead left									
OCR-OCL OCR = Overhead right OCL = Overhead left									
OCR = Overhead right OCL = Overhead left		able on WorkZone® frames with beams							
OCR = Overhead right OCL = Overhead left									
	OCR OCL	OCR = Overhead right OCL = Overhead							
	33								
<b>A B O D</b>				A	$oldsymbol{\mathbf{B}}$	Θ	0		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select overhead type.

OS	<ul> <li>Overhead standard</li> </ul>
OCL	- Corner overhead left
OCR	- Corner overhead right
กร	- Overhead standard

Select paint color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

• Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



D. II.	
Delivered Pricing	
\$ 584	
595	
607	
617	
646	
663	
998	
1010	
1010	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NU	MBER			
	MODEL	W x H	Basic Model	Paint Color	Approx. Packaged Weight		
	Universal Shelf  • Steel shelf dividers with powder-coated	7-1/4 x 11-1/2"	NSD		1.0#		
	finish						
	<ul> <li>Fits shelves and cabinet: WUSS, WZUS, WZUF and WZUL</li> </ul>						
HRDPT							
			A	ß			

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

\$ 26

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

# WorkZone® Components Universal Tasklights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Universal Overhead Task Light	24"	TLT5.24	3.9#		
	Electronic ballast	36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
Å						
HRDPT						
			•			



### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 24" 24" 36" 36" 30" 36" 42" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



# WorkZone® Components Universal Tasklights

Delivered Pricing \$ 76 83

91

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

			MODEL NUM	BER					
	MODEL	W	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight
	Balance® Overhead Cabinet with Solid	30"	BLCS30/WZ						52.0#
		36"	BLCS36/WZ						52.0#
	<ul> <li>Stanchions and mounting brackets included</li> </ul>	42"	BLCS42/WZ						58.0#
	The KI Balance® Overhead allows users	48"	BLCS48/WZ						64.0#
		54"	BLCS54/WZ						70.0#
	Zone® desk mount solution to a KI office panel system  Colored or translucent extruded polypro-	60"	BLCS60/WZ						78.0#
		66"	BLCS66D/WZ						91.0#
	pylene door	72"	BLCS72D/WZ						104.0#
WZB0	<ul> <li>Painted cabinet and lower door</li> </ul>								
	<ul><li>Shelf dividers available separately</li><li>Cabinet is fully assembled</li></ul>								
	Door stores above top of cabinet								
	OCR-OCL								
	<ul> <li>OCR = Overhead right OCL = Overhead left</li> </ul>								
	leit								
OCR OCL									
OON OOL									
			A	B	O	0	<b>(3</b>	<b>(3</b> )	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect overhead type.

- Corner overhead left
- Corner overhead right - Overhead standard

- Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option. Grommets are required for overhead cabinet - Key alike

- Key standard - No lock core

NLC



Delive	ered
Pricin	
\$ 12	234
12	261
12	289
13	351
14	435
14	454
23	311
23	342

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

			MODEL NUN	IBER						
	MODEL	w	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Laminate Color	Laminate Door Edge Color	Key Option	Approx. Packaged Weight
	Balance® Overhead Cabinet with Lami-	30"	BLCL30/WZ							52.0#
	nate Upper Door	36"	BLCL36/WZ							52.0#
	Stanchions and mounting brackets	42"	BLCL42/WZ							58.0#
	included • The KI Balance® Overhead allows users	48"	BLCL48/WZ							64.0#
	the option to interchange from a Work-	54"	BLCL54/WZ							64.0#
	Zone® desk mount solution to a KI office	60"	BLCL60/WZ							78.0#
	panel system  Laminate covered upper door  Painted cabinet and lower door	66"	BLCL66D/WZ							91.0#
		72"	BLCL72D/WZ							104.0#
WZB0	<ul> <li>Shelf dividers available separately</li> </ul>									
	Cabinet is fully assembled									
	<ul> <li>Door stores above top of cabinet</li> <li>66" and 72" wide overhead are not avail-</li> </ul>									
	able on WorkZone® frames with beams									
	OCR-OCL									
	OCR = Overhead right OCL = Overhead									
	left									
OCR OCL										
			A	<b>B</b>	0	0	<b>3</b>	(a)	О	•
			•	0	0		0	•	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect overhead type.

OCL	<ul> <li>Corner overhead left</li> </ul>
OCR	- Corner overhead right
OS	<ul> <li>Overhead standard</li> </ul>

- Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect key option.

Grommets are required for overhead

- Key alike	
<ul> <li>Key standard</li> </ul>	
- No lock core	

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing	
\$ 1463	
1516	
1572	
1646	
1781	
1809	
2824	
2879	

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

			MODEL NUN	IBER						
	MODEL	W	Basic Model	Overhead Type	Cabinet Paint Color	Insert Color	Fabric Color	Key Option	Approx. Packaged Weight	
	Balance® Overhead Cabinet with Fabric	30"	BLCF30/WZ						46.0#	
	Upper Door	36"	BLCF36/WZ						52.0#	
	<ul> <li>Stanchions and mounting brackets included</li> </ul>	42"	BLCF42/WZ						58.0#	
	The KI Balance® Overhead allows users	48"	BLCF48/WZ						64.0#	
	the option to interchange from a Work-	54"	BLCF54/WZ						70.0#	
	Zone® desk mount solution to a KI office panel system • Fabric covered upper door	60"	BLCF60/WZ						78.0#	
		66"	BLCF66D/WZ						91.0#	
	<ul> <li>Painted cabinet and lower door</li> </ul>	72"	BLCF72D/WZ						104.0#	
WZB0	Shelf dividers available separately									
	<ul><li>Cabinet is fully assembled</li><li>Door stores above top of cabinet</li></ul>									
	66" and 72" wide overhead are not avail-									
	able on WorkZone® frames with beams									
	OCR-OCL OCR = Overhead right OCL = Overhead									
	left									
J   X										
OCR OCL										
			A	$oldsymbol{\mathbf{B}}$	Θ	O	€	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select overhead type.

OCL - Corner overhead left OCR - Corner overhead right OS - Overhead standard

- Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **B**Select upper door fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- Select key option. Grommets are required for overhead cabinet - Key alike

- Key standard - No lock core NLC



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1324	\$ 1334	\$ 1350	\$ 1372	\$ 1391	
1350	1359	1381	1402	1420	
1380	1388	1411	1430	1452	
1443	1454	1474	1498	1519	
1543	1553	1579	1600	1626	
1560	1570	1594	1621	1645	
2488	2511	2546	2589	2629	
2518	2539	2577	2619	2656	

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

# WorkZone® Components Balance® Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Balance® Overhead Task Light	24"	BTLT5.24	3.9#		
	Electronic ballast	36"	BTLT5.36	5.3#		
		48"	BTLT5.48	6.7#		
•						
HRDPT						
			A			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

### INFORMATION TASK LIGHT CABINET WIDTH

Cabinet Light Width Width 24" 18" 30" 36" 24" 24" 36" 36" 42" 48"

54" 48" 60" 48" 66" 72" (2)24" (2)24"



# WorkZone® Components Balance® Task Lights

Delivered Pricing \$ 102

112

117

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

# WorkZone® Components Privacy Screens

				MODEL NU	JMBER		
	MODEL	Features	WxH	Basic Model	Trim Color	Fabric Color	
	Basic Privacy Screen  1" thick screen upholstered with tackable	Basic	24 x 19"	WZP24			
	fabric	Basic	30 x 19"	WZP30			
	<ul> <li>Painted steel mounting brackets</li> <li>Screens available for all worksurfaces</li> </ul>	Basic Basic	36 x 19" 42 x 19"	WZP36 WZP42			
8	Screens available for all worksurfaces     and transitional surfaces	Basic	42 x 19 48 x 19"	WZP42 WZP48			
ZPR	Field installable	Basic	54 x 19"	WZP54			
VVZI II	<ul> <li>Provides seated privacy</li> <li>WZP60 has two 30" privacy screens with</li> </ul>	Basic	60 x 19"	WZP60			
	connector	Basic	66 x 19"	WZP66			
	<ul> <li>WZP66 has a 30" and 36" privacy screens with connector</li> <li>WZP72 has two 36" privacy screens with</li> </ul>	Basic	72 x 19"	WZP72			
	connector						
	<ul> <li>Provides 3/4" space between screen and worksurface for cables</li> </ul>						
	worksurface for cables						
	Corner Privacy Screen	Corner (2 screens)	36 x 19"	WZPC2436			
WZPR	Features the same as Basic Privacy     Screen	Corner (2 screens)	42 x 19"	WZPC2442			
	Square and rectangle screens come as a	Corner (2 screens)	48 x 19"	WZPC3048			
	set with splice plates  To be used with transitional and stand						
	alone corner worksurfaces						
							_
				A	$oldsymbol{\Theta}$	Θ	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select trim color.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# WorkZone® Components Privacy Screens

Delivered Pricing Fabric Grade 1 & C.O.M.	Prici Fabr 2	rered ng ic Grade	Fabr 3 & Fabr PV	vered Pricing ic Grade Pallas Vertical ic Grade	Pric Pall Fab PV1	sing as Vertical ric Grade I	Pric Palla Fabi PV2	as Vertical ric Grade !
\$ 376		386	\$	394	\$	=	\$	432
386		396		406		425		443
400		410		422		438		460
423		433		445		465		486
448		458		471		491		516
458		471		483		506		528
697		717		729		766		801
705		727		741		774		813
713		739		751		786		823
\$ 935	\$	965	\$	985	\$	1031	\$	1077
969		999		1018		1067		1117
986	1	1016		1036		1084		1134

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information


N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

### WorkZone® Accessories

General information









Tool Rail (PMTR)

Paper Tray (PLL)

Vertical Storage (PVS)

Pencil Cup (PPC)

Features				
Painted aluminum	•			
Plastic construction		•	•	•
Suspends from tool rail		•	•	•
Field installable	•	•	•	•

#### **SPECIFICATIONS**

#### Tool Rail

Aluminum extrusion tool rail, powder-coated finish. Attaches between overhead uprights. Consists of four slots to accept paper management components. To be used on WZUS, WZUF, WZUL, WUSS, BLCS, BLCL and BLCF models.

#### **Paper Tray**

Constructed of injection molded plastic. Tray measures 9-1/2" wide by 2" high by 14" deep and accomodates both letter and legal size documents. Includes three hooks to mount on tool rail.

#### **Vertical Storage**

Constructed of injection molded plastic. Holder measures 5" wide by 9" high and 10-1/2" deep. Includes two hooks to mount on tool rail.

#### Pencil Cup

Constructed of injection molded plastic. Cup

measures 4" wide by 3" high by 3-1/2" deep for storage of pens, pencils and highlighters. Includes one hook to mount on tool rail.

#### **Diagonal Storage**

Constructed of injection molded plastic. Storage tray consists of three diagonal slats with black dividers to sort files or papers. Tray measures 7" wide by 2-1/2" high by 12-1/2" deep and includes three hooks to mount on tool rail.

#### **Telephone Caddy**

Constructed of injection molded plastic.
Caddy measures 8-1/2" wide by 2" high
by 9-1/2" deep. Includes adjustable rail to
accomodate a phone up to 10-3/4" deep.
Includes three hooks to mount on tool rail.

#### Accessory Tray

Constructed of injection molded plastic. Holder measures 9-1/2" wide by 2" high by 10" deep and includes three hooks to mount to tool rail. Tray includes six compartments for storage of supplies.









Diagonal Storage (PDS)

Telephone Caddy (PTC)

Accessory Tray (PAT)

Features			
Plastic construction	•	•	•
Suspends from tool rail	•	•	•
Field installable	•		

#### INFORMATION

**Warranty**Refer to KI Terms & Conditions document or visit ki.com

### WorkZone® Accessories

General information



Center Drawer (3CMN)

Features	
Plastic/metal construction	•
Powder-coated finish	•
Field installable	•

#### **SPECIFICATIONS**

#### **Letter Tray**

20-ga. epoxy powder-coated steel, and plastic molded in color, then painted to assure color match. Steel and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail. ID clips included with tray.

#### Binder Bin

20-ga. epoxy powder-coated steel, and plastic molded in color, then painted to assure color match. Steel and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail. ID clips included with tray.

#### **Slanted Storage**

24-ga. epoxy powder-coated-steel, and plastic molded in color, then painted to assure color match. Steel and plastic joined permanently by sonic welding. Roll formed steel clip for component attachment to tool rail.

#### **Key Options**

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The lock number can be specified. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The no lock core option (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation. Keys are P-Series.

# WorkZone® Accessories General information



#### INFORMATION

**Warranty**Refer to KI Terms & Conditions document or visit ki.com

# WorkZone® Accessories

			MODEL NUI	MRFR				
	MODEL	H x W	Basic Model	Trim Color	Approx. Packaged Weight			
	- 1	4-1/2 x 30"	PMTR30		4.0#			
	<ul> <li>Accommodates paper management components</li> </ul>	4-1/2 x 36"	PMTR36		5.0#			
	<ul> <li>Attaches between overhead uprights. To</li> </ul>	4-1/2 x 42"	PMTR42		6.0#			
HRDPT	be used on WZUS, WZUL, WZUF, WUSS,	4-1/2 x 48"	PMTR48		6.0#			
		4-1/2 x 54"	PMTR54		7.0#			
	Field installable     Painted aluminum construction	4-1/2 x 60"	PMTR60		7.0#			
	<ul> <li>66" rail consists of one 30" and one 36"</li> </ul>	4-1/2 x 66"	PMTR66		7.0#			
		rails with middle support	rails with middle support	4-1/2 x 72"	PMTR72		8.0#	
nents								
			A	<b>3</b>				

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



# WorkZone® Accessories

Delive Pricin	ered ng
\$ 1	121
1	126
1	133
1	141
1	162
1	178
1	184
1	197

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUI	MBER			
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight		
	Paper Tray	2 x 9-1/2 x 14"	PLL		1.0#		
	<ul><li>Plastic construction</li><li>Stores letter or legal size documents</li></ul>						
	Suspends from tool rail						
	<ul> <li>Suitable for free-standing worksurface or</li> </ul>						
	overhead location						
HRDPT							
	Diagonal Storage  Plastic construction	2-1/2 x 7 x 12-1/2"	PDS		4.0#		
	Suspends only from tool rail						
	<ul> <li>Suitable for free-standing worksurface or</li> </ul>						
	<ul><li>overhead location</li><li>Three slanted partitions per unit</li></ul>						
V V V V	Dividers in black only						
HRDPT							
TITLET	Vertical Storage	9 x 5 x 10-1/2"	PVS		1.0#		
	<ul> <li>Injection molded plastic construction</li> </ul>						
\bar{\bar{\bar{\bar{\bar{\bar{\bar{\bar	<ul><li>Suspends only from tool rail</li><li>Suitable for free-standing worksurface or</li></ul>						
	overhead location						
	• Stores binders, phone books or periodi-						
	cals						
HRDPT							
			A	<b>B</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select trim color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

Deliv Prici	ered ng	
\$	38	
\$	38	
\$	36	
Ψ		

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUI	MBER		
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	
	Telephone Caddy	2 x 8-1/2 x 9-1/2"	PTC		1.0#	
	Plastic construction     Holds talephane up to 8, 1/2" wide and					
	<ul> <li>Holds telephone up to 8-1/2" wide and 9-1/2" deep</li> </ul>					
	<ul> <li>Suspends from tool rail</li> </ul>					
V						
HRDPT						
	Accessory Tray	2 x 9-1/2 x 10"	PAT		6.0#	
	<ul><li>Injection molded plastic</li><li>Stores stamps, tape dispenser, post-it</li></ul>					
	pads and paper clips					
	<ul> <li>Suspends from tool rail</li> </ul>					
HRDPT						
	Pencil Cup Injection molded plastic	4 x 4 x 3-1/2"	PPC		1.0#	
	Suspends from tool rail					
HRDPT						
			A	ß		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select trim color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

Delivered Pricing	
\$ 46	
\$ 32	
\$ 32	

### SPECIAL SERVICES

#### **Special Carton Marking**


With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

## WorkZone® Accessories

Center Drawer



### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core



# WorkZone® Accessories

Delivered Pricing

\$ 152

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUI	VIBER													
																P-Up
		Basic	Edge	P-Up		W-	Elct	Frame	Trans.		Paint	Insrt	Lam	Edge	Grm	Mod
	D x W	Model	Style	Mod	Ht	Trgh	Opt	Style	Legs	Grom	Clr	Clr	Clr	Clr	Clr	Clr
	24 x 30"	WBWD2430														
	24 x 36	WBWD2436														
	24 x 42	WBWD2442														
	24 x 48"	WBWD2448														
	24 x 54	WBWD2454														
WBWP	30 x 30"	WBWD3030														
WorkZone® w/Power Worksurface	30 x 36"	WBWD3036														
	30 x 42"	WBWD3042														
	30 x 48"	WBWD3048														
	30 x 54"	WBWD3054														
	24 x 60	WBWD2460														
	24 x 66"	WBWD2466														
	24 x 72"	WBWD2472														
	30 x 60"	WBWD3060														
	30 x 66"	WBWD3066														
	30 x 72"	WBWD3072														
WBWP																
WorkZone® w/Power Worksurface																
		A	<b>B</b>	Θ	0	<b>(3</b>	<b>(3</b>	G	0	0	0	(3)	•	<b>(D</b>	<b>(</b> 2)	0
		•	•	•	•	9	•	•	Ψ	•	•	w	•	Ψ	w	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

RN	- Flat vinyl 1-edge
74P	- 74P edge
EP	<ul> <li>Elliptical postformed edge</li> </ul>
PF	- Postformed edge

© Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	- Both left and right modules;
- 11 004	7

PUB option only available on 60", 66" and 72" wide worksurfaces. PUC option: Overhead storage is not available on 66" or 72" basic WorkZone worksurfaces with center location PowerUp modules.

Select height.

**7** - 27" high

- 29" High

Select wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

NP - No power T6 - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

GSelect frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel
w/ Full modesty panel (available on 29' high only)

• Select location and type of leg.

- Standard legs

TB - Transition leg (both)
TL - Transition leg (left)
TRANSITION leg (right)

TR - Transition leg (right)

Select grommet option.
Grommets are required for overhead cabinet.

OGN - No worksurface grommet
OGY - Yes worksurface grommet

Grommets can be used for wire passthrough.

Select paint color.

TS

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes wire trough (WT) if selected.

Select laminate surface.



Annuar									Wire	L	TO		Full Modes	ty
Approx. Packaged Weight	Flat	t Vinyl T-Edge N)	74P (74	P Edge P)	Ellip (EP	otical Postformed Edge )	Pos (PF	stformed Edge	Troug add to price		T6 add to price	list	Panel add to price	list
76.0#	\$	609	\$	637	\$	666	\$	698	\$	203	\$	146	\$	47
83.0#		630		662		693		724		218		150		57
90.0#		656		688		720		755		231		161		67
96.0#		679		709		743		779		237		167		77
103.0#		698		734		767		805		252		173		83
83.0#		620		649		681		711		203		146		47
90.0#		647		679		708		743		218		150		57
99.0#		667		699		734		767		231		161		67
107.0#		688		721		755		790		237		167		77
113.0#		709		744		780		815		252		173		83
 109.0#	\$	723	\$	758	\$	793	\$	833	\$	264	\$	385	\$	94
116.0#		746		782		816		856		271		399		122
123.0#		767		805		843		882		275		411		131
120.0#		737		770		808		846		264		385		94
127.0#		756		792		829		869		271		399		122
133.0#		779		814		853		895		275		411		131

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select edge color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

  Edge color offerings are based on
  edge style selections.
- Select grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMB	ER														
	D x W x L	Basic Model	Edge Style	Dr	P-Up Mod	Ht	W- Trgh	Elct Opt	Frame Style	Leg	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	P-Up Mod Clr
	24 x 48 x 60"	WZPTD244860				9											
	24 x 48 x 72" 30 x 48 x 72"	WZPTD244872 WZPTD304872				9											
WZWP "P" Shaped Peninsula Worksurface • Guest modesty panel (WZMP) may be ordered																	
•																	
	24 x 48 x 60"	WZPPD244860				9											
	24 x 48 x 72"	WZPPD244872				9											
	30 x 48 x 72"	WZPPD304872				9											
WZWP																	
Piano Peninsula Worksurface																	
Guest modesty panel (WZMP) may be ordered																	
	24 x 48 x 60"	WZSSD244860				9											
	24 x 48 x 66"	WZSSD244866				9											
	24 x 48 x 72"	WZSSD244872				9											
	24 x 48 x 84"	WZSSD244884				9											
U	30 x 48 x 66"	WZSSD304866				9											
WZWP	30 x 48 x 72"	WZSSD304872				9											
Square Shoe Worksurface	30 x 48 x 84"	WZSSD304884				9											
<ul> <li>Guest modesty panel (WZMP) may be ordered</li> </ul>																	
		A	ß	0	0	<b>3</b>	<b>(3</b>	O	0	0	•	•	•	0	0	0	•

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

- Flat vinyl T-edge - 74P edge

Select surface direction.

- Left - Right

OSelect PowerUp® module location.

PUN - No module - Left module; add \$108 PUR - Right module; add \$108 PUC - Center module; add \$108

Select height.

- 29" high

Select wire trough.

Add upcharge to unit price for WT option.

- No wire trough - Wire trough

Available in black only.

GSelect electrical option. Add upcharge to unit price for T6 option.

- No power T6 - T6 power

Select frame style.

Add upcharge to unit price for WF option.

- w/ Modesty panel - w/ Full modesty panel w/ Full modesty panel (available on 29" high only)

Select location and type of leg.

- Standard legs TB - Transition leg (both) - Transition leg (left) TL - Transition leg (right) TR

Select grommet option.

Grommets are required for overhead cabinet.

OGN No worksurface grommet OGY - Yes worksurface grommet

Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Insert color also includes wire trough (WT) if selected.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OSelect grommet color. Refer to color addendum at ki.com or



Approx. Packaged Weight	Flat Viny (BN)		74P I (74P	Edge	Wire Troug add to price	h ) list	T6 add to price	list	Full Modes Panel add to price	
144.0#	\$ 1334	ļ	\$ 1	399	\$	237	\$	167	\$	77
156.0#	1340	)		406		237		167		77
160.0#	1347	7	1	413		237		167		77
142.0#	\$ 1263		\$ 1		\$	237	\$	167	\$	77
154.0#	1270			334		237		167		77
158.0#	1277	7	1	340		237		167		77
143.0#	\$ 1225	•	\$ 1	991	\$	237	\$	167	\$	77
143.0#	\$ 1225 1257			201 318	φ	237	φ	167	φ	77
155.0#	1237			333		237		167		77
167.0#	1318			383		237		167		77
154.0#	1257			318		237		167		77
160.0#	1237			333		237		167		77
182.0#	1318			383		237		167		77
102.0#	1310		- 1	J03		231		107		11

KI Fabrics & Finishes binder.

Select PowerUp® module color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMI	BER			
					Approx.		
		MODEL	Basic Model	Trim Color	Packaged Weight		
			WZ.T6PI.27		5.0#		
	. 🚓	Floor Infeed (6-Circuit Pre-wired) 6-2-2 • Provides power from fixed floor or wall					
ſ	n	sources to table distribution system	WZ.T6PI.29		5.0#		
		Select height to match leg height.	WZ.T6PI.42		6.0#		
		Example: 27", 29" or 42"					
		<ul> <li>Infeed distributes power in one direction only. Specify two infeeds for middle of</li> </ul>					
		row applications so power travels in					
		both directions					
11		Electrical does not support back-to-back     leveute					
		layouts					
HRDPT							
		Duplex Receptacle -10-Wire System	WZ.T6RECP.1		0.2#		
		6-2-2	WZ.T6RECP.2		0.2#		
	الاه تا الله	<ul> <li>Convenience circuits share a neutral and ground wire</li> </ul>	WZ.T6RECP.3		0.2#		
		• The 1, 2 or 3 in the basic model number					
		denotes the circuit					
HRDPT		Black only					
		Isolated Receptacle - 10-Wire System	WZ.T6RECP.4I		0.2#		
	æ\$	6-2-2	WZ.T6RECP.5I		0.2#		
		Dedicated circuit has its own neutral and ground wire	WZ.T6RECP.6I		0.2#		
		Orange only					
		,					
HRDPT							
			A	<b>B</b>			

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delive	red	
Pricin		
\$ 3	40	
(	40	
(	65	
Φ.	00	
	26	
	26	
	26	
	26	
	26	
	26	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	10-Wire Table-to-Table Connector 6-2-2     Connects the 10-wire power system of	WZ.T6SC18	0.5#	
and the same of th	two adjoining tables  • 17-3/4" long			
Marie Commission of the Commis	<ul> <li>Includes steel wireway and splice plate</li> </ul>			
	Black only			
HRDPT				
<u> </u>	8-Wire to 10-Wire Adaptor  • 30" long	47.0709.30	1.0#	
Reserve 1	00 101.5			
SE Parameter				
esr.				
HRDPT				
		A		

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.



Delivered Pricing

122

\$ 149

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Activ8® System

			MODEL NUMBER		
			Basic	Approx. Packaged	
	MODEL	L	Model	Weight	
	Activ8® Infeed		AC8IF.108	2.0#	
	108" cord plugs into standard 15 amp				
	outlet				
9	Control module is located 6" from table connection				
HRDPT	Diagnostic LED indicator shows power				
	status (see details below)				
	<ul> <li>Controller automatically limits number of connections to 8</li> </ul>				
	40 Ft maximum string, not including				
	infeed cord				
	Wire Trough (WT) and No Power (NP)				
	are required to use Activ8				
			AC8RPTWZ.12	1.0#	
	Activ8® Module and Attachment Bracket				
	Duplex receptacles provide 2 outlets				
The state of the s	<ul> <li>Power module provides 15 amp power</li> <li>Up to 8 modules may be used per infeed</li> </ul>				
TIP Y	per UL Standard 962				
·	Modules may be connected (recon-				
HRDPT	nected in any order without sequential keying)				
	Modules snap into brackets that are				
	attached to the InTandem®Table System,				
	WorkZone® and DataLink® Training Table • Jumpers ordered separately				
	Module will snap directly into KI				
	Genesis® troughs and KI True® Desking				
	stanchions				
	<ul> <li>No data cord management is provided</li> <li>Attached cord is approximately 9"</li> </ul>				
	Wire Trough (WT) and No Power (NP)				
	are required to use Activ8				
		29"	AC8JP.29	1.0#	
<b>3</b> B	Jumpers are all keyed alike	53"	AC8JP.53	1.0#	
	Wire Trough (WT) and No Power (NP)	77"	AC8JP.77	1.0#	
	are required to use Activ8				
HRDPT					
			A		

#### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



## Activ8® System

Delivered Pricing

202

\$ 128

64

74

85

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

		MODEL MILI	MDED												
		MODEL NUI	NIBEK												
	D x W	Basic Model	Edge Style	PowerUp Module	W- Trgh	Elct Opt	Frame Style	Wrksrf. Grom.	Paint Color	Insert Color	Lam.	Edge Color	Grom. Color	PowerUp Module Color	
	24 x 30"	WBSL2430S													
	24 x 36"	WBSL2436S													
	24 x 42"	WBSL2442S													
	24 x 48"	WBSL2448S													
	24 x 54"	WBSL2454S													
	24 x 60"	WBSL2460S													
WZSL	24 x 66"	WBSL2466S													
24" Starter	24 x 72"	WBSL2472S													
	24 x 30"	WBSL2430A													
	24 x 36"	WBSL2436A													
	24 x 42"	WBSL2442A													
	24 x 48"	WBSL2448A													
***	24 x 54"	WBSL2454A													
WZSL	24 x 60"	WBSL2460A													
24" Adder	24 x 66"	WBSL2466A													
	24 x 72"	WBSL2472A													
<b>68</b>	24 x 30"	WBSL2430F													
	24 x 36"	WBSL2436F													
	24 x 42"	WBSL2442F													
	24 x 48"	WBSL2448F													
	24 x 54"	WBSL2454F													
WZSL	24 x 60"	WBSL2460F													
24" Finisher	24 x 66"	WBSL2466F													
	24 x 72"	WBSL2472F													
		A	<b>B</b>	•	0	<b>(3</b>	<b>(3</b>	œ	0	0	•	(3)	0	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

	ago or, ioi	
74P	- 74P edge	
EP	- Elliptical postformed edge	
PF	- Postformed edge	

Select PowerUp® module location.

	orrorop modulo rocaliom
PUN	- No module
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	<ul> <li>Both left and right modules;</li> </ul>
add \$2	217

PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option. - No wire trough - Wire trough Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select frame style.

Add upcharge to unit price for WF option. WM - w/ Modesty panel

- w/ Full modesty panel

**G**Select grommet option.

Overhead cabinet can NOT be ordered. OGN - No worksurface grommet - Yes worksurface grommet

Grommets can be used for wire passthrough.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- MSelect PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	4P Edge 74P)	(EP)		Pos (PF		Wire Troug add to price		T6 add to price	list	Full Modes Panel add to price	list
72.0#	\$ 538	\$	563	\$	592	\$	203	\$	146	\$	47
79.0#	560		588		616		218		150		57
86.0#	577		606		634		231		161		67
92.0#	596		626		659		237		167		77
99.0#	621		653		688		252		173		83
105.0#	646		679		711		264		385		94
113.0#	663		697		729		271		399		122
119.0#	688		721		758		275		411		131
62.0#	\$ 538	\$	563	\$	592	\$	203	\$	146	\$	47
69.0#	560		588		616		218		150		57
76.0#	577		606		634		231		161		67
82.0#	596		626		659		237		167		77
89.0#	621		653		688		252		173		83
95.0#	646		679		711		264		385		94
103.0#	663		697		729		271		399		122
109.0#	688		721		758		275		411		131
61.0#	\$ 538	\$	563	\$	592	\$	203	\$	146	\$	47
68.0#	560		588		616		218		150		57
75.0#	577		606		634		231		161		67
81.0#	596		626		659		237		167		77
88.0#	621		653		688		252		173		83
94.0#	646		679		711		264		385		94
102.0#	663		697		729		271		399		122
108.0#	688		721		758		275		411		131

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL NUMBER  Basic Edge PowerUp W- Power Frame Wrksrf. Paint Insert Lam. Edge Grom. Module Style Module Trgh Option Style Grom. Color Color Color Color Color Color Color Color Color	0
Basic Edge PowerUp W- Power Frame Wrksrf. Paint Insert Lam. Edge Grom. Module	0
Basic Edge PowerUp W- Power Frame Wrksrf. Paint Insert Lam. Edge Grom. Module	)
Basic Edge PowerUp W- Power Frame Wrksrf. Paint Insert Lam. Edge Grom. Module	J
30 × 30" WBSL3030S   D   D   D   D   D   D   D   D   D	
30 x 36"   WBSL3036S   00   00   00   00   00   00   00	
30 x 42" WBSL3042S	
30 x 48"   WBSL3048S   00   00   00   00   00   00   00	
30 x 54" WBSL3054S	
30 x 60"   WBSL3060S   00   00   00   00   00   00   00	
WZSL 30 x 66" WBSL3066S	
30" Starter 30 x 72" WBSL3072S	
30 x 30" WBSL3030A	
30 × 36"   WBSL3036A   □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
30 x 42"   WBSL3042A   DD   DD   DD   DD   DD   DD   DD	
30 x 48"   WBSL3048A   DD   DD   DD   DD   DD   DD   DD	
30 x 54"   WBSL3054A   DD   DD   DD   DD   DD   DD   DD	
WZSL 30 x 60"   WBSL3060A   □□   □□   □□   □□   □□   □□   □□	
30" Adder 30 x 66"   WBSL3066A	
30 x 72" WBSL3072A	
30 x 30"   WBSL3030F   □□   □□   □□   □□   □□   □□   □□	
30 x 36"   WBSL3036F   DD   DD   DD   DD   DD   DD   DD	
30 x 42"   WBSL3042F   □□   □□   □□   □□   □□   □□   □□	
30 x 48"   WBSL3048F   aa   aa   aa   aa   aa   aa   aa	
30 x 54"   WBSL3054F   □□   □□   □□   □□   □□   □□   □□	
WZSL 30 x 60"   WBSL3060F   □□   □□   □□   □□   □□   □□   □□	
30" Finisher 30 x 66" WBSL3066F	
30 x 72" WBSL3072F	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

	ougo stylo.
74P	- 74P edge
EP	<ul> <li>Elliptical postformed edge</li> </ul>
PF	- Poetformed edge

Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	- Both left and right modules;
21C2 hhc	

PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option. - No wire trough - Wire trough Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power - T6 power

If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select frame style.

Add upcharge to unit price for WF option. WM - w/ Modesty panel

- w/ Full modesty panel

- **G**Select grommet option.
  - Overhead cabinet can NOT be ordered. OGN - No worksurface grommet - Yes worksurface grommet Grommets can be used for wire pass-

through.

- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- MSelect PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



	Approx. Packaged Weight	(74		(E	P)	(F	PF)	formed Edge	T a	/ire rough dd to rice	list	T6 add to price		Full Modes Panel add to price	list
·	79.0#	\$	549	\$	577	\$		606		\$	203	\$	146	\$	47
	86.0#		569		596			626			218		150		57
	95.0#		588		616			650			231		161		67
	103.0#		610		646			679			237		167		77
	109.0#		630		663			697			252		173		83
	116.0#		653		688			721			264		385		94
	123.0#		679		711			749			271		399		122
	129.0#		700		742			779			275		411		131
	69.0#	\$	549	\$	577			606		\$	203	\$	146	\$	47
	76.0#		569		596			626			218		150		57
	85.0#		588		616			650			231		161		67
	93.0#		610		646			679			237		167		77
	99.0#		630		663			697			252		173		83
	106.0#		653		688			721			264		385		94
	113.0#		679		711			749			271		399		122
	119.0#		700		742			779			275		411		131
	68.0#	\$	549	\$	577			606		\$	203	\$	146	\$	47
	75.0#		569		596			626			218		150		57
	84.0#		588		616			650			231		161		67
	92.0#		610		646			679			237		167		77
	98.0#		630		663			697			252		173		83
	105.0#		653		688			721			264		385		94
	112.0#		679		711			749			271		399		122
	118.0#		700		742			779			275		411		131

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER												
		MODEL NUM	IRFK											
		Basic	Edge	PowerUp	W-	Laptop	Lock	Frame		Paint	Insrt	Lam	Edge	Grm
	D x W	Model	Style	Module	Trgh	Option	Opt	Style	Grom	Clr	Clr	Clr	Clr	Clr
	24 x 30"	WBLG2430S		PUN	NT									
	24 x 36"	WBLG2436S		PUN	NT									
	24 x 42"	WBLG2442S		PUN	NT									
	24 x 48"	WBLG2448S		PUN	NT									
	24 x 54"	WBLG2454S		PUN	NT									
WZLG														
24" Starter - One Laptop Garage®														
	24 x 30"	WBLG2430A		PUN	NT									
	24 x 36"	WBLG2436A		PUN	NT									
	24 x 42"	WBLG2442A		PUN	NT									
	24 x 48"	WBLG2448A		PUN	NT									
	24 x 54"	WBLG2454A		PUN	NT									
VZLG														
24" Adder - One Laptop Garage®														
	24 x 30"	WBLG2430F		PUN	NT									
	24 x 36"	WBLG2436F		PUN	NT									
	24 x 42"	WBLG2442F		PUN	NT									
	24 x 48"	WBLG2448F		PUN	NT									
	24 x 54"	WBLG2454F		PUN	NT									
WZLG														
24" Finisher - One Laptop Garage®														
		A	•	Θ	0	<b>3</b>	<b>3</b>	<b>O</b>	0	0	•	(3)	0	0
		4	U	G	U	G	U	G	Ψ	U	•	W	G	W

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

74P - 74P edge
EP - Elliptical postformed edge
PF - Postformed edge

Select PowerUp® module location.

PUN - No module

Select wire trough.

NT - No wire trough

**3**0....

Select Laptop Garage quantity/size.

115 - One 15" Laptop Garage
117 - One 17" Laptop Garage; add
\$26

Select lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

LK - With lock

GSelect frame style.

Add upcharge to unit price for WF option.

WM - w/ Modesty panel

WF - w/ Full modesty panel

Select grommet option.

Overhead cabinet can NOT be ordered.

OGN - No worksurface grommet
OGY - Yes worksurface grommet
Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Elliptical Postformed Edg (EP)	(PF)	Full Modesty Panel add to list price	Lock C Add to price	
85.0#	\$ 1251	\$ 1278	\$ 1307	\$ 4	7 \$	193
92.0#	1274	1303	1333	5	7	193
99.0#	1294	1321	1353	6	7	193
105.0#	1311	1343	1377	7	7	193
112.0#	1338	1372	1407	8	3	193
75.0#		\$ 1278	\$ 1307	\$ 4		193
82.0#	1274	1303	1333	5		193
89.0#	1294	1321	1353	6		193
95.0#	1311	1343	1377	7		193
102.0#	1338	1372	1407	8	3	193
74.0#		\$ 1278	\$ 1307	\$ 4		193
81.0#	1274	1303	1333	5		193
88.0#	1294	1321	1353	6		193
94.0#	1311	1343	1377	7		193
101.0#	1338	1372	1407	8	3	193

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER												
		Basic	Edge	PowerUp	W-	Lenton	Look	Frame		Paint	Inort	Lam	Edge	Crm
	D x W	Model	Style	Module	Trgh	Laptop Option	Lock Opt	Style	Grom	Clr	Insrt CIr	Lam Clr	Clr	Grm Clr
	24 x 60"	WBLG2460S		PUN	NT									
	24 x 66"	WBLG2466S		PUN	NT									
	24 x 72"	WBLG2472S		PUN	NT									
<b>]</b>														
WZLG														
24" Starter - Two Laptop Garage®														
Units														
	24 x 60"	WBLG2460A		PUN	NT									
	24 x 66"	WBLG2466A		PUN	NT									
	24 x 72"	WBLG2472A		PUN	NT									
WZLG														
24" Adder - Two Laptop Garage® Units														
	24 x 60"	WBLG2460F		PUN	NT									
	24 x 66" 24 x 72"	WBLG2466F		PUN	NT									
	24 X 72	WBLG2472F		PUN	NT									
WZLG														
24" Finisher - Two Laptop Garage®														
Units														
		A	<b>3</b>	<b>G</b>	0	<b>(3</b>	<b>(3</b> )	œ	0	0	•	(3)	•	•

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

74P - 74P edge - Elliptical postformed edge - Postformed edge

Select PowerUp® module location.

PUN - No module

• Select wire trough.

- No wire trough

Select Laptop Garage quantity/size.

215 - Two 15" Laptop Garages - Two 17" Laptop Garages; add 217 \$50

Select lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

- With lock

GSelect frame style.

Add upcharge to unit price for WF option. - w/ Modesty panel

- w/ Full modesty panel

Select grommet option.

Overhead cabinet can NOT be ordered. - No worksurface grommet

OGY - Yes worksurface grommet Grommets can be used for wire passthrough.

Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select insert color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74F (74	P Edge P)	Elliptio		Pos (PF	stformed Edge	Full Modes Panel add to price		Lock C Add to price	
133.0#	\$	2049	\$ 20	)82	\$	2118	\$	94	\$	259
141.0#		2069	21	02		2137		122		259
147.0#		2094	21	128		2168		131		259
123.0#	\$	2049	\$ 20	)82	\$	2118	\$	94	\$	259
131.0#		2069	21	02		2137		122		259
137.0#		2094	21	128		2168		131		259

122.0#	\$ 2049	\$ 2082	\$ 2	2118	\$ 94	\$ 259
130.0#	2069	2102	2	2137	122	259
136.0#	2094	2128	2	2168	131	259

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUM	/IBER														
	D x W	Basic Model	Edge Style	P-Up Mod	W- Trgh	Elct Opt	Laptop Option	Lock Opt	Frame Style	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	PowerUp Module Color	
	30 x 30"	WBLG3030S															
	30 x 36"	WBLG3036S															
	30 x 42"	WBLG3042S															
	30 x 48"	WBLG3048S															
	30 x 54"	WBLG3054S															
WZLG																	
30" Starter - One Laptop Garage®																	
Remote must be specified separately																	
if lock is selected																	
	30 x 30"	WBLG3030A															
	30 x 36"	WBLG3036A															
	30 x 42"	WBLG3042A															
	30 x 48"	WBLG3048A															
	30 x 54"	WBLG3054A															
WZLG																	
30" Adder - One Laptop Garage®																	
<ul> <li>Remote must be specified separately if lock is selected</li> </ul>																	
	30 x 30"	WBLG3030F															
The state of the s	30 x 36"	WBLG3036F															
	30 x 42"	WBLG3042F															
	30 x 48"	WBLG3048F															
	30 x 54"	WBLG3054F															
WZLG																	
30" Finisher - One Laptop Garage®																	
<ul> <li>Remote must be specified separately if lock is selected</li> </ul>																	
		A	3	G	0	<b>3</b>	()	0	0	0	0	0	0	0	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

01001 00	ago otylo.
74P	- 74P edge
EP	- Elliptical postformed edge
PF	- Postformed edge

Select Powerl In® module location

Select	Powerup® module location.
PUN	- No module
PUL	- Left module; add \$108
PUR	- Right module; add \$108

**PUC** - Center module; add \$108 PUB option only available on 60", 66" and 72" wide worksurfaces.

• Select wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

NP - No power
T6 - T6 power
If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select Laptop Garage quantity/size.

115 - One 15" Laptop Garage

- One 15" Laptop Garage; add \$26

GSelect lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

LK - With lock

Select frame style.

Add upcharge to unit price for WF option.

wm - w/ Modesty panel
wF - w/ Full modesty panel

• Select grommet option.

Overhead cabinet can NOT be ordered.

OGN - No worksurface grommet

- Yes worksurface grommet

Grommets can be used for wire pass-through.

Select paint color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select insert color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select laminate surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on
edge style selections.

Select grommet color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.



Approx. Packaged Weight	(74	· · · · · · · · · · · · · · · · · · ·	(EP	,	Po (Pi	stformed Edge	Wire Troug add to price		T6 add to price	list	Full Modesty Panel add to li price		Lock C Add to price	
94.0#	\$	1207	\$	1238	\$	1267	\$	203	\$	146	\$	47	\$	193
101.0#		1230		1255		1284		218		150		57		193
110.0#		1246		1275		1309		231		161		67		193
118.0#		1272		1304		1338		237		167		77		193
124.0#		1290		1323		1358		252		173		83		193
84.0#	\$	1207	\$	1238	\$	1267	\$	203	\$	146	\$	47	\$	193
91.0#		1230		1255		1284		218		150		57		193
100.0#		1246		1275		1309		231		161		67		193
108.0#		1272		1304		1338		237		167		77		193
114.0#		1290		1323		1358		252		173		83		193
83.0#	\$	1207	\$	1238	\$	1267	\$	203	\$	146	\$	47	\$	193
90.0#		1230		1255		1284		218		150		57		193
99.0#		1246		1275		1309		231		161		67		193
107.0#		1272		1304		1338		237		167		77		193
113.0#		1290		1323		1358		252		173		83		193

Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUN	/IRFR													
	D x W	Basic Model	Edge Style	P-Up Mod	W- Trgh	Elct Opt	Laptop Option	Lock Opt	Frame Style	Grom	Paint Clr	Insrt Clr	Lam Clr	Edge Clr	Grm Clr	PowerUp Module Color
	30 x 60"	WBLG3060S														
	30 x 66"	WBLG3066S														
	30 x 72"	WBLG3072S														
WZLG																
30" Starter - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
	30 x 60"	WBLG3060A														
	30 x 66"	WBLG3066A														
	30 x 72"	WBLG3072A														
WZLG																
30" Adder - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
m [m].	30 x 60"	WBLG3060F														
	30 x 66"	WBLG3066F														
	30 x 72"	WBLG3072F														
WZLG																
30" Finisher - Two Laptop Garage® Units																
Remote must be specified separately if lock is selected																
		A	3	0	0	<b>3</b>	•	G	0	0	0	0	0	0	0	0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

74P	- 74P edge
EP	<ul> <li>Elliptical postformed edge</li> </ul>
PF	- Postformed edge

© Select PowerUp® module location.

PUN	- No module
PUL	- Left module; add \$108
PUR	- Right module; add \$108
PUC	- Center module; add \$108
PUB	- Both left and right modules;
~~~ <b>0017</b>	

PUB option only available on 60", 66" and 72" wide worksurfaces.

DSelect wire trough.

Add upcharge to unit price for WT option.

NT - No wire trough
WT - Wire trough
Available in black only.

Select electrical option.

Add upcharge to unit price for T6 option.

- No power

**T6** - T6 power If T6 power is specified, receptacles, jumpers and infeeds are to be specified separately

Select Laptop Garage quantity/size.

215	- T\	NO	15"	Laptop	Garages
217	- T\	NO	17"	Laptop	Garages; add
\$50					

GSelect lock option.

Add upcharge to unit price for (LK) option.

NL - No lock (standard)

LK - With lock

Select frame style.

Add upcharge to unit price for WF option.

wm - w/ Modesty panel
wf - w/ Full modesty panel

Oselect grommet option.
Overhead cabinet can NOT be ordered.

- OGN No worksurface grommet
  OGY Yes worksurface grommet
  met
- Grommets can be used for wire pass-through.
- Select paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.

  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

  Edge color offerings are based on edge style selections.
- Select grommet color.



Approx Packag Weight	ed 7	74P Edge (74P)	( Iliptical F EP)	Postformed Edge	Postforme (PF)	nd Edge	Wire Troug add to price		T6 add to price	list	Full Modes Panel add to price		Lock ( Add to price	Option o list
146.0	# \$	1976	\$ 2006		\$ 2040		\$	264	\$	385	\$	94	\$	259
153.0	#	1997	2032		2069			271		399		122		259
159.0	#	2022	2060		2097			275		411		131		259

136.0#	\$ 1976	\$ 2006	\$ 2040	\$ 264	\$ 385	\$ 94	\$ 259
143.0#	1997	2032	2069	271	399	122	259
149.0#	2022	2060	2097	275	411	131	259

		385 \$	94 \$	259
142.0# 1997 2032 2069	271	399	122	259
148.0# 2022 2060 2097	275	411	131	259

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select PowerUp® module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Laptop Lock 1 Unit Control	LTLOCK115	2.0#	
IRDPT	<ul><li>Locks a single garage</li><li>For retrofit onto non-locking units</li></ul>	LTLOCK117	2.0#	
	Remote not included			
	Laptop Lock 2 Unit Control	LTLOCK215	4.0#	
HRDPT	<ul><li>Locks two garages</li><li>For retrofit onto non-locking units</li></ul>	LTLOCK217	4.0#	
	Remote not included			
	Laptop Lock Remote	LTREMOTE	0.1#	
IRDPT	<ul> <li>Can order one per room or one per control box</li> </ul>			
	<ul> <li>Only five remotes can be programmed</li> </ul>			
	per controller box			
	Laptop Cable/Lock Keyed Alike	LTSK.L.KA	2.0#	
HRDPT				



#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

#### INFORMATION

Keyless Remote Locking System Not intended to be used with Connect™ System



Deli	ivered cing	
•	217	
\$	307	
	307	
\$	40	
_	457	
\$	157	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

## Index

Model No.	Description	Page	Model No.	Description	Page
3CMN	Center Drawer: Center Drawer	76	WKBS30481	Basic Workstation Typical: Basic Desk	8
47.0709.30	Electrical: 8-Wire to 10-Wire Adaptor	84	WKBS30482	Basic Workstation Typical: Basic Desk with Overhead	8
87.4624	Accessories and Worksurface Connectors: Worksur-		WMSC48	Mobile: Mobile Semi-Circle Worksurface	26
	face Height Change Connectors	40	WMSCPW52	Mobile: Mobile Semi-Circle Worksurface w/notch	26
AC8IF.108	Activ8® Infeed	86	WMT2440	Mobile: Mobile Teardrop Worksurface	26
AC8JP.29	Activ8® Jumper	86	WPW2448	Transitional: Peninsula End Worksurface	28
AC8RPTWZ.12	Activ8® Module and Attachment Bracket	86	WPW2448S	Transitional: Peninsula Side Mount Worksurface	28
BLCF30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-		WQRPW24	Transitional: Quarter Round Transitional Surface	32
	net with Fabric Upper Door	60	WRC244230	Basic: Curvilinear Worksurface	14
BLCL30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-		WRT2430	Transitional: Rectangle Transitional Surface	30
	net with Laminate Upper Door	58	WST2424	Transitional: Square Transitional Surface	30
BLCS30/WZ	Balance® Overhead Storage: Balance® Overhead Cabi-		WSU3036	Basic: Stand-up Worksurface	14
	net with Solid Color Upper Door	56	WUSS30	Universal Overhead Storage: Universal Shelf	50
BTLT5.24	Balance® Task Lights: Balance® Overhead Task Light	62	WZ.T6PI.27	Electrical: Floor Infeed (6-Circuit Pre-wired) 6-2-2	82
LTLOCK115	Laptop Lock 1 Unit Control	100	WZ.T6RECP.1	Electrical: Duplex Receptacle -10-Wire System 6-2-2	82
LTLOCK215	Laptop Lock 2 Unit Control	100	WZ.T6RECP.4I	Electrical: Isolated Receptacle - 10-Wire System 6-2-2 Electrical: 10-Wire Table-to-Table Connector 6-2-2	82
LTREMOTE	Laptop Lock Remote	100	WZ.T6SC18 WZMP60	Accessories and Worksurface Connectors: Guest	84
LTSK.L.KA	Laptop Cable/Lock Keyed Alike	100	WZWPOU		40
NSD	Universal Overhead Storage: Universal Shelf	52	WZP24	Modesty Panel Privacy Screens: Basic Privacy Screen	40 64
PAT	Paper Management: Accessory Tray	74	WZPC2436	Privacy Screens: Corner Privacy Screen	64
PDS	Paper Management: Diagonal Storage	72	WZPP244860	Basic: Piano Peninsula Worksurface (Right Shown)	20
PLL PMTR30	Paper Management: Paper Tray Tool Rail: Tool Rail	72	WZPPD244860	Piano Peninsula Worksurface (Hight Shown)	80
PPC		70 74	WZPT244860	Basic: "P" Shaped Peninsula Worksurface (Right Shown)	20
PTC	Paper Management: Pencil Cup Paper Management: Telephone Caddy	74 74	WZPTD244860	"P" Shaped Peninsula Worksurface (Tight Shown)	80
PVS	Paper Management: Vertical Storage	72	WZSS244860	Basic: Square Shoe Worksurface (Right Shown)	22
TLT5.24	Universal Tasklights: Universal Overhead Task Light	72 54	WZSSD244860	Square Shoe Worksurface	80
WAK2436	Basic: Adjustable Keyboard Pad Worksurface	12	WZUF30	Universal Overhead Storage: Universal Overhead	
WBLG2430A	24" Adder - One Laptop Garage®	92	***20.00	Cabinet with Fabric Door	48
WBLG2430F	24" Finisher - One Laptop Garage®	92	WZUL30	Universal Overhead Storage: Universal Overhead	
WBLG2430S	24" Starter - One Laptop Garage®	92		Cabinet with Laminate Door	46
WBLG2460A	24" Adder - Two Laptop Garage® Units	94	WZUS30	Universal Overhead Storage: Universal Overhead	
WBLG2460F	24" Finisher - Two Laptop Garage® Units	94		Cabinet with Steel Door	44
WBLG2460S	24" Starter - Two Laptop Garage® Units	94			
WBLG3030A	30" Adder - One Laptop Garage®	96			
WBLG3030F	30" Finisher - One Laptop Garage®	96			
WBLG3030S	30" Starter - One Laptop Garage®	96			
WBLG3060A	30" Adder - Two Laptop Garage® Units	98			
WBLG3060F	30" Finisher - Two Laptop Garage® Units	98			
WBLG3060S	30" Starter - Two Laptop Garage® Units	98			
WBSL2430A	24" Adder	88			
WBSL2430F	24" Finisher	88			
WBSL2430S	24" Starter	88			
WBSL3030A	30" Adder	90			
WBSL3030F	30" Finisher	90			
WBSL3030S	30" Starter	90			
WBW2430	Basic: Basic Worksurface	10			
WBW24FEP	Accessories and Worksurface Connectors: Full Leg End Pane				
WBWD2430	WorkZone® w/Power Worksurface WorkZone® w/Power Worksurface	78 78			
WBWD2460 WCC243624	Basic: Stand Alone Corner Curvilinear Worksurface	7 o 18			
WCCE243624	Transitional: End-of-Run Curvilinear Surface	38			
WCCT2436	Transitional: Corner Curvilinear Transitional Surface	36			
WCCT244230	Transitional: Corner Curvilinear Transitional Reduction Surface				
WCE36	Basic: Conference End Worksurface	24			
WCS2436	Basic: Stand Alone Corner Worksurface	16			
WCSK2442	Basic: Stand Alone Corner Worksurface with Keyboard	16			
WCT2436	Transitional: Corner Transitional Surface	32			
WCT244230	Transitional: Corner Transitional Reduction Surface	34			
WCTK2442	Transitional: Corner Transitional Surface with Keyboard Pad	34			
WER2436	Transitional: End-of-Run Corner Surface	38			

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11490R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.